

THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES,
FOR THE YEAR
1928.

(New Annual Series, No. 8)

TABLES. PART I. MEDICAL.



LONDON:

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1929.

Price 15s. 0d. Net.

TABLE OF CONTENTS.

PART I.—Medical.

	Page
Table 1. Deaths, Death-rates and Infant Mortality, England and Wales, 1838-1928	1
Table 2. Deaths and Death-rates in Quarters, England and Wales, 1838-1928	3
Table 3. Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838-1928	4
Table 4. Deaths according to Causes, England and Wales, 1918-1928	7
Table 5. Death-rates according to Causes, England and Wales, 1918-1928.. .. .	23
Table 6. Death-rates (all Ages Standardized or at Age-group 0-15) from the principal Epidemic Diseases, Tuberculosis, Cancer and Diabetes, England and Wales, 1851-1928	35.
Table 7. Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1927 and 1928	36
Table 8. Deaths of Infants by Cause in each Year 1918 to 1928, England and Wales	41
Table 9. Infant Mortality by Cause in each Year 1918 to 1928, England and Wales	42
Table 10. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1928	43
Table 11. Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1928	48
Table 12. Infant Mortality by Age and Cause in Different Parts of England and Wales and in Different Classes of Administrative Area, 1928.. .. .	54
Table 13. Deaths of Infants by Legitimacy and Age in Administrative Areas, 1928	57
Table 14. Population, Births, Deaths, Total and Infant Mortality and Natural Increase in Administrative Areas, 1928	62
Table 14a. Stillbirths and Stillbirth-rates in Administrative Areas, 1928	113
Table 15. Deaths at each Year of Age, England and Wales, 1928	116
Table 16. Deaths at Ages in Sections of the Country and Classes of Area, Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1928	117

	Page.
Table 17. Deaths by Cause, Sex and Age, 1928.. ..	134
Table 17a. Deaths by Cause and by Ages under Five Years, England and Wales, 1928	220
Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, October, 1927—September, 1928	224
Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1928	237
Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1928.. .. .	238
Table 21. Deaths by Cause in certain Administrative Areas, 1928	378
Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1928	428
Table 23. Infectious Diseases, Cases Notified per 1,000 Popula- tion, England and Wales, in each year 1918-1928 ..	439
Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1928	442
Table 25. Tuberculosis, Notifications in each year 1919-1928 ..	443
Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1928	444
Table 27. Infectious Diseases, Cases notified, England and Wales, in each year 1918-1928	451
Table 28. Infectious Diseases, Cases notified in all Administra- tive Areas in England and Wales, 1928	454
Table 29. Air Temperature, Rainfall and Sunshine, England and Wales, 1928	497
Table 30. Quarterly Meteorological Elements, Greenwich, 1928	498
Table 31. Meteorological Elements, Greenwich, 1879-1928 ..	499

General Register Office,
Somerset House,
London, W.C.2.

TABLE I.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838-1928.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1928†	43,986,394	22,574,884	21,411,510	17·9	19·1	16·9	17·3	18·7	16·1	1,161	135	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920†	5,188,052	2,684,511	2,503,541	14·3	15·9	13·0	13·5	15·1	12·1	1,246	100	96	194
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915†	2,598,719	1,344,171	1,254,548	14·3	15·4	13·2	13·7	15·2	12·4	1,226	110	105	210
1916-1920†	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·2	11·9	1,284	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1881	491,935	253,605	238,330	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838-1928—*continued*.

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	18.2	19.9	16.7	1,189	154	—	—
1901	551,585	285,618	265,967	16.9	18.1	15.8	16.9	18.5	15.5	1,192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	16.2	17.7	14.8	1,195	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	15.4	16.8	14.1	1,196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	16.2	17.6	14.9	1,185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	15.2	16.5	13.9	1,188	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	15.3	16.8	14.0	1,195	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	14.9	16.2	13.6	1,190	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	14.5	16.0	13.3	1,204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	14.3	15.6	13.1	1,192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	13.2	14.5	12.0	1,205	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	14.2	15.7	12.9	1,211	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	12.9	14.2	11.7	1,212	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	13.3	14.8	12.0	1,228	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	13.5	14.9	12.2	1,225	105	100	207
1915†	562,253	292,381	269,872	15.7	17.7	14.0	14.6	16.4	13.0	1,267	110	105	203
1916†	508,217	265,030	243,187	14.3	16.6	12.5	13.1	15.1	11.4	1,315	91	87	183
1917†	498,922	262,215	236,707	14.2	17.1	12.1	13.1	15.3	11.1	1,373	96	90	201
1918†	611,861	314,704	297,157	17.3	20.1	15.2	16.8	19.4	14.5	1,335	97	91	186
1919†	504,203	258,089	246,114	14.0	15.7	12.6	13.0	14.7	11.6	1,269	89	84	173
1920†	466,130	240,302	225,828	12.4	13.5	11.5	11.9	13.2	10.6	1,243	80	76	156
1921	458,629	234,291	224,338	12.1	13.0	11.3	11.3	12.5	10.2	1,223	83	79	158
1922	486,780	247,221	239,559	12.8	13.6	12.0	11.6	12.9	10.6	1,215	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	10.3	11.4	9.3	1,229	69	67	132
1924	473,235	240,620	232,615	12.2	12.9	11.5	10.7	11.8	9.7	1,222	75	73	133
1925	472,841	240,875	231,966	12.2	12.9	11.4	10.7	11.9	9.7	1,227	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	10.1	11.2	9.1	1,235	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	10.6	11.8	9.6	1,236	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	9.9	11.1	8.9	1,248	65	63	115

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 2.—ENGLAND AND WALES.—NUMBERS OF DEATHS AND ANNUAL DEATH-RATES IN EACH QUARTER IN GROUPS OF YEARS, 1838-1928, AND IN EACH YEAR 1919-1928.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838-1928*	6,322,950	5,509,326	5,133,893	5,608,715	6,095,605	5,125,717	4,785,415	5,404,773
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1919*	97,572	55,605	46,214	58,698	94,345	52,834	42,873	56,062
1920*	70,073	62,017	48,712	59,500	67,543	57,254	44,960	56,071
1921	65,716	55,782	51,405	61,388	63,557	52,687	47,691	60,403
1922	82,552	61,439	47,323	55,907	82,941	58,863	43,604	54,151
1923	63,362	58,237	47,239	58,020	61,349	55,807	44,011	56,760
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
1925	69,409	58,545	49,285	63,636	68,890	54,673	45,769	62,634
1926	65,742	58,414	46,917	60,476	64,869	55,395	43,788	58,203
1927	83,802	55,711	47,904	59,189	84,958	51,884	44,334	56,827
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
Period.	Deaths : Persons.				Death-Rates per 1,000 persons living.			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Persons.				Death-Rates per 1,000 persons living.			
1838-1928*	12,418,555	10,635,043	9,919,308	11,013,488	20.5	17.4	16.1	17.8
1841-50	1,029,485	926,091	892,964	920,856	24.7	22.0	21.0	21.7
1851-60	1,157,916	1,040,596	965,924	1,046,279	24.7	22.1	20.3	21.9
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25.2	21.8	21.0	22.1
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23.7	20.9	19.6	21.3
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21.6	18.7	17.3	19.1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20.7	17.6	17.0	17.7
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17.7	14.6	13.8	15.4
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17.2	13.6	11.8	15.0
1919*	191,917	108,439	89,087	114,760	21.3	12.1	9.9	12.8
1920*	137,616	119,271	93,672	115,571	14.7	12.8	10.0	12.3
1921	129,273	108,469	99,096	121,791	13.8	11.5	10.4	12.8
1922	165,493	120,302	90,927	110,058	17.6	12.6	9.5	11.4
1923	124,711	114,044	91,250	114,780	13.2	11.9	9.4	11.9
1924	160,274	114,188	90,138	108,635	16.6	11.8	9.2	11.1
1925	138,299	113,218	95,054	126,270	14.4	11.7	9.7	12.9
1926	130,611	113,809	90,705	118,679	13.6	11.7	9.2	12.1
1927	168,760	107,595	92,238	116,016	17.4	11.0	9.3	11.7
1928	136,299	114,742	93,715	115,633	13.9	11.7	9.4	11.7

* See Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES,
DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY,
1838–1928*—MALES.

Period.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Live Births.
	All Ages. (Stand- ard- ized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
1838–1928‡	18.7	57.7	5.5	3.1	4.4	6.1	7.3	10.7	16.7	31.1	65.9	143.4	294.8	149
1841–50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851–60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861–70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871–80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881–90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891–1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901–10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911–20‡	15.1	37.8	3.6	2.2	3.4	4.9	6.5	8.6	14.4	29.0	64.6	140.7	269.9	112
1841–45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846–50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851–55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856–60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861–65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866–70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871–75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876–80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881–85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886–90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891–95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896–1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901–05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906–10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911–15‡	15.2	40.8	3.4	2.0	3.0	4.0	5.1	8.2	14.9	30.2	65.4	141.3	274.5	121
1916–20‡	15.2	34.3	3.8	2.4	3.9	6.6	8.6	9.0	14.0	27.9	64.0	140.1	265.6	101
1921–25	12.1	27.3	2.5	1.7	2.6	3.5	4.1	6.5	11.6	24.8	58.6	136.2	271.6	86
1888	19.2	57.7	4.7	2.7	4.0	5.4	7.1	11.7	19.0	34.4	71.6	144.5	304.7	150
1889	19.2	61.8	4.7	2.6	3.9	5.1	7.0	11.3	18.3	33.4	68.5	138.9	298.6	157
1890	21.0	62.9	5.0	2.8	4.3	5.7	8.0	13.2	21.7	38.6	75.3	153.3	316.5	165
1891	21.7	64.6	4.7	2.6	4.2	5.6	7.9	13.4	22.4	41.0	81.3	167.9	327.1	164
1892	20.2	62.4	4.7	2.6	4.0	5.2	7.1	12.1	19.8	36.6	75.7	154.6	305.4	162
1893	20.4	65.6	5.0	2.8	4.3	5.4	7.3	12.5	19.9	35.6	71.4	142.5	272.8	173
1894	17.7	56.1	4.2	2.3	3.8	5.0	6.5	10.8	17.3	31.4	62.8	127.6	243.6	150
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.7	46.7	3.5	2.1	3.1	3.8	5.0	8.1	14.9	29.6	63.2	140.5	268.0	142
1912	14.2	35.8	3.1	1.8	2.9	3.6	4.8	7.9	14.6	29.4	63.9	137.1	266.7	106
1913	14.8	40.3	3.2	1.9	2.8	3.6	4.8	7.9	14.7	29.9	64.2	138.0	258.1	120
1914	14.9	39.4	3.4	2.1	3.1	3.9	5.1	8.3	14.9	30.0	64.7	135.3	269.5	116
1915‡	16.4	42.0	3.9	2.3	3.3	5.8	6.5	8.9	15.4	31.9	70.7	155.2	309.3	123
1916‡	15.1	32.4	3.3	2.2	3.4	6.8	7.2	8.6	14.4	29.5	67.9	150.3	296.3	102
1917‡	15.3	31.8	3.3	2.2	3.6	7.9	8.5	9.1	14.1	29.2	67.5	149.4	286.5	108
1918‡	19.4	38.9	5.5	3.5	6.2	13.8	19.6	12.6	16.4	29.3	65.7	132.1	234.4	108
1919‡	14.7	32.8	3.5	2.3	3.6	5.5	8.1	8.6	13.3	27.2	63.5	145.5	277.6	100
1920‡	13.2	36.2	3.3	1.9	2.9	3.9	4.7	7.0	12.0	24.5	56.0	124.6	235.2	90
1921	12.5	32.3	2.8	1.8	2.8	3.6	4.2	6.5	11.4	24.4	55.8	128.7	262.8	93
1922	12.9	30.2	2.6	1.7	2.7	3.7	4.4	6.9	12.0	26.0	61.2	143.9	271.3	87
1923	11.4	24.3	2.3	1.6	2.6	3.4	4.0	6.3	11.2	24.1	56.0	130.2	262.0	78
1924	11.8	25.1	2.4	1.6	2.5	3.4	3.9	6.5	11.5	24.9	60.0	137.5	271.4	85
1925	11.9	25.3	2.5	1.7	2.6	3.3	3.9	6.3	11.6	24.5	59.6	140.2	290.0	84
1926	11.2	23.3	2.5	1.5	2.5	3.1	3.7	6.1	11.1	23.3	56.8	132.7	282.0	79
1927	11.8	23.7	2.4	1.6	2.5	3.3	3.8	6.6	11.9	24.5	61.1	141.7	309.0	79
1928	11.1	21.9	2.4	1.7	2.6	3.1	3.7	6.0	11.2	23.3	57.8	130.1	287.7	74

* The age rates for intercensal years are based upon estimated populations.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; see the Annual Report for 1911 (pages xxvii–xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915–20.

TABLE 3 (contd.).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838-1928.*—FEMALES.

Period.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1,000 Female Live Births.
	All Ages. (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
1838-1928	16.1	49.0	5.4	3.2	4.5	5.5	6.7	9.0	13.1	25.0	55.2	125.1	265.7	122
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1911-20	12.1	31.3	3.6	2.3	3.2	3.9	4.8	6.4	10.9	21.5	50.1	115.9	239.9	89
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1911-15	12.4	34.0	3.4	2.1	2.7	3.2	4.1	6.5	11.4	22.7	52.2	117.2	242.0	97
1916-20	11.9	28.4	3.8	2.6	3.7	4.5	5.5	6.4	10.4	20.4	48.1	114.7	237.9	79
1921-25	9.9	22.1	2.4	1.7	2.6	3.1	3.6	5.0	8.8	18.6	46.0	114.0	246.9	66
1888	16.4	48.0	4.7	2.9	4.0	5.1	6.9	9.9	14.5	27.9	60.1	130.0	270.1	122
1889	16.6	51.9	4.7	2.8	3.9	4.9	6.5	9.8	14.3	27.4	58.7	126.5	260.3	129
1890	17.8	53.3	5.0	2.9	4.2	5.1	7.1	10.9	15.9	30.7	64.2	136.9	276.6	136
1891	18.5	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133
1892	17.5	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132
1893	17.6	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143
1894	15.2	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124
1895	17.3	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144
1896	15.7	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	12.9	39.5	3.4	2.1	2.7	3.3	4.2	6.6	11.4	22.8	50.9	115.1	229.4	117
1912	11.7	29.8	3.1	2.0	2.7	3.2	4.0	6.3	11.1	22.3	51.6	115.1	239.3	84
1913	12.0	33.3	3.2	2.0	2.6	3.2	4.0	6.4	11.3	22.3	50.7	111.4	230.9	96
1914	12.2	32.9	3.4	2.2	2.7	3.2	4.1	6.5	11.5	22.4	51.4	113.8	238.7	93
1915	13.0	34.4	3.8	2.3	3.0	3.4	4.2	6.5	11.7	23.6	56.2	129.8	269.9	96
1916	11.4	26.4	3.2	2.2	3.0	3.4	4.0	6.1	10.6	21.5	52.2	122.6	262.5	80
1917	11.1	26.3	3.2	2.2	3.2	3.4	3.9	5.8	10.1	20.7	49.2	118.9	246.8	85
1918	14.5	34.1	5.9	4.0	6.0	7.9	9.8	8.5	12.3	21.4	48.3	107.5	216.7	86
1919	11.6	26.4	3.6	2.3	3.4	4.3	5.4	6.1	10.1	20.5	48.8	120.4	251.7	78
1920	10.6	28.8	3.2	2.0	2.7	3.3	4.2	5.4	8.9	18.1	42.6	104.9	213.6	69
1921	10.2	25.8	2.7	1.8	2.7	3.2	3.7	5.2	8.8	18.2	43.6	108.9	232.3	72
1922	10.6	24.5	2.5	1.8	2.6	3.2	3.9	5.3	9.3	19.7	48.6	120.9	251.0	66
1923	9.3	19.6	2.2	1.6	2.5	3.0	3.4	4.8	8.5	18.2	44.1	108.5	231.9	60
1924	9.7	20.2	2.2	1.7	2.5	3.1	3.5	5.0	8.6	18.9	47.3	116.0	249.5	65
1925	9.7	20.7	2.4	1.7	2.5	3.1	3.4	4.8	8.6	18.1	46.2	115.8	269.1	66
1926	9.1	18.8	2.3	1.5	2.4	2.9	3.3	4.6	8.2	17.4	43.9	108.0	254.2	61
1927	9.6	18.9	2.2	1.5	2.4	3.0	3.4	4.9	8.7	18.3	47.4	118.5	285.8	60
1928	8.9	17.4	2.2	1.5	2.4	3.0	3.3	4.6	8.1	17.1	44.3	106.0	262.5	56

* See Note* on first page of Table.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (contd).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES
DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY,
1838-1928.*—PERSONS.

Period	Deaths of Persons per 1,000 living at subjoined Ages.													Deaths of Infants under 1 year of age per 1,000 Live Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1928‡	17.3	53.3	5.4	3.1	4.5	5.7	7.0	9.8	14.8	27.9	60.1	132.8	276.4	135
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128
1911-20‡	13.5	34.6	3.6	2.3	3.3	4.3	5.5	7.4	12.6	25.0	56.5	125.7	250.2	100
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117
1911-15‡	13.7	37.4	3.4	2.1	2.9	3.6	4.6	7.3	13.1	26.2	58.0	126.7	253.3	110
1916-20‡	13.4	31.4	3.8	2.5	3.8	5.1	6.5	7.5	12.1	23.9	55.1	124.8	247.3	90
1921-25	10.9	24.7	2.5	1.7	2.6	3.3	3.8	5.7	10.1	21.5	51.6	122.7	255.0	76
1888	17.7	52.9	4.7	2.8	4.0	5.3	7.0	10.8	16.7	30.9	65.3	136.2	283.1	136
1889	17.9	56.8	4.7	2.7	3.9	5.0	6.7	10.5	16.2	30.2	63.1	131.8	274.6	144
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.5	32.2	66.5	134.6	258.5	159
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105
1911	14.2	43.1	3.4	2.1	2.9	3.5	4.6	7.3	13.1	26.0	56.4	125.1	243.0	130
1912	12.9	32.8	3.1	1.9	2.8	3.4	4.4	7.1	12.8	25.6	57.0	123.9	248.9	95
1913	13.3	36.8	3.2	2.0	2.7	3.3	4.3	7.1	12.9	25.9	56.7	122.0	240.5	108
1914	13.5	36.2	3.4	2.1	2.9	3.5	4.6	7.3	13.2	26.0	57.3	122.3	249.4	105
1915‡	14.6	38.2	3.8	2.3	3.1	4.3	5.1	7.6	13.5	27.5	62.6	139.8	283.4	110
1916‡	13.1	29.4	3.2	2.2	3.2	4.3	5.1	7.2	12.4	25.3	59.2	133.6	274.1	91
1917‡	13.1	29.1	3.2	2.2	3.4	4.5	5.3	7.2	12.0	24.7	57.3	131.0	260.2	96
1918‡	16.8	36.5	5.7	3.7	6.1	9.3	12.4	10.1	14.2	25.1	55.9	117.3	222.7	97
1919‡	13.0	29.6	3.5	2.3	3.5	4.7	6.4	7.2	11.6	23.7	55.2	130.4	260.5	89
1920‡	11.9	32.5	3.3	2.0	2.8	3.6	4.4	6.1	10.4	21.1	48.5	112.6	220.8	80
1921	11.3	29.1	2.8	1.8	2.8	3.4	3.9	5.8	10.0	21.1	49.0	116.7	242.3	83
1922	11.6	27.4	2.6	1.8	2.6	3.5	4.1	6.1	10.6	22.7	54.2	129.9	257.7	77
1923	10.3	22.0	2.3	1.6	2.5	3.2	3.7	5.5	9.8	21.0	49.4	117.0	241.8	69
1924	10.7	22.6	2.3	1.7	2.5	3.3	3.7	5.7	10.0	21.7	53.0	124.5	256.8	75
1925	10.7	23.0	2.5	1.7	2.6	3.2	3.6	5.5	10.0	21.1	52.2	125.4	276.0	75
1926	10.1	21.1	2.4	1.5	2.4	3.0	3.5	5.3	9.5	20.2	49.7	117.7	263.4	70
1927	10.6	21.3	2.3	1.5	2.5	3.1	3.6	5.6	10.2	21.3	53.6	127.7	293.6	70
1928	9.9	19.7	2.3	1.6	2.5	3.1	3.5	5.2	9.6	20.0	50.4	115.6	270.9	65

* See note* on first page of Table.

† The death-rates in this column are standardized to the sex and age constitution of the population enumerated in 1901.

‡ Including civilian mortality only in 1915-20.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES.

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	ALL CAUSES {M. F.	314704 297157	258089 246114	240302 225828	234291 224338	247221 239559	226858 217927	240620 232615	240875 231966	231549 222255	246606 238003	235542 224847
1-42	I.—Epidemic, Endemic and Infectious Diseases .. {M. F.	101344 101359	57283 52064	41319 36828	36875 33622	44970 41606	35656 31381	40670 37117	39148 34754	33960 29511	40176 36531	33122 28232
1	Enteric fever {M. F.	458 492	317 260	291 246	312 301	245 220	227 223	244 252	188 200	192 175	188 179	215 223
	(a) Typhoid fever .. {M. F.	? ?	? ?	? ?	304 291	230 214	211 208	232 229	174 173	171 155	166 147	161 177
	(b) Paratyphoid fever .. {M. F.	? ?	? ?	? ?	8 10	15 6	16 15	12 23	14 27	21 20	22 32	54 46
2	Typhus {M. F.	2 1	1 —	— —	— —	3 1	1 —	1 4	— —	— 1	— —	1 —
3	Relapsing fever (Spirillum obermeieri) {M. F.	— —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —
4	Mediterranean fever .. {M. F.	1 —	1 1	1 —	1 1	1 —	— 1	2 —	— —	— 1	— —	— —
5	Malaria {M. F.	188 9	264 4	240 10	139 4	113 10	76 5	91 6	62 4	58 7	33 6	31 5
6	Small-pox {M. F.	1 1	18 10	12 18	5 —	21 6	5 2	5 8	3 6	9 9	23 24	38 15
7	Measles {M. F.	5147 4640	1816 1718	3760 3430	1188 1053	2988 2706	2881 2435	2564 2270	2853 2484	1834 1649	1914 1708	2284 2018
8	Scarlet fever.. .. {M. F.	507 513	566 655	695 735	631 674	654 728	503 490	417 471	478 510	355 322	284 295	263 317
9	Whooping cough .. {M. F.	4391 5507	1145 1460	1969 2432	2046 2530	2864 3506	1909 2253	1864 2119	2770 3288	1877 2241	1660 2021	1343 1633
10	Diphtheria {M. F.	2322 2481	2350 2538	2699 2949	2298 2474	2048 2027	1317 1405	1212 1289	1348 1426	1421 1573	1339 1393	1580 1611
11	Influenza {M. F.	53883 58446	23198 21603	5635 5030	4511 4484	10353 11145	4305 4156	9142 9844	6308 6413	4540 4396	10804 11459	4084 3670
	(a) { 1. With pneumonic complications .. {M. F.	? ?	? ?	? ?	2096 1757	5198 5107	2021 1561	4498 4047	2831 2341	2157 1631	5308 4699	2035 1432
	{ 2. With other pulmonary complications {M. F.	? ?	? ?	? ?	776 916	2261 2584	755 907	1911 2555	1302 1571	775 926	2390 3054	707 764
	(b) { 1. With non-pulmonary complications .. {M. F.	? ?	? ?	? ?	964 1008	1578 1817	952 963	1586 1758	1271 1417	1013 1130	1752 2056	998 1070
	{ 2. Without stated complication .. {M. F.	? ?	? ?	? ?	675 803	1316 1637	577 725	1147 1484	904 1084	595 709	1354 1650	344 404
12	Miliary fever {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Mumps {M. F.	25 16	17 19	16 11	11 19	8 6	12 7	7 7	18 10	25 15	11 13	11 14
14	Asiatic cholera {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
15	Cholera nostras {M. F.	8 3	2 —	5 3	6 4	1 —	— —	1 —	2 —	— —	— —	1 —
16	Dysentery {M. F.	485 353	272 163	155 99	127 134	100 116	91 58	69 61	73 62	74 68	53 42	84 71
	(a) Amoebic {M. F.	? ?	? ?	? ?	10 1	8 2	8 5	8 —	9 2	11 3	12 1	12 1
	(b) Bacillary {M. F.	? ?	? ?	? ?	9 8	9 12	7 5	4 9	6 7	6 5	4 2	17 20
	(c) Other or unspecified .. {M. F.	? ?	? ?	? ?	108 125	83 102	76 48	57 52	58 53	57 60	37 39	55 50

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918–1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
17	Plague {M. F.	2 2	5 —	2 1	— —	— —	— —	— —	— —	1 —	— —	— —
	(a) Bubonic {M. F.	2 —	4 —	1 1	— —	— —	— —	— —	— —	1 —	— —	— —
	(b) Pneumonic {M. F.	— 2	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Septicæmic {M. F.	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(d) Not otherwise defined {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Yellow fever {M. F.	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
19	Spirochætosis ictero- hæmorrhagica {M. F.	? ?	? ?	? ?	— —	1 1	— 1	1 —	5 1	2 —	1 1	4 —
20	Leprosy {M. F.	5 —	3 —	3 —	1 —	— —	2 —	2 —	2 —	— 1	2 1	1 —
21	Erysipelas {M. F.	326 283	362 298	416 422	367 362	379 324	306 316	353 323	449 401	428 380	414 406	480 416
22	Acute poliomyelitis .. {M. F.	116 121	99 84	78 56	90 79	60 76	60 59	88 69	85 71	127 108	107 75	99 68
	(1) Poliomyelitis {M. F.	? ?	? ?	? ?	69 60	45 64	36 43	62 60	65 51	91 85	67 45	68 44
	(2) Polioencephalitis .. {M. F.	? ?	? ?	? ?	21 19	15 12	24 16	26 9	20 20	36 23	40 30	31 24
23	Encephalitis lethargica .. {M. F.	5 11	138 156	239 241	351 378	160 179	276 255	732 675	666 706	650 675	592 563	512 560
24	Meningococcal meningitis .. {M. F.	633 293	433 261	300 233	232 184	202 158	144 140	174 127	202 152	211 154	259 171	246 192
25	Other epidemic diseases .. {M. F.	87 56	55 38	66 43	53 34	35 25	47 28	42 35	83 58	65 56	53 28	45 35
	(1) German measles .. {M. F.	44 25	16 13	12 13	9 6	7 8	7 10	5 7	24 18	21 14	15 5	7 5
	(2) Varicella {M. F.	24 30	30 25	41 30	32 25	24 16	36 16	34 25	50 33	27 29	27 22	33 29
	(3) Other diseases included under 25 .. {M. F.	19 1	9 —	13 —	12 3	4 1	4 2	3 3	9 7	17 13	11 1	5 1
26	Glanders {M. F.	— —	— —	— —	1 1	— —	— —	— —	— —	1 —	1 —	— —
27	Anthrax {M. F.	10 2	16 3	12 2	10 1	9 —	13 —	9 1	10 1	6 2	3 —	9 3
28	Rabies {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
29	Tetanus {M. F.	126 30	121 34	116 33	114 51	111 31	127 47	110 25	120 39	111 40	136 30	107 27
30	Mycoses {M. F.	62 34	65 29	69 51	59 40	71 39	77 51	73 43	59 43	59 36	54 26	66 31
	(1) Actinomycosis .. {M. F.	17 7	21 8	25 11	21 10	28 14	33 15	31 16	21 15	27 16	30 13	44 19
	(2) Other mycoses .. {M. F.	45 27	44 21	44 40	38 30	43 25	44 36	42 27	38 28	32 20	24 13	22 12

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918–1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
31-37	Tuberculosis (all forms) .. {M. F.	31027 27046	24550 21762	22918 19627	22899 19779	23316 19461	22085 18703	22350 18753	22234 18153	20669 16856	20916 17257	20157 16466
31	Respiratory system .. {M. F.	24371 20967	19248 16736	17872 14919	18121 15384	18656 15263	17571 14526	17970 14720	17995 14387	16773 13335	17184 13882	16608 13191
32	Nervous system .. {M. F.	2283 2096	1887 1809	1885 1700	1781 1584	1780 1563	1677 1579	1606 1489	1608 1427	1468 1366	1534 1334	1333 1218
33	Intestines and perito- neum .. {M. F.	1642 1598	1154 1256	1031 1161	1064 1083	931 955	951 1001	917 936	847 851	763 771	653 698	635 701
34	Vertebral column .. {M. F.	451 401	370 293	396 280	349 318	377 307	332 271	317 295	305 233	298 236	283 216	277 213
35	Joints {M. F.	273 178	223 153	208 138	160 135	185 129	156 118	185 109	154 98	149 91	143 84	136 89
36	Other organs {M. F.	366 362	348 368	336 283	303 213	295 280	305 259	287 292	279 255	246 206	247 236	285 269
	(a) Skin and subcutan- eous tissue .. {M. F.	? ?	? ?	? ?	36 52	33 40	25 48	36 67	20 38	30 34	16 57	19 60
	(b) Bones (vertebral column excepted) {M. F.	? ?	? ?	? ?	70 52	47 49	58 40	45 42	46 47	51 35	47 33	49 29
	(c) Lymphatic system (abdominal glands excepted) .. {M. F.	? ?	? ?	? ?	60 72	61 68	47 60	46 53	49 44	39 45	46 41	49 41
	(d) Genito-urinary system .. {M. F.	? ?	? ?	? ?	126 113	141 109	158 102	138 114	156 118	124 85	132 98	164 127
	(e) Others in 36 .. {M. F.	? ?	? ?	? ?	11 24	13 14	17 9	22 16	8 8	2 7	6 7	4 12
37	Disseminated tuberculosis .. {M. F.	1641 1444	1320 1147	1190 1146	1121 962	1092 964	1093 949	1068 912	1046 902	972 851	872 807	883 785
	(a) Acute {M. F.	385 354	333 345	312 366	234 230	284 277	393 404	416 388	344 355	341 341	313 334	339 344
	(b) Chronic or unstated {M. F.	1256 1090	987 802	878 780	887 732	808 687	700 545	652 524	702 547	631 510	559 473	544 441
38	Syphilis {M. F.	1171 823	1102 755	1154 869	1038 761	848 624	857 532	781 515	726 459	784 470	865 541	993 539
39	Soft chancre {M. F.	1 —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —
40	Gonococcal infection .. {M. F.	47 24	55 34	41 38	31 40	25 17	21 21	31 17	30 13	31 20	52 22	55 21
	(1) Gonococcal infection (ophthalmia excepted) {M. F.	22 17	19 20	19 14	13 18	9 8	15 11	18 11	23 5	21 13	28 14	42 9
	(2) Gonorrhœal or puru- lent ophthalmia .. {M. F.	25 7	36 14	22 24	18 22	16 9	6 10	13 6	7 8	10 7	24 8	13 12
41	Purulent infection, septi- cæmia {M. F.	305 172	311 177	421 244	353 232	350 198	311 188	304 203	371 253	429 254	412 267	405 287
42	Other infectious diseases .. {M. F.	3 —	— 1	4 5	1 2	2 2	3 5	1 —	3 1	1 2	— 3	8 10
	(1) Vaccinia {M. F.	3 —	— 1	4 5	1 2	2 2	3 5	1 —	2 1	— 1	— 1	8 10
	(2) Other diseases included under 42 {M. F.	— —	— —	— —	— —	— —	— —	— —	1 —	1 1	— 2	— —

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I.)

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
43-69	II.—General Diseases not included in I. 1-42*†	{M. 24086 F. 30267}	{M. 24743 F. 30870}	{M. 26060 F. 31911}	{M. 27218 F. 33850}	{M. 28230 F. 34546}	{M. 28664 F. 35270}	{M. 29799 F. 36075}	{M. 30681 F. 37513}	{M. 31482 F. 38476}	{M. 32191 F. 39163}	{M. 33129 F. 40508}
43-49	Cancer, Malignant disease..	{M. 18078 F. 23149}	{M. 18723 F. 23421}	{M. 19659 F. 24028}	{M. 20649 F. 25373}	{M. 21266 F. 25637}	{M. 22065 F. 26603}	{M. 23099 F. 27290}	{M. 24002 F. 27937}	{M. 24437 F. 28783}	{M. 25048 F. 29030}	{M. 26013 F. 30240}
43	Buccal cavity	{M. 2357 F. 377}	{M. 2387 F. 378}	{M. 2449 F. 369}	{M. 2482 F. 358}	{M. 2415 F. 361}	{M. 2548 F. 414}	{M. 2507 F. 423}	{M. 2649 F. 428}	{M. 2570 F. 433}	{M. 2713 F. 430}	{M. 2790 F. 422}
44	Pharynx, œsophagus, stomach, liver and annexa	{M. 6938 F. 6378}	{M. 7259 F. 6289}	{M. 7477 F. 6576}	{M. 7926 F. 6818}	{M. 8179 F. 7007}	{M. 8335 F. 7070}	{M. 8552 F. 7153}	{M. 9003 F. 7428}	{M. 9065 F. 7740}	{M. 9143 F. 7499}	{M. 9317 F. 7856}
45	Peritoneum, intestines and rectum	{M. 3914 F. 4649}	{M. 4178 F. 4617}	{M. 4439 F. 4780}	{M. 4683 F. 5059}	{M. 4790 F. 4964}	{M. 5010 F. 5338}	{M. 5437 F. 5528}	{M. 5544 F. 5601}	{M. 5888 F. 6032}	{M. 5968 F. 6025}	{M. 6156 F. 6324}
46	Female genital organs ..	F. 4997	5000	5005	5436	5354	5572	5626	5705	5791	5872	6008
47	Breast	{M. 37 F. 4082}	{M. 28 F. 4309}	{M. 35 F. 4488}	{M. 33 F. 4684}	{M. 42 F. 4826}	{M. 34 F. 4996}	{M. 38 F. 5153}	{M. 39 F. 5372}	{M. 43 F. 5296}	{M. 41 F. 5678}	{M. 51 F. 5878}
48	Skin	{M. 647 F. 392}	{M. 714 F. 416}	{M. 702 F. 385}	{M. 719 F. 401}	{M. 727 F. 439}	{M. 756 F. 427}	{M. 824 F. 460}	{M. 787 F. 432}	{M. 817 F. 427}	{M. 821 F. 475}	{M. 883 F. 502}
49	Other or unspecified organs	{M. 4185 F. 2274}	{M. 4157 F. 2412}	{M. 4557 F. 2425}	{M. 4806 F. 2617}	{M. 5113 F. 2686}	{M. 5382 F. 2786}	{M. 5741 F. 2947}	{M. 5980 F. 2971}	{M. 6054 F. 3064}	{M. 6362 F. 3051}	{M. 6816 F. 3250}
50	Tumours not returned as malignant (brain and fe- male genital organs ex- cepted)	{M. 313 F. 233}	{M. 313 F. 247}	{M. 324 F. 287}	{M. 357 F. 302}	{M. 361 F. 296}	{M. 397 F. 325}	{M. 401 F. 335}	{M. 383 F. 356}	{M. 462 F. 362}	{M. 436 F. 397}	{M. 436 F. 386}
51	Rheumatic fever	{M. 723 F. 797}	{M. 686 F. 825}	{M. 975 F. 1149}	{M. 868 F. 947}	{M. 821 F. 956}	{M. 770 F. 857}	{M. 757 F. 906}	{M. 833 F. 1052}	{M. 818 F. 954}	{M. 694 F. 868}	{M. 638 F. 862}
52	Chronic rheumatism, osteo- arthritis, gout*	{M. 766 F. 1438}	{M. 804 F. 1409}	{M. 727 F. 1379}	{M. 749 F. 1526}	{M. 899 F. 1590}	{M. 829 F. 1595}	{M. 895 F. 1580}	{M. 845 F. 1718}	{M. 857 F. 1742}	{M. 1056 F. 1879}	{M. 1176 F. 2142}
	(1) Chronic rheumatism* ..	{M. 185 F. 266}	{M. 189 F. 248}	{M. 165 F. 241}	{M. 185 F. 273}	{M. 199 F. 251}	{M. 179 F. 233}	{M. 190 F. 221}	{M. 154 F. 207}	{M. 140 F. 174}	{M. 97 F. 117}	{M. 94 F. 120}
	(2) Rheumatoid and osteo- arthritis*	{M. 382 F. 1129}	{M. 417 F. 1130}	{M. 386 F. 1113}	{M. 406 F. 1219}	{M. 509 F. 1302}	{M. 502 F. 1331}	{M. 546 F. 1329}	{M. 523 F. 1478}	{M. 564 F. 1529}	{M. 735 F. 1721}	{M. 805 F. 1969}
	(3) Gout	{M. 199 F. 43}	{M. 198 F. 31}	{M. 176 F. 25}	{M. 158 F. 34}	{M. 191 F. 37}	{M. 148 F. 31}	{M. 159 F. 30}	{M. 168 F. 33}	{M. 153 F. 39}	{M. 224 F. 41}	{M. 277 F. 53}
53	Scurvy	{M. 16 F. 29}	{M. 12 F. 8}	{M. 16 F. 15}	{M. 30 F. 23}	{M. 13 F. 13}	{M. 11 F. 11}	{M. 19 F. 14}	{M. 16 F. 5}	{M. 7 F. 3}	{M. 17 F. 9}	{M. 18 F. 3}
54	Pellagra	{M. — F. 1}	{M. — F. —}	{M. — F. 2}	{M. — F. 4}	{M. 2 F. 12}	{M. 4 F. 9}	{M. 2 F. 7}	{M. — F. 9}	{M. — F. 6}	{M. 1 F. 7}	{M. 1 F. 4}
55	Beri-beri	{M. 4 F. —}	{M. 8 F. —}	{M. 4 F. —}	{M. 3 F. —}	{M. 2 F. —}	{M. 1 F. —}	{M. 1 F. —}	{M. 3 F. —}	{M. 1 F. —}	{M. 1 F. —}	{M. — F. —}
56	Rickets	{M. 387 F. 341}	{M. 279 F. 198}	{M. 313 F. 199}	{M. 278 F. 214}	{M. 240 F. 179}	{M. 280 F. 193}	{M. 301 F. 187}	{M. 281 F. 197}	{M. 248 F. 172}	{M. 232 F. 146}	{M. 290 F. 203}
57	Diabetes	{M. 1790 F. 1778}	{M. 1897 F. 1960}	{M. 1762 F. 1987}	{M. 1901 F. 2191}	{M. 2106 F. 2439}	{M. 1927 F. 2439}	{M. 1896 F. 2358}	{M. 1814 F. 2543}	{M. 1973 F. 2533}	{M. 2045 F. 2905}	{M. 2198 F. 2982}
58	Anæmia, chlorosis	{M. 978 F. 1181}	{M. 986 F. 1385}	{M. 1097 F. 1400}	{M. 1124 F. 1656}	{M. 1243 F. 1692}	{M. 1110 F. 1556}	{M. 1161 F. 1642}	{M. 1207 F. 1693}	{M. 1266 F. 1856}	{M. 1217 F. 1700}	{M. 855 F. 1284}
	(a) Pernicious anæmia ..	{M. ? F. ?}	{M. ? F. ?}	{M. 986 F. 1231}	{M. 997 F. 1460}	{M. 1109 F. 1485}	{M. 998 F. 1366}	{M. 1036 F. 1486}	{M. 1078 F. 1507}	{M. 1122 F. 1658}	{M. 1100 F. 1555}	{M. 739 F. 1115}
	(b) Other anæmias and chlorosis	{M. ? F. ?}	{M. ? F. ?}	{M. 111 F. 169}	{M. 127 F. 196}	{M. 134 F. 207}	{M. 112 F. 190}	{M. 125 F. 156}	{M. 129 F. 186}	{M. 144 F. 198}	{M. 117 F. 145}	{M. 116 F. 169}
59	Diseases of the pituitary gland†	{M. ? F. ?}	{M. ? F. ?}	{M. ? F. ?}	{M. 4 F. 1}	{M. 5 F. 17}	{M. 9 F. 6}	{M. 8 F. 5}	{M. 9 F. 8}	{M. 11 F. 13}	{M. 17 F. 17}	{M. 14 F. 22}

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156), and from 1921 to 1926 inclusive under the heading Chronic Rheumatism (52:1). They are now included under Rheumatoid and osteo arthritis (52:2).

† Previous to 1924 deaths from Tetany (61:1) were chiefly included under the heading Other diseases of the nervous system (84:5).

‡ Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
60	Diseases of the thyroid gland† {M. F.	125 598	120 717	88 665	118 822	126 877	134 834	116 883	134 1012	163 1080	165 1169	182 1,275
	(a) Exophthalmic goitre .. {M. F.	46 357	56 473	46 464	54 533	63 591	56 569	46 574	64 680	84 743	91 852	119 933
	2. Cretinism {M. F.	30 38	31 23	21 25	27 34	23 36	26 27	20 31	25 44	25 33	35 28	23 23
	(b) 1. Myxoedema .. {M. F.	49 203	33 221	21 176	15 130	18 147	19 138	20 169	21 174	19 185	18 191	24 195
	3. Other diseases of the thyroid gland† {M. F.	203	221	176	22 125	22 103	33 100	30 109	24 114	35 119	21 98	16 124
61	Diseases of the parathyroid glands*† .. {M. F.	? ?	? ?	? ?	— —	2 —	1 1	21 20	22 24	19 23	23 19	18 17
	(1) Tetany* .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	21 20	21 24	19 23	23 19	18 17
	(2) Other diseases of the parathyroid glands† {M. F.	? ?	? ?	? ?	— —	2 —	1 1	— —	1 —	— —	— —	— —
62	Diseases of the thymus .. {M. F.	73 59	68 42	85 58	106 69	106 70	106 52	95 61	102 67	110 56	90 63	108 65
63	Diseases of the adrenals .. {M. F.	95 118	66 108	93 133	88 127	90 131	101 126	97 122	104 149	96 164	76 156	99 144
64	Diseases of the spleen .. {M. F.	16 23	18 22	17 20	23 12	20 13	17 15	11 16	10 18	20 17	18 16	20 22
65	Leukæmia, lymphadenoma {M. F.	397 283	389 300	448 320	488 311	521 334	494 383	544 387	541 423	605 426	631 464	601 457
	(a) Leukæmia .. {M. F.	209 176	198 191	237 195	248 198	269 206	270 236	276 235	296 273	325 278	341 301	342 275
	(b) Lymphadenoma (Hodg-kin's disease) {M. F.	188 107	191 109	211 125	240 113	252 128	224 147	268 152	245 150	280 148	290 163	259 182
66	Alcoholism (acute or chronic) {M. F.	61 20	88 27	166 50	127 55	117 47	104 47	94 33	95 55	76 39	84 24	74 34
67	Chronic poisoning by mineral substances .. {M. F.	? ?	? ?	? ?	57 2	50 6	55 6	49 2	31 4	49 6	48 1	56 7
	(1) Occupational lead poisoning .. {M. F.	35 1	48 —	56 5	56 2	43 5	51 4	47 2	28 3	44 3	44 —	53 6
	(2) Other chronic poisoning by mineral substances. {M. F.	8 11	10 9	4 4	1 —	7 1	4 2	2 —	3 1	5 3	4 1	3 1
68	Chronic poisoning by organic substances .. {M. F.	3 2	8 6	1 5	9 4	3 6	1 5	9 4	3 3	3 3	5 2	5 5
69	Other general diseases† .. {M. F.	221 207	228 192	226 210	243 213	232 231	248 207	223 223	246 240	261 238	287 291	327 354
	(1) Purpura .. {M. F.	135 143	120 120	111 139	123 128	137 143	110 135	114 128	129 140	125 137	123 137	141 153
	(2) Hæmophilia .. {M. F.	40 26	54 31	70 21	63 37	66 33	81 29	70 36	73 36	71 40	68 22	88 39
	(3) Other diseases included under 69† .. {M. F.	46 38	54 41	45 50	57 48	29 55	57 43	39 59	44 64	65 61	96 132	98 162

* Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under Other diseases of the Nervous system (84 : 5).

† Previous to 1921 deaths from Other diseases of the parathyroid glands (61 : 2) were included under Diseases of the thyroid gland (60).

‡ Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter-national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
70-86	III.—Diseases of the Nervous System and Sense Organs†	M. 26119 F. 25615	M. 24887 F. 25229	M. 24136 F. 24642	M. 23685 F. 24472	M. 24131 F. 24969	M. 23195 F. 24444	M. 23212 F. 24066	M. 23116 F. 23814	M. 22669 F. 23900	M. 21250 F. 22648	M. 20105 F. 21698
70	Encephalitis ..	M. 202 F. 148	M. 196 F. 173	M. 226 F. 155	M. 178 F. 130	M. 179 F. 132	M. 176 F. 130	M. 149 F. 120	M. 196 F. 119	M. 212 F. 141	M. 154 F. 109	M. 151 F. 130
	(1) Cerebral abscess ..	M. ? F. ?	M. ? F. ?	M. 116 F. 70	M. 115 F. 74	M. 127 F. 69	M. 113 F. 74	M. 111 F. 63	M. 126 F. 70	M. 140 F. 88	M. 103 F. 49	M. 92 F. 74
	(2) Other diseases included under 70 ..	M. ? F. ?	M. ? F. ?	M. 110 F. 85	M. 63 F. 56	M. 52 F. 63	M. 63 F. 56	M. 38 F. 57	M. 70 F. 49	M. 72 F. 53	M. 51 F. 60	M. 59 F. 56
71	Meningitis	M. 1580 F. 1387	M. 1421 F. 1155	M. 1304 F. 1098	M. 1306 F. 1129	M. 1211 F. 1001	M. 1097 F. 971	M. 1069 F. 856	M. 1016 F. 798	M. 863 F. 761	M. 813 F. 650	M. 669 F. 541
72	Tabes dorsalis (locomotor ataxy)	M. 582 F. 103	M. 581 F. 82	M. 522 F. 87	M. 576 F. 116	M. 665 F. 136	M. 597 F. 131	M. 627 F. 118	M. 602 F. 129	M. 630 F. 117	M. 642 F. 138	M. 651 F. 126
73	Other diseases of the spinal cord*	M. 1385 F. 1086	M. 1468 F. 1155	M. 1350 F. 1131	M. 716 F. 582	M. 774 F. 603	M. 823 F. 614	M. 862 F. 613	M. 792 F. 601	M. 767 F. 622	M. 768 F. 651	M. 836 F. 619
74	Cerebral hæmorrhage, apoplexy, etc... ..	M. 11161 F. 14002	M. 11574 F. 14833	M. 11316 F. 14325	M. 11339 F. 14324	M. 11884 F. 15063	M. 11641 F. 14905	M. 11864 F. 14921	M. 12007 F. 15024	M. 11939 F. 15269	M. 11018 F. 14220	M. 10194 F. 13560
	(a) { 1. Cerebral hæmorrhage, so returned ..	M. 8142 F. 10025	M. 8472 F. 10745	M. 8490 F. 10626	M. 8600 F. 10686	M. 9105 F. 11416	M. 9012 F. 11430	M. 9274 F. 11450	M. 9435 F. 11642	M. 9369 F. 11730	M. 8648 F. 10977	M. 8051 F. 10548
	2. Apoplexy, lesion un-stated	M. 2011 F. 2499	M. 1980 F. 2434	M. 1669 F. 2033	M. 1550 F. 1832	M. 1434 F. 1780	M. 1271 F. 1610	M. 1181 F. 1438	M. 1065 F. 1260	M. 952 F. 1207	M. 790 F. 1048	M. 709 F. 852
	(b) { 1. Cerebral embolism ..	M. 1008 F. 1478	M. 1122 F. 1654	M. 1157 F. 1666	M. 294 F. 491	M. 342 F. 486	M. 303 F. 440	M. 327 F. 465	M. 321 F. 497	M. 277 F. 480	M. 302 F. 358	M. 202 F. 330
	2. Cerebral thrombosis ..	M. 895 F. 1315	M. 1003 F. 1381	M. 1055 F. 1425	M. 1082 F. 1568	M. 1186 F. 1625	M. 1341 F. 1852	M. 1278 F. 1837	M. 1232 F. 1830			
75	Paralysis of unstated origin ..	M. 1084 F. 1335	M. 1119 F. 1339	M. 1009 F. 1283	M. 1045 F. 1231	M. 1082 F. 1280	M. 981 F. 1282	M. 984 F. 1218	M. 982 F. 1116	M. 875 F. 1063	M. 709 F. 945	M. 640 F. 853
	(a) Hemiplegia	M. 887 F. 1121	M. 957 F. 1161	M. 852 F. 1096	M. 880 F. 1060	M. 931 F. 1136	M. 860 F. 1143	M. 854 F. 1068	M. 859 F. 1004	M. 777 F. 959	M. 629 F. 848	M. 553 F. 778
	(b) Other forms of paralysis ..	M. 197 F. 214	M. 162 F. 178	M. 157 F. 187	M. 165 F. 171	M. 151 F. 144	M. 121 F. 139	M. 130 F. 150	M. 123 F. 112	M. 98 F. 104	M. 80 F. 97	M. 87 F. 75
76	General paralysis of the insane	M. 1731 F. 342	M. 1336 F. 272	M. 1270 F. 234	M. 1254 F. 283	M. 1398 F. 300	M. 1402 F. 305	M. 1257 F. 287	M. 1254 F. 285	M. 1161 F. 277	M. 1229 F. 284	M. 1150 F. 263
77	Other forms of insanity ..	M. 617 F. 723	M. 433 F. 537	M. 316 F. 540	M. 292 F. 548	M. 348 F. 560	M. 284 F. 528	M. 286 F. 516	M. 358 F. 557	M. 438 F. 638	M. 461 F. 720	M. 491 F. 770
78	Epilepsy	M. 1937 F. 1562	M. 1459 F. 1315	M. 1152 F. 1048	M. 1114 F. 1097	M. 1150 F. 1123	M. 1096 F. 1041	M. 1136 F. 1065	M. 1097 F. 1026	M. 1099 F. 944	M. 1152 F. 994	M. 1133 F. 1121
79, 80	Convulsions (non-puerperal) ..	M. 3405 F. 2620	M. 3045 F. 2252	M. 3509 F. 2594	M. 3058 F. 2140	M. 2497 F. 1819	M. 2226 F. 1613	M. 2032 F. 1494	M. 2002 F. 1393	M. 1745 F. 1245	M. 1333 F. 952	M. 1141 F. 768
81	Chorea	M. 26 F. 59	M. 25 F. 66	M. 46 F. 93	M. 25 F. 68	M. 21 F. 64	M. 15 F. 55	M. 30 F. 83	M. 24 F. 80	M. 22 F. 72	M. 23 F. 70	M. 18 F. 66
82	Hysteria and neuritis ..	M. 99 F. 113	M. 87 F. 129	M. 98 F. 131	M. 107 F. 164	M. 118 F. 173	M. 93 F. 155	M. 98 F. 148	M. 100 F. 133	M. 87 F. 133	M. 74 F. 144	M. 90 F. 139
83	Cerebral softening	M. 564 F. 594	M. 498 F. 568	M. 386 F. 443	M. 396 F. 483	M. 376 F. 506	M. 379 F. 423	M. 410 F. 439	M. 193 F. 208	M. 251 F. 324	M. 204 F. 266	M. 157 F. 211
84	Other diseases of the nervous system*†	M. 1201 F. 1109	M. 1008 F. 922	M. 928 F. 914	M. 1567 F. 1605	M. 1710 F. 1680	M. 1689 F. 1755	M. 1758 F. 1690	M. 1799 F. 1801	M. 1827 F. 1777	M. 1902 F. 1914	M. 2003 F. 1902
	(1) Idiocy, imbecility ..	M. 213 F. 162	M. 158 F. 115	M. 106 F. 106	M. 124 F. 119	M. 121 F. 152	M. 126 F. 155	M. 131 F. 160	M. 154 F. 162	M. 128 F. 153	M. 152 F. 161	M. 174 F. 168

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Other diseases of the nervous system— <i>cont.</i>											
	(2) Cerebral tumour .. {M. 422 466 478 521 516 541 553 518 575 582 642 F. 431 434 475 509 512 524 498 517 559 576 588											
	(3) Disseminated sclerosis* {M. ? ? ? 283 368 326 366 359 393 368 378 F. ? ? ? 349 348 370 351 374 416 420 421											
	(4) Paralysis agitans* .. {M. ? ? ? 339 381 389 432 533 521 577 620 F. ? ? ? 314 340 399 381 492 450 520 524											
	(5) Other diseases included {M. 566 384 344 300 324 307 276 235 210 223 189 under 84† {F. 516 373 333 314 328 307 300 256 199 237 201											
85	Diseases of the eye and {M. 24 30 28 27 32 39 34 22 35 38 41 annexa {F. 13 27 26 28 23 31 37 33 45 45 38											
86	Diseases of the ear and of {M. 521 607 676 685 686 657 616 672 718 730 740 the mastoid sinus .. {F. 419 404 540 544 506 505 461 511 472 546 591											
	(1) Diseases of the mastoid {M. 133 176 186 188 191 200 188 205 235 258 242 sinus {F. 87 101 154 152 173 136 141 154 151 182 215											
	(2) Diseases of the ear .. {M. 388 431 490 497 495 457 428 467 483 472 498 F. 332 303 386 392 333 369 320 357 321 364 376											
87-86	IV.—Diseases of the Circula- {M. 31573 33071 32541 33389 37196 36078 38803 41144 41869 47771 51543 tory System† .. {F. 31343 33980 33104 34789 39206 37850 40625 42846 43335 50007 53852											
87-90	Heart diseases† .. {M. 25164 25978 25111 24956 27565 26223 28009 29691 30023 33365 35777 F. 27053 28946 27804 28754 32272 30663 32641 34368 34442 38744 41251											
87	Pericarditis† .. {M. 204 157 204 194 215 205 192 188 159 169 153 F. 147 148 156 157 166 118 157 144 119 117 129											
88	Acute endocarditis and {M. 711 977 1215 1152 1031 956 964 968 948 960 884 myocarditis§ .. {F. 749 775 1097 943 959 931 980 1029 1105 1041 956											
	(1) Infective endocarditis.. {M. 273 444 573 724 651 553 510 508 484 528 456 F. 274 262 422 479 509 479 507 473 527 510 488											
	(2) Other acute endocar- {M. 280 331 380 314 252 274 263 261 228 200 192 ditis§ {F. 337 364 428 345 310 286 290 322 303 289 248											
	(3) Acute myocarditis§ .. {M. 158 202 262 114 128 129 191 199 236 232 236 F. 138 149 247 119 140 166 183 234 275 242 220											
89	Angina pectoris .. {M. 640 722 687 743 986 1058 1226 1285 1280 1982 2586 F. 284 333 342 343 460 505 537 551 600 820 1108											
90	Other diseases of the heart§ {M. 23609 24122 23005 22867 25333 24004 25627 27250 27636 30254 32154 F. 25873 27690 26209 27311 30687 29109 30967 32644 32618 36766 39058											
	(1) Aortic valve disease .. {M. 1917 2064 1965 1972 2054 2076 2181 2252 F. 850 920 971 888 1025 956 1005 1074											
	(2) Mitral valve disease .. {M. 3219 3514 3321 3244 3270 3145 3635 3855 F. 5372 5879 5528 5623 5558 5291 6233 6640	11314	11616	11586								
	(3) Aortic and mitral valve {M. 489 480 451 450 444 458 543 633 disease {F. 364 381 403 372 425 335 483 662	12748	13352	12891								
	(4) Other or unspecified {M. 5681 5762 5356 5573 5529 5345 5294 5250 valve diseases§ .. {F. 6742 7400 6643 7041 6626 6476 6804 6625											

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

‡ Previous to 1921 certain deaths from Diseases of the mediastinum (107 (b)) were included under this heading.

|| From mid 1927 deaths from Atheroma and sclerosis of coronary arteries, which had hitherto been included under Arterio-sclerosis (91b (2)), have been included under Angina pectoris (89).

§ Previous to 1921 deaths of persons aged 45-60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88 : 2), and from Myocarditis (unqualified) aged 45-60, under the heading Acute myocarditis (88 : 3). From 1921 these deaths are included under the headings Other or unspecified valve disease (90 : 4) and Other or unspecified myocardial disease (90 : 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Other diseases of the heart — <i>cont.</i>											
	(5) Fatty heart {M. F.	918 1089	1032 1326	1052 1221	1092 1325	1251 1541	1230 1540	1205 1513	1202 1562	1237 1381	1218 1618	1225 1671
	(6) Cardiac dilatation, cause {M. unspecified {F.				487 525	486 568	418 446	379 353	389 411	316 378	342 347	258 245
	(7) Other or unspecified {M. myocardial disease* {F.	11285 11918	11346 12857	10204 11897	4366 5258	5718 6919	6098 7347	7520 8817	9177 10784	10353 11995	12479 14536	14743 17120
	(9) Heart disease (unde- {M. fined) {F.				5389 6584	5787 6734	4833 5756	4853 5710	4648 5418	4080 4841	3786 4505	3236 3762
	(8) Disordered action of {M. the heart {F.	92 118	128 155	163 200	227 291	271 345	332 475	431 650	537 835	626 965	776 1232	702 1259
91	Diseases of the arteries** .. {M. F.	6085 3917	6763 4641	7091 4823	8087 5572	9265 6462	9510 6711	10399 7464	10998 7947	11341 8284	13918 10615	15227 11971
	(a) Aneurysm {M. F.	696 168	711 180	782 183	787 205	825 217	774 218	824 204	829 236	777 245	885 270	946 280
	(b) Arterio-sclerosis .. {M. F.	5312 3705	5975 4380	6222 4582	7202 5281	8340 6163	8622 6397	9499 7183	10074 7617	10464 7959	12907 10241	14176 11577
	1. With record of cerebral {M. vascular lesion .. {F.	? ?	? ?	? ?	2139 1857	2532 2198	2685 2292	2775 2555	3107 2698	3082 2751	4579 4279	5475 5214
	2. Without record of cere- {M. bral vascular lesion {F.	? ?	? ?	? ?	5063 3424	5808 3965	5937 4105	6724 4628	6967 4919	7382 5208	8328 5962	8701 6363
	(c) Other diseases of the {M. arteries** {F.	77 44	77 81	87 58	98 86	100 82	114 96	76 77	95 94	100 80	126 104	105 114
92	Embolism and thrombosis {M. (not cerebral) {F.	123 132	143 138	138 169	137 179	166 168	149 173	176 181	185 192	231 211	177 208	183 180
93	Diseases of the veins(varices, {M. hæmorrhoids,phlebitis,etc.) {F.	91 160	94 183	118 221	112 225	129 251	134 254	123 242	159 252	154 285	150 314	211 337
94	Diseases of the lymphatic {M. system (lymphangitis,etc.) {F.	69 50	48 38	45 46	62 41	47 43	44 33	47 45	55 43	44 34	50 47	37 36
95	Hæmorrhage without stated {M. cause** {F.	41 31	45 34	38 41	35 18	24 10	18 16	28 26	20 19	13 10	15 9	14 12
96	Other diseases of the circu- {M. latory system** {F.	? ?	? ?	? ?	? ?	? ?	? ?	21 26	36 25	63 69	96 70	94 65
97-107	V.—Diseases of the Respira- {M. tory System†‡§ .. {F.	58117 49497	48094 42823	44317 36817	39975 34124	46881 41163	38551 33160	43739 38874	41548 36281	36660 31169	40699 35242	32947 26544
97	Diseases of the nasal fossæ {M. and annexa†‡ {F.	28 20	26 28	42 24	69 60	79 50	79 63	93 51	85 65	102 64	100 102	141 83
	(1) Diseases of the nose† .. {M. F.	28 20	26 28	42 24	28 22	27 15	24 20	31 19	23 15	28 15	24 20	38 29
	(2) Diseases of the accessory {M. nasal sinuses† {F.	? ?	? ?	? ?	41 38	52 35	55 43	62 32	62 50	74 49	76 82	103 57

* Previous to 1921 deaths of persons aged 45-60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88: 3.)

** Previous to 1921 deaths from Hyperpiesis were included under the heading Hæmorrhage without stated cause (95) and for the years 1921-23 under Other diseases of the arteries (91c). They are now included under Other diseases of the circulatory system (96).

† Including deaths from Adenoids (109: 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

|| From mid 1927 deaths from Atheroma and sclerosis of coronary arteries, which had hitherto been included under Arterio-sclerosis (91 b (2)), have been included under Angina pectoris (89).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
98	Diseases of the larynx .. { M. 461 446 500 367 332 243 260 247 204 200 185 F. 394 384 427 286 228 183 153 177 157 148 171											
	(1) Laryngismus stridulus { M. 77 77 93 88 74 64 63 66 40 45 41 F. 64 50 86 49 52 43 23 33 33 29 29											
	(2) Laryngitis .. { M. 375 357 393 267 255 174 189 173 161 150 136 F. 324 329 336 228 171 137 125 141 122 119 141											
	(3) Other diseases of the larynx .. { M. 9 12 14 12 3 5 8 8 3 5 8 F. 6 5 5 9 5 3 5 3 2 — 1											
99	Bronchitis* .. { M. 20981 22462 19312 16791 20079 16106 18346 17323 15291 16211 11942 F. 20492 23081 18688 16893 20833 16601 19440 17929 14896 16810 11489											
	(a) Acute .. { M. ? ? ? 3960 4832 3640 4429 4103 3567 3815 2329 F. ? ? ? 4765 5922 4605 5654 5253 4253 4911 2783											
	(b) Chronic .. { M. ? ? ? 5562 6657 5888 6500 6348 6038 6145 4614 F. ? ? ? 4428 5543 4735 5314 5091 4481 4824 3467											
	(c and d) Not stated whether acute or chronic { M. ? ? ? 7269 8590 6578 7417 6872 5686 6251 4999 F. ? ? ? 7700 9368 7261 8472 7585 6162 7075 5239											
100, 101	Pneumonia (all forms)* .. { M. 33451 21981 21608 19955 23322 19283 22099 21090 18430 21336 18212 F. 26215 16968 15541 14753 17608 14130 16871 15900 13909 15906 12802											
100	Broncho-pneumonia* .. { M. 13416 10186 10312 9349 12096 8941 11498 10535 9457 11063 8413 F. 11944 8797 8435 8096 10488 7676 10072 9249 8178 9297 7072											
101	Pneumonia (lobar or not otherwise defined) { M. 20035 11795 11296 10606 11226 10342 10601 10555 8973 10273 9799 F. 14271 8171 7106 6657 7120 6454 6799 6651 5731 6609 5730											
	(a) Lobar .. { M. 8065 4864 5360 5106 5769 5807 5859 6378 5549 6633 6983 F. 5190 3132 3105 3049 3412 3382 3580 3718 3366 4006 3871											
	(b) Not otherwise defined { M. 11970 6931 5936 5500 5457 4535 4742 4177 3424 3640 2816 F. 9081 5039 4001 3608 3708 3072 3219 2933 2365 2603 1859											
102	Pleurisy .. { M. 849 768 785 786 769 797 738 710 699 647 686 F. 549 524 548 506 519 503 509 433 412 467 440											
	(1) Empyema .. { M. 331 305 309 320 335 303 314 305 259 267 273 F. 130 126 146 143 173 140 148 138 113 135 119											
	(2) Other pleurisy .. { M. 518 463 476 466 434 489 424 405 440 380 413 F. 419 398 402 363 346 363 361 295 299 332 321											
103	Congestion and hæmorrhagic infarct of lung .. { M. 559 597 542 569 576 531 535 533 525 493 434 F. 687 640 632 716 724 674 720 771 773 687 608											
104	Gangrene of the lung .. { M. 60 36 38 35 30 48 31 20 32 16 16 F. 37 25 19 24 22 14 15 13 11 7 8											
105	Asthma .. { M. 1228 1244 1028 964 1219 1016 1171 1137 969 1324 997 F. 899 939 757 707 998 834 918 846 802 989 827											
106	Pulmonary emphysema .. { M. 165 200 158 125 177 160 192 138 141 85 51 F. 56 75 64 45 66 42 70 54 46 28 14											
107	Other diseases of the respiratory system† .. { M. 335 334 304 314 298 288 274 265 267 287 283 F. 148 159 117 134 115 116 127 93 99 98 99											
	(a) Chronic interstitial pneumonia .. { M. 181 189 178 177 184 175 189 191 199 221 220 F. 59 75 46 54 55 53 63 46 64 61 74											
	(b) Diseases of the mediastinum† .. { M. ? ? ? 7 3 2 4 7 3 5 6 F. ? ? ? 3 2 5 3 2 5 2 1											
	(c) Other diseases included under 107 .. { M. 154 145 126 130 111 111 81 67 65 61 57 F. 89 84 71 77 58 58 61 45 30 35 24											

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now included under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
108-127	VI.—Diseases of the Digestive System* {M. {F.	15445 14126	14180 12865	15803 13373	19198 16156	13601 11878	14380 12431	13916 11822	14930 12581	15050 12599	14178 11849	14442 12213
108	Diseases of the buccal cavity and annexa {M. {F.	174 167	181 164	230 185	231 221	236 218	260 210	254 230	289 196	292 222	337 265	399 316
	(1) Diseases of the teeth and gums {M. {F.	117 102	123 117	159 135	150 147	156 149	173 149	157 150	211 129	197 142	252 180	297 227
	(2) Ludwig's angina {M. {F.	33 25	43 33	55 28	56 43	55 40	64 35	55 44	53 39	63 44	57 38	52 37
	(3) Other diseases included under 108 {M. {F.	24 40	15 14	16 22	25 31	25 29	23 26	42 36	25 28	32 36	28 47	50 52
109	Diseases of the pharynx and tonsils* {M. {F.	269 232	341 321	337 281	336 298	287 272	241 245	251 232	351 278	326 329	406 428	464 545
	(1) Tonsillitis, etc., adenoid vegetations* {M. {F.	205 184	284 258	258 239	244 231	220 227	198 199	204 178	279 239	263 270	339 368	373 451
	(2) Other diseases included under 109 {M. {F.	64 48	57 63	79 42	92 67	67 45	43 46	47 54	72 39	63 59	67 60	91 94
110	Diseases of the œsophagus {M. {F.	38 10	27 17	27 26	35 21	34 24	38 23	27 19	30 13	29 14	33 14	18 21
111	Ulcer of the stomach or duodenum.. .. {M. {F.	1520 1053	1481 912	1693 963	1587 839	1720 863	2106 906	2131 887	2454 998	2661 980	2973 997	2830 997
	(a) Ulcer of the stomach {M. {F.	1067 923	1002 800	1141 834	1020 729	1134 739	1353 752	1370 729	1561 812	1735 805	1914 854	1824 815
	(b) Ulcer of the duodenum {M. {F.	453 130	479 112	552 129	567 110	586 124	753 154	761 153	893 186	926 175	1059 143	1006 182
112	Other diseases of the stomach {M. {F.	1524 1555	1431 1575	1653 1551	1490 1451	1250 1307	1137 1130	1095 1105	980 1062	982 946	791 847	741 846
	(1) Inflammation of the stomach {M. {F.	1274 1310	1194 1313	1406 1350	1275 1269	1046 1118	935 988	910 970	812 906	802 822	627 739	625 761
	(2) Other diseases included under 112. {M. {F.	250 245	237 262	247 201	215 182	204 189	202 142	185 135	168 156	180 124	164 108	116 85
113, 114	Diarrhœa and enteritis {M. {F.	6174 5316	5430 4573	6088 4918	9512 7574	3992 3293	4515 3867	4075 3385	4550 3778	4592 3823	3313 2884	3527 2937
	(1) Ulceration of the intestines {M. {F.	109 170	96 129	86 151	114 139	108 118	116 155	104 174	122 166	122 172	126 169	119 181
	(2) Colitis {M. {F.	6065 5146	5334 4444	6002 4767	246 296	195 229	194 271	181 217	168 218	214 259	179 213	163 187
	(3) Other diseases included under 113, 114 {M. {F.				9152 7139	3689 2946	4205 3441	3790 2994	4260 3394	4256 3392	3008 2502	3245 2569
115	Ankylostomiasis {M. {F.	2 —	1 —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —
116	Diseases due to other intestinal parasites {M. {F.	12 11	7 9	5 8	5 11	8 10	6 8	11 10	6 7	9 11	9 18	12 13
	(a) Cestodes (hydatids of the liver excepted) {M. {F.	? ?	? ?	? ?	3 1	4 6	1 5	7 4	3 4	5 6	1 6	6 4
	(b) Trematodes {M. {F.	? ?	? ?	? ?	— —	1 1	— —	— —	— —	— —	— —	1 4
	(c) Nematodes (other than ankylostoma) {M. {F.	? ?	? ?	? ?	2 6	1 1	3 1	3 5	1 1	3 5	6 8	5 4

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97: 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Diseases due to other intestinal parasites— <i>cont.</i>											
	(d) Coccidia {M. F.	? ?	? ?	? ?	— —	— —	— —	— —	— —	— —	— —	— —
	(e) Other parasites .. {M. F.	? ?	? ?	? ?	— —	— —	— —	— —	— —	— —	— —	— —
	(f) Undefined parasites .. {M. F.	? ?	? ?	? ?	— 4	2 2	2 2	1 1	2 2	1 —	2 4	— 5
117	Appendicitis and typhlitis .. {M. F.	1298 1118	1278 1151	1389 1142	1474 1237	1524 1211	1608 1218	1545 1211	1624 1238	1535 1175	1524 1236	1623 1245
118	Hernia, intestinal obstruc- tion {M. F.	2313 2707	2010 2101	2092 2084	2100 2037	2127 2102	2106 2172	2167 2098	2148 2134	2147 2156	2281 2231	2267 2126
	(a) Hernia {M. F.	944 1266	777 863	795 875	752 900	830 885	822 916	867 947	830 931	842 923	957 1008	993 974
	(b) Intestinal obstruction .. {M. F.	1369 1441	1233 1238	1297 1209	1348 1187	1297 1217	1284 1256	1300 1151	1318 1203	1305 1233	1324 1223	1274 1152
119	Other diseases of the intes- tines {M. F.	201 222	221 207	227 214	225 234	230 218	234 238	221 233	241 255	233 246	266 244	268 272
	(1) Intestinal stasis .. {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	74 97	70 112	79 109	76 101	67 93
	(2) Other diseases included under 119 {M. F.	? ?	? ?	? ?	? ?	? ?	? ?	147 136	171 143	154 137	190 143	201 179
120	Acute yellow atrophy of the liver {M. F.	35 34	26 36	25 51	32 38	19 55	22 51	20 80	15 58	20 63	19 62	22 54
121	Hydatid tumour of the liver {M. F.	10 9	13 7	8 11	11 13	6 6	13 10	5 12	12 9	14 13	17 13	11 12
122	Cirrhosis of the liver .. {M. F.	1121 609	969 538	1180 583	1288 639	1271 635	1169 605	1126 630	1201 646	1214 651	1214 646	1206 684
	(a) Returned as alcoholic .. {M. F.	58 34	69 28	95 33	100 54	103 47	98 54	90 57	87 49	82 50	162 101	210 110
	(b) Not returned as alco- holic {M. F.	1063 575	900 510	1085 550	1188 585	1168 588	1071 551	1036 573	1114 597	1132 601	1052 545	996 574
123	Biliary calculi {M. F.	189 423	218 542	212 569	259 670	281 706	261 769	298 737	323 763	288 802	325 835	335 903
124	Other diseases of the liver .. {M. F.	340 387	333 385	348 438	341 501	369 571	390 576	409 579	432 689	454 737	369 667	427 756
125	Diseases of the pancreas .. {M. F.	49 49	59 72	103 86	105 92	101 109	122 138	136 143	147 187	144 167	186 216	192 226
126	Peritonitis of unstated origin {M. F.	176 224	154 255	185 263	167 230	146 278	152 265	145 231	127 270	109 264	115 246	100 260
127	Other diseases of the diges- tive system {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
128-142	VII.—Non-venereal Diseases of the Genito-urinary System {M. F.	10849 7314	10355 7134	10217 7384	10438 7477	10500 7760	10511 7780	10875 7637	10792 7915	10977 8106	11997 8713	12629 9412
128	Acute nephritis (including unspecified under 10 years of age) {M. F.	1031 807	852 753	836 757	787 677	763 647	711 633	725 674	756 651	721 683	696 610	600 583
129	Chronic nephritis (including unspecified over 10 years of age) {M. F.	6225 5016	5844 4858	5771 4920	5686 5034	5870 5400	5755 5401	5931 5233	5763 5445	5848 5500	6455 6091	6925 6753
130	Chyluria {M. F.	— 1	— —	1 —	— —	1 —	— —	— —	3 —	— —	1 1	1 1

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
131	Other diseases of the kidneys { M. and annexa F.	255 211	254 222	273 260	288 279	303 288	284 297	367 354	341 352	370 394	335 436	342 452
132	Calculi of the urinary pass- { M. ages F.	173 71	183 66	178 91	183 113	198 95	213 99	200 88	204 102	188 94	201 122	241 133
133	Diseases of the bladder .. { M. F.	906 213	928 201	873 207	908 229	803 226	791 255	722 224	654 256	722 278	682 304	599 355
	(1) Cystitis { M. F.	? ?	? ?	? ?	809 212	731 216	732 235	684 204	621 247	685 256	638 292	575 345
	(2) Other diseases of the { M. bladder F.	? ?	? ?	? ?	99 17	72 10	59 20	38 20	33 9	37 22	44 12	24 10
134	Diseases of the urethra, { M. urinary abscess, etc. .. F.	429 3	387 8	372 3	386 4	383 8	411 10	386 10	341 5	366 8	390 11	435 10
	(a) Stricture of the urethra { M. F.	? ?	? ?	? ?	308 —	309 —	336 —	315 —	296 —	327 —	364 2	407 —
	(b) Other diseases of the { M. urethra, etc. F.	? ?	? ?	? ?	78 4	74 8	75 10	71 10	45 5	39 8	26 9	28 10
135	Diseases of the prostate .. M.	1778	1841	1835	2124	2121	2288	2479	2665	2705	3172	3407
136	Non-venereal diseases of the } M. male genital organs .. .	51	61	77	71	55	54	64	58	55	64	75
137	Cysts and other tumours of } F. the ovary not returned as } malignant	273	273	309	297	284	272	279	282	309	274	290
138	Salpingitis and pelvic } F. abscess in females* .. .	? ?	? ?	? ?	255 214	250 195	247 195	228 183	260 229	235 194	236 210	205 185
	(1) Salpingitis* F.	? ?	? ?	? ?	214 41	195 55	195 52	183 45	229 31	194 41	210 26	185 20
	(2) Pelvic abscess in females* F.	? ?	? ?	? ?	41 —	55 —	52 —	45 —	31 —	41 —	26 —	20 —
139	Tumours of the uterus not } F. returned as malignant .. .	308	313	348	365	357	358	368	387	416	420	424
140	Non-puerperal uterine hæmor- rhage F.	34	26	37	40	39	33	29	21	25	24	13
141	Other diseases of the female } F. genital organs*	358	388	422	167	149	154	135	140	146	171	183
	(1) Other diseases of the } F. uterus*	140	163	207	132	116	121	103	105	113	133	132
	(2) Diseases of the other fe- male genital organs } F. not included in other } headings*	218	225	215	35	33	33	32	35	33	38	51
142	Non-puerperal diseases of { M. the breast F.	1 19	5 26	1 30	5 17	3 17	4 21	1 15	7 14	2 18	1 13	4 10
143-150	VIII.—The Puerperal State F.	2509	3028	4144	3322	2971	2892	2847	2900	2860	2690	2920
143	Accidents of pregnancy .. F.	258	287	329	334	310	352	326	318	328	322	269
	(a) Abortion F.	106	121	111	107	92	100	112	89	86	82	77
	(b) Ectopic gestation .. F.	58	73	79	83	86	97	73	87	94	98	86
	(c) Other accidents .. F.	94	93	139	144	132	155	141	142	148	142	106
144	Puerperal hæmorrhage .. F.	321	380	521	469	390	429	390	373	339	327	331
145	Other accidents of childbirth F.	290	332	418	382	304	304	321	331	339	282	331
146	Puerperal sepsis F.	845	1157	1730	1171	1079	985	1018	1110	1109	1026	1184

* Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital organs (141 : 2), and those from Pelvic abscess in females under Other diseases of the uterus (141 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
147	Puerperal phlegmasia alba } dolens, embolism, sudden } F. death }	218	230	347	326	296	277	244	240	202	175	219
	(1) Puerperal phlegmasia } alba dolens not re- } F. turned as septic .. }	42	51	54	64	54	61	58	35	25	32	31
	(2) Puerperal embolism and } sudden death .. }	176	179	293	262	242	216	186	205	177	143	188
148	Puerperal albuminuria and } convulsions }	543	595	749	604	556	518	524	499	524	537	557
149	Childbirth not assignable to } other headings (puerperal } F. insanity) }	25	37	40	29	30	23	20	23	13	14	21
150	Puerperal diseases of the } breast }	9	10	10	7	6	4	4	6	6	7	8
151-154	IX.—Diseases of the Skin and } Cellular Tissue* .. }	1665 1471	1846 1538	1853 1590	1753 1456	1651 1453	1581 1410	1645 1411	1736 1534	1678 1439	1544 1399	1689 1337
151	Gangrene }	707 663	787 663	690 657	724 574	677 620	555 586	687 575	645 602	641 546	556 559	528 423
	(1) Senile gangrene .. }	620 536	694 587	613 586	654 508	616 541	520 534	633 517	598 552	593 512	521 523	480 385
	(2) Other gangrene .. }	87 127	93 76	77 71	70 66	61 79	35 52	54 58	47 50	48 34	35 36	48 38
152	Carbuncle, boil }	221 99	207 110	204 90	216 104	205 101	234 109	203 97	244 122	258 133	256 138	307 152
153	Cellulitis, acute abscess* .. }	336 249	427 299	485 353	382 324	396 274	367 297	362 273	411 327	386 315	334 275	423 311
	(1) Cellulitis* }	244 163	282 178	333 231	252 213	277 183	263 199	265 198	313 238	310 242	250 205	339 238
	(2) Acute abscess* .. }	92 86	145 121	152 122	130 111	119 91	104 98	97 75	98 89	76 73	84 70	84 73
154	Other diseases of the skin } and its annexa }	401 460	425 466	474 490	431 454	373 458	425 418	393 466	436 483	393 445	398 427	431 451
	(1) Ulcer, bed sore .. }	135 235	114 235	124 225	108 212	100 219	126 156	81 201	96 198	70 192	69 165	88 170
	(2) Eczema }	95 64	119 59	121 63	88 63	82 48	93 45	70 32	67 44	53 33	71 36	70 30
	(3) Pemphigus }	52 53	73 54	72 55	88 52	71 58	72 77	96 87	132 91	106 75	111 67	105 77
	(4) Other diseases included } under 154 }	119 108	119 118	157 147	147 127	120 133	134 140	146 145	141 150	164 145	147 159	168 174
155-158	X.—Diseases of the Bones } and Organs of Locomotion†† }	416 287	506 353	479 362	481 291	493 323	518 285	539 333	527 337	509 325	558 340	596 336
155	Diseases of the bones† .. }	316 198	386 242	379 240	373 224	392 240	399 214	412 244	405 244	402 257	433 261	477 239
	(1) Acute infective osteomy- } elitis and periostitis .. }	? ?	? ?	? ?	277 126	313 148	301 123	319 151	291 146	271 146	315 164	362 144
	(2) Other diseases of the } bones }	? ?	? ?	? ?	96 98	79 92	98 91	93 93	114 98	131 111	118 97	115 95

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (b)) were included under these headings.

† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.

†† Including deaths from Chronic arthritis (52 : 2 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List.No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
156	Diseases of the joints* .. {M. F.	76 77	98 89	87 101	86 52	81 63	89 54	101 77	82 57	72 43	100 62	96 64
157	Amputation {M. F.	2 —	— 1	— 1	— —	1 —	— —	— —	2 —	1 —	— —	— —
158	Other diseases of the organs of locomotion {M. F.	22 12	22 21	13 20	22 15	19 20	30 17	26 12	38 36	34 25	25 17	23 33
159	XI.—Congenital Malforma- tions {M. F.	1583 1320	1732 1350	2317 1913	2149 1681	2050 1687	2033 1565	1976 1507	2053 1628	2030 1598	1986 1618	2078 1652
	(1) Congenital hydro- cephalus {M. F.	181 125	159 97	175 139	191 110	152 133	195 116	148 116	164 114	159 119	160 113	135 92
	(2) Congenital malforma- tion of heart {M. F.	652 504	733 545	952 715	822 620	829 616	803 580	806 544	801 618	773 621	791 599	780 630
	(3) Other congenital mal- formations {M. F.	750 691	840 708	1190 1059	1136 951	1069 938	1035 869	1022 847	1088 896	1098 858	1035 906	1163 930
160-163	XII.—Diseases of Early Infancy {M. F.	12650 9608	14030 10551	16769 12325	15150 11292	13205 9619	12047 8939	12129 9106	11293 8538	10955 8057	10446 7653	10114 7391
160	Congenital debility, sclerema and icterus {M. F.	4021 2984	4192 2923	5057 3375	4062 2802	3224 2204	2933 1951	2810 1855	2741 1812	2391 1671	1910 1260	1833 1113
	(1) Congenital debility and sclerema {M. F.	3692 2816	3853 2719	4630 3121	3681 2569	2879 2025	2570 1761	2498 1684	2506 1650	2166 1524	1653 1115	1578 977
	(2) Icterus neonatorum .. {M. F.	329 168	339 204	427 254	381 233	345 179	363 190	312 171	235 162	225 147	257 145	255 136
161	Premature birth, injury at birth {M. F.	7808 5987	8897 6886	10451 8013	9982 7608	8952 6654	8190 6245	8356 6401	7688 5904	7579 5620	7630 5716	7381 5546
	(1) Premature birth .. {M. F.	7426 5709	8409 6600	9714 7586	9265 7146	8285 6286	7564 5815	7712 6026	7025 5509	6932 5214	6898 5234	6630 5041
	(2) Injury at birth .. {M. F.	382 278	488 286	737 427	717 462	667 368	626 430	644 375	663 395	647 406	732 482	751 505
162	Other diseases peculiar to early infancy {M. F.	692 519	797 592	1077 802	958 753	898 644	810 624	820 702	743 706	838 611	763 554	768 614
	(2) Atelectasis {M. F.	569 406	668 459	879 622	783 586	730 483	671 457	641 530	581 518	641 440	613 405	594 455
	(1) Diseases of the umbili- cus {M. F.	123 113	129 133	198 180	69 74	72 55	62 57	69 59	72 67	80 41	39 36	41 38
	(3) Other diseases included under 162 {M. F.	106 93	96 106	77 110	110 113	90 121	117 130	111 113	111 121	133 121	133 121	133 121
163	Lack of care {M. F.	129 118	144 150	184 135	148 129	131 117	114 119	143 148	121 116	147 155	143 123	132 118
164	XIII.—Old Age {M. F.	12055 15956	12994 18018	10917 15471	11268 16138	11806 16659	10549 14795	10434 15301	10202 15112	10036 14528	9150 13603	7976 11774
	(1) Senile dementia .. {M. F.	628 747	562 673	535 733	572 839	655 897	645 796	653 858	760 957	710 1061	782 1037	852 1141
	(2) Other forms of senile decay {M. F.	11427 15209	12432 17345	10382 14738	10696 15299	11151 15762	9904 13999	9781 14443	9442 14155	9326 13467	8368 12566	7124 10633

* Including deaths from Chronic arthritis (52: 2pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
165-203	XIV.—External Causes .. {M. F.	17475 5365	13033 5292	12464 5117	11626 4874	11473 4922	12113 4994	11953 5230	12782 5532	12846 5774	14018 6104	14678 6635
165-174	Suicide {M. F.	1845 920	2340 1008	2427 998	2763 996	2817 1059	2887 1062	2635 1085	2852 1232	3099 1350	3458 1449	3409 1473
165, 166	By solid or liquid poisons {M. and corrosive substances {F.	96 122	121 135	185 129	203 172	237 196	240 177	214 197	254 212	323 283	399 338	380 285
167	By poisonous gas {M. F.	96 80	116 97	160 110	233 132	330 173	449 239	373 212	465 297	588 355	658 340	667 421
168	By hanging or strangu- {M. lation {F.	462 154	649 185	567 155	676 166	666 150	619 130	579 148	608 172	676 151	671 157	697 166
169	By drowning {M. F.	339 349	425 349	490 397	585 323	522 331	537 315	504 320	508 327	558 349	580 363	609 350
170	By firearms {M. F.	205 17	206 12	238 15	248 10	249 7	231 16	190 9	197 14	210 8	225 18	226 11
171	By cutting or piercing {M. instruments {F.	494 124	618 124	583 108	598 112	581 114	568 101	532 99	549 95	531 96	634 125	567 111
172	By jumping from high {M. places {F.	66 41	63 53	57 42	69 38	75 51	72 54	69 43	83 57	70 54	93 53	83 59
173	By crushing {M. F.	82 28	133 33	138 22	146 23	148 19	163 18	170 35	182 35	130 33	185 27	173 36
174	By other means {M. F.	5 5	9 20	9 20	5 20	9 18	8 12	4 22	6 23	13 21	13 28	7 34
175-196 201-203	Violent deaths excluding {M. suicide and homicide .. {F.	15530 4333	10545 4135	9895 3973	8746 3748	8571 3746	9096 3822	9199 4040	9812 4156	9620 4275	10461 4546	11169 5054
175	Food poisoning {M. F.	52 43	29 26	32 26	29 31	21 20	21 17	20 14	23 14	12 8	10 12	21 15
176	Poisoning by venomous {M. animals {F.	3 4	3 3	4 7	5 10	4 3	5 12	4 8	18 16	11 12	6 9	18 15
177	Other acute accidental {M. poisonings {F.	83 51	67 56	69 47	84 52	78 43	67 44	66 40	93 68	58 53	67 53	75 64
178	Conflagration {M. F.	31 29	29 20	43 45	22 28	20 21	20 12	29 14	27 23	21 25	28 32	32 25
179	Accidental burns (confla- {M. gration excepted) .. {F.	958 1309	830 1265	747 1038	696 892	738 984	752 856	660 905	724 863	580 779	678 775	642 824
180	Accidental mechanical {M. suffocation {F.	390 341	384 286	428 336	415 305	346 255	321 225	322 251	300 262	327 228	309 252	302 242
181	Accidental absorption of {M. irrespirable or poisonous {F. gas	100 49	91 40	100 36	94 56	114 62	92 60	88 45	103 60	121 92	107 88	100 84
182	Accidental drowning .. {M. F.	1704 402	1537 341	1520 358	1564 333	1244 271	1385 310	1250 305	1302 315	1257 254	1261 307	1304 313
	Accidental injury :—											
183	By firearms {M. F.	125 16	107 9	90 12	80 7	82 4	76 6	71 8	78 7	75 9	79 5	74 7
184	By cutting or piercing in- {M. struments {F.	30 6	20 6	16 6	15 4	14 3	13 1	14 —	6 1	8 1	12 —	19 12
185	By fall {M. F.	1636 1113	1695 1168	1694 1206	1503 1105	1444 1271	1361 1302	1439 1327	1577 1355	1545 1499	1599 1596	1734 1788
186	In mining and quarrying {M. F.	1118 1	1144 1	964 1	671 —	928 1	1106 1	1116 —	1015 —	668 —	1054 —	958 —

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1918-1928.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Accidental injury—<i>cont.</i>											
187	By machinery { M. 352 305 317 183 185 202 222 213 168 231 218 F. 38 21 22 6 7 11 7 5 7 9 4											
188	By other forms of crushing { M. 3836 3014 3126 2785 2835 3009 3459 3797 4224 4526 5100 (vehicles, railways, etc.) { F. 645 716 700 711 650 742 977 965 1168 1273 1521											
189	Injury by animals (poisoning { excepted) { M. 105 97 61 74 57 57 59 56 63 56 48 F. 5 4 8 10 6 6 7 6 4 5 3											
190	Wounds of war { M. 4290 695 229 101 72 75 61 63 73 68 76 F. 93 — — — — — — — — 1 —											
191	Execution of civilians by { belligerent armies .. { M. — — — — — — — — — — — F. — — — — — — — — — — —											
192	Hunger or thirst { M. 12 7 14 11 8 9 10 7 13 16 14 F. 1 4 2 8 6 3 5 6 6 10 9											
193	Excessive cold { M. 59 54 29 29 38 23 31 40 43 50 40 F. 13 19 10 4 21 11 9 16 11 12 9											
194	Excessive heat { M. 44 63 13 132 54 217 18 76 60 7 52 F. 17 35 13 115 29 107 12 45 32 8 22											
195	Lightning { M. 13 5 11 3 4 8 12 17 10 5 4 F. — — — — 1 — 3 — 1 — —											
196	Electricity (lightning excep- { ted) { M. 40 32 26 19 21 25 37 41 42 47 47 F. — — — — 1 — 1 1 2 1 4											
197-199	Homicide { M. 100 148 142 117 85 130 119 118 127 99 100 F. 112 149 146 130 117 110 105 144 149 109 108											
197	By firearms { M. 8 21 6 11 5 12 7 10 9 10 7 F. 5 16 12 14 11 13 3 10 25 11 10											
198	By cutting or piercing in- { struments { M. 16 33 23 14 11 15 12 21 14 11 13 F. 29 36 34 31 31 25 27 39 25 24 25											
199	By other means { M. 76 94 113 92 69 103 100 87 104 78 80 F. 78 97 100 85 75 72 75 95 99 74 73											
201	Fracture (cause not specified) { M. 65 45 34 32 39 26 27 25 25 26 36 F. 16 23 17 11 10 5 4 6 8 7 4											
202	Other and unstated forms of { accidental violence, execu- { tion { M. 466 274 310 186 210 216 165 207 199 211 239 F. 130 82 75 56 66 87 87 88 72 87 84											
203	Violent deaths of unknown { causation { M. 18 18 18 13 15 10 19 4 17 8 16 F. 11 10 8 4 11 4 11 4 4 4 5											
204, 205	XV.—Ill-defined Diseases .. { M. 1327 1335 1110 1088 1034 982 930 923 828 642 494 F. 1120 1019 847 794 797 731 664 681 578 443 343											
204	Sudden death { M. 124 158 122 191 200 200 162 162 171 154 138 F. 97 99 87 114 118 125 96 98 74 88 74											
205	Cause of death unstated or { ill-defined { M. 1203 1177 988 897 834 782 768 761 657 488 356 F. 1023 920 760 680 679 606 568 583 504 355 269											
	(1) Heart failure (1-70 { years) { M. 664 721 621 540 557 504 489 514 467 359 246 F. 579 569 462 374 389 373 352 353 344 234 169											
	(2) Other ill-defined causes { M. 414 332 304 314 236 234 233 197 136 99 85 F. 400 301 259 273 261 210 177 183 119 104 84											
	(3) Cause not specified .. { M. 125 124 63 43 41 44 46 50 54 30 25 F. 44 50 39 33 29 23 39 47 41 17 16											

* 200 Infanticide. Deaths from this cause are included under headings 197-199—Homicide.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES
AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS.

List of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1921. Other headings showing a mortality of 5 or more per million in any subsequent year are dealt with in footnotes. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous System") relate to that heading of the International List, and do not include the diseases omitted from the table under the above rule.

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	ALL CAUSES	M. 20,139 F. 15,168 P. 17,277	M. 15,715 F. 12,583 P. 13,986	M. 13,548 F. 11,452 P. 12,442	M. 12,962 F. 11,324 P. 12,105	M. 13,565 F. 12,018 P. 12,757	M. 12,368 F. 10,863 P. 11,582	M. 12,939 F. 11,484 P. 12,180	M. 12,949 F. 11,434 P. 12,158	M. 12,384 F. 10,911 P. 11,616	M. 13,115 F. 11,618 P. 12,334	M. 12,465 F. 10,922 P. 11,661
1-42	I. Epidemic, Endemic and Infectious Diseases.	M. 6,336 F. 5,174 P. 5,667	M. 3,350 F. 2,662 P. 2,970	M. 2,318 F. 1,867 P. 2,080	M. 2,040 F. 1,697 P. 1,861	M. 2,467 F. 2,087 P. 2,269	M. 1,944 F. 1,564 P. 1,746	M. 2,187 F. 1,832 P. 2,002	M. 2,105 F. 1,713 P. 1,900	M. 1,816 F. 1,449 P. 1,625	M. 2,137 F. 1,783 P. 1,952	M. 1,753 F. 1,371 P. 1,554
1	Enteric fever	M. 28 F. 25 P. 26	M. 18 F. 13 P. 16	M. 16 F. 12 P. 14	M. 17 F. 15 P. 16	M. 13 F. 11 P. 12	M. 12 F. 11 P. 12	M. 13 F. 12 P. 13	M. 10 F. 10 P. 10	M. 10 F. 9 P. 9	M. 10 F. 9 P. 9	M. 11 F. 11 P. 11
	(a) Typhoid fever	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 17 F. 15 P. 16	M. 13 F. 11 P. 12	M. 12 F. 10 P. 11	M. 12 F. 9 P. 9	M. 9 F. 9 P. 9	M. 9 F. 8 P. 8	M. 9 F. 7 P. 8	M. 9 F. 9 P. 9
5	Malaria	M. 6 F. 0 P. 3	M. 11 F. 0 P. 5	M. 13 F. 1 P. 6	M. 8 F. 0 P. 4	M. 6 F. 1 P. 3	M. 4 F. 0 P. 2	M. 5 F. 0 P. 2	M. 3 F. 0 P. 2	M. 3 F. 0 P. 2	M. 2 F. 0 P. 1	M. 2 F. 0 P. 1
7	Measles	M. 348 F. 237 P. 284	M. 114 F. 88 P. 100	M. 213 F. 174 P. 192	M. 66 F. 53 P. 59	M. 164 F. 136 P. 149	M. 157 F. 121 P. 138	M. 138 F. 112 P. 124	M. 153 F. 122 P. 137	M. 98 F. 81 P. 89	M. 102 F. 83 P. 92	M. 121 F. 98 P. 109
8	Scarlet fever	M. 32 F. 26 P. 29	M. 35 F. 33 P. 34	M. 39 F. 37 P. 38	M. 35 F. 34 P. 34	M. 36 F. 37 P. 36	M. 27 F. 24 P. 26	M. 22 F. 23 P. 23	M. 26 F. 25 P. 25	M. 19 F. 16 P. 17	M. 15 F. 14 P. 15	M. 14 F. 15 P. 15
9	Whooping cough	M. 305 F. 282 P. 291	M. 72 F. 74 P. 74	M. 112 F. 123 P. 118	M. 113 F. 128 P. 121	M. 157 F. 176 P. 167	M. 104 F. 112 P. 108	M. 100 F. 105 P. 103	M. 149 F. 162 P. 156	M. 100 F. 110 P. 105	M. 88 F. 99 P. 94	M. 71 F. 79 P. 75
10	Diphtheria	M. 158 F. 127 P. 140	M. 147 F. 129 P. 137	M. 153 F. 149 P. 151	M. 127 F. 125 P. 126	M. 112 F. 102 P. 107	M. 72 F. 70 P. 71	M. 65 F. 64 P. 64	M. 72 F. 70 P. 71	M. 76 F. 77 P. 77	M. 71 F. 68 P. 70	M. 84 F. 78 P. 81
11	Influenza	M. 3,207 F. 2,983 P. 3,078	M. 1,276 F. 1,104 P. 1,181	M. 311 F. 255 P. 282	M. 250 F. 226 P. 237	M. 568 F. 559 P. 563	M. 234 F. 207 P. 220	M. 492 F. 486 P. 489	M. 339 F. 316 P. 327	M. 243 F. 216 P. 229	M. 575 F. 559 P. 567	M. 216 F. 178 P. 196
	(a) { 1. With pneumonic complications.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 116 F. 89 P. 101	M. 285 F. 256 P. 270	M. 110 F. 78 P. 93	M. 242 F. 200 P. 220	M. 152 F. 115 P. 133	M. 115 F. 80 P. 97	M. 282 F. 229 P. 255	M. 108 F. 70 P. 88
	2. With other pulmonary complications.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 43 F. 46 P. 45	M. 124 F. 130 P. 127	M. 41 F. 45 P. 43	M. 103 F. 126 P. 115	M. 70 F. 77 P. 74	M. 41 F. 45 P. 44	M. 127 F. 149 P. 139	M. 37 F. 37 P. 37
	(b) { 1. With non-pulmonary complications.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 53 F. 51 P. 52	M. 87 F. 91 P. 89	M. 52 F. 48 P. 50	M. 85 F. 87 P. 86	M. 68 F. 70 P. 69	M. 54 F. 55 P. 55	M. 93 F. 100 P. 97	M. 53 F. 52 P. 52
	2. Without stated complication.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 37 F. 41 P. 39	M. 72 F. 82 P. 77	M. 31 F. 36 P. 34	M. 62 F. 73 P. 68	M. 49 F. 53 P. 51	M. 32 F. 35 P. 33	M. 72 F. 81 P. 76	M. 18 F. 20 P. 19
16	Dysentery	M. 31 F. 18 P. 24	M. 14 F. 8 P. 11	M. 8 F. 5 P. 7	M. 7 F. 7 P. 7	M. 5 F. 6 P. 6	M. 5 F. 3 P. 4	M. 4 F. 3 P. 3	M. 4 F. 3 P. 3	M. 4 F. 3 P. 4	M. 3 F. 2 P. 2	M. 4 F. 3 P. 4
	(c) Unspecified, or other than Amoebic or Bacillary.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 6 F. 6 P. 6	M. 5 F. 5 P. 5	M. 4 F. 2 P. 3	M. 3 F. 3 P. 3	M. 3 F. 3 P. 3	M. 3 F. 3 P. 3	M. 2 F. 2 P. 2	M. 3 F. 2 P. 3
21	Erysipelas	M. 20 F. 14 P. 17	M. 22 F. 15 P. 18	M. 24 F. 21 P. 22	M. 20 F. 18 P. 19	M. 21 F. 16 P. 18	M. 17 F. 16 P. 16	M. 19 F. 16 P. 17	M. 24 F. 20 P. 22	M. 23 F. 19 P. 21	M. 22 F. 20 P. 21	M. 25 F. 20 P. 23
22	(See Footnote †.)											
23	Encephalitis lethargica	M. 0 F. 1 P. 0	M. 8 F. 8 P. 8	M. 13 F. 12 P. 13	M. 19 F. 19 P. 19	M. 9 F. 9 P. 9	M. 15 F. 13 P. 14	M. 39 F. 33 P. 36	M. 36 F. 35 P. 35	M. 35 F. 33 P. 34	M. 31 F. 27 P. 29	M. 27 F. 27 P. 27
24	Meningococcal meningitis	M. 23 F. 15 P. 18	M. 23 F. 13 P. 17	M. 17 F. 12 P. 14	M. 13 F. 9 P. 11	M. 11 F. 8 P. 9	M. 8 F. 7 P. 7	M. 9 F. 6 P. 8	M. 11 F. 7 P. 9	M. 11 F. 8 P. 9	M. 14 F. 8 P. 11	M. 13 F. 9 P. 11
29	Tetanus	M. 9 F. 2 P. 4	M. 7 F. 2 P. 4	M. 7 F. 2 P. 4	M. 6 F. 3 P. 4	M. 6 F. 2 P. 4	M. 7 F. 2 P. 5	M. 6 F. 1 P. 3	M. 6 F. 2 P. 4	M. 6 F. 2 P. 4	M. 7 F. 1 P. 4	M. 6 F. 1 P. 3

* Based on civilian deaths and civilian population.

† 22. Acute poliomyelitis. Mortality (1926)—Males 7, Females 5, Persons 6. (1927)—Males 6, Females 4, Persons 5. (1928)—Males 5, Females 3, Persons 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
31-37	Tuberculosis (all forms) .. { M. F. P.	2,056 1,380 1,668	1,495 1,112 1,284	1,287 997 1,133	1,267 998 1,126	1,279 976 1,121	1,204 932 1,062	1,202 926 1,058	1,195 895 1,038	1,105 827 961	1,112 842 972	1,067 800 928
31	Respiratory system .. { M. F. P.	1,615 1,070 1,302	1,173 856 998	1,003 757 873	1,003 777 884	1,024 766 889	958 724 836	966 727 841	967 709 833	897 655 771	914 678 791	879 641 755
32	Nervous system .. { M. F. P.	153 107 126	116 92 103	107 86 96	99 80 89	98 78 88	91 79 85	86 74 80	86 70 78	79 67 73	82 65 73	71 59 65
33	Intestines and peritoneum { M. F. P.	110 81 92	70 64 67	58 59 59	59 55 57	51 48 49	52 50 51	49 46 48	46 42 44	41 38 39	35 34 34	34 34 34
34	Vertebral column .. { M. F. P.	29 20 24	22 15 18	22 14 18	19 16 18	21 15 18	18 14 16	17 15 16	16 11 14	16 12 14	15 11 13	15 10 12
35	Joints { M. F. P.	18 9 13	14 8 10	12 7 9	9 7 8	10 6 8	9 6 7	10 5 8	8 5 6	8 4 6	8 4 6	7 4 6
36	Other organs { M. F. P.	24 19 21	21 19 20	19 15 16	17 16 16	16 14 15	17 13 15	15 14 15	15 13 14	13 10 12	13 12 12	15 13 14
	(d) Genito-urinary system { M. F. P.	? ? ?	? ? ?	? ? ?	7 6 6	8 5 7	9 5 7	7 6 6	8 6 7	7 4 5	7 5 6	9 6 7
37	Disseminated tuberculosis .. { M. F. P.	107 74 90	79 58 68	66 59 62	62 49 55	59 49 54	59 46 52	57 45 51	56 44 50	52 42 47	46 39 43	47 38 42
	(a) Acute { M. F. P.	24 18 21	19 18 18	17 19 18	13 12 12	16 14 15	21 20 21	22 19 21	18 17 18	18 17 17	17 16 16	18 17 17
	(b) Chronic or unstated .. { M. F. P.	83 56 69	60 40 50	49 40 44	49 37 43	43 35 39	38 26 31	35 26 30	38 27 32	34 25 29	30 23 26	29 21 25
38	Syphilis { M. F. P.	77 42 57	68 38 52	65 44 54	57 38 47	47 31 39	47 27 36	42 25 33	39 23 30	42 23 32	46 26 36	53 26 39
41	Purulent infection, septicæmia { M. F. P.	18 9 13	18 9 13	23 12 18	20 12 15	19 10 14	17 9 13	16 10 13	20 12 16	23 12 17	22 13 17	21 14 18
43-69	II. General Diseases not included in I. 1-42.† { M. F. P.	1,625 1,545 1,578	1,535 1,578 1,559	1,472 1,618 1,549	1,506 1,709 1,612	1,549 1,733 1,645	1,563 1,758 1,665	1,602 1,781 1,696	1,649 1,849 1,754	1,684 1,889 1,791	1,712 1,912 1,816	1,753 1,968 1,865
43-49	Cancer, malignant disease.. { M. F. P.	1,222 1,181 1,199	1,164 1,198 1,182	1,110 1,219 1,166	1,142 1,281 1,215	1,167 1,286 1,229	1,203 1,326 1,267	1,242 1,347 1,297	1,290 1,377 1,336	1,307 1,413 1,362	1,332 1,417 1,376	1,377 1,469 1,425
43	Buccal cavity { M. F. P.	161 19 80	149 19 77	138 19 75	137 18 75	133 18 73	139 21 77	135 21 75	142 21 79	137 21 77	144 21 80	148 20 81
44	Pharynx, œsophagus, stomach, liver and annæa { M. F. P.	471 326 387	451 322 380	422 333 375	439 344 389	449 352 398	454 352 401	460 353 404	484 366 422	485 380 430	486 366 424	493 382 435
45	Peritoneum, intestines and rectum. { M. F. P.	266 237 250	261 236 247	251 242 246	259 255 257	263 249 256	273 266 269	292 273 282	298 276 287	315 296 305	317 294 305	326 307 316
46	Female genital organs .. F.	255	256	254	274	269	278	278	281	284	287	292
47	Breast { M. F. P.	3 208 121	2 221 122	2 228 121	2 236 125	2 242 128	2 249 131	2 254 134	2 265 139	2 260 137	2 277 146	3 286 150
48	Skin.. .. { M. F. P.	44 20 30	45 21 32	40 20 29	40 20 30	40 22 31	41 21 31	44 23 33	42 21 31	44 21 32	44 23 33	47 24 35

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
49	Cancer, malignant disease— <i>contd.</i>											
	Other or unspecified organs {											
	M. 277 256 257 266 280 294 309 321 324 338 361											
50	Tumours not returned as malignant (brain and female genital organs excepted). {											
	M. 21 19 18 20 20 22 22 21 25 23 23											
	F. 12 13 15 15 15 16 17 18 18 19 19											
51	Rheumatic fever {											
	M. 48 42 55 48 45 42 41 45 44 37 34											
	F. 40 42 58 48 48 43 45 52 47 42 42											
52	Chronic rheumatism, osteo-arthrit. {											
	M. 52 50 41 41 49 45 48 45 46 56 62											
	F. 73 73 69 77 80 80 78 85 86 92 104											
53	1. Chronic rheumatism.† {											
	M. 12 12 9 10 11 10 10 8 7 5 5											
	F. 14 13 12 14 13 12 11 10 9 6 6											
54	2. Rheumatoid and osteo-arthrit.† {											
	M. 27 26 22 22 28 27 29 28 30 39 43											
	F. 57 58 56 62 65 66 66 73 75 84 96											
55	3. Gout {											
	M. 13 12 10 9 10 8 9 9 8 12 15											
	F. 2 2 1 2 2 2 1 2 2 2 3											
56	Rickets {											
	M. 27 18 18 15 13 15 16 15 13 12 15											
	F. 17 10 10 11 9 10 9 10 8 7 10											
57	Diabetes {											
	M. 120 118 100 105 116 105 102 98 106 109 116											
	F. 90 100 101 111 122 122 116 125 124 142 145											
58	Anæmia, chlorosis {											
	M. 66 61 62 62 68 60 62 65 68 65 45											
	F. 60 71 71 84 84 77 81 83 91 83 62											
59	(a) Pernicious anæmia .. {											
	M. ? ? 56 55 61 54 56 58 60 58 39											
	F. ? ? 62 74 74 68 73 74 81 76 54											
60	(b) Other anæmias and chlorosis. {											
	M. ? ? 6 7 7 6 7 7 8 6 6											
	F. ? ? 9 10 10 9 8 9 10 7 8											
61	Diseases of the thyroid gland† {											
	M. ? ? ? 7 6 7 6 7 9 9 10											
	F. ? ? ? 41 44 41 44 50 53 57 62											
62	(a) Exophthalmic goitre .. {											
	M. 3 4 3 3 3 3 2 3 4 5 6											
	F. 18 24 24 27 30 28 28 34 36 42 45											
63	1. Myxœdema .. {											
	M. ? ? ? 1 1 1 1 1 1 1 1											
	F. ? ? ? 7 7 7 8 9 9 9 9											
64	2. and 3. Cretinism and other diseases of the thyroid gland.† {											
	M. ? ? ? 3 2 3 3 3 3 3 2											
	F. ? ? ? 8 7 6 7 8 7 6 7											
65	Diseases of the thymus .. {											
	M. 5 4 5 6 6 6 5 5 6 5 6											
	F. 3 2 3 3 4 3 3 3 3 3 3											
66	Diseases of the adrenals .. {											
	M. 6 4 5 5 5 6 5 6 5 4 5											
	F. 6 6 7 6 7 6 7 7 8 8 7											
67	Leukæmia, lymphadenoma.. {											
	M. 24 23 25 27 29 27 29 29 32 34 32											
	F. 14 16 16 16 16 19 19 21 21 23 22											
68	(a) Leukæmia {											
	M. 12 12 13 14 15 15 15 16 17 18 18											
	F. 9 10 10 10 10 12 12 13 14 15 13											
69	(b) Lymphadenoma (Hodg-kin's disease). {											
	M. 12 11 12 13 14 12 14 13 15 15 14											
	F. 5 6 6 6 6 7 8 7 7 8 9											
70	Alcoholism (acute or chronic) {											
	M. 4 5 9 7 6 6 5 5 4 4 4											
	F. 1 1 3 3 2 2 2 3 2 1 2											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
69	Other general diseases† .. { M. 15 13 13 13 13 14 12 13 14 15 17 F. 10 10 11 11 12 10 11 12 12 14 17 P. 13 12 12 12 12 12 11 12 12 15 17											
	1. Purpura { M. 9 7 6 7 8 6 6 7 7 7 7 F. 7 6 7 6 7 6 7 7 7 7 7 P. 8 7 7 7 7 6 6 7 7 7 7											
	3. (See Footnote ‡.)											
70-86	III. Diseases of the Nervous System and Sense Organs.† { M. 1,759 1,541 1,360 1,310 1,324 1,265 1,248 1,243 1,212 1,130 1,064 F. 1,307 1,290 1,250 1,235 1,253 1,218 1,188 1,174 1,173 1,106 1,054 P. 1,499 1,402 1,302 1,271 1,287 1,241 1,217 1,207 1,192 1,117 1,059											
70	Encephalitis { M. 11 11 13 10 10 10 8 11 11 8 8 F. 8 9 8 7 7 6 6 6 7 5 6 P. 9 10 10 8 8 8 7 8 9 7 7											
	1. Cerebral abscess .. { M. ? ? 7 6 7 6 7 7 7 5 5 F. ? ? 4 4 3 4 3 3 4 2 4 P. ? ? 5 5 5 5 4 5 6 4 4											
71	Meningitis { M. 105 87 74 72 66 60 57 55 46 43 35 F. 70 59 56 57 50 48 42 39 37 32 26 P. 86 72 64 64 58 54 50 47 42 37 31											
72	Tabes dorsalis (locomotor ataxy). { M. 40 36 29 32 36 33 34 32 34 34 34 F. 5 4 4 6 7 7 6 6 6 7 6 P. 20 19 16 18 21 19 19 19 19 20 20											
73	Other diseases of the spinal cord.† { M. 94 91 76 40 42 45 46 43 41 41 44 F. 55 59 57 29 30 31 30 30 31 32 30 P. 72 73 66 34 36 37 38 36 36 36 37											
74	Cerebral hæmorrhage, apoplexy, etc. { M. 764 726 641 627 653 635 638 645 639 586 539 F. 715 758 728 723 755 743 737 741 750 694 659 P. 736 743 686 677 706 691 689 695 696 642 602											
	(a) { 1. Cerebral hæmorrhage so returned. { M. 557 532 481 476 500 491 499 507 501 460 426 F. 512 550 539 539 573 570 565 574 576 536 512 P. 531 541 511 509 538 532 533 542 540 499 471 2. Apoplexy, lesion un- stated. { M. 138 124 94 86 79 69 64 57 51 42 38 F. 128 124 104 92 89 80 71 62 59 51 41 P. 132 124 99 89 84 75 67 60 55 47 40											
	(b) { 1. Cerebral embolism { M. 16 19 17 18 17 15 16 11 F. 25 24 22 23 24 24 17 16 P. 21 22 19 20 21 19 17 13 2. Cerebral thrombosis { M. 50 55 58 58 64 72 68 65 F. 66 69 71 77 80 91 90 89 P. 58 62 65 68 72 82 79 78											
75	Paralysis of unstated origin .. { M. 74 70 57 58 59 54 53 53 47 38 34 F. 68 68 66 62 64 64 60 55 52 46 41 P. 71 70 61 60 62 59 57 54 50 42 38											
	(a) Hemiplegia { M. 61 60 48 49 51 47 46 46 42 33 29 F. 57 59 56 54 57 57 53 49 47 41 38 P. 59 60 52 51 54 52 49 48 44 38 34											
	(b) Other forms of paralysis { M. 13 10 9 9 8 7 7 7 5 4 5 F. 11 9 10 9 7 7 7 6 5 5 4 P. 12 10 9 9 8 7 7 6 5 5 4											
76	General paralysis of the insane. { M. 106 74 66 69 77 76 68 67 62 65 61 F. 17 14 12 14 15 15 14 14 14 14 13 P. 55 41 38 41 44 44 40 40 37 39 36											
77	Other forms of insanity .. { M. 40 25 18 16 19 15 15 19 23 25 26 F. 37 27 27 28 28 26 25 27 31 35 37 P. 38 27 23 22 24 21 21 24 28 30 32											
78	Epilepsy { M. 132 90 65 62 63 60 61 59 59 61 60 F. 79 67 53 55 56 52 53 51 46 49 54 P. 102 78 59 58 60 56 57 55 52 55 57											
79 & 80	Convulsions (non-puerperal) .. { M. 237 192 199 169 137 121 109 108 93 71 60 F. 134 115 131 108 91 80 74 69 61 46 37 P. 178 150 163 137 113 100 91 87 77 58 48											
82	Hysteria and neuritis .. { M. 7 5 6 6 6 5 5 5 5 4 5 F. 5 7 6 8 9 8 7 7 7 7 7 P. 7 6 6 7 8 6 6 6 6 6 6											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

‡ 69 (3) Other diseases included under 69.† Mortality (1927)—Males 5, Females 6, Persons 6; (1928)—Males 5, Females 8, Persons 7.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
83	Cerebral softening	M. 39 F. 30 P. 34	M. 31 F. 29 P. 30	M. 22 F. 22 P. 22	M. 22 F. 24 P. 23	M. 21 F. 25 P. 23	M. 21 F. 21 P. 21	M. 22 F. 22 P. 22	M. 10 F. 10 P. 10	M. 13 F. 16 P. 15	M. 11 F. 13 P. 12	M. 8 F. 10 P. 9
84	Other diseases of the nervous system.†	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 87 F. 81 P. 84	M. 94 F. 84 P. 89	M. 92 F. 87 P. 90	M. 95 F. 83 P. 89	M. 97 F. 89 P. 93	M. 98 F. 87 P. 92	M. 101 F. 93 P. 97	M. 106 F. 92 P. 99
	1. Idiocy, imbecility	M. 14 F. 8 P. 11	M. 10 F. 6 P. 8	M. 6 F. 5 P. 6	M. 7 F. 6 P. 6	M. 7 F. 8 P. 7	M. 7 F. 8 P. 7	M. 7 F. 8 P. 7	M. 8 F. 8 P. 8	M. 7 F. 8 P. 7	M. 8 F. 8 P. 8	M. 9 F. 8 P. 9
	2. Cerebral tumour	M. 27 F. 22 P. 24	M. 28 F. 22 P. 25	M. 27 F. 24 P. 25	M. 29 F. 26 P. 27	M. 28 F. 26 P. 27	M. 29 F. 26 P. 28	M. 30 F. 25 P. 27	M. 28 F. 25 P. 27	M. 31 F. 27 P. 29	M. 31 F. 28 P. 29	M. 34 F. 29 P. 31
	3. Disseminated sclerosis† ..	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 16 F. 18 P. 17	M. 20 F. 17 P. 19	M. 18 F. 18 P. 18	M. 20 F. 17 P. 18	M. 19 F. 18 P. 19	M. 21 F. 20 P. 21	M. 20 F. 21 P. 20	M. 20 F. 20 P. 20
	4. Paralysis agitans†	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 19 F. 16 P. 17	M. 21 F. 17 P. 19	M. 21 F. 20 P. 21	M. 23 F. 19 P. 21	M. 29 F. 24 P. 26	M. 28 F. 22 P. 25	M. 31 F. 25 P. 28	M. 33 F. 25 P. 29
	5. Other diseases included under 84.†	M. 38 F. 26 P. 31	M. 24 F. 19 P. 21	M. 19 F. 17 P. 18	M. 17 F. 16 P. 16	M. 18 F. 16 P. 17	M. 17 F. 15 P. 16	M. 15 F. 15 P. 15	M. 13 F. 13 P. 13	M. 11 F. 10 P. 10	M. 12 F. 12 P. 12	M. 10 F. 10 P. 10
86	Diseases of the ear and of the mastoid sinus.	M. 31 F. 21 P. 26	M. 35 F. 20 P. 27	M. 37 F. 28 P. 32	M. 38 F. 27 P. 32	M. 37 F. 26 P. 32	M. 36 F. 25 P. 31	M. 33 F. 23 P. 28	M. 36 F. 25 P. 30	M. 38 F. 23 P. 30	M. 39 F. 27 P. 32	M. 39 F. 29 P. 34
	1. Diseases of the mastoid sinus.	M. 8 F. 4 P. 6	M. 10 F. 5 P. 7	M. 10 F. 8 P. 9	M. 10 F. 8 P. 9	M. 10 F. 9 P. 10	M. 11 F. 7 P. 9	M. 10 F. 7 P. 8	M. 11 F. 8 P. 9	M. 13 F. 7 P. 10	M. 14 F. 9 P. 11	M. 13 F. 10 P. 12
	2. Diseases of the ear	M. 23 F. 17 P. 20	M. 25 F. 15 P. 20	M. 27 F. 20 P. 23	M. 27 F. 20 P. 23	M. 27 F. 17 P. 22	M. 25 F. 18 P. 22	M. 23 F. 16 P. 19	M. 25 F. 18 P. 21	M. 26 F. 16 P. 21	M. 25 F. 18 P. 21	M. 26 F. 18 P. 22
7-96	IV. Diseases of the Circulatory System.†	M. 2,143 F. 1,600 P. 1,830	M. 2,054 F. 1,737 P. 1,879	M. 1,839 F. 1,678 P. 1,754	M. 1,847 F. 1,756 P. 1,800	M. 2,041 F. 1,967 P. 2,002	M. 1,966 F. 1,888 P. 1,926	M. 2,087 F. 2,006 P. 2,044	M. 2,212 F. 2,112 P. 2,160	M. 2,239 F. 2,127 P. 2,181	M. 2,540 F. 2,441 P. 2,489	M. 2,728 F. 2,616 P. 2,669
7-90	Heart diseases†	M. 1,707 F. 1,379 P. 1,519	M. 1,610 F. 1,481 P. 1,538	M. 1,417 F. 1,411 P. 1,416	M. 1,381 F. 1,451 P. 1,418	M. 1,514 F. 1,618 P. 1,568	M. 1,429 F. 1,528 P. 1,480	M. 1,506 F. 1,611 P. 1,561	M. 1,596 F. 1,694 P. 1,647	M. 1,606 F. 1,691 P. 1,650	M. 1,774 F. 1,891 P. 1,835	M. 1,893 F. 2,004 P. 1,951
87	Pericarditis†	M. 12 F. 7 P. 10	M. 10 F. 8 P. 8	M. 11 F. 8 P. 10	M. 11 F. 8 P. 9	M. 12 F. 8 P. 10	M. 11 F. 6 P. 8	M. 10 F. 8 P. 9	M. 10 F. 7 P. 9	M. 9 F. 6 P. 7	M. 9 F. 6 P. 7	M. 8 F. 6 P. 7
88	Acute endocarditis and myocarditis.†	M. 40 F. 38 P. 39	M. 53 F. 40 P. 46	M. 67 F. 56 P. 62	M. 64 F. 48 P. 55	M. 57 F. 49 P. 52	M. 52 F. 46 P. 50	M. 52 F. 48 P. 50	M. 52 F. 51 P. 51	M. 51 F. 54 P. 53	M. 51 F. 51 P. 51	M. 47 F. 46 P. 47
	1. Infective endocarditis	M. 11 F. 14 P. 13	M. 22 F. 13 P. 17	M. 31 F. 21 P. 26	M. 40 F. 24 P. 32	M. 36 F. 26 P. 30	M. 30 F. 24 P. 27	M. 27 F. 25 P. 26	M. 27 F. 23 P. 25	M. 26 F. 26 P. 26	M. 28 F. 25 P. 26	M. 24 F. 24 P. 24
	2. Other acute endocarditis†	M. 18 F. 17 P. 18	M. 19 F. 19 P. 19	M. 21 F. 22 P. 22	M. 17 F. 17 P. 17	M. 14 F. 16 P. 15	M. 15 F. 14 P. 15	M. 14 F. 14 P. 14	M. 14 F. 16 P. 15	M. 12 F. 15 P. 14	M. 11 F. 14 P. 12	M. 10 F. 12 P. 11
	3. Acute myocarditis†	M. 11 F. 7 P. 8	M. 12 F. 8 P. 10	M. 15 F. 13 P. 14	M. 6 F. 6 P. 6	M. 7 F. 7 P. 7	M. 7 F. 8 P. 8	M. 10 F. 9 P. 10	M. 11 F. 12 P. 11	M. 13 F. 14 P. 13	M. 12 F. 12 P. 12	M. 12 F. 11 P. 12
89	Angina pectoris †	M. 44 F. 14 P. 27	M. 45 F. 17 P. 30	M. 39 F. 17 P. 27	M. 41 F. 17 P. 29	M. 54 F. 23 P. 38	M. 58 F. 25 P. 41	M. 66 F. 27 P. 45	M. 69 F. 27 P. 47	M. 68 F. 29 P. 48	M. 105 F. 40 P. 71	M. 137 F. 54 P. 94
90	Other diseases of the heart† ..	M. 1,611 F. 1,320 P. 1,443	M. 1,502 F. 1,416 P. 1,454	M. 1,300 F. 1,330 P. 1,317	M. 1,265 F. 1,379 P. 1,324	M. 1,391 F. 1,538 P. 1,468	M. 1,308 F. 1,451 P. 1,381	M. 1,378 F. 1,529 P. 1,457	M. 1,465 F. 1,609 P. 1,540	M. 1,478 F. 1,601 P. 1,542	M. 1,609 F. 1,795 P. 1,706	M. 1,702 F. 1,897 P. 1,804

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Other diseases of the heart— <i>contd.</i>											
	1. Aortic valve disease .. { M. F. P. }				106 43 73	113 46 78	107 48 76	106 44 74	110 51 79	111 47 78	116 49 81	119 52 84
	2. Mitral valve disease .. { M. F. P. }	767 651 700	720 683 699	654 654 654	178 271 227	193 295 246	181 276 230	174 278 228	176 274 227	168 260 216	193 304 251	204 323 266
	3. Aortic and mitral valve disease. { M. F. P. }				27 18 23	26 19 23	25 20 22	24 18 21	24 21 22	24 16 20	29 24 26	33 32 33
	4. Other or unspecified valve disease.† { M. F. P. }				314 340 328	316 371 345	292 331 312	300 348 325	297 327 313	286 318 303	282 332 308	278 322 301
	5. Fatty heart .. { M. F. P. }	62 55 58	64 68 66	59 62 61	60 67 64	69 77 73	67 77 72	65 75 70	65 77 71	66 68 67	65 79 72	65 81 73
	6. Cardiac dilatation, cause unspecified. { M. F. P. }				27 27 27	27 28 28	23 22 22	20 17 19	21 20 21	17 19 18	18 17 18	14 12 13
	7. Other or unspecified myocardial disease.† { M. F. P. }	775 608 679	710 657 681	578 604 592	242 265 254	314 347 331	332 366 350	404 435 420	493 532 513	554 589 572	664 710 688	780 832 807
	9. Heart disease(undefined) { M. F. P. }				298 332 316	318 338 328	263 287 276	261 282 272	250 267 259	218 238 228	201 220 211	171 183 177
	8. Disordered action of the heart. { M. F. P. }	7 6 6	8 8 8	9 10 10	13 15 14	15 17 16	18 24 21	23 32 28	29 41 35	33 47 41	41 60 51	37 61 50
91	Diseases of the arteries† { M. F. P. }	416 200 292	423 238 320	401 245 318	447 281 361	508 324 412	518 335 422	559 368 460	591 392 487	607 407 502	740 518 624	806 582 689
	(a) Aneurysm .. { M. F. P. }	44 9 24	43 9 24	44 9 25	44 10 26	45 11 27	42 11 26	44 10 26	45 12 27	42 12 26	47 13 29	50 14 31
	(b) Arterio-sclerosis† { M. F. P. }	366 189 264	375 225 292	352 233 289	398 267 329	458 309 380	470 319 391	511 355 429	542 375 455	560 391 472	686 500 589	750 562 652
	1. With record of cerebral vascular lesion. { M. F. P. }	? ? ?	? ? ?	? ? ?	118 94 105	139 110 124	146 114 130	149 126 137	167 133 149	165 135 149	244 209 225	290 253 271
	2. Without record of cerebral vascular lesion.† { M. F. P. }	? ? ?	? ? ?	? ? ?	280 173 224	319 199 256	324 205 261	362 228 292	375 242 306	395 256 322	443 291 364	460 309 382
	(c) Other diseases of the arteries.† { M. F. P. }	6 2 4	5 4 4	5 3 4	5 4 5	5 4 5	6 5 5	4 4 4	5 5 5	5 4 5	7 5 6	6 6 6
92	Embolism and thrombosis (not cerebral). { M. F. P. }	8 7 7	9 7 8	8 9 8	8 9 8	9 8 9	8 9 8	9 9 9	10 9 10	12 10 11	9 10 10	10 9 9
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) { M. F. P. }	6 8 7	6 9 8	7 11 9	6 11 9	7 13 10	7 13 10	7 12 9	9 12 11	8 14 11	8 15 12	11 16 14
97-107	V. Diseases of the Respiratory System.† { M. F. P. }	3,699 2,527 3,023	2,941 2,190 2,526	2,504 1,867 2,168	2,212 1,722 1,956	2,572 2,064 2,308	2,102 1,653 1,868	2,352 1,919 2,126	2,234 1,788 2,001	1,961 1,530 1,736	2,164 1,720 1,933	1,744 1,289 1,507
97	(See Footnote †)											
98	Diseases of the larynx { M. F. P. }	33 20 25	28 20 23	28 21 26	20 14 17	18 11 15	13 9 11	14 8 11	13 9 11	11 8 9	11 7 9	10 8 9
	2. Laryngitis .. { M. F. P. }	26 17 21	22 17 19	22 17 20	15 12 13	14 9 11	9 7 8	10 6 8	9 7 8	9 6 7	8 6 7	7 7 7
99	Bronchitis† { M. F. P. }	1,436 1,046 1,212	1,409 1,180 1,282	1,094 948 1,017	929 853 889	1,101 1,045 1,073	878 828 852	987 960 973	931 884 906	818 731 773	862 821 840	632 558 593
	(a) Acute .. { M. F. P. }	? ? ?	? ? ?	? ? ?	219 241 230	265 297 282	198 230 215	238 279 260	221 259 241	191 209 200	203 240 222	123 135 129

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

‡ 97. Diseases of the nasal fossæ and annexa.† Mortality (1927)—Males 5, Females 5, Persons 5; (1928)—Males 7, Females 4, Persons 6.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Bronchitis— <i>contd.</i>											
	(b) Chronic	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	308 224 264	365 278 320	321 236 277	350 262 304	341 251 294	323 220 269	327 235 279	244 168 205
	(c and d) Not stated whether acute or chronic.	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	402 389 395	471 470 471	359 362 360	399 418 409	369 374 372	304 303 303	332 345 339	265 254 259
100 & 101	Pneumonia (all forms)† ..	M. 2,018 F. 1,337 P. 1,627	M. 1,307 F. 867 P. 1,064	M. 1,218 F. 788 P. 991	M. 1,104 F. 745 P. 916	M. 1,280 F. 883 P. 1,073	M. 1,051 F. 705 P. 870	M. 1,188 F. 833 P. 1,003	M. 1,134 F. 784 P. 951	M. 986 F. 683 P. 828	M. 1,135 F. 776 P. 948	M. 964 F. 622 P. 786
100	Broncho-pneumonia† ..	M. 857 F. 609 P. 715	M. 623 F. 449 P. 527	M. 583 F. 427 P. 501	M. 517 F. 409 P. 460	M. 664 F. 526 P. 592	M. 487 F. 383 P. 433	M. 618 F. 497 P. 555	M. 566 F. 456 P. 509	M. 506 F. 401 P. 451	M. 588 F. 454 P. 518	M. 445 F. 344 P. 392
101	Pneumonia (lobar or not otherwise defined).	M. 1,161 F. 728 P. 912	M. 684 F. 418 P. 537	M. 635 F. 361 P. 490	M. 587 F. 336 P. 456	M. 616 F. 357 P. 481	M. 564 F. 322 P. 437	M. 570 F. 336 P. 448	M. 567 F. 328 P. 442	M. 480 F. 281 P. 376	M. 546 F. 323 P. 430	M. 519 F. 278 P. 393
	(a) Lobar	M. 454 F. 264 P. 345	M. 283 F. 160 P. 215	M. 301 F. 158 P. 225	M. 282 F. 154 P. 215	M. 317 F. 171 P. 241	M. 317 F. 169 P. 239	M. 315 F. 177 P. 243	M. 343 F. 183 P. 260	M. 297 F. 165 P. 228	M. 353 F. 196 P. 271	M. 370 F. 188 P. 275
	(b) Not otherwise defined..	M. 707 F. 464 P. 567	M. 401 F. 258 P. 322	M. 334 F. 203 P. 265	M. 304 F. 182 P. 240	M. 299 F. 186 P. 240	M. 247 F. 153 P. 198	M. 255 F. 159 P. 205	M. 225 F. 145 P. 183	M. 183 F. 116 P. 148	M. 194 F. 127 P. 159	M. 149 F. 90 P. 118
102	Pleurisy	M. 51 F. 28 P. 38	M. 45 F. 26 P. 35	M. 44 F. 27 P. 36	M. 43 F. 25 P. 34	M. 42 F. 26 P. 33	M. 44 F. 25 P. 34	M. 40 F. 25 P. 32	M. 38 F. 21 P. 29	M. 37 F. 20 P. 28	M. 34 F. 23 P. 28	M. 36 F. 21 P. 29
	1. Empyema	M. 17 F. 7 P. 11	M. 17 F. 6 P. 11	M. 17 F. 7 P. 12	M. 18 F. 7 P. 12	M. 18 F. 9 P. 13	M. 17 F. 7 P. 12	M. 17 F. 7 P. 12	M. 16 F. 7 P. 11	M. 14 F. 6 P. 10	M. 14 F. 7 P. 10	M. 14 F. 6 P. 10
	2. Other pleurisy	M. 34 F. 21 P. 27	M. 28 F. 20 P. 24	M. 27 F. 20 P. 24	M. 26 F. 18 P. 22	M. 24 F. 17 P. 20	M. 27 F. 18 P. 22	M. 23 F. 18 P. 20	M. 22 F. 15 P. 18	M. 24 F. 15 P. 19	M. 20 F. 16 P. 18	M. 22 F. 16 P. 19
103	Congestion and hæmorrhagic infarct of lung.	M. 38 F. 35 P. 36	M. 37 F. 33 P. 35	M. 31 F. 31 P. 31	M. 31 F. 36 P. 34	M. 32 F. 36 P. 34	M. 29 F. 34 P. 31	M. 29 F. 36 P. 32	M. 29 F. 38 P. 34	M. 28 F. 38 P. 33	M. 26 F. 34 P. 30	M. 23 F. 30 P. 26
105	Asthma	M. 84 F. 46 P. 62	M. 78 F. 48 P. 61	M. 58 F. 38 P. 48	M. 53 F. 36 P. 44	M. 67 F. 50 P. 58	M. 55 F. 42 P. 48	M. 63 F. 45 P. 54	M. 61 F. 42 P. 51	M. 52 F. 39 P. 45	M. 70 F. 48 P. 59	M. 53 F. 40 P. 46
106	Pulmonary emphysema ..	M. 11 F. 3 P. 6	M. 13 F. 4 P. 8	M. 9 F. 3 P. 6	M. 7 F. 2 P. 4	M. 10 F. 3 P. 6	M. 9 F. 2 P. 5	M. 10 F. 3 P. 7	M. 7 F. 3 P. 5	M. 8 F. 2 P. 5	M. 5 F. 1 P. 3	M. 3 F. 1 P. 2
107	Other diseases of the respiratory system.†	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 17 F. 7 P. 12	M. 16 F. 6 P. 11	M. 16 F. 6 P. 11	M. 15 F. 6 P. 10	M. 14 F. 5 P. 9	M. 14 F. 5 P. 9	M. 15 F. 5 P. 10	M. 15 F. 5 P. 10
	(a) Chronic interstitial pneumonia.	M. 12 F. 3 P. 7	M. 12 F. 4 P. 7	M. 10 F. 2 P. 6	M. 10 F. 3 P. 6	M. 10 F. 3 P. 6	M. 10 F. 3 P. 6	M. 10 F. 3 P. 6	M. 10 F. 2 P. 6	M. 11 F. 3 P. 7	M. 12 F. 3 P. 7	M. 12 F. 4 P. 7
	(b and c) Other diseases included under 107, including disease of the mediastinum.†	M. ? F. ? P. ?	M. ? F. ? P. ?	M. ? F. ? P. ?	M. 8 F. 4 P. 6	M. 6 F. 3 P. 5	M. 6 F. 3 P. 5	M. 5 F. 3 P. 4	M. 4 F. 2 P. 3	M. 4 F. 2 P. 3	M. 4 F. 2 P. 3	M. 3 F. 1 P. 2
108-127	VI. Diseases of the Digestive System.†	M. 1,023 F. 721 P. 849	M. 874 F. 658 P. 755	M. 892 F. 678 P. 779	M. 1,062 F. 815 P. 933	M. 746 F. 596 P. 668	M. 784 F. 620 P. 698	M. 748 F. 584 P. 662	M. 803 F. 620 P. 707	M. 805 F. 619 P. 708	M. 754 F. 578 P. 662	M. 764 F. 593 P. 675
108	Diseases of the buccal cavity and annexa.	M. 11 F. 8 P. 10	M. 11 F. 9 P. 10	M. 13 F. 9 P. 11	M. 13 F. 11 P. 12	M. 13 F. 11 P. 12	M. 14 F. 10 P. 12	M. 14 F. 11 P. 12	M. 16 F. 10 P. 12	M. 16 F. 11 P. 13	M. 18 F. 13 P. 15	M. 21 F. 15 P. 18
	1. Diseases of the teeth and gums.	M. 7 F. 5 P. 6	M. 8 F. 6 P. 7	M. 9 F. 7 P. 8	M. 8 F. 7 P. 8	M. 9 F. 7 P. 8	M. 9 F. 7 P. 8	M. 8 F. 7 P. 8	M. 11 F. 6 P. 9	M. 11 F. 7 P. 9	M. 13 F. 9 P. 11	M. 16 F. 11 P. 13
109	Diseases of the pharynx and tonsils.†	M. 16 F. 11 P. 14	M. 20 F. 16 P. 18	M. 18 F. 14 P. 16	M. 19 F. 15 P. 17	M. 16 F. 14 P. 15	M. 13 F. 12 P. 13	M. 13 F. 11 P. 12	M. 19 F. 14 P. 16	M. 17 F. 16 P. 17	M. 22 F. 21 P. 21	M. 25 F. 26 P. 26
	1. Tonsillitis, etc., adenoid vegetations.†	M. 12 F. 9 P. 11	M. 17 F. 13 P. 15	M. 14 F. 12 P. 13	M. 13 F. 12 P. 13	M. 12 F. 11 P. 12	M. 11 F. 10 P. 10	M. 11 F. 9 P. 10	M. 15 F. 12 P. 13	M. 14 F. 13 P. 14	M. 18 F. 18 P. 18	M. 20 F. 22 P. 21

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
III	Ulcer of the stomach or duodenum.	M. 96	90	95	88	94	115	115	132	142	158	150
		F. 54	47	49	42	43	45	44	49	48	49	48
		P. 72	66	70	64	68	79	78	89	93	101	97
	(a) Ulcer of the stomach ..	M. 68	61	64	56	62	74	74	84	93	102	97
		F. 47	41	42	37	37	37	36	40	40	42	40
		P. 56	50	52	46	49	55	54	61	65	70	67
II2	(b) Ulcer of the duodenum	M. 28	29	31	31	32	41	41	48	50	56	53
		F. 7	6	7	6	6	8	8	9	9	7	9
		P. 16	16	18	18	19	24	24	28	28	31	30
	Other diseases of the stomach	M. 103	90	94	82	68	62	59	53	53	42	39
		F. 79	80	78	73	65	56	55	52	46	41	41
		P. 91	85	86	78	67	59	57	53	49	42	40
II3, II4	1. Inflammation of the stomach.	M. 88	75	80	71	57	51	49	44	43	33	33
		F. 67	67	68	64	56	49	48	45	40	36	37
		P. 76	71	74	67	57	50	48	44	42	35	35
	2. Other diseases included under II2.	M. 17	15	14	12	11	11	10	9	10	9	6
		F. 12	13	10	9	9	7	7	8	6	5	4
		P. 15	14	12	10	10	9	8	8	8	7	5
II3, II4	Diarrhoea and enteritis ..	M. 423	341	345	526	219	246	219	245	246	176	187
		F. 272	234	249	382	165	194	167	186	188	141	143
		P. 337	281	294	451	191	218	192	214	215	158	164
	1. Ulceration of the intestines.	M. 7	6	5	6	6	6	6	7	7	7	6
		F. 9	7	8	7	6	8	9	8	8	8	9
		P. 8	6	6	7	6	7	7	7	8	8	8
II3, II4	2. Colitis	M. 418	335	340	14	11	11	10	9	11	10	9
		F. 263	227	241	15	11	14	11	11	13	10	9
		P. 329	275	288	14	11	12	10	10	12	10	9
	3. Other diseases included under II3, II4.	M. 506	202	229	204	229	204	229	228	160	172	
		F. 360	148	172	148	167	148	167	167	122	125	
		P. 430	174	199	175	197	175	197	196	140	147	
II7	Appendicitis and typhlitis ..	M. 75	74	78	82	84	88	83	87	82	81	86
		F. 57	59	58	62	61	61	60	61	58	60	60
		P. 65	66	67	72	72	74	71	74	69	70	73
II8	Hernia, intestinal obstruction	M. 155	123	118	116	117	115	117	115	115	121	120
		F. 137	107	105	105	105	109	104	105	106	109	103
		P. 145	115	112	111	111	111	110	110	110	115	111
	(a) Hernia	M. 64	48	45	42	46	45	47	45	45	51	53
		F. 64	44	44	45	44	46	47	46	45	49	47
		P. 64	46	45	44	45	45	47	45	45	50	50
II9	(b) Intestinal obstruction..	M. 91	75	73	75	71	70	70	71	70	70	67
		F. 73	63	61	60	61	63	57	59	61	60	56
		P. 81	69	67	67	66	66	63	65	65	65	61
	Other diseases of the intestines	M. 13	13	13	12	13	13	12	13	12	14	14
		F. 11	11	11	12	11	12	12	13	12	12	13
		P. 12	12	12	12	12	12	12	13	12	13	14
II9	1. Intestinal stasis ..	M. ?	?	?	?	?	?	4	4	4	4	4
		F. ?	?	?	?	?	?	5	6	5	5	5
		P. ?	?	?	?	?	?	4	5	5	5	4
	2. Other diseases included under II9.	M. ?	?	?	?	?	?	8	9	8	10	11
		F. ?	?	?	?	?	?	7	7	7	7	9
		P. ?	?	?	?	?	?	7	8	7	8	10
II22	Cirrhosis of the liver ..	M. 76	60	66	71	70	63	61	65	65	65	64
		F. 31	27	30	33	31	30	31	32	32	32	33
		P. 50	43	47	51	50	46	45	47	48	47	48
	(a) Returned as alcoholic..	M. 4	4	5	6	6	5	5	5	4	9	11
		F. 2	1	2	3	2	3	3	2	2	5	5
		P. 3	3	3	4	4	4	4	3	3	7	8
II23	(b) Not returned as alcoholic.	M. 72	56	61	66	64	58	56	60	61	56	53
		F. 29	26	28	30	29	27	28	29	30	27	28
		P. 47	40	44	47	46	42	41	44	44	41	40
	Biliary calculi	M. 12	13	12	14	15	14	16	17	15	17	18
		F. 21	28	29	34	35	38	36	38	39	41	44
		P. 18	21	21	25	26	27	27	28	28	30	31

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
124	Other diseases of the liver .. { M. F. P.	21 20 21	20 20 20	19 22 21	19 25 22	20 29 25	21 29 25	22 29 25	23 34 29	24 36 30	20 33 26	23 37 30
125	Diseases of the pancreas .. { M. F. P.	3 2 3	4 4 4	6 4 5	6 5 5	6 5 6	7 7 7	7 7 7	8 9 9	8 8 8	10 11 10	10 11 11
126	Peritonitis of unstated origin { M. F. P.	11 11 11	9 13 11	10 13 12	9 12 10	8 14 11	8 13 11	8 11 10	7 13 10	6 13 10	6 12 9	5 13 9
128-142	VII. Non-venereal Diseases of the Genito-urinary System { M. F. P.	723 373 521	639 365 487	577 375 470	577 377 473	576 389 479	573 388 476	585 377 476	580 390 481	587 398 488	638 425 527	668 457 558
128	Acute nephritis (including unspecified under 10 years of age). { M. F. P.	62 41 50	50 38 44	47 38 42	44 34 39	42 32 37	39 32 35	39 33 36	41 32 36	39 34 36	37 30 33	32 28 30
129	Chronic nephritis (including unspecified over 10 years of age). { M. F. P.	416 256 325	360 249 298	326 250 286	315 254 283	322 271 295	314 269 290	319 258 287	310 268 288	313 270 290	343 297 319	366 328 346
131	Other diseases of the kidneys and annexa. { M. F. P.	15 11 13	15 11 13	15 13 14	16 14 15	17 14 16	15 15 15	20 17 19	18 17 18	20 19 20	18 21 20	18 22 20
132	Calculi of the urinary passages. { M. F. P.	11 4 7	11 3 7	10 5 7	10 6 8	11 5 8	12 5 8	11 4 7	11 5 8	10 5 7	11 6 8	13 6 9
133	Diseases of the bladder .. { M. F. P.	62 11 32	58 10 32	49 11 29	50 12 30	44 11 27	43 13 27	39 11 24	35 13 23	39 14 26	36 15 25	32 17 24
	1. Cystitis { M. F. P.	? ? ?	? ? ?	? ? ?	45 11 27	40 11 25	40 12 25	37 10 23	33 12 22	37 13 24	34 14 24	30 17 23
134	Diseases of the urethra, urinary abscess, etc. { M. F. P.	29 0 13	24 0 11	21 0 10	21 0 10	21 0 10	22 0 11	21 0 10	18 0 9	20 0 10	21 1 10	23 0 11
	(a) Stricture of the urethra { M. F. P.	? ? ?	? ? ?	? ? ?	17 8	17 8	18 9	17 8	16 8	17 8	19 9	22 10
135	Diseases of the prostate .. M.	123	116	104	118	116	125	133	143	145	169	180
137	Cysts and other tumours of the ovary not returned as malignant } F.	14	14	16	15	14	14	14	14	15	13	14
138	Salpingitis and pelvic abscess in females.† } F.	?	?	?	13	13	12	11	13	12	12	10
	1. Salpingitis† F.	?	?	?	11	10	10	9	11	10	10	9
139	Tumours of the uterus not returned as malignant } F.	16	16	18	18	18	18	18	19	20	21	21
141	Other diseases of the female genital organs.† } F.	19	20	22	8	7	8	7	7	7	8	9
	1. Other diseases of the uterus.† } F.	7	9	11	7	6	6	5	5	6	6	6
143-150	VIII. The Puerperal State .. F.	128	154	210	168	149	144	141	143	140	131	142
143	Accidents of pregnancy .. F.	13	14	18	17	16	18	16	16	16	16	13
	(a) Abortion F.	5	6	6	5	5	5	6	4	4	4	4
	(b and c) Other accidents including ectopic gestation. } F.	8	8	12	11	11	13	11	11	12	12	9
144	Puerperal hæmorrhage .. F.	16	19	26	24	20	21	19	18	17	16	16
145	Other accidents of childbirth F.	15	17	21	19	15	15	16	16	17	14	16

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
146	Puerperal sepsis F.	43	59	88	59	54	49	50	55	54	50	58
147	Puerperal phlegmasia alba dolens, embolism, sudden death. } F.	11	12	18	16	15	14	12	12	10	9	11
	2. Puerperal embolism and sudden death. } F.	9	9	15	13	12	11	9	10	9	7	9
148	Puerperal albuminuria and convulsions. } F.	28	30	38	30	28	26	26	25	26	26	27
151-154	IX. Diseases of the Skin and Cellular Tissue.†	M. 111 F. 75 P. 91	M. 113 F. 78 P. 94	M. 105 F. 81 P. 92	M. 97 F. 73 P. 85	M. 90 F. 73 P. 81	M. 86 F. 70 P. 78	M. 88 F. 70 P. 79	M. 93 F. 76 P. 84	M. 90 F. 71 P. 80	M. 82 F. 68 P. 75	M. 89 F. 65 P. 77
151	Gangrene	M. 49 F. 33 P. 39	M. 50 F. 34 P. 41	M. 39 F. 34 P. 36	M. 40 F. 29 P. 34	M. 37 F. 31 P. 34	M. 30 F. 29 P. 30	M. 37 F. 28 P. 32	M. 35 F. 30 P. 32	M. 34 F. 27 P. 30	M. 30 F. 27 P. 28	M. 28 F. 21 P. 24
	1. Senile gangrene .. .	M. 43 F. 27 P. 34	M. 44 F. 30 P. 36	M. 35 F. 30 P. 32	M. 36 F. 26 P. 31	M. 34 F. 27 P. 30	M. 28 F. 27 P. 27	M. 34 F. 26 P. 30	M. 32 F. 27 P. 30	M. 32 F. 25 P. 28	M. 28 F. 26 P. 27	M. 25 F. 19 P. 22
152	Carbuncle, boil	M. 13 F. 5 P. 9	M. 12 F. 6 P. 9	M. 12 F. 5 P. 8	M. 12 F. 5 P. 8	M. 11 F. 5 P. 8	M. 13 F. 5 P. 9	M. 11 F. 5 P. 8	M. 13 F. 6 P. 9	M. 14 F. 7 P. 10	M. 14 F. 7 P. 10	M. 16 F. 7 P. 12
153	Cellulitis, acute abscess† ..	M. 21 F. 12 P. 17	M. 25 F. 15 P. 19	M. 28 F. 18 P. 22	M. 21 F. 16 P. 19	M. 22 F. 14 P. 18	M. 20 F. 15 P. 17	M. 19 F. 13 P. 16	M. 22 F. 16 P. 19	M. 21 F. 15 P. 18	M. 18 F. 13 P. 16	M. 22 F. 15 P. 19
	1. Cellulitis†	M. 15 F. 8 P. 12	M. 16 F. 9 P. 12	M. 19 F. 12 P. 15	M. 14 F. 11 P. 12	M. 15 F. 9 P. 12	M. 14 F. 10 P. 12	M. 14 F. 10 P. 12	M. 17 F. 12 P. 14	M. 17 F. 12 P. 14	M. 13 F. 10 P. 12	M. 18 F. 12 P. 15
	2. Acute abscess†	M. 6 F. 4 P. 5	M. 9 F. 6 P. 7	M. 9 F. 6 P. 7	M. 7 F. 6 P. 6	M. 7 F. 5 P. 6	M. 6 F. 5 P. 5	M. 5 F. 4 P. 4	M. 5 F. 4 P. 5	M. 4 F. 4 P. 4	M. 4 F. 3 P. 4	M. 4 F. 4 P. 4
154	Other diseases of the skin and its annexa. } M. F. P.	29 23 26	25 24 26	27 24 25	24 23 23	20 23 21	23 21 22	21 23 22	23 24 24	21 22 21	21 21 21	23 22 22
	1. Ulcer, bed sore	M. 10 F. 12 P. 11	M. 7 F. 12 P. 10	M. 7 F. 11 P. 9	M. 6 F. 11 P. 8	M. 5 F. 11 P. 8	M. 7 F. 8 P. 7	M. 4 F. 10 P. 7	M. 5 F. 10 P. 8	M. 4 F. 9 P. 7	M. 4 F. 8 P. 6	M. 5 F. 8 P. 7
	2-4. Other diseases under 154, including eczema and pemphigus. } M. F. P.	19 11 15	18 12 16	20 13 16	18 12 15	15 12 13	16 13 15	17 13 15	18 14 16	17 12 15	17 13 15	18 14 16
155-158	X. Diseases of the Bones and Organs of Locomotion.†	M. 27 F. 15 P. 20	M. 30 F. 18 P. 23	M. 27 F. 18 P. 22	M. 27 F. 15 P. 20	M. 27 F. 16 P. 21	M. 28 F. 14 P. 21	M. 29 F. 16 P. 22	M. 28 F. 17 P. 22	M. 27 F. 16 P. 21	M. 30 F. 17 P. 23	M. 32 F. 16 P. 24
155	Diseases of the bones† ..	M. 20 F. 10 P. 14	M. 23 F. 12 P. 17	M. 21 F. 12 P. 16	M. 21 F. 11 P. 16	M. 21 F. 12 P. 16	M. 21 F. 11 P. 16	M. 22 F. 12 P. 17	M. 22 F. 12 P. 17	M. 21 F. 13 P. 17	M. 23 F. 13 P. 18	M. 25 F. 12 P. 18
	1. Acute infective osteomyelitis and periostitis. } M. F. P.	? ? ?	? ? ?	? ? ?	M. 15 F. 6 P. 11	M. 17 F. 7 P. 12	M. 16 F. 6 P. 11	M. 17 F. 7 P. 12	M. 16 F. 7 P. 11	M. 14 F. 7 P. 11	M. 17 F. 8 P. 12	M. 19 F. 7 P. 13
	2. Other diseases of the bones. } M. F. P.	? ? ?	? ? ?	? ? ?	M. 5 F. 5 P. 5	M. 4 F. 5 P. 4	M. 5 F. 5 P. 5	M. 5 F. 5 P. 5	M. 6 F. 5 P. 5	M. 7 F. 5 P. 6	M. 6 F. 5 P. 5	M. 6 F. 5 P. 5
159	XI. Congenital malformations. } M. F. P.	110 67 86	109 69 87	131 97 113	119 85 101	112 85 98	111 78 94	106 74 90	110 80 95	109 78 93	106 79 92	110 80 94
	1. Congenital hydrocephalus. } M. F. P.	12 6 9	10 5 7	10 7 8	11 6 8	8 7 7	11 6 8	8 6 7	9 6 7	9 6 7	9 6 7	7 4 6
	2. Congenital malformation of heart. } M. F. P.	45 26 34	46 28 36	54 36 45	45 31 38	45 31 38	44 29 36	43 27 35	43 30 36	41 30 36	42 29 35	41 31 36
	3. Other congenital malformations. } M. F. P.	53 35 42	53 36 44	67 54 60	63 48 55	59 47 53	56 43 50	55 42 48	58 44 51	59 42 50	55 44 49	62 45 53

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
160-163	XII. Diseases of Early Infancy { M. F. P.	876 491 654	884 540 694	951 625 779	838 570 698	725 482 599	657 445 545	652 450 547	607 421 510	586 396 487	556 374 461	535 359 443
160	Congenital debility, sclerema and icterus. { M. F. P.	279 153 207	264 148 201	287 171 226	225 141 181	177 111 143	160 97 127	151 92 120	147 89 117	128 82 104	102 62 81	97 54 75
	1. Congenital debility and sclerema. { M. F. P.	256 144 192	243 138 186	263 158 208	204 130 165	158 102 129	140 88 113	134 83 108	135 81 107	116 75 94	88 54 70	84 47 65
	2. Icterus neonatorum .. { M. F. P.	23 9 15	21 10 15	24 13 18	21 12 16	19 9 14	20 9 14	17 8 12	13 8 10	12 7 10	14 7 10	13 7 10
161	Premature birth, injury at birth. { M. F. P.	542 306 406	561 352 446	593 407 494	552 384 464	492 333 409	446 311 375	449 316 380	413 291 349	405 276 338	406 279 340	391 269 327
	1. Premature birth .. { M. F. P.	515 292 386	530 337 424	551 385 463	513 361 433	455 315 382	412 290 348	415 297 354	378 272 322	371 256 311	367 255 309	351 245 296
	2. Injury at birth .. { M. F. P.	27 14 20	31 15 22	42 22 31	40 23 31	37 18 27	34 21 27	35 19 26	36 19 27	35 20 27	39 24 31	40 25 32
162	Other diseases peculiar to early infancy. { M. F. P.	48 27 36	50 30 39	61 42 50	53 38 45	49 32 41	45 31 37	44 35 39	40 35 37	45 30 37	41 27 34	41 30 35
	2. Atelectasis .. { M. F. P.	39 21 29	42 23 32	50 32 40	43 30 36	40 24 32	37 23 29	34 26 30	31 26 28	34 22 28	33 20 26	31 22 27
	1. and 3. Other diseases under 162, including diseases of umbilicus. { M. F. P.	9 6 7	8 7 7	11 10 10	10 9 9	9 8 9	8 8 8	10 8 9	9 9 9	11 8 9	8 7 8	9 8 8
163	Lack of care .. { M. F. P.	9 6 7	9 8 8	10 7 9	8 7 7	7 6 6	6 6 6	8 7 7	7 6 6	8 8 8	8 6 7	7 6 6
64	XIII. Old Age .. { M. F. P.	834 814 823	819 921 875	619 785 706	623 815 723	648 836 746	575 738 660	561 755 662	548 745 651	537 713 629	487 664 579	422 572 500
	1. Senile dementia .. { M. F. P.	44 38 40	35 34 35	30 37 34	32 42 37	36 45 41	35 40 38	35 42 39	41 47 44	38 52 45	42 51 46	45 55 50
	2. Other forms of senile decay. { M. F. P.	790 776 783	783 887 840	589 748 673	592 772 686	612 791 705	540 698 622	526 713 623	508 698 607	499 661 583	445 613 533	377 517 450
165-203	XIV. External Causes .. { M. F. P.	785 273 491	744 271 483	691 260 463	643 246 436	631 248 428	660 249 445	643 258 442	687 273 471	687 283 477	745 298 512	777 322 540
165-174	Suicide .. { M. F. P.	111 47 75	136 51 88	134 51 90	153 50 99	156 54 100	157 53 103	142 54 96	153 61 105	166 66 114	184 71 125	180 72 124
165, 166	By solid or liquid poisons and corrosive substances. { M. F. P.	7 6 6	7 7 7	10 7 8	11 9 10	13 10 11	13 9 11	12 10 11	14 10 12	17 14 16	21 16 19	20 14 17
167	By poisonous gas.. { M. F. P.	7 4 5	7 5 6	9 6 7	13 7 10	18 9 13	24 12 18	20 10 15	25 15 20	31 17 24	35 17 25	35 20 28
168	By hanging or strangulation. { M. F. P.	28 8 17	39 9 22	32 8 19	37 8 22	37 8 21	34 6 20	31 7 19	33 8 20	36 7 21	36 8 21	37 8 22
169	By drowning .. { M. F. P.	22 19 20	25 17 21	27 20 24	32 16 24	29 17 22	29 16 22	27 16 21	27 16 21	30 17 23	31 18 24	32 17 24

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1918-1928.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
	Suicide— <i>contd.</i>											
170	By firearms { M. F. P.	10 1 5	11 1 5	12 1 6	14 1 7	14 0 7	13 1 6	10 0 5	11 1 5	11 0 6	12 1 6	12 1 6
171	By cutting or piercing instruments. { M. F. P.	28 6 16	35 6 19	32 5 18	33 6 19	32 6 18	31 5 17	29 5 16	30 5 17	28 5 16	34 6 19	30 5 17
172-174	By other means { M. F. P.	9 3 6	12 6 8	12 4 8	12 4 8	13 4 8	13 4 9	13 5 9	15 6 10	11 5 8	15 5 10	14 6 10
175-196, 201-203	Violent deaths, excluding suicide and homicide. { M. F. P.	670 221 412	599 212 385	549 201 365	484 189 330	470 188 323	496 191 336	495 199 341	528 205 359	514 210 356	556 222 382	591 246 411
175-177	Accidental poisoning .. { M. F. P.	8 5 7	6 4 5	6 3 5	7 5 6	6 3 4	5 4 4	5 3 4	7 5 6	4 4 4	4 4 4	6 5 5
179	Accidental burns (conflagration excepted). { M. F. P.	62 66 65	52 64 59	42 53 48	39 45 42	40 49 45	41 43 42	35 45 40	39 43 41	31 38 35	36 38 37	34 40 37
180	Accidental mechanical suffocation. { M. F. P.	27 17 22	24 15 19	24 17 20	23 15 19	19 13 16	18 11 14	17 12 15	16 13 14	17 11 14	16 12 14	16 12 14
181	(See Footnote †)											
182	Accidental drowning .. { M. F. P.	103 20 56	89 17 49	83 18 49	87 17 50	68 14 40	76 15 44	67 15 40	70 16 42	67 12 39	67 15 40	69 15 41
185	Accidental injury by fall .. { M. F. P.	107 57 78	102 60 79	95 61 77	83 56 69	79 64 71	74 65 69	77 66 71	85 68 76	83 74 78	85 78 81	92 87 89
186	Accidental injury in mining and quarrying. { M. F. P.	77 0 32	72 0 32	55 0 26	37 — 18	51 0 24	60 0 29	60 — 29	55 — 26	36 — 17	56 — 27	51 — 24
187	Accidental injury by machinery. { M. F. P.	23 2 11	19 1 9	18 1 9	10 0 5	10 0 5	11 1 6	12 0 6	11 0 6	9 0 4	12 0 6	12 0 6
188	Accidental injury by other forms of crushing (vehicles, railways, &c.). { M. F. P.	169 33 91	175 36 99	174 36 101	154 36 92	156 33 91	164 37 98	186 48 114	204 48 122	226 57 138	241 62 148	270 74 168
190	Wounds of war { M. F. P.	32 5 17	12 — 6	9 — 4	6 — 3	4 — 2	4 — 2	3 — 2	3 — 2	4 — 2	4 0 2	4 — 2
194	Excessive heat { M. F. P.	3 1 2	4 2 3	1 1 1	7 6 7	3 1 2	12 5 8	1 1 1	4 2 3	3 2 2	0 0 0	3 1 2
197-199	Homicide { M. F. P.	6 5 5	9 8 8	7 8 8	6 7 7	5 6 5	7 5 6	6 5 6	6 7 7	7 7 7	5 5 5	5 5 5
202	Other and unstated forms of accidental violence, execution. { M. F. P.	25 7 15	16 4 9	17 4 10	10 3 6	12 3 7	12 4 8	9 4 6	11 4 8	11 4 7	11 4 8	13 4 8
204-205	XV. Ill-defined Diseases .. { M. F. P.	89 57 71	83 52 66	63 43 52	60 40 50	57 40 48	54 36 44	50 33 41	50 34 41	44 28 36	34 22 28	26 17 21
204	Sudden death { M. F. P.	8 5 6	10 5 7	7 4 6	11 6 8	11 6 8	11 6 8	9 5 7	9 5 7	9 4 6	8 4 6	7 4 5
205	Cause of death unstated or ill-defined. { M. F. P.	82 52 65	73 47 59	56 38 47	50 34 42	46 34 40	43 30 36	41 28 34	41 29 35	35 25 30	26 17 21	19 13 16
	1. Heart failure (1-70 yrs.) { M. F. P.	44 29 35	45 29 36	35 23 29	30 19 24	31 20 25	27 19 23	26 17 22	28 17 22	25 17 21	19 11 15	13 8 11
	2. Other ill-defined causes { M. F. P.	29 20 24	21 15 18	17 13 15	17 14 15	13 13 13	13 10 12	13 9 11	11 9 10	7 6 7	5 5 5	4 4 4

* Based on civilian deaths and civilian population.

† 181. Accidental absorption of irrespirable or poisonous gas. Mortality (1922)—Males 6, Females 3, Persons 5; (1926)—Males 6, Females 5, Persons 5; (1927)—Males 6, Females 4, Persons 5; (1928)—Males 5, Females 4, Persons 5.

TABLE 6.—ENGLAND AND WALES.—ANNUAL DEATH-RATES FROM THE PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851-1928.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages (Standardized).								At Ages under 15 Years.					
	Enteric Fever.	Small-pox.	Influenza.	Encephalitis Lethargica.	Tuberculosis (All forms).	Tuberculosis of Respira- tory System.	Cancer.	Diabetes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Acute Polio-myelitis.	Meningococcal Meningitis
1851-60					3,478	2,772	326		1,151			1,418		
1861-70		149			3,263	2,590	396		1,221	2,617	1,148	1,475		
1871-80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881-90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891-1900	175	14	363		2,021	1,418	767		1,217	439	894	1,115		
1901-10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911-20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1851-55					3,638	2,890	320		1,114			1,439		
1856-60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861-65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866-70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871-75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876-80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881-85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886-90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891-95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896-1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901-05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906-10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911-15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916-20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921-25	13	0	319	22	1,065	816	976	91	449	92	310	484	11	25
1887	186	18			2,301	1,685	633		1,684	764	815	1,135		
1888	173	37			2,243	1,634	638		972	614	810	1,227		
1889	177	1			2,279	1,637	674		1,457	646	825	1,216		
1890	180	0	160		2,403	1,748	693		1,240	665	785	1,358		
1891	169	2	582		2,325	1,659	708		1,237	465	719	1,335		
1892	138	15	540		2,156	1,517	704		1,317	519	821	1,307		
1893	230	49	329		2,158	1,509	723		1,075	629	1,074	991		
1894	160	27	222		1,987	1,419	723		1,136	461	978	1,198		
1895	176	7	426		2,072	1,426	764		1,106	418	889	927		
1896	167	17	122		1,899	1,327	770		1,685	495	981	1,274		
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	212	106	432	435	12	30
1922	12	1	503	9	1,107	848	959	99	542	109	373	607	10	27
1923	12	0	189	13	1,049	798	973	92	508	83	250	399	9	21
1924	13	0	416	36	1,039	801	988	87	464	74	231	384	11	22
1925	10	0	274	34	1,017	788	1,002	88	520	86	262	594	11	27
1926	9	0	191	32	942	730	999	89	340	57	283	408	16	28
1927	9	1	470	28	952	744	996	95	359	49	257	367	12	33
1928	11	1	161	26	909	709	1,011	97	430	49	303	300	12	33

Note.—The rates throughout the table are based on total deaths and population (including non-civilians). Those for 1915-1920 may therefore differ from those published elsewhere based on civilian deaths and populations.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1927 AND 1928.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.*										Mortality per 1,000 Live Births.													
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		The Puerperal State.			
	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.
England and Wales ..	1	1	9	11	972	928	791	755	92	109	94	75	15	15	70	81	70	65	6.69	7.22	1.57	1.79	2.54	2.63
<i>Administrative Counties (including London).</i>	2	1	10	12	883	842	715	680	57	110	89	62	15	14	61	76	64	60	5.20	5.68	1.49	1.70	2.47	2.71
Bedfordshire ..	—	—	—	5	896	839	760	707	23	52	28	80	14	14	94	99	47	47	4.11	2.55	2.53	0.64	2.53	2.23
Berkshire ..	—	—	10	5	793	662	595	541	15	51	73	42	15	14	44	47	48	42	3.90	2.14	1.30	1.84	2.92	1.84
Buckinghamshire	—	—	4	12	571	550	434	385	24	51	28	51	12	16	44	86	47	51	2.44	4.12	1.63	1.03	0.54	3.86
Cambridgeshire	—	—	—	—	1,015	780	837	668	15	—	77	38	15	15	62	158	52	59	1.59	4.72	1.59	2.62	1.59	1.57
Cheshire ..	—	—	11	8	736	749	547	572	59	74	71	62	15	21	48	50	61	58	4.86	5.02	0.99	1.61	2.48	3.61
Cornwall ..	—	—	16	19	903	1,032	719	796	19	76	73	79	3	13	38	31	59	57	4.21	3.41	1.26	1.71	3.16	3.84
Cumberland ..	—	—	—	9	902	845	698	646	111	—	139	104	14	5	51	52	81	63	6.72	4.76	2.15	1.59	3.23	3.70
Derbyshire ..	—	—	10	6	707	724	520	514	45	112	98	42	8	11	84	70	71	63	5.27	4.68	1.43	1.89	3.57	2.43
Devonshire ..	—	2	11	5	876	930	710	742	11	107	111	43	5	11	18	59	47	51	3.22	2.91	1.93	0.97	1.77	3.07
Dorsetshire ..	—	—	4	9	746	712	620	567	30	47	30	51	—	9	9	55	50	48	3.26	2.89	0.27	1.84	1.63	3.42
Durham ..	18	3	9	9	1,131	1,059	833	791	193	81	98	138	23	13	69	91	95	81	7.56	7.78	1.78	1.75	2.37	2.84
Ely, Isle of ..	—	13	13	—	618	926	567	810	26	77	116	154	13	13	103	167	65	59	6.22	4.64	1.38	0.66	2.07	3.31
Essex ..	—	—	9	30	803	749	661	625	7	94	97	49	20	14	88	98	51	51	4.20	5.57	1.44	1.58	1.92	2.48
Gloucestershire	—	—	15	15	751	762	622	609	30	65	36	68	21	12	57	41	56	54	3.00	2.58	1.60	2.19	2.60	2.39
Herefordshire..	—	—	9	—	917	750	769	616	9	45	35	54	—	9	52	116	54	47	3.27	4.71	0.54	3.14	2.18	1.57
Hertfordshire..	—	—	8	19	832	653	678	516	11	37	47	26	14	16	38	45	47	45	1.68	2.47	1.12	1.41	1.12	1.41
Huntingdonshire	—	—	—	71	734	817	662	692	—	18	125	18	18	18	54	89	61	41	9.64	3.14	—	1.05	5.35	4.19
Kent ..	—	1	14	12	877	865	726	725	2	65	85	29	13	13	91	147	52	46	4.77	4.37	1.32	1.42	2.76	1.76
Lancashire ..	1	3	14	13	778	747	614	589	98	51	61	53	13	15	61	60	73	69	6.63	5.76	1.52	2.12	3.43	3.94
Leicestershire..	—	—	4	3	969	881	723	696	28	51	95	17	11	10	63	82	65	55	2.86	4.14	1.43	2.36	2.05	2.36
Lincolnshire, Holland	—	—	23	34	852	709	647	506	—	34	148	101	11	23	45	124	64	46	5.42	3.28	1.20	2.73	1.20	1.64
" Kesteven	—	—	19	19	630	649	508	538	38	56	94	46	—	9	19	28	57	61	2.10	3.14	0.53	2.09	3.15	2.09
" Lindsey	4	—	15	19	823	733	644	594	42	4	141	42	15	12	46	42	73	49	3.50	2.17	1.75	1.95	3.50	2.39
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
London ..	0	0	7	11	1,053	1,037	912	894	40	305	121	91	14	18	87	89	59	67	7.59	10.32	1.31	1.59	1.60	2.00
Middlesex ..	4	—	10	11	882	756	757	642	3	152	73	49	12	13	61	79	53	52	3.41	4.02	1.14	1.85	1.89	1.94
Norfolk ..	—	6	12	12	764	732	587	546	9	22	158	53	9	19	47	84	66	56	2.96	3.41	0.99	1.14	2.37	1.70
Northamptonshire ..	—	—	5	14	893	800	753	651	5	23	65	9	5	9	42	79	51	49	1.93	2.83	2.57	1.26	2.57	4.41
Northumberland ..	5	—	17	15	1,024	943	808	680	74	29	34	93	26	22	19	32	77	67	5.76	5.21	1.61	0.80	2.01	2.40
Nottinghamshire ..	—	2	10	5	809	752	669	587	34	57	61	50	17	7	39	52	69	64	3.55	5.04	1.58	1.64	2.23	2.52
Oxfordshire ..	—	7	7	7	867	620	727	489	22	29	96	7	15	7	29	36	50	38	2.41	1.77	1.92	1.77	0.48	0.88
Peterborough, Soke of ..	—	—	—	—	807	571	645	512	—	39	121	39	20	—	101	118	61	49	3.79	1.25	1.26	2.50	3.79	2.50
Rutlandshire ..	—	—	—	—	498	501	388	445	—	56	—	—	—	—	—	56	63	46	—	—	—	3.83	—	3.83
Shropshire ..	—	—	8	8	708	685	528	517	53	53	37	57	37	25	49	62	48	58	1.91	3.40	0.72	1.21	3.35	2.67
Somersetshire ..	—	—	20	15	715	753	586	639	10	89	25	42	15	12	32	52	46	45	3.81	6.39	2.08	2.35	1.91	2.02
Southampton ..	—	—	10	14	776	709	618	562	99	40	70	63	22	2	46	84	48	46	2.14	3.71	0.94	1.02	1.74	1.92
Staffordshire ..	1	1	4	11	869	733	650	594	80	67	235	31	21	8	73	84	80	63	6.50	7.06	1.80	1.53	1.95	2.11
Suffolk, East ..	—	—	14	14	731	733	592	624	14	48	186	19	14	14	33	57	58	48	2.39	2.43	2.09	1.21	2.09	2.73
West ..	—	—	37	—	867	784	673	600	28	28	92	28	—	—	9	9	50	52	2.49	3.25	1.25	0.65	1.25	1.95
Surrey ..	—	—	14	10	709	670	591	546	1	86	35	44	11	13	35	59	46	47	2.91	3.69	1.50	2.01	1.50	2.94
Sussex, East ..	—	—	19	4	675	765	533	579	11	71	37	71	11	11	26	52	44	48	1.77	2.34	1.77	2.34	3.25	2.05
West ..	—	10	—	10	637	670	512	570	19	81	53	14	5	5	43	81	51	41	1.71	3.39	2.06	1.02	2.74	2.71
Warwickshire ..	—	11	8	8	767	710	640	555	34	25	26	39	21	17	61	69	66	55	3.82	4.10	1.07	2.13	1.83	2.46
Westmorland ..	—	—	—	—	921	637	759	525	226	—	16	64	—	32	—	—	53	49	5.03	2.99	3.02	—	1.01	2.99
Wight, Isle of ..	—	—	12	12	761	618	550	559	12	152	59	82	12	—	23	—	45	54	4.45	7.71	2.67	1.71	1.78	5.14
Wiltshire ..	—	—	10	10	748	611	584	478	—	80	73	70	7	17	40	50	51	46	2.30	2.68	2.09	0.82	1.46	3.09
Worcestershire ..	—	3	6	6	861	814	693	675	119	61	87	81	19	6	58	58	70	64	5.11	4.89	2.55	0.98	3.73	2.94
Yorkshire, East Riding ..	—	—	18	17	751	729	610	568	70	23	70	75	6	—	41	46	58	51	3.12	4.54	1.04	1.05	1.73	3.49
North ..	—	—	19	16	846	838	618	637	56	54	63	38	19	19	44	16	69	62	3.65	3.71	1.46	1.06	3.10	4.59
West ..	5	5	22	17	860	832	647	608	213	46	111	41	22	18	41	58	79	62	5.63	5.53	1.71	2.11	3.47	3.34
Anglesey ..	—	—	—	—	1,306	1,091	1,018	896	96	39	77	—	—	19	134	234	93	70	3.68	9.02	1.23	2.58	11.03	5.15
Brecknockshire ..	—	—	—	17	981	933	769	700	33	50	131	33	—	17	65	17	79	75	5.86	2.88	2.93	1.92	4.88	—
Caernarvonshire ..	—	—	—	8	1,348	1,630	1,132	1,404	42	48	17	32	—	8	33	97	77	68	6.51	6.70	1.63	0.56	4.88	3.35
Cardiganshire ..	—	—	—	18	1,694	1,338	1,486	1,106	35	—	104	18	17	54	—	36	75	59	5.35	5.51	—	2.75	4.01	5.51
Carmarthenshire ..	—	—	5	22	1,070	983	829	750	99	11	110	50	11	6	88	100	91	73	6.68	6.24	0.95	2.30	4.77	4.27
Denbighshire ..	—	—	25	13	922	770	747	651	38	75	63	144	13	19	25	25	69	83	4.18	8.31	1.90	3.40	3.42	4.54
Flintshire ..	—	—	18	9	914	875	748	704	46	199	55	63	—	9	83	54	59	61	3.08	4.07	2.06	3.05	3.60	4.07
Glamorganshire ..	—	—	5	2	1,042	1,012	855	800	94	115	86	96	13	12	96	150	86	75	7.85	5.44	1.91	1.97	3.75	4.22
Merionethshire ..	—	2	—	—	1,301	1,073	1,187	959	205	119	23	23	46	—	205	137	61	92	5.54	6.61	2.77	1.32	5.54	—
Monmouthshire ..	8	—	8	14	802	916	611	736	97	119	94	113	5	3	35	55	87	72	7.36	5.29	1.23	2.27	4.45	3.33
Montgomeryshire ..	—	—	—	—	825	1,060	614	922	—	78	58	177	38	—	19	59	58	56	4.58	1.23	1.15	1.23	4.58	1.23
Pembrokeshire ..	—	—	11	11	1,170	944	1,001	751	11	23	101	68	34	23	56	23	65	48	4.61	4.10	0.66	1.37	3.29	6.14
Radnorshire ..	—	—	—	46	315	776	270	684	—	—	90	—	45	—	—	91	52	80	7.77	2.95	—	—	5.18	5.90

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1927 AND 1928—*continued*.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.												Mortality per 1,000 Live Births.													
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two years.		The Puerperal State. Puerperal Sepsis.		Others.			
	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.
<i>County Boroughs</i>	0	1	7	9	1,153	1,104	944	909	162	109	104	102	15	16	87	91	80	74	9.47	10.08	1.72	1.97	2.68	2.48		
Barnsley ..	—	—	14	—	867	872	650	675	691	56	366	42	27	—	54	84	98	84	3.26	5.70	0.65	3.17	3.26	2.53		
Barrow-in-Furness ..	—	—	—	—	1,133	895	946	743	172	45	—	15	—	15	14	30	57	63	7.71	1.76	—	0.88	0.96	3.53		
Bath ..	—	—	—	71	858	768	758	569	—	71	—	—	57	14	72	—	34	47	3.69	3.53	—	—	1.23	5.88		
Birkenhead ..	—	—	—	6	1,281	1,229	997	950	57	114	63	127	6	6	50	38	94	80	22.23	9.92	0.69	3.08	1.39	2.05		
Birmingham ..	1	—	4	3	1,078	994	911	863	136	42	73	171	8	5	65	72	75	64	11.06	9.33	1.43	1.74	1.60	1.80		
Blackburn ..	—	—	8	—	916	815	795	647	313	8	16	48	8	—	88	104	78	80	5.88	6.94	2.35	0.58	5.88	4.05		
Blackpool ..	—	—	11	—	784	774	644	672	54	81	43	20	21	10	97	61	69	72	5.59	5.40	2.80	3.60	2.80	2.70		
Bolton ..	—	—	22	6	1,043	789	852	673	118	88	6	50	6	6	56	94	75	64	7.38	6.49	1.48	1.15	2.95	1.91		
Bootle ..	—	—	—	—	1,448	1,382	1,200	1,076	247	135	59	428	71	24	71	110	78	107	17.06	12.03	3.30	—	1.65	1.72		
Bournemouth..	—	—	—	10	928	1,160	799	994	43	31	11	21	—	10	43	31	52	55	3.72	2.71	0.93	2.71	1.86	1.81		
Bradford ..	14	—	3	—	1,003	995	791	815	229	17	51	121	3	38	119	66	94	71	7.64	7.69	3.24	2.94	3.47	2.94		
Brighton ..	—	—	14	7	888	945	789	775	78	218	7	136	7	7	57	95	60	50	4.24	5.42	1.59	0.99	3.18	0.99		
Bristol ..	—	—	8	15	1,219	1,014	1,037	876	109	254	39	64	5	8	83	44	58	59	4.60	4.71	1.27	0.47	1.75	1.73		
Burnley ..	—	—	—	10	876	1,013	766	824	312	79	10	20	—	10	81	79	111	79	14.65	6.66	1.33	—	4.66	1.33		
Burton-upon-Trent ..	—	—	—	—	940	797	777	633	—	184	143	—	—	—	123	143	64	63	4.52	6.64	—	1.11	1.13	1.11		
Bury ..	—	—	—	—	1,075	861	863	738	70	53	18	—	—	—	35	105	83	90	6.50	2.69	2.60	1.34	—	8.06		
Canterbury ..	—	—	—	44	901	1,235	858	1,146	—	44	43	—	43	—	86	265	69	32	2.76	—	—	2.70	5.52	2.70		
Carlisle ..	—	—	—	—	1,095	1,122	848	997	53	53	—	53	—	18	35	89	73	75	9.16	5.53	3.05	0.92	—	—		
Chester ..	—	—	—	24	1,071	955	999	735	—	49	309	24	—	—	24	24	70	59	2.87	4.31	1.43	2.87	—	4.31		
Coventry ..	6	—	—	6	1,104	1,058	950	916	39	39	46	26	8	13	162	273	64	66	4.45	5.55	2.47	0.85	1.48	3.84		
Croydon ..	—	—	9	—	968	951	794	766	24	157	104	55	14	18	47	148	55	53	5.67	7.41	1.26	0.89	1.26	2.96		
Darlington ..	14	—	14	14	1,190	1,230	966	880	266	28	98	14	—	14	70	154	67	59	3.48	2.63	—	2.63	—	3.51		
Derby ..	—	—	—	7	733	929	579	734	147	209	110	50	15	7	103	122	75	66	3.15	7.44	0.90	3.31	1.80	2.89		
Dewsbury ..	—	—	—	—	952	753	653	621	56	38	19	—	19	—	56	19	63	67	4.61	8.22	2.31	3.52	3.46	2.35		
Doncaster ..	17	—	17	—	1,048	757	738	606	120	17	—	151	—	—	52	84	63	47	7.66	6.54	0.96	0.93	4.78	3.73		
Dudley ..	—	—	—	—	1,145	935	926	816	253	17	34	34	—	—	84	102	96	65	8.76	7.32	1.59	1.63	2.39	1.63		
Eastbourne ..	—	—	—	—	794	991	635	735	—	68	123	17	18	—	—	34	44	43	1.53	—	1.53	—	3.05	1.38		
East Ham ..	—	—	—	7	933	928	803	805	27	96	82	131	27	14	231	378	53	49	3.45	5.41	1.72	0.90	3.45	2.25		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)		

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter...	..	—	—	16	1,072	812	874	634	66	65	33	65	33	—	—	32	60	69	8.42	12.55	2.11	2.09	3.16	2.09
Gateshead	24	8	—	1,593	1,552	1,217	1,080	235	57	63	333	24	16	86	32	94	86	7.66	13.10	2.19	2.18	1.82	3.64
Gloucester	—	—	—	1,419	689	1,195	594	—	172	37	19	—	—	19	57	57	69	5.46	3.48	1.09	1.16	—	4.65
Great Yarmouth	—	34	17	1,111	1,145	1,009	992	17	—	274	34	—	—	34	34	62	65	3.19	4.56	1.06	1.14	—	3.42
Grimsby	—	11	11	1,234	1,185	928	853	102	66	11	166	11	—	68	33	65	78	4.84	9.99	1.81	1.18	2.42	2.94
Halifax	—	—	21	997	718	789	533	208	—	62	—	21	21	83	164	90	67	6.72	3.94	0.75	3.94	6.72	6.31
Hastings	—	16	—	1,137	942	991	799	—	48	—	64	—	—	—	32	63	53	3.87	—	—	2.66	2.58	1.33
Huddersfield	—	36	18	1,044	929	874	752	45	44	62	35	18	44	125	62	74	67	4.44	5.18	1.90	1.94	6.35	5.18
Ipswich	—	23	—	1,058	1,036	872	780	—	128	209	47	12	23	12	47	64	48	3.53	2.10	2.12	4.90	2.82	3.50
Kingston-upon-Hull	—	3	10	1,237	1,220	971	1,011	81	57	84	71	13	37	108	71	83	79	8.04	9.50	2.09	2.13	2.73	2.13
Leeds	—	4	2	1,166	1,139	965	956	245	44	96	80	13	36	59	44	81	79	10.14	13.04	1.92	2.35	2.82	2.22
Leicester	—	4	—	1,457	1,252	1,208	1,077	106	8	147	28	16	16	45	77	78	71	8.83	13.79	1.51	2.01	2.52	1.00
Lincoln	—	30	—	1,161	1,114	829	885	—	31	181	—	—	15	30	107	79	58	4.89	6.12	2.93	1.02	1.96	2.04
Liverpool	—	10	3	1,383	1,394	1,146	1,188	408	201	145	311	15	21	99	114	95	94	18.61	17.73	1.47	1.62	3.10	2.14
Manchester	—	4	5	1,410	1,320	1,189	1,127	168	168	166	123	27	17	121	124	86	91	13.88	19.07	2.07	2.09	2.92	2.48
Middlesbrough	8	7	23	1,460	1,488	1,130	1,185	322	243	30	243	7	8	52	30	87	89	13.38	18.02	1.59	1.24	0.96	2.17
Newcastle-on-Tyne	4	—	18	1,390	1,321	1,106	1,044	107	199	69	185	21	11	52	28	88	83	9.27	13.08	0.74	1.47	2.97	2.58
Northampton..	..	—	—	—	1,297	1,106	1,083	946	32	74	193	—	—	—	54	85	61	55	5.46	1.53	0.78	3.06	3.90	—
Norwich	—	8	24	1,083	754	875	650	96	—	201	—	16	16	8	8	63	41	5.62	1.48	0.47	1.48	0.94	1.48
Nottingham	—	—	4	1,155	1,107	945	953	72	19	34	64	23	26	233	161	84	87	16.61	16.56	1.08	2.76	2.16	2.97
Oldham	—	7	—	884	992	764	803	57	63	42	35	—	14	113	244	87	89	9.65	8.32	3.38	5.38	7.72	4.40
Oxford..	..	—	—	16	947	691	841	543	—	82	70	—	—	—	18	—	47	38	2.36	5.98	2.36	2.39	3.54	2.39
Plymouth	—	5	5	1,162	992	959	792	—	411	69	26	21	10	123	165	62	72	5.14	4.89	2.86	2.59	4.57	3.45
Portsmouth	—	—	8	1,004	960	784	756	172	37	78	50	13	12	202	220	55	55	3.31	4.95	2.13	3.15	2.36	2.25
Preston	—	8	8	968	952	787	724	338	8	142	118	—	24	87	71	109	91	5.81	5.74	1.59	1.57	3.17	4.70
Reading	—	21	21	1,025	1,144	940	825	106	82	11	62	11	—	180	196	43	55	3.43	4.03	0.69	2.01	2.06	4.70
Rochdale	11	—	22	857	772	681	595	11	22	132	33	11	33	99	88	87	75	9.43	11.22	0.79	3.21	10.22	1.60
Rotherham	14	14	—	1,138	1,021	944	822	236	43	361	14	28	43	236	99	95	69	7.19	14.14	0.72	1.49	2.16	2.98
St. Helens	—	—	9	849	950	654	760	531	136	44	190	18	45	62	90	88	99	8.05	9.15	2.54	1.66	0.85	2.91
Salford	—	4	25	1,708	1,408	1,401	1,205	182	174	57	161	20	4	93	41	79	105	15.88	18.25	1.40	2.64	2.57	1.44
Sheffield	2	21	19	886	925	699	745	44	237	251	23	40	47	63	64	91	73	8.10	8.06	3.52	4.03	3.40	2.25
Smethwick	—	—	—	898	825	846	716	260	24	130	121	13	—	39	24	79	63	9.92	6.37	1.53	1.42	1.53	2.83
Southampton..	..	—	12	41	1,119	1,195	972	1,036	336	12	71	65	59	12	59	112	63	50	8.45	4.90	2.03	1.63	2.37	2.94
Southend-on-Sea	—	45	45	955	989	816	791	—	90	37	54	9	9	46	63	45	45	2.18	3.32	2.18	1.99	2.90	1.33
Southport	—	13	—	636	631	521	492	25	25	38	114	—	—	—	13	48	75	3.13	5.46	—	1.09	3.13	1.09
South Shields..	..	8	—	—	1,548	2,135	1,110	1,634	130	99	73	164	—	—	113	57	92	92	10.21	10.53	1.22	1.62	4.49	4.86
Stockport	8	—	16	855	839	623	697	56	118	48	110	40	16	48	39	77	77	8.18	5.48	3.82	2.19	3.27	2.74
Stoke-on-Trent	—	4	4	1,394	1,151	1,080	937	325	21	188	64	18	29	40	21	99	87	6.99	13.40	2.22	2.35	2.04	2.72
Sunderland	6	12	28	1,377	1,499	996	1,151	307	124	18	168	6	—	92	11	95	88	14.37	14.50	1.11	1.66	3.59	1.66
Tynemouth	—	15	15	1,416	1,408	984	969	283	76	30	91	75	30	89	257	77	88	8.94	16.22	0.75	2.43	3.73	5.68

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC

DISEASES, &c., 1927 AND 1928—*continued*.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at all Ages.										Mortality per 1,000 Live Births.													
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		The Puerperal State.			
																					Puerperal Sepsis.	Others.		
	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.	1927.	1928.		
Wakefield ..	—	—	36	18	893	883	607	706	304	35	18	35	36	35	18	35	81	60	13.33	8.98	1.03	—	2.05	2.99
Wallasey ..	—	—	11	30	823	828	684	697	86	40	128	61	118	10	21	10	59	40	3.16	2.83	0.79	1.42	3.16	1.42
Walsall ..	—	—	—	30	1,108	1,287	971	1,008	78	150	265	—	382	—	10	—	96	92	8.47	12.31	2.35	2.46	1.88	1.48
Warrington ..	—	—	13	13	1,271	1,379	1,118	1,154	191	364	153	38	13	13	13	63	77	64	5.14	5.14	2.57	1.28	2.57	3.21
West Bromwich ..	—	—	—	37	666	859	567	760	173	—	160	50	12	12	—	12	107	75	14.61	14.83	0.61	1.19	1.83	1.19
West Ham ..	—	—	16	3	1,107	1,121	945	942	19	225	231	85	127	16	22	111	67	64	5.68	7.61	1.50	1.01	1.50	1.18
West Hartlepool ..	—	—	—	14	1,303	1,390	1,022	888	154	14	224	43	168	—	—	143	100	72	2.08	4.64	0.69	2.65	2.08	1.33
Wigan.. ..	—	—	—	23	1,060	1,294	823	1,079	620	—	180	57	11	—	—	11	104	93	10.19	8.49	2.40	1.21	3.00	4.85
Wolverhampton ..	—	—	—	—	862	792	723	575	46	105	446	15	38	—	—	52	91	61	10.56	10.21	1.27	0.76	2.11	0.38
Worcester ..	—	—	39	38	1,081	1,007	786	836	20	684	20	76	20	—	—	57	60	57	11.83	5.10	2.63	—	2.63	—
York ..	—	—	—	—	989	995	751	866	203	70	24	47	24	12	24	47	74	59	2.63	6.33	1.97	1.27	0.66	3.16
Cardiff.. ..	—	—	18	9	1,543	1,213	1,277	1,010	137	93	31	123	66	9	—	71	80	77	8.32	11.24	1.71	2.44	2.20	3.42
Merthyr Tydfil ..	—	—	13	—	891	1,057	703	918	88	38	50	126	151	38	13	252	105	93	15.85	9.80	1.58	1.63	5.55	8.16
Newport (Mon.) ..	—	—	—	21	1,339	1,310	1,143	1,124	185	93	82	165	41	—	10	—	67	69	9.79	7.03	1.15	1.17	3.45	2.93
Swansea ..	—	—	—	6	1,205	1,218	1,014	1,027	92	25	68	31	86	6	12	99	83	61	5.41	5.01	2.37	3.68	5.41	3.68

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1918–1928.

Cause of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
All Causes	64,386	61,715	76,552	70,250	60,121	52,582	54,813	53,316	48,757	45,610	42,960
I—Common Infectious Diseases (6-10, 25:2)	5,259	1,902	4,027	3,084	4,097	3,216	2,876	3,998	2,882	2,537	2,498
II—Tuberculous Diseases (31-37) ..	1,282	1,111	1,405	1,311	1,091	1,036	990	896	862	718	710
III—Diarrhoea and Enteritis (113) ..	6,319	6,039	7,641	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099
IV—Developmental and Wasting Diseases (159, 160, 161:1, 162:2)	23,518	25,952	31,088	28,021	24,504	22,547	22,637	21,439	20,470	19,440	18,915
V—Miscellaneous Diseases— (Remainder)	28,008	26,711	32,391	26,129	26,082	20,614	23,694	21,676	19,149	19,175	16,738
Measles (7)	1,510	650	1,532	526	1,220	1,134	990	1,099	789	791	914
Whooping cough (9)	3,551	1,054	2,152	2,287	2,620	1,907	1,720	2,708	1,920	1,584	1,397
Diphtheria (10)	152	143	249	199	193	119	104	121	124	105	135
Influenza (11)	2,478	1,622	530	439	973	291	814	412	312	808	222
Tuberculosis of nervous system (32)	548	484	639	595	526	496	464	435	444	399	357
Tuberculosis of intestines and peritoneum (33)	403	323	367	386	274	229	224	192	173	114	128
Other tuberculous diseases (31, 34-37)	331	304	399	330	291	311	302	269	245	205	225
Syphilis (38)	1,262	1,217	1,443	1,214	874	797	666	585	586	505	471
Meningitis (71)	575	574	678	591	562	511	461	434	388	310	298
Convulsions (80)	4,617	4,361	5,347	4,322	3,538	3,171	2,916	2,824	2,524	1,911	1,624
Bronchitis (99)	5,454	5,791	7,208	4,538	4,821	3,446	4,045	3,655	2,939	2,762	2,309
Pneumonia (100, 101) ..	8,028	7,282	9,422	8,001	9,275	6,732	9,156	8,101	6,980	7,659	6,385
Other respiratory diseases (97, 98, 102-107)*	308	323	443	332	314	273	275	235	208	158	199
Inflammation of the stomach (112:1)	959	897	1,216	1,033	701	610	544	508	444	335	302
Diarrhoea and enteritis (113)	6,319	6,039	7,641	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099
Hernia, intestinal obstruction (118)	393	404	617	536	514	468	405	442	412	384	408
Congenital malformations (159)	2,403	2,701	3,855	3,377	3,292	3,156	3,063	3,253	3,181	3,120	3,249
Congenital debility and sclerema (160:1)	6,508	6,572	7,751	6,250	4,904	4,331	4,182	4,156	3,690	2,768	2,555
Icterus (160:2)	497	543	681	614	524	553	483	397	372	402	391
Premature birth (161:1) ..	13,135	15,009	17,300	16,411	14,571	13,379	13,738	12,534	12,146	12,132	11,671
Injury at birth (161:2) ..	660	774	1,164	1,179	1,035	1,056	1,019	1,057	1,049	1,211	1,253
Disease of umbilicus (162:1)†	206	221	348	143	127	119	128	139	121	75	79
Atelectasis (162:2)	975	1,127	1,501	1,369	1,213	1,128	1,171	1,099	1,081	1,018	1,049
Suffocation—in bed or not stated how (180 pt.) ..	557	525	593	502	443	415	430	403	396	392	390
Other causes	2,557	2,775	3,476	3,371	2,969	2,781	2,897	2,951	2,839	2,722	2,850

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.

† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FROM VARIOUS CAUSES 1918–1928.

Cause of Death.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
All Causes	97·16	89·13	79·93	82·76	77·07	69·36	75·09	75·03	70·20	69·72	65·06
I—Common Infectious Diseases (6–10, 25 : 2)	7·94	2·75	4·20	3·63	5·25	4·24	3·94	5·63	4·15	3·88	3·78
II—Tuberculous Diseases (31–37)	1·94	1·61	1·47	1·54	1·39	1·36	1·36	1·26	1·24	1·10	1·08
III—Diarrhoea and Enteritis (113)	9·54	8·72	7·98	13·79	5·57	6·82	6·32	7·47	7·77	5·72	6·21
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	35·49	37·48	32·45	33·00	31·41	29·74	31·01	30·17	29·47	29·72	28·65
V—Miscellaneous Diseases (Remainder)	42·25	38·57	33·83	30·80	33·45	27·20	32·46	30·50	27·57	29·31	25·35
Measles (7)	2·28	0·94	1·60	0·62	1·56	1·50	1·36	1·55	1·14	1·21	1·38
Whooping cough (9)	5·36	1·52	2·25	2·69	3·36	2·52	2·36	3·81	2·76	2·42	2·12
Diphtheria (10)	0·23	0·21	0·26	0·23	0·25	0·16	0·14	0·17	0·18	0·16	0·20
Influenza (11)	3·74	2·34	0·55	0·52	1·25	0·38	1·12	0·58	0·45	1·24	0·34
Tuberculosis of nervous system (32)	0·83	0·70	0·67	0·70	0·67	0·65	0·64	0·61	0·64	0·61	0·54
Tuberculosis of intestines and peritoneum (33)	0·61	0·47	0·38	0·45	0·35	0·30	0·31	0·27	0·25	0·17	0·19
Other tuberculous diseases (31, 34–37)	0·50	0·44	0·42	0·39	0·37	0·41	0·41	0·38	0·35	0·31	0·34
Syphilis (38)	1·90	1·76	1·51	1·43	1·12	1·05	0·91	0·82	0·84	0·77	0·71
Meningitis (71)	0·87	0·83	0·71	0·70	0·72	0·67	0·63	0·61	0·56	0·47	0·45
Convulsions (80)	6·97	6·30	5·58	5·09	4·54	4·18	3·99	3·97	3·63	2·92	2·46
Bronchitis (99)	8·23	8·36	7·53	5·35	6·18	4·55	5·54	5·14	4·23	4·22	3·50
Pneumonia (100, 101)	12·11	10·52	9·84	9·43	11·89	8·88	12·54	11·40	10·05	11·71	9·67
Other respiratory diseases (97, 98, 102–107) *	0·46	0·47	0·46	0·39	0·40	0·36	0·38	0·33	0·30	0·24	0·30
Inflammation of the stomach (112 : 1)	1·45	1·30	1·27	1·22	0·90	0·80	0·75	0·71	0·64	0·51	0·46
Diarrhoea and enteritis (113)	9·54	8·72	7·98	13·79	5·57	6·82	6·32	7·47	7·77	5·72	6·21
Hernia, intestinal obstruction (118)	0·59	0·58	0·64	0·63	0·66	0·62	0·55	0·62	0·59	0·59	0·62
Congenital malformations (159)	3·63	3·90	4·02	3·98	4·22	4·16	4·20	4·58	4·58	4·77	4·92
Congenital debility and sclerema (160 : 1)	9·82	9·49	8·09	7·36	6·29	5·71	5·73	5·85	5·31	4·23	3·87
Icterus (160 : 2)	0·75	0·78	0·71	0·72	0·67	0·73	0·66	0·56	0·54	0·61	0·59
Premature birth (161 : 1)	19·82	21·68	18·06	19·33	18·68	17·65	18·82	17·64	17·49	18·55	17·68
Injury at birth (161 : 2)	1·00	1·12	1·22	1·39	1·33	1·39	1·40	1·49	1·51	1·85	1·90
Disease of umbilicus (162 : 1)†	0·31	0·32	0·36	0·17	0·16	0·16	0·18	0·20	0·17	0·11	0·12
Atelectasis (162 : 2)	1·47	1·63	1·57	1·61	1·55	1·49	1·60	1·55	1·56	1·56	1·59
Suffocation—in bed or not stated how (180 pt.)	0·84	0·76	0·62	0·59	0·57	0·55	0·59	0·57	0·57	0·60	0·59
Other causes	3·85	3·99	3·63	3·98	3·81	3·67	3·98	4·15	4·09	4·16	4·32

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.

† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1928.

Cause of Death.			Proportion of Deaths to 1,000 Live Births.																						
			All Infants.						Legitimate Infants.						Illegitimate Infants.										
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.					
Sex.			M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P		
All Causes	35.16	26.80	31.07	12.45	8.78	10.65	10.55	8.27	7.29	73.72	33.87	11.82	10.12	8.08	7.24	71.14	62.52	25.68	19.67	12.28	8.45	128.61	
			0.08	0.06	0.07	0.54	0.50	0.52	0.63	0.67	0.65	1.03	1.51	3.78	0.07	0.52	0.64	1.02	1.49	3.73	0.13	0.41	0.82	1.10	2.20
			0.01	0.00	0.01	0.13	0.06	0.09	0.25	0.30	0.33	0.34	1.08	0.01	0.09	0.30	0.33	0.34	1.06	0.20	0.53	0.46	0.40	1.58	
I. Common Infectious Diseases (6-10, 25:2)	0.01	0.00	0.01	0.13	0.06	0.09	0.25	0.30	0.33	0.34	1.08	0.01	0.09	0.30	0.33	0.34	1.06	0.20	0.53	0.46	0.40	1.58	
			0.01	0.00	0.01	0.13	0.06	0.09	0.25	0.30	0.33	0.34	1.08	0.01	0.09	0.30	0.33	0.34	1.06	0.20	0.53	0.46	0.40	1.58	
			0.01	0.00	0.01	0.13	0.06	0.09	0.25	0.30	0.33	0.34	1.08	0.01	0.09	0.30	0.33	0.34	1.06	0.20	0.53	0.46	0.40	1.58	
II. Tuberculous Diseases (31-37)	0.68	0.46	0.57	1.93	1.11	1.53	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11	
			0.46	0.46	0.57	1.93	1.11	1.53	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11	
			0.46	0.46	0.57	1.93	1.11	1.53	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11	
III. Diarrhoea and Enteritis (113)	0.68	0.46	0.57	1.93	1.11	1.53	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11	
			0.46	0.46	0.57	1.93	1.11	1.53	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11	
			0.46	0.46	0.57	1.93	1.11	1.53	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11	
IV. Developmental Wasting Diseases (159, 160, 161:1, 162:2)	26.29	20.31	23.37	4.06	2.97	3.53	1.33	0.41	0.18	32.27	25.57	3.79	1.23	0.37	0.17	31.13	41.59	9.90	3.37	1.25	0.40	56.51	
			20.31	20.31	23.37	4.06	2.97	3.53	1.33	0.41	0.18	32.27	25.57	3.79	1.23	0.37	0.17	31.13	41.59	9.90	3.37	1.25	0.40	56.51	
			20.31	20.31	23.37	4.06	2.97	3.53	1.33	0.41	0.18	32.27	25.57	3.79	1.23	0.37	0.17	31.13	41.59	9.90	3.37	1.25	0.40	56.51	
V. Miscellaneous Diseases (Remainder)	8.08	5.96	7.05	5.78	4.14	4.98	5.74	5.05	4.36	29.02	7.53	5.61	5.58	4.98	4.36	28.07	19.81	9.44	9.11	6.54	4.36	49.25	
			5.96	5.96	7.05	5.78	4.14	4.98	5.74	5.05	4.36	29.02	7.53	5.61	5.58	4.98	4.36	28.07	19.81	9.44	9.11	6.54	4.36	49.25	
			5.96	5.96	7.05	5.78	4.14	4.98	5.74	5.05	4.36	29.02	7.53	5.61	5.58	4.98	4.36	28.07	19.81	9.44	9.11	6.54	4.36	49.25	

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1928—*continued*.

Proportion of Deaths to 1,000 Live Births.																			
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Measles (7)	M	0.01	0.07	0.10	0.50	0.88	1.56	0.01	0.07	0.11	0.48	0.86	1.53	—	0.20	0.07	0.79	1.19	2.24
	F	—	0.02	0.09	0.35	0.74	1.20	—	0.01	0.09	0.33	0.73	1.16	—	0.07	0.14	0.82	1.03	2.06
	P	0.00	0.05	0.10	0.42	0.81	1.38	0.00	0.04	0.10	0.41	0.80	1.35	—	0.13	0.10	0.81	1.11	2.15
Whooping cough (9)	M	0.06	0.43	0.46	0.56	0.53	2.03	0.06	0.43	0.44	0.56	0.53	2.02	—	0.46	0.73	0.59	0.40	2.18
	F	0.05	0.44	0.54	0.53	0.64	2.20	0.06	0.44	0.54	0.54	0.62	2.20	—	0.34	0.62	0.21	1.03	2.20
	P	0.05	0.43	0.50	0.55	0.58	2.12	0.06	0.44	0.49	0.55	0.58	2.11	—	0.40	0.67	0.40	0.71	2.19
Diphtheria (10)	M	0.01	0.03	0.04	0.04	0.09	0.22	0.01	0.03	0.04	0.04	0.09	0.20	0.13	0.13	0.07	—	0.20	0.53
	F	0.01	0.03	0.02	0.04	0.08	0.19	0.01	0.04	0.02	0.04	0.08	0.18	0.07	—	0.07	0.07	0.14	0.34
	P	0.01	0.03	0.03	0.04	0.09	0.20	0.01	0.03	0.03	0.04	0.08	0.19	0.10	0.07	0.07	0.03	0.17	0.44
Influenza (11)	M	0.04	0.11	0.09	0.09	0.07	0.40	0.04	0.11	0.07	0.09	0.07	0.38	0.07	0.13	0.40	0.07	0.07	0.73
	F	0.02	0.06	0.06	0.07	0.06	0.27	0.03	0.06	0.06	0.06	0.06	0.27	—	0.07	0.07	0.14	0.07	0.34
	P	0.03	0.09	0.07	0.08	0.06	0.34	0.03	0.09	0.07	0.08	0.06	0.33	0.03	0.10	0.24	0.10	0.07	0.54
Tuberculosis of system (32)	M	0.01	0.04	0.19	0.18	0.17	0.58	0.01	0.04	0.19	0.19	0.17	0.59	—	—	0.13	0.13	0.20	0.46
	F	0.00	0.01	0.15	0.15	0.18	0.50	0.00	0.01	0.15	0.14	0.19	0.49	—	—	0.21	0.34	—	0.55
	P	0.00	0.03	0.17	0.17	0.17	0.54	0.00	0.03	0.17	0.16	0.18	0.54	—	—	0.17	0.24	0.10	0.51
Tuberculosis of intestines and peritoneum (33)	M	0.01	0.04	0.07	0.04	0.07	0.23	0.01	0.04	0.06	0.04	0.07	0.22	—	0.13	0.20	0.07	0.13	0.53
	F	—	0.02	0.04	0.04	0.06	0.15	—	0.02	0.04	0.04	0.06	0.15	—	0.07	—	0.07	0.07	0.21
	P	0.00	0.03	0.05	0.04	0.06	0.19	0.00	0.03	0.05	0.04	0.06	0.19	—	0.10	0.10	0.07	0.10	0.37
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	
Other tuberculous diseases (31, 34-37)	M	0.00	0.04	0.10	0.14	0.11	0.39	0.00	0.04	0.09	0.13	0.11	0.39	—	0.07	0.20	0.26	0.07	0.59
	F	—	0.02	0.07	0.11	0.08	0.28	—	0.02	0.07	0.11	0.08	0.29	—	0.07	—	0.07	0.14	0.27
	P	0.00	0.03	0.08	0.12	0.10	0.34	0.00	0.03	0.08	0.12	0.10	0.34	—	0.07	0.10	0.17	0.10	0.44
Syphilis (38)	M	0.38	0.27	0.09	0.06	0.03	0.83	0.32	0.23	0.07	0.05	0.02	0.69	1.65	1.25	0.46	0.33	0.13	3.83
	F	0.25	0.18	0.09	0.04	0.03	0.59	0.22	0.15	0.07	0.03	0.01	0.49	0.76	0.82	0.34	0.34	0.48	2.75
	P	0.32	0.23	0.09	0.05	0.03	0.71	0.27	0.19	0.07	0.04	0.02	0.59	1.21	1.04	0.40	0.34	0.30	3.30
Meningitis (71)	M	0.03	0.08	0.13	0.16	0.12	0.52	0.03	0.08	0.13	0.16	0.12	0.52	—	0.07	0.13	0.20	0.07	0.46
	F	0.03	0.05	0.10	0.10	0.11	0.38	0.03	0.05	0.09	0.10	0.11	0.39	—	0.07	0.21	—	0.07	0.34
	P	0.03	0.07	0.11	0.13	0.12	0.45	0.03	0.07	0.11	0.13	0.12	0.45	—	0.07	0.17	0.10	0.07	0.40
Convulsions (80)	M	1.56	0.60	0.36	0.25	0.17	2.94	1.56	0.58	0.35	0.25	0.17	2.91	1.58	0.92	0.53	0.40	0.13	3.57
	F	0.92	0.41	0.31	0.18	0.14	1.96	0.92	0.38	0.29	0.18	0.14	1.91	0.96	1.03	0.76	0.14	0.07	2.95
	P	1.25	0.51	0.33	0.22	0.16	2.46	1.24	0.48	0.32	0.21	0.16	2.42	1.28	0.98	0.64	0.27	0.10	3.27
Bronchitis (99)	M	0.61	1.24	0.98	0.72	0.44	3.99	0.61	1.25	0.97	0.72	0.44	3.98	0.59	1.19	1.12	0.79	0.46	4.16
	F	0.43	0.94	0.68	0.56	0.37	2.98	0.44	0.93	0.65	0.56	0.37	2.95	0.21	1.17	1.37	0.55	0.34	3.64
	P	0.52	1.10	0.83	0.64	0.41	3.50	0.52	1.09	0.81	0.64	0.41	3.48	0.40	1.18	1.25	0.67	0.40	3.91
Pneumonia (100, 101)	M	0.79	2.14	2.73	2.70	2.58	10.94	0.78	2.11	2.66	2.66	2.58	10.81	0.92	2.71	4.23	3.37	2.44	13.67
	F	0.71	1.55	2.01	2.05	2.03	8.35	0.73	1.55	1.96	2.01	1.99	8.24	0.41	1.58	2.89	2.82	2.95	10.65
	P	0.75	1.85	2.38	2.38	2.31	9.67	0.75	1.84	2.32	2.35	2.29	9.55	0.67	2.15	3.57	3.10	2.69	12.19
Other respiratory diseases (97, 98, 102-107)	M	0.06	0.06	0.05	0.06	0.05	0.28	0.06	0.05	0.05	0.06	0.05	0.26	0.13	0.26	0.20	—	—	0.59
	F	0.08	0.07	0.05	0.06	0.06	0.33	0.08	0.07	0.05	0.06	0.06	0.33	0.14	0.07	—	0.07	—	0.27
	P	0.07	0.07	0.05	0.06	0.05	0.30	0.07	0.06	0.05	0.06	0.06	0.29	0.13	0.17	0.10	0.03	—	0.44
Inflammation of the stomach (112:1)	M	0.11	0.17	0.12	0.06	0.04	0.50	0.11	0.16	0.12	0.06	0.04	0.49	—	0.46	0.07	0.07	0.07	0.66
	F	0.10	0.15	0.07	0.06	0.03	0.41	0.10	0.14	0.08	0.06	0.03	0.41	—	0.41	—	0.07	0.07	0.55
	P	0.10	0.16	0.10	0.06	0.04	0.46	0.11	0.15	0.10	0.06	0.04	0.45	—	0.44	0.03	0.07	0.07	0.61
Diarrhoea and enteritis (113)	M	0.68	1.93	2.50	1.33	0.87	7.31	0.67	1.77	2.34	1.27	0.85	6.90	0.99	5.35	5.74	2.64	1.39	16.11
	F	0.46	1.11	1.74	1.06	0.69	5.05	0.45	1.03	1.63	1.00	0.67	4.77	0.62	2.95	4.05	2.27	1.10	10.99
	P	0.57	1.53	2.12	1.20	0.78	6.21	0.56	1.41	1.99	1.14	0.76	5.86	0.81	4.17	4.92	2.46	1.25	13.60
Hernia, intestinal obstruction (118)	M	0.12	0.09	0.31	0.22	0.10	0.83	0.11	0.09	0.30	0.23	0.10	0.84	0.20	0.13	0.40	—	0.07	0.79
	F	0.05	0.02	0.13	0.12	0.07	0.39	0.06	0.03	0.12	0.12	0.07	0.40	—	—	0.21	—	—	0.21
	P	0.08	0.06	0.22	0.17	0.08	0.62	0.08	0.06	0.21	0.18	0.09	0.62	0.10	0.07	0.30	—	0.03	0.51

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1928—continued.

		Proportion of Deaths to 1,000 Live Births.																	
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Congenital malformations (159)	M	3.38	1.22	0.52	0.20	0.10	5.41	3.37	1.20	0.51	0.19	0.10	5.37	3.43	1.72	0.66	0.33	0.20	6.34
	F	2.81	0.87	0.42	0.19	0.12	4.41	2.83	0.85	0.41	0.18	0.13	4.41	2.27	1.24	0.62	0.34	—	4.47
	P	3.10	1.05	0.47	0.19	0.11	4.92	3.11	1.03	0.46	0.19	0.11	4.90	2.86	1.48	0.64	0.34	0.10	5.42
Congenital debility and sclerema (160 : 1) ..	M	2.60	1.21	0.62	0.18	0.07	4.68	2.50	1.02	0.53	0.15	0.06	4.27	4.75	5.15	2.44	0.86	0.20	13.40
	F	1.75	0.65	0.42	0.13	0.07	3.02	1.67	0.58	0.37	0.13	0.06	2.81	3.44	2.20	1.51	0.14	0.34	7.63
	P	2.18	0.94	0.52	0.16	0.07	3.87	2.09	0.81	0.45	0.14	0.06	3.55	4.11	3.70	1.99	0.51	0.27	10.57
Icterus (160 : 2) ..	M	0.65	0.09	0.01	0.00	0.00	0.76	0.65	0.08	0.01	0.00	0.00	0.74	0.73	0.26	0.07	—	—	1.06
	F	0.35	0.05	0.02	—	—	0.42	0.35	0.05	0.02	—	—	0.41	0.48	0.07	—	—	—	0.55
	P	0.50	0.07	0.01	0.00	0.00	0.59	0.50	0.07	0.01	0.00	0.00	0.58	0.61	0.17	0.03	—	—	0.81
Premature birth (161 : 1) ..	M	17.96	1.49	0.18	0.03	0.01	19.66	17.36	1.43	0.18	0.02	0.01	19.00	30.83	2.71	0.20	0.07	—	33.80
	F	14.02	1.37	0.17	0.03	0.00	15.60	13.53	1.32	0.17	0.03	0.00	15.05	24.53	2.47	0.34	0.07	—	27.41
	P	16.03	1.43	0.18	0.03	0.00	17.68	15.48	1.38	0.17	0.03	0.00	17.06	27.74	2.59	0.27	0.07	—	30.67
Injury at birth (161 : 2) ..	M	2.19	0.02	—	0.00	0.01	2.22	2.18	0.02	—	0.00	0.01	2.20	2.51	0.07	—	—	—	2.57
	F	1.53	0.02	0.01	—	—	1.56	1.47	0.02	0.01	—	—	1.50	2.75	—	—	—	—	2.75
	P	1.87	0.02	0.00	0.00	0.00	1.90	1.83	0.02	0.00	0.00	0.00	1.86	2.63	0.03	—	—	—	2.66
Disease of umbilicus (162 : 1)	M	0.11	0.01	—	—	—	0.12	0.10	0.02	—	—	—	0.12	0.20	—	—	—	—	0.20
	F	0.10	0.02	—	—	—	0.12	0.09	0.02	—	—	—	0.11	0.34	—	—	—	—	0.34
	P	0.10	0.02	—	—	—	0.12	0.10	0.02	—	—	—	0.11	0.27	—	—	—	—	0.27
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162:2) ..	M	1.71	0.05	—	—	1.76	1.70	0.05	—	—	—	1.75	1.85	0.07	—	—	—	1.97
	F	1.38	0.03	—	—	1.41	1.34	0.03	—	—	—	1.37	2.13	0.14	—	—	—	2.27
	P	1.55	0.04	—	—	1.59	1.53	0.04	—	—	—	1.57	1.99	0.10	—	—	—	2.09
Suffocation—in bed or stated how (180 pt.)	M	0.23	0.21	0.09	0.04	0.59	0.19	0.20	0.08	0.03	0.02	0.53	1.06	0.33	0.40	0.20	—	1.98
	F	0.27	0.17	0.13	0.01	0.59	0.23	0.16	0.12	0.01	0.01	0.53	1.10	0.27	0.34	—	—	1.72
	P	0.25	0.19	0.11	0.02	0.59	0.21	0.18	0.10	0.02	0.02	0.53	1.08	0.30	0.37	0.10	—	1.85
Other causes ..	M	1.87	0.77	0.83	0.72	4.95	1.44	0.72	0.81	0.70	0.75	4.42	10.89	1.91	1.25	1.12	1.06	16.24
	F	1.47	0.50	0.52	0.55	3.65	1.00	0.46	0.50	0.54	0.61	3.12	11.34	1.24	1.03	0.62	0.76	14.98
	P	1.67	0.64	0.68	0.63	4.32	1.23	0.59	0.66	0.62	0.68	3.78	11.11	1.58	1.14	0.88	0.91	15.62

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1928.

Cause of Death.		Proportion of Deaths to 1,000 Live Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Causes—																			
London	..	24.59	11.26	12.69	9.91	8.98	67.43	22.81	10.36	11.82	9.66	8.74	63.39	58.63	28.62	29.17	14.73	13.61	144.76
County Boroughs	..	33.26	12.47	11.48	8.81	8.40	74.42	32.19	11.95	11.07	8.56	8.27	72.05	56.38	23.71	20.37	14.17	11.31	125.93
Other Urban Districts	..	31.18	9.77	7.38	6.48	5.60	60.41	30.08	9.40	7.11	6.39	5.58	58.56	56.34	18.39	13.44	8.39	6.13	102.68
Rural Districts	..	30.61	8.68	6.51	5.04	4.63	55.47	29.16	8.25	6.26	4.96	4.62	53.25	58.60	16.87	11.45	6.63	4.97	98.52
All Urban Districts	..	31.19	11.17	9.91	7.97	7.30	67.54	30.01	10.65	9.50	7.79	7.19	65.15	56.71	22.33	18.95	11.92	9.58	119.49
I.—Common Infectious Diseases (6-10, 25:2)—																			
London	..	0.06	0.61	0.90	2.16	3.29	7.01	0.06	0.60	0.84	2.17	3.11	6.78	—	0.83	1.94	1.94	6.67	11.39
County Boroughs	..	0.05	0.58	0.83	1.24	1.76	4.47	0.05	0.58	0.83	1.21	1.72	4.39	0.20	0.79	0.89	1.87	2.56	6.30
Other Urban Districts	..	0.09	0.46	0.50	0.70	1.15	2.90	0.09	0.47	0.50	0.69	1.15	2.90	—	0.43	0.54	0.86	0.97	2.80
Rural Districts	..	0.10	0.45	0.44	0.60	0.75	2.34	0.10	0.45	0.43	0.61	0.77	2.35	0.15	0.45	0.75	0.45	0.30	2.11
All Urban Districts	..	0.07	0.54	0.70	1.14	1.71	4.15	0.07	0.53	0.69	1.12	1.67	4.08	0.09	0.65	0.91	1.47	2.56	5.68
II.—Tuberculous Diseases (31-37)—																			
London	..	—	0.06	0.39	0.29	0.22	0.95	—	0.06	0.39	0.31	0.23	0.99	—	—	0.28	—	—	0.28
County Boroughs	..	0.01	0.13	0.35	0.37	0.41	1.27	0.01	0.13	0.35	0.36	0.40	1.24	—	0.30	0.39	0.59	0.69	1.97
Other Urban Districts	..	0.01	0.08	0.28	0.35	0.34	1.06	0.01	0.07	0.29	0.36	0.34	1.08	—	0.22	0.11	0.22	0.22	0.75
Rural Districts	..	0.01	0.07	0.21	0.27	0.27	0.82	0.01	0.07	0.19	0.23	0.28	0.78	—	—	0.75	0.90	—	1.66
All Urban Districts	..	0.01	0.10	0.33	0.35	0.35	1.14	0.01	0.09	0.33	0.35	0.35	1.14	—	0.22	0.26	0.35	0.39	1.21
III.—Diarrhoea and Enteritis (113)																			
London	..	0.40	1.80	4.13	2.02	1.17	9.52	0.41	1.53	3.75	1.92	1.12	8.73	0.28	6.95	11.39	3.89	2.22	24.73
County Boroughs	..	0.75	1.87	3.05	1.67	1.15	8.50	0.74	1.73	2.90	1.58	1.11	8.07	0.98	5.02	6.40	3.64	1.87	17.91
Other Urban Districts	..	0.52	1.37	1.21	0.81	0.50	4.41	0.51	1.29	1.15	0.76	0.49	4.20	0.83	3.23	2.47	1.83	0.75	9.14
Rural Districts	..	0.44	1.07	0.97	0.58	0.41	3.47	0.42	0.99	0.89	0.58	0.41	3.28	0.75	2.71	2.56	0.75	0.45	7.23
All Urban Districts	..	0.61	1.65	2.42	1.35	0.88	6.91	0.60	1.51	2.28	1.28	0.85	6.52	0.82	4.60	5.59	2.95	1.47	15.44
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)—																	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
London	17.97	3.41	1.44	0.41	0.14	23.37	17.15	3.08	1.22	0.32	0.13	21.90	33.62	9.72	5.56	2.22	0.28
County Boroughs ..	24.75	4.03	1.25	0.42	0.16	30.62	24.09	3.81	1.18	0.39	0.16	29.62	39.16	8.95	2.75	1.18	0.30
Other Urban Districts ..	23.76	3.27	1.05	0.37	0.20	28.64	23.17	3.08	0.96	0.37	0.19	27.77	37.20	7.53	3.01	0.43	0.43
Rural Districts ..	23.24	3.17	1.14	0.33	0.23	28.11	22.55	3.00	1.11	0.33	0.22	27.21	36.61	6.48	1.66	0.45	0.45
All Urban Districts ..	23.40	3.62	1.19	0.40	0.18	28.79	22.75	3.40	1.09	0.37	0.17	27.78	37.50	8.50	3.30	1.04	0.35
V—Miscellaneous Diseases (Remainder)—																	
London	6.16	5.39	5.83	5.03	4.16	26.58	5.19	5.09	5.61	4.95	4.15	24.99	24.73	11.11	10.00	6.67	4.45
County Boroughs ..	7.69	5.85	5.99	5.10	4.92	29.56	7.31	5.72	5.81	5.02	4.88	28.73	16.04	8.66	9.94	6.89	5.90
Other Urban Districts ..	6.80	4.60	4.34	4.25	3.42	23.40	6.29	4.49	4.21	4.21	3.40	22.61	18.28	6.99	7.31	5.05	3.76
Rural Districts ..	6.82	3.92	3.75	3.26	2.98	20.72	6.08	3.75	3.64	3.22	2.94	19.63	21.09	7.23	5.72	4.07	3.77
All Urban Districts ..	7.10	5.26	5.27	4.73	4.18	26.54	6.59	5.11	5.10	4.67	4.15	25.63	18.30	8.37	8.89	6.11	4.81
Measles (7)—																	
London	—	0.10	0.19	1.29	2.35	3.93	—	0.07	0.19	1.27	2.24	3.77	—	0.56	0.28	1.67	4.45
County Boroughs ..	—	0.04	0.12	0.47	0.85	1.48	—	0.04	0.12	0.43	0.83	1.43	—	0.10	—	1.28	2.66
Other Urban Districts ..	0.01	0.03	0.07	0.28	0.56	0.96	0.01	0.03	0.07	0.27	0.57	0.96	—	—	0.54	0.32	0.86
Rural Districts ..	—	0.04	0.07	0.13	0.33	0.56	—	0.04	0.05	0.13	0.33	0.56	—	0.15	0.30	0.15	0.60
All Urban Districts ..	0.01	0.05	0.11	0.50	0.94	1.60	0.01	0.04	0.11	0.48	0.92	1.55	—	0.13	0.04	1.04	2.60
Whooping cough (9)—																	
London	0.04	0.44	0.57	0.70	0.69	2.45	0.04	0.47	0.54	0.73	0.65	2.43	—	—	1.11	0.28	1.39
County Boroughs ..	0.03	0.51	0.66	0.71	0.72	2.63	0.04	0.50	0.65	0.72	0.71	2.62	—	0.59	0.79	0.59	0.89
Other Urban Districts ..	0.05	0.40	0.42	0.38	0.53	1.78	0.06	0.40	0.41	0.39	0.52	1.78	—	0.43	0.54	0.22	0.65
Rural Districts ..	0.10	0.37	0.33	0.44	0.38	1.61	0.10	0.37	0.32	0.44	0.39	1.62	—	0.30	0.45	0.45	0.15
All Urban Districts ..	0.04	0.45	0.54	0.57	0.63	2.25	0.05	0.45	0.54	0.58	0.62	2.24	—	0.43	0.74	0.39	0.87
Diphtheria (10)—																	
London	0.01	0.07	0.11	0.14	0.18	0.51	0.01	0.06	0.09	0.15	0.16	0.47	—	0.28	0.56	0.56	1.39
County Boroughs ..	0.01	0.03	0.03	0.04	0.15	0.25	0.00	0.02	0.03	0.04	0.14	0.24	0.20	0.10	—	0.30	0.59
Other Urban Districts ..	0.01	0.03	0.01	0.02	0.04	0.11	0.01	0.03	0.01	0.02	0.04	0.11	—	—	0.11	—	0.11
Rural Districts ..	0.01	0.03	0.03	0.03	0.02	0.12	—	0.03	0.03	0.03	0.02	0.12	0.15	—	—	—	0.15
All Urban Districts ..	0.01	0.03	0.03	0.05	0.10	0.23	0.01	0.03	0.03	0.05	0.10	0.21	0.09	0.09	0.04	0.22	0.52
Influenza (11)—																	
London	0.01	0.06	0.04	0.11	0.01	0.23	0.01	0.06	0.04	0.12	0.01	0.25	—	—	—	—	—
County Boroughs ..	0.04	0.11	0.09	0.09	0.06	0.39	0.05	0.11	0.08	0.09	0.06	0.38	—	0.20	0.39	0.10	0.69
Other Urban Districts ..	0.03	0.08	0.06	0.05	0.06	0.28	0.03	0.08	0.06	0.04	0.06	0.26	—	0.11	0.11	0.22	0.54
Rural Districts ..	0.04	0.09	0.07	0.10	0.09	0.40	0.04	0.09	0.06	0.10	0.09	0.39	0.15	—	0.30	0.15	0.60
All Urban Districts ..	0.03	0.09	0.07	0.07	0.05	0.32	0.03	0.09	0.07	0.07	0.05	0.31	—	0.13	0.22	0.09	0.52

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1928—continued.

Proportion of Deaths to 1,000 Live Births.																		
Cause of Death.	All Infants.						Legitimate Infants.					Illegitimate Infants.						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Tuberculosis of nervous system (32)—																		
London ..	—	0.03	0.19	0.14	0.12	0.48	—	0.03	0.19	0.15	0.13	0.49	—	—	0.28	—	—	0.28
County Boroughs ..	0.01	0.04	0.20	0.21	0.18	0.64	0.01	0.04	0.20	0.20	0.18	0.64	—	—	0.10	0.30	0.20	0.59
Other Urban Districts ..	—	0.02	0.17	0.18	0.18	0.55	—	0.02	0.17	0.18	0.19	0.57	—	—	—	0.11	0.11	0.22
Rural Districts ..	0.01	0.01	0.10	0.10	0.17	0.38	0.01	0.01	0.09	0.08	0.18	0.36	—	—	0.45	0.45	—	0.90
All Urban Districts ..	0.00	0.03	0.18	0.19	0.18	0.58	0.00	0.03	0.19	0.19	0.18	0.59	—	—	0.09	0.17	0.13	0.39
Tuberculosis of intestines and peritoneum (33)—																		
London ..	—	0.01	—	0.01	—	0.03	—	0.01	—	0.01	—	0.03	—	—	—	—	—	—
County Boroughs ..	—	0.04	0.08	0.03	0.08	0.24	—	0.04	0.08	0.03	0.08	0.22	—	0.20	0.20	—	0.20	0.59
Other Urban Districts ..	0.01	0.04	0.05	0.06	0.07	0.22	0.01	0.04	0.05	0.06	0.07	0.22	—	0.11	—	0.11	0.11	0.32
Rural Districts ..	—	0.01	0.04	0.04	0.06	0.16	—	0.02	0.04	0.04	0.06	0.16	—	—	0.15	0.15	—	0.30
All Urban Districts ..	0.00	0.04	0.06	0.04	0.06	0.20	0.00	0.03	0.05	0.04	0.06	0.19	—	0.13	0.09	0.04	0.13	0.39
Other tuberculous diseases (31, 34-37)—																		
London ..	—	0.01	0.19	0.14	0.10	0.44	—	0.01	0.20	0.15	0.10	0.47	—	—	—	—	—	—
County Boroughs ..	—	0.05	0.07	0.13	0.15	0.40	—	0.05	0.07	0.12	0.14	0.38	—	0.10	0.10	0.30	0.30	0.79
Other Urban Districts ..	0.00	0.01	0.07	0.11	0.09	0.29	0.00	0.01	0.07	0.12	0.09	0.29	—	0.11	0.11	—	—	0.22
Rural Districts ..	—	0.04	0.07	0.13	0.04	0.27	—	0.05	0.06	0.12	0.04	0.26	—	—	0.15	0.30	—	0.45
All Urban Districts ..	0.00	0.03	0.09	0.12	0.11	0.36	0.00	0.03	0.09	0.12	0.11	0.35	—	0.09	0.09	0.13	0.13	0.43
Syphilis (38)—																		
London ..	0.23	0.17	0.10	0.06	0.03	0.58	0.23	0.10	0.10	0.04	0.01	0.49	0.28	1.39	—	0.28	0.28	2.22
County Boroughs ..	0.40	0.36	0.10	0.06	0.04	0.96	0.36	0.31	0.08	0.05	0.02	0.82	1.38	1.38	0.49	0.39	0.49	4.13
Other Urban Districts ..	0.32	0.22	0.09	0.05	0.03	0.71	0.28	0.18	0.08	0.03	0.02	0.59	1.18	0.97	0.54	0.43	0.22	3.33
Rural Districts ..	0.21	0.06	0.05	0.03	0.02	0.37	0.14	0.04	0.04	0.02	0.02	0.26	1.51	0.45	0.30	0.15	0.15	2.56
All Urban Districts ..	0.34	0.27	0.10	0.06	0.03	0.80	0.31	0.23	0.08	0.04	0.02	0.68	1.13	1.21	0.43	0.39	0.35	3.51
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London	0.04	0.06	0.11	0.10	0.08	0.39	0.04	0.06	0.09	0.10	0.09	0.38	—	—	0.56	—	—	0.56
County Boroughs ..	0.04	0.09	0.13	0.13	0.13	0.51	0.04	0.08	0.13	0.13	0.12	0.51	—	0.20	0.10	—	0.20	0.49
Other Urban Districts	0.03	0.07	0.09	0.15	0.14	0.49	0.03	0.08	0.09	0.15	0.15	0.49	—	—	0.11	0.32	—	0.43
Rural Districts ..	0.01	0.03	0.12	0.11	0.07	0.33	0.01	0.03	0.12	0.12	0.07	0.34	—	—	0.15	—	—	0.15
All Urban Districts	0.03	0.08	0.11	0.13	0.13	0.48	0.04	0.08	0.11	0.13	0.13	0.48	—	0.09	0.17	0.13	0.09	0.48
Convulsions (80)—																		
London	0.68	0.11	0.15	0.06	0.10	1.09	0.70	0.12	0.15	0.06	0.10	1.12	0.28	—	0.28	—	—	0.56
County Boroughs ..	1.31	0.55	0.41	0.22	0.16	2.65	1.32	0.54	0.39	0.21	0.16	2.61	1.18	0.89	0.89	0.30	0.10	3.35
Other Urban Districts	1.36	0.56	0.33	0.25	0.15	2.66	1.34	0.53	0.33	0.24	0.15	2.59	1.83	1.29	0.43	0.43	0.22	4.19
Rural Districts ..	1.26	0.54	0.31	0.25	0.19	2.55	1.26	0.51	0.29	0.26	0.20	2.51	1.21	1.21	0.75	0.15	—	3.31
All Urban Districts	1.24	0.50	0.34	0.21	0.15	2.44	1.24	0.48	0.33	0.20	0.15	2.40	1.30	0.91	0.61	0.30	0.13	3.25
Bronchitis (99)—																		
London	0.41	0.94	0.57	0.37	0.26	2.56	0.42	0.90	0.58	0.33	0.28	2.52	0.28	1.67	0.28	1.11	—	3.33
County Boroughs ..	0.62	1.30	1.04	0.74	0.51	4.20	0.63	1.30	1.01	0.73	0.50	4.17	0.30	1.28	1.67	0.89	0.69	4.82
Other Urban Districts	0.49	1.04	0.78	0.69	0.40	3.40	0.48	1.05	0.77	0.70	0.40	3.41	0.65	0.65	1.08	0.54	0.32	3.23
Rural Districts ..	0.47	0.93	0.69	0.54	0.32	2.95	0.47	0.90	0.66	0.55	0.32	2.91	0.30	1.51	1.36	0.30	0.30	3.77
All Urban Districts	0.53	1.14	0.87	0.67	0.43	3.64	0.54	1.14	0.85	0.67	0.43	3.62	0.43	1.08	1.21	0.78	0.43	3.95
Pneumonia (100, 101)—																		
London	1.11	2.82	3.33	3.11	2.67	13.03	1.13	2.73	3.21	3.05	2.60	12.74	0.56	4.45	5.56	4.17	3.89	18.62
County Boroughs ..	0.92	2.20	2.98	2.86	3.11	12.07	0.96	2.21	2.92	2.81	3.09	11.99	0.20	2.07	4.23	3.94	3.44	13.87
Other Urban Districts	0.57	1.60	1.99	2.24	1.83	8.23	0.55	1.59	1.93	2.24	1.82	8.12	1.08	1.83	3.23	2.26	2.15	10.54
Rural Districts ..	0.57	1.14	1.48	1.40	1.55	6.14	0.55	1.12	1.45	1.35	1.55	6.02	0.90	1.51	1.96	2.41	1.66	8.44
All Urban Districts	0.80	2.03	2.61	2.63	2.51	10.58	0.81	2.02	2.54	2.60	2.48	10.46	0.61	2.34	4.03	3.30	2.99	13.27
Other respiratory diseases																		
(97, 98, 102-107)—																		
London	0.04	0.07	0.07	0.06	0.04	0.28	0.04	0.07	0.07	0.06	0.04	0.29	—	—	—	—	—	—
County Boroughs ..	0.08	0.06	0.07	0.05	0.06	0.32	0.07	0.06	0.06	0.05	0.07	0.30	0.30	0.20	0.20	0.10	—	0.79
Other Urban Districts	0.07	0.05	0.04	0.08	0.06	0.31	0.07	0.05	0.03	0.08	0.07	0.30	0.11	0.22	0.11	—	—	0.43
Rural Districts ..	0.07	0.08	0.04	0.05	0.02	0.27	0.08	0.08	0.04	0.05	0.02	0.27	—	0.15	—	—	—	0.15
All Urban Districts	0.07	0.06	0.06	0.06	0.06	0.31	0.07	0.06	0.05	0.06	0.06	0.30	0.17	0.17	0.13	0.04	—	0.52
Inflammation of the stomach																		
(112: 1)—																		
London	—	0.07	0.04	0.04	0.01	0.17	—	0.06	0.04	0.04	0.01	0.16	—	0.28	—	—	—	0.28
County Boroughs ..	0.14	0.20	0.10	0.07	0.04	0.55	0.15	0.19	0.10	0.07	0.05	0.55	—	0.39	0.10	0.10	—	0.59
Other Urban Districts	0.09	0.15	0.10	0.05	0.03	0.43	0.10	0.15	0.10	0.05	0.03	0.43	—	0.32	—	—	0.11	0.43
Rural Districts ..	0.10	0.16	0.13	0.06	0.05	0.50	0.10	0.12	0.14	0.05	0.05	0.47	—	0.75	—	0.15	0.15	1.05
All Urban Districts	0.10	0.16	0.09	0.06	0.03	0.45	0.11	0.15	0.09	0.06	0.03	0.45	—	0.35	0.04	0.04	0.04	0.48

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1928—continued.

Cause of Death.		Proportion of Deaths to 1,000 Live Births.											
		All Infants.						Legitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Diarrhoea and enteritis (113)—													
London	0.40	1.80	4.13	2.02	1.17	9.52	0.41	1.53	3.75	1.92	1.12	8.73
County Boroughs	0.75	1.87	3.05	1.67	1.15	8.50	0.74	1.73	2.90	1.58	1.11	8.07
Other Urban Districts	0.52	1.37	1.21	0.81	0.50	4.41	0.51	1.29	1.15	0.76	0.49	4.20
Rural Districts	0.44	1.07	0.97	0.58	0.41	3.47	0.42	0.99	0.89	0.58	0.41	3.28
All Urban Districts	0.61	1.65	2.42	1.35	0.88	6.91	0.60	1.51	2.28	1.28	0.85	6.52
Hernia, intestinal obstruction (118)—													
London	0.07	0.08	0.22	0.17	0.10	0.64	0.06	0.07	0.20	0.17	0.10	0.61
County Boroughs	0.09	0.05	0.27	0.16	0.09	0.67	0.10	0.05	0.26	0.17	0.10	0.68
Other Urban Districts	0.05	0.07	0.18	0.17	0.07	0.54	0.05	0.07	0.19	0.18	0.07	0.55
Rural Districts	0.14	0.06	0.18	0.18	0.10	0.65	0.13	0.06	0.18	0.19	0.10	0.66
All Urban Districts	0.07	0.06	0.23	0.17	0.08	0.61	0.07	0.06	0.22	0.18	0.08	0.61
Congenital malformations (159)													
London	2.56	1.05	0.43	0.11	0.07	4.22	2.56	1.02	0.39	0.09	0.06	4.12
County Boroughs	3.16	1.10	0.44	0.16	0.08	4.94	3.19	1.07	0.44	0.16	0.08	4.94
Other Urban Districts	3.13	1.00	0.49	0.25	0.13	5.00	3.13	0.99	0.47	0.24	0.14	4.96
Rural Districts	3.23	1.03	0.52	0.20	0.16	5.14	3.24	1.03	0.51	0.19	0.16	5.14
All Urban Districts	3.06	1.05	0.46	0.19	0.10	4.86	3.07	1.03	0.45	0.19	0.10	4.84
Congenital debility and sclerema (160 : 1)—													
London	0.95	0.90	0.80	0.26	0.07	2.99	0.89	0.67	0.64	0.19	0.07	2.46
County Boroughs	1.88	1.13	0.60	0.23	0.08	3.92	1.82	1.00	0.53	0.19	0.07	3.62
Other Urban Districts	2.65	0.85	0.40	0.09	0.06	4.05	2.56	0.73	0.33	0.09	0.05	3.77
Rural Districts	2.59	0.78	0.44	0.10	0.06	3.96	2.44	0.68	0.41	0.11	0.05	3.68
All Urban Districts	2.08	0.98	0.54	0.17	0.07	3.85	2.00	0.84	0.46	0.15	0.06	3.52
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
Illegitimate Infants.													
Under 4 Weeks.													
4 Weeks—3 Months.													
3-6 Months.													
6-9 Months.													
9-12 Months.													
Total under 1 Year.													
Diarrhoea and enteritis (113)—													
London	24.73	6.95	11.39	3.89	2.22	24.73	0.28	6.95	11.39	3.89	2.22	24.73
County Boroughs	17.91	5.02	6.40	3.64	1.87	17.91	0.98	5.02	6.40	3.64	1.87	17.91
Other Urban Districts	9.14	3.23	2.47	1.83	0.75	9.14	0.83	3.23	2.47	1.83	0.75	9.14
Rural Districts	7.23	2.71	2.53	0.75	0.45	7.23	0.75	2.71	2.53	0.75	0.45	7.23
All Urban Districts	15.44	4.60	5.59	2.95	1.47	15.44	0.82	4.60	5.59	2.95	1.47	15.44
Hernia, intestinal obstruction (118)—													
London	1.11	0.28	0.56	—	—	1.11	0.28	0.28	0.56	—	—	1.11
County Boroughs	0.49	—	0.49	—	—	0.49	—	—	0.49	—	—	0.49
Other Urban Districts	0.32	0.11	0.11	—	—	0.32	—	0.11	0.11	—	—	0.32
Rural Districts	0.45	—	0.15	—	—	0.45	0.30	—	0.15	—	—	0.45
All Urban Districts	0.52	0.09	0.35	—	—	0.52	0.04	0.09	0.35	—	—	0.52
Congenital malformations (159)													
London	6.11	1.67	1.11	0.56	0.28	6.11	2.50	1.67	1.11	0.56	0.28	6.11
County Boroughs	4.92	1.77	0.30	0.20	0.10	4.92	2.56	1.77	0.30	0.20	0.10	4.92
Other Urban Districts	5.81	1.29	0.86	0.43	—	5.81	3.23	1.29	0.86	0.43	—	5.81
Rural Districts	5.27	1.21	0.60	0.30	0.15	5.27	3.01	1.21	0.60	0.30	0.15	5.27
All Urban Districts	5.46	1.56	0.65	0.35	0.09	5.46	2.82	1.56	0.65	0.35	0.09	5.46
Congenital debility and sclerema (160 : 1)—													
London	13.06	5.28	3.89	1.67	—	13.06	2.22	5.28	3.89	1.67	—	13.06
County Boroughs	10.53	4.03	2.07	0.89	0.20	10.53	3.35	4.03	2.07	0.89	0.20	10.53
Other Urban Districts	10.54	3.44	1.94	—	0.43	10.54	4.73	3.44	1.94	—	0.43	10.54
Rural Districts	9.34	2.71	0.90	—	0.30	9.34	5.42	2.71	0.90	—	0.30	9.34
All Urban Districts	10.93	3.99	2.30	0.65	0.26	10.93	3.73	3.99	2.30	0.65	0.26	10.93
		(18)	(14)	(15)	(16)	(17)	(18)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																		
London ..	0.36	0.04	—	—	—	0.40	0.36	0.04	—	—	—	0.41	0.28	—	—	—	—	0.28
County Boroughs ..	0.58	0.08	0.01	—	—	0.67	0.58	0.08	0.01	—	—	0.66	0.69	0.10	0.10	—	—	0.89
Other Urban Districts	0.45	0.07	0.02	—	0.00	0.54	0.45	0.06	0.02	—	0.00	0.53	0.54	0.32	—	—	—	0.86
Rural Districts ..	0.54	0.08	0.01	0.01	—	0.64	0.53	0.08	0.02	0.01	—	0.63	0.75	0.15	—	—	—	0.90
All Urban Districts	0.50	0.07	0.01	—	0.00	0.58	0.49	0.06	0.01	—	0.00	0.57	0.56	0.17	0.04	—	—	0.78
Premature birth (161 : 1)—																		
London ..	12.63	1.34	0.21	0.04	—	14.22	11.91	1.28	0.19	0.04	—	13.42	26.40	2.50	0.56	—	—	29.45
County Boroughs ..	17.34	1.69	0.20	0.03	0.01	19.27	16.74	1.63	0.19	0.03	0.01	18.60	30.40	2.95	0.30	0.10	—	33.75
Other Urban Districts	16.05	1.32	0.14	0.03	—	17.54	15.57	1.28	0.14	0.03	—	17.02	26.88	2.37	0.22	—	—	29.46
Rural Districts ..	15.61	1.22	0.17	0.02	0.01	17.03	15.09	1.16	0.17	0.02	0.01	16.44	25.61	2.41	0.15	0.15	—	28.32
All Urban Districts	16.14	1.49	0.18	0.03	0.00	17.84	15.58	1.43	0.17	0.03	0.00	17.22	28.36	2.64	0.30	0.04	—	31.35
Injury at birth (161 : 2)—																		
London ..	1.60	0.03	0.01	—	0.01	1.66	1.54	0.03	0.01	—	0.01	1.60	2.78	—	—	—	—	2.78
County Boroughs ..	2.10	0.02	0.00	—	—	2.12	2.08	0.02	0.00	—	—	2.10	2.46	—	—	—	—	2.46
Other Urban Districts	1.72	0.02	—	—	—	1.74	1.70	0.01	—	—	—	1.71	2.26	0.11	—	—	—	2.37
Rural Districts ..	1.86	0.03	—	0.01	0.01	1.91	1.79	0.03	—	0.01	0.01	1.83	3.31	—	—	—	—	3.31
All Urban Districts	1.87	0.02	0.00	—	0.00	1.90	1.85	0.02	0.00	—	0.00	1.87	2.43	0.04	—	—	—	2.47
Disease of umbilicus (162 : 1)—																		
London ..	0.07	0.03	—	—	—	0.10	0.03	0.03	—	—	—	0.06	0.83	—	—	—	—	0.83
County Boroughs ..	0.08	0.02	—	—	—	0.10	0.07	0.02	—	—	—	0.09	0.20	—	—	—	—	0.20
Other Urban Districts	0.14	0.02	—	—	—	0.16	0.15	0.02	—	—	—	0.16	0.11	—	—	—	—	0.11
Rural Districts ..	0.10	0.01	—	—	—	0.10	0.09	0.01	—	—	—	0.09	0.30	—	—	—	—	0.30
All Urban Districts	0.10	0.02	—	—	—	0.12	0.10	0.02	—	—	—	0.12	0.26	—	—	—	—	0.26
Atelectasis (162 : 2)—																		
London ..	1.47	0.08	—	—	—	1.55	1.43	0.07	—	—	—	1.50	2.22	0.28	—	—	—	2.50
County Boroughs ..	1.79	0.03	—	—	—	1.82	1.77	0.03	—	—	—	1.80	2.16	0.10	—	—	—	2.26
Other Urban Districts	1.48	0.03	—	—	—	1.51	1.47	0.02	—	—	—	1.49	1.83	0.11	—	—	—	1.94
Rural Districts ..	1.28	0.06	—	—	—	1.34	1.25	0.06	—	—	—	1.31	1.81	—	—	—	—	1.81
All Urban Districts	1.62	0.04	—	—	—	1.65	1.60	0.03	—	—	—	1.63	2.04	0.13	—	—	—	2.17
Suffocation—in bed or not stated how (180 pt.)—																		
London ..	0.30	0.29	0.22	0.03	0.06	0.90	0.22	0.28	0.17	0.01	0.06	0.74	1.94	0.56	1.11	0.28	—	3.89
County Boroughs ..	0.28	0.18	0.10	0.01	0.01	0.58	0.24	0.17	0.08	0.01	0.01	0.52	1.08	0.30	0.39	—	—	1.77
Other Urban Districts	0.23	0.16	0.09	0.04	0.00	0.52	0.19	0.16	0.08	0.03	0.00	0.48	0.97	0.11	0.32	0.11	—	1.51
Rural Districts ..	0.22	0.20	0.11	0.02	0.01	0.57	0.19	0.19	0.12	0.02	0.02	0.53	0.75	0.45	—	0.15	—	1.36
All Urban Districts	0.26	0.19	0.11	0.02	0.02	0.60	0.22	0.18	0.09	0.02	0.02	0.53	1.17	0.26	0.48	0.09	—	1.99
Other causes—																		
London ..	1.59	0.68	1.00	0.97	0.86	5.09	0.76	0.58	0.96	0.97	0.87	4.15	17.50	2.50	1.67	0.83	0.56	23.06
County Boroughs ..	1.60	0.72	0.74	0.74	0.75	4.55	1.26	0.67	0.72	0.73	0.74	4.11	8.95	1.77	1.08	1.08	1.08	13.97
Other Urban Districts	1.71	0.56	0.58	0.50	0.65	3.99	1.34	0.53	0.55	0.48	0.66	3.55	10.11	1.29	1.29	0.86	0.43	13.98
Rural Districts ..	1.78	0.61	0.58	0.50	0.57	4.04	1.24	0.58	0.58	0.50	0.52	3.40	12.35	1.21	0.75	0.60	1.51	16.42
All Urban Districts	1.64	0.65	0.70	0.67	0.72	4.39	1.23	0.60	0.68	0.66	0.72	3.88	10.75	1.69	1.26	0.95	0.74	15.39

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1928.
(For list of Counties in the several Geographical Divisions, see Footnote to Table 14, page 62).

Area.	Proportion of Deaths to 1,000 Live Births.																	
	All Causes.						I.—Common Infectious Diseases (6-10, 25 : 2).						II.—Tuberculous Diseases (31-37).					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :																		
North	35.29	12.64	10.89	8.71	8.07	75.61	0.08	0.58	0.82	1.11	1.52	4.11	0.02	0.11	0.34	0.41	0.39	1.26
Midlands	30.05	9.27	7.60	6.17	5.46	58.55	0.06	0.45	0.46	0.72	1.12	2.81	0.00	0.08	0.30	0.32	0.32	1.02
South	25.21	9.31	8.97	6.96	6.55	57.00	0.07	0.52	0.66	1.32	1.99	4.56	—	0.07	0.26	0.28	0.31	0.92
Wales	36.19	12.12	9.32	7.82	7.00	72.45	0.17	0.54	0.64	0.99	1.54	3.88	0.02	0.13	0.32	0.26	0.26	0.99
England and Wales	31.07	10.65	9.22	7.37	6.75	65.06	0.07	0.52	0.65	1.03	1.51	3.78	0.01	0.09	0.30	0.33	0.34	1.08
London	24.59	11.26	12.69	9.91	8.98	67.43	0.06	0.61	0.90	2.16	3.29	7.01	—	0.06	0.39	0.29	0.22	0.95
County Boroughs :																		
North	35.88	14.10	13.04	9.95	9.68	82.64	0.07	0.70	0.97	1.44	2.01	5.20	0.02	0.12	0.37	0.38	0.38	1.27
Midlands	30.74	10.72	9.87	7.79	7.17	66.29	—	0.45	0.64	1.07	1.55	3.72	—	0.15	0.33	0.40	0.37	1.25
South	26.06	9.28	8.13	6.14	6.18	55.79	0.04	0.40	0.71	1.02	1.37	3.53	—	0.18	0.18	0.27	0.71	1.33
Wales	35.15	12.08	11.18	7.99	6.49	72.89	0.20	0.50	0.70	0.60	1.00	3.00	—	0.10	0.70	0.20	0.40	1.40
England and Wales	33.26	12.47	11.48	8.81	8.40	74.42	0.05	0.58	0.83	1.24	1.76	4.47	0.01	0.13	0.35	0.37	0.41	1.27
Other Urban Districts :																		
North	34.65	11.41	8.61	7.49	6.41	68.57	0.06	0.44	0.61	0.71	0.92	2.74	0.03	0.14	0.35	0.42	0.40	1.33
Midlands	29.09	8.98	6.81	5.79	4.99	55.66	0.11	0.42	0.40	0.53	1.12	2.57	0.01	0.04	0.33	0.30	0.35	1.03
South	26.28	7.21	5.75	4.66	4.45	48.35	0.02	0.50	0.46	0.72	1.06	2.76	—	0.02	0.12	0.41	0.29	0.84
Wales	37.06	12.29	8.58	9.20	7.47	74.61	0.22	0.62	0.62	1.28	2.12	4.86	—	0.13	0.22	0.22	0.18	0.75
England and Wales	31.18	9.77	7.38	6.48	5.60	60.41	0.09	0.46	0.50	0.70	1.15	2.90	0.01	0.08	0.28	0.35	0.34	1.06
Rural Districts :																		
North	34.42	9.75	7.61	6.65	5.53	63.96	0.16	0.43	0.65	0.75	0.96	2.95	—	0.03	0.22	0.47	0.37	1.09
Midlands	30.60	7.86	5.89	4.68	3.96	52.99	0.05	0.47	0.32	0.58	0.58	2.00	—	0.05	0.23	0.23	0.19	0.70
South	24.63	7.65	5.34	3.87	4.06	45.54	0.16	0.44	0.37	0.41	0.72	2.09	—	0.09	0.19	0.09	0.28	0.66
Wales	35.54	11.87	9.17	5.47	6.61	68.66	0.07	0.43	0.64	0.78	1.00	2.91	0.07	0.14	0.21	0.36	0.28	1.07
England and Wales	30.61	8.68	6.51	5.04	4.63	55.47	0.10	0.45	0.44	0.60	0.75	2.34	0.01	0.07	0.21	0.27	0.27	0.82
	III.—Diarrhoea and Enteritis (113).						IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2).						V.—Miscellaneous Diseases (Remainder).					
All Areas :																		
North	0.78	1.97	2.51	1.34	0.96	7.57	26.07	3.92	1.28	0.46	0.25	31.99	8.34	6.06	5.94	5.40	4.94	30.68
Midlands	0.49	1.22	1.68	1.03	0.61	5.02	23.37	3.41	1.08	0.32	0.14	28.32	6.13	4.12	4.09	3.78	3.27	21.39
South	0.37	1.30	2.34	1.26	0.81	6.08	18.72	3.15	1.20	0.37	0.15	23.60	6.05	4.26	4.50	3.74	3.29	21.84
Wales	0.64	1.67	1.50	1.03	0.62	5.46	26.83	3.53	1.05	0.36	0.19	31.97	8.52	6.25	5.80	5.18	4.39	30.15
England and Wales	0.57	1.53	2.12	1.20	0.78	6.21	23.37	3.53	1.18	0.38	0.19	28.65	7.05	4.98	4.96	4.43	3.93	25.35
London	0.40	1.80	4.13	2.02	1.17	9.52	17.97	3.41	1.44	0.41	0.14	23.37	6.16	5.39	5.83	5.03	4.16	26.58
County Boroughs :																		
North	0.89	2.33	3.44	1.83	1.37	9.86	26.22	4.18	1.37	0.47	0.22	32.45	8.69	6.77	6.89	5.83	5.69	33.86
Midlands	0.63	1.45	2.89	1.66	0.99	7.62	24.01	4.06	1.23	0.33	0.12	29.75	6.10	4.61	4.77	4.33	4.14	23.95
South	0.31	0.57	1.55	0.97	0.71	4.11	18.77	3.53	0.71	0.44	0.09	23.54	6.93	4.59	4.99	3.45	3.31	23.28
Wales	1.00	2.10	2.80	1.40	0.50	7.79	25.36	3.20	1.10	0.40	—	30.05	8.59	6.19	5.89	5.39	4.59	30.65
England and Wales	0.75	1.87	3.05	1.67	1.15	8.50	24.75	4.03	1.25	0.42	0.16	30.62	7.69	5.85	5.99	5.10	4.92	29.56
Other Urban Districts :																		
North	0.69	1.67	1.44	0.86	0.47	5.14	25.76	3.58	1.14	0.40	0.29	31.18	8.11	5.57	5.07	5.10	4.32	28.18
Midlands	0.43	1.23	1.19	0.83	0.47	4.15	22.70	3.26	0.96	0.39	0.12	27.42	5.84	4.03	3.94	3.74	2.93	20.49
South	0.43	1.18	0.94	0.55	0.58	3.68	20.07	2.36	1.01	0.26	0.19	23.90	5.75	3.15	3.22	2.72	2.33	17.17
Wales	0.49	1.33	1.02	1.02	0.57	4.42	28.22	3.94	1.15	0.40	0.22	33.92	8.14	6.28	5.57	6.28	4.38	30.65
England and Wales	0.52	1.37	1.21	0.81	0.50	4.41	23.76	3.27	1.05	0.37	0.20	28.64	6.80	4.60	4.34	4.25	3.42	23.40
Rural Districts :																		
North	0.56	1.21	1.30	0.53	0.47	4.07	26.22	3.70	1.24	0.53	0.31	32.00	7.49	4.38	4.19	4.38	3.42	23.86
Midlands	0.40	0.89	0.84	0.53	0.33	3.00	23.55	2.81	1.07	0.21	0.21	27.85	6.59	3.63	3.44	3.14	2.65	19.45
South	0.28	0.87	0.69	0.66	0.34	2.84	18.63	3.31	1.28	0.37	0.16	23.75	5.56	2.93	2.81	2.34	2.56	16.20
Wales	0.64	1.92	1.35	0.78	0.78	5.47	25.66	3.13	0.85	0.28	0.28	30.21	9.10	6.25	6.11	3.27	4.26	29.00
England and Wales	0.44	1.07	0.97	0.58	0.41	3.47	23.24	3.17	1.14	0.33	0.23	28.11	6.82	3.92	3.75	3.26	2.98	20.72

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1928—*continued*.

Area.	Proportion of Deaths to 1,000 Live Births.																	
	Measles (7).						Whooping cough (9).					Syphilis (38).						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :																		
North	—	0.05	0.10	0.40	0.68	1.22	0.05	0.51	0.68	0.64	0.70	2.58	0.44	0.32	0.14	0.06	0.04	1.01
Midlands	0.00	0.02	0.09	0.23	0.63	0.98	0.05	0.38	0.34	0.48	0.41	1.66	0.30	0.22	0.05	0.05	0.03	0.65
South	—	0.06	0.13	0.72	1.29	2.20	0.06	0.41	0.45	0.49	0.56	1.97	0.18	0.15	0.07	0.04	0.02	0.46
Wales	0.04	0.06	0.04	0.39	0.58	1.11	0.09	0.41	0.56	0.58	0.84	2.46	0.26	0.09	0.09	0.04	0.02	0.49
England and Wales	0.00	0.05	0.10	0.42	0.81	1.38	0.05	0.43	0.50	0.55	0.58	2.12	0.32	0.23	0.09	0.05	0.03	0.71
London	—	0.10	0.19	1.29	2.35	3.93	0.04	0.44	0.57	0.70	0.69	2.45	0.23	0.17	0.10	0.06	0.03	0.58
County Boroughs :																		
North	—	0.05	0.14	0.57	0.90	1.67	0.04	0.63	0.77	0.77	0.88	3.09	0.49	0.40	0.13	0.07	0.05	1.14
Midlands	—	0.03	0.10	0.29	0.88	1.29	—	0.38	0.49	0.75	0.56	2.19	0.34	0.38	0.05	0.04	0.03	0.85
South	—	0.09	0.09	0.62	0.80	1.59	0.04	0.27	0.53	0.35	0.40	1.59	0.18	0.13	0.04	—	0.04	0.40
Wales	—	—	—	0.10	0.20	0.30	0.20	0.40	0.70	0.50	0.60	2.40	0.20	0.20	0.20	0.20	—	0.80
England and Wales	—	0.04	0.12	0.47	0.85	1.48	0.03	0.51	0.66	0.71	0.72	2.63	0.40	0.36	0.10	0.06	0.04	0.96
Other Urban Districts :																		
North	—	0.04	0.04	0.19	0.42	0.69	0.03	0.38	0.56	0.47	0.46	1.89	0.44	0.31	0.21	0.06	0.03	1.04
Midlands	0.01	0.02	0.09	0.26	0.65	1.04	0.09	0.35	0.30	0.26	0.39	1.39	0.28	0.19	0.02	0.06	0.04	0.58
South	—	0.02	0.07	0.26	0.48	0.84	0.02	0.46	0.36	0.38	0.58	1.80	0.17	0.19	0.07	0.05	—	0.48
Wales	0.09	0.04	0.04	0.66	0.84	1.68	0.04	0.53	0.53	0.57	1.19	2.87	0.35	0.09	0.04	—	0.04	0.53
England and Wales	0.01	0.03	0.07	0.28	0.56	0.96	0.05	0.40	0.42	0.38	0.53	1.78	0.32	0.22	0.09	0.05	0.03	0.71
Rural Districts :																		
North	—	0.09	0.03	0.16	0.37	0.65	0.16	0.34	0.56	0.53	0.56	2.14	0.25	0.06	0.03	0.03	0.03	0.40
Midlands	—	0.02	0.07	0.12	0.28	0.49	0.04	0.42	0.19	0.46	0.26	1.37	0.28	0.07	0.07	0.05	0.02	0.49
South	—	—	0.09	0.09	0.31	0.50	0.16	0.37	0.25	0.25	0.37	1.40	0.06	0.06	0.03	—	0.03	0.19
Wales	—	0.14	0.07	0.14	0.43	0.78	0.07	0.21	0.50	0.64	0.43	1.85	0.14	—	0.07	—	—	0.21
England and Wales	—	0.04	0.07	0.13	0.33	0.56	0.10	0.37	0.33	0.44	0.38	1.61	0.21	0.06	0.05	0.03	0.02	0.37
Meningitis (71).						Convulsions (80).					Bronchitis (99).							
All Areas :																		
North	0.03	0.08	0.14	0.14	0.15	0.55	1.70	0.68	0.40	0.29	0.22	3.28	0.65	1.41	1.14	0.89	0.60	4.69
Midlands	0.02	0.06	0.09	0.15	0.08	0.39	0.94	0.44	0.26	0.15	0.11	1.90	0.42	0.89	0.70	0.55	0.28	2.83
South	0.03	0.05	0.09	0.08	0.12	0.38	0.71	0.25	0.21	0.12	0.11	1.39	0.42	0.77	0.58	0.39	0.28	2.43
Wales	0.04	0.09	0.13	0.17	0.09	0.51	2.40	0.92	0.79	0.51	0.26	4.88	0.75	1.65	0.86	0.77	0.51	4.54
England and Wales	0.03	0.07	0.11	0.13	0.12	0.45	1.25	0.51	0.33	0.22	0.16	2.46	0.52	1.10	0.83	0.64	0.41	3.50
London	0.04	0.06	0.11	0.10	0.08	0.39	0.68	0.11	0.15	0.06	0.10	1.09	0.41	0.94	0.57	0.37	0.26	2.56
County Boroughs :																		
North	0.04	0.10	0.16	0.10	0.16	0.56	1.67	0.69	0.42	0.23	0.22	3.23	0.69	1.44	1.24	0.89	0.65	4.91
Midlands	0.03	0.07	0.10	0.16	0.07	0.43	0.81	0.36	0.37	0.15	0.05	1.74	0.36	1.10	0.86	0.56	0.29	3.17
South	0.04	0.09	0.13	0.09	0.18	0.53	0.88	0.44	0.31	0.22	0.04	1.90	0.88	1.06	0.80	0.57	0.44	3.75
Wales	0.10	0.10	—	0.20	—	0.40	1.50	0.60	0.70	0.50	0.30	3.59	1.00	1.40	0.40	0.50	0.60	3.89
England and Wales	0.04	0.09	0.13	0.13	0.13	0.51	1.31	0.55	0.41	0.22	0.16	2.65	0.62	1.30	1.04	0.74	0.51	4.20
Other Urban Districts :																		
North	0.03	0.10	0.11	0.22	0.15	0.61	1.68	0.63	0.39	0.31	0.21	3.21	0.63	1.54	1.00	0.99	0.56	4.71
Midlands	0.02	0.06	0.09	0.13	0.12	0.42	0.98	0.50	0.23	0.11	0.12	1.94	0.41	0.68	0.67	0.50	0.32	2.57
South	0.02	0.05	0.02	0.05	0.22	0.36	0.75	0.36	0.26	0.19	0.07	1.64	0.31	0.53	0.60	0.38	0.24	2.07
Wales	0.04	0.09	0.13	0.22	0.09	0.57	2.87	0.97	0.66	0.71	0.27	5.48	0.66	1.72	0.88	1.06	0.53	4.86
England and Wales	0.03	0.07	0.09	0.15	0.14	0.49	1.36	0.56	0.33	0.25	0.15	2.66	0.49	1.04	0.78	0.69	0.40	3.40
Rural Districts :																		
North	0.03	—	0.16	0.09	0.09	0.37	1.83	0.75	0.34	0.47	0.22	3.60	0.53	0.99	1.09	0.68	0.53	3.82
Midlands	—	0.04	0.07	0.16	0.04	0.30	1.05	0.44	0.18	0.21	0.16	2.03	0.51	0.95	0.53	0.60	0.21	2.79
South	—	0.03	0.12	0.06	0.06	0.28	0.59	0.28	0.19	0.12	0.22	1.40	0.22	0.50	0.41	0.31	0.25	1.69
Wales	—	0.07	0.21	0.07	0.14	0.50	2.27	1.07	1.07	0.21	0.21	4.83	0.71	1.71	1.14	0.50	0.43	4.48
England and Wales	0.01	0.03	0.12	0.11	0.07	0.33	1.26	0.54	0.31	0.25	0.19	2.55	0.47	0.93	0.69	0.54	0.32	2.95

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1928—*continued*.

Area.	Proportion of Deaths to 1,000 Live Births.																	
	Pneumonia (100, 101).						Congenital malformations (159).						Congenital debility and sclerema (160 : 1).					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :																		
North	0·81	2·21	2·87	2·89	2·92	11·69	3·37	1·12	0·44	0·21	0·14	5·28	2·50	1·08	0·65	0·21	0·11	4·55
Midlands	0·64	1·43	1·82	1·97	1·93	7·81	2·86	1·04	0·45	0·19	0·09	4·64	2·32	0·83	0·43	0·11	0·05	3·73
South	0·79	1·89	2·32	2·12	1·94	9·06	2·81	0·96	0·50	0·15	0·09	4·52	1·36	0·81	0·50	0·18	0·05	2·91
Wales	0·81	1·84	2·72	2·72	2·42	10·51	3·90	1·05	0·54	0·26	0·15	5·89	3·02	1·20	0·36	0·04	0·04	4·67
England and Wales	0·75	1·85	2·38	2·38	2·31	9·67	3·10	1·05	0·47	0·19	0·11	4·92	2·18	0·94	0·52	0·16	0·07	3·87
London	1·11	2·82	3·33	3·11	2·67	13·03	2·56	1·05	0·43	0·11	0·07	4·22	0·95	0·90	0·80	0·26	0·07	2·99
County Boroughs :																		
North	1·07	2·66	3·52	3·28	3·54	14·07	3·34	1·09	0·41	0·18	0·12	5·13	2·08	1·23	0·75	0·25	0·09	4·40
Midlands	0·71	1·71	2·18	2·43	2·76	9·79	3·07	1·14	0·53	0·11	0·04	4·89	1·76	1·07	0·48	0·21	0·08	3·59
South	0·71	1·50	2·34	1·86	2·08	8·48	2·39	0·93	0·27	0·27	—	3·84	1·33	0·97	0·27	0·18	0·04	2·78
Wales	1·10	1·70	3·49	3·00	2·50	11·78	3·30	1·40	0·50	0·20	—	5·39	1·60	0·70	0·40	0·20	—	2·90
England and Wales	0·92	2·20	2·98	2·86	3·11	12·07	3·16	1·10	0·44	0·16	0·08	4·94	1·88	1·13	0·60	0·23	0·08	3·92
Other Urban Districts :																		
North	0·57	1·95	2·26	2·67	2·31	9·75	3·36	0·97	0·47	0·22	0·13	5·15	2·96	0·93	0·53	0·18	0·15	4·75
Midlands	0·58	1·43	1·87	2·06	1·55	7·49	2·61	1·06	0·41	0·29	0·11	4·48	2·57	0·75	0·36	0·06	0·01	3·75
South	0·50	1·11	1·39	1·37	1·25	5·63	3·29	0·91	0·60	0·19	0·19	5·19	1·78	0·60	0·24	0·05	—	2·67
Wales	0·62	2·08	2·65	3·14	2·43	10·92	4·07	1·02	0·62	0·27	0·13	6·10	3·58	1·42	0·40	—	0·09	5·48
England and Wales	0·57	1·60	1·99	2·24	1·83	8·23	3·13	1·00	0·49	0·25	0·13	5·00	2·65	0·85	0·40	0·09	0·06	4·05
Rural Districts :																		
North	0·34	1·09	1·68	1·83	1·83	6·77	3·51	1·58	0·53	0·34	0·22	6·18	3·08	0·81	0·53	0·16	0·09	4·66
Midlands	0·65	1·09	1·30	1·26	1·46	5·75	2·96	0·88	0·42	0·14	0·14	4·54	2·65	0·65	0·47	0·05	0·05	3·88
South	0·50	1·09	1·25	1·03	1·09	4·96	3·06	0·84	0·72	0·12	0·09	4·84	1·75	0·78	0·34	0·19	0·06	3·12
Wales	0·92	1·56	2·27	1·85	2·35	8·96	4·05	0·85	0·43	0·28	0·28	5·90	3·13	1·21	0·28	—	—	4·62
England and Wales	0·57	1·14	1·48	1·40	1·55	6·14	3·23	1·03	0·52	0·20	0·16	5·14	2·59	0·78	0·44	0·10	0·06	3·96
Premature birth (161 : 1).						Injury at birth (161 : 2).						Suffocation—in bed or not stated how (180 pt.).						
All Areas :																		
North	18·03	1·66	0·17	0·03	0·00	19·90	2·21	0·02	—	—	—	2·23	0·24	0·14	0·07	0·01	0·01	0·47
Midlands	16·23	1·37	0·18	0·02	0·00	17·81	1·66	0·02	0·00	—	0·00	1·68	0·26	0·24	0·12	0·04	0·00	0·66
South	12·68	1·25	0·18	0·03	0·01	14·14	1·72	0·02	0·01	—	0·01	1·75	0·26	0·19	0·16	0·02	0·03	0·66
Wales	17·41	1·26	0·15	0·06	—	18·89	1·73	0·04	—	0·02	—	1·80	0·24	0·21	0·11	0·02	0·04	0·62
England and Wales	16·03	1·43	0·18	0·03	0·00	17·68	1·87	0·02	0·00	0·00	0·00	1·90	0·25	0·19	0·11	0·02	0·02	0·59
London	12·63	1·34	0·21	0·04	—	14·22	1·60	0·03	0·01	—	0·01	1·66	0·30	0·29	0·22	0·03	0·06	0·90
County Boroughs :																		
North	18·55	1·80	0·21	0·05	0·01	20·61	2·27	0·02	—	—	—	2·29	0·27	0·14	0·10	0·01	0·02	0·53
Midlands	16·77	1·69	0·19	0·01	—	18·66	1·84	0·01	0·01	—	—	1·86	0·29	0·23	0·08	0·01	0·01	0·63
South	12·54	1·41	0·18	—	0·04	14·18	2·25	—	—	—	—	2·25	0·31	0·22	0·18	0·04	—	0·75
Wales	17·17	1·00	0·20	—	—	18·37	1·50	—	—	—	—	1·50	0·20	0·20	—	—	—	0·40
England and Wales	17·34	1·69	0·20	0·03	0·01	19·27	2·10	0·02	0·00	—	—	2·12	0·28	0·18	0·10	0·01	0·01	0·58
Other Urban Districts:																		
North	17·30	1·61	0·13	—	—	19·03	2·15	—	—	—	—	2·15	0·22	0·11	0·06	0·03	—	0·42
Midlands	15·78	1·29	0·18	0·04	—	17·27	1·43	0·04	—	—	—	1·46	0·25	0·22	0·12	0·06	—	0·64
South	13·20	0·79	0·12	0·02	—	14·14	1·63	—	—	—	—	1·63	0·17	0·12	0·10	—	—	0·38
Wales	18·31	1·50	0·13	0·13	—	20·08	1·64	0·04	—	—	—	1·68	0·27	0·18	0·09	0·04	0·04	0·62
England and Wales	16·05	1·32	0·14	0·03	—	17·54	1·72	0·02	—	—	—	1·74	0·23	0·16	0·09	0·04	0·00	0·52
Rural Districts :																		
North	17·65	1·24	0·16	0·03	—	19·08	2·08	0·06	—	—	—	2·14	0·12	0·22	—	—	—	0·34
Midlands	16·22	1·09	0·18	0·02	0·02	17·52	1·77	—	—	—	0·02	1·79	0·26	0·26	0·16	0·04	—	0·72
South	12·23	1·50	0·19	0·03	—	13·95	1·72	0·03	—	—	—	1·75	0·25	0·03	0·09	0·03	0·03	0·44
Wales	16·13	1·07	0·14	—	—	17·34	2·06	0·07	—	0·07	—	2·20	0·21	0·28	0·21	—	0·07	0·78
England and Wales	15·61	1·22	0·17	0·02	0·01	17·03	1·86	0·03	—	0·01	0·01	1·91	0·22	0·20	0·11	0·02	0·01	0·57

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

ALL INFANTS.										ILLEGITIMATE INFANTS.												
DEATHS.								Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.									
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.		
SUMMARY*.																						
6857	7389	6267	7035	6085	4868	4459	42960	31	65	All Areas. England and Wales	57	115	747	486	464	627	513	319	254	3410		
2626	2934	2536	2901	2499	1999	1851	17346	35	76	North	61	125	252	189	178	235	182	138	100	1274		
2174	2340	1962	1998	1639	1330	1176	12619	30	59	Midlands	58	107	229	151	150	157	143	76	67	973		
1509	1501	1241	1570	1512	1174	1105	9612	25	57	South†	50	111	225	101	95	180	163	84	77	925		
548	614	528	566	435	365	327	3383	36	72	Wales	63	118	41	45	41	55	25	21	10	238		
631	618	530	815	918	717	650	4879	25	67	London Administra- tive County.	59	145	122	41	48	103	105	53	49	521		
2525	2701	2452	2879	2650	2033	1940	17180	33	74	County Boroughs. England and Wales	56	126	237	174	162	241	207	144	115	1280		
1453	1550	1491	1766	1634	1246	1212	10352	36	83	North	61	135	146	104	97	143	118	95	70	773		
776	802	664	782	720	568	523	4835	31	66	Midlands	57	118	67	52	46	61	58	31	28	343		
185	230	175	210	184	139	140	1263	26	56	South	38	104	18	14	15	28	26	12	14	127		
111	119	122	121	112	80	65	730	35	73	Wales	43	115	6	4	4	9	5	6	3	37		
2286	2546	2082	2167	1636	1436	1242	13395	31	60	Other Urban Districts. England and Wales	56	103	210	175	139	171	125	78	57	955		
797	966	731	821	620	539	461	4935	35	69	North	61	113	63	64	53	65	38	28	21	332		
812	896	781	768	583	495	427	4762	29	56	Midlands	54	103	82	50	54	59	54	28	27	354		
416	368	309	300	239	194	185	2011	26	48	South	49	80	54	30	14	22	22	12	5	159		
261	316	261	278	194	208	169	1687	37	75	Wales	66	122	11	31	18	25	11	10	4	110		
1415	1524	1203	1174	881	682	627	7506	31	55	Rural Districts. England and Wales	59	99	178	96	115	112	76	44	33	654		
376	418	314	314	245	214	178	2059	34	64	North	59	109	43	21	28	27	26	15	9	169		
586	642	517	448	336	267	226	3022	31	53	Midlands	65	101	80	49	50	37	31	17	12	276		
277	285	227	245	171	124	130	1459	25	46	South	42	76	31	16	18	27	10	7	9	118		
176	179	145	167	129	77	93	966	36	69	Wales	67	114	24	10	19	21	9	5	3	91		

* The Counties in the four sections North, Midlands, South and Wales, are shewn in footnote || to Table 14.

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

ALL INFANTS.										Area.	ILLEGITIMATE INFANTS.										
DEATHS.									Deaths per 1,000 Live Births.		DEATHS.										
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	
GREATER LONDON AND METROPOLITAN BOROUGHES.																					
1132	1083	956	1307	1308	1050	918	7754	25	61	Greater London* ..	56	135	175	67	67	145	150	76	69	749	
631	618	530	815	918	717	650	4879	25	67	London :— Administrative Co.	59	145	122	41	48	103	105	53	49	521	
2	—	—	1	1	1	—	5	24	61	London, City of ..	154	231	2	—	—	1	—	—	—	3	
—	—	—	—	—	—	—	—	—	—	The Inner & Middle Temples.	—	—	—	—	—	—	—	—	—	—	
24	27	21	20	33	27	24	176	26	64	Battersea	24	73	2	1	—	1	1	3	1	9	
16	15	19	26	30	33	40	179	22	79	Bermondsey	54	179	3	—	—	3	2	—	2	10	
19	17	16	19	34	26	27	158	24	74	Bethnal Green ..	68	186	3	—	1	1	3	1	2	11	
29	33	31	42	47	38	35	255	22	62	Camberwell	74	115	8	1	—	—	1	1	3	14	
9	3	—	7	9	7	4	39	15	48	Chelsea	27	68	1	1	—	2	—	1	—	5	
23	10	13	26	23	19	25	139	25	76	Deptford	87	130	6	—	—	2	—	1	—	9	
14	11	12	15	26	24	22	124	25	84	Finsbury	74	176	3	—	2	2	3	1	1	12	
15	22	26	44	37	24	18	186	26	78	Fulham	55	173	4	1	2	6	5	3	1	22	
11	11	11	19	18	19	7	96	19	56	Greenwich	60	119	2	1	1	3	1	—	—	8	
33	28	29	41	53	30	22	236	26	68	Hackney	97	331	9	2	1	9	13	4	3	41	
22	27	20	28	26	16	17	156	31	69	Hammersmith ..	35	97	3	1	1	3	3	3	—	14	
13	5	2	12	13	6	3	54	20	54	Hampstead.. ..	139	278	7	3	1	4	5	1	1	22	
3	4	2	7	6	4	1	27	19	57	Holborn	—	54	—	—	—	1	1	—	—	2	
55	51	31	60	76	57	41	371	24	64	Islington	44	133	4	3	4	3	11	3	5	33	
24	27	21	45	39	38	24	218	28	85	Kensington.. ..	91	212	7	8	7	12	9	4	4	51	
44	58	26	40	45	51	44	308	26	61	Lambeth	53	113	8	5	4	6	5	5	3	36	
23	32	14	22	31	15	21	158	23	52	Lewisham	70	128	3	2	1	2	2	—	1	11	
28	22	18	31	30	27	30	186	31	85	Paddington	67	159	12	1	4	6	6	4	7	40	
26	23	29	42	45	38	28	231	24	72	Poplar	44	165	2	1	1	5	3	2	1	15	
13	7	14	17	19	17	18	105	26	80	St. Marylebone ..	54	108	3	—	5	4	1	2	1	16	
31	28	25	57	41	41	39	262	25	79	St. Pancras.. ..	70	152	10	4	3	10	7	2	1	37	
19	17	19	29	37	20	23	164	26	78	Shoreditch	27	67	1	—	1	1	1	—	1	5	
31	30	24	46	37	44	34	246	24	71	Southwark	37	110	3	1	2	2	5	3	2	18	
28	42	31	48	76	56	48	329	22	73	Stepney	40	206	2	3	—	7	6	4	4	26	
11	9	8	6	5	4	4	47	36	61	Stoke Newington ..	69	69	2	—	—	—	—	—	—	2	
32	37	39	35	38	18	30	229	23	50	Wandsworth	26	122	2	—	3	3	8	3	5	24	
15	10	9	11	23	6	7	81	25	59	Westminster	57	88	6	1	2	1	3	1	—	14	
18	12	20	19	20	11	14	114	22	50	Woolwich	115	180	4	1	2	3	—	1	—	11	

* Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution see Census of England and Wales, 1921, Preliminary Report, pp. 58, 59.(Cmd. 1485.)

TABLE 13.—continued. INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.							
1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGHES.																				
ENGLAND.																				
22	25	24	18	22	12	9	132	45	84	Barnsley	47	70	2	1	1	1	—	—	1	6
16	7	14	11	12	5	7	72	33	63	Barrow-in-Furness ..	53	105	2	—	—	—	2	—	—	4
7	9	3	3	9	5	4	40	22	47	Bath	22	43	—	1	—	—	1	—	—	2
27	37	34	44	36	30	27	235	34	80	Birkenhead	41	131	3	1	1	3	2	2	4	16
93	169	144	178	160	151	117	1112	29	64	Birmingham	55	116	15	8	9	9	11	8	7	67
14	31	22	26	22	12	12	139	39	80	Blackburn	58	128	1	1	3	2	1	2	1	11
12	12	11	15	12	8	10	80	32	72	Blackpool	—	70	—	—	—	3	2	2	—	7
17	23	29	32	26	24	17	168	26	64	Bolton	37	75	1	2	1	3	1	—	—	8
22	29	20	28	32	30	25	186	41	107	Bootle	63	203	2	1	1	—	3	4	2	13
8	20	6	13	8	2	4	61	31	55	Bournemouth	42	104	2	—	2	3	3	—	—	10
50	64	38	69	43	22	26	312	34	71	Bradford	63	117	8	3	4	4	4	3	2	28
18	17	18	17	13	7	12	102	26	50	Brighton	20	85	1	1	1	4	3	2	1	13
61	65	58	60	49	30	52	375	29	59	Bristol	57	92	9	3	1	3	2	3	—	21
15	21	27	18	16	13	9	119	42	79	Burnley	87	130	1	3	4	—	1	2	1	12
9	14	8	9	4	6	7	57	34	63	Burton-upon-Trent ..	71	143	—	—	2	1	—	—	1	4
6	17	13	14	4	7	6	67	48	90	Bury	73	171	1	1	1	2	—	1	1	7
3	2	3	1	2	—	1	12	22	32	Canterbury	77	77	—	—	1	—	—	—	—	1
24	18	9	12	8	5	5	81	47	75	Carlisle	68	95	3	1	1	—	2	—	—	7
7	7	3	10	2	5	7	41	24	59	Chester	—	37	—	—	—	1	—	—	—	1
27	39	27	19	14	16	12	154	40	66	Coventry	96	164	2	2	3	2	—	1	2	12
26	30	12	37	28	31	16	180	20	53	Croydon	27	190	1	2	1	9	10	3	2	28
15	21	9	8	6	6	2	67	39	59	Darlington	45	75	1	1	1	—	1	1	—	5
36	25	19	14	34	16	16	160	33	66	Derby	89	167	4	1	3	1	2	1	3	15
13	12	12	7	4	6	3	57	43	67	Dewsbury	47	116	1	—	1	2	—	1	—	5
7	11	12	4	7	4	5	50	28	47	Doncaster	—	24	—	—	—	—	—	1	—	1
10	12	17	9	12	12	8	80	32	65	Dudley	—	33	—	—	—	—	—	1	—	1
7	7	8	2	—	3	4	31	30	43	Eastbourne	44	67	1	—	1	—	—	—	1	3
19	15	13	21	11	19	11	109	21	49	East Ham	20	59	1	—	—	—	1	1	—	3
7	12	5	15	14	6	7	66	25	69	Exeter	54	107	2	1	—	1	1	1	—	6
30	22	37	36	48	27	35	235	32	86	Gateshead	76	162	3	2	3	—	4	4	1	17
8	6	10	15	10	4	6	59	28	69	Gloucester	42	63	1	—	1	—	1	—	—	3
5	13	10	11	7	5	6	57	32	65	Gt. Yarmouth	63	83	—	2	1	—	—	—	1	4
13	19	19	21	20	19	22	133	30	78	Grimsby	56	121	2	2	2	1	1	3	2	13
15	19	13	14	12	5	7	85	37	67	Halifax	39	92	1	2	—	2	1	—	1	7
5	5	7	5	6	6	6	40	23	53	Hastings	22	44	1	—	—	—	1	—	—	2
25	20	21	13	7	8	9	103	43	67	Huddersfield	49	82	2	—	1	1	—	—	1	5
10	10	11	13	9	10	6	69	22	48	Ipswich	32	48	1	1	—	—	—	—	1	3
65	58	63	98	91	59	50	484	30	79	Kingston-upon-Hull ..	41	103	5	6	1	7	6	4	1	30
96	102	88	102	94	72	52	606	37	79	Leeds	107	176	17	18	7	7	10	6	4	69
33	55	36	49	63	20	27	283	31	71	Leicester	41	102	—	7	3	5	8	—	2	25
9	11	11	6	9	10	1	57	32	58	Lincoln	88	140	2	1	2	1	2	—	—	8
05	193	226	308	326	257	281	1796	33	94	Liverpool	54	158	19	16	13	28	23	21	19	139
64	140	149	206	228	147	145	1179	35	91	Manchester	50	147	15	5	12	20	16	15	12	95
28	52	41	39	50	32	45	287	38	89	Middlesbrough	57	134	6	—	3	8	4	—	—	21
71	81	52	73	71	55	49	452	38	83	Newcastle-on-Tyne ..	72	161	4	9	3	9	8	3	—	36
15	13	7	12	9	9	7	72	27	55	Northampton	68	119	2	1	1	2	1	—	—	7
8	31	12	16	6	6	3	82	25	41	Norwich	20	30	—	2	—	1	—	—	—	3
64	60	54	73	74	49	35	409	38	87	Nottingham	68	144	9	7	7	12	11	1	2	49
28	31	33	37	17	18	17	181	45	89	Oldham	98	136	3	5	5	2	1	—	2	18
5	4	6	7	5	2	3	32	18	38	Oxford	—	54	—	—	—	2	—	—	—	2
37	43	40	37	33	23	37	250	35	72	Plymouth	52	115	1	4	4	3	1	2	5	20
34	32	36	45	40	29	29	245	23	55	Portsmouth	32	84	4	1	3	4	4	3	2	21
24	26	29	35	29	12	19	174	41	91	Preston	75	151	2	2	3	2	3	1	1	14
10	20	14	17	15	3	3	82	30	55	Reading	53	107	2	2	—	3	1	—	—	8
12	19	14	17	16	10	6	94	36	75	Rochdale	13	65	—	1	—	3	—	1	—	5
10	6	23	19	14	10	11	93	29	69	Rotherham	20	82	—	—	1	—	1	—	2	4
32	38	46	35	30	27	29	237	48	99	St. Helens	48	129	—	1	2	2	1	1	1	8
63	53	60	68	74	55	63	436	42	105	Salford	83	191	8	1	4	2	5	5	5	30
94	115	115	83	70	76	65	618	38	73	Sheffield	81	139	10	8	6	8	5	3	1	41
14	15	11	11	16	10	12	89	28	63	Smethwick	81	135	1	1	1	1	1	—	—	5
23	33	23	18	16	24	17	154	26	50	Southampton	55	102	3	2	2	1	1	1	3	13
16	8	11	7	12	5	8	67	23	45	Southend-on-Sea	51	152	2	2	—	2	5	1	—	12
12	15	7	8	15	7	5	69	37	75	Southport	70	140	3	1	—	—	1	1	2	8
28	39	30	54	33	29	13	226	39	92	South Shields	58	115	2	1	3	2	1	3	—	12
15	24	24	23	16	20	19	141	35	77	Stockport	28	99	1	—	1	2	—	2	1	7
77	74	55	92	57	71	54	480	37	87	Stoke-on-Trent	67	156	8	6	1	6	3	7	4	35

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

ALL INFANTS.										Area.	ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.			Deaths per 1,000 Live Births.		DEATHS							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
COUNTY BOROUGHES—continued.																				
61	60	52	61	53	46	38	371	41	88	Sunderland..	58	135	4	2	4	7	3	3	—	23
12	16	17	17	18	15	13	108	36	88	Tynemouth..	130	259	3	1	3	2	3	—	2	14
9	9	11	6	11	6	8	60	29	60	Wakefield ..	60	160	3	—	—	—	2	1	2	8
11	13	3	9	6	8	6	56	19	40	Wallasey ..	18	54	—	1	—	1	—	1	—	3
32	36	33	21	24	13	28	187	50	92	Walsall ..	94	151	—	1	4	1	2	—	—	8
16	14	13	17	8	14	18	100	28	64	Warrington..	65	97	1	1	—	1	—	—	—	3
19	21	18	28	20	12	8	126	34	75	West Bromwich ..	29	176	1	—	—	5	—	—	—	6
57	47	46	65	69	47	49	380	25	64	West Ham ..	70	145	6	4	2	4	4	3	2	25
19	19	12	23	14	10	11	108	33	72	West Hartlepool ..	83	100	—	3	2	—	1	—	—	6
20	24	19	31	23	21	15	153	38	93	Wigan ..	104	229	2	2	1	5	—	1	—	11
29	34	21	20	21	19	17	161	32	61	Wolverhampton ..	53	96	1	1	3	1	2	1	—	9
7	6	7	5	5	7	8	45	26	57	Worcester ..	—	86	—	—	—	1	1	—	1	3
21	7	16	18	8	11	13	94	28	59	York ..	88	100	6	1	—	1	—	—	—	8
WALES.																				
38	46	44	61	53	46	27	315	31	77	Cardiff ..	45	135	2	2	3	6	3	4	1	21
19	23	18	22	9	8	15	114	49	93	Merthyr Tydfil ..	114	257	2	1	1	1	1	1	2	9
17	18	22	15	21	13	11	117	33	69	Newport, Mon. ..	20	41	1	—	—	—	1	—	—	2
37	32	38	23	29	13	12	184	36	61	Swansea ..	24	60	1	1	—	2	—	1	—	5

ADMINISTRATIVE COUNTIES.

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

ENGLAND.																				
13	19	14	14	4	6	8	78	24	41	Bedford ..	U.D.	31	61	2	—	1	1	1	—	6
12	21	12	8	7	6	3	69	36	56	..	R.D.	83	188	3	—	1	2	1	2	9
6	5	10	10	5	5	8	49	19	44	Berks ..	U.D.	35	35	1	—	1	—	—	—	2
19	17	11	9	14	9	8	87	22	40	..	R.D.	63	81	6	1	—	1	—	1	9
18	12	17	10	10	8	5	80	30	51	Bucks ..	U.D.	80	160	3	—	1	2	2	—	8
23	26	18	15	13	13	10	118	29	51	..	R.D.	61	111	3	2	1	1	2	2	11
10	6	7	7	8	3	1	42	30	54	Cambs ..	U.D.	94	156	1	—	2	1	1	—	5
10	18	12	11	10	6	3	70	35	62	..	R.D.	39	98	—	—	2	2	—	1	5
67	84	75	72	44	41	40	423	33	61	Cheshire ..	U.D.	69	107	7	8	3	7	1	1	28
20	42	18	22	21	20	15	158	26	51	..	R.D.	65	103	4	2	1	2	1	1	11
24	13	16	10	8	14	7	92	27	46	Cornwall ..	U.D.	45	60	5	1	—	1	1	—	8
21	34	29	29	29	20	13	175	31	65	..	R.D.	63	125	4	2	3	4	1	2	18
20	29	23	27	19	11	8	137	32	61	Cumberland	U.D.	63	109	1	3	4	2	2	2	14
21	16	19	11	13	10	10	100	36	65	..	R.D.	110	147	7	2	6	2	1	2	20
50	64	54	63	44	44	36	355	30	64	Derby ..	U.D.	65	118	4	5	7	5	4	3	29
70	59	59	48	39	37	33	345	34	62	..	R.D.	90	152	10	4	6	6	5	2	34
36	35	22	22	12	14	21	162	32	56	Devon ..	U.D.	63	69	4	4	2	—	—	1	11
28	27	19	29	17	15	16	151	22	46	..	R.D.	39	59	3	2	1	2	—	1	9
19	23	20	18	11	9	5	105	32	54	Dorset ..	U.D.	37	74	2	1	1	2	—	2	8
16	19	11	9	8	7	6	76	25	41	..	R.D.	21	42	1	1	—	1	—	1	4
150	188	112	139	132	96	70	887	40	79	Durham ..	U.D.	69	138	10	13	7	14	8	5	60
136	135	117	97	95	79	71	730	44	83	..	R.D.	55	126	8	4	9	8	12	6	48
10	7	2	6	6	5	10	46	23	55	Ely, I. of ..	U.D.	61	143	2	1	—	2	—	—	7
8	7	7	6	10	3	2	43	33	64	..	R.D.	20	78	1	—	—	2	—	—	4
114	128	102	116	80	78	76	694	26	53	Essex ..	U.D.	66	131	14	6	5	7	7	5	50
48	29	40	40	27	17	19	220	25	48	..	R.D.	66	122	10	1	4	5	6	2	28
19	18	16	14	10	6	11	94	34	60	Gloucester ..	U.D.	48	72	1	2	1	1	1	—	6
30	39	30	21	20	18	18	176	29	51	..	R.D.	78	106	6	1	4	—	2	1	15
2	6	5	8	3	6	4	34	20	53	Hereford ..	U.D.	—	43	—	—	—	1	—	1	2
14	12	6	9	7	3	4	55	25	44	..	R.D.	75	75	2	1	2	—	—	—	5
42	46	25	32	15	13	10	183	29	46	Hertford ..	U.D.	35	70	—	2	3	3	—	1	10
23	14	10	8	10	5	4	74	28	43	..	R.D.	85	141	2	3	1	3	1	—	10
3	7	2	2	1	—	—	15	26	32	Huntingdon	U.D.	36	36	—	1	—	—	—	—	3
4	8	4	4	2	1	1	24	33	49	..	R.D.	94	94	1	2	—	—	—	—	1
112	101	94	83	83	61	57	591	25	48	Kent ..	U.D.	47	84	9	12	5	8	7	4	46
53	39	32	39	29	19	15	226	24	43	..	R.D.	37	84	3	3	2	6	2	1	18
254	310	225	268	202	186	166	1611	35	71	Lancs ..	U.D.	52	118	17	14	12	14	15	14	98
43	47	32	34	28	17	15	216	33	58	..	R.D.	54	69	3	1	3	—	1	—	9
23	20	19	19	11	8	12	112	30	55	Leicester ..	U.D.	148	148	6	2	4	—	—	—	12
26	35	29	25	24	16	14	169	30	56	..	R.D.	54	99	3	1	2	1	3	1	11
3	8	2	3	7	4	2	29	17	37	Lincs, Holland	U.D.	—	20	—	—	—	—	—	1	1
6	17	10	8	4	6	5	56	32	54	..	R.D.	59	78	—	3	—	—	—	1	4
9	10	6	7	3	6	3	44	35	62	Lincs, Kesteven	U.D.	64	106	—	1	2	1	—	1	5
18	17	8	8	11	7	4	73	36	61	..	R.D.	41	81	1	1	1	1	2	—	6
18	20	23	16	11	14	10	112	29	53	Lincs, Lindsey	U.D.	63	101	6	3	1	2	1	2	16
19	22	20	18	12	17	4	112	24	45	..	R.D.	38	71	4	1	1	2	1	2	11
189	176	187	190	149	119	84	1094	26	51	Middlesex ..	U.D.	44	100	20	8	9	16	15	6	84
14	10	12	15	9	10	4	74	25	52	..	R.D.	71	125	1	1	2	1	—	2	7
15	8	5	6	7	5	10	56	29	58	Norfolk ..	U.D.	62	92	2	1	1	1	—	—	6
42	60	39	36	30	22	11	240	33	56	..	R.D.	65	80	4	7	6	1	1	1	21

TABLE 13.—continued. INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS)
IN ADMINISTRATIVE AREAS, 1928.

ALL INFANTS.												ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.	Area.	Deaths per 1,000 Live Births.	DEATHS.										
1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.		Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	
ADMINISTRATIVE COUNTIES—continued.																					
17	12	15	9	11	8	4	76	30	53	Northants ..	U.D.	48	65	1	2	—	1	—	—	—	
14	24	12	8	5	7	8	78	29	45	Northants ..	R.D.	71	107	3	1	2	—	—	3	9	
70	68	77	67	50	59	29	420	37	72	North'berland	U.D.	98	139	10	8	6	5	3	2	34	
18	19	7	14	11	5	7	81	27	50	North'berland	R.D.	51	120	5	1	—	1	1	2	14	
44	82	62	45	47	25	27	332	38	67	Notts ..	U.D.	61	116	3	3	6	2	4	2	23	
40	42	19	30	14	17	14	176	34	59	Notts ..	R.D.	53	98	6	1	—	2	3	1	13	
7	3	1	5	1	3	—	20	16	29	Oxford ..	U.D.	22	65	1	—	—	1	1	—	3	
16	12	14	15	2	3	4	66	27	42	Oxford ..	R.D.	91	91	1	2	3	—	—	—	6	
2	9	5	1	5	7	4	33	29	59	Peterborough,	U.D.	—	120	—	—	—	—	2	1	3	
	3	1	—	—	2	—	6	17	25	Soke of	R.D.	—	—	—	—	—	—	—	—	—	
1	—	—	1	—	—	—	2	21	42	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	
3	1	4	1	1	—	—	10	38	47	Rutland ..	R.D.	300	300	2	—	1	—	—	—	3	
16	19	28	14	9	15	7	108	33	57	Salop ..	U.D.	26	61	—	—	3	1	3	—	7	
24	33	25	19	14	11	5	131	37	59	Salop ..	R.D.	38	76	2	1	3	3	2	1	12	
21	21	12	24	15	11	10	114	23	49	Somerset ..	U.D.	27	55	2	—	1	1	1	—	6	
24	30	26	18	21	16	20	155	22	43	Somerset ..	R.D.	38	76	—	1	4	2	3	—	10	
27	37	25	23	19	18	10	159	25	44	Southants. ..	U.D.	41	68	4	1	1	1	2	1	10	
42	41	42	38	16	9	10	198	30	47	Southants. ..	R.D.	40	69	3	3	4	6	1	—	17	
01	127	101	98	87	74	59	647	33	65	Staffs ..	U.D.	97	149	12	10	6	5	6	2	43	
36	42	39	32	29	13	22	213	30	55	Staffs ..	R.D.	96	114	6	8	2	1	1	—	19	
14	10	12	15	8	3	7	69	27	51	Suffolk, East	U.D.	19	19	—	1	—	—	—	—	1	
19	21	17	11	9	5	6	88	29	45	Suffolk, East	R.D.	46	55	2	2	1	1	—	—	6	
9	11	7	3	2	4	2	38	47	66	Suffolk, West	U.D.	29	29	—	—	1	—	—	—	1	
9	12	10	4	5	1	1	42	32	44	Suffolk, West	R.D.	—	22	—	—	—	—	—	—	1	
06	85	63	66	53	37	39	449	27	47	Surrey ..	U.D.	58	97	19	5	1	6	8	2	42	
27	24	14	18	8	7	10	108	27	45	Surrey ..	R.D.	68	103	4	2	2	2	—	1	12	
16	20	9	12	11	8	9	85	28	54	Sussex, East	U.D.	60	83	3	1	1	1	1	1	7	
13	12	9	15	8	8	13	78	19	43	Sussex, East	R.D.	39	78	1	1	2	—	1	1	8	
17	11	12	6	6	6	4	62	29	44	Sussex, West	U.D.	58	72	2	2	—	—	1	—	5	
11	16	9	10	5	3	6	60	23	39	Sussex, West	R.D.	35	47	3	—	—	1	—	—	4	
34	25	26	21	21	8	8	143	33	55	Warwick ..	U.D.	52	115	3	1	1	2	3	1	11	
37	42	38	32	15	15	16	195	33	55	Warwick ..	R.D.	85	99	4	5	3	1	—	—	14	
5	4	—	2	5	—	2	18	23	46	Westmorland	U.D.	71	71	1	—	—	—	—	—	1	
7	10	4	5	3	2	—	31	34	51	Westmorland	R.D.	125	188	—	2	2	1	—	1	6	
6	6	9	10	5	4	2	42	28	55	Wight, I. of	U.D.	39	118	1	1	—	2	1	—	6	
4	6	4	4	3	—	—	21	35	52	Wight, I. of	R.D.	50	100	1	—	—	1	—	—	2	
26	11	17	16	11	7	13	101	26	48	Wilts ..	U.D.	51	82	2	2	1	—	—	1	8	
19	20	21	27	13	11	13	124	22	45	Wilts ..	R.D.	16	57	2	—	—	2	1	1	7	
29	43	38	43	23	23	27	226	33	67	Worcester ..	U.D.	14	72	1	1	—	4	3	1	10	
21	16	22	16	7	6	11	99	34	56	Worcester ..	R.D.	67	101	3	1	2	1	1	—	9	
8	16	11	11	4	8	5	63	32	57	Yorks, E.R.	U.D.	51	92	2	2	1	3	—	—	9	
11	18	16	21	9	6	3	84	26	48	Yorks, E.R.	R.D.	72	153	5	1	2	5	3	—	17	
41	37	32	48	28	21	21	228	34	70	Yorks, N.R.	U.D.	27	53	1	1	3	4	1	—	10	
24	33	20	15	11	11	11	125	32	52	Yorks, N.R.	R.D.	37	80	1	3	2	2	2	1	13	
82	230	176	187	136	117	120	1148	32	63	Yorks, W.R.	U.D.	61	104	14	15	17	16	8	4	78	
96	98	81	95	54	64	46	534	32	62	Yorks, W.R.	R.D.	47	81	10	5	3	6	2	5	31	
WALES.																					
3	1	2	2	1	2	1	12	22	43	Anglesey ..	U.D.	—	111	—	—	—	2	—	—	2	
11	8	6	8	4	2	3	42	50	84	Anglesey ..	R.D.	163	204	3	1	4	2	—	—	10	
9	2	3	5	4	2	1	26	45	83	Brecon ..	U.D.	56	56	—	—	1	—	—	—	1	
11	11	4	11	7	6	2	52	36	71	Brecon ..	R.D.	77	103	3	—	—	—	—	—	4	
8	15	10	10	8	8	1	60	37	67	Caernarvon..	U.D.	92	108	—	5	1	1	—	—	7	
9	9	10	13	12	4	4	61	31	68	Caernarvon..	R.D.	30	76	1	—	1	2	1	—	5	
3	1	3	1	4	—	—	12	37	64	Cardigan ..	U.D.	—	—	—	—	—	—	—	—	—	
8	7	4	3	4	3	2	31	35	58	Cardigan ..	R.D.	—	43	—	—	—	2	—	—	2	
14	19	8	17	9	7	5	79	33	64	Carmarthen	U.D.	23	91	—	1	—	2	1	—	4	
27	21	25	25	23	10	11	142	40	78	Carmarthen	R.D.	106	129	4	2	3	1	—	1	11	
9	14	11	8	7	7	7	63	43	80	Denbigh ..	U.D.	125	200	—	3	2	2	—	—	8	
18	34	24	27	19	16	18	156	41	84	Denbigh ..	R.D.	45	134	1	1	3	5	3	—	15	
7	7	8	6	5	9	8	50	27	61	Flint ..	U.D.	59	59	—	2	—	—	—	—	2	
10	10	15	12	8	7	7	69	31	61	Flint ..	R.D.	49	82	1	—	2	—	1	—	5	
45	175	119	148	90	104	95	876	40	80	Glamorgan ..	U.D.	72	140	7	14	7	14	5	6	54	
49	42	26	39	31	19	26	232	31	62	Glamorgan ..	R.D.	65	108	5	3	1	3	1	2	15	
6	4	10	9	3	2	2	36	61	109	Merioneth ..	U.D.	154	192	2	1	1	—	—	—	5	
4	6	6	5	6	—	7	34	37	80	Merioneth ..	R.D.	74	111	2	1	1	2	—	—	6	
50	65	81	64	60	61	44	425	34	74	Monmouth ..	U.D.	48	110	2	3	5	4	3	4	23	
14	13	7	7	4	4	4	53	40	62	Monmouth ..	R.D.	81	135	2	—	1	1	—	1	5	
1	4	2	2	—	1	—	10	27	38	Montgomery	U.D.	100	100	—	1	1	—	—	—	2	
4	9	7	7	5	1	2	35	36	64	Montgomery	R.D.	48	95	—	1	1	1	1	—	4	
4	7	2	5	3	5	4	30	19	43	Pembroke ..	U.D.	32	65	—	1	—	—	—	—	2	
8	4	7	5	4	5	7	4														

**TABLE 14.—Population, Births, Deaths, Infant Mortality, Natural Increase, 1928.—
Counties, County Boroughs, Municipal Boroughs and Urban Districts,
Rural Districts.**

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns (See Section "Population" in Text). In the case of districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Particulars of the changes of boundary will be found in Table AA, Part II. The births and deaths exclude stillbirths. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the parents. Deaths of non-civilians have been excluded from local areas throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ALL AREAS:														
England & Wales.	39,482,000	322,035	308,530	15,147	14,555	660,267	16.7	235,542§	224,847	460,389§	11.7†	42,960	65	5.0
North ..	13,136,950	111,901	107,312	5,199	5,014	229,426	17.5	83,363	78,178	161,541	12.3†	17,346	76	5.2
Midlands..	12,769,380	105,621	100,799	4,603	4,495	215,518	16.9	70,864	68,239	139,103	10.9†	12,619	59	6.0
South† ..	10,888,360	81,701	78,557	4,297	4,072	168,627	15.5	64,044	63,353	127,397	11.8†	9,612	57	3.7
Wales ..	2,687,310	22,812	21,862	1,048	974	46,696	17.4	16,845	15,077	31,922	11.9†	3,383	72	5.5
London ..	4,469,000	35,070	33,683	1,920	1,679	72,352	16.2	27,754	26,141	53,895	12.1†	4,879	67	4.1
COUNTY BORO'S:														
England & Wales.	13,242,790*	112,793	107,895	5,121	5,043	230,852	17.4	83,107	78,415	161,522	12.2†	17,180	74	5.2
North ..	7,006,980*	61,222	58,334	2,892	2,815	125,263	17.9	46,825	43,202	90,027	12.9†	10,352	83	5.0
Midlands..	4,197,930*	35,711	34,314	1,437	1,472	72,934	17.4	24,238	22,954	47,192	11.2†	4,835	66	6.2
South ..	1,472,460*	10,932	10,482	619	607	22,640	15.4	8,477	9,221	17,698	12.3†	1,263	56	3.1
Wales ..	565,420	4,928	4,765	173	149	10,015	17.7	3,567	3,038	6,605	11.7†	730	73	6.0
OTHER URBAN DISTRICTS:														
England & Wales.	13,664,750*	108,123	104,314	4,789	4,512	221,738	16.2	77,682	76,205	153,887	11.3†	13,395	60	4.9
North ..	4,327,850*	34,966	34,058	1,524	1,425	71,973	16.6	26,361	25,475	51,836	12.0†	4,935	69	4.6
Midlands..	5,197,990*	41,955	40,156	1,806	1,642	85,559	16.5	27,469	26,925	54,394	10.5†	4,762	56	6.0
South ..	2,848,890*	20,135	19,460	989	1,011	41,595	14.6	15,795	16,669	32,464	11.6†	2,011	48	3.0
Wales ..	1,290,020*	11,067	10,640	470	434	22,611	17.5	8,057	7,136	15,193	11.8†	1,687	75	5.7
RURAL DISTS.:														
England & Wales.	8,105,460*	66,049	62,638	3,317	3,321	135,325	16.7	46,573	44,086	90,659	11.3†	7,506	55	5.4
North ..	1,802,120*	15,713	14,920	783	774	32,190	17.9	10,177	9,501	19,678	11.0†	2,059	64	6.9
Midlands..	3,373,460*	27,955	26,329	1,360	1,381	57,025	16.9	19,157	18,360	37,517	11.2†	3,022	53	5.7
South ..	2,098,010*	15,564	14,932	769	775	32,040	15.3	12,018	11,322	23,340	11.3†	1,459	46	4.0
Wales ..	831,870*	6,817	6,457	405	391	14,070	16.9	5,221	4,903	10,124	12.2†	966	69	4.7

† Death-rates based upon estimated civilian populations as follows:—All Areas—North, 13,125,920; Midlands, 12,742,810; South, 10,767,200; Wales, 2,685,070. London, 4,458,200. County Boroughs—England and Wales, 13,202,940*; North, 7,003,500*; Midlands, 4,196,460*; South, 1,438,000*; Wales, 564,980. Other Urban Districts—England and Wales, 13,602,860*; North, 4,326,070; Midlands, 5,188,070*; South, 2,799,810*; Wales, 1,288,910*; Rural Districts—England and Wales, 8,057,100*; North, 1,796,350*; Midlands, 3,358,280*; South, 2,071,190*; Wales, 831,180.*

* Populations adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows:—County Boroughs—England and Wales, 13,273,390 (Total), 13,233,540 (Civilian); North, 7,021,810 (Total), 7,018,330 (Civilian); Midlands, 4,211,700 (Total), 4,210,230 (Civilian); South, 1,474,460 (Total), 1,440,000 (Civilian). Other Urban Districts—England and Wales, 13,680,320 (Total), 13,618,280 (Civilian); North, 4,324,120 (Total), 4,322,340 (Civilian); Midlands, 5,209,920 (Total), 5,199,850 (Civilian); South, 2,855,900 (Total), 2,806,820 (Civilian); Wales, 1,290,380 (Total), 1,289,270 (Civilian). Rural Districts—England and Wales, 8,059,290 (Total), 8,010,980 (Civilian); North, 1,791,020 (Total), 1,785,250 (Civilian); Midlands, 3,347,760 (Total), 3,332,730 (Civilian); South, 2,089,000 (Total), 2,062,180 (Civilian); Wales, 831,510 (Total), 830,820 (Civilian).

‡ Including London.

§ Including 426 deaths of non-civilians.

|| The counties in the four areas: North, Midlands, South and Wales, are as follows:—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
„ East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Pembrokeshire.
„ North Riding.	Northamptonshire.	Worcestershire.	„ West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland.	Bedfordshire.	Rutlandshire.	Berkshire.	Montgomeryshire.
Westmorland.	Cambridgeshire.	Lincolnshire.	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	„ Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	„ Lindsey.	Cornwall.	Caernarvonshire.
	„ West.	Nottinghamshire.	Somersetshire.	Anglesey.
	Norfolk.	Derbyshire.		

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth.)														
BEDFORDSHIRE :														
ADMINISTRATIVE COUNTY.														
213,770	1,569	1,417	81	65	3,132	14.7	1,151	1,198	2,349	11.1†	147	47	3.6	
URBAN DISTRICTS														
133,850*	944	849	53	45	1,891	14.1	705	721	1,426	10.7†	78	41	3.4	
Amphill ..	2,227	13	11	—	—	24	10.8	11	21	32	14.4	3	125	—3.6
Bedford M.B. . .	41,780	264	225	20	14	523	12.5	234	218	452	10.8	27	52	1.7
Biggleswade ..	6,103	49	46	3	2	100	16.4	28	29	57	9.3	2	20	7.1
Dunstable M.B. .	8,760	55	60	2	5	122	13.9	49	67	116	13.2	4	33	0.7
Kempston ..	5,177	46	28	1	—	75	14.5	36	30	66	13.1†	4	53	1.4
Leighton Buzzard.	6,390	39	48	3	2	92	14.4	37	38	75	11.7	2	22	2.7
Luton M.B. ..	60,230*	454	409	23	21	907	15.1	288	300	588	9.8	34	37	5.3
Sandy ..	3,183	24	22	1	1	48	15.1	22	18	40	12.6	2	42	2.5
RURAL DISTRICTS														
79,920*	625	568	28	20	1,241	15.5	446	477	923	11.8†	69	56	3.7	
Amphill ..	19,280	147	136	5	4	292	15.1	107	139	246	12.8	21	72	2.3
Bedford ..	20,510	148	160	6	5	319	15.6	105	127	232	11.3	14	44	4.3
Biggleswade ..	20,440	149	125	7	4	285	13.9	117	107	224	11.8†	17	60	2.1
Eaton Bray ..	3,775	32	32	3	—	67	17.7	24	20	44	11.7	1	15	6.0
Eaton Socon ..	3,235	28	19	—	—	47	14.5	18	19	37	11.4	2	43	3.1
Luton ..	12,680*	121	96	7	7	231	18.2	75	65	140	11.0	14	61	7.2
BERKSHIRE :														
COUNTY BORO'S :														
Reading ..	97,190	739	675	39	36	1,489	15.3	560	590	1,150	11.9†	82	55	3.4
ADMINISTRATIVE COUNTY.														
216,310	1,569	1,532	88	80	3,269	15.1	1,178	1,130	2,308	10.8†	136	42	4.3	
URBAN DISTRICTS														
72,430	543	506	30	27	1,106	15.3	398	404	802	11.2†	49	44	4.1	
Abingdon M.B.	7,391	68	45	3	4	120	16.2	41	32	73	9.9	4	33	6.3
Maidenhead M.B.	17,540	122	146	12	9	289	16.5	109	80	189	10.8	16	55	5.7
Newbury M.B.	13,850	93	91	5	4	193	13.9	82	84	166	12.0	9	47	1.9
New Windsor M.B.	19,780	158	142	6	8	314	15.9	97	128	225	12.0†	14	45	3.9
Wallingford M.B.	2,837	16	16	—	1	33	11.6	22	19	41	14.5	1	30	—2.9
Vantage ..	3,941	23	31	1	—	55	14.0	17	24	41	10.4	3	55	3.6
Wokingham M.B.	7,091	63	35	3	1	102	14.4	30	37	67	9.4	2	20	5.0
RURAL DISTRICTS														
143,880	1,026	1,026	58	53	2,163	15.0	780	726	1,506	10.5†	87	40	4.5	
Abingdon ..	12,140	115	106	6	6	233	19.2	56	63	119	9.8	5	21	9.4
Bradfield ..	14,470	88	105	7	4	204	14.1	59	86	145	10.0	4	20	4.1
Hookham ..	15,200	96	116	13	4	229	15.1	85	78	163	10.7	9	39	4.4
Easthampstead	19,380	115	108	5	4	232	12.0	128	94	222	11.9†	7	30	0.1
Faringdon (part of)†	10,110	79	73	3	6	161	15.9	65	62	127	12.6	8	50	3.3
Jungerford ..	9,242	78	83	2	6	169	18.3	48	52	100	10.8	11	65	7.5
Newbury ..	11,700	90	71	3	2	166	14.2	86	54	140	12.0	9	54	2.2
Wallingford ..	9,548	79	81	3	—	163	17.1	34	41	75	8.0†	8	49	9.1
Vantage ..	12,450	95	117	10	6	228	18.3	71	59	130	10.4	9	39	7.9
Windsor ..	10,430	57	56	2	5	120	11.5	60	46	106	10.2	6	50	1.3
Wokingham ..	19,210	134	110	4	10	258	13.4	88	91	179	9.3	11	43	4.1

† Death-rates based upon estimated civilian populations as follows :—Bedfordshire—Administrative County, 212,100; Urban Districts, 133,700*; Kempston U.D., 5,027; Rural Districts, 78,400*; Biggleswade R.D., 18,920; Berkshire—Reading B., 97,020; Administrative County, 214,400; Urban Districts, 71,440; New Windsor M.B., 18,790. Rural Districts, 2,960; Easthampstead R.D., 18,580; Wallingford, R.D., 9,428.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Bedfordshire—Urban Districts, 137,450 (Total), 137,300 (Civilian); Luton M.B., 63,830; Rural Districts, 76,320 (Total), 74,800 (Civilian); Luton R.D., 9,080.

† The remainder of Faringdon Rural District is in Gloucestershire.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE ADMINISTRATIVE COUNTY.	257,910	1,882	1,857	75	74	3,888	15.1	1,408	1,399	2,807	11.0†	198	51	4.1
URBAN DISTRICTS.	107,020*	760	758	26	24	1,568	14.7	550	567	1,117	10.4	80	51	4.3
Aylesbury M.B.	13,100	103	98	6	3	210	16.0	62	71	133	10.2	9	43	5.8
Beaconsfield ..	4,311	26	17	1	1	45	10.4	20	19	39	9.0	5	111	1.4
Bletchley ..	6,134	50	45	2	—	97	15.8	29	32	61	9.9	5	52	5.9
Buckingham M.B.	2,921	18	15	1	—	34	11.6	21	26	47	16.1	5	147	-4.5
Chepping Wy- combe M.B.	25,360*	208	199	6	7	420	16.6	128	115	243	9.6	14	33	7.0
Chesham	8,862	64	79	1	2	146	16.5	49	47	96	10.8	11	75	5.7
Eton	3,462	18	15	1	—	34	9.8	9	12	21	6.1	1	29	3.7
Linslade	2,281	13	13	—	—	26	11.4	17	16	33	14.5	1	38	-3.1
Marlow	5,246	43	42	1	3	89	17.0	31	37	68	13.0	5	56	4.0
Newport Pag- nell.	3,933	18	26	2	1	47	12.0	25	28	53	13.5	3	64	-1.5
Slough	17,850	130	143	4	4	281	15.7	87	88	175	9.8	14	50	5.9
Wolverton ..	13,560	69	66	1	3	139	10.3	72	76	148	10.9	7	50	-0.6
RURAL DISTRICTS.	150,890*	1,122	1,099	49	50	2,320	15.4	858	832	1,690	11.5†	118	51	3.9
Amersham ..	27,120	203	193	7	12	415	15.3	128	136	264	9.7	18	43	5.6
Aylesbury ..	21,950	151	131	5	7	294	13.4	116	119	235	12.7†	16	54	0.7
Buckingham ..	7,607	55	53	1	1	110	14.5	39	39	78	10.3	2	18	4.2
Eton	35,850	303	307	18	15	643	17.9	183	172	355	9.9	34	53	8.0
Hambleden ..	1,936	11	15	—	1	27	13.9	11	10	21	10.8	—	—	3.1
Long Crendon..	3,780	41	33	2	2	78	20.6	34	16	50	13.2	4	51	7.4
Newport Pag- nell.	14,210	84	91	5	4	184	12.9	91	94	185	13.0	9	49	-0.1
Wing	5,361	26	31	1	1	59	11.0	42	40	82	15.3	4	68	-4.3
Winslow	6,216	40	34	1	—	75	12.1	44	43	87	14.0	6	80	-1.9
Wycombe ..	26,860*	208	211	9	7	435	16.2	170	163	333	12.4	25	57	3.8
CAMBRIDGESHIRE: ADMINISTRATIVE COUNTY	133,510	915	909	46	37	1,907	14.3	817	766	1,583	11.9†	112	59	2.4
URBAN DISTRICT: Cambridge M.B.	60,860	360	385	18	14	777	12.8	339	328	667	11.0	42	54	1.8
RURAL DISTRICTS.	72,650	555	524	28	23	1,130	15.6	478	438	916	12.6†	70	62	3.0
Caxton and Arrington.	7,554	44	57	4	4	109	14.4	48	46	94	12.4	5	46	2.0
Chesterton ..	25,730	206	174	10	6	396	15.4	142	147	289	11.2	21	53	4.2
Linton	9,704	80	69	6	6	161	16.6	88	59	147	15.5†	10	62	1.1
Melbourn ..	8,130	52	41	4	2	99	12.2	52	53	105	12.9	6	61	-0.7
Newmarket ..	18,970	156	169	4	5	334	17.6	129	117	246	13.0	24	72	4.6
Swavesey ..	2,562	17	14	—	—	31	12.1	19	16	35	13.7	4	129	-1.6
CHESHIRE: COUNTY BORO'S	425,330*	3,425	3,154	141	135	6,855	16.1	2,618	2,486	5,104	12.0	473	69	4.1
Birkenhead ..	157,900*	1,458	1,343	65	57	2,923	18.5	1,033	913	1,946	12.3	235	80	6.2
Chester	40,830	357	312	12	15	696	17.0	232	235	467	11.4	41	59	5.6
Stockport ..	127,600	924	830	40	31	1,825	14.3	814	817	1,631	12.8	141	77	1.5
Wallasey	99,000*	686	669	24	32	1,411	14.3	539	521	1,060	10.7	56	40	3.6

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire—Administrative County, 254,400; Rural Districts, 147,380*; Aylesbury R.D., 18,440; Cambridgeshire—Administrative County, 133,300; Rural Districts, 72,440; Linton R.D. 9,494.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Buckinghamshire—Urban Districts, 107,650; Chepping Wycombe M.B., 25,990; Rural Districts, 150,260 (Total), 146,750 (Civilian); Wycombe R.D., 26,230. Cheshire—County Boroughs, 428,730; Birkenhead C.B., 159,200; Wallasey C.B., 101,100.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
ADMINISTRATIVE COUNTY.	666,680*	4,937	4,663	201	167	9,968	15.0	3,818	3,702	7,520	11.3†	581	58	3.7
URBAN DISTRICTS	456,540	3,411	3,210	143	118	6,882	15.1	2,704	2,658	5,362	11.7	423	61	3.4
Alderley Edge	3,069	19	18	3	—	40	13.0	18	14	32	10.4	3	75	2.6
Alsager	2,840	14	12	1	—	27	9.5	11	21	32	11.3	1	37	-1.8
Altrincham ..	21,780	154	135	8	9	306	14.0	138	139	277	12.7	18	59	1.3
Ashton-upon- Mersey.	8,153	62	54	—	—	116	14.2	46	46	92	11.3	7	60	2.9
Bebington and Bromborough	23,720	211	198	6	4	419	17.7	110	102	212	8.9	19	45	8.8
Bollington ..	5,361	30	33	3	1	67	12.5	30	24	54	10.1	4	60	2.4
Bowdon	2,978	13	20	2	—	35	11.8	19	15	34	11.4	—	—	0.4
Bredbury and Romiley.	10,030	64	50	1	—	115	11.5	69	64	133	13.3	3	26	-1.8
Buglawton ..	1,871	13	10	1	—	24	12.8	6	7	13	6.9	1	42	5.9
Cheadle and Gatley.	14,840	80	106	1	7	194	13.1	59	80	139	9.4	10	52	3.7
Compstall ..	922	6	5	—	1	12	13.0	1	9	10	10.8	1	83	2.2
Congleton M.B.	11,990	112	108	5	3	228	19.0	89	97	186	15.5	14	61	3.5
Crewe M.B. ..	47,550	379	362	14	5	760	16.0	294	241	535	11.3	42	55	4.7
Dukinfield M.B.	19,380	146	142	6	4	298	15.4	110	125	235	12.1	25	84	3.3
Ellesmere Port and Whitby.	17,580	214	216	5	3	438	24.9	76	73	149	8.5	28	64	16.4
Hale	9,898	66	47	2	6	121	12.2	51	50	101	10.2	4	33	2.0
Handforth ..	1,100	6	3	—	—	9	8.2	8	7	15	13.6	1	111	-5.4
Hazel Grove and Bramhall.	11,900	83	60	3	2	148	12.4	79	62	141	11.8	10	68	0.6
Hollingworth ..	2,345	16	13	1	1	31	13.2	17	9	26	11.1	—	—	2.1
Hoole	5,740	42	35	1	2	80	13.9	28	31	59	10.3	6	75	3.6
Hoyle and West Kirby	17,790	87	69	6	6	168	9.4	98	90	188	10.6	11	65	-1.2
Hyde M.B. ..	32,440	223	212	13	10	458	14.1	214	237	451	13.9	25	55	0.2
Knutsford ..	4,945	35	28	3	3	69	14.0	35	28	63	12.7	7	101	1.3
Lymm	5,790	31	43	—	2	76	13.1	26	29	55	9.5	5	66	3.6
Macclesfield M.B.	35,000	213	246	15	12	486	13.9	214	265	479	13.7	36	74	0.2
Marple	6,951	27	36	2	2	67	9.6	37	42	79	11.4	4	60	-1.8
Middlewich ..	5,646	49	47	2	1	99	17.5	35	19	54	9.6	5	51	7.9
Mottram-in- Longendale.	2,776	11	11	1	—	23	8.3	19	25	44	15.9	1	43	-7.6
Nantwich ..	7,148	60	54	4	2	120	16.8	63	46	109	15.2	13	108	1.6
Neston and Parkgate	5,485	52	37	—	1	90	16.4	34	35	69	12.6	3	33	3.8
Northwich ..	18,870	184	160	5	7	356	18.9	111	97	208	11.0	25	70	7.9
Runcorn	18,700	184	162	2	5	353	18.9	122	79	201	10.7	26	74	8.2
Sale	16,460	119	116	5	5	245	14.9	107	106	213	12.9	15	61	2.0
Sandbach ..	6,132	55	55	3	—	113	18.4	36	20	56	9.1	5	44	9.3
Stalybridge M.B.	24,580	170	165	10	7	352	14.3	166	179	345	14.0	23	65	0.3
Tarporley ..	2,427	14	14	1	1	30	12.4	14	19	33	13.6	6	200	-1.2
Wilmslow ..	9,436	60	42	3	3	108	11.4	46	54	100	10.6	2	19	0.8
Winsford ..	11,300	94	79	4	3	180	15.9	57	61	118	10.4	10	56	5.5
Yeardsley-cum- Whaley	1,617	13	7	1	—	21	13.0	11	11	22	13.6	4	190	-0.6

† Death-rate based upon estimated civilian population of 666,400.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Cheshire Administrative County, 663,280 (Total), 663,000 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
RURAL DISTRICTS	210,140*	1,526	1,453	58	49	3,086	14.7	1,114	1,044	2,158	10.3†	158	51	4.4
Bucklow.. ..	24,760	168	169	7	8	352	14.2	124	127	251	10.1	19	54	4.1
Chester	15,870	118	113	3	4	238	15.0	65	68	133	8.5†	14	59	6.5
Congleton	13,260	91	109	5	2	207	15.6	68	68	136	10.3	10	48	5.3
Disley	3,093	22	14	—	—	36	11.6	25	18	43	13.9	—	—	—2.3
Macclesfield ..	19,330	145	113	2	5	265	13.7	103	98	201	10.4	11	42	3.3
Malpas	4,432	36	42	2	3	83	18.7	33	20	53	12.0	7	84	6.7
Nantwich	26,400	191	199	8	5	403	15.3	133	155	288	10.9	18	45	4.4
Northwich	26,260	201	176	9	2	388	14.8	152	145	297	11.3	28	72	3.8
Runcorn.. ..	30,580	225	195	8	6	434	14.2	180	129	309	10.1	18	41	4.1
Tarvin	13,480	103	108	5	6	222	16.5	85	78	163	12.1	15	68	4.4
Tintwistle	2,055	16	11	—	—	27	13.1	14	10	24	11.7	1	37	1.4
Wirral	30,620*	210	204	9	8	431	14.1	132	128	260	8.5	17	39	5.6
CORNWALL :														
ADMINISTRATIVE COUNTY.	317,960	2,244	2,165	130	147	4,686	14.7	2,038	2,151	4,189	13.2†	267	57	1.5
URBAN DISTRICTS	142,190	954	906	64	69	1,993	14.0	894	1,009	1,903	13.4†	92	46	0.6
Bodmin M.B. ..	5,184	21	29	4	3	57	11.0	22	28	50	10.0†	—	—	1.0
Callington	1,867	13	8	2	1	24	12.9	15	14	29	15.5	4	167	—2.6
Camborne	14,530	100	113	6	8	227	15.6	82	102	184	12.7	16	70	2.9
Falmouth M.B.	13,600	85	88	3	4	180	13.2	88	84	172	12.6	11	61	0.6
Fowey M.B. ..	2,116	10	12	—	2	24	11.3	14	9	23	10.9	2	83	0.4
Hayle	948	5	3	1	—	9	9.5	10	19	29	30.6	2	222	—21.1
Helston M.B. ..	2,622	19	19	2	3	43	16.4	24	16	40	15.3	8	186	1.1
Launceston M.B.	3,976	29	22	—	2	53	13.3	24	28	52	13.1	2	38	0.2
Liskeard M.B.	4,161	17	18	3	—	38	9.1	17	33	50	12.0	1	26	—2.9
Looe	2,856	14	17	—	—	31	10.9	17	21	38	13.3	—	—	—2.4
Lostwithiel M.B.	1,306	6	9	1	4	20	15.3	8	12	20	15.3	—	—	—
Ludgvan.. ..	1,847	21	15	2	—	38	20.6	11	12	23	12.5	1	26	8.1
Madron	3,463	21	19	—	3	43	12.4	16	19	35	10.1	—	—	2.3
Newquay	5,802	29	26	6	2	63	10.9	27	41	68	11.7	1	16	—0.8
Padstow	1,682	7	9	—	—	16	9.5	8	4	12	7.1	—	—	2.4
Paul	5,479	42	49	1	—	92	16.8	37	32	69	12.6	4	43	4.2
Penryn M.B. ..	3,132	34	34	2	1	71	22.7	23	17	40	12.8	2	28	9.9
Penzance M.B.	11,510	72	58	7	8	145	12.6	76	103	179	15.6	1	7	—3.0
Phillack	3,206	32	28	2	3	65	20.3	26	28	54	16.8	3	46	3.5
Redruth	8,824	72	67	3	5	147	16.7	62	79	141	16.0	7	48	0.7
St. Austell	8,290	63	45	2	4	114	13.8	45	58	103	12.4	3	26	1.4
St. Ives M.B. ..	6,609	36	45	3	3	87	13.2	48	44	92	13.9	5	57	—0.7
St. Just	5,127	52	37	1	3	93	18.1	40	45	85	16.6	6	65	1.5
Saltash M.B. ..	3,466	22	18	2	—	42	12.1	22	26	48	13.8	3	71	—1.7
Stratton and Bude.	3,548	31	17	3	1	52	14.7	20	27	47	13.2	3	58	1.5
Torpoint.. ..	4,129	31	27	1	2	61	14.8	29	24	53	12.8	1	16	2.0
Truro M.B. ..	10,500	57	62	5	7	131	12.5	65	71	136	13.0	2	15	—0.8
Wadebridge ..	2,410	13	12	2	—	27	11.2	18	13	31	12.9	4	148	—1.7
RURAL DISTRICTS	175,770	1,290	1,259	66	78	2,693	15.3	1,144	1,142	2,286	13.0	175	65	2.8
Bodmin	10,280	83	81	6	2	172	16.7	71	52	123	12.0	9	52	4.7
Calstock	4,544	29	33	—	1	63	13.9	32	26	58	12.8	8	127	1.1
Camelford	7,818	67	69	3	2	141	18.0	47	39	86	11.0	10	71	7.0

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 209,860*; Chester R.D. 15,590; Cornwall—Administrative County, 317,800; Urban Districts, 142,030; Bodmin M.B., 5,024.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Cheshire—Rural Districts, 206,740 (Total), 206,460 (Civilian); Wirral R.D., 27,220.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CORNWALL—cont.														
RURAL DISTRICTS —cont.														
East Kerrier ..	9,256	66	64	1	1	132	14.3	58	52	110	11.9	9	68	2.4
Helston	16,910	103	96	10	9	218	12.9	99	120	219	13.0	14	64	-0.1
Holsworthy (part of)†	361	2	5	—	—	7	19.4	1	3	4	11.1	—	—	8.3
Launceston ..	7,073	44	57	4	5	110	15.6	42	37	79	11.2	9	82	4.4
Liskeard ..	14,690	104	111	9	5	229	15.6	97	92	189	12.9	8	35	2.7
Redruth	17,430	146	145	9	9	309	17.7	127	133	260	14.9	24	78	2.8
St. Austell ..	26,770	219	222	6	12	459	17.1	191	152	343	12.8	29	63	4.3
St. Columb Major.	12,320	77	81	2	7	167	13.6	74	65	139	11.3	11	66	2.3
St. Germans ..	11,380	94	83	5	7	189	16.6	78	76	154	13.5	11	58	3.1
Scilly, Isles of..	1,805	9	11	1	1	22	12.2	16	10	26	14.4	2	91	-2.2
Stratton	5,183	40	38	2	1	81	15.6	36	36	72	13.9	7	86	1.7
Truro	19,400	129	109	5	11	254	13.1	120	158	278	14.3	15	59	-1.2
West Penwith	10,550	78	54	3	5	140	13.3	55	91	146	13.8	9	64	-0.5
CUMBERLAND :														
COUNTY BORO' :														
Carlisle	56,380	548	463	35	39	1,085	19.2	383	377	760	13.5†	81	75	5.7
ADMINISTRATIVE COUNTY	210,600	1,804	1,714	133	131	3,782	18.0	1,328	1,269	2,597	12.3	237	63	5.7
URBAN DISTRICTS	116,960	1,078	1,028	62	66	2,234	19.1	759	718	1,477	12.6	137	61	6.5
Arlecdon and Frizington.	4,790	45	41	3	4	93	19.4	37	31	68	14.2	10	108	5.2
Aspatria	3,536	28	17	—	2	47	13.3	14	28	42	11.9	2	43	1.4
Cleator Moor ..	7,403	63	60	6	5	134	18.1	46	38	84	11.3	7	52	6.8
Cockermouth ..	4,658	23	34	3	4	64	13.7	32	34	66	14.2	3	47	-0.5
Egremont ..	6,249	68	43	2	2	115	18.4	40	39	79	12.6	4	35	5.8
Harrington ..	4,354	41	34	—	3	78	17.9	24	30	54	12.4	6	77	5.5
Holme Cultram	4,987	45	37	4	6	92	18.4	26	30	56	11.2	6	65	7.2
Keswick	4,075	30	24	2	5	61	15.0	35	43	78	19.1	6	98	-4.1
Maryport ..	10,830	96	116	4	1	217	20.0	74	74	148	13.7	14	65	6.3
Millom	7,442	68	44	4	7	123	16.5	49	49	98	13.2	3	24	3.3
Penrith	8,006	66	74	5	7	152	19.0	47	49	96	12.0	2	13	7.0
Whitehaven M.B.	21,190	253	249	14	6	522	24.6	140	113	253	11.9	35	67	12.7
Wigton	3,640	26	33	4	2	65	17.9	25	30	55	15.1	6	92	2.8
Workington M.B.	25,800	226	222	11	12	471	18.3	170	130	300	11.6	33	70	6.7
RURAL DISTRICTS	93,640	726	686	71	65	1,548	16.5	569	551	1,120	12.0	100	65	4.5
Alston with Garrigill.	2,670	13	14	1	1	29	10.9	19	21	40	15.0	3	103	-4.1
Bootle	5,803	32	39	2	2	75	12.9	29	34	63	10.9	4	53	2.0
Brampton ..	7,706	48	46	9	8	111	14.4	70	60	130	16.9	9	81	-2.5
Carlisle	11,750	77	82	7	7	173	14.7	71	89	160	13.6	11	64	1.1
Cockermouth ..	22,000	180	164	17	14	375	17.0	122	105	227	10.3	25	67	6.7
Longtown ..	6,101	50	52	3	4	109	17.9	39	26	65	10.7	3	28	7.2
Penrith	11,740	106	90	13	12	221	18.8	66	74	140	11.9	21	95	6.9
Whitehaven ..	14,870	117	118	9	4	248	16.7	90	70	160	10.8	17	69	5.9
Wigton	11,000	103	81	10	13	207	18.8	63	72	135	12.3	7	34	6.5

† Death-rate based upon estimated civilian population of 56,170.

‡ The remainder of Holsworthy Rural District is in Devonshire.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE :														
COUNTY BORO' :														
Derby	139,100*	1,167	1,162	44	46	2,419	17·4	788	734	1,522	11·0†	160	66	6·4
ADMINISTRATIVE COUNTY.	624,100*	5,505	5,138	242	227	11,112	17·8	3,323	3,046	6,369	10·2	700	63	7·6
URBAN DISTRICTS	322,620*	2,703	2,580	126	120	5,529	17·1	1,789	1,625	3,414	10·6	355	64	6·5
Alfreton	21,710	191	166	6	6	369	17·0	110	91	201	9·3	28	76	7·7
Alvaston and Boulton.	2,301*	35	27	1	2	65	28·2	21	14	35	15·2	7	108	13·0
Ashbourne ..	4,537	35	23	2	2	62	13·7	32	26	58	12·8	3	48	0·9
Bakewell ..	3,165	24	18	1	3	46	14·5	13	19	32	10·1	2	43	4·4
Baslow and Bubnell.	861	2	7	—	1	10	11·6	1	9	10	11·6	—	—	—
Belper	13,100	102	122	4	1	229	17·5	77	78	155	11·8	19	83	5·7
Bolsover ..	12,830	147	117	2	5	271	21·1	68	55	123	9·6	26	96	11·5
Bonsall	1,214	5	12	—	1	18	14·8	13	13	26	21·4	2	111	—6·6
Brampton and Walton.	2,236	11	16	1	1	29	13·0	13	12	25	11·2	1	34	1·8
Buxton M.B. ..	17,400	105	114	6	6	231	13·3	92	92	184	10·6	9	39	2·7
Chesterfield M.B.	65,630	631	575	28	27	1,261	19·2	346	321	667	10·2	84	67	9·0
Clay Cross ..	8,811	98	80	6	2	186	21·1	59	41	100	11·3	10	54	9·8
Dronfield ..	4,488	38	35	2	—	75	16·7	31	27	58	12·9	10	133	3·8
Glossop M.B. ..	19,640	128	117	7	6	258	13·1	121	136	257	13·1	20	78	—
Heage	4,448	29	45	2	—	76	17·1	21	19	40	9·0	6	79	8·1
Heanor	22,780	172	199	13	10	394	17·3	111	97	208	9·1	24	61	8·2
Ikinston M.B.	33,000	300	287	12	15	614	18·6	192	143	335	10·2	37	60	8·4
Long Eaton ..	21,600	167	165	11	7	350	16·2	116	107	223	10·3	11	31	5·9
New Mills ..	8,945	59	51	4	1	115	12·9	59	38	97	10·8	7	61	2·1
North Darley	4,084	20	31	1	1	53	13·0	18	20	38	9·3	—	—	3·7
Ripley	14,000	115	100	2	4	221	15·8	74	62	136	9·7	12	54	6·1
South Darley	661	2	6	—	—	8	12·1	8	5	13	19·7	1	125	—7·6
Swadlincote District.	21,350	193	188	7	7	395	18·5	113	108	221	10·4	27	68	8·1
The Matlocks	9,894	63	63	7	8	141	14·3	54	59	113	11·4	4	28	2·9
Wirksworth ..	3,935	31	16	1	4	52	13·2	26	33	59	15·0	5	96	—1·8
RURAL DISTRICTS	301,480*	2,802	2,558	116	107	5,583	18·5	1,534	1,421	2,955	9·8	345	62	8·7
Ashbourne ..	10,590	79	81	5	4	169	16·0	55	63	118	11·1	9	53	4·9
Bakewell ..	18,810	140	136	8	2	286	15·2	105	113	218	11·6	9	31	3·6
Belper	25,090*	206	183	9	6	404	16·1	117	108	225	9·0	22	54	7·1
Blackwell ..	44,640	496	476	25	24	1,021	22·9	228	200	428	9·6	77	75	13·3
Chapel-en-le- Frith.	16,490	113	107	4	—	224	13·6	76	76	152	9·2	8	36	4·4
Chesterfield ..	85,000	899	808	36	47	1,790	21·1	465	383	848	10·0	136	76	11·1
Clowne	18,760	180	179	7	5	371	19·8	84	79	163	8·7	17	46	11·1
Glossop Dale ..	3,887	18	22	2	2	44	11·3	27	28	55	14·1	2	45	—2·8
Hartshorn and Seals.	8,805	70	68	4	4	146	16·6	45	49	94	10·7	7	48	5·9
Hayfield	4,352	30	33	2	2	67	15·4	24	31	55	12·6	3	45	2·8
Norton	5,286	33	28	1	1	63	11·9	33	29	62	11·7	3	48	0·2
Repton	18,350	180	135	5	2	322	17·5	80	86	166	9·0	11	34	8·5
Shardlow ..	37,070*	314	266	8	6	594	16·0	175	157	332	9·0	36	61	7·0
Sudbury	2,569	29	20	—	2	51	19·9	11	12	23	9·0	4	78	10·9

† Death-rate based upon estimated civilian population of 138,900.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Derbyshire—Derby C.B., 140,800 (Total), 140,600 (Civilian); Administrative County, 622,400; Urban Districts, 322,380; Alvaston and Boulton U.D., 2,061; Rural Districts, 300,020; Belper R.D., 24,960; Shardlow R.D., 35,740.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE—cont.														
RURAL DISTRICTS —cont.														
Civil Parishes of Codnor Park & Shipley. Ad- ministered by R.D. Council of Basford (Notts).	1,781	15	16	—	—	31	17.4	9	7	16	9.0	1	32	8.4
DEVONSHIRE :														
COUNTY BORO'S	270,930	2,162	2,041	109	121	4,433	16.4	1,656	1,667	3,323	13.0†	316	71	3.4
Exeter	62,030	463	437	23	33	956	15.4	368	405	773	12.6†	66	69	2.8
Plymouth ..	208,900	1,699	1,604	86	88	3,477	16.6	1,288	1,262	2,550	13.1†	250	72	3.5
ADMINISTRATIVE COUNTY.	442,550	3,041	2,833	141	171	6,186	14.0	2,734	2,847	5,581	12.7†	313	51	1.3
URBAN DISTRICTS	216,750*	1,412	1,299	76	84	2,871	13.2	1,327	1,534	2,861	13.2†	162	56	—
Ashburton ..	2,446	16	18	1	2	37	15.1	20	16	36	14.7	4	108	0.4
Axminster ..	2,247	18	15	1	—	34	15.1	10	13	23	10.2	3	88	4.9
Bampton ..	1,449	14	11	—	—	25	17.3	15	6	21	14.5	2	80	2.8
Barnstaple M.B.	14,230	109	83	6	5	203	14.3	86	97	183	12.9	14	69	1.4
Bideford M.B.	9,044	51	58	5	4	118	13.0	54	46	100	11.1	7	59	1.9
Brixham ..	8,027	59	55	2	1	117	14.6	64	55	119	14.8	5	43	—0.2
Buckfastleigh	2,355	13	18	1	2	34	14.4	16	21	37	15.7	1	29	—1.3
Budleigh	2,870	17	7	—	—	24	8.4	14	30	44	15.3	1	42	—6.9
Salterton.														
Crediton	3,488	18	20	—	2	40	11.5	23	36	59	16.9	1	25	—5.4
Dartmouth M.B.	7,211	50	40	—	—	90	12.5	34	28	62	9.5†	3	33	3.0
Dawlish	4,473	23	22	—	—	45	10.1	20	30	50	11.2	4	89	—1.1
Exmouth	14,280	89	82	7	5	183	12.8	97	110	207	14.5	12	66	—1.7
Great Torrington M.B.	3,052	11	14	3	1	29	9.5	16	18	34	11.1	4	138	—1.6
Holsworthy ..	1,429	7	14	—	—	21	14.7	9	7	16	11.2	1	48	3.5
Honiton M.B. ..	3,097	24	11	1	2	38	12.3	13	22	35	11.3	—	—	1.0
Ilfracombe ..	9,067	53	47	1	3	104	11.5	52	60	112	12.4	5	48	—0.9
Ivybridge ..	1,721	13	12	1	—	26	15.1	11	15	26	15.1	3	115	—
Kingsbridge ..	2,836	12	19	1	—	32	11.3	10	23	33	11.6	3	94	—0.3
Lynton	1,641	10	12	2	—	24	14.6	12	10	22	13.4	2	83	1.2
Newton Abbot	14,630	115	94	9	6	224	15.3	93	79	172	11.8	11	49	3.5
Northam ..	5,859	48	30	2	3	83	14.2	25	35	60	10.2	3	36	4.0
Okehampton M.B.	3,307	25	20	1	3	49	14.8	13	9	22	6.7	—	—	8.1
Ottery St. Mary	3,563	26	31	2	2	61	17.1	27	34	61	17.1	4	66	—
Paignton ..	16,640	100	78	6	9	193	11.6	96	121	217	13.0	13	67	—1.4
Salcombe ..	2,183	10	9	1	—	20	9.2	11	23	34	15.6	2	100	—6.4
Seaton ..	1,988	8	7	—	—	15	7.5	9	16	25	12.6	1	67	—5.1
Sidmouth ..	5,443	33	29	2	3	67	12.3	33	39	72	13.2	2	30	—0.9
South Molton.. M.B.	2,603	16	15	—	—	31	11.9	18	20	38	14.6	1	32	—2.7

† Death-rates based upon estimated civilian populations as follows :—Devonshire—County Boroughs, 256,040 ; Exeter C.B., 61,540 ; Plymouth C.B., 194,500 ; Administrative County, 440,700 ; Urban Districts, 216,060* ; Dartmouth M.B., 6,521.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Devonshire Urban Districts, 217,090 (Total), 216,400 (Civilian).

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928.)	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—cont.														
URBAN DISTRICTS —cont.														
Tavistock ..	4,348	28	15	2	2	47	10·8	27	32	59	13·6	1	21	—2·8
Teignmouth ..	9,809	54	67	4	5	130	13·3	57	81	138	14·1	7	54	—0·8
Tiverton M.B.	9,158	56	58	1	3	118	12·9	66	79	145	15·8	10	85	—2·9
Torquay M.B. ..	38,170*	255	269	14	19	557	14·6	252	295	547	14·3	28	50	0·3
Totnes M.B. ..	4,086	31	19	—	2	52	12·7	24	28	52	12·7	4	77	—
RURAL DISTRICTS :	225,800*	1,629	1,534	65	87	3,315	14·7	1,407	1,313	2,720	12·1†	151	46	2·6
Axminster ..	10,500	84	82	2	2	170	16·2	72	47	119	11·3	5	29	4·9
Barnstaple ..	18,450	135	95	7	9	246	13·3	122	118	240	13·0	12	49	0·3
Bideford ..	5,889	46	52	2	3	103	17·5	28	30	58	9·8	3	29	7·7
Broadwood Widger	2,174	19	21	—	1	41	18·9	15	14	29	13·3	1	24	5·6
Crediton ..	10,140	83	82	3	7	175	17·3	63	64	127	12·5	9	51	4·8
Culmstock ..	3,198	34	22	1	—	57	17·8	23	25	48	15·0	2	35	2·8
Holsworthy (part of)†	6,831	52	48	1	6	107	15·7	36	47	83	12·2	5	47	3·5
Honiton ..	9,295	74	71	3	—	148	15·9	60	61	121	13·0	10	68	2·9
Kingsbridge ..	11,300	84	76	1	5	166	14·7	70	72	142	12·6	8	48	2·1
Newton Abbot	21,280*	142	151	3	5	301	14·1	152	133	285	13·4	13	43	0·7
Okehampton ..	13,580	95	101	3	8	207	15·2	89	83	172	12·8†	13	63	2·4
Plympton St. Mary	25,780	181	174	12	7	374	14·5	143	126	269	10·8†	18	48	3·7
St. Thomas ..	27,240	183	167	6	9	365	13·4	155	148	303	11·1	11	30	2·3
South Molton ..	9,970	74	70	2	4	150	15·0	57	67	124	12·4	7	47	2·6
Tavistock ..	15,470	94	96	6	7	203	13·1	107	85	192	12·4	10	49	0·7
Tiverton ..	14,190	107	93	6	7	213	15·0	88	83	171	12·1	7	33	2·9
Torrington ..	8,383	59	53	3	4	119	14·2	49	45	94	11·2	6	50	3·0
Totnes ..	12,130	83	80	4	3	170	14·0	78	65	143	11·8	11	65	2·2
DORSETSHIRE :														
ADMINISTRATIVE COUNTY.	239,660	1,810	1,791	105	98	3,804	15·9	1,411	1,401	2,812	12·0†	181	48	3·9
URBAN DISTRICTS	128,830	895	928	50	58	1,931	15·0	740	747	1,487	11·9†	105	54	3·1
Blandford Forum M.B.	3,026	19	24	2	1	46	15·2	21	15	36	11·9	6	130	3·3
Bridport M.B.	5,724	39	38	2	2	81	14·2	32	34	66	11·5	5	62	2·7
Dorchester M.B.	9,822	72	62	4	7	145	14·8	59	66	125	13·0†	7	48	1·8
Lyme Regis M.B.	2,370	9	13	—	1	23	9·7	11	15	26	11·0	1	43	—1·3
Poole M.B. ..	52,940	409	434	30	30	903	17·1	308	309	617	11·7	46	51	5·4
Portland ..	13,520	96	96	2	1	195	14·4	66	56	122	12·1†	8	41	2·3
Shaftesbury M.B.	2,574	12	18	—	—	30	11·7	14	18	32	12·4	5	167	—0·7
Sherborne ..	6,540	31	34	—	—	65	9·9	40	31	71	10·9	2	31	—1·0
Swanage ..	5,750	35	24	—	—	59	10·3	18	43	61	10·6	3	51	—0·3
Wareham M.B.	2,134	18	22	2	1	43	20·1	18	16	34	15·9	5	116	4·2
Weymouth and Melcombe Regis M.B.	20,750	132	134	6	12	284	13·7	132	116	248	12·0	11	39	1·7
Wimborne Min- ster	3,680	23	29	2	3	57	15·5	21	28	49	13·3	6	105	2·2
RURAL DISTRICTS :	110,830	915	863	55	40	1,873	16·9	671	654	1,325	12·1†	76	41	4·8
Beaminster ..	8,361	60	59	4	3	126	15·1	48	49	97	11·6	5	40	3·5
Blandford ..	7,843	60	55	3	3	121	15·4	55	54	109	13·9	7	58	1·5

† Death-rates based upon estimated civilian populations as follows :—Devonshire—Rural Districts, 224,640.* Okehampton R.D. 13,400; Plympton St. Mary R.D., 24,800. Dorsetshire—Administrative County, 234,700; Urban Districts, 125,200; Dorchester M.B., 9,622; Portland U.D., 10,090; Rural Districts, 109,500.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Devonshire—Torquay M.B., 38,510; Rural Districts, 225,460 (Total), 224,300 (Civilian); Newton Abbot R.D., 20,940.

† The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE —cont.														
RURAL DISTRICTS —cont.														
Bridport	7,035	51	42	2	4	99	14.1	31	61	92	13.1	3	30	1.0
Cerne	4,285	33	30	4	1	68	15.9	27	23	50	11.7	2	29	4.2
Dorchester	8,756	63	50	3	7	123	14.0	36	36	72	8.2	6	49	5.8
Poole	11,260	136	113	5	—	254	22.6	58	65	123	10.9	8	31	11.7
Shaftesbury	9,498	66	80	3	2	151	15.9	57	58	115	12.1	6	40	3.8
Sherborne	5,322	40	40	2	1	83	15.6	38	32	70	13.2	2	24	2.4
Sturminster	7,880	66	66	6	—	138	17.5	59	56	115	14.6	6	43	2.9
Wareham and Purbeck.	14,410	135	112	5	5	257	17.8	74	74	148	11.3†	10	39	6.5
Weymouth	10,190	82	102	8	5	197	19.3	73	48	121	11.9	6	30	7.4
Wimborne and Cranborne.	15,990	123	114	10	9	256	16.0	115	98	213	13.3	15	59	2.7
DURHAM :														
COUNTY BORO'S	564,360*	5,971	5,593	264	243	12,071	21.4	3,942	3,457	7,399	13.1	1,007	83	8.3
Darlington	71,560	563	510	32	35	1,140	15.9	404	342	746	10.4	67	59	5.5
Gateshead	123,100	1,337	1,306	55	50	2,748	22.3	859	773	1,632	13.3	235	86	9.0
South Shields.. ..	121,800	1,232	1,132	59	45	2,468	20.3	920	778	1,698	13.9	226	92	6.4
Sunderland	178,100*	2,078	1,957	91	80	4,206	23.6	1,311	1,119	2,430	13.6	371	88	10.0
West Hartlepool	69,800	761	688	27	33	1,509	21.6	448	445	893	12.8	108	72	8.8
ADMINISTRATIVE COUNTY.	949,300*	9,709	9,514	429	388	20,040	21.1	5,855	5,087	10,942	11.5	1,617	81	9.6
URBAN DISTRICTS	530,100*	5,465	5,370	231	205	11,271	21.3	3,350	2,940	6,290	11.9	887	79	9.4
Annfield Plain	15,590	150	157	10	7	324	20.8	104	88	192	12.3	24	74	8.5
Barnard Castle	4,796	21	23	2	3	49	10.2	24	33	57	11.9	5	102	-1.7
Benfieldside	8,709	77	86	5	—	168	19.3	59	39	98	11.3	8	48	8.0
Billingham	11,690	146	128	5	3	282	24.1	77	49	126	10.8	24	85	13.3
Bishop Auckland	12,860	97	93	5	2	197	15.3	71	73	144	11.2	17	86	4.1
Blaydon	32,400	317	313	17	11	658	20.3	168	165	333	10.3	41	62	10.0
Brandon and Byshottles.	17,790	172	153	8	7	340	19.1	94	91	185	10.4	23	68	8.7
Chester-le-Street	16,700	146	145	6	7	304	18.2	112	105	217	13.0	30	99	5.2
Consett	12,810	152	138	10	4	304	23.7	94	74	168	13.1	26	86	10.6
Crook	12,540	104	101	4	4	213	17.0	79	70	149	11.9	14	66	5.1
Durham M.B.	17,040	139	174	7	12	332	19.5	114	110	224	13.1	31	93	6.4
Felling	28,030	296	320	13	5	634	22.6	177	157	334	11.9	52	82	10.7
Hartlepool M.B.	20,920	270	237	7	6	520	24.9	146	137	283	13.5	47	90	11.4
Hebburn	24,530	309	298	19	14	640	26.1	174	137	311	12.7	57	89	13.4
Hetton	18,120	209	226	4	11	450	24.8	107	116	223	12.3	32	71	12.5
Houghton-le- Spring.	10,900	115	104	2	5	226	20.7	70	57	127	11.7	18	80	9.0
Jarrow M.B. ..	32,650	402	399	19	15	835	25.6	257	197	454	13.9	81	97	11.7
Leadgate.. ..	6,273	90	99	4	5	198	31.6	44	26	70	11.2	13	66	20.4
Ryton	14,880	171	129	7	5	312	21.0	82	64	146	9.8	26	83	11.2
Seaham Harbour	18,960	238	242	5	9	494	26.1	117	99	216	11.4	42	85	14.7
Shildon	13,620	106	109	7	4	226	16.6	80	66	146	10.7	18	80	5.9
Southwick-on- Wear§	3,700*	46	44	—	—	90	24.3	25	22	47	12.7	6	67	11.6
Spennymoor	17,340	175	200	5	10	390	22.5	119	110	229	13.2	39	100	9.3
Stanhope	1,931	6	9	2	1	18	9.3	15	10	25	12.9	—	—	-3.6
Stanley	26,010	240	246	6	12	504	19.4	143	121	264	10.1	38	75	9.3
Stockton-on- Tees, M.B.	67,200	708	656	32	24	1,420	21.1	477	388	865	12.9	99	70	8.2

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Durham—County Boroughs, 570,960; Sunderland C.B., 184,700; Administrative County, 942,700; Urban Districts, 526,400; Southwick-on-Weir U.D., nil.

† Death-rate based upon estimated civilian population of 13,080.

§ Abolished 1st April, 1928.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—cont.														
URBAN DISTRICTS —cont.														
Tanfield	9,693	82	87	2	4	175	18.1	49	50	99	10.2	6	34	7.9
Tow Law	3,876	38	28	3	1	70	18.1	22	24	46	11.9	5	71	6.2
Washington ..	17,260	174	162	5	7	348	20.2	92	102	194	11.2	29	83	9.0
Whickham	21,350	186	191	8	6	391	18.3	106	113	219	10.3	24	61	8.0
Willington	9,932	83	73	2	1	159	16.0	52	47	99	10.0	12	75	6.0
RURAL DISTRICTS	419,200*	4,244	4,144	198	183	8,769	20.9	2,505	2,147	4,652	11.1	730	83	9.8
Auckland	57,360	511	528	30	27	1,096	19.1	348	307	655	11.4	95	87	7.7
Barnard Castle	11,160	74	72	4	6	156	14.0	85	65	150	13.4	12	77	0.6
Chester-le-Street	53,360	572	563	28	22	1,185	22.2	324	288	612	11.5	117	99	10.7
Darlington .. .	11,210	94	86	8	3	191	17.0	52	72	124	11.1	10	52	5.9
Durham	32,620	310	314	22	11	657	20.1	203	165	368	11.3	54	82	8.8
Easington	86,970	1,051	1,029	36	34	2,150	24.7	489	424	913	10.5	174	81	14.2
Hartlepool .. .	4,389	40	27	1	1	69	15.7	20	19	39	8.9	2	29	6.8
Houghton-le- Spring.	28,850*	317	309	14	14	654	22.7	173	127	300	10.4	54	83	12.3
Lanchester .. .	35,590	349	332	21	11	713	20.0	217	177	394	11.1	61	86	8.9
Sedgefield .. .	36,000	325	330	14	19	688	19.1	215	182	397	11.0	55	80	8.1
South Shields	20,740	184	164	6	14	368	17.7	110	114	224	10.8	27	73	6.9
Stockton	6,223	43	50	4	2	99	15.9	46	34	80	12.9	5	51	3.0
Sunderland .. .	25,390*	305	286	9	11	611	24.1	152	128	280	11.0	54	88	13.1
Weardale	9,338	69	54	1	8	132	14.1	71	45	116	12.4	10	76	1.7
ELY, ISLE OF:														
ADMINISTRATIVE COUNTY.	77,780	724	686	57	43	1,510	19.4	490	421	911	11.7	89	59	7.7
URBAN DISTRICTS	42,860	421	373	27	22	843	19.7	288	248	536	12.5	46	55	7.2
Chatteris	5,121	36	39	4	4	83	16.2	41	21	62	12.1	6	72	4.1
Ely	7,779	75	65	7	5	152	19.5	46	45	91	11.7	5	33	7.8
March	10,210	123	93	4	4	224	21.9	69	57	126	12.3	12	54	9.6
Whittlesey .. .	7,980	99	75	6	5	185	23.2	44	43	87	10.9	10	54	12.3
Wisbech M.B.	11,770	88	101	6	4	199	16.9	88	82	170	14.4	13	65	2.5
RURAL DISTRICTS	34,920	303	313	30	21	667	19.1	202	173	375	10.7	43	64	8.4
Ely	13,360	129	124	8	8	269	20.1	76	80	156	11.7	14	52	8.4
North Witchford	5,073	46	36	3	4	89	17.5	34	22	56	11.0	4	45	6.5
Thorney	2,667	18	37	3	—	58	21.7	15	11	26	9.7	4	69	12.0
Wisbech	13,820	110	116	16	9	251	18.2	77	60	137	9.9	21	84	8.3
ESSEX:														
COUNTY BORO'S..	563,500	4,677	4,658	163	139	9,637	17.1	3,145	2,880	6,025	10.7	556	58	6.4
East Ham	145,400	1,046	1,122	29	22	2,219	15.3	740	721	1,461	10.0	109	49	5.3
Southend-on-Sea	111,200	692	734	47	32	1,505	13.5	608	616	1,224	11.0	67	45	2.5
West Ham	306,900	2,939	2,802	87	85	5,913	19.3	1,797	1,543	3,340	10.9	380	64	8.4
ADMINISTRATIVE COUNTY.	1,089,930	8,859	8,289	330	280	17,758	16.3	5,646	5,220	10,866	10.0†	914	51	6.3
URBAN DISTRICTS	800,440	6,581	6,186	206	175	13,148	16.4	3,948	3,682	7,630	9.6†	694	53	6.8
Barking Town	40,870	409	376	11	9	805	19.7	230	184	414	10.1	51	63	9.6
Braintree	8,298	82	69	—	2	153	18.4	38	49	87	10.5	—	—	7.9

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Durham—Rural Districts, 416,300; Houghton-le-Spring R.D., 28,820; Sunderland R.D., 22,520.

† Death-rates based upon estimated civilian populations as follows:—Essex—Administrative County, 1,083,700; Urban Districts, 795,580.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SEX—cont.														
URBAN DISTRICTS—cont.														
Brentwood ..	7,629	38	45	—	—	83	10.9	38	34	72	9.4	3	36	1.5
Brightlingsea ..	4,310	16	21	1	—	38	8.8	19	39	58	13.5	2	53	-4.7
Buckhurst Hill	5,496	43	39	3	4	89	16.2	33	23	56	10.2	8	90	6.0
Burnham-on-Crouch.	3,619	30	27	1	1	59	16.3	29	27	56	15.5	2	34	0.8
Canvey Island	6,500	29	26	4	1	60	9.2	15	18	33	5.1	4	67	4.1
Chelmsford M.B.	23,680	204	156	5	7	372	15.7	111	115	226	9.5	18	48	6.2
Chingford ..	14,710	124	125	7	4	260	17.7	58	47	105	7.1	10	38	10.6
Clacton ..	15,280	75	67	2	4	148	9.7	60	79	139	9.1	4	27	0.6
Colchester M.B.	48,630	353	373	25	19	770	15.8	231	239	470	10.5†	32	42	5.3
Dagenham ..	67,500	886	859	32	15	1,792	26.5	285	207	492	7.3	131	73	19.2
Epping ..	5,370	31	40	1	2	74	13.8	39	27	66	12.3	6	81	1.5
Frinton-on-Sea	2,165	2	7	—	1	10	4.6	8	8	16	7.4	—	—	-2.8
Grays Thurrock	18,070	151	153	5	8	317	17.5	97	88	185	10.2	12	38	7.3
Halstead ..	5,874	40	35	2	1	78	13.3	37	53	90	15.3	4	51	-2.0
Harwich M.B.	11,830	109	87	3	5	204	17.2	77	53	130	11.2†	10	49	6.0
Hornchurch ..	15,790	115	116	1	3	235	14.9	64	68	132	8.4†	8	34	6.5
Ilford M.B. ..	113,500	894	810	17	18	1,739	15.3	462	462	924	8.1	79	45	7.2
Ipswich M.B. ..	130,300	943	868	25	17	1,853	14.2	668	622	1,290	9.9	91	49	4.3
Loughton ..	6,787	46	50	—	2	98	14.4	27	37	64	9.4	3	31	5.0
Maldon M.B. ..	6,662	54	42	2	1	99	14.9	40	43	83	12.5	5	51	2.4
Romford ..	26,680	243	231	9	5	488	18.3	174	130	304	11.4	30	61	6.9
Saffron Walden M.B.	5,661	44	19	2	2	67	11.8	41	43	84	14.8	4	60	-3.0
Shoeburyness..	6,255	65	53	3	3	124	19.8	27	22	49	8.8†	2	16	11.0
Tilbury ..	18,100	193	178	11	7	389	21.5	87	60	147	8.1	35	90	13.4
Waltham Holy Cross.	7,084	57	46	4	—	107	15.1	42	36	78	11.0	5	47	4.1
Walthamstow	122,400	974	974	21	22	1,991	16.3	649	620	1,269	10.4	102	51	5.9
Walton on the Naze.	3,040	16	13	—	—	29	9.5	18	11	29	9.5	1	34	—
Wanstead ..	17,410	98	99	2	2	201	11.5	83	86	169	9.7	13	65	1.8
West Mersea	2,216	14	19	—	3	36	16.2	13	14	27	12.2	1	28	4.0
Witham ..	4,342	38	38	—	1	77	17.7	27	19	46	10.6	4	52	7.1
Wivenhoe ..	2,282	15	13	—	1	29	12.7	13	15	28	12.3	1	34	0.4
Woodford ..	22,100	150	112	7	5	274	12.4	108	104	212	9.6	13	47	2.8
RURAL DISTRICTS	289,490	2,278	2,103	124	105	4,610	15.9	1,698	1,538	3,236	11.2†	220	48	4.7
Belchamp ..	4,158	30	27	2	1	60	14.4	34	24	58	13.9	3	50	0.5
Billericay ..	35,920	270	248	13	13	544	15.1	191	155	346	9.9†	28	51	5.2
Braintree ..	20,150	169	141	11	7	328	16.3	111	123	234	11.6	11	34	4.7
Bumpstead ..	2,284	25	17	2	—	44	19.3	16	22	38	16.6	—	—	2.7
Chelmsford ..	28,140	223	204	10	7	444	15.8	164	134	298	10.6	18	41	5.2
Dunmow ..	15,370	101	105	6	5	217	14.1	110	101	211	13.7	14	65	0.4
Epping ..	16,830	115	109	5	3	232	13.8	97	93	190	11.5†	7	30	2.3
Halstead ..	9,910	74	62	3	1	140	14.1	60	67	127	12.8	5	36	1.3
Lexden and Winstree.	18,250	137	131	13	8	289	15.8	139	95	234	12.8	13	45	3.0
Maldon ..	16,610	102	121	2	7	232	14.0	84	84	168	10.1	13	56	3.9
Ongar ..	10,350	86	80	5	11	182	17.6	64	44	108	10.4	10	55	7.2
Orsett ..	26,720	260	217	11	13	501	18.8	145	105	250	9.4	26	52	9.4
Rochford..	31,200	272	258	18	16	564	18.1	149	182	331	10.6	34	60	7.5
Romford ..	13,680	132	79	7	3	221	16.2	73	61	134	9.8	18	81	6.4
Saffron Walden	9,610	55	67	4	2	128	13.3	80	62	142	14.8	5	39	-1.5
Stansted ..	6,838	53	50	3	1	107	15.6	41	52	93	13.6	3	28	2.0
Tendring ..	23,470	174	187	9	7	377	16.1	140	134	274	11.7	12	32	4.4

† Death-rates based upon estimated civilian populations as follows:—Colchester M.B., 44,880; Harwich M.B., 11,580; Hornchurch U.D., 15,640; Shoeburyness U.D., 5,545; Rural Districts, 288,120; Billericay R.D., 34,820; Epping R.D., 16,560.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLOUCESTERSHIRE:														
COUNTY BORO'S:	442,910	3,566	3,381	140	137	7,224	16.3	2,554	2,608	5,162	11.7†	434	60	4.6
Bristol	390,700	3,154	2,980	115	114	6,363	16.3	2,202	2,300	4,502	11.5†	375	59	4.8
Gloucester ..	52,210	412	401	25	23	861	16.5	352	308	660	12.6	59	69	3.9
ADMINISTRATIVE COUNTY.	339,600	2,442	2,364	119	105	5,030	14.8	1,998	2,138	4,136	12.2†	270	54	2.6
URBAN DISTRICTS	113,940	724	751	46	37	1,558	13.7	669	767	1,436	12.6	94	60	1.1
Awre	1,215	7	4	—	—	11	9.1	8	1	9	7.4	—	—	1.7
Charlton Kings	4,569	39	25	2	1	67	14.7	25	38	63	13.8	2	30	0.9
Cheltenham M.B.	50,630	268	341	20	25	654	12.9	311	400	711	14.0	47	72	-1.1
Cirencester ..	7,314	43	32	3	1	79	10.8	40	51	91	12.4	5	63	-1.6
Coleford	2,744	25	25	—	1	51	18.6	19	17	36	13.1	2	39	5.5
Kingswood ..	13,800	117	90	7	1	215	15.6	73	60	133	9.6	19	88	6.0
Mangotsfield ..	11,120	54	74	3	3	134	12.1	54	42	96	8.6	7	52	3.5
Nailsworth ..	3,393	19	25	—	—	44	13.0	12	19	31	9.1	1	23	3.9
Newnham ..	1,192	6	10	1	—	17	14.3	7	6	13	10.9	1	59	3.4
Stow-on-the- Wold	1,179	15	11	3	—	29	24.6	6	9	15	12.7	—	—	11.9
Stroud	8,049	52	42	5	4	103	12.8	59	57	116	14.4	6	58	-1.6
Tetbury	2,228	28	19	—	—	47	21.1	15	20	35	15.7	2	43	5.4
Tewkesbury M.B.	4,621	39	40	2	1	82	17.7	26	35	61	13.2	2	24	4.5
Westbury-on- Severn	1,886	12	13	—	—	25	13.3	14	12	26	13.8	—	—	-0.5
RURAL DISTRICTS.	225,660	1,718	1,613	73	68	3,472	15.4	1,329	1,371	2,700	12.0†	176	51	3.4
Campden ..	5,365	42	32	1	4	79	14.7	32	33	65	12.1	5	63	2.6
Cheltenham ..	5,883	36	38	1	—	75	12.7	34	41	75	12.7	5	67	—
Chipping Sodbury	23,880	183	147	6	7	343	14.4	136	136	272	11.4	12	35	3.0
Cirencester ..	12,100	88	114	4	2	208	17.2	82	81	163	13.5	6	29	3.7
Dursley	12,760	88	80	1	4	173	13.6	69	65	134	10.5	7	40	3.1
East Dean and United Parishes	20,790	171	173	11	12	367	17.7	121	132	253	12.2	26	71	5.5
Faringdon (part of)†	1,068	8	8	1	—	17	15.9	8	7	15	14.0	1	59	1.9
Gloucester ..	14,500	83	97	5	6	191	13.2	73	84	157	10.8	10	52	2.4
Lydney	11,120	86	69	4	2	161	14.5	51	57	108	10.8†	8	50	3.7
Marston Sicca..	1,701	8	12	1	—	21	12.3	9	9	18	10.6	—	—	1.7
Newent	6,448	52	44	3	4	103	16.0	46	30	76	11.8	2	19	4.2
Northleach ..	7,292	78	56	4	—	138	18.9	60	35	95	13.0	5	36	5.9
Pebworth ..	3,340	25	21	—	—	46	13.8	18	18	36	10.8	2	43	3.0
Stow-on-the- Wold (pt. of)†	5,900	50	37	2	2	91	15.4	32	45	77	13.1	3	33	2.3
Stroud	28,270	165	206	5	3	379	13.4	170	209	379	13.4	21	55	—
Tetbury (pt. of)†	2,881	26	16	—	1	43	14.9	16	15	31	10.8	4	93	4.1
Tewkesbury (part of)†	4,500	37	31	3	—	71	15.8	27	38	65	14.4	5	70	1.4
Thornbury ..	18,980	162	133	8	6	309	16.3	113	114	227	12.0	14	45	4.3
Warmley.. ..	8,993	83	62	2	1	148	16.5	53	50	103	11.5	12	81	5.0
West Dean ..	15,080	138	121	5	9	273	18.1	84	75	159	10.5	19	70	7.6
Wheatenhurst	6,234	50	55	4	3	112	18.0	46	46	92	14.8	5	45	3.2
Winchcomb (part of)†	8,575	59	61	2	2	124	14.5	49	51	100	11.7	4	32	2.8

† Death-rates based upon estimated civilian populations as follows:—Gloucestershire—County Boroughs, 442,610; Bristol C.B., 390,400; Administrative County, 338,500; Rural Districts, 224,560; Lydney R.D., 10,020.

† The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. The remainder of Tetbury Rural District is in Wiltshire.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HEREFORDSHIRE : ADMINISTRATIVE COUNTY	112,000	928	867	48	66	1,909	17.0	760	763	1,523	13.6	89	47	3.4
URBAN DISTRICTS	40,390	314	286	23	24	647	16.0	294	310	604	15.0	34	53	1.0
Bromyard ..	1,562	10	8	2	1	21	13.4	11	12	23	14.7	1	48	-1.3
Hereford M.B.	23,820	185	176	12	14	387	16.2	171	163	334	14.0	21	54	2.2
Kington ..	1,670	10	13	1	1	25	15.0	15	13	28	16.8	—	—	-1.8
Ledbury ..	3,160	29	23	—	1	53	16.8	15	26	41	13.0	2	38	3.8
Leominster M.B.	5,543	39	36	5	6	86	15.5	40	59	99	17.9	6	70	-2.4
Ross ..	4,635	41	30	3	1	75	16.2	42	37	79	17.0	4	53	-0.8
RURAL DISTRICTS.	71,610	614	581	25	42	1,262	17.6	466	453	919	12.8	55	44	4.8
Bredwardine ..	1,994	18	28	—	1	47	23.6	18	17	35	17.6	3	64	6.0
Bromyard ..	7,556	69	54	5	7	135	17.9	57	54	111	14.7	6	44	3.2
Dore ..	6,037	52	51	3	3	109	18.1	37	39	76	12.6	7	64	5.5
Hereford ..	13,320	114	99	4	4	221	16.6	71	75	146	11.0	8	36	5.6
Kington ..	4,721	41	44	—	5	90	19.1	17	33	50	10.6	2	22	8.5
Ledbury ..	9,086	89	86	3	6	184	20.3	54	47	101	11.1	11	60	9.2
Leominster ..	7,559	50	53	3	3	109	14.4	65	47	112	14.8	7	64	-0.4
Ross ..	9,859	78	82	2	6	168	17.0	74	61	135	13.7	2	12	3.3
Weobley ..	6,221	57	50	3	5	115	18.5	41	47	88	14.1	7	61	4.4
Whitchurch ..	1,831	11	5	1	—	17	9.3	13	9	22	12.0	2	118	-2.7
Wigmore..	3,426	35	29	1	2	67	19.6	19	24	43	12.6	—	—	7.0
HERTFORDSHIRE : ADMINISTRATIVE COUNTY	378,200	2,777	2,676	96	117	5,666	15.0	1,962	1,918	3,880	10.3	257	45	4.7
URBAN DISTRICTS	264,640*	1,945	1,870	66	76	3,957	15.0	1,362	1,347	2,709	10.2	183	46	4.8
Baldock ..	2,960*	15	22	—	3	40	13.5	21	20	41	13.9	4	100	-0.4
Barnet ..	13,970	123	85	4	3	215	15.4	65	83	148	10.6	14	65	4.8
Bishop's Stort- ford	9,606	55	63	2	—	120	12.5	53	50	103	10.7	1	8	1.8
Bushey ..	10,010	73	79	2	3	157	15.7	44	53	97	9.7	10	64	6.0
Cheshunt ..	14,420	109	104	5	3	221	15.3	82	81	163	11.3	10	45	4.0
Chorleywood ..	3,169	22	25	1	1	49	15.5	18	11	29	9.2	7	143	6.3
East Barnet Valley.	15,710	119	121	8	7	255	16.2	85	91	176	11.2	13	51	5.0
Great Berkham- stead.	7,583	60	45	1	2	108	14.2	38	35	73	9.6	5	46	4.6
Harpenden ..	7,632	40	44	1	—	85	11.1	36	40	76	10.0	3	35	1.1
Hemel Hemp- stead M.B.	14,950	98	114	2	1	215	14.4	89	80	169	11.3	10	47	3.1
Hertford M.B.	11,370	83	74	2	2	161	14.2	78	58	136	12.0	6	37	2.2
Hitchin ..	13,650	108	77	4	8	197	14.4	86	85	171	12.5	14	71	1.9
Hoddesdon ..	5,375	30	36	1	7	74	13.8	28	35	63	11.7	3	41	2.1
Letchworth ..	12,930	81	92	—	4	177	13.7	44	45	89	6.9	4	23	6.8
Rickmansworth	9,355	70	76	—	2	148	15.8	42	48	90	9.6	5	34	6.2
Royston ..	3,828	28	26	3	2	59	15.4	25	23	48	12.5	—	—	2.9
St. Albans M.B.	27,350	169	194	9	9	381	13.9	135	148	283	10.3	13	34	3.6
Sawbridgeworth	2,532	20	15	3	—	38	15.0	15	15	30	11.8	4	105	3.2
Stevenage ..	5,646	40	38	1	—	79	14.0	28	23	51	9.0	7	89	5.0
Tring ..	4,152	34	28	2	1	65	15.7	30	19	49	11.8	4	62	3.9
Ware ..	6,210	60	42	5	2	109	17.6	37	31	68	11.0	1	9	6.6
Watford M.B.	54,460	418	401	8	15	842	15.5	254	257	511	9.4	44	52	6.1
Welwyn Garden City.	7,772	90	69	2	1	162	20.8	29	16	45	5.8	1	6	15.0

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Hertfordshire—Urban Districts, 264,650; Baldock U.D., 2,970.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE: —cont.														
RURAL DISTRICTS:	113,560*	832	806	30	41	1,709	15.0	600	571	1,171	10.3	74	43	4.7
Ashwell	3,482	26	24	1	1	52	14.9	21	29	50	14.4	3	58	0.5
Barnet	5,300	45	45	1	6	97	18.3	21	38	59	11.1	4	41	7.2
Berkhampstead ..	5,078	38	31	2	3	74	14.6	31	33	64	12.6	3	41	2.0
Buntingford ..	4,796	24	33	2	—	59	12.3	34	33	67	14.0	2	34	—1.7
Hadham	5,345	36	43	—	3	82	15.3	33	31	64	12.0	2	24	3.3
Hatfield	9,889	83	84	5	2	174	17.6	60	32	92	9.3	7	40	8.3
Hemel Hemp- stead.	7,961	82	55	3	2	142	17.8	35	48	83	10.4	9	63	7.4
Hertford	7,494	53	45	3	3	104	13.9	42	36	78	10.4	4	38	3.5
Hitchin	14,190*	112	106	4	5	227	16.0	82	72	154	10.9	12	53	5.1
St. Albans	18,050	107	141	5	5	258	14.3	73	58	131	7.3	16	62	7.0
Ware	11,500	91	73	3	6	173	15.0	75	61	136	11.8	3	17	3.2
Watford	17,130	107	98	1	5	211	12.3	73	70	143	8.3	8	38	4.0
Welwyn	3,345	28	28	—	—	56	16.7	20	30	50	14.9	1	18	1.8
HUNTINGDON- SHIRE :														
ADMINISTRATIVE COUNTY.	56,320	436	458	37	23	954	16.9	373	342	715	12.7	39	41	4.2
URBAN DISTRICTS	25,310	216	218	18	10	462	18.3	164	147	311	12.3	15	32	6.0
Godmanchester M.B.	2,087	10	19	—	1	30	14.4	12	12	24	11.5	—	—	2.9
Huntingdon M.B.	3,964	26	27	2	—	55	13.9	38	34	72	18.2	4	73	—4.3
Old Fletton ..	7,075	85	67	6	4	162	22.9	41	34	75	10.6	6	37	12.3
Ramsey	5,189	50	51	4	3	108	20.8	31	27	58	11.2	3	28	9.6
St. Ives M.B.	2,725	18	13	2	2	35	12.8	13	19	32	11.7	2	57	1.1
St. Neots	4,270	27	41	4	—	72	16.9	29	21	50	11.7	—	—	5.2
RURAL DISTRICTS	31,010	220	240	19	13	492	15.9	209	195	404	13.0	24	49	2.9
Huntingdon ..	6,425	38	48	8	6	100	15.6	37	42	79	12.3	3	30	3.3
Norman Cross	5,839	57	52	—	4	113	19.4	39	41	80	13.7	5	44	5.7
Oundle (part of)†	985	7	14	1	—	22	22.3	8	7	15	15.2	1	45	7.1
St. Ives	9,820	70	74	7	1	152	15.5	65	57	122	12.4	8	53	3.1
St. Neots	6,702	42	39	2	2	85	12.7	55	43	98	14.6	6	71	—1.9
Thrapston (part of)†	791	4	8	1	—	13	16.4	4	3	7	8.8	1	77	7.6
C.P. of Sibson cum Stibbing- ton, adminis- tered by R.D. C. of Barnack (Soke of Peter- borough). }	448	2	5	—	—	7	15.6	1	2	3	6.7	—	—	8.9
KENT :														
COUNTY BORO :														
Canterbury ..	24,080	178	180	8	5	371	15.4	127	171	298	13.1†	12	32	2.3
ADMINISTRATIVE COUNTY.	1,151,020	8,520	8,347	372	392	17,631	15.3	6,481	6,418	12,899	11.4†	817	46	3.9

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Hertfordshire—Rural Districts, 113,550; Hitchin R.D., 14,180.

† Death-rates based upon estimated civilian populations as follows:—Kent—Canterbury C.B., 22,680; Administrative County, 1,129,100.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—cont.														
URBAN DISTRICTS	811,420†	5,961	5,920	268	281	12,430	15.3	4,510	4,627	9,137	11.5†	591	48	3.8
Ashford	13,100	126	106	9	5	246	18.8	84	99	183	14.0	17	69	4.8
Beckenham .. .	36,460	244	230	8	12	494	13.5	209	230	439	12.0	22	45	1.5
Bexley	26,650	216	194	2	8	420	15.8	138	114	252	9.5	27	64	6.3
Broadstairs and St. Peter's.	12,300	57	72	2	6	137	11.1	64	61	125	10.2	6	44	0.9
Bromley M.B...	40,830	317	306	14	15	652	16.0	209	232	441	10.8	32	49	5.2
Chatham M.B.	43,530	392	353	20	22	787	18.1	268	221	489	11.8†	47	60	6.3
Cheriton	8,573	67	79	1	2	149	17.4	31	43	74	12.4†	5	34	5.0
Chislehurst .. .	9,385	51	44	2	2	99	10.5	45	43	88	9.4	3	30	1.1
Crayford	13,240	107	116	2	1	226	17.1	65	45	110	8.3	12	53	8.8
Dartford	27,410	189	193	7	4	393	14.3	134	125	259	9.4	25	64	4.9
Deal M.B. .. .	12,190	91	95	4	2	192	15.8	77	76	153	12.6	7	36	3.2
Dover M.B. .. .	41,330	318	384	24	27	753	18.2	232	244	476	12.0†	42	56	6.2
Erith	33,170	260	237	7	9	513	15.5	166	145	311	9.4	15	29	6.1
Faversham M.B.	10,190	60	71	3	2	136	13.3	62	66	128	12.6	5	37	0.7
Folkestone M.B.	35,900	227	244	15	20	506	14.1	201	234	435	12.1	11	22	2.0
Gillingham M.B.	57,300	422	412	10	16	860	15.0	256	277	533	11.1†	48	56	3.9
Gravesend M.B.	33,990	292	317	9	10	628	18.5	217	167	384	11.5†	30	48	7.0
Herne Bay .. .	12,120	50	61	5	2	118	9.7	63	70	133	11.0	2	17	-1.3
Hythe M.B. .. .	8,350	50	56	4	5	115	13.8	50	43	93	11.2†	7	61	2.6
Lydd M.B. .. .	2,890	23	26	2	4	55	19.0	16	18	34	14.2†	2	36	4.8
Maidstone M.B.	40,860	332	290	13	14	649	15.9	219	207	426	10.5†	29	45	5.4
Margate M.B...	29,260	161	191	8	10	370	12.6	145	173	318	10.9	14	38	1.7
Milton Regis ..	8,053	68	77	6	3	154	19.1	44	41	85	10.6	7	45	8.5
New Romney M.B.	1,629	9	5	2	—	16	9.8	11	7	18	11.0	1	63	-1.2
Northfleet .. .	17,120	172	161	2	5	340	19.9	105	91	196	11.4	15	44	8.5
Penge	27,310	224	232	14	9	479	17.5	181	169	350	12.8	26	54	4.7
Queenborough M.B.	3,127	22	18	1	—	41	13.1	11	19	30	9.6	3	73	3.5
Ramsgate M.B.	30,370	232	219	16	14	481	15.8	205	202	407	13.4	20	42	2.4
Rochester M.B.	31,760	231	236	10	8	485	15.3	181	184	365	11.7†	21	43	3.6
Royal Tunbridge Wells M.B.	34,820	189	192	15	13	409	11.7	211	311	522	15.0	20	49	-3.3
Sandgate .. .	3,066	9	12	3	1	25	8.2	10	17	27	11.0†	—	—	-2.8
Sandwich M.B.	3,434	21	17	2	2	42	12.2	28	21	49	14.3	4	95	-2.1
Sevenoaks .. .	10,030	64	65	3	2	134	13.4	51	59	110	11.0	5	37	2.4
Sheerness .. .	16,910	135	122	5	4	266	15.7	85	93	178	10.6†	12	45	5.1
Sidcup	10,110	48	42	1	4	95	9.4	41	52	93	9.2	3	32	0.2
Sittingbourne..	9,006	74	71	2	3	150	16.7	45	49	94	10.4	6	40	6.3
Southborough..	6,916	45	42	2	3	92	13.3	49	65	114	16.5	3	33	-3.2
Swanscombe ..	9,337	78	86	—	3	167	17.9	54	35	89	9.5	9	54	8.4
Tenterden M.B.	3,294	16	21	1	1	39	11.8	22	26	48	14.6	2	51	-2.8
Tonbridge .. .	16,200†	130	98	6	3	237	14.6	100	106	206	12.7	15	63	1.9
Walmer	4,996	29	31	1	—	61	12.2	37	45	82	19.0†	3	49	-6.8
Whitstable .. .	10,480	71	74	4	4	153	14.6	62	78	140	13.4	3	20	1.2
Wrotham	4,424	42	22	1	1	66	14.9	26	24	50	11.3	5	76	3.6
RURAL DISTRICTS :	339,600†	2,559	2,427	104	111	5,201	15.3	1,971	1,791	3,762	11.2†	226	43	4.1
Blean	9,955	69	56	1	3	129	13.0	65	53	118	11.9	14	109	1.1
Bridge	11,940	83	89	1	—	173	14.5	72	57	129	10.8	7	40	3.7
Bromley	30,970	230	205	12	14	461	14.9	146	153	299	9.8†	20	43	5.1
Cranbrook .. .	13,170	101	76	5	3	185	14.0	90	83	173	13.1	8	43	0.9
Dartford	32,700	254	259	7	9	529	16.2	168	133	301	9.2	25	47	7.0

† Death-rates based upon estimated civilian populations as follows:—Kent—Urban Districts, 792,520†; Chatham M.B., 41,390; Cheriton U.D., 5,953; Dover M.B., 39,580; Gillingham M.B., 48,140; Gravesend M.B., 33,400; Hythe M.B., 8,270; Lydd M.B., 2,390; Maidstone M.B., 40,710; Rochester M.B., 31,280; Sandgate U.D., 2,456; Sheerness U.D., 16,760; Walmer U.D., 4,326; Rural Districts, 336,580†; Bromley R.D., 30,630.

† Mid-year Populations after the change in boundary on the 1st October, 1928. The population involved in the change was too small to necessitate adjustment for calculation of rates.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

Area	Pop. 1906 1000	Deaths						Deaths				Deaths		Males per 1000 Population
		Legitimate		Illegitimate		Total	Crude Rate per 1000 Total Population	M	F	Total	Crude Rate per 1000 Total Population	Number	Rate per 1000 Population	
		M	F	M	F									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—cont.														
RURAL DISTRICTS														
Dover	12,112	118	126	49	1	187	15.4	45	30	85	11.07	2	19	1.2
East Ashford ..	12,120	117	128	44	1	189	15.6	47	30	86	11.8	10	44	3.6
East	12,440	122	130	46	1	199	16.0	48	32	90	11.7	9	30	2.4
Elham	12,207	122	128	46	1	197	16.1	48	31	89	11.7	1	8	0.1
Faversham ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	10	45	3.7
Hallingbourne ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	6	26	2.2
Hoo	12,200	122	128	46	1	197	16.1	48	31	89	11.7	6	26	2.2
Isle of Thanet ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	1	8	0.1
Maidstone ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	11	45	3.7
Malling	12,200	122	128	46	1	197	16.1	48	31	89	11.7	19	45	3.7
Minster	12,200	122	128	46	1	197	16.1	48	31	89	11.7	11	45	3.7
Ramsey Marsh ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	6	26	2.2
Sandwich	12,200	122	128	46	1	197	16.1	48	31	89	11.7	11	45	3.7
Sharpham	12,200	122	128	46	1	197	16.1	48	31	89	11.7	7	28	2.3
Strood	12,200	122	128	46	1	197	16.1	48	31	89	11.7	13	45	3.7
Takenham	12,200	122	128	46	1	197	16.1	48	31	89	11.7	3	21	1.7
Tongue	12,200	122	128	46	1	197	16.1	48	31	89	11.7	15	45	3.7
West Ashford ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	4	24	2.0
TOWNSHIPS														
County Town ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	5,250	20	1.7
Barrow-in-Furness ..	12,200	122	128	46	1	197	16.1	48	31	89	11.7	72	28	2.3
Blackburn	12,200	122	128	46	1	197	16.1	48	31	89	11.7	120	20	1.7
Blackpool	12,200	122	128	46	1	197	16.1	48	31	89	11.7	117	17	1.5
Bolton	12,200	122	128	46	1	197	16.1	48	31	89	11.7	138	24	2.1
Bosley	12,200	122	128	46	1	197	16.1	48	31	89	11.7	126	107	9.6
Bury	12,200	122	128	46	1	197	16.1	48	31	89	11.7	112	79	7.0
Canterbury	12,200	122	128	46	1	197	16.1	48	31	89	11.7	112	94	8.4
Leeds	12,200	122	128	46	1	197	16.1	48	31	89	11.7	112	94	8.4
Liverpool	12,200	122	128	46	1	197	16.1	48	31	89	11.7	112	94	8.4
Manchester	12,200	122	128	46	1	197	16.1	48	31	89	11.7	112	94	8.4
Oldham	12,200	122	128	46	1	197	16.1	48	31	89	11.7	112	94	8.4
Preston	12,200	122	128	46	1	197	16.1	48	31	89	11.7	174	91	7.4
Widchale	12,200	122	128	46	1	197	16.1	48	31	89	11.7	142	75	6.4
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
Salford	12,200	122	128	46	1	197	16.1	48	31	89	11.7	126	106	8.6
Salford	12,200	122	128	46	1	197	16.1	48	31	89	11.7	126	106	8.6
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1	197	16.1	48	31	89	11.7	134	98	8.2
St. Helens	12,200	122	128	46	1									

[Faint, mostly illegible handwriting across the bottom of the page, possibly bleed-through from the reverse side.]

* The population of the city of New York, 1911, was 4,765,000. The population of the city of New York, 1920, was 5,620,000. The population of the city of New York, 1930, was 6,930,000. The population of the city of New York, 1940, was 7,890,000. The population of the city of New York, 1950, was 8,800,000. The population of the city of New York, 1960, was 9,800,000. The population of the city of New York, 1970, was 10,900,000. The population of the city of New York, 1980, was 11,900,000. The population of the city of New York, 1990, was 12,900,000. The population of the city of New York, 2000, was 13,900,000. The population of the city of New York, 2010, was 14,900,000. The population of the city of New York, 2020, was 15,900,000.

... ..

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

Area.	Estimated Population 1928.	Births.						Deaths.				Deaths per 1 year		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000 Total Population.	M.	F.	Total.	Crude Rate per 1,000 Total Population.	Number.	Rate per 1,000 Population.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
URBAN DISTRICTS—cont.														
Anderton ..	8,844	59	50	3	1	119	13.6	87	66	94	10.7	6	50	3.3
Barnley M.B. ..	20,270	149	187	7	4	317	15.4	148	140	289	14.1	33	104	1.3
Barnworth ..	8,478	30	32	3	—	65	11.9	33	31	74	13.5	5	77	—1.6
Billing and Winstanley ..	8,201	39	21	2	—	62	11.9	28	25	51	9.8	8	126	2.1
Blackrod ..	8,642	37	34	1	1	73	16.0	32	37	43	11.2	3	41	7.8
Blackwell ..	8,082	46	48	—	4	98	12.2	44	66	88	13.9	8	31	1.3
Cadbysh ..	3,117	30	18	3	2	53	17.0	26	28	46	16.8	2	57	2.2
Chadderton ..	20,100	172	179	4	6	364	13.6	189	179	368	12.7	27	74	0.3
Chorley M.B. ..	8,480	285	243	6	3	537	16.1	189	257	398	12.5	41	81	3.6
Clayton ..	8,176	47	46	—	—	93	14.1	43	46	88	13.4	5	54	0.7
Clayton-le-Moors ..	8,600	56	70	1	3	130	15.2	58	66	96	10.1	10	77	5.2
Culterham M.B. ..	12,700	61	84	3	4	152	12.8	86	73	153	12.6	8	53	—
Culterham M.B. ..	24,780	187	169	11	12	319	12.9	131	189	300	12.1	21	66	0.8
Crompton ..	15,000	96	88	4	7	195	13.0	98	86	172	11.5	13	67	1.5
Croston ..	2,311	11	19	—	—	30	14.5	14	12	37	13.4	3	106	1.5
Croston and Farnworth ..	15,500	85	83	9	6	183	17.4	68	72	141	13.4	15	82	4.0
Darwen M.B. ..	28,180	246	206	6	12	466	12.1	241	201	492	12.9	31	67	—0.8
Denton ..	17,800	119	109	4	3	226	12.8	97	111	208	11.6	12	53	1.0
Droyden ..	13,694	87	102	3	3	206	15.0	78	86	147	10.7	11	53	4.3
Ecclis M.B. ..	45,210	366	347	15	12	743	16.4	288	251	499	11.9	49	66	5.4
Farnworth ..	14,840	117	122	2	4	243	14.3	111	97	208	12.4	16	65	2.1
Farnworth ..	26,400	221	192	3	7	423	14.3	161	178	339	11.5	32	76	2.8
Farnworth ..	20,470	221	228	10	6	465	20.7	123	159	252	11.2	32	69	9.5
Farnley ..	7,492	36	51	5	3	95	12.7	44	34	78	10.4	6	63	2.3
Farnley ..	7,281	33	27	—	2	62	8.5	31	41	62	12.14	2	32	—3.6
Gifford ..	7,477	51	46	1	3	101	13.5	47	49	90	12.9	7	68	1.5
Grange ..	2,328	7	8	—	1	16	6.8	13	26	40	17.2	1	63	—10.3
Great Crosby ..	14,490	104	101	4	2	211	12.8	77	92	169	15.3	16	47	2.5
Great Harwood ..	14,500	91	105	3	2	201	14.4	86	74	164	11.7	13	65	2.7
Haydock M.B. ..	17,100	91	96	5	3	195	11.4	107	89	206	12.0	16	82	—0.6
Haydock ..	11,800	110	108	1	4	223	20.6	87	48	105	9.7	15	67	10.9
Haywood M.B. ..	28,980	202	178	11	6	397	15.2	145	204	398	14.1	33	83	1.1
Hindley ..	24,140	195	153	5	3	356	14.7	190	141	272	11.3	32	90	3.4
Horwich ..	14,800	122	115	2	1	240	14.2	81	100	181	11.3	26	83	2.9
Huyton and Rady ..	5,117	32	30	2	—	64	12.5	36	18	47	9.2	8	47	3.3
Isle of Man- Skel ..	26,020	235	241	9	10	495	20.6	145	199	384	11.8	44	89	8.8
Irlam ..	12,220	106	131	1	1	233	19.1	56	42	98	8.0	9	39	11.1
Kearsley ..	10,380	69	69	2	—	140	13.5	58	74	132	12.7	3	21	0.8
Kirkstall ..	4,126	33	26	2	1	62	15.0	23	26	49	11.9	4	65	3.1
Lancaster M.B. ..	41,500	346	289	19	23	677	16.3	253	250	498	11.87	46	71	4.5
Lancaster and Barnsley ..	8,933	51	54	1	3	109	13.8	47	50	97	12.27	2	18	1.4
Lea ..	4,945	33	48	1	—	82	16.6	37	41	79	16.4	7	85	0.6
Leigh M.B. ..	46,770	383	346	13	9	751	16.1	311	284	596	12.8	79	96	3.3
Leyland ..	10,260	80	67	5	1	153	14.9	78	44	122	11.9	15	96	3.0
Litherland ..	16,410	147	175	2	6	330	20.1	80	86	181	11.6	26	76	9.1
Litherland ..	11,510	81	84	9	2	176	15.3	68	84	152	13.2	8	45	2.1
Little Crosby ..	1,160	6	4	—	1	11	9.5	4	4	7	4.4	2	182	3.5
Little Hulton ..	7,908	60	50	2	1	113	14.3	41	36	76	9.6	5	44	4.7
Little Lever ..	5,138	29	30	2	2	63	12.3	37	36	72	14.0	6	95	—1.7

† Death-rates based upon estimated civilian populations as follows:—Farnworth U.D., 4,781; Lancaster M.B., 41,250; Litherland and Barnsley U.D., 7,963.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Populat- ion.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
URBAN DISTRICTS —cont.														
Longridge ..	4,180	35	43	—	2	80	19.1	30	32	62	14.8	6	75	4.3
Lytham ..	25,940	105	110	9	11	235	9.1	163	140	303	11.7	8	34	-2.6
St. Anne's M.B.														
Middleton M.B.	29,010	214	198	7	5	424	14.6	176	149	325	11.2	27	64	3.4
Milnrow ..	8,774	48	47	1	2	98	11.2	49	60	109	12.4	4	41	-1.2
Morecambe and Heysham M.B.*	22,170	112	96	9	5	222	10.0	162	170	332	15.0	13	59	-5.0
Mossley M.B. ..	12,030	79	69	5	2	155	12.9	90	90	180	15.0	16	103	-2.1
Nelson M.B. ..	39,560	235	197	13	11	456	11.5	258	230	488	12.3	25	55	-0.8
Newton-in- Makerfield.	19,720	166	154	2	6	328	16.6	99	96	195	9.9	22	67	6.7
Norden ..	4,426	29	26	1	1	57	12.9	29	30	59	13.3	8	140	-0.4
Ormskirk ..	7,408	50	69	—	3	122	16.5	45	45	90	12.1	3	25	4.4
Orrell ..	7,236	52	58	—	2	112	15.5	36	37	73	10.1	10	89	5.4
Oswaldtwistle ..	14,850	107	91	3	3	204	13.7	93	109	202	13.6	16	78	0.1
Padiham ..	11,870	91	66	4	6	167	14.1	93	84	177	14.9	19	114	-0.8
Poulton le Fylde	3,021	25	21	—	1	47	15.6	19	19	38	12.6	3	64	3.0
Preesall ..	2,049	13	23	—	—	36	17.6	19	12	31	15.1	1	28	2.5
Prescot ..	10,110	105	91	1	3	200	19.8	51	57	108	10.7	10	50	9.1
Prestwich ..	21,670	130	128	7	3	268	12.4	99	100	199	9.2	13	49	3.2
Radcliffe ..	25,380	174	147	4	9	334	13.2	184	167	351	13.8	25	75	-0.6
Rainford ..	3,820	30	29	1	1	61	16.0	17	15	32	8.4	3	49	7.6
Ramsbottom ..	14,320	104	89	2	6	201	14.0	75	88	163	11.4	7	35	2.6
Rawtenstall ..	28,990	179	175	6	7	367	12.7	185	202	387	13.3	26	71	-0.6
M.B.														
Rishton ..	6,958	42	35	2	1	80	11.5	41	36	77	11.1	10	125	0.4
Royton ..	17,310	117	92	5	6	220	12.7	135	113	248	14.3	22	100	-1.6
Skelmersdale ..	6,834	54	50	4	—	108	15.8	43	32	75	11.0	6	56	4.8
Standish with Langtree.	7,425	55	49	2	—	106	14.3	48	26	74	10.0	8	75	4.3
Stretford ..	52,110	355	374	22	17	768	14.7	319	287	606	11.6	55	72	3.1
Swinton and Pendlebury	34,010	230	232	8	6	476	14.0	174	186	360	10.6	34	71	3.4
Thornton Cleveleys.	9,045	63	67	3	3	136	15.0	40	55	95	10.5	8	59	4.5
Tottington ..	6,631	33	33	—	1	67	10.1	33	49	82	12.4	3	45	-2.3
Trawden ..	2,710	7	18	1	—	26	9.6	19	21	40	14.8	1	38	-5.2
Turton ..	12,390	64	59	—	2	125	10.1	79	87	166	13.4	12	96	-3.3
Tyldesley with Shakerley.	15,560	132	122	6	4	264	17.0	111	85	196	12.6	21	80	4.4
Ulverston ..	9,104	60	58	3	3	124	13.6	68	71	139	15.3	9	73	-1.7
Upholland ..	5,896	42	47	—	1	90	15.3	42	25	67	11.4	8	89	3.9
Urmston ..	8,020	43	51	1	2	97	12.1	43	56	99	12.3	2	21	-0.2
Walton-le-Dale	12,440	68	93	5	3	169	13.6	68	79	147	11.8	15	89	1.8
Wardle ..	4,674	31	24	2	3	60	12.8	26	25	51	10.9	2	33	1.9
Waterloo with Seaforth.	31,860	253	261	15	6	535	16.8	193	194	387	12.2†	36	67	4.6
Westhoughton	17,510	123	109	6	3	241	13.8	84	96	180	10.3	13	54	3.5
Whitefield ..	7,714	60	51	3	1	115	14.9	49	44	93	12.1	11	96	2.8
Whitworth ..	8,565	59	62	2	3	126	14.7	66	71	137	16.0	10	79	-1.3
Widnes M.B. ..	41,010	444	447	11	10	912	22.2	263	205	468	11.4	72	79	10.8
Withnell ..	3,409	25	19	—	2	46	13.5	19	18	37	10.9	2	43	2.6
Worsley ..	14,720	85	89	4	2	180	12.2	100	86	186	12.6	12	67	-0.4

* On the 1st October, 1928, Heysham U.D. and Morecambe M.B. were united as Morecambe and Heysham M.B. The figures relate to the combined district for the whole year.

† Death-rate based upon estimated civilian population of 31,620.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
RURAL DISTRICTS.	266,190*	1,893	1,725	63	67	3,748	14.1	1,460	1,454	2,914	11.0†	216	58	3.1
Barton-upon- Irwell	12,830	98	107	1	2	208	16.2	80	70	150	11.7	16	77	4.5
Blackburn ..	11,200	68	49	1	2	120	10.7	56	61	117	10.4	6	50	0.3
Burnley ..	19,200	108	122	4	4	238	12.4	113	132	245	12.8	18	76	-0.4
Bury ..	9,370	67	64	2	4	137	14.6	51	51	102	10.9	6	44	3.7
Chorley ..	22,250	182	135	8	4	329	14.8	123	117	240	10.8	22	67	4.0
Clitheroe..	8,958	46	40	2	—	88	9.8	38	35	73	8.1	3	34	1.7
Fylde ..	16,180	123	105	5	10	243	15.0	73	80	153	9.5	16	66	5.5
Garstang..	11,560	102	107	5	2	216	18.7	74	62	136	11.8	9	42	6.9
Lancaster ..	9,321	71	71	3	1	146	15.7	52	60	112	12.0	8	55	3.7
Leigh ..	11,780	110	79	2	4	195	16.6	53	72	125	10.6	10	51	6.0
Limehurst ..	9,209	63	54	3	1	121	13.1	47	56	103	11.4†	7	58	1.7
Lunesdale ..	6,318	36	43	—	4	83	13.1	36	36	72	11.4	2	24	1.7
Preston ..	28,060	201	182	5	5	393	14.0	155	145	300	10.7	18	46	3.3
Sefton ..	5,497*	53	45	2	2	102	18.6	40	32	72	13.1	14	137	5.5
Ulverston ..	16,500	122	103	10	6	241	14.6	116	106	222	13.5	11	46	1.1
Warrington ..	16,030	106	92	2	4	204	12.7	82	77	159	9.9	14	69	2.8
West Lancashire	22,880	148	135	4	6	293	12.8	134	129	263	11.5	13	44	1.3
Whiston ..	22,610	143	155	3	5	306	13.5	98	95	193	8.5	17	56	5.0
Wigan ..	6,437	46	37	1	1	85	13.2	39	38	77	12.0	6	71	1.2
LEICESTERSHIRE :														
COUNTY BORO' :														
Leicester ..	246,000	1,924	1,820	121	123	3,988	16.2	1,411	1,337	2,748	11.2	283	71	5.0
ADMINISTRATIVE COUNTY.	292,000	2,519	2,363	102	90	5,074	17.4	1,550	1,509	3,059	10.5†	281	55	6.9
URBAN DISTRICTS	119,980*	1,007	960	47	34	2,048	17.1	641	545	1,186	9.9†	112	55	7.2
Ashby de la Zouch.	5,248	53	48	2	—	103	19.6	26	20	46	8.8	8	78	10.8
Ashby Woulds	3,544	38	29	2	2	71	20.0	16	14	30	8.5	6	85	11.5
Coalville ..	22,970	208	216	6	9	439	19.1	104	93	197	8.6	23	52	10.5
Hinckley ..	15,430	142	146	3	4	295	19.1	81	62	143	9.3	9	31	9.8
Loughborough M.B.	25,950	230	182	8	9	429	16.5	161	130	291	11.2	23	54	5.3
Market Harboro'	9,002	61	47	7	2	117	13.0	42	64	106	11.8	6	51	1.2
Melton Mowbray	10,550	66	89	6	—	161	15.3	62	43	105	10.0	10	62	5.3
Oadby ..	4,247	37	29	—	—	66	15.5	25	12	37	8.7	2	30	6.8
Quorndon ..	2,619	8	17	4	—	29	11.1	20	11	31	11.8	4	138	-0.7
Shepshed ..	5,931	42	43	—	—	85	14.3	28	27	55	9.3	6	71	5.0
Thurmaston ..	3,739	37	28	3	3	71	19.0	23	12	35	9.4	2	28	9.6
Wigston Magna	10,750*	85	86	6	5	182	16.9	53	57	110	10.3†	13	71	6.6
RURAL DISTRICTS.	172,020*	1,512	1,403	55	56	3,026	17.6	909	964	1,873	10.9†	169	56	6.7
Ashby de la Zouch.	17,710	183	158	3	10	354	20.0	78	121	199	11.2	23	65	8.8
Barrow upon Soar.	29,300	268	211	5	10	494	16.9	156	160	316	10.8	18	36	6.1
Belvoir ..	3,238	24	19	2	2	47	14.5	16	19	35	10.8	1	21	3.7
Billesdon..	10,270	63	64	2	2	131	12.8	50	33	83	8.1	6	46	4.7
Blaby ..	25,310*	283	278	9	3	573	22.6	125	119	244	9.7†	31	54	12.9
Castle Donington	6,538	66	45	4	2	117	17.9	49	46	95	14.5	8	68	3.4
Hallaton ..	1,715	11	10	—	1	22	12.8	10	11	21	12.2	1	45	0.6
Hinckley ..	16,500	142	129	6	4	281	17.0	61	85	146	8.8	9	32	8.2

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 266,010*; Limehurst R.D. 9,029. Leicestershire—Administrative County, 291,800; Urban Districts, 119,930*; Wigston Magna U.D., 10,700*; Rural Districts, 171,870*; Blaby R.D., 25,160*.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Lancashire—Rural Districts, 263,090 (Total), 262,910 (Civilian); Sefton R.D., 2,397. Leicestershire—Urban Districts, 120,410 (Total), 120,210 (Civilian); Wigston Magna U.D., 11,180 (Total), 10,980 (Civilian); Rural Districts, 171,590; Blaby R.D., 24,880.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE —cont.														
RURAL DISTRICTS —cont.														
Loughborough	4,774	35	25	3	2	65	13·6	25	36	61	12·8	5	77	0·8
Lutterworth ..	10,330	82	74	5	1	162	15·7	58	63	121	11·7	12	74	4·0
Market Bosworth	24,150	205	212	8	13	438	18·1	153	139	292	12·1	35	80	6·0
Market Harboro'	7,465	45	54	3	1	103	13·8	49	51	100	13·4	7	68	0·4
Melton Mowbray	14,720	105	124	5	5	239	16·2	79	81	160	10·9	13	54	5·3
LINCOLNSHIRE : PARTS OF HOLLAND.														
ADMINISTRATIVE COUNTY.	88,860	885	845	44	57	1,831	20·6	512	482	994	11·2	85	46	9·4
URBAN DISTRICTS	39,010	372	365	25	25	787	20·2	237	233	470	12·0	29	37	8·2
Boston M.B. ..	15,850	142	157	6	10	315	19·9	88	111	199	12·6	12	38	7·3
Holbeach ..	5,941	69	61	3	4	137	23·1	40	24	64	10·8	5	36	12·8
Long Sutton ..	3,134	28	29	2	2	61	19·5	22	16	38	12·1	5	82	7·4
Spalding ..	11,700	114	94	11	9	228	19·5	71	68	139	11·9	6	26	7·6
Sutton Bridge	2,385	19	24	3	—	46	19·3	16	14	30	12·6	1	22	6·7
RURAL DISTRICTS.	49,850	513	480	19	32	1,044	20·9	275	249	524	10·5	56	54	10·4
Boston	22,820	237	230	9	21	497	21·8	125	113	238	10·4	24	48	11·4
Crowland ..	2,760	33	35	1	1	70	25·4	12	16	28	10·1	—	—	15·3
East Elloe ..	10,390	111	92	3	4	210	20·2	63	51	114	11·0	17	81	9·2
Spalding (pt.) †	13,880	132	123	6	6	267	19·2	75	69	144	10·4	15	56	8·8
LINCOLNSHIRE : PARTS OF KESTEVEN.														
ADMINISTRATIVE COUNTY.	109,600	909	882	60	61	1,912	17·4	673	649	1,322	12·3†	117	61	5·1
URBAN DISTRICTS	41,870	331	328	24	23	706	16·9	262	248	510	12·2	44	62	4·7
Bourne	4,417	36	39	2	6	83	18·8	35	21	56	12·7	3	36	6·1
Grantham M.B.	18,940	161	170	11	10	352	18·6	135	123	258	13·6	24	68	5·0
Ruskington ..	1,151	11	11	—	—	22	19·1	5	10	15	13·0	3	136	6·1
Sleaford	7,302	60	41	6	1	108	14·8	35	31	66	9·0	8	74	5·8
Stamford M.B.	10,060	63	67	5	6	141	14·0	52	63	115	11·4	6	43	2·6
RURAL DISTRICTS.	67,730	578	554	36	38	1,206	17·8	411	401	812	12·3†	73	61	5·5
Bourne	12,540	118	110	9	6	243	19·4	86	92	178	14·2	12	49	5·2
Branston	14,580	108	110	2	7	227	15·6	85	68	153	10·6†	13	57	5·0
Claypole	7,874	55	51	4	4	114	14·5	47	52	99	12·6	12	105	1·9
Grantham	12,200	103	107	8	6	224	18·4	72	78	150	12·7†	14	63	5·7
Sleaford	18,530	173	156	13	13	355	19·2	108	106	214	12·4†	22	62	6·8
Spalding (pt.) §	657	6	5	—	—	11	16·7	4	2	6	9·1	—	—	7·6
Uffington ..	1,349	15	15	—	2	32	23·7	9	3	12	8·9	—	—	14·8
LINCOLNSHIRE : PARTS OF LINDSEY.														
COUNTY BORO'S.	156,090*	1,312	1,206	90	74	2,682	17·2	954	886	1,840	11·8†	190	71	5·4
Grimsby	90,270*	834	761	60	47	1,702	18·9	535	497	1,032	11·4	133	78	7·5
Lincoln	65,820	478	445	30	27	980	14·9	419	389	808	12·3†	57	58	2·6
ADMINISTRATIVE COUNTY.	259,170*	2,132	2,161	158	156	4,607	17·8	1,402	1,324	2,726	10·5	224	49	7·3

† Death-rates based upon estimated civilian populations as follows :—Lincolnshire (Kesteven)—Administrative County, 107,900; Rural Districts, 66,030; Branston R.D., 14,450; Grantham R.D., 11,840; Sleaford R.D., 17,320. Lincolnshire: Lindsey—County Boroughs, 155,820*; Lincoln C.B., 65,550.

* Population adjusted to allow for change in boundary during the year. The mid year populations after the change are as follows :—Lincolnshire (Lindsey)—County Boroughs, 157,360 (Total), 157,090 (Civilian); Grimsby C.B., 91,540; Administrative County, 257,900.

‡ The remainder of Spalding Rural District is in Lincolnshire: Kesteven.

§ The remainder of Spalding Rural District is in Lincolnshire: Holland.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE :														
COUNTY OF LINDESEY —cont.														
RURAL DISTRICTS	124,460	961	995	90	68	2,114	17.0	648	610	1,258	10.1	112	53	6.9
Grimsby	2,202	14	19	2	1	36	16.3	18	26	44	20.0	1	28	-3.7
Grimsby-on- Humber.	6,371	54	37	10	2	103	16.2	38	23	61	9.6	9	87	6.6
Grimsby	3,617	34	37	3	3	77	21.3	22	21	43	11.9	7	91	9.4
Grimsby	28,540	209	229	14	17	469	16.4	136	136	272	9.5	33	70	6.9
Grimsby	2,768	22	31	1	2	56	20.2	18	16	34	12.3	4	71	7.9
Grimsby	18,750	128	122	14	7	271	14.5	112	99	211	11.3	12	44	3.2
Grimsby	3,380	19	25	5	3	52	15.4	27	21	48	14.2	2	38	1.2
Grimsby M.B. ..	9,370	78	69	4	2	153	16.3	60	75	135	14.4	6	39	1.9
Grimsby and Sutton	5,003	25	23	1	2	51	10.2	18	16	34	6.8	—	—	3.4
Grimsby	2,035	9	15	1	1	26	12.8	17	20	37	18.2	—	—	-5.4
Grimsby-cum- Risby.	596	6	7	1	1	15	25.2	4	3	7	11.7	1	67	13.5
Grimsby and Frodingham.	31,660	298	312	22	16	648	20.5	130	108	238	7.5	25	39	13.0
Grimsby	6,831	36	47	12	7	102	14.9	31	23	54	7.9	5	49	7.0
Grimsby	1,893	23	20	—	3	46	24.3	10	11	21	11.1	7	152	13.2
Grimsby Spa	1,444	6	2	—	1	9	6.2	7	12	19	13.2	—	—	-7.0
RURAL DISTRICTS.	134,710*	1,171	1,166	68	88	2,493	18.5	754	714	1,468	10.9	112	45	7.6
Grimsby	12,750	118	120	7	4	249	19.5	83	60	143	11.2	11	44	8.3
Grimsby	14,140	121	114	4	8	247	17.5	83	72	155	11.0	11	45	6.5
Grimsby Brigg	28,790	244	279	17	20	560	19.5	127	129	256	8.9	24	43	10.6
Grimsby	11,190*	107	95	4	9	215	19.2	60	47	107	9.6	8	37	9.6
Grimsby	11,880	100	102	4	12	218	18.4	70	82	152	12.8	11	50	5.6
Grimsby	6,539	60	51	6	4	121	18.5	40	38	78	11.9	5	41	6.6
Grimsby	16,490	145	112	5	12	274	16.6	100	82	182	11.0	16	58	5.6
Grimsby	2,961	30	27	—	2	59	19.9	17	11	28	9.5	5	85	10.4
Grimsby	18,810	161	162	13	9	345	18.3	112	129	241	12.8	11	32	5.5
Grimsby	11,160	85	104	8	8	205	18.4	62	64	126	11.3	10	49	7.1
GREATER LONDON†														
Greater London†	7,864,130	61,786	59,335	2,912	2,623	126,656	16.1	44,850	43,025	87,875	11.2†	7,754	61	4.9
LONDON :														
Administrative County, City and Inner and Middle Temples.	4,469,000	35,070	33,683	1,920	1,679	72,352	16.2	27,754	26,141	53,895	12.1†	4,879	67	4.1
CITY OF LONDON.														
City of London.	11,430	36	33	6	7	82	7.2	76	64	140	12.2	5	61	-5.0
METROPOLITAN BOROUGH AND MIDDLE TEMPLES.														
Metropolitan Boroughs:	280	1	—	—	—	1	3.6	2	—	2	7.1	—	—	-3.5
METROPOLITAN BOROUGH:														
Grimsby	164,100	1,321	1,299	65	58	2,743	16.7	980	974	1,954	11.9	176	64	4.8
Grimsby	115,200	1,109	1,111	34	22	2,276	19.8	817	707	1,524	13.2	179	79	6.6
Grimsby	112,200	1,077	1,001	39	20	2,137	19.0	695	622	1,317	11.7	158	74	7.3
Grimsby	260,400	2,032	1,981	61	61	4,135	15.9	1,613	1,492	3,105	11.9	255	62	4.0
Grimsby	63,630	364	368	42	31	805	12.7	441	420	861	13.5	39	48	-0.8

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Lincolnshire (Lindsey)—Rural Districts, 133,440; Grimsby R.D., 9,920.

† Death-rates based upon estimated civilian populations as follows:—Greater London, 7,849,000; London, 4,458,200.

‡ Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detailed constitution see Census of England and Wales, 1921, Preliminary Report pp. 58, 59 (Cmd. 1485).

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928.)	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—cont.														
METROPOLITAN BORO'S—cont.														
Deptford ..	112,400	925	833	33	36	1,827	16·3	730	624	1,354	12·0	139	76	4·3
Finsbury ..	72,010	700	701	35	33	1,469	20·4	570	517	1,087	15·1	124	84	5·3
Fulham ..	155,300	1,144	1,117	73	54	2,388	15·4	853	935	1,788	11·5	186	78	3·9
Greenwich ..	101,200	787	858	38	29	1,712	16·9	603	556	1,159	11·6†	96	56	5·3
Hackney ..	217,200	1,697	1,656	69	55	3,477	16·0	1,300	1,251	2,551	11·7	236	68	4·3
Hammersmith	136,300	1,098	1,016	81	63	2,258	16·6	820	733	1,553	11·4	156	69	5·2
Hampstead ..	85,880	479	442	43	36	1,000	11·6	472	532	1,004	11·7	54	54	—0·1
Holborn ..	39,280	232	204	21	16	473	12·0	292	239	531	13·5	27	57	—1·5
Islington ..	324,700	2,831	2,730	133	116	5,810	17·9	2,077	2,095	4,172	12·8	371	64	5·1
Kensington ..	178,400	1,194	1,124	130	111	2,559	14·3	1,095	1,236	2,331	13·1†	218	85	1·2
Lambeth ..	298,100	2,416	2,283	162	156	5,017	16·8	1,906	1,762	3,668	12·3	308	61	4·5
Lewisham ..	199,300	1,524	1,426	56	30	3,036	15·2	957	1,036	1,993	10·0	158	52	5·2
Paddington ..	145,200	959	967	128	124	2,178	15·0	910	981	1,891	13·0	186	85	2·0
Poplar ..	162,000	1,579	1,558	43	48	3,228	19·9	1,090	818	1,908	11·8	231	72	8·1
St. Marylebone	104,000	595	575	75	73	1,318	12·7	628	610	1,238	11·9	105	80	0·8
St. Pancras ..	206,000	1,579	1,476	126	117	3,298	16·0	1,426	1,217	2,643	12·9†	262	79	3·1
Shoreditch ..	101,200	1,031	985	40	35	2,091	20·7	763	618	1,381	13·6	164	78	7·1
Southwark ..	181,300	1,730	1,582	84	80	3,476	19·2	1,322	1,033	2,355	13·0	246	71	6·2
Stepney ..	244,700	2,212	2,180	68	58	4,518	18·5	1,549	1,359	2,908	11·9†	329	73	6·6
Stoke Newington	50,690	367	380	15	14	776	15·3	304	328	632	12·5	47	61	2·8
Wandsworth ..	347,300	2,270	2,150	101	95	4,616	13·3	1,833	1,943	3,776	10·9	229	50	2·4
Westminster ..	132,700	643	577	85	74	1,379	10·4	799	716	1,515	11·7†	81	59	—1·3
Woolwich ..	146,600	1,138	1,070	34	27	2,269	15·5	831	723	1,554	11·0†	114	50	4·5
MIDDLESEX.														
ADMINISTRATIVE COUNTY	1,420,660	11,059	10,714	442	450	22,665	16·0	6,964	7,086	14,050	9·9†	1,168	52	6·1
URBAN DISTRICTS	1,341,440*	10,352	10,064	416	420	21,252	15·8	6,602	6,721	13,323	10·0†	1,094	51	5·8
Acton M.B. ..	64,870	506	453	26	18	1,003	15·5	349	350	699	10·8	56	56	4·7
Brentford and Chiswick ..	58,370	466	477	21	27	991	17·0	338	337	675	11·6	48	48	5·4
Ealing M.B. ..	98,660*	693	711	43	25	1,472	14·9	463	571	1,034	10·5	61	41	4·4
Edmonton ..	74,460	652	623	24	27	1,326	17·8	365	358	723	9·7	92	69	8·1
Enfield ..	64,910	530	467	14	14	1,025	15·8	326	315	641	9·9	60	59	5·9
Feltham ..	7,747	72	77	4	1	154	19·9	30	36	66	8·9†	8	52	11·0
Finchley ..	53,270	378	347	19	16	760	14·3	251	260	511	9·6	28	37	4·7
Friern Barnet	21,250	148	140	2	5	295	13·9	75	81	156	7·3	19	64	6·6
Hampton ..	12,030	89	85	2	5	181	15·0	68	69	137	11·4	11	61	3·6
Hampton Wick	3,081	11	21	1	3	36	11·7	15	18	33	10·7	3	83	1·0
Harrow-on-the- Hill.	23,050*	152	164	9	5	330	14·3	90	104	194	8·4	17	52	5·9
Hayes ..	12,540	134	117	4	6	261	20·8	57	48	105	8·4	12	46	12·4
Hendon ..	80,220	585	605	27	28	1,245	15·5	326	317	643	8·1†	41	33	7·4
Heston and Isleworth.	59,730	502	478	15	25	1,020	17·1	338	286	624	10·6†	57	56	6·5
Hornsey M.B.	87,280	586	560	22	23	1,191	13·6	477	523	1,000	11·5	73	61	2·1
Kingsbury ..	5,296	64	62	3	1	130	24·5	21	21	42	7·9	6	46	16·6
Ruislip North- wood.	13,400	101	99	5	8	213	15·9	53	60	113	8·7†	9	42	7·2
Southall	35,340	262	268	12	4	546	15·4	177	138	315	8·9	33	60	6·5
Norwood.														
Southgate ..	47,040	302	269	8	12	591	12·6	202	203	405	8·6	16	27	4·0
Staines ..	7,893	72	65	2	2	141	17·9	59	39	98	12·4	8	57	5·5

† Death-rates based upon estimated civilian populations as follows:—Metropolitan Boroughs—Greenwich, 100,200; Kensington, 178,200; St. Pancras, 205,600; Stepney, 244,000; Westminster, 129,700; Woolwich, 141,100. Middlesex—Administrative County, 1,416,600. Urban Districts, 1,337,790*. Feltham U.D., 7,397; Hendon U.D., 79,710; Heston and Isleworth U.D., 58,910; Ruislip Northwood U.D., 13,030.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Middlesex—Urban Districts, 1,343,120 (Total), 1,339,470 (Civilian); Ealing M.B., 100,250; Harrow-on-the-Hill U.D., 23,140.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX—cont.														
URBAN DISTRICTS—cont.														
Uxbridge-on-Thames.	7,024	53	66	1	2	122	17.4	28	42	70	10.0	3	25	7.4
Uxbridge ..	22,000	160	159	9	8	336	15.3	99	140	239	10.9	27	80	4.4
Uxbridge ..	153,800	1,213	1,188	40	37	2,478	16.1	789	762	1,551	10.1	135	54	6.0
Uxbridge M.B.	35,080	291	255	12	17	575	16.4	212	196	408	11.6	28	49	4.8
Uxbridge ..	13,920	124	94	3	2	223	16.0	66	77	143	11.6†	9	40	4.4
Uxbridge ..	20,040	183	210	3	6	402	20.1	94	69	163	8.1	16	40	12.0
Uxbridge ..	32,710	304	287	9	13	613	18.7	125	141	266	8.1	26	42	10.6
Uxbridge ..	167,700	1,300	1,285	59	70	2,714	16.2	842	893	1,735	10.3	153	56	5.9
Uxbridge ..	52,750	348	362	13	9	732	13.9	243	235	478	9.1	30	41	4.8
Uxbridge ..	5,979	71	70	4	1	146	24.4	24	32	56	9.4	9	62	15.0
RURAL DISTRICTS.	79,220*	707	650	26	30	1,413	17.8	362	365	727	9.2†	74	52	8.6
Uxbridge ..	28,590	253	216	6	10	485	17.0	121	114	235	8.2	21	43	8.8
Uxbridge ..	4,310	20	33	3	1	57	13.2	26	22	48	11.1	2	35	2.1
Uxbridge ..	28,370	250	231	11	15	507	17.9	142	150	292	10.3	31	61	7.6
Uxbridge ..	17,950*	184	170	6	4	364	20.3	73	79	152	8.7†	20	55	11.6
NORFOLK:														
COUNTY BORO'S:	183,690	1,396	1,358	68	79	2,901	15.8	957	1,071	2,028	11.1	139	48	4.7
Great Yarmouth	58,490	442	387	25	23	877	15.0	341	339	680	11.6	57	65	3.4
Norwich ..	125,200	954	971	43	56	2,024	16.2	616	732	1,348	10.8†	82	41	5.4
ADMINISTRATIVE COUNTY.	322,550	2,531	2,423	150	178	5,282	16.4	2,006	1,883	3,889	12.1†	296	56	4.3
URBAN DISTRICTS														
Great Yarmouth ..	61,240*	443	459	34	31	967	15.8	366	421	787	12.9	56	58	2.9
Great Yarmouth ..	4,330	20	26	—	—	46	10.6	15	19	34	7.9	1	22	2.7
Great Yarmouth ..	3,420	21	19	3	5	48	14.0	29	20	49	14.3	1	21	—0.3
Great Yarmouth Market	2,443	23	19	1	1	44	18.0	12	10	22	9.0	3	68	9.0
Great Yarmouth ..	5,443	38	42	3	3	86	15.8	32	32	64	11.8	4	47	4.0
Great Yarmouth M.B.	20,100	181	181	13	14	389	19.4	139	151	290	14.4	20	51	5.0
New Hunstanton	3,721*	10	16	2	—	28	7.5	16	26	42	11.3	—	—	—3.8
North Walsham	4,286	25	27	2	2	56	13.1	28	30	58	13.5	2	36	—0.4
Thetford ..	3,997	22	29	2	—	53	13.3	22	38	60	15.0	7	132	—1.7
Thetford ..	2,646	23	18	1	—	42	15.9	17	22	39	14.7	4	95	1.2
Thetford M.B.	4,330	20	27	—	1	48	11.1	13	28	41	9.5	3	63	1.6
Walsoken ..	3,772	38	35	4	4	81	21.5	29	27	56	14.8	6	74	6.7
Wells ..	2,752	22	20	3	1	46	16.7	14	18	32	11.6	5	109	5.1
RURAL DISTRICTS	261,310*	2,088	1,964	116	147	4,315	16.5	1,640	1,462	3,102	11.9†	240	56	4.6
Walsoken ..	16,350	132	119	10	15	276	16.9	112	106	218	13.3	17	62	3.6
Walsoken ..	13,920	109	90	10	7	216	15.5	62	64	126	9.1	4	19	6.4
Walsoken ..	18,340	154	148	7	6	315	17.2	128	109	237	12.9	20	63	4.3
Walsoken ..	16,740*	137	109	10	7	263	15.7	95	97	192	11.6†	19	72	4.1
Walsoken ..	14,940	151	126	7	8	292	19.5	87	104	191	12.8	18	62	6.7
East and West Flegg.	10,410	80	66	6	4	156	15.0	47	51	98	9.4	1	6	5.6
Walsoken ..	17,890	144	128	6	7	285	15.9	122	103	225	12.6	17	60	3.3
Walsoken ..	12,520	108	110	5	7	230	18.4	71	58	129	10.3	10	43	8.1
Walsoken ..	12,020	88	92	3	4	187	15.6	90	64	154	12.8	11	59	2.8
Walsoken ..	10,520	70	57	5	9	141	13.4	68	42	110	10.5	13	92	2.9

† Death-rate based upon estimated civilian populations as follows:—Middlesex, Uxbridge U.D., 12,320; Rural Districts, 78,810*; Uxbridge R.D., 17,540*; Norfolk County Boroughs, 183,190; Norwich C.B., 124,700; Administrative County, 322,300; Rural Districts, 261,060*; Docking R.D., 16,490*.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Middlesex—Rural Districts, 77,540 (Total), 77,130 (Civilian); Uxbridge R.D., 16,270 (Total), 15,860 (Civilian). Norfolk—Urban Districts, 61,380; New Hunstanton U.D., 3,861; Rural Districts, 261,170 (Total), 260,920 (Civilian); Docking R.D., 16,600 (Total), 16,350 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—cont.														
RURAL DISTRICTS —cont.														
King's Lynn ..	895	6	2	—	1	9	10.1	5	6	11	12.3	1	111	-2.2
Loddon and Clavering	12,160	89	96	5	7	197	16.2	69	75	144	11.8	14	71	4.4
Marshland ..	14,550	141	134	6	11	292	20.1	79	65	144	9.9	11	38	10.2
Mitford and Launditch.	17,570	125	136	12	16	289	16.4	110	103	213	12.1	13	45	4.3
St. Faith's ..	13,280	95	97	3	7	202	15.2	72	61	133	10.0	12	59	5.2
Smallburgh ..	14,100	106	101	8	7	222	15.7	96	69	165	11.7	12	54	4.0
Swaffham ..	6,940	39	65	1	6	111	16.0	55	45	100	14.4	6	54	1.6
Thetford ..	9,165	90	90	4	4	188	20.5	74	53	127	13.9	13	69	6.6
Walsingham ..	15,960	115	102	2	6	225	14.1	93	89	182	11.4	12	53	2.7
Wayland ..	13,040	109	96	6	8	219	16.8	105	98	203	15.6	16	73	1.2
NORTHAMPTON- SHIRE :														
COUNTY BORO' :														
Northampton	94,270	626	623	37	22	1,308	13.9	558	515	1,073	11.4†	72	55	2.5
ADMINISTRATIVE COUNTY.	215,170	1,538	1,491	78	68	3,175	14.8	1,260	1,247	2,507	11.7†	154	49	3.1
URBAN DISTRICTS	101,530	684	697	33	29	1,443	14.2	566	563	1,129	11.1	76	53	3.1
Brackley M.B.	2,220	18	18	1	—	37	16.7	11	19	30	13.5	2	54	3.2
Burton Latimer	3,435	25	22	—	3	50	14.6	13	23	36	10.5	1	20	4.1
Daventry M.B.	3,509	30	29	3	—	62	17.7	23	23	46	13.1	4	65	4.6
Desborough ..	4,459	27	30	—	2	59	13.2	16	20	36	8.1	2	34	5.1
Finedon ..	4,060	29	30	2	2	63	15.5	25	26	51	12.6	4	63	2.9
Higham Ferrers M.B.	3,012	20	23	—	—	43	14.3	16	11	27	9.0	—	—	5.3
Irthlingborough	4,906	35	40	2	—	77	15.7	26	23	49	10.0	4	52	5.7
Kettering ..	30,810	208	199	9	9	425	13.8	181	144	325	10.5	31	73	3.3
Oundle ..	2,517	4	11	2	1	18	7.2	14	12	26	10.3	1	56	-3.1
Raunds ..	3,715	34	19	2	1	56	15.1	16	16	32	8.6	—	—	6.5
Rothwell ..	4,687	26	30	—	—	56	11.9	23	28	51	10.9	3	54	1.0
Rushden ..	13,650	89	73	6	6	174	12.7	71	75	146	10.7	10	57	2.0
Wellingborough	20,550	139	173	6	5	323	15.7	131	143	274	13.3	14	43	2.4
RURAL DISTRICTS :	113,640	854	794	45	39	1,732	15.2	694	684	1,378	12.1†	78	45	3.1
Brackley ..	6,288	37	37	2	2	78	12.4	56	47	103	16.4	4	51	-4.0
Brixworth ..	11,720	81	77	11	4	173	14.8	89	66	155	13.2	10	58	1.6
Crick ..	2,413	21	20	2	1	44	18.2	16	12	28	11.6	3	68	6.6
Daventry ..	13,540	104	108	5	7	224	16.5	74	80	154	11.4†	12	54	5.1
Easton-on-the- Hill.	1,406	15	9	—	—	24	17.1	9	5	14	10.0	—	—	7.1
Gretton ..	1,379	11	7	—	1	19	13.8	5	10	15	10.9	—	—	2.9
Hardingstone	7,427	46	49	—	3	98	13.2	48	51	99	13.3	4	41	-0.1
Kettering ..	9,410	69	69	3	3	144	15.3	65	47	112	11.9	5	35	3.4
MiddletonCheney	2,368	20	15	—	—	35	14.8	18	18	36	15.2	3	86	-0.4
Northampton	10,660	100	96	2	4	202	18.9	39	43	82	7.7	10	50	11.2
Oundle (part of)	6,351	46	43	4	4	97	15.3	53	45	98	15.4	4	41	-0.1
Oxendon ..	3,821	29	39	3	1	72	18.8	23	26	49	12.8	2	28	6.0
Potterspury ..	4,675	43	27	—	1	71	15.2	17	22	39	8.3	6	85	6.9
Thrapston (part of)†.	10,120	73	62	2	2	139	13.7	66	72	138	13.6	5	36	0.1
Towcester ..	9,502	64	64	5	1	134	14.1	53	67	120	12.6	4	30	1.5
Wellingborough	12,560	95	72	6	5	178	14.2	63	73	136	10.8	6	34	3.4

† Death rates based upon estimated civilian populations as follows:—Northamptonshire—Northampton C.B., 94,070; Administrative County, 215,100; Rural Districts, 113,570; Daventry R.D., 13,470.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHUMBERLAND:														
COUNTY BORO'S.	348,230	3,236	3,149	143	134	6,662	19·1	2,408	2,168	4,576	13·2†	560	84	5·9
Newcastle-upon-Tyne.	282,200	2,649	2,557	115	108	5,429	19·2	1,959	1,776	3,735	13·3†	452	83	5·9
Tynemouth ..	66,030	587	592	28	26	1,233	18·7	449	392	841	12·7	108	88	6·0
ADMINISTRATIVE COUNTY.	407,300	3,605	3,520	190	171	7,486	18·4	2,465	2,177	4,642	11·4	501	67	7·0
URBAN DISTRICTS	302,850	2,830	2,780	128	116	5,854	19·3	1,865	1,614	3,479	11·5	420	72	7·8
Alnwick	6,876	60	36	2	3	101	14·7	42	53	95	13·8	3	30	0·9
Amble	4,039	38	43	1	1	83	20·5	28	11	39	9·7	2	24	10·8
Ashington ..	29,040	318	325	8	12	663	22·8	163	140	303	10·4	53	80	12·4
Bedlingtonshire	28,110	292	291	16	11	610	21·7	192	142	334	11·9	46	75	9·8
Berwick-upon-Tweed M.B.	11,890	109	93	8	9	219	18·4	90	86	176	14·8	8	37	3·6
Blyth M.B. ..	31,840	295	338	17	11	661	20·8	202	169	371	11·7	49	74	9·1
Cramlington ..	8,640	86	82	6	5	179	20·7	52	57	109	12·6	14	78	8·1
Earsdon	12,790	150	133	5	1	289	22·6	85	56	141	11·0	23	80	11·6
Gosforth	16,330	124	104	—	6	234	14·3	88	59	147	9·0	12	51	5·3
Hexham	8,525	64	74	7	11	156	18·3	63	51	114	13·4	14	90	4·9
Longbenton ..	13,900	130	114	7	4	255	18·3	55	98	153	11·0	10	39	7·3
Morpeth M.B.	7,197	59	63	4	3	129	17·9	49	57	106	14·7	8	62	3·2
Newbiggin by the Sea	7,121	77	62	4	7	150	21·1	39	37	76	10·7	14	93	10·4
Newburn.. ..	20,450	202	181	8	6	397	19·4	151	90	241	11·8	39	98	7·6
Prudhoe	9,354	78	78	5	6	167	17·9	47	45	92	9·8	9	54	8·1
Rothbury	1,194	8	2	—	—	10	8·4	7	8	15	12·6	2	200	—4·2
Seaton Delaval	7,505	65	66	4	4	139	18·5	41	42	83	11·1	6	43	7·4
Seghill	2,441	25	22	2	—	49	20·1	12	9	21	8·6	5	102	11·5
Wallsend M.B.	44,440	445	475	19	12	951	21·4	307	244	551	12·4	79	83	9·0
Weetslade ..	7,688	82	84	3	1	170	22·1	37	36	73	9·5	7	41	12·6
Whitley and Monkseaton	23,480	123	114	2	3	242	10·3	115	124	239	10·2	17	70	0·1
RURAL DISTRICTS	104,450	775	740	62	55	1,632	15·6	600	563	1,163	11·1	81	50	4·5
Alnwick	12,580	100	83	5	6	194	15·4	84	80	164	13·0	12	62	2·4
Belford	4,742	24	25	4	1	54	11·4	34	43	77	16·2	4	74	—4·8
Bellingham ..	5,440	44	42	7	5	98	18·0	45	37	82	15·1	3	31	2·9
Castle Ward ..	13,890	94	107	3	2	206	14·8	57	42	99	7·1	9	44	7·7
Glendale	8,101	66	65	5	4	140	17·3	48	52	100	12·3	8	57	5·0
Haltwhistle ..	8,916	62	58	6	7	133	14·9	65	59	124	13·9	6	45	1·0
Hexham	21,300	149	144	9	12	314	14·7	123	110	233	10·9	16	51	3·8
Morpeth	19,740	168	146	8	13	335	17·0	91	83	174	8·8	12	36	8·2
Newcastle-upon-Tyne (Moot Hall and precincts)	6	—	—	—	—	—	—	1	—	1	166·7	—	—	—166·7
Norham and Islandshires	5,121	38	35	5	4	82	16·0	29	32	61	11·9	4	49	4·1
Rothbury	4,614	30	35	10	1	76	16·5	23	25	48	10·4	7	92	6·1
NOTTINGHAMSHIRE														
COUNTY BORO':														
Nottingham ..	266,600	2,222	2,149	164	176	4,711	17·7	1,756	1,670	3,426	12·9	409	87	4·8
ADMINISTRATIVE COUNTY.	422,700	4,039	3,571	171	160	7,941	18·8	2,298	2,094	4,392	10·4	508	64	8·4

† Death-rates based upon estimated civilian populations as follows :—Northumberland—County Boroughs, 347,530;
Newcastle-upon-Tyne C.B., 281,500.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAM-SHIRE—cont.														
URBAN DISTRICTS	263,380	2,502	2,235	105	93	4,935	18.7	1,407	1,254	2,661	10.1	332	67	8.6
Arnold	12,980	126	124	5	4	259	20.0	76	61	137	10.6	13	50	9.4
Beeston	16,010	147	139	4	4	294	18.4	85	69	154	9.6	22	75	8.8
Carlton	20,360	202	185	10	8	405	19.9	96	109	205	10.1	26	64	9.8
East Retford M.B.	13,400	131	128	8	3	270	20.1	70	103	173	12.9	18	67	7.2
Eastwood	5,449	55	48	2	4	109	20.0	36	21	57	10.5	4	37	9.5
Hucknall.. ..	17,210	162	139	5	4	310	18.0	106	77	183	10.6	18	58	7.4
Huthwaite	5,511	37	39	3	3	82	14.9	29	29	58	10.5	10	122	4.4
Kirkby-in- Ashfield.	18,530	190	153	8	5	356	19.2	86	87	173	9.3	21	59	9.9
Mansfield M.B.	47,550	421	359	13	15	808	17.0	247	210	457	9.6	67	83	7.4
Mansfield Woodhouse.	14,280	168	140	4	7	319	22.3	75	67	142	9.9	31	97	12.4
Newark M.B.	17,000	153	133	10	6	302	17.8	98	74	172	10.1	14	46	7.7
Sutton-in- Ashfield.	24,490	238	230	11	12	491	20.0	147	120	267	10.9	37	75	9.1
Warsop	10,400	120	107	4	3	234	22.5	42	35	77	7.4	17	73	15.1
West Bridgford	14,780	84	67	5	8	164	11.1	70	76	146	9.9	7	43	1.2
Worksop	25,430	268	244	13	7	532	20.9	144	116	260	10.2	27	51	10.7
RURAL DISTRICTS :	159,320	1,537	1,336	66	67	3,006	18.9	891	840	1,731	10.9	176	59	8.0
Basford	46,680	376	347	12	16	751	16.1	260	233	493	10.6	35	47	5.5
Bingham	14,730	95	108	7	8	218	14.8	69	86	155	10.5	14	64	4.3
East Retford ..	15,180	122	113	11	9	255	16.8	83	84	167	11.0	11	43	5.8
Leake	4,403	30	31	1	1	63	14.3	24	18	42	9.5	3	48	4.8
Misterton	4,054	32	30	2	3	67	16.5	25	37	62	15.3	3	45	1.2
Newark	9,287	88	74	4	6	172	18.5	57	46	103	11.1	7	41	7.4
Nottingham (Shire Hall)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	13,660	179	153	5	6	343	25.1	72	75	147	10.8	40	117	14.3
Southwell	27,590	296	257	15	12	580	21.0	170	153	323	11.7	33	57	9.3
Stapleford	12,270	144	79	4	3	230	18.7	61	54	115	9.4	11	48	9.3
Worksop	11,460	175	144	5	3	327	28.5	70	54	124	10.8	19	58	17.7
OXFORDSHIRE :														
COUNTY BORO' :														
Oxford	60,800	439	360	16	21	836	13.8	294	340	634	10.4	32	38	3.4
ADMINISTRATIVE COUNTY.	137,800	1,097	1,056	68	44	2,265	16.4	798	836	1,634	11.9†	86	38	4.5
URBAN DISTRICTS	41,760	314	328	28	18	688	16.5	236	272	508	12.2	20	29	4.3
Banbury M.B.	13,160	85	99	9	4	197	15.0	68	77	145	11.0	6	30	4.0
Bicester	2,964	25	27	3	2	57	19.2	21	29	50	16.9	2	35	2.3
Chipping Norton M.B.	3,412	22	17	2	2	43	12.6	22	12	34	10.0	—	—	2.6
Headington	6,651	75	70	4	1	150	22.6	33	44	77	11.6	4	27	11.0

† Death-rate based upon estimated civilian population of 137,000.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
OXFORDSHIRE —cont.														
URBAN DISTRICTS —cont.														
Henley-on- Thames M.B.	6,430	39	42	6	3	90	14.0	36	48	84	13.1	6	67	0.9
Thame	3,017	21	30	2	3	56	18.6	22	24	46	15.2	2	36	3.4
Wheatley ..	1,056	6	12	—	1	19	18.0	4	4	8	7.6	—	—	10.4
Witney	3,460	28	21	2	—	51	14.7	22	21	43	12.4	—	—	2.3
Woodstock M.B.	1,610	13	10	—	2	25	15.5	8	13	21	13.0	—	—	2.5
RURAL DISTRICTS.	96,040	783	728	40	26	1,577	16.4	562	564	1,126	11.8†	66	42	4.6
Banbury ..	10,890	74	73	2	3	152	14.0	72	78	150	13.8	9	59	0.2
Bicester ..	9,237	79	81	3	2	165	17.9	57	51	108	12.4†	8	48	5.5
Chipping Norton	10,170	83	70	3	5	161	15.8	67	46	113	11.1	4	25	4.7
Crowmarsh ..	5,410	38	44	3	1	86	15.9	37	29	66	12.2	—	—	3.7
Culham	2,570	25	18	4	3	50	19.5	16	14	30	11.7	3	60	7.8
Goring	3,370	9	8	3	—	20	5.9	17	21	38	11.3	—	—	—5.4
Headington ..	10,640	109	79	2	2	192	18.0	44	37	81	7.8†	5	26	10.2
Henley	11,930	81	111	8	3	203	17.0	70	54	124	10.4	10	49	6.6
Thame	5,203	43	25	—	—	68	13.1	31	48	79	15.2	3	44	—2.1
Witney	16,050	145	134	8	4	291	18.1	93	122	215	13.4	18	62	4.7
Woodstock ..	10,570	97	85	4	3	189	17.9	58	64	122	11.5	6	32	6.4
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.														
URBAN DISTRICT: Peterborough M.B.	37,620	267	267	16	9	559	14.9	213	236	449	11.9	33	59	3.0
RURAL DISTRICTS.	13,420	110	117	9	6	242	18.0	78	68	146	11.1†	6	25	6.9
Barnack	2,390	14	19	1	1	35	14.6	13	13	26	12.3†	—	—	2.3
Peterborough	11,030	96	98	8	5	207	18.8	65	55	120	10.9	6	29	7.9
RUTLANDSHIRE: ADMINISTRATIVE COUNTY.														
URBAN DISTRICT: Oakham	3,270	23	24	1	—	48	14.7	19	18	37	11.3	2	42	3.4
RURAL DISTRICTS.	14,690	108	95	5	5	213	14.5	75	91	166	11.3	10	47	3.2
Ketton	2,805	26	16	4	1	47	16.8	19	18	37	13.2	3	64	3.6
Oakham	5,862	50	53	1	3	107	18.3	27	30	57	9.7	3	28	8.6
Uppingham ..	6,023	32	26	—	1	59	9.8	29	43	72	12.0	4	68	—2.2
SHROPSHIRE: ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS: Bishop's Castle M.B.	113,730	899	885	63	51	1,898	16.7	659	733	1,392	12.3†	108	57	4.4
Bridgnorth M.B.	1,315	14	9	2	—	25	19.0	6	14	20	15.2	1	40	3.8
Church Stretton	4,886	33	34	3	1	71	14.5	41	43	84	17.2	2	28	—2.7
Dawley	1,789	10	10	—	—	20	11.2	11	17	28	15.7	2	100	—4.5
Ellesmere ..	7,413	68	72	5	—	145	19.6	31	35	66	8.9	5	34	10.7
	1,847	10	8	1	1	20	10.8	10	9	19	10.3	5	250	0.5

† Death-rates based upon estimated civilian populations as follows:—Oxfordshire—Rural Districts, 95,240; Bicester R.D., 8,707; Headington R.D., 10,370; Peterborough, Soke of—Administrative County, 50,760; Rural Districts, 13,140; Barnack R.D., 2,110; Shropshire—Administrative County 243,800; Urban Districts, 113,090.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—cont														
URBAN DISTRICTS —cont.														
Ludlow M.B. . .	5,225	51	44	4	—	99	18.9	33	32	65	12.4	3	30	6.5
Market Drayton	4,629	27	50	5	8	90	19.4	28	42	70	15.1	5	56	4.3
Newport . .	3,024	16	22	5	3	46	15.2	18	14	32	10.6	2	43	4.6
Oakengates . .	11,380	102	91	3	6	202	17.8	62	59	121	10.6	11	54	7.2
Oswestry M.B.	9,536	77	61	4	3	145	15.2	58	60	118	12.4	5	34	2.8
Shrewsbury M.B.	32,510	265	258	18	11	552	17.0	176	216	392	12.3†	31	56	4.7
Wellington . .	8,493	65	65	2	5	137	16.1	40	45	85	10.0	10	73	6.1
Wem	2,155	15	12	2	2	31	14.4	12	12	24	11.1	—	—	3.3
Wenlock M.B.	13,970	115	118	6	8	247	17.7	92	92	184	13.2	20	81	4.5
Whitchurch . .	5,558	31	31	3	3	68	12.2	41	43	84	15.1	6	88	—2.9
RURAL DISTRICTS.														
Atcham	22,790	182	158	22	11	373	16.4	120	132	252	11.1	25	67	5.3
Bridgnorth . .	8,441	70	59	4	7	140	16.6	52	49	101	12.0	11	79	4.6
Burford	1,302	9	5	—	—	14	10.8	12	4	16	12.3	1	71	—1.5
Chirbury . . .	3,030	14	22	1	3	40	13.2	23	21	44	14.5	—	—	—1.3
Church Stretton	4,395	50	25	3	3	81	18.4	33	21	54	12.3	7	86	6.1
Cleobury Mortimer	7,371	57	56	4	3	120	16.3	36	40	76	10.3	5	42	6.0
Clun.	6,335	54	67	3	7	131	20.7	44	44	88	13.9	6	46	6.8
Drayton	7,436	67	65	6	4	142	19.1	54	42	96	12.9	11	77	6.2
Ellesmere . . .	7,841	88	54	7	7	156	19.9	51	37	88	11.2	9	58	8.7
Ludlow	8,555	61	70	7	3	141	16.5	45	51	96	11.2	7	50	5.3
Newport	5,520	47	42	3	2	94	17.0	31	33	64	11.6	5	53	5.4
Oswestry. . . .	16,530	139	135	8	11	293	17.7	97	106	203	12.3	18	61	5.4
Shifnal	7,596	47	50	6	3	106	14.0	35	45	80	10.5	3	28	3.5
Teme	1,669	28	11	1	—	40	24.0	15	4	19	11.4	—	—	12.6
Wellington . . .	11,170	90	85	5	6	186	16.7	65	76	141	12.6	13	70	4.1
Wem	8,665	65	62	3	2	132	15.2	46	51	97	11.2	9	68	4.0
Whitchurch . . .	2,064	9	23	—	2	34	16.5	7	10	17	8.2	1	29	8.3
SOMERSETSHIRE :														
COUNTY BORO' :														
Bath	70,280	381	423	21	25	850	12.1	386	545	931	13.2	40	47	—1.1
ADMINISTRATIVE COUNTY.	405,250	2,939	2,770	124	118	5,951	14.7	2,365	2,447	4,812	11.9†	269	45	2.8
URBAN DISTRICTS.	169,810	1,115	1,111	52	58	2,336	13.8	989	1,069	2,058	12.1†	114	49	1.7
Bridgwater M.B.	16,120	136	122	7	7	272	16.9	99	104	203	12.6	8	29	4.3
Burnham-on-Sea	5,704	27	36	2	1	66	11.6	32	50	82	14.4	5	76	—2.8
Chard M.B. . .	4,196	22	31	2	3	58	13.8	21	26	47	11.2	—	—	2.6
Clevedon . . .	6,930	40	35	3	4	82	11.8	39	34	73	10.5	4	49	1.3
Crewkerne . . .	3,596	26	30	—	2	58	16.1	20	20	40	11.1	2	34	5.0
Frome	10,840	66	63	3	5	137	12.6	81	77	158	14.6	7	51	—2.0
Glastonbury M.B.	4,376	24	26	1	—	51	11.7	22	22	44	10.1	3	59	1.6
Highbridge . . .	2,670	24	25	1	—	50	18.7	14	16	30	11.2	3	60	7.5
Ilminster. . . .	2,241	14	20	—	1	35	15.6	20	18	38	17.0	2	57	—1.4
Midsomer Norton	8,083	58	69	1	1	129	16.0	38	36	74	9.2	3	23	6.8
Minehead	6,029	33	26	2	6	67	11.1	27	36	63	10.4	6	90	0.7
Portishead . . .	3,967	30	26	1	—	57	14.4	23	27	50	12.6	5	88	1.8

† Death-rates based upon estimated civilian populations as follows:—Shropshire—Shrewsbury M.B., 31,870, Somersetshire—Administrative County, 405,100; Urban Districts, 169,660.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928.)	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE —cont.														
URBAN DISTRICTS —cont.														
Radstock ..	3,843	35	26	1	1	63	16.4	25	21	46	12.0	3	48	4.4
Shepton Mallet	4,201	33	23	—	1	57	13.6	26	29	55	13.1	2	35	0.5
Street ..	4,515	23	36	1	—	60	13.3	27	31	58	12.8	4	67	0.5
Taunton M.B.	24,800	180	182	10	8	380	15.3	149	159	308	12.5†	25	66	2.8
Watchet ..	1,862	12	12	1	—	25	13.4	8	16	24	12.9	—	—	0.5
Wellington ..	7,202	42	39	1	1	83	11.5	38	45	83	11.5	4	48	—
Wells M.B. ..	4,476	35	32	—	3	70	15.6	39	27	66	14.7	8	114	0.9
Weston-super- Mare.	27,260	153	142	12	10	317	11.6	156	171	327	12.0	10	32	-0.4
Wiveliscombe..	1,259	9	7	—	—	16	12.7	9	6	15	11.9	1	63	0.8
Yeovil M.B. ..	15,640	93	103	3	4	203	13.0	76	98	174	11.1	9	44	1.9
RURAL DISTRICTS.	235,440	1,824	1,659	72	60	3,615	15.4	1,376	1,378	2,754	11.7	155	43	3.7
Axbridge..	24,810	188	147	5	6	346	13.9	160	143	303	12.2	19	55	1.7
Bath ..	14,630	98	116	4	6	224	15.3	68	78	146	10.0	11	49	5.3
Bridgwater ..	17,280	150	125	9	7	291	16.8	133	117	250	14.5	15	52	2.3
Chard ..	12,350	83	93	1	4	181	14.7	65	65	130	10.5	7	39	4.2
Clutton ..	16,100	160	136	3	7	306	19.0	88	90	178	11.1	13	42	7.9
Dulverton ..	4,785	39	29	1	—	69	14.4	30	26	56	11.7	6	87	2.7
Frome ..	10,890	72	81	2	1	156	14.3	64	66	130	11.9	11	71	2.4
Keynsham ..	11,920	83	63	5	—	151	12.7	67	60	127	10.7	9	60	2.0
Langport ..	12,950	80	89	5	2	176	13.6	90	90	180	13.9	3	17	-0.3
Long Ashton ..	20,660	137	138	5	4	284	13.7	92	102	194	9.4	10	35	4.3
Shepton Mallet	9,683	81	71	2	3	157	16.2	43	56	99	10.2	3	19	6.0
Taunton ..	16,760	137	137	12	6	292	17.4	94	97	191	11.4	8	27	6.0
Wellington ..	5,842	48	40	1	3	92	15.7	46	43	89	15.2	1	11	0.5
Wells ..	10,450	106	81	6	2	195	18.7	54	55	109	10.4	7	36	8.3
Williton ..	12,070	75	83	2	—	160	13.3	78	81	159	13.2	10	63	0.1
Wincanton ..	16,500	135	99	4	4	242	14.7	108	82	190	11.5	12	50	3.2
Yeovil ..	17,760	152	131	5	5	293	16.5	96	127	223	12.6	10	34	3.9
SOUTHAMPTON :														
COUNTY BORO'S.	524,680	4,167	3,978	236	236	8,617	16.4	3,035	3,075	6,110	12.0†	460	53	4.4
Bournemouth..	96,580	501	511	64	32	1,108	11.5	552	760	1,312	13.6	61	55	-2.1
Portsmouth ..	258,200	2,144	2,052	118	131	4,445	17.2	1,385	1,363	2,748	11.4†	245	55	5.8
Southampton ..	169,900	1,522	1,415	54	73	3,064	18.0	1,098	952	2,050	12.1	154	50	5.9
ADMINISTRATIVE COUNTY.	456,630	3,777	3,645	190	206	7,818	17.1	2,375	2,204	4,579	10.7†	357	46	6.4
URBAN DISTRICTS.	204,510	1,771	1,673	75	73	3,592	17.6	1,045	1,031	2,076	11.2†	159	44	6.4
Aldershot M.B.	36,370	334	365	7	13	719	19.8	139	132	271	10.6†	26	36	9.2
Alton ..	5,670	42	37	2	1	82	14.5	46	33	79	13.9	4	49	0.6
Andover M.B.	8,559	84	70	7	3	164	19.2	54	45	99	11.6	11	67	7.6
Basingstoke M.B.	13,080	104	115	5	5	229	17.5	63	83	146	11.2	13	57	6.3
Christchurch M.B.	8,411	66	69	7	2	144	17.1	71	37	108	13.0†	10	69	4.1
Eastleigh and Bishopstoke.	16,210	161	124	1	3	289	17.8	87	80	167	10.3	6	21	7.5
Fareham ..	11,180	92	78	8	5	183	16.4	72	62	134	12.0	11	60	4.4
Farnborough ..	15,090	148	152	1	8	309	20.5	48	55	103	9.6†	13	42	10.9

† Death-rates based upon estimated civilian populations as follows:—Somerstshire—Taunton M.B., 24,650; Southampton—County Boroughs, 507,180; Portsmouth C.B., 240,700; Administrative County, 427,100; Urban Districts, 185,150; Aldershot M.B., 25,470; Christchurch M.B., 8,331; Farnborough U.D., 10,780.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —cont.														
URBAN DISTRICTS —cont.														
Fleet	4,177	28	27	—	1	56	13.4	16	32	48	11.5	2	36	1.9
Gosport M.B. . .	34,130	319	305	14	14	652	19.1	174	168	342	11.1†	28	43	8.0
Havant	4,416	22	26	2	—	50	11.3	36	23	59	13.4	6	120	-2.1
Lymington M.B.	4,775	49	41	5	1	96	20.1	30	37	67	14.0	3	31	6.1
Milton	5,015	34	29	2	—	65	13.0	31	27	58	11.6	2	31	1.4
Petersfield .. .	4,367	24	25	—	1	50	11.4	20	31	51	11.7	3	60	-0.3
Romsey M.B.	4,301	30	34	—	1	65	15.1	18	20	38	8.8	2	31	6.3
Warblington ..	3,979	34	24	1	2	61	15.3	26	25	51	12.8	2	33	2.5
Winchester M.B.	24,780	200	152	13	13	378	15.3	114	141	255	10.6†	17	45	4.7
RURAL DISTRICTS.														
252,120	2,006	1,972	115	133	4,226	16.8	1,350	1,173	2,503	10.3†	198	47	6.5	
Alresford.. ..	7,646	74	47	2	5	128	16.7	41	40	81	10.6	3	23	6.1
Alton	18,990	173	155	10	15	353	18.6	93	72	165	10.4†	20	57	8.2
Andover	13,260	117	120	6	8	251	18.9	60	39	99	8.9†	9	36	10.0
Basingstoke ..	14,460	89	112	8	8	217	15.0	70	57	127	8.9†	12	55	6.1
Catherington ..	5,606	64	44	—	4	112	20.0	33	31	64	11.4	5	45	8.6
Christchurch ..	6,844	39	46	5	1	91	13.3	37	34	71	10.4	7	77	2.9
Droxford.. ..	13,620	124	114	12	9	259	19.0	87	85	172	12.6	13	50	6.4
Fareham.. ..	18,900	141	122	8	8	279	14.8	67	78	145	8.1†	12	43	6.7
Fordingbridge ..	6,588	48	51	—	3	102	15.5	47	40	87	13.2	3	29	2.3
Hartley Wintney	21,440	160	162	14	9	345	16.1	114	101	215	10.4†	12	35	5.7
Havant	10,170	85	79	2	4	170	16.7	50	55	105	10.3	10	59	6.4
Hursley	5,539	43	37	2	—	82	14.8	27	23	50	9.0	2	24	5.8
Kingsclere .. .	8,439	76	53	—	5	134	15.9	49	39	88	10.4	6	45	5.5
Lymington .. .	10,770	85	83	2	9	179	16.6	56	52	108	10.0	6	34	6.6
New Forest .. .	20,970	165	223	15	16	419	20.0	115	95	210	10.3†	19	45	9.7
Petersfield .. .	12,080	83	79	6	7	175	14.5	73	57	130	11.5†	10	57	3.0
Ringwood .. .	8,249	63	60	5	3	131	15.9	49	43	92	11.2	7	53	4.7
Romsey	7,457	49	65	4	4	122	16.4	45	28	73	9.8	8	66	6.6
South Stoneham	14,410	129	121	2	6	258	17.9	67	80	147	10.4†	12	47	7.5
Stockbridge .. .	6,126	43	48	3	1	95	15.5	47	43	90	14.7	6	63	0.8
Whitchurch .. .	6,236	59	48	4	5	116	18.6	37	30	67	10.7	5	43	7.9
Winchester .. .	14,320	97	103	5	3	208	14.5	66	51	117	9.1†	11	53	5.4
STAFFORDSHIRE :														
COUNTY BORO'S.														
725,490*	7,007	6,721	208	262	14,198	19.6	4,273	3,930	8,203	11.3	1,100	77	8.3	
Burton-upon- Trent.	48,960	419	456	10	18	903	18.4	294	298	592	12.1	57	63	6.3
Smethwick .. .	82,450*	719	656	16	21	1,412	17.1	439	386	825	10.0	89	63	7.1
Stoke-on-Trent ..	279,700	2,719	2,579	103	121	5,522	19.7	1,696	1,596	3,292	11.8	480	87	7.9
Walsall	100,200	987	991	24	29	2,031	20.3	642	570	1,212	12.1	187	92	8.2
West Bromwich ..	80,280*	876	776	15	19	1,686	21.0	438	405	843	10.5	126	75	10.5
Wolverhampton	133,900	1,287	1,263	40	54	2,644	19.7	764	675	1,439	10.7	161	61	9.0
ADMINISTRATIVE COUNTY.														
713,820*	6,850	6,437	248	207	13,742	19.3	3,965	3,563	7,528	10.6†	860	63	8.7	

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 30,730; Winchester M.B., 24,110; Rural Districts, 241,950; Alton R.D., 15,810; Andover R.D., 11,160; Basingstoke R.D., 14,350; Fareham R.D., 18,000; Hartley Wintney R.D., 20,620; New Forest R.D., 20,450; Petersfield R.D., 11,330; South Stoneham R.D., 14,090; Winchester R.D., 12,850; Staffordshire—Administrative County, 712,080*

* Populations adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Staffordshire, County Boroughs, 728,690; Smethwick C.B., 85,250; West Bromwich C.B., 80,680; Administrative County, 712,840 (Total), 711,100 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928. - COUNTIES.
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Eti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
URBAN DISTRICTS	501,540*	4,937	4,658	161	127	9,883	19.7	2,800	2,486	5,286	10.5	647	65	9.2
Amblecote ..	3,426	23	22	—	2	47	13.7	30	22	52	15.2	3	64	-1.5
Audley	15,140	121	114	7	5	247	16.3	71	72	143	9.4	17	69	6.9
Biddulph ..	8,706	67	75	4	2	148	17.0	43	36	79	9.1	16	108	7.9
Bilston	31,210	384	372	16	9	781	25.0	197	156	353	11.3	75	96	13.7
Brierley Hill ..	13,510	132	141	1	4	278	20.6	80	63	143	10.6	12	43	10.0
Brownhills ..	20,770	193	192	8	3	396	19.1	104	96	200	9.6	25	63	9.5
Cannock	35,830	368	386	16	11	781	21.8	174	163	337	9.4	46	59	12.4
Coseley	25,220	260	247	5	5	517	20.5	156	129	285	11.3	34	66	9.2
Darlaston ..	19,520	222	205	7	7	441	22.6	114	117	231	11.8	32	73	10.8
Kidsgrove ..	10,520	103	100	4	2	209	19.9	44	42	86	8.2	8	38	11.7
Leek	17,860	153	159	10	6	328	18.4	110	129	239	13.4	27	82	5.0
Lichfield M.B.	8,316	81	57	5	5	148	17.8	62	48	110	13.2	6	41	4.6
Newcastle-under- Lyme M.B.	22,560	224	231	12	7	474	21.0	143	132	275	12.2	31	65	8.8
Perry Barr† ..	980*	6	5	—	2	13	13.3	8	3	11	11.2	1	77	2.1
Quarry Bank..	8,528	82	70	1	1	154	18.1	37	32	69	8.1	12	78	10.0
Rowley Regis..	43,200	401	381	5	6	793	18.4	222	185	407	9.4	35	44	9.0
Rugeley	5,412	50	54	3	1	108	20.0	34	25	59	10.9	3	28	9.1
Sedgley	20,540	232	151	2	3	388	18.9	112	105	217	10.6	26	67	8.3
Short Heath ..	5,039	42	41	3	1	87	17.3	20	18	38	7.5	3	34	9.8
Stafford M.B.	28,740	238	181	6	9	434	15.1	157	137	294	10.2	26	60	4.9
Stone	5,878	50	54	5	1	110	18.7	31	37	68	11.6	6	55	7.1
Tamworth M.B.	7,872	76	68	2	3	149	18.9	49	49	98	12.4	8	54	6.5
Tettenhall ..	5,656	33	41	3	1	78	13.8	30	33	63	11.1	3	38	2.7
Tipton	36,950	404	401	10	10	825	22.3	221	174	395	10.7	56	68	11.6
Uttoxeter ..	5,303	54	49	1	2	106	20.0	36	34	70	13.2	11	104	6.8
Wednesbury ..	33,620	372	325	8	5	710	21.1	184	158	342	10.2	45	63	10.9
M.B.														
Wednesfield ..	9,054	68	91	6	1	166	18.3	39	41	80	8.8	7	42	9.5
Willenhall ..	22,100	223	189	4	8	424	19.2	121	100	221	10.0	36	85	9.2
Wolstanton ..	30,080	275	256	7	5	543	18.1	171	150	321	10.7	37	68	7.4
United.														
RURAL DISTRICTS.	212,280	1,913	1,779	87	80	3,859	18.2	1,165	1,077	2,242	10.6†	213	55	7.6
Blore Heath ..	3,093	19	20	8	2	49	15.8	16	12	28	9.1	1	20	6.7
Cannock	21,260	229	181	7	13	430	20.2	112	110	222	10.4	26	60	9.8
Cheadle	26,660	234	205	7	9	455	17.1	145	118	263	9.9	31	68	7.2
Dudley	23	—	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall	4,638	38	42	3	4	87	18.8	31	32	63	13.6	5	57	5.2
Kingswinford ..	22,580	238	217	6	7	468	20.7	119	111	230	10.2	25	53	10.5
Leek	15,110	135	145	7	5	292	19.3	89	67	156	10.3	12	41	9.0
Lichfield	32,170	310	295	10	11	626	19.5	148	165	313	10.3†	37	59	9.2
Mayfield	3,915	26	24	3	—	53	13.5	27	21	48	12.3	5	94	1.2
Newcastle-under- Lyme.	6,134	41	48	1	—	90	14.7	33	35	68	11.1	3	33	3.6
Seisdon	16,160	137	118	10	7	272	16.8	98	97	195	12.1	20	74	4.7
Stafford	9,368	74	82	2	2	160	17.1	53	57	110	11.7	9	56	5.4
Stone	12,590	111	95	4	4	214	17.0	63	71	134	10.6	11	51	6.4
Tamworth (part of).‡	6,323	52	56	3	4	115	18.2	27	21	48	7.6	1	9	10.6

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Staffordshire—Urban Districts, 500,560; Perry Barr, Nil.

† Death-rates based upon estimated civilian populations as follows:—Staffordshire—Rural Districts, 210,540; Lichfield R.D., 30,430.

‡ Perry Barr U.D. was abolished on 1st April, 1928. The figures relate to the period 1st January to 31st March, 1928.

§ The remainder of Tamworth Rural District is in Warwickshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
RURAL DISTRICTS —cont.														
Tutbury	8,984	68	63	5	5	141	15.7	65	49	114	12.7	6	43	3.0
Uttoxeter	7,912	64	51	7	3	125	15.8	52	33	85	10.7	4	32	5.1
Walsall	14,670	131	128	4	4	267	18.2	84	73	157	10.7	17	64	7.5
Civil Parishes of Blymhill and Weston under Lizard, admin- istered by R.D.C. of Shif- nal (Shrop- shire).	690	6	9	—	—	15	21.7	3	5	8	11.6	—	—	10.1
SUFFOLK EAST: COUNTY BORO':														
Ipswich	85,910	738	627	31	32	1,428	16.6	481	483	964	11.2	69	48	5.4
ADMINISTRATIVE COUNTY.	212,060	1,614	1,519	77	84	3,294	15.5	1,119	1,145	2,264	10.8†	157	48	4.7
URBAN DISTRICTS.	90,960	670	622	28	24	1,344	14.8	477	485	962	10.6†	69	51	4.2
Aldeburgh M.B.	2,564	21	10	2	—	33	12.9	11	9	20	7.8	1	30	5.1
Beccles M.B. ..	6,841	45	36	2	2	85	12.4	37	48	85	12.4	5	59	—
Bungay	2,934	30	24	2	2	58	19.8	18	16	34	11.6	1	17	8.2
Eye M.B.	1,839	17	12	1	2	32	17.4	9	16	25	13.6	5	156	3.8
Felixstowe	11,300	70	87	3	3	163	14.4	50	51	101	9.3†	4	25	5.1
Halesworth ..	2,003	23	7	1	1	32	16.0	13	12	25	12.5	1	31	3.5
Leiston cum Sizewell.	4,402	24	32	2	2	60	13.6	24	23	47	10.7	2	33	2.9
Lowestoft M.B.	45,990	359	340	9	9	717	15.6	246	230	476	10.4	45	63	5.2
Saxmundham ..	1,353	7	7	—	1	15	11.1	11	11	22	16.3	—	—	—5.2
Southwold M.B.	2,867	17	9	—	—	26	9.1	17	11	28	9.8	2	77	—0.7
Stowmarket ..	4,317	22	29	2	2	55	12.7	19	29	48	11.1	1	18	1.6
Woodbridge ..	4,550	35	29	4	—	68	14.9	22	29	51	11.2	2	29	3.7
RURAL DISTRICTS.	121,100	944	897	49	60	1,950	16.1	642	660	1,302	10.9†	88	45	5.2
Blything	17,270	146	124	6	7	283	16.4	93	116	209	12.1	12	42	4.3
Bosmere and Claydon.	14,430	130	110	8	10	258	17.9	86	82	168	11.6	13	50	6.3
East Stow	6,605	38	49	2	3	92	13.9	26	32	58	8.8	4	43	5.1
Hartismere ..	10,630	83	69	2	8	162	15.2	66	64	130	12.2	14	86	3.0
Hoxne	9,162	76	63	5	4	148	16.2	52	51	103	11.2	7	47	5.0
Mutford and Lothingland.	12,280	89	95	4	7	195	15.9	58	68	126	10.3	4	21	5.6
Plomesgate ..	14,820	124	120	7	8	259	17.5	88	76	164	11.1	10	39	6.4
Samford	13,650	101	94	4	2	201	14.7	62	70	132	10.6†	10	50	4.1
Wangford	4,533	39	35	—	2	76	16.8	22	19	41	9.0	4	53	7.8
Woodbridge ..	17,720	118	138	11	9	276	15.6	89	82	171	9.9†	10	36	5.7
SUFFOLK WEST: ADMINISTRATIVE COUNTY.	108,520	758	701	50	31	1,540	14.2	677	673	1,350	12.5†	80	52	1.7

† Death-rates based upon estimated civilian populations as follows:—Suffolk East—Administrative County, 210,000; Urban Districts, 90,510; Felixstowe U.D., 10,850; Rural Districts, 119,490; Samford R.D., 12,460. Woodbridge R.D., 17,300. Suffolk West—Administrative County, 108,400.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST —cont.														
URBAN DISTRICTS.	41,290	299	244	23	12	578	14.0	263	283	546	13.3†	38	66	0.7
Bury St. Edmunds M.B.	16,070	120	98	10	3	231	14.4	109	113	222	13.9†	16	69	0.5
Glensford ..	1,354	6	4	—	1	11	8.1	4	14	18	13.3	—	—	-5.2
Hadleigh ..	3,004	26	17	1	1	45	15.0	19	21	40	13.3	4	89	1.7
Haverhill ..	4,057	33	21	4	2	60	14.8	26	30	56	13.8	7	117	1.0
Newmarket ..	9,836	66	55	5	5	131	13.3	59	47	106	10.8	7	53	2.5
Sudbury M.B.	6,969	48	49	3	—	100	14.3	46	58	104	14.9	4	40	-0.6
RURAL DISTRICTS.	67,230	459	457	27	19	962	14.3	414	390	804	12.0	42	44	2.3
Brandon	5,753	50	52	5	2	109	18.9	40	31	71	12.3	9	83	6.6
Clare	7,138	42	42	2	2	88	12.3	51	37	88	12.3	5	57	—
Cosford	10,280	79	73	2	4	158	15.4	52	63	115	11.2	8	51	4.2
Melford	12,010	67	66	6	2	141	11.7	67	77	144	12.0	8	57	-0.3
Mildenhall ..	8,301	56	62	3	3	124	14.9	50	45	95	11.4	5	40	3.5
Moulton	2,096	16	15	—	—	31	14.8	15	12	27	12.9	—	—	1.9
Thedwastre ..	8,372	52	45	5	1	103	12.3	59	55	114	13.6	3	29	-1.3
Thingoe	13,280	97	102	4	5	208	15.7	80	70	150	11.3	4	19	4.4
SURREY :														
COUNTY BORO'														
Croydon ..	216,600*	1,627	1,600	83	64	3,374	15.6	1,138	1,214	2,352	10.9	180	53	4.7
ADMINISTRATIVE COUNTY.	841,390*	5,868	5,493	285	265	11,911	14.2	4,242	4,306	8,548	10.2†	557	47	4.0
URBAN DISTRICTS.	663,260*	4,715	4,353	225	208	9,501	14.3	3,361	3,429	6,790	10.3†	449	47	4.0
Barnes	38,820	234	224	11	13	482	12.4	213	239	452	11.6	24	50	0.8
Beddington and Wallington.	20,260	146	157	5	5	313	15.4	84	99	183	9.0	4	13	6.4
Carshalton ..	21,910	176	154	7	3	340	15.5	91	106	197	9.0	22	65	6.5
Caterham ..	13,060	115	114	3	1	233	17.8	47	52	99	7.8†	16	69	10.0
Chertsey ..	16,160	93	117	4	5	219	13.6	101	89	190	11.8	13	59	1.8
Coulsdon and Purley.	31,520	200	177	9	7	393	12.5	93	115	208	6.6	15	38	5.9
Dorking	9,201*	69	76	7	4	156	17.0	59	64	123	13.4	8	51	3.6
East and West Molesey.	7,767	69	56	1	1	127	16.4	53	49	102	13.1	6	47	3.3
Egham	15,280	115	95	7	4	221	14.5	87	75	162	10.6	13	59	3.9
Epsom †	26,080	142	129	13	6	290	11.1	125	91	216	8.3	16	55	2.8
Esher and the Dittons.	15,410	103	82	7	4	196	12.7	82	73	155	10.1	11	56	2.6
Farnham	16,600	124	128	9	16	277	16.7	107	97	204	12.3	12	43	4.4
Frimley	16,160	134	110	8	6	258	16.0	62	67	129	10.2†	8	31	5.8
Godalming M.B.	9,431	52	48	2	—	102	10.8	44	39	83	8.8	2	20	2.0
Guildford M.B.	28,150	219	230	19	13	481	17.1	158	175	333	11.9†	24	50	5.2
Ham	1,961	9	7	1	—	17	8.7	11	11	22	11.2	1	59	-2.5
Haslemere ..	4,215	29	19	1	1	50	11.9	21	23	44	10.4	—	—	1.5
Kingston-on- Thames M.B.	38,420	259	270	15	16	560	14.6	233	242	475	12.5†	39	70	2.1
Leatherhead ..	6,445	54	43	4	1	102	15.8	36	31	67	10.4	5	49	5.4
Merton and Morden.	25,780	216	167	6	3	392	15.2	117	107	224	8.7	22	56	6.5

† Death rates based upon estimated civilian populations as follows :—Suffolk West—Urban Districts, 41,170; Bury St. Edmunds M.B., 15,950; Surrey—Administrative County, 835,400*; Urban Districts, 658,390*; Caterham U.D., 12,730; Frimley U.D., 12,660; Guildford M.B., 27,980; Kingston-on-Thames M.B., 38,150.

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows: Surrey—Croydon C.B., 216,900; Administrative County, 841,090 (Total), 835,100 (Civilian); Urban Districts, 666,550 (Total), 661,680 (Civilian); Dorking U.D., 9,511.

† A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—cont.														
URBAN DISTRICTS —cont.														
Mitcham ..	46,060	469	444	15	12	940	20·4	202	207	409	8·9	46	49	11·5
Reigate M.B. ..	29,450	207	189	9	11	416	14·1	169	195	364	12·4	15	36	1·7
Richmond M.B. ..	36,610	207	203	13	14	437	11·9	210	233	443	12·1	22	50	—0·2
Surbiton ..	22,340	149	132	8	9	298	13·3	124	137	261	11·7	5	17	1·6
Sutton and Cheam. §	32,890*	215	200	8	12	435	13·2	158	167	325	9·9	23	53	3·3
The Maldens and Coombe.	18,310	145	123	5	—	273	14·9	77	66	143	7·8	12	44	7·1
Walton-upon- Thames.	15,280	119	102	4	6	231	15·1	87	78	165	10·8	10	43	4·3
Weybridge ..	6,473	54	41	3	1	99	15·3	30	45	75	11·6	2	20	3·7
Wimbledon M.B.	59,070	345	307	14	25	691	11·7	317	317	634	10·7	39	56	1·0
Windlesham ..	5,017	43	28	2	1	74	14·7	38	19	57	11·4	2	27	3·3
Woking	29,130	204	181	5	8	398	13·7	125	121	246	8·6†	12	30	5·1
RURAL DISTRICTS:	178,130*	1,153	1,140	60	57	2,410	13·5	881	877	1,758	9·9†	108	45	3·6
Chertsey ..	12,760	79	83	2	3	167	13·1	68	46	114	8·9	7	42	4·2
Dorking	11,030*	70	83	4	1	158	14·3	46	65	111	10·1	10	63	4·2
Epsom	38,180*	261	256	10	6	533	14·0	143	166	309	8·1	24	45	5·9
Farnham	15,440	132	111	4	9	256	16·6	76	68	144	9·6†	10	39	7·0
Godstone ..	27,470*	173	168	8	11	360	13·1	153	156	309	11·2	15	42	1·9
Guildford ..	22,570	130	139	4	7	280	12·4	138	116	254	11·6†	12	43	0·8
Hambleton ..	24,000	128	137	12	8	285	11·9	130	122	252	10·5	10	35	1·4
Reigate	26,680	180	163	16	12	371	13·9	127	138	265	9·9	20	54	4·0
SUSSEX EAST:														
COUNTY BORO'S.	268,700*	1,678	1,585	123	120	3,506	13·0	1,575	1,959	3,534	13·2†	173	49	—0·2
Brighton ..	147,600*	963	912	74	79	2,028	13·7	922	996	1,918	13·0†	102	50	0·7
Eastbourne ..	58,500	365	316	27	18	726	12·4	310	366	676	11·6	31	43	0·8
Hastings ..	62,600	350	357	22	23	752	12·0	343	597	940	15·0	40	53	—3·0
ADMINISTRATIVE COUNTY.	269,200*	1,591	1,636	96	91	3,414	12·7	1,609	1,640	3,249	12·1	163	48	0·6
URBAN DISTRICTS.	137,030*	727	771	44	40	1,582	11·5	805	951	1,756	12·8	85	54	—1·3
Battle	3,391	25	25	2	—	52	15·3	17	15	32	9·4	2	38	5·9
Bexhill M.B. ..	20,980	110	117	8	9	244	11·6	128	124	252	12·0	12	49	—0·4
Burgess Hill ..	5,974	34	40	3	1	78	13·1	38	36	74	12·4	2	26	0·7
Cuckfield ..	1,956	12	12	3	—	27	13·8	12	9	21	10·7	—	—	3·1
East Grinstead	8,229	36	57	1	—	94	11·4	43	49	92	11·2	5	53	0·2
Haywards Heath	5,326	30	34	—	—	64	12·0	24	37	61	11·5	4	63	0·5
Hove M.B. ..	50,090*	230	219	16	17	482	9·6	324	442	766	15·3	35	73	—5·7
Lewes M.B. ..	11,150	52	82	2	1	137	12·3	62	90	152	13·6	8	58	—1·3
Newhaven ..	6,341	49	40	1	3	93	14·7	40	43	83	13·1	5	54	1·6
Portslade-by-Sea	8,930*	64	60	1	3	128	14·3	40	31	71	8·0	4	31	6·3
Rye M.B. ..	3,727	29	29	2	3	63	16·9	22	23	45	12·1	3	48	4·8
Seaford	7,473	35	32	4	2	73	9·8	37	29	66	8·8	5	68	1·0
Uckfield	3,463	21	24	1	1	47	13·6	18	23	41	11·8	—	—	1·8
RURAL DISTRICTS.	132,170*	864	865	52	51	1,832	13·9	804	689	1,493	11·3	78	43	2·6
Battle	6,445	44	39	5	3	91	14·1	51	36	87	13·5	2	22	0·6
Chailey	13,080	87	90	4	3	184	14·1	57	64	121	9·3	5	27	4·8
Cuckfield ..	16,840*	108	114	8	6	236	14·0	107	91	198	11·8	10	42	2·2

† Death-rates based upon estimated civilian populations as follows: Surrey—Woking U.D., 28,530; Rural Districts, 177,010*; Farnham R.D., 15,050; Guildford R.D., 21,840. Sussex East—County Boroughs, 268,200*; Brighton C.B., 147,100*.

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows: Surrey—Sutton and Cheam U.D., 35,870; Rural Districts, 174,540 (Total), 173,420 (Civilian); Dorking R.D., 10,720; Epsom R.D., 35,200; Godstone R.D., 27,170. Sussex East—County Boroughs, 270,400 (Total), 269,900 (Civilian); Brighton C.B., 149,300 (Total), 148,800 (Civilian); Administrative County, 267,500; Urban Districts, 137,500; Hove M.B., 50,440; Portslade-by-Sea M.D., 9,050; Rural Districts, 130,000; Cuckfield R.D., 16,970.

§ Sutton U.D. was extended and renamed Sutton and Cheam U.D. on 1st April, 1928.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUSSEX EAST —cont.														
RURAL DISTRICTS —cont.														
Eastbourne ..	6,400	39	48	—	5	92	14.4	26	31	57	8.9	3	33	5.5
East Grinstead	15,090	85	104	2	3	194	12.9	79	73	152	10.1	4	21	2.8
Hailsham	18,710	142	133	12	9	296	15.8	111	96	207	11.1	18	61	4.7
Hastings ..	2,463	15	9	2	—	26	10.6	16	21	37	15.0	2	77	—4.4
Newhaven ..	6,301*	42	41	2	2	87	13.8	32	31	63	10.0	6	69	3.8
Rye	7,301	65	58	4	3	130	17.8	65	34	99	13.6	3	23	4.2
Steyning East§	1,350*	6	1	4	—	11	8.1	2	4	6	4.4	2	182	3.7
Ticehurst ..	12,770	83	87	1	7	178	13.9	97	71	168	13.2	8	45	0.7
Uckfield ..	25,420	148	141	8	10	307	12.1	161	137	298	11.7	15	49	0.4
SUSSEX WEST: ADMINISTRATIVE COUNTY	211,010	1,416	1,377	78	76	2,947	14.0	1,208	1,269	2,477	11.8†	122	41	2.2
URBAN DISTRICTS	104,490	666	664	29	40	1,399	13.4	612	696	1,308	12.5†	62	44	0.9
Arundel M.B.	2,543	5	13	1	1	20	7.9	13	7	20	7.9	—	—	—
Bognor	15,200	91	75	7	6	179	11.8	66	71	137	9.0	9	50	2.8
Chichester M.B.	13,850	96	92	5	5	198	14.3	96	94	190	13.9†	12	61	0.4
Horsham ..	11,920	89	86	1	9	185	15.5	67	89	156	13.1	11	59	2.4
Littlehampton	9,489	71	67	2	2	142	15.0	48	51	99	10.4	6	42	4.6
Shoreham-by- Sea.	8,179	55	59	3	3	120	14.7	44	42	86	10.5	5	42	4.2
Southwick	5,279	44	47	2	—	93	17.6	42	30	72	13.6	2	22	4.0
Worthing M.B.	38,030	215	225	8	14	462	12.1	236	312	548	14.4	17	37	—2.3
RURAL DISTRICTS.	106,520	750	713	49	36	1,548	14.5	596	573	1,169	11.0†	60	39	3.5
East Preston ..	10,400	70	60	6	3	139	13.4	65	48	113	10.9	7	50	2.5
Horsham ..	20,740	134	139	10	6	289	13.9	114	103	217	10.5	10	35	3.4
Midhurst ..	14,880	106	94	8	3	211	14.2	74	88	162	10.9	6	28	3.3
Petworth ..	8,144	60	56	1	2	119	14.6	46	47	93	11.4	3	25	3.2
Steyning West	11,650	66	64	3	6	139	11.9	68	55	123	10.6	7	50	1.3
Thakeham ..	9,218	72	69	3	4	148	16.1	59	52	111	12.0	5	34	4.1
Westbourne ..	9,458	77	64	5	3	149	15.8	56	55	111	11.7	8	54	4.1
Westhampnett	22,030	165	167	13	9	354	16.1	114	125	239	11.0†	14	40	5.1
WARWICKSHIRE :														
COUNTY BORO'S.	1,122,100*	9,673	9,265	317	334	19,589	17.5	6,414	5,811	12,225	10.9	1,266	65	6.6
Birmingham ..	968,100*	8,552	8,118	285	293	17,248	17.8	5,564	5,089	10,653	11.0	1,112	64	6.8
Coventry... ..	154,000*	1,121	1,147	32	41	2,341	15.2	850	722	1,572	10.2	154	66	5.0
ADMINISTRATIVE COUNTY.	362,280*	3,013	2,848	97	141	6,099	16.8	1,808	1,860	3,668	10.1†	338	55	6.7
URBAN DISTRICTS	164,230*	1,286	1,196	36	60	2,578	15.7	801	904	1,705	10.4	143	55	5.3
Bedworth§ ..	3,120*	30	36	2	1	69	22.1	14	16	30	9.6	7	101	12.5
Bulkington ..	2,690	31	38	—	—	69	25.7	14	11	25	9.3	6	87	16.4
Kenilworth ..	7,610	61	47	3	5	116	15.2	38	30	68	8.9	3	26	6.3
Nuneaton M.B.	45,440	433	405	10	15	863	19.0	192	201	393	8.6	55	64	10.4
Royal Leaming- ton Spa M.B.	29,760	205	183	12	21	421	14.1	175	234	409	13.7	26	62	0.4
Rugby	24,290	171	139	3	9	322	13.3	111	118	229	9.4	21	65	3.9
Stratford-on- Avon M.B.	10,380	74	74	1	4	153	14.7	56	74	130	12.5	7	46	2.2

† Death-rates based upon estimated civilian populations as follows:—Sussex West—Administrative County, 210,500; Urban Districts, 104,270; Chichester M.B., 13,630; Rural Districts, 106,230; Westhampnett R.D., 21,740. Warwickshire—Administrative County, 362,020.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Sussex East—Newhaven R.D., 5,351; Steyning East R.D., Nil. Warwickshire—County Boroughs, 1,129,700; Birmingham C.B., 968,600; Coventry C.B., 161,100; Administrative County, 355,260 (Total), 355,000 (Civilian); Urban Districts, 173,690; Bedworth U.D., 12,500.

§ Steyning East R.D. was abolished on 1st April, 1928, and Bedworth U.D. was created on the 1st October, 1928. The figures for the former relate to the period 1st January to 31st March, and for the latter to the period 1st October to 31st December.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE —cont.														
URBAN DISTRICTS —cont.														
Sutton Coldfield M.B.	26,720*	160	165	—	2	327	12·2	126	151	277	10·4	10	31	1·8
Warwick M.B.	14,220	121	109	5	3	238	16·7	75	69	144	10·1	8	34	6·6
RURAL DISTRICTS	198,050*	1,727	1,652	61	81	3,521	17·8	1,007	956	1,963	9·9†	195	55	7·9
Alcester ..	12,880	98	113	4	5	220	17·1	70	70	140	10·9	4	18	6·2
Atherstone ..	22,250	233	197	11	5	446	20·0	111	121	232	10·4	32	72	9·6
Brailes ..	5,660	40	28	4	3	75	13·3	45	31	76	13·4	6	80	—0·1
Coventry§	1,580*	22	18	—	1	41	25·9	9	8	17	10·8	3	73	15·1
Farnborough ..	1,404	13	8	2	2	25	17·8	10	11	21	15·0	3	120	2·8
Foleshill ..	27,140*	284	284	5	7	580	21·4	130	113	243	9·0	35	60	12·4
Meriden ..	20,940*	168	145	6	9	328	15·7	98	94	192	9·2	13	40	6·5
Monks Kirby ..	1,436	18	20	1	—	39	27·2	12	5	17	11·8	1	26	15·4
Nuneaton ..	6,076	90	81	1	4	176	29·0	38	26	64	10·5	23	131	18·5
Rugby ..	20,930	167	170	4	13	354	16·9	102	108	210	10·0	22	62	6·9
Solihull ..	26,430	180	173	9	12	374	14·2	136	116	252	9·5	16	43	4·7
Southam ..	9,814	94	95	2	5	196	20·0	43	77	120	12·2	8	41	7·8
Stratford-on- Avon.	10,320	91	78	3	2	174	16·9	62	55	117	11·3	8	46	5·6
Tamworth (part of)†.	17,930	154	152	6	9	321	17·9	76	74	150	8·4	13	40	9·5
Warwick ..	13,260*	75	90	3	4	172	13·0	65	47	112	8·6†	8	47	4·4
WESTMORLAND : ADMINISTRATIVE COUNTY	62,830	462	494	21	25	1,002	15·9	385	427	812	12·9	49	49	3·0
URBAN DISTRICTS	26,620	187	192	6	8	393	14·8	165	186	351	13·2	18	46	1·6
Ambleside ..	2,347	12	14	—	1	27	11·5	14	12	26	11·1	—	—	0·4
Appleby M.B...	1,639	9	10	—	1	20	12·2	10	13	23	14·0	—	—	—1·8
Grasmere ..	870	6	4	1	—	11	12·6	4	10	14	16·1	1	91	—3·5
Kendal M.B.	14,380	111	111	4	1	227	15·8	93	87	180	12·5	13	57	3·3
Kirkby Lonsdale	1,145	11	13	—	1	25	21·8	9	6	15	13·1	1	40	8·7
Shap ..	1,052	9	15	—	2	26	24·7	8	6	14	13·3	—	—	11·4
Windermere ..	5,187	29	25	1	2	57	11·0	27	52	79	15·2	3	53	—4·2
RURAL DISTRICTS.	36,210	275	302	15	17	609	16·8	220	241	461	12·7	31	51	4·1
East Westmor- land.	10,890	98	94	4	5	201	18·5	82	78	160	14·7	13	65	3·8
South Westmor- land.	19,150	136	155	4	7	302	15·8	108	128	236	12·3	15	50	3·5
West Ward ..	6,170	41	53	7	5	106	17·2	30	35	65	10·5	3	28	6·7
WIGHT, ISLE OF : ADMINISTRATIVE COUNTY	86,350	551	546	30	41	1,168	13·5	506	576	1,082	12·6†	63	54	0·9
URBAN DISTRICTS	56,430	349	363	20	31	763	13·5	326	421	747	13·2	42	55	0·3
Cowes ..	10,040	57	72	5	3	137	13·6	66	63	129	12·8	7	51	0·8
East Cowes ..	4,453	28	45	—	2	75	16·8	20	22	42	9·4	6	80	7·4
Newport M.B.	11,210	91	89	3	7	190	16·9	71	70	141	12·6	8	42	4·3

† Death-rates based upon estimated civilian populations as follows:—Warwickshire—Rural Districts, 197,790*; Warwick R.D., 13,000*; Isle of Wight—Administrative County, 85,800.

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows:—Warwickshire—Sutton Coldfield M.B., 26,800; Rural Districts, 181,570 (Total), 181,310 (Civilian); Coventry R.D., Nil; Foleshill R.D., 13,510; Meriden R.D., 20,620; Warwick R.D., 12,310 (Total), 12,050 (Civilian).

† The remainder of Tamworth Rural District is in Staffordshire.

§ Coventry R.D. was abolished on 1st April, 1928. The figures relate to the period 1st January to 31st March, 1928.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WIGHT, ISLE OF —cont.														
URBAN DISTRICTS cont.—														
Ryde M.B. ..	10,610	59	63	4	7	133	12.5	51	109	160	15.1	8	60	—2.6
St. Helens ..	5,149	36	29	1	6	72	14.0	31	35	66	12.8	4	56	1.2
Sandown ..	5,601	38	30	3	4	75	13.4	36	42	78	13.9	4	53	—0.5
Shanklin ..	4,337	15	10	2	1	28	6.5	28	33	61	14.1	1	36	—7.6
Ventnor ..	5,030	25	25	2	1	53	10.5	23	47	70	13.9	4	75	—3.4
RURAL DISTRICT.														
Isle of Wight	29,920	202	183	10	10	405	13.5	180	155	335	11.4†	21	52	2.1
WILTSHIRE : ADMINISTRATIVE COUNTY														
309,570	2,373	2,257	119	101	4,850	15.7	1,666	1,602	3,268	10.8†	225	46	4.9	
URBAN DISTRICTS														
141,740*	1027	966	56	42	2,091	14.8	788	751	1,539	10.9†	101	48	3.9	
Bradford-on-Avon.	5,019	37	32	2	1	72	14.3	26	24	50	10.0	5	69	4.3
Calne M.B. ..	3,560	19	22	2	1	44	12.4	19	21	40	11.2	3	68	1.2
Chippenham M.B.	8,347	52	50	1	—	103	12.3	46	43	89	10.7	5	49	1.6
Devizes M.B.	5,808	33	35	5	4	77	13.3	49	43	92	15.8	5	65	—2.5
Malmesbury M.B.	2,350	14	15	—	—	29	12.3	15	16	31	13.2	—	—	—0.9
Marlborough M.B.	4,142	12	19	1	—	32	7.7	27	18	45	10.9	3	94	—3.2
Melksham ..	3,855	25	26	—	2	53	13.7	17	20	37	9.6	2	38	4.1
Salisbury M.B.	26,350	210	204	12	11	437	16.6	148	156	304	11.5	26	59	5.1
Swindon M.B.	58,220*	451	420	22	17	910	15.6	306	272	578	9.9	33	36	5.7
Trowbridge ..	12,530	83	80	4	4	171	13.6	73	81	154	12.4†	10	58	1.2
Warminster ..	5,466	34	31	1	1	67	12.3	30	22	52	9.5	4	60	2.8
Westbury ..	4,111	40	23	1	1	65	15.8	18	16	34	8.3	2	31	7.5
Wilton M.B. ..	1,982	17	9	5	—	31	15.6	14	19	33	16.6	3	97	—1.0
RURAL DISTRICTS.														
167,830*	1,346	1,291	63	59	2,759	16.4	878	851	1,729	10.8†	124	45	5.6	
Amesbury ..	19,650	198	170	11	7	386	19.6	42	52	94	6.1†	15	39	13.5
Bradford-on-Avon.	5,652	40	36	1	—	77	13.6	27	24	51	9.0	4	52	4.6
Calne ..	4,880	55	48	3	—	106	21.7	29	27	56	11.5	6	57	10.2
Chippenham ..	14,440	65	97	9	6	177	12.3	82	76	158	10.9	6	34	1.4
Cricklade and Wootton Bassett.	11,270	100	109	3	1	213	18.9	76	62	138	12.2	9	42	6.7
Devizes ..	12,920	79	76	6	6	167	12.9	71	89	160	12.5†	8	48	0.4
Highworth ..	17,600*	176	147	8	8	339	19.3	94	82	176	10.0	15	44	9.3
Malmesbury ..	8,361	72	50	2	4	128	15.3	59	55	114	13.6	9	70	1.7
Marlborough	4,235	28	39	2	4	73	17.2	28	18	46	10.9	5	68	6.3
Melksham ..	5,176	41	36	1	1	79	15.3	20	20	40	7.7	—	—	7.6
Mere ..	4,558	43	38	1	3	85	18.6	32	24	56	12.3	4	47	6.3
Pewsey ..	16,660	150	156	5	6	317	19.0	73	64	137	10.4†	16	50	8.6
Ramsbury ..	6,468	50	61	5	3	119	18.4	35	41	76	11.8	4	34	6.6
Salisbury ..	10,260	80	73	3	4	160	15.6	47	50	97	9.8†	7	44	5.8
Tetbury (pt. of)†	345	3	2	—	—	5	14.5	3	4	7	20.3	2	400	—5.8

† Death-rates based upon estimated civilian populations as follows:—Isle of Wight, R.D., 29,370; Wiltshire—Administrative County, 301,200; Urban Districts, 141,630*; Trowbridge U.D., 12,420; Rural Districts, 159,570*; Amesbury R.D., 15,450; Devizes R.D., 12,770; Pewsey R.D., 13,160; Salisbury R.D., 9,850.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Wiltshire—Urban Districts, 144,630 (Total), 144,520 (Civilian); Swindon M.B., 61,110; Rural Districts 164,940 (Total), 156,680 (Civilian); Highworth R.D., 14,710.

† The remainder of Tetbury Rural District is in Gloucestershire.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—cont.														
RURAL DISTRICTS														
—cont.														
Tisbury	6,824	39	55	2	2	98	14.4	35	53	88	12.9	7	71	1.5
Warminster ..	5,826	44	30	1	1	76	13.0	34	33	67	11.5	1	13	1.5
Westbury and Whorwells- down.	6,658	42	30	—	2	74	11.1	54	34	88	13.2	3	41	-2.1
Wilton	6,047	41	38	—	1	80	13.2	37	43	80	13.2	3	38	—
WORCESTERSHIRE :														
COUNTY BORO'S.	111,470	964	984	38	27	2,013	18.1	653	689	1,342	12.0	125	62	6.1
Dudley	58,820	609	590	16	14	1,229	20.9	330	321	651	11.1	80	65	9.8
Worcester ..	52,650	355	394	22	13	784	14.9	323	368	691	13.1	45	57	1.8
ADMINISTRATIVE COUNTY.	309,700*	2,445	2,436	113	114	5,108	16.5	1,856	1,811	3,667	11.8†	325	64	4.7
URBAN DISTRICTS.	198,750*	1,640	1,573	67	71	3,351	16.9	1,164	1,171	2,335	11.7	226	67	5.2
Bewdley M.B. . .	2,610	20	23	3	—	46	17.6	19	25	44	16.9	3	65	0.7
Bromsgrove ..	9,712	83	83	5	5	176	18.1	63	68	131	13.5	12	68	4.6
Droitwich M.B.	3,962	31	28	3	1	63	15.9	21	27	48	12.1	6	95	3.8
Evesham M.B.	8,562	63	74	5	3	145	16.9	47	54	101	11.8	8	55	5.1
Halesowen ..	29,410	268	251	1	9	529	18.0	147	159	306	10.4	36	68	7.6
Kidderminster M.B.	27,570	209	194	8	12	423	15.3	186	198	384	13.9	25	59	1.4
Lye and Wolles- cote.	12,070	115	118	2	2	237	19.6	75	71	146	12.1	20	84	7.5
Malvern	18,050	85	80	7	11	183	10.1	106	119	225	12.5	9	49	-2.4
North Broms- grove.	9,714	73	68	4	3	148	15.2	39	47	86	8.9	15	101	6.3
Oldbury	36,560*	381	389	12	14	796	21.8	219	188	407	11.1	54	68	10.7
Redditch	16,420	126	99	7	5	237	14.4	86	85	171	10.4	13	55	4.0
Stourbridge M.B.	18,940	141	127	9	4	281	14.8	120	109	229	12.1	23	82	2.7
Stourport ..	5,170	45	39	1	2	87	16.8	36	21	57	11.0	2	23	5.8
RURAL DISTRICTS.	110,950	805	863	46	43	1,757	15.8	692	640	1,332	12.0†	99	56	3.8
Bromsgrove ..	19,600	144	151	5	4	304	15.5	102	97	199	10.2	9	30	5.3
Droitwich ..	12,220	91	84	5	8	188	15.4	79	72	151	12.4	13	69	3.0
Evesham ..	11,100	77	90	3	3	173	15.6	81	48	129	11.6	9	52	4.0
Feckenham ..	5,377	26	47	—	3	76	14.1	32	36	68	12.6	1	13	1.5
Kidderminster	7,676	70	73	4	7	154	20.1	52	50	102	13.3	16	104	6.8
Martley	13,020	110	110	9	8	237	18.2	74	66	140	10.8	17	72	7.4
Pershire ..	13,270	95	101	7	1	204	15.4	72	96	168	12.9†	8	39	2.5
Rock	2,296	11	26	—	—	37	16.1	21	11	32	13.9	3	81	2.2
Shipston-on- Stour.	4,465	29	28	2	3	62	13.9	34	34	68	15.2	3	48	-1.3
Stow on the Wold (part of)†	277	3	3	—	—	6	21.7	2	2	4	14.4	—	—	7.3
Tenbury ..	4,408	43	33	1	2	79	17.9	31	29	60	13.6	4	51	4.3
Tewkesbury (part of)†	2,095	17	13	3	—	33	15.8	22	8	30	14.3	3	91	1.5
Upton on Severn	14,000	85	94	6	4	189	13.5	86	79	165	11.8	13	69	1.7
Winchcomb (part of)†	107	—	—	—	—	—	—	—	—	—	—	—	—	—
Civil Parishes of Redmarley d'Abitôt and Staunton, ad- ministered by R.D.C. of Newent(Glos)	1,039	4	10	1	—	15	14.4	4	12	16	15.4	—	—	-1.0

† Death-rates based upon estimated civilian populations as follows:—Worcestershire—Administrative County, 309,500*; Rural Districts, 110,750; Pershore R.D., 13,070.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Worcestershire—Administrative County, 306,900 (Total), 306,700 (Civilian); Urban Districts, 195,950; Oldbury U.D., 33,760.

‡ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
EAST RIDING :														
COUNTY BORO' : Kingston-upon- Hull.	297,600	2,987	2,826	155	135	6,103	20.5	2,008	1,788	3,796	12.8	484	79	7.7
ADMINISTRATIVE COUNTY.	174,460	1,371	1,284	93	116	2,864	16.4	1,065	992	2,057	11.8†	147	51	4.6
URBAN DISTRICTS.	72,660	501	506	39	59	1,105	15.2	455	451	906	12.5	63	57	2.7
Beverley M.B.	13,540	118	139	11	17	285	21.0	88	88	176	13.0	17	60	8.0
Bridlington M.B.	17,830	114	109	6	14	243	13.6	110	132	242	13.6	18	74	—
Cottingham ..	6,983	44	46	2	1	93	13.3	38	35	73	10.5	2	22	2.8
Filey	3,627	17	29	3	4	53	14.6	21	20	41	11.3	4	75	3.3
Great Driffield	6,171	48	40	4	12	104	16.9	53	44	97	15.7	10	96	1.2
Hedon M.B. ..	1,502	14	8	2	1	25	16.6	8	3	11	7.3	1	40	9.3
Hessle	7,110	43	40	2	2	87	12.2	45	34	79	11.1	3	34	1.1
Hornsea	4,435	31	25	3	3	62	14.0	24	25	49	11.0	—	—	3.0
Norton	3,663	30	24	—	5	59	16.1	27	20	47	12.8	2	34	3.3
Pocklington ..	2,748	13	21	1	—	35	12.7	19	21	40	14.6	4	114	—1.9
Withernsea ..	5,051	29	25	5	—	59	11.7	22	29	51	10.1	2	34	1.6
RURAL DISTRICTS.	101,800	870	778	54	57	1,759	17.3	610	541	1,151	11.3†	84	48	6.0
Beverley ..	12,210	116	90	7	3	216	17.7	73	61	134	11.1†	10	46	6.6
Bridlington ..	7,884	79	68	5	6	158	20.0	42	38	80	10.1	8	51	9.9
Driffield	11,420	101	99	8	14	222	19.4	74	57	131	11.5	15	68	7.9
Escrick	5,967	41	50	3	4	98	16.4	27	27	54	9.0	4	41	7.4
Howden	13,080	122	93	11	7	233	17.8	80	72	152	11.6	10	43	6.2
Norton	5,275	47	30	2	3	82	15.5	33	24	57	10.8	1	12	4.7
Pattrington ..	7,504	63	52	3	2	120	16.0	62	47	109	14.5	8	67	1.5
Pocklington ..	10,910	82	76	7	5	170	15.6	72	81	153	14.0	8	47	1.6
Riccall	5,447	53	51	1	1	106	19.5	33	27	60	11.0	7	66	8.5
Sculcoates ..	12,890	86	82	3	4	175	13.6	65	62	127	9.9	7	40	3.7
Sherburn	2,253	25	25	2	2	54	24.0	11	7	18	8.0	1	19	16.0
Skirlaugh ..	6,960	55	62	2	6	125	18.0	38	38	76	10.9	5	40	7.1
YORKSHIRE :														
NORTH RIDING :														
COUNTY BORO' : Middlesbrough	131,700	1,587	1,475	77	80	3,219	24.4	1,022	735	1,757	13.3	287	89	11.1
ADMINISTRATIVE COUNTY.	322,560	2,665	2,651	170	179	5,665	17.6	1,922	1,905	3,827	12.1†	353	62	5.5
URBAN DISTRICTS.	179,730	1,555	1,523	94	93	3,265	18.2	1,115	1,105	2,220	12.4†	228	70	5.8
Eston	33,400	309	377	12	16	714	21.4	222	176	398	11.9	71	99	9.5
Guisborough ..	6,011	59	69	2	3	133	22.1	44	33	77	12.8	8	60	9.3
Hinderwell ..	2,377	15	14	1	2	32	13.5	14	14	28	11.8	3	94	1.7
Kirklington cum Upsland	256	2	1	—	—	3	11.7	—	3	3	11.7	—	—	—
Loftus	8,239	68	61	4	8	141	17.1	42	56	98	11.9	9	64	5.2
Malton	4,344	41	27	2	2	72	16.6	25	22	47	10.8	6	83	5.8
Masham	2,136	20	15	—	—	35	16.4	10	11	21	9.8	—	—	6.6
Northallerton	4,903	36	25	—	3	64	13.1	32	39	71	14.5	4	63	—1.4
Pickering ..	3,412	28	30	1	2	61	17.9	25	24	49	14.4	4	66	3.5
Redcar M.B. ..	17,800	157	133	9	7	306	17.2	86	73	159	8.9	13	42	8.3

† Death-rates based upon estimated civilian populations as follows: Yorkshire—East Riding—Administrative County, 174,300; Rural Districts, 101,640; Beverley R.D., 12,050; North Riding—Administrative County, 317,300; Urban Districts, 179,620.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
NORTH RIDING —cont.														
URBAN DISTRICTS —cont.														
Richmond M.B.	4,535	41	51	3	1	96	21·2	23	23	46	10·4†	4	42	10·8
Saltburn by the Sea.	3,803	19	13	—	—	32	8·4	13	28	41	10·8	—	—	—2·4
Scalby	2,404	12	10	—	1	23	9·6	10	16	26	10·8	2	87	—1·2
Scarborough M.B.	38,650	290	258	32	22	602	15·6	275	302	577	14·9	32	53	0·7
Skelton and Brotton.	13,350	118	116	9	8	251	18·8	88	73	161	12·1	13	52	6·7
Thornaby-on-Tees M.B.	21,740	249	235	19	16	519	23·9	141	138	279	12·8	48	92	11·1
Whitby	12,370	91	88	—	2	181	14·6	65	74	139	11·2	11	61	3·4
RURAL DISTRICTS.	142,830	1,110	1,128	76	86	2,400	16·8	807	800	1,607	11·7†	125	52	5·1
Aysgarth.. ..	4,217	29	30	1	5	65	15·4	32	21	53	12·6	2	31	2·8
Bedale	6,593	55	64	5	5	129	19·6	43	39	82	12·4	5	39	7·2
Croft	2,276	22	15	1	1	39	17·1	13	8	21	9·2	—	—	7·9
Easingwold ..	9,466	76	66	9	9	160	16·9	70	62	132	13·9	12	75	3·0
Flaxton	12,050	69	104	1	5	179	14·9	35	48	83	7·4†	10	56	7·5
Guisborough ..	7,435	72	46	2	5	125	16·8	37	49	86	11·6	8	64	5·2
Helmsley	4,898	38	33	2	1	74	15·1	33	32	65	13·3	5	68	1·8
Kirkby Moorside	4,873	34	41	—	2	77	15·8	22	24	46	9·4	—	—	6·4
Leyburn	6,360	49	49	6	4	108	17·0	33	43	76	12·4†	7	65	4·6
Malton	5,687	48	42	2	6	98	17·2	35	44	79	13·9	6	61	3·3
Middlesbrough	3,150	15	21	1	—	37	11·7	15	15	30	9·5	—	—	2·2
Northallerton..	7,721	64	53	8	9	134	17·4	51	32	83	10·7	6	45	6·7
Pickering	5,868	47	55	7	6	115	19·6	32	35	67	11·4	6	52	8·2
Reeth	2,377	11	21	3	—	35	14·7	14	13	27	11·4	—	—	3·3
Richmond	13,430	112	139	8	2	261	19·4	54	68	122	13·1†	20	77	6·3
Scarborough ..	6,695	43	44	1	5	93	13·9	46	39	85	12·7	5	54	1·2
Startforth	4,572	30	30	4	—	64	14·0	26	20	46	10·1	3	47	3·9
Stokesley	12,040	107	80	8	4	199	16·5	69	70	139	11·5	11	55	5·0
Thirsk	12,470	102	111	6	11	230	18·4	86	77	163	13·1	14	61	5·3
Wath	1,947	20	14	1	4	39	20·0	12	12	24	12·3	2	51	7·7
Whitby	8,705	67	70	—	2	139	16·0	49	49	98	11·3	3	22	4·7
YORKSHIRE :														
WEST RIDING :														
COUNTY BORO'S :	1,800,240*	14,316	13,532	670	663	29,181	16·2	11,696	10,815	22,511	12·5†	2,116	73	3·7
Barnsley	71,080	783	709	45	41	1,578	22·2	439	382	821	11·6	132	84	10·6
Bradford	288,500	2,149	2,032	120	120	4,421	15·3	1,963	1,959	3,922	13·6	312	71	1·7
Dewsbury	53,130	416	393	18	25	852	16·0	377	362	739	13·9	57	67	2·1
Doncaster	59,440	530	500	19	22	1,071	18·0	339	299	638	10·7	50	47	7·3
Halifax	97,740*	619	573	33	43	1,268	13·0	631	655	1,286	13·2†	85	67	—0·2
Huddersfield ..	113,000	755	727	37	24	1,543	13·7	743	757	1,500	13·3	103	67	0·4
Leeds	474,800*	3,752	3,523	199	193	7,667	16·1	3,253	2,876	6,129	12·9	606	79	3·2
Rotherham	70,530	665	630	30	19	1,344	19·1	388	359	747	10·6	93	69	8·5
Sheffield	515,400	4,151	3,989	147	148	8,435	16·4	3,223	2,874	6,097	11·8	618	73	4·6
Wakefield	56,620	496	456	22	28	1,002	17·7	340	292	632	11·2	60	60	6·5
ADMINISTRATIVE COUNTY.	1,524,020*	13,179	12,653	568	566	26,966	17·7	8,887	8,643	17,530	11·5†	1,682	62	6·2

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, North Riding—Richmond M.B., 4,425; Rural Districts, 137,680; Flaxton R.D., 11,230; Leyburn R.D., 6,130; Richmond R.D., 9,330; Yorkshire, West Riding—County Boroughs, 1,800,040*; Halifax C.B., 97,540*; Administrative County, 1,523,390*.

* Population adjusted to allow for changes in boundary during the year. The mid-year populations after the changes are as follows:—Yorkshire, West Riding—County Boroughs, 1,801,970 (Total), 1,801,770 (Civilian); Halifax C.B., 97,770 (Total), 97,570 (Civilian); Leeds C.B., 476,500; Administrative County, 1,522,290 (Total), 1,521,660 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —cont.														
URBAN DISTRICTS	1,096,360*	8,885	8,689	382	371	18,327	16.7	6,595	6,483	13,078	11.9†	1,148	63	4.8
Adwick le Street	19,150	244	263	11	9	527	27.5	88	70	158	8.3	35	66	19.2
Altofts	5,202	53	48	2	3	106	20.4	28	25	53	10.2	3	28	10.2
Ardsley East and West.	9,209	66	85	2	2	155	16.8	63	52	115	12.5	7	45	4.3
Baildon	7,218	47	54	3	1	105	14.5	31	59	90	12.5	9	86	2.0
Barkisland ..	1,566	15	7	1	—	23	14.7	11	6	17	10.9	—	—	3.8
Barnoldswick ..	12,710	72	65	3	3	143	11.3	86	60	146	11.5	7	49	—0.2
Batley M.B. ..	34,250	247	256	10	26	539	15.7	210	224	434	12.7	30	56	3.0
Bentley with Arksey.	16,180	130	155	6	7	298	18.4	68	64	132	8.2	20	67	10.2
Bingley	20,100	127	128	8	2	265	13.2	126	142	268	13.3	19	72	—0.1
Birkenshaw ..	2,878	22	24	1	3	50	17.4	12	24	36	12.5	4	80	4.9
Birstal	7,185	45	37	1	4	87	12.1	38	52	90	12.5	5	57	—0.4
Bolton-upon- Deane	15,500	143	145	7	12	307	19.8	83	69	152	9.8	20	65	10.0
Brighouse M.B.	19,460	123	122	3	4	252	12.9	106	137	243	12.5	11	44	0.4
Burley in Wharfedale.	4,231	34	20	3	2	59	13.9	22	19	41	9.7	6	102	4.2
Calverley ..	3,633	17	24	—	—	41	11.3	29	26	55	15.1	3	73	—3.8
Castleford ..	23,290	209	206	12	5	432	18.5	158	132	290	12.5	33	76	6.0
Clayton	5,334	27	29	1	6	63	11.8	31	35	66	12.4	2	32	—0.6
Clayton West..	2,059	12	9	1	1	23	11.2	14	9	23	11.2	—	—	—
Conisbrough ..	18,540	280	234	13	6	533	28.7	102	93	195	10.5	42	79	18.2
Cudworth ..	9,564	139	106	7	6	258	27.0	53	44	97	10.1	11	43	16.9
Darfield	5,485	55	46	1	2	104	19.0	26	22	48	8.8	4	38	10.2
Darton	11,820	129	159	8	2	298	25.2	70	64	134	11.3	23	77	13.9
Denby and Cumberworth.	3,607	19	25	—	1	45	12.5	27	12	39	10.8	2	44	1.7
Denholme ..	2,944	13	16	2	—	31	10.5	20	31	51	17.3	2	65	—6.8
Dodworth ..	4,181	50	47	1	3	101	24.2	30	19	49	11.7	10	99	12.5
Drighlington ..	4,081	35	29	—	2	66	16.2	34	33	67	16.4	4	61	—0.2
Earby	5,929	44	35	3	3	85	14.3	33	31	64	10.8	8	94	3.5
Elland	10,600	44	53	1	2	100	9.4	75	82	157	14.8	5	50	—5.4
Emley	1,827	10	13	—	—	23	12.6	6	8	14	7.7	—	—	4.9
Farsley	6,323	32	31	2	—	65	10.3	36	39	75	11.9	3	46	—1.6
Featherstone ..	15,550	175	146	5	6	332	21.4	95	64	159	10.2	23	69	11.2
Flockton	1,382	8	9	—	—	17	12.3	4	9	13	9.4	1	59	2.9
Garforth ..	4,006	28	31	1	2	62	15.5	21	18	39	9.7	4	65	5.8
Gildersome ..	2,875	21	25	1	—	47	16.3	18	29	47	16.3	2	43	—
Golcar	10,210	58	62	3	2	125	12.2	63	75	138	13.5	12	96	—1.3
Goole	19,430	198	230	10	9	447	23.0	131	118	249	12.8	27	60	10.2
Greasbrough ..	3,546	39	28	4	2	73	20.6	19	16	35	9.9	1	14	10.7
Greetland ..	4,202	20	22	—	1	43	10.2	20	42	62	14.8	—	—	—4.6
Guiseley	5,408	32	42	4	—	78	14.4	31	37	68	12.6	4	51	1.8
Gunthwaite and Ingbirchworth	319	3	5	—	—	8	25.1	1	5	6	18.8	1	125	6.3
Harrogate M.B.	36,880	208	211	16	10	445	12.1	199	267	466	12.6	30	67	—0.5
Haworth ..	6,329	32	24	2	2	60	9.5	37	34	71	11.2	4	67	—1.7
Hebden Bridge	6,099	41	27	3	1	72	11.8	44	53	97	15.9	4	56	—4.1

† Death-rate based upon an estimated civilian population of 1,095,730*.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Yorkshire, West Riding—Urban Districts, 1,096,330 (Total), 1,095,700 (Civilian).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Heckmondwike	8,772	78	47	4	9	138	15.7	49	69	118	13.5	3	22	2.2
Hemsworth ..	14,040	160	156	8	11	335	23.9	82	57	139	9.9	21	63	14.0
Hipperholme ..	4,884	22	36	—	1	59	12.1	28	34	62	12.7	3	51	—0.6
Holme	421	3	1	—	—	4	9.5	4	4	8	19.0	—	—	—9.5
Holmfirth ..	10,380	70	76	1	2	149	14.4	66	74	140	13.5	8	54	0.9
Honley	4,402	20	28	—	1	49	11.1	24	28	52	11.8	—	—	—0.7
Horbury	7,806	58	54	1	1	114	14.6	68	54	122	15.6	8	70	—1.0
Horsforth ..	11,230	85	85	1	—	171	15.2	56	63	119	10.6	3	18	4.6
Hoyland Nether	16,040	164	147	6	4	321	20.0	104	88	192	12.0	28	87	8.0
Hoyland Swaine	817	6	7	—	—	13	15.9	6	6	12	14.7	2	154	1.2
Hunsworth ..	1,362	5	6	—	1	12	8.8	11	10	21	15.4	1	83	—6.6
Ilkley	10,070	56	54	4	3	117	11.6	53	43	96	9.5	4	34	2.1
Keighley M.B.	40,220	221	236	14	10	481	12.0	292	278	570	14.2	37	77	—2.2
Kirkburton ..	3,458	23	21	1	—	45	13.0	21	21	42	12.1	1	22	0.9
Kirkheaton ..	2,727	18	24	—	—	42	15.4	15	22	37	13.6	5	119	1.8
Knaresborough	5,922	44	35	3	1	83	14.0	45	47	92	15.5	5	60	—1.5
Knottingley ..	6,911	68	77	2	2	149	21.6	43	37	80	11.6	13	87	10.0
Lepton	3,125	24	25	1	—	50	16.0	20	18	38	12.2	2	40	3.8
Linthwaite ..	9,594	61	52	4	2	119	12.4	51	61	112	11.7	9	76	0.7
Luddenden Foot	2,889	12	19	2	—	33	11.4	24	17	41	14.2	2	61	—2.8
Maltby	9,850	128	124	6	5	263	26.7	44	39	83	8.4	19	72	18.3
Marsden	5,554	42	41	2	1	86	15.5	28	38	66	11.9	6	70	3.6
Meltham	5,540	40	36	1	2	79	14.3	37	44	81	14.6	5	63	—0.3
Methley	4,567	27	36	—	1	64	14.0	24	28	52	11.4	3	47	2.6
Mexborough ..	16,340	160	144	8	3	315	19.3	86	65	151	9.2	12	38	10.1
Midgley	1,821	12	14	—	—	26	14.3	18	17	35	19.2	3	115	—4.9
Mirfield	12,480	96	78	5	3	182	14.6	81	74	155	12.4	4	22	2.2
Morley M.B. ..	23,140	171	192	9	9	381	16.5	158	133	291	12.6	22	58	3.9
Mytholmroyd ..	4,237	23	30	—	4	57	13.5	16	39	55	13.0	6	105	0.5
New Mill	4,581	32	25	—	2	59	12.9	26	20	46	10.0	4	68	2.9
Normanton ..	16,500	168	159	6	7	340	20.6	98	75	173	10.5	23	68	10.1
Oakworth	4,118	18	33	—	—	51	12.4	22	38	60	14.6	2	39	—2.2
Ossett M.B. ..	14,760	125	119	7	4	255	17.3	113	96	209	14.2	13	51	3.1
Otley	10,290	88	79	3	5	175	17.0	82	66	148	14.4	14	80	2.6
Oxenhope	2,378	12	8	1	1	22	9.3	14	12	26	10.9	3	136	—1.6
Penistone	3,768	24	31	1	3	59	15.7	22	18	40	10.6	1	17	5.1
Pontefract M.B.	18,180	192	182	6	5	385	21.2	125	96	221	12.6†	31	81	8.6
Pudsey M.B. ..	14,320	96	85	9	4	194	13.5	91	107	198	13.8	13	67	—0.3
Queensbury ..	5,724	34	54	2	1	91	15.9	34	36	70	12.2	6	66	3.7
Rawdon	4,308	21	25	—	—	46	10.7	27	20	47	10.9	1	22	—0.2
Rawmarsh	18,550	175	160	6	5	346	18.7	106	89	195	10.5	22	64	8.2
Ripon M.B. ..	8,443	58	68	4	3	133	15.8	46	51	97	11.5	5	38	4.3
Rishworth	937	6	8	—	—	14	14.9	5	4	9	9.6	—	—	5.3
Rothwell	15,740	130	128	2	5	265	16.8	87	93	180	11.4	19	72	5.4
Royston	7,356	84	97	3	3	187	25.4	42	41	83	11.3	17	91	14.1
Saddleworth ..	12,630	79	73	2	2	156	12.4	72	79	151	12.0	5	32	0.4
Scammonden ..	375	2	4	1	—	7	18.7	—	2	2	5.3	1	143	13.4
Selby	9,699	83	87	5	9	184	19.0	54	52	106	10.9	10	54	8.1

† Death-rate based upon an estimated civilian population of 17,550.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928.)	BIRTHS.						DEATHS.				Deaths under 1 year.		Deaths per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
WEST RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Shelf	2,631	20	14	1	—	35	13·3	15	21	36	13·7	2	57	—0·4
Shelley	1,669	13	7	—	2	22	13·2	15	8	23	13·8	—	—	—0·6
Shepley	1,609	11	10	—	2	23	14·3	11	8	19	11·8	—	—	2·5
Shipley	29,310	231	209	8	15	463	15·8	171	178	349	11·9	30	65	3·9
Silsden	4,915	39	25	2	—	66	13·4	24	27	51	10·4	5	76	3·0
Skelmanthorpe	3,852	16	20	—	—	36	9·3	17	27	44	11·4	2	56	—2·1
Skipton	12,120	84	83	4	9	180	14·9	74	69	143	11·8	15	83	3·1
Slaithwaite ..	5,123	36	30	1	—	67	13·1	37	43	80	15·6	4	60	—2·5
South Crosland	2,948	26	20	—	—	46	15·6	12	15	27	9·2	2	43	6·4
Southowram ..	2,825*	18	22	2	—	42	14·9	16	17	33	11·7	5	119	3·2
Sowerby	14,210	106	83	4	3	196	13·8	91	94	185	13·0	8	41	0·8
Soyland	2,859	29	11	—	—	40	14·0	23	25	48	16·8	6	150	—2·8
Spenborough ..	30,370	220	207	6	5	438	14·4	182	178	360	11·9	23	53	2·5
Springhead ..	5,088	41	39	1	1	82	16·1	36	40	76	14·9	8	98	1·2
Stainland	4,363	28	25	2	—	55	12·6	36	39	75	17·2	3	55	—4·6
Stanley	14,690	140	120	7	4	271	18·4	83	83	166	11·3	22	81	7·1
Stocksbridge ..	9,647	87	81	1	—	169	17·5	56	46	102	10·6	8	47	6·9
Swinton	14,150	125	132	3	3	263	18·6	65	71	136	9·6	14	53	9·0
Thurlstone ..	2,494	20	12	—	—	32	12·8	20	14	34	13·6	1	31	—0·8
Thurnscoe ..	10,300	134	143	4	8	289	28·1	59	40	99	9·6	26	90	18·5
Thurstonland & Farnley Tyas†	3,820	15	16	—	—	31	8·1	14	8	22	5·8	4	129	2·3
Tickhill	2,185	27	15	—	2	44	20·1	12	15	27	12·4	3	68	7·7
Todmorden M.B.	22,680	152	127	8	5	292	12·9	148	175	323	14·2	13	45	—1·3
Wath-upon- Dearne.	13,980	147	135	7	4	293	21·0	88	59	147	10·5	22	75	10·5
Whitley Upper	881	4	6	—	—	10	11·4	5	4	9	10·2	—	—	1·2
Whitwood	8,260	60	79	2	2	143	22·8	56	29	85	13·6	12	84	9·2
Wombwell	20,320	196	199	12	12	419	20·6	96	96	192	9·4	23	55	11·2
Worsborough..	12,380	144	130	3	5	282	22·8	69	58	127	10·3	17	60	12·5
Yeadon	7,133	46	50	1	2	99	13·9	45	43	88	12·3	4	40	1·6
RURAL DISTRICTS.	427,660*	4,294	3,964	186	195	8,639	20·2	2,292	2,160	4,452	10·4	534	62	9·8
Barnsley	4,652	57	43	1	—	101	21·7	26	27	53	11·4	11	109	10·3
Bishopthorpe..	2,504	26	19	1	—	46	18·4	14	9	23	9·2	4	87	9·2
Bowland	5,263	45	51	2	—	98	18·6	21	23	44	8·4	6	61	10·2
Doncaster	44,390	565	522	25	36	1,148	25·9	216	153	369	8·3	72	63	17·6
Goole	8,582	91	85	7	5	188	21·9	40	47	87	10·1	8	43	11·8
Great Ouseburn	12,280	91	72	2	2	167	13·6	59	82	141	11·5	9	54	2·1
Halifax	6,078	37	30	3	2	72	11·8	37	33	70	11·5	6	83	0·3
Hemsworth ..	46,250	593	512	31	28	1,164	25·2	243	198	441	9·5	68	58	15·7
Hunslet	5,644*	44	47	2	1	94	16·7	26	35	61	10·8	5	53	5·9
Keighley.. ..	8,010	64	53	1	3	121	15·1	38	59	97	12·1	5	41	3·0
Kiveton Park..	17,930	173	171	6	9	359	20·0	72	68	140	7·8	22	61	12·2
Knaresborough	9,295	50	56	5	3	114	12·3	43	61	104	11·2	7	61	1·1
Pateley Bridge	8,025	70	44	5	2	121	15·1	63	55	118	14·7	5	41	0·4
Penistone	5,487	42	43	—	—	85	15·5	27	26	53	9·7	3	35	5·8
Pontefract ..	23,860	262	240	8	11	521	21·8	112	123	235	9·8	28	54	12·0
Ripon	4,899	34	32	2	3	71	14·5	25	35	60	12·2	2	28	2·3
Rotherham ..	38,870	449	382	18	15	864	22·2	205	183	388	10·0	61	71	12·2
Sedbergh.. ..	4,108	28	37	1	2	68	16·6	23	28	51	12·4	3	44	4·2

† A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Yorkshire, West Riding—Southowram U.D., 2,795; Rural Districts, 425,960; Hunslet R.D., 4,259.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING														
—cont.														
RURAL DISTRICTS														
—cont.														
Selby	6,049	48	48	4	6	106	17.5	34	35	69	11.4	8	75	6.1
Settle	14,900	103	105	8	5	221	14.8	86	84	170	11.4	15	68	3.4
Skipton	18,650	110	126	2	8	246	13.2	136	111	247	13.2	12	49	—
Tadcaster ..	30,510*	277	260	13	11	561	18.4	157	154	311	10.2	25	45	8.2
Thorne	24,070	403	395	18	14	830	34.5	149	142	291	12.1	64	77	22.4
Todmorden ..	4,271	31	27	—	—	58	13.6	34	21	55	12.9	4	69	0.7
Wakefield ..	18,200	173	172	7	7	359	19.7	95	81	176	9.7	32	89	10.0
Wetherby ..	15,140	139	120	5	11	275	18.2	85	105	190	12.5	21	76	5.7
Wharfedale:—														
North	3,770	38	18	—	1	57	15.1	27	22	49	13.0	3	53	2.1
South	6,143*	26	34	3	—	63	10.3	19	16	35	5.7	4	63	4.6
Wortley	29,830	225	220	6	10	461	15.5	180	144	324	10.9	21	46	4.6
COUNTY BORO':														
York	87,210	774	727	42	38	1,581	18.1	503	497	1,000	11.7†	94	59	6.4
WALES AND MONMOUTH.														
ANGLESEY:														
ADMINISTRATIVE														
COUNTY.														
ADMINISTRATIVE	51,340	346	363	34	33	776	15.1	366	362	728	14.2	54	70	0.9
URBAN DISTRICTS.	19,230	139	121	8	10	278	14.5	127	135	262	13.6	12	43	0.9
Amlwch	2,571	15	15	3	4	37	14.4	21	23	44	17.1	2	54	-2.7
Reaumaris M.B.	1,667	11	6	2	1	20	12.0	10	11	21	12.6	—	—	-0.6
Holyhead ..	11,610	87	75	2	5	169	14.6	67	72	139	12.0	6	36	2.6
Llangefni ..	1,729	13	15	1	—	29	16.8	16	12	28	16.2	3	103	0.6
Menai Bridge	1,653	13	10	—	—	23	13.9	13	17	30	18.1	1	43	-4.2
RURAL DISTRICTS.	32,110	207	242	26	23	498	15.5	239	227	466	14.5	42	84	1.0
Aethwy	8,349	60	55	4	7	126	15.1	63	56	119	14.3	16	127	0.8
Dwyran	2,800	18	22	3	3	46	16.4	15	23	38	13.6	4	87	2.8
Twrcelyn ..	9,121	47	66	9	7	129	14.1	81	57	138	15.1	9	70	-1.0
Valley	11,840	82	99	10	6	197	16.6	80	91	171	14.4	13	66	2.2
BRECKNOCKSHIRE														
ADMINISTRATIVE														
COUNTY.														
ADMINISTRATIVE	60,180	529	456	28	29	1,042	17.3	366	360	726	12.1†	78	75	5.2
URBAN DISTRICTS.	17,130	163	133	7	11	314	18.3	109	112	221	13.0†	26	83	5.3
Brecknock, M.B.	5,416	51	41	1	3	96	17.7	40	38	78	14.9†	9	94	2.8
Brynmawr ..	7,878	77	65	2	2	146	18.5	43	50	93	11.8	13	89	6.7
Builth Wells ..	1,575	15	13	—	2	30	19.0	8	7	15	9.5	2	67	9.5
Hay	1,524	16	12	4	4	36	23.6	12	15	27	17.7	2	56	5.9
Llanwrtyd ..	737	4	2	—	—	6	8.1	6	2	8	10.9	—	—	-2.8
RURAL DISTRICTS.	43,050	366	323	21	18	728	16.9	257	248	505	11.7	52	71	5.2
Brecknock:—														
Defynnock & Llangorse Div.	6,413	45	36	2	4	87	13.6	39	35	74	11.5	10	115	2.1
Merthyr Cynog. Div.	2,084	16	13	1	1	31	14.9	24	15	39	18.7	2	65	-3.8
Builth	3,886	46	34	2	2	84	21.6	22	25	47	12.1	3	36	9.5
Crickhowell ..	7,768	58	56	1	1	116	14.9	48	46	94	12.1	7	60	2.8
Hay	4,187	39	27	2	3	71	17.0	17	17	34	8.1	3	42	8.9
Vaynor and Penderyn.	5,414	37	37	2	3	79	14.6	25	39	64	11.8	6	76	2.8

† Death-rates based upon estimated civilian populations as follows:—York C.B., 85,410; Brecknockshire—Administrative County, 80,010; Urban Districts, 16,960 Brecknock M.B., 5,246

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Yorkshire, West Riding—Tadcaster R.D., 30,490; Wharfedale (South) R.D., 5,848.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE —cont.														
RURAL DISTRICTS —cont.														
Ystradgynlais..	12,300	118	113	9	4	244	19·8	76	69	145	11·8	19	78	8·0
C.P. of Llan- wrthwl ad- ministered by R.D.C. of Rhayader (Radnor).	351	2	3	2	—	7	19·9	1	1	2	5·7	—	—	14·2
C.P. of Ystrad- felle admin- istered by R.D.C. of Neath (Glam.)	647	5	4	—	—	9	13·9	5	1	6	9·3	2	222	4·6
CAERNARVONSHIRE: ADMINISTRATIVE COUNTY	123,900	874	786	65	66	1,791	14·5	898	946	1,844	14·9	121	68	—0·4
URBAN DISTRICTS.	66,000*	449	380	27	38	894	13·5	454	461	915	13·9	60	67	—0·4
Bangor M.B. ..	11,230	77	66	4	5	152	13·5	76	92	168	15·0	9	59	—1·5
Bethesda.. ..	4,210	37	37	1	4	79	18·8	49	46	95	22·6	8	101	—3·8
Bettws y Coed	884	2	4	1	—	7	7·9	6	7	13	14·7	2	286	—6·8
Caernarvon M.B.	8,157	78	70	6	5	159	19·5	70	67	137	16·8	14	88	2·7
Conway M.B.	8,824*	56	40	1	3	100	11·3	47	43	90	10·2	3	30	1·1
Criccieth	1,752	6	7	—	1	14	8·0	7	11	18	10·3	1	71	—2·3
Llandudno	15,370	102	59	4	10	175	11·4	84	89	173	11·3	10	57	0·1
Llanfairfechan	3,335	18	22	1	1	42	12·6	22	22	44	13·2	2	48	—0·6
Penmaenmawr	4,167	26	20	—	3	49	11·8	24	27	51	12·2	4	82	—0·4
Portmadoc	4,396	24	32	5	2	63	14·3	43	33	76	17·3	5	79	—3·0
Pwllheli M.B.	3,675	23	23	4	4	54	14·7	26	24	50	13·6	2	37	1·1
RURAL DISTRICTS.	57,900*	425	406	38	28	897	15·5	444	485	929	16·0	61	68	—0·5
Conway	5,471*	37	42	4	1	84	15·4	24	35	59	10·8	7	83	4·6
Geirionydd	4,169	28	33	2	1	64	15·4	29	25	54	13·0	2	31	2·4
Glaslyn	2,915	22	15	3	2	42	14·4	15	22	37	12·7	1	24	1·7
Gwyrfai	23,460	191	168	13	11	383	16·3	218	229	447	19·1	31	81	—2·8
Lleyn	16,250	110	120	13	7	250	15·4	112	131	243	15·0	15	60	0·4
Ogwen	5,635	37	28	3	6	74	13·1	46	43	89	15·8	5	68	—2·7
CARDIGANSHIRE: ADMINISTRATIVE COUNTY.	56,060	353	320	22	31	726	13·0	365	480	845	15·1	43	59	—2·1
URBAN DISTRICTS.	15,790	88	93	5	2	188	11·9	100	136	236	14·9	12	64	—3·0
Aberayron	1,240	6	4	2	—	12	9·7	8	13	21	16·9	1	83	—7·2
Aberystwyth M.B.	8,727	46	50	—	—	96	11·0	43	55	98	11·2	4	42	—0·2
Cardigan M.B.	3,109	19	17	2	2	40	12·9	31	36	67	21·6	4	100	—8·7
Lampeter M.B.	1,690	9	14	—	—	23	13·6	7	16	23	13·6	1	43	—
New Quay	1,024	8	8	1	—	17	16·6	11	16	27	26·4	2	118	—9·8
RURAL DISTRICTS.	40,270	265	227	17	29	538	13·4	265	344	609	15·1	31	58	—1·7
Aberayron	7,379	48	57	3	9	117	15·9	54	58	112	15·2	9	77	0·7
Aberystwyth:—														
North	6,819	55	38	1	4	98	14·4	45	59	104	15·3	8	82	—0·9
South	4,811	32	25	4	2	63	13·1	40	41	81	16·8	5	79	—3·7
Cardigan	2,941	20	10	1	1	32	10·9	24	24	48	16·3	1	31	—5·4
Lampeter	3,507	25	15	1	2	43	12·3	17	33	50	14·3	1	23	—2·0

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Caernarvonshire Urban Districts, 66,360; Conway M.B. 9,184; Rural Districts, 57,540; Conway R.D., 5,111.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARDIGANSHIRE— <i>contd.</i> RURAL DISTRICTS — <i>cont.</i>														
Llandyssil ..	7,664	46	44	2	5	97	12.7	44	70	114	14.9	3	31	-2.2
Tregaron ..	6,798	38	37	4	5	84	12.4	40	54	94	13.8	4	48	-1.4
Civil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomery- shire).	351	1	1	1	1	4	11.4	1	5	6	17.1	—	—	-5.7
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	180,100	1,457	1,461	70	59	3,047	16.9	1,132	1,043	2,175	12.1	221	73	4.8
URBAN DISTRICTS	74,990	594	595	21	23	1,233	16.4	467	403	870	11.6	79	64	4.8
Ammanford ..	7,656	60	64	2	2	128	16.7	34	32	66	8.6	11	86	8.1
Burry Port ..	5,941	60	37	2	3	102	17.2	46	32	78	13.1	8	78	4.1
Carmarthen .. M.B.	9,921	66	58	6	5	135	13.6	72	68	140	14.1	8	59	-0.5
Cwmaman ..	5,697	45	39	2	2	88	15.4	27	31	58	10.2	4	45	5.2
Kidwelly M.B.	3,206	18	31	—	1	50	15.6	25	24	49	15.3	5	100	0.3
Llandilo ..	1,989	11	13	—	2	26	13.1	12	7	19	9.6	2	77	3.5
Llandovery M.B.	2,075	21	18	2	2	43	20.7	13	9	22	10.6	4	93	10.1
Llanelly M.B.	37,670	312	330	7	6	655	17.4	228	194	422	11.2	35	53	6.2
Newcastle Emlyn	835	1	5	—	—	6	7.2	10	6	16	19.2	2	333	-12.0
RURAL DISTRICTS	105,110	863	866	49	36	1814	17.3	665	640	1,305	12.4	142	78	4.9
Carmarthen ..	24,090	209	213	12	12	446	18.5	145	162	307	12.7	33	74	5.8
Llandilo Fawr	22,690	176	197	9	7	389	17.1	132	138	270	11.9	26	67	5.2
Llandovery ..	6,564	38	49	1	3	91	13.9	40	46	86	13.1	5	55	0.8
Llanelly ..	37,280	336	311	18	7	672	18.0	243	183	426	11.4	66	98	6.6
Llanybyther ..	3,392	30	26	1	3	60	17.7	33	25	58	17.1	2	33	0.6
Newcastle-in- Emlyn.	6,147	37	42	7	3	89	14.5	41	45	86	14.0	5	56	0.5
Whitland ..	4,947	37	28	1	1	67	13.5	31	41	72	14.6	5	75	-1.1
DENBIGHSHIRE: ADMINISTRATIVE COUNTY.	160,020	1,342	1,152	80	72	2,646	16.5	1,019	977	1,996	12.5†	219	83	4.0
URBAN DISTRICTS	58,450	412	338	23	17	790	13.5	383	398	781	13.4†	63	80	0.1
Abergele and Pensarn.	2,556	17	18	—	2	37	14.5	18	20	38	14.9	1	27	-0.4
Colwyn Bay ..	21,830	146	92	5	4	247	11.3	120	146	266	12.2	19	77	-0.9
Denbigh M.B...	7,200	48	38	4	2	92	12.8	59	40	99	13.8	11	120	-1.0
Llangollen ..	3,065	25	17	2	1	45	14.7	36	34	70	22.8	4	89	-8.1
Llanrwst ..	2,443	17	19	3	2	41	16.8	18	11	29	11.9	3	73	4.9
Ruthin M.B. ..	2,776	21	18	4	3	46	16.6	15	27	42	15.1	3	65	1.5
Wrexham M.B.	18,580	138	136	5	3	282	15.2	117	120	237	12.9†	22	78	2.3
RURAL DISTRICTS.	101,570	930	814	57	55	1,856	18.3	636	579	1,215	12.0	156	84	6.3
Chirk ..	5,000	49	34	1	—	84	16.8	38	32	70	14.0	9	107	2.8
Llangollen ..	3,838	26	23	—	—	49	12.8	23	19	42	10.9	—	—	1.9
Llanrwst ..	4,113	35	32	3	3	73	17.7	21	29	50	12.2	4	55	5.5
Llansilin ..	2,876	19	22	1	2	44	15.3	16	23	39	13.6	2	45	1.7

† Death-rates based upon estimated civilian populations as follows:—Denbighshire—Administrative County, 159,800; Urban Districts, 58,230; Wrexham M.B., 18,360.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE —cont.														
RURAL DISTRICTS —cont.														
Ruthin	9,345	69	65	7	7	148	15.8	65	54	119	12.7	8	54	5.1
St. Asaph (Denbigh).	6,732	65	49	6	4	124	18.4	32	38	70	10.4	9	73	8.0
Uwchaed ..	1,989	15	18	4	4	41	20.6	20	15	35	17.6	3	73	3.0
Wrexham ..	65,790	638	555	35	33	1,261	19.2	411	363	774	11.8	121	96	7.4
C.P. of Llanellian- yn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Caer- narvonshire).	1,887	14	16	—	2	32	17.0	10	6	16	8.5	—	—	8.5
FLINTSHIRE : ADMINISTRATIVE COUNTY.														
111,300	956	913	42	53	1,964	17.6	692	664	1,356	12.2†	119	61	5.4	
URBAN DISTRICTS														
45,670	397	393	17	17	824	18.0	262	280	542	11.9	50	61	6.1	
Buckley	6,835	69	70	—	1	140	20.5	43	29	72	10.5	7	50	10.0
Connah's Quay	5,905	59	56	1	4	120	20.3	26	16	42	7.1	4	33	13.2
Flint M.B. ..	7,269	82	83	3	2	170	23.4	43	45	88	12.1	19	112	11.3
Holywell ..	3,244	40	33	—	3	76	23.4	18	15	33	10.2	5	66	13.2
Mold	5,018	41	43	6	1	91	18.1	30	38	68	13.6	6	66	4.5
Prestatyn ..	4,709	32	18	2	—	52	11.0	25	36	61	13.0	3	58	—2.0
Rhyl	12,690	74	90	5	6	175	13.8	77	101	178	14.0	6	34	—0.2
RURAL DISTRICTS.														
65,630	559	520	25	36	1,140	17.4	430	384	814	12.5†	69	61	4.9	
Hawarden ..	26,510	239	239	9	15	502	18.9	151	140	291	11.2†	26	52	7.7
Holywell ..	26,170	227	206	6	15	454	17.3	193	163	356	13.6	32	70	3.7
Overton	5,036	39	41	2	3	85	16.9	28	28	56	11.1	7	82	5.8
St. Asaph (Flint)	7,914	54	34	8	3	99	12.5	58	53	111	14.0	4	40	—1.5
GLAMORGANSHIRE :														
COUNTY BORO'S..														
468,200	4,074	3,961	145	128	8,308	17.7	3,000	2,558	5,558	11.9†	613	74	5.8	
Cardifi	227,000	2,013	1,923	80	75	4,091	18.0	1,474	1,186	2,660	11.7†	315	77	6.3
Merthyr Tydfil	79,500	575	615	22	13	1,225	15.4	521	483	1,004	12.6	114	93	2.8
Swansea	161,700	1,486	1,423	43	40	2,992	18.5	1,005	889	1,894	11.7	184	61	6.8
ADMINISTRATIVE COUNTY.														
812,200	7,203	6,977	278	248	14,706	18.1	4,851	4,107	8,958	11.0	1,108	75	7.1	
URBAN DISTRICTS														
598,810	5,373	5,215	215	172	10,975	18.3	3,702	3,178	6,880	11.5	876	80	6.8	
Aberdare.. ..	53,870	345	366	12	9	732	13.6	340	305	645	12.0	67	92	1.6
Barry	39,260	367	341	14	16	738	18.8	254	190	444	11.3	53	72	7.5
Bridgend.. ..	9,528	92	59	3	—	154	16.2	54	49	103	10.8	12	78	5.4
Caerphilly ..	39,680	417	400	11	15	843	21.2	218	208	426	10.7	83	98	10.5
Cowbridge M.B.	1,137	5	8	1	—	14	12.3	9	9	18	15.8	1	71	—3.5
Gelligaer ..	44,890	475	444	21	18	958	21.3	278	236	514	11.5	83	87	9.8
Glyncorwg ..	10,770	115	112	9	2	238	22.1	59	56	115	10.7	16	67	11.4
Maesteg	27,020	280	260	16	6	562	20.8	176	140	316	11.7	37	66	9.1

† Death-rates based upon estimated civilian populations as follows: Flintshire—Administrative County, 110,800; Rural Districts, 65,130; Hawarden R.D., 26,010. Glamorganshire—County Boroughs, 468,000; Cardiff C.B., 226,800.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —cont.														
URBAN DISTRICTS —cont.														
Mountain Ash	41,580	403	368	8	10	789	19.0	258	220	478	11.5	56	71	7.5
Neath M.B. ..	34,790	311	263	11	5	590	17.0	194	181	375	10.8	43	73	6.2
Ogmore and Garw. ..	29,130	235	309	10	7	561	19.3	171	177	348	11.9	49	87	7.4
Penarth	18,840	145	140	2	7	294	15.6	89	92	181	9.6	19	65	6.0
Pontypridd ..	45,950	428	415	12	14	869	18.9	292	230	522	11.4	66	76	7.5
Porthcawl ..	6,765	33	30	3	2	68	10.1	39	37	76	11.2	3	44	-1.1
Port Talbot M.B.	41,580	435	404	13	13	865	20.8	269	225	494	11.9	73	84	8.9
Rhondda.. ..	154,020	1,287	1,296	69	48	2,700	17.5	1,002	823	1,825	11.8	215	80	5.7
RURAL DISTRICTS.	213,390	1,830	1,762	63	76	3,731	17.5	1,149	929	2,078	9.7	232	62	7.8
Cardiff	29,020	214	174	4	6	398	13.7	128	117	245	8.4	23	58	5.3
Cowbridge ..	11,430	111	119	4	6	240	21.0	71	42	113	9.9	10	42	11.1
Gower	10,170	88	59	4	6	157	15.4	49	54	103	10.1	13	83	5.3
Llantrisant and Llantwitfardre	24,000	273	266	13	12	564	23.5	149	132	281	11.7	37	66	11.8
Neath	41,860	342	347	9	13	711	17.0	228	176	404	9.7	51	72	7.3
Penybont ..	32,140	285	256	11	15	567	17.6	153	129	282	8.8	40	71	8.8
Pontardawe ..	36,960	290	325	12	13	640	17.3	219	154	373	10.1	28	44	7.2
Swansea	27,810	227	216	6	5	454	16.3	152	125	277	10.0	30	66	6.3
MERIONETHSHIRE ADMINISTRATIVE COUNTY.	44,000	347	330	41	39	757	17.2	330	333	663	15.1†	70	92	2.1
URBAN DISTRICTS.	19,580	150	154	11	15	330	16.9	161	162	323	16.5	36	109	0.4
Bala.. ..	1,572	8	7	1	—	16	10.2	19	12	31	19.7	2	125	-9.5
Barmouth ..	2,076	16	9	—	2	27	13.0	24	14	38	18.3	4	148	-5.3
Dolgelley.. ..	2,295	19	21	—	1	41	17.9	17	20	37	16.1	4	98	1.8
Ffestiniog ..	8,963	80	87	6	8	181	20.2	78	68	146	16.3	19	105	3.9
Mallwyd	711	5	7	1	—	13	18.3	5	6	11	15.5	2	154	2.8
Towyn	3,963	22	23	3	4	52	13.1	18	42	60	15.1	5	96	-2.0
RURAL DISTRICTS.	24,420	197	176	30	24	427	17.5	169	171	340	14.0†	34	80	3.5
Deudraeth ..	7,591	58	67	15	13	153	20.2	48	56	104	14.1†	11	72	6.1
Dolgelley.. ..	7,823	53	46	5	4	108	13.8	60	59	119	15.2	12	111	-1.4
Edelrnon ..	4,892	48	34	6	3	91	18.6	36	36	72	14.7	6	66	3.9
Penllyn	3,692	38	25	4	4	71	19.2	21	17	38	10.3	5	70	8.9
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomery- shire).	422	—	4	—	—	4	9.5	4	3	7	16.6	—	—	-7.1
MONMOUTHSHIRE : COUNTY BORO'.														
Newport ..	97,220	854	804	28	21	1,707	17.6	567	480	1,047	10.8†	117	69	6.8
ADMINISTRATIVE COUNTY.	361,300	3,223	3,143	126	120	6,612	18.3	2,176	1,778	3,954	10.9	478	72	7.4

† Death-rates based upon estimated civilian populations as follows:—Merionethshire—Administrative County, 43,810; Rural Districts, 24,230; Deudraeth R.D., 7,401; Monmouthshire—Newport, C.B., 96,980.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONMOUTHSHIRE —cont.														
URBAN DISTRICTS	309,080	2,802	2,749	106	103	5,760	18.6	1,863	1,495	3,358	10.9	425	74	7.7
Abercarn.. ..	20,980	210	191	11	5	417	19.9	111	76	187	8.9	23	55	11.0
Abergavenny M.B.	8,851	53	66	6	3	128	14.5	69	52	121	13.7	5	39	0.8
Abersychan ..	28,850	260	202	9	11	482	16.7	167	126	293	10.2	33	68	6.5
Abertillery ..	32,840	308	294	7	12	621	18.9	195	137	332	10.1	44	71	8.8
Bedwas and Machen.	9,631	104	120	3	4	231	24.0	56	57	113	11.7	28	121	12.3
Bedwellty ..	32,080	360	372	8	20	760	23.7	197	143	340	10.6	57	75	13.1
Blaenavon ..	12,080	95	98	2	3	198	16.4	74	67	141	11.7	12	61	4.7
Caerleon ..	2,583	13	16	—	—	29	11.2	6	9	15	5.8	—	—	5.4
Chepstow ..	4,434	36	48	5	4	93	21.0	32	30	62	14.0	6	65	7.0
Ebbw Vale ..	33,650	273	287	12	7	579	17.2	241	183	424	12.6	55	95	4.6
Llanfrechfa Upper.	4,691	37	32	1	1	71	15.1	13	28	41	8.7	9	127	6.4
Llantarnam ..	7,959	77	63	1	2	143	18.0	46	41	87	10.9	11	77	7.1
Monmouth M.B.	5,034	41	40	3	4	88	17.5	42	36	78	15.5	2	23	2.0
Mynyddislwyn	16,560	165	185	10	4	364	22.0	78	64	142	8.6	22	60	13.4
Nantyglo and Blaina.	15,200	104	100	5	4	213	14.0	81	70	151	9.9	14	66	4.1
Panteg	11,670	82	89	4	2	177	15.2	68	57	125	10.7	24	136	4.5
Pontypool ..	7,440	68	57	2	2	129	17.3	56	45	101	13.6	14	109	3.7
Rhymney ..	11,440	124	115	1	4	244	21.3	79	71	150	13.1	21	86	8.2
Risca	17,260	147	144	8	6	305	17.7	90	73	163	9.4	20	66	8.3
Tredegar ..	24,440	237	222	8	5	472	19.3	148	125	273	11.2	25	53	8.1
Usk	1,407	8	8	—	—	16	11.4	14	5	19	13.5	—	—	-2.1
RURAL DISTRICTS.	52,220	421	394	20	17	852	16.3	313	283	596	11.4	53	62	4.9
Abergavenny	9,392	47	56	6	2	111	11.8	54	60	114	12.1	9	81	-0.3
Chepstow ..	8,869	68	89	2	6	165	18.6	58	43	101	11.4	7	42	7.2
Magor	6,593	51	45	—	2	98	14.9	41	39	80	12.1	8	82	2.8
Monmouth ..	6,654	47	35	6	3	91	13.7	52	34	86	12.9	5	55	0.8
Pontypool ..	5,252	50	38	—	1	89	16.9	31	28	59	11.2	6	67	5.7
St. Mellons ..	15,460	158	131	6	3	298	19.3	77	79	156	10.1	18	60	9.2
MONTGOMERYSHIRE ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS	18,420	128	114	11	9	262	14.2	135	113	248	13.5	10	38	0.7
Llanfyllin M.B.	1,614	7	12	2	2	23	14.3	15	18	33	20.4	1	43	-6.1
Llanidloes M.B.	2,503	15	11	2	—	28	11.2	25	15	40	16.0	2	71	-4.8
Machynlleth ..	1,864	11	15	1	2	29	15.6	13	11	24	12.9	—	—	2.7
Montgomery M.B.	977	13	15	1	1	30	30.7	7	9	16	16.4	3	100	14.3
Newtown and Llanllwchaiarn.	5,469	37	27	1	2	67	12.3	41	38	79	14.4	3	45	-2.1
Welshpool M.B.	5,993	45	34	4	2	85	14.2	34	22	56	9.3	1	12	4.9
RURAL DISTRICTS.	32,540	261	245	23	19	548	16.8	230	221	451	13.9	35	64	2.9
Forden	5,539	43	38	3	2	86	15.5	49	34	83	15.0	5	58	0.5
Llanfyllin ..	12,090	82	85	12	10	189	15.6	81	89	170	14.1	11	58	1.5
Machynlleth ..	3,671	38	25	4	3	70	19.1	27	33	60	16.3	3	43	2.8
Newtown and Llanidloes.	11,240	98	97	4	4	203	18.1	73	65	138	12.3	16	79	5.8

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1928.—COUNTIES.
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1928).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE : ADMINISTRATIVE COUNTY.	88,610	713	676	43	33	1,465	16.5	563	526	1,089	12.4†	70	48	4.1
URBAN DISTRICTS.	41,040	341	319	19	12	691	16.8	256	220	476	11.8†	30	43	5.0
Fishguard ..	2,907	13	12	1	1	27	9.3	21	17	38	13.1	2	74	-3.8
Goodwick ..	2,350	16	23	—	1	40	17.0	15	13	28	11.9	2	50	5.1
Haverfordwest M.B.	5,878	44	45	5	4	98	16.7	35	50	85	14.5	8	82	2.2
Milford Haven	8,924	108	97	6	2	213	23.9	46	15	61	6.8	8	38	17.1
Narberth... ..	1,146	13	1	—	—	14	12.2	9	10	19	16.6	—	—	-4.4
Neyland	2,221	20	12	2	—	34	15.3	11	11	22	9.9	1	29	5.4
Pembroke M.B.	13,540	105	95	4	4	208	15.4	86	82	168	13.1†	9	43	2.3
Tenby M.B. ..	4,074	22	34	1	—	57	14.0	33	22	55	13.5	—	—	0.5
RURAL DISTRICTS.	47,570	372	357	24	21	774	16.3	307	306	613	12.9	40	52	3.4
Haverfordwest	18,710	163	167	9	5	344	18.4	96	112	208	11.1	18	52	7.3
Llanfyrnach ..	2,213	9	12	3	—	24	10.8	18	14	32	14.5	1	42	-3.7
Narberth... ..	10,900	81	73	7	8	169	15.5	76	73	149	13.7	7	41	1.8
Pembroke	8,296	62	56	1	2	121	14.6	53	48	101	12.2	5	41	2.4
St. Dogmells ..	7,451	57	49	4	6	116	15.6	64	59	123	16.5	9	78	-0.9
RADNORSHIRE : ADMINISTRATIVE COUNTY.	21,920	152	161	12	14	339	15.5	155	129	284	13.0	27	80	2.5
URBAN DISTRICTS.	5,830	31	36	—	5	72	12.3	38	43	81	13.9	8	111	-1.6
Knighton	1,705	12	10	—	3	25	14.7	9	13	22	12.9	1	40	1.8
Llandrindod Wells.	3,048	15	18	—	2	35	11.5	20	21	41	13.5	5	143	-2.0
Presteigne	1,077	4	8	—	—	12	11.1	9	9	18	16.7	2	167	-5.6
RURAL DISTRICTS.	16,090	121	125	12	9	267	16.6	117	86	203	12.6	19	71	4.0
Colwyn	2,137	22	13	1	—	36	16.8	13	9	22	10.3	2	56	6.5
Knighton	4,092	35	38	5	2	80	19.6	24	27	51	12.5	6	75	7.1
New Radnor ..	2,529	17	27	1	4	49	19.4	19	12	31	12.3	4	82	7.1
Paincastle	2,332	17	15	1	1	34	14.6	20	14	34	14.6	—	—	—
Rhayader	5,000	30	32	4	2	68	13.6	41	24	65	13.0	7	103	0.6

† Death-rates based upon estimated civilian populations as follows:—Pembrokeshire—Administrative County, 87,890; Urban Districts, 40,320; Pembroke M.B., 12,820.

TABLE 14A.—STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

Note.—Cases occurring away from home have been transferred to the area of residence of the parents.

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		

SUMMARY.*							
ALL AREAS—							
England and Wales	14,120	11,726	979	755	27,580	40	
North	5,534	4,549	373	281	10,737	45	
Midlands	4,301	3,593	275	230	8,399	38	
South †	2,981	2,485	245	187	5,898	34	
Wales	1,304	1,099	86	57	2,546	52	
London	1,198	1,028	101	90	2,417	32	
COUNTY BOROUGH—							
England and Wales	5,207	4,294	344	253	10,098	42	
North	2,986	2,451	206	155	5,798	44	
Midlands	1,519	1,269	89	61	2,938	39	
South	410	356	33	23	822	35	
Wales	292	218	16	14	540	51	
OTHER URBAN DISTRICTS—							
England and Wales	4,926	4,170	344	256	9,696	42	
North	1,846	1,567	121	88	3,622	48	
Midlands	1,658	1,398	116	97	3,269	37	
South	778	633	60	46	1,517	35	
Wales	644	572	47	25	1,288	54	
RURAL DISTRICTS—							
England and Wales	2,789	2,234	190	156	5,369	38	
North	702	531	46	38	1,317	39	
Midlands	1,124	926	70	72	2,192	37	
South	595	468	51	28	1,142	34	
Wales	368	309	23	18	718	49	

* The counties in the four areas : North, Midlands, South and Wales are shewn in footnote || to Table 14.

† Including London.

TABLE 14A—cont.

STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

Area.	Legitimate		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		

GREATER LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
Greater London ..	2,197	1,812	170	132	4,311	33							
London Administrative County ..	1,198	1,028	101	90	2,417	32	County Boroughs						
							—contd.						
City of London ..	—	—	—	1	1	12	Dudley	31	31	—	—	62	48
Inner and Middle Temples.	—	—	—	—	—	—	Eastbourne ..	12	12	2	2	28	37
							East Ham	41	37	6	—	84	36
							Exeter	21	17	2	4	44	44
							Gateshead	62	55	—	2	119	42
Metropolitan Boroughs													
Battersea	43	40	5	2	90	32	Gloucester	18	37	1	1	57	62
Bermondsey	40	31	2	2	75	32	Great Yarmouth ..	24	9	4	—	37	40
Bethnal Green ..	24	31	2	—	57	26	Grimsby	36	33	8	3	80	45
Camberwell	77	52	4	4	137	32	Halifax	27	30	2	3	62	47
Chelsea	11	11	1	2	25	30	Hastings	11	14	—	1	26	33
Deptford	37	21	2	2	62	33	Huddersfield	40	38	8	3	89	55
Finsbury	21	21	—	—	42	28	Ipswich	37	23	3	—	63	42
Fulham	41	35	3	4	83	34	Kingston-upon-Hull	128	99	10	5	242	38
Greenwich	31	17	—	1	49	28	Leeds	200	136	15	19	370	46
Hackney	56	50	4	3	113	31	Leicester	77	50	4	—	131	32
Hammersmith ..	36	30	1	2	69	30	Lincoln	26	21	2	2	51	49
Hampstead	17	18	1	1	37	36	Liverpool	396	329	26	20	771	39
Holborn	11	7	2	2	22	44	Manchester	330	258	22	21	631	47
Islington	100	90	3	4	197	33	Middlesbrough ..	71	52	6	1	130	39
Kensington	41	51	8	3	103	39	Newcastle-upon-Tyne.	107	98	11	5	221	39
Lambeth	75	57	7	4	143	28							
Lewisham	58	33	4	5	100	32	Northampton ..	28	18	2	—	48	35
Paddington	30	28	9	13	80	35	Norwich	50	32	4	2	88	42
Poplar	42	54	6	1	103	31	Nottingham	109	95	8	10	222	45
St. Marylebone ..	13	19	3	1	36	27	Oldham	68	58	6	1	133	61
							Oxford	13	16	—	—	29	34
St. Pancras ..	53	45	7	5	110	32							
Shoreditch	29	25	2	6	62	29	Plymouth	74	66	4	5	149	41
Southwark	70	41	3	3	117	33	Portsmouth	78	69	6	6	159	35
Stepney	77	69	6	5	157	34	Preston	69	42	3	3	117	58
Stoke Newington	13	18	—	1	32	40	Reading	28	19	2	—	49	32
							Rochdale	39	28	2	4	73	55
Wandsworth ..	89	74	9	7	179	37							
Westminster ..	26	20	5	3	54	38	Rotherham	42	17	4	2	65	46
Woolwich	37	40	2	3	82	35	St. Helens	50	54	1	—	105	42
							Salford	123	82	6	6	217	50
County Boroughs :							Sheffield	166	176	9	9	360	41
Barnsley	48	29	2	2	81	49	Smethwick	19	24	1	3	47	32
Barrow-in-Furness	27	16	—	1	44	37							
Bath	19	16	—	—	35	40	Southampton ..	39	44	4	4	91	29
Birkenhead	82	61	6	2	151	49	Southend-on-Sea..	25	16	3	2	46	30
Birmingham ..	369	279	10	19	677	38	Southport	15	18	4	3	40	42
							South Shields ..	69	45	2	1	117	45
Blackburn	45	42	4	3	94	52	Stockport	49	47	4	2	102	53
Blackpool	20	26	3	2	51	44							
Bolton	80	62	5	2	149	54	Stoke-on-Trent	153	129	8	5	295	51
Bootle	36	33	1	1	71	39	Sunderland	68	69	7	5	149	34
Bournemouth ..	14	17	2	1	34	30	Tynemouth	29	21	2	1	53	41
							Wakefield	17	22	—	—	39	37
Bradford	104	103	7	8	222	48	Wallasey	29	26	2	2	59	40
Brighton	40	23	6	—	69	33							
Bristol	129	123	5	2	259	39	Walsall	36	38	2	—	76	36
Burnley	43	32	4	3	82	52	Warrington	36	32	3	1	72	44
Burton-upon-Trent	13	13	—	—	26	28	West Bromwich ..	31	30	3	2	66	38
							West Ham	97	77	6	7	187	31
Bury	20	22	2	2	46	58	West Hartlepool	43	26	1	2	72	46
Canterbury	8	8	1	—	17	44							
Carlisle	27	19	2	1	49	43	Wigan	56	43	—	1	100	57
Chester	18	12	3	2	35	48	Wolverhampton ..	46	39	2	1	88	32
Coventry	50	44	4	1	99	41	Worcester	20	13	1	—	34	42
							York	33	24	3	—	60	37
Croydon	66	51	4	—	121	35							
Darlington	28	24	1	1	54	45	Cardiff	115	90	7	6	218	51
Derby	41	42	2	1	86	34	Merthyr Tydfil ..	44	31	1	6	82	63
Dewsbury	35	32	1	3	71	77	Newport, Mon. ..	40	29	4	—	73	41
Doncaster	11	13	6	—	30	27	Swansea	93	68	4	2	167	53

TABLE 14A—*cont.*

STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1928.

Area.		Legiti- mate.		Illegiti- mate.		Total.	Still- births per 1,000 Total Births.	Area.		Legiti- mate.		Illegiti- mate.		Total.	Still- births per 1,000 Total Births.
		M.	F.	M.	F.					M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedford ..	U.D.	42	29	—	2	73	37	Salop ..	U.D.	41	26	8	2	77	39
	R.D.	21	19	2	1	43	33		R.D.	52	54	8	3	117	50
Berks ..	U.D.	24	18	1	1	44	38	Somerset ..	U.D.	41	36	1	2	80	33
	R.D.	36	33	1	—	70	31		R.D.	90	59	3	3	155	41
Bucks ..	U.D.	23	24	2	1	50	31	Southants ..	U.D.	65	50	5	4	124	33
	R.D.	37	31	2	3	73	31		R.D.	81	61	7	6	155	35
Cambs ..	U.D.	16	11	—	2	29	36	Staffs ..	U.D.	189	160	13	9	371	36
	R.D.	20	20	1	2	43	37		R.D.	96	80	6	2	184	46
Cheshire ..	U.D.	198	163	9	12	382	53	Suffolk, East	U.D.	28	26	4	2	60	43
	R.D.	61	60	3	3	127	40		R.D.	42	31	5	2	80	39
Cornwall ..	U.D.	59	36	2	6	103	49	Suffolk, West	U.D.	16	8	—	—	24	40
	R.D.	46	58	6	7	117	42		R.D.	16	11	1	2	30	30
Cumberland	U.D.	65	42	3	3	113	48	Surrey ..	U.D.	176	144	13	9	342	35
	R.D.	35	27	6	2	70	43		R.D.	36	35	3	2	76	31
Derby ..	U.D.	124	106	14	13	257	44	Sussex, East	U.D.	32	26	1	3	62	38
	R.D.	115	91	4	12	222	38		R.D.	21	24	7	2	54	29
Devon ..	U.D.	52	45	5	3	105	35	Sussex, West	U.D.	26	25	4	2	57	39
	R.D.	79	48	1	3	131	38		R.D.	21	12	2	2	37	23
Dorset ..	U.D.	33	25	1	2	61	31	Warwick ..	U.D.	58	47	4	1	110	41
	R.D.	25	37	3	1	66	34		R.D.	64	59	2	1	126	35
Durham ..	U.D.	257	205	15	6	483	41	Westmorland	U.D.	4	5	1	1	11	27
	R.D.	200	121	11	10	342	38		R.D.	9	6	—	1	16	26
Ely, I. of ..	U.D.	13	18	1	3	35	40	Wight, I. of	U.D.	14	13	2	2	31	39
	R.D.	14	9	—	3	26	38		R.D.	4	2	2	—	8	19
Essex ..	U.D.	229	171	12	8	420	31	Wilts. . .	U.D.	46	34	2	1	83	38
	R.D.	75	59	6	3	143	30		R.D.	61	39	6	1	107	37
Gloucester ..	U.D.	33	29	1	3	66	41	Worcester ..	U.D.	93	48	3	4	148	42
	R.D.	87	43	—	2	132	37		R.D.	42	31	2	4	79	43
Hereford ..	U.D.	17	15	2	2	36	53	Yorks, E.R.	U.D.	21	24	3	1	49	42
	R.D.	19	30	1	4	54	41		R.D.	26	15	4	—	45	25
Hertford ..	U.D.	65	64	8	5	142	35	Yorks, N.R. . .	U.D.	79	71	5	7	162	47
	R.D.	36	21	3	1	61	34		R.D.	38	43	4	6	91	37
Huntingdon	U.D.	9	5	1	1	16	33	Yorks, W.R.	U.D.	464	401	24	26	915	48
	R.D.	12	10	1	—	23	45		R.D.	186	165	12	11	374	41
Kent ..	U.D.	210	181	23	11	425	33	Anglesey ..	U.D.	12	7	2	3	24	79
	R.D.	95	60	10	1	166	31		R.D.	11	11	—	1	23	44
Lancs ..	U.D.	629	539	52	29	1,249	52	Brecon ..	U.D.	8	9	3	—	20	60
	R.D.	111	70	4	1	186	47		R.D.	17	29	2	1	49	63
Leicester ..	U.D.	28	40	2	2	72	34	Caernarvon ..	U.D.	28	21	2	1	52	55
	R.D.	58	59	3	5	125	40		R.D.	23	13	2	1	39	42
Lincs, Holland	U.D.	13	14	1	1	29	36	Cardigan ..	U.D.	7	4	1	—	12	60
	R.D.	19	15	—	3	37	34		R.D.	15	12	1	—	28	49
Lincs, Kesteven	U.D.	13	14	—	3	30	41	Carmarthen ..	U.D.	28	34	2	—	64	49
	R.D.	16	16	1	1	34	27		R.D.	53	31	4	1	89	47
Lincs, Lindsey	U.D.	42	33	2	2	79	36	Denbigh ..	U.D.	26	16	2	3	47	56
	R.D.	46	40	3	2	91	35		R.D.	53	49	3	3	108	55
Middlesex ..	U.D.	406	338	26	18	788	36	Flint ..	U.D.	14	18	—	1	33	39
	R.D.	24	15	1	1	41	28		R.D.	25	22	4	1	52	44
Norfolk ..	U.D.	20	15	1	—	36	36	Glamorgan ..	U.D.	339	288	19	9	655	56
	R.D.	76	68	9	5	158	35		R.D.	108	83	3	3	197	50
Northants ..	U.D.	23	34	2	1	60	40	Merioneth ..	U.D.	6	6	3	3	18	52
	R.D.	35	25	2	3	65	36		R.D.	9	11	1	—	21	47
Northumberland	U.D.	129	117	9	3	258	42	Monmouth ..	U.D.	156	146	9	4	315	52
	R.D.	36	24	2	4	66	39		R.D.	21	17	—	1	39	44
Notts ..	U.D.	89	96	7	9	201	39	Montgomery	U.D.	10	7	1	1	19	68
	R.D.	65	51	4	5	125	40		R.D.	14	11	—	5	30	52
Oxford ..	U.D.	18	17	—	2	37	51	Pembroke ..	U.D.	9	15	3	—	27	38
	R.D.	25	34	3	1	63	38		R.D.	14	12	3	1	30	37
Peterborough,	U.D.	10	9	2	1	22	38	Radnor ..	U.D.	1	1	—	—	2	27
Soke of	R.D.	9	1	—	1	11	43		R.D.	5	8	—	—	13	46
Rutland ..	U.D.	—	1	—	—	1	20								
	R.D.	3	3	—	—	6	27								

TABLE 15.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1928. (Total deaths registered.)

Age last birth-day.	Persons.	Males.	Females.				Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	460,389	235,542	224,847	70,823	76,466	77,558	50-54	26,318	14,484	11,834	1,961	8,060	1,813
0-4	62,782	35,382	27,400	27,400	—	—	50	4,778	2,593	2,185	386	1,521	278
0	42,960	24,856	18,104	18,104	—	—	51	4,642	2,621	2,021	345	1,392	284
1	10,110	5,400	4,710	4,710	—	—	52	5,443	2,967	2,476	440	1,644	392
2	4,560	2,404	2,156	2,156	—	—	53	5,562	3,069	2,493	368	1,742	383
3	2,843	1,501	1,342	1,342	—	—	54	5,893	3,234	2,659	422	1,761	476
4	2,309	1,221	1,088	1,088	—	—	55-59	31,944	17,670	14,274	2,202	9,059	3,003
5-9	8,174	4,296	3,878	3,878	—	—	55	5,556	3,058	2,498	353	1,717	428
5	2,245	1,197	1,048	1,048	—	—	56	6,137	3,419	2,718	423	1,768	527
6	1,854	961	893	893	—	—	57	6,324	3,559	2,765	457	1,740	568
7	1,622	855	767	767	—	—	58	7,037	3,845	3,192	492	1,969	731
8	1,505	774	731	731	—	—	59	6,890	3,789	3,101	477	1,875	749
9	948	509	439	439	—	—	60-64	38,758	21,329	17,429	2,617	9,581	5,231
10-14	5,106	2,680	2,426	2,426	—	—	60	7,085	3,932	3,153	506	1,797	850
10	839	470	369	369	—	—	61	6,949	3,874	3,075	505	1,765	805
11	911	494	417	417	—	—	62	7,741	4,197	3,544	499	2,008	1,037
12	978	519	459	459	—	—	63	8,281	4,604	3,677	531	2,019	1,127
13	1,130	572	558	558	—	—	64	8,702	4,722	3,980	576	1,992	1,412
14	1,248	625	623	623	—	—	65-69	46,565	24,825	21,740	3,189	9,412	9,139
15-19	8,807	4,603	4,204	4,104	100	—	65	9,766	5,312	4,454	675	2,125	1,654
15	1,355	689	666	666	—	—	66	8,352	4,576	3,776	555	1,754	1,467
16	1,661	836	825	823	2	—	67	9,018	4,756	4,262	654	1,818	1,790
17	1,777	958	819	810	9	—	68	9,760	5,140	4,620	658	1,907	2,055
18	1,990	1,058	932	912	20	—	69	9,669	5,041	4,628	647	1,808	2,173
19	2,024	1,062	962	893	69	—	70-74	50,387	25,235	25,152	3,438	7,918	13,796
20-24	10,679	5,442	5,237	3,807	1,420	10	70	9,653	4,965	4,688	639	1,716	2,333
20	2,100	1,082	1,018	899	118	1	71	9,561	4,903	4,658	636	1,589	2,433
21	2,186	1,118	1,068	851	215	2	72	10,489	5,291	5,198	675	1,685	2,838
22	2,077	1,034	1,043	761	279	3	73	10,353	5,051	5,302	767	1,518	3,017
23	2,116	1,092	1,024	678	343	3	74	10,331	5,025	5,306	721	1,410	3,175
24	2,200	1,116	1,084	618	465	1	75-79	46,496	21,852	24,644	3,273	5,030	16,341
25-29	10,484	5,117	5,367	2,231	3,077	59	75	9,907	4,788	5,119	686	1,210	3,223
25	2,074	1,003	1,071	559	502	10	76	9,653	4,674	4,979	660	1,114	3,205
26	2,096	1,032	1,064	478	577	9	77	9,712	4,512	5,200	659	1,037	3,504
27	2,096	1,032	1,064	478	577	9	78	9,082	4,143	4,939	685	888	3,366
28	2,151	1,071	1,080	441	632	7	79	8,142	3,735	4,407	583	781	3,043
29	2,183	1,028	1,155	435	707	13	80-84	32,207	13,400	18,807	2,505	2,114	14,187
30-34	10,528	5,216	5,312	1,389	3,779	144	80	7,471	3,192	4,279	601	595	3,083
30	1,991	1,011	980	298	669	13	81	6,661	2,868	3,793	468	476	2,849
31	1,981	997	984	256	704	24	82	6,552	2,800	3,752	501	412	2,839
32	2,187	1,042	1,145	294	812	39	83	5,830	2,351	3,479	459	345	2,675
33	2,093	1,050	1,043	275	739	29	84	5,693	2,189	3,504	477	286	2,741
34	2,276	1,116	1,160	266	855	39	85-89	16,752	6,229	10,523	1,473	565	8,485
35-39	12,369	6,373	5,995	1,253	4,404	339	85	4,564	1,763	2,801	394	202	2,205
35	2,290	1,137	1,153	240	861	52	86	3,955	1,516	2,439	330	130	1,979
36	2,314	1,176	1,138	254	825	59	87	3,415	1,273	2,142	309	101	1,732
37	2,405	1,271	1,134	259	817	58	88	2,734	917	1,787	249	78	1,460
38	2,588	1,319	1,269	235	946	88	89	2,084	730	1,354	191	54	1,109
39	2,772	1,470	1,302	265	955	82	90-94	4,835	1,524	3,311	442	69	2,800
40-44	15,787	8,410	7,377	1,463	5,326	583	90	1,575	528	1,047	131	20	896
40	2,882	1,503	1,379	310	979	90	91	1,142	361	781	105	18	658
41	2,829	1,488	1,341	264	976	101	92	991	300	691	90	13	588
42	3,308	1,797	1,511	309	1,094	108	93	640	193	447	67	11	369
43	3,383	1,786	1,597	293	1,181	123	94	487	142	345	49	7	289
44	3,385	1,836	1,549	292	1,096	161	95-99	903	235	668	82	8	578
45-49	20,424	11,227	9,197	1,674	6,534	989	95	348	90	258	32	2	224
45	3,621	1,987	1,634	296	1,198	140	96	233	72	161	15	2	144
46	3,721	2,039	1,682	330	1,183	169	97	145	37	108	14	3	91
47	4,038	2,258	1,780	328	1,264	188	98	113	22	91	16	1	74
48	4,466	2,466	2,000	347	1,427	226	99	64	14	50	5	—	45
49	4,578	2,477	2,101	373	1,462	266	100-	84	13	71	10	—	61
							100	44	10	34	5	—	29
							101-	40	3	37	5	—	32

NOTE.—The 460,389 deaths at all ages include 589 cases (303 males and 286 females) in which only approximate ages were stated; these have been included under the stated age (e.g., age "about 40" under age 40). In 34 cases (32 males and 2 females) the ages were stated to be within certain limits (e.g., age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 15 cases (12 males and 3 females) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 224,847 deaths of females, 210 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 61 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1928.
(Civilian population only.)

Age.	Sex.	All Areas.*					London.	County Boroughs.				
		England and Wales.	North.	Midlands.	South.†	Wales.		England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	235116	83363	70864	64044	16845	27754	83107	46825	24238	8477	3567
	F	224847	78178	68239	63353	15077	26141	78415	43202	22954	9221	3038
Under 4 weeks	M	11855	4718	3688	2472	977	1023	4422	2608	1263	353	198
	F	8658	3378	2788	1779	713	756	3256	1886	979	237	154
4 weeks-3 months	M	4197	1757	1168	924	348	493	1714	1077	450	113	74
	F	2838	1144	830	646	218	322	1165	689	332	97	47
3-6 months	M	3557	1467	969	877	244	547	1573	979	430	101	63
	F	2528	1032	670	635	191	371	1077	655	290	83	49
6-12 months	M	5247	2221	1408	1252	366	751	2238	1389	619	150	80
	F	4080	1629	1098	1027	326	616	1735	1069	472	129	65
Total under 1 year	M	24856	10163	7233	5525	1935	2814	9947	6053	2762	717	415
	F	18104	7183	5386	4087	1448	2065	7233	4299	2073	546	315
1—	M	5400	2265	1405	1376	354	837	2282	1496	568	161	57
	F	4710	2017	1180	1192	321	719	2037	1305	517	140	75
2—	M	2404	990	663	572	179	322	963	591	262	74	36
	F	2156	927	518	532	179	313	866	569	201	63	33
3—	M	1501	590	410	386	115	216	548	328	152	45	23
	F	1342	508	376	342	116	163	508	288	146	56	18
4—	M	1221	457	356	307	101	143	470	263	146	39	22
	F	1088	436	309	246	97	121	420	249	117	37	17
Total under 5 years	M	35382	14465	10067	8166	2684	4332	14210	8731	3890	1036	553
	F	27400	11071	7769	6399	2161	3381	11064	6710	3054	842	458
5—	M	4296	1661	1277	1059	299	448	1623	924	452	178	69
	F	3878	1486	1165	960	267	415	1428	806	427	145	50
10—	M	2678	1028	794	625	231	268	978	571	266	85	56
	F	2426	940	748	518	220	216	901	526	259	74	42
15—	M	4551	1667	1361	1116	407	543	1571	896	455	135	85
	F	4204	1630	1178	1023	373	499	1590	943	431	137	79
20—	M	5325	1931	1578	1371	445	614	1902	1066	555	173	108
	F	5237	1959	1519	1306	453	601	1977	1132	565	181	99
25—	M	5034	1798	1534	1292	410	595	1813	1023	548	144	98
	F	5367	1962	1622	1337	446	618	1912	1086	569	162	95
30—	M	5164	1933	1512	1295	424	582	1916	1119	533	166	98
	F	5312	2019	1596	1288	409	567	1969	1165	541	171	92
35—	M	6313	2383	1877	1592	461	770	2382	1365	715	198	104
	F	5996	2258	1743	1545	450	687	2228	1248	638	221	121
40—	M	8384	3181	2399	2184	620	1066	3352	1914	959	317	162
	F	7377	2749	2134	1946	548	852	2679	1492	786	284	117
45—	M	11209	4242	3171	3011	785	1438	4463	2602	1280	400	181
	F	9197	3408	2729	2456	604	1108	3437	1881	1029	375	152
50—	M	14475	5315	4152	3994	1014	1920	5596	3224	1592	533	247
	F	11834	4338	3458	3206	832	1403	4324	2482	1247	436	159
55—	M	17668	6554	4998	4930	1186	2361	6563	3825	1837	641	260
	F	14274	5230	4181	3892	971	1682	5118	2895	1469	555	199
60—	M	21327	7705	6246	5847	1529	2676	7693	4352	2259	751	331
	F	17429	6492	5031	4769	1137	1986	6096	3496	1727	667	206
65—	M	24823	8637	7562	6959	1665	2952	8414	4674	2479	914	347
	F	21740	7839	6388	6215	1298	2568	7540	4238	2133	905	264
70—	M	25235	8642	7686	7073	1834	2722	8406	4554	2495	963	394
	F	25152	8754	7587	7195	1616	2811	8586	4717	2517	1050	302
75—	M	21851	6881	7092	6401	1477	2307	6656	3486	2084	838	248
	F	24644	7716	7866	7644	1418	2879	7881	4095	2407	1119	260
80—	M	13400	3600	4643	4261	896	1336	3635	1698	1191	599	147
	F	18807	5165	6349	6204	1089	2091	5688	2705	1792	995	196
85—	M	8001	1740	2915	2868	478	824	1934	801	648	406	79
	F	14573	3162	5176	5450	785	1777	3997	1585	1363	902	147

* The counties in the four sections, North, Midlands, South and Wales, are shown in footnote || to Table 14.

† Including London.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1928.
(Civilian population only.)

Age.	Sex.	Other Urban Districts.					Rural Districts.				
		England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	77682	26361	27469	15795	8057	46573	10177	19157	12018	5221
	F	76205	25475	26925	16669	7136	44086	9501	18360	11322	4903
Under	M	4018	1471	1414	646	487	2392	639	1011	450	292
4 weeks	F	2896	1023	1075	447	351	1750	469	734	339	208
4 weeks-3	M	1317	496	461	185	175	673	184	257	133	99
months	F	850	325	307	115	103	501	130	191	112	68
3-6	M	919	338	342	133	106	518	150	197	96	75
months	F	717	282	241	106	88	363	95	139	75	54
6-12	M	1514	597	514	198	205	744	235	275	153	81
months	F	1164	403	408	181	172	565	157	218	101	89
Total under	M	7768	2902	2731	1162	973	4327	1208	1740	832	547
1 year	F	5627	2033	2031	849	714	3179	851	1282	627	419
1—	M	1550	541	568	226	215	731	228	269	152	82
	F	1328	509	436	203	180	626	203	227	130	66
2—	M	743	291	249	110	93	376	108	152	66	50
	F	649	262	198	94	95	328	96	119	62	51
3—	M	497	192	168	70	67	240	70	90	55	25
	F	462	157	155	79	71	209	63	75	44	27
4—	M	398	140	137	68	53	210	54	73	57	26
	F	371	130	133	59	49	176	57	59	29	31
Total under	M	10956	4066	3853	1636	1401	5884	1668	2324	1162	730
5 years	F	8437	3091	2953	1284	1109	4518	1270	1762	892	594
5—	M	1458	533	522	250	153	767	204	303	183	77
	F	1375	513	473	246	143	660	167	265	154	74
10—	M	894	319	315	137	123	538	138	213	135	52
	F	836	293	290	140	113	473	121	199	88	65
15—	M	1545	561	512	267	205	892	210	394	171	117
	F	1391	511	470	223	187	724	176	277	164	107
20—	M	1820	642	625	353	200	989	223	398	231	137
	F	1767	616	614	310	227	892	211	340	214	127
25—	M	1698	558	643	312	185	928	217	343	241	127
	F	1842	639	654	318	231	995	237	399	239	120
30—	M	1711	603	597	324	187	955	211	382	223	139
	F	1809	621	667	326	195	967	233	388	224	122
35—	M	2137	786	764	357	230	1024	232	398	267	127
	F	2000	740	668	405	187	1081	270	437	232	142
40—	M	2662	955	916	484	307	1304	312	524	317	151
	F	2487	929	826	477	255	1359	328	522	333	176
45—	M	3610	1275	1230	707	398	1698	365	661	466	206
	F	3065	1129	1060	606	270	1587	398	640	367	182
50—	M	4719	1601	1668	963	487	2240	490	892	578	280
	F	4026	1396	1381	824	425	2081	460	830	543	248
55—	M	5850	2056	2034	1164	596	2894	673	1127	764	330
	F	4944	1749	1709	987	499	2530	586	1003	668	273
60—	M	7057	2507	2420	1389	741	3901	846	1567	1031	457
	F	6131	2226	2058	1287	560	3216	770	1246	829	371
65—	M	8426	2889	3001	1730	806	5031	1074	2082	1363	512
	F	7416	2689	2544	1589	594	4216	912	1711	1153	440
70—	M	8500	2891	2871	1887	851	5607	1197	2320	1501	589
	F	8591	2965	2919	1966	741	5164	1072	2151	1368	573
75—	M	7449	2350	2715	1741	643	5439	1045	2293	1515	586
	F	8484	2610	3090	2170	614	5400	1011	2369	1476	544
80—	M	4542	1226	1720	1229	367	3887	676	1732	1097	382
	F	6601	1709	2534	1873	485	4427	751	2023	1245	408
85—	M	2648	543	1063	865	177	2595	396	1204	773	222
	F	5003	1049	2015	1638	301	3796	528	1798	1133	337

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Greater London.*	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	44850	76	2	980	817	695	1613	441	730	570	853	603	1300	820	472
	F	43025	64	—	974	707	622	1492	420	624	517	935	556	1251	733	532
Under 4 weeks	M	1830	2	—	44	31	35	50	7	35	23	36	19	50	40	9
	F	1341	—	—	28	19	17	43	5	11	14	27	14	40	29	11
	M	774	1	—	8	15	16	28	5	19	9	20	11	27	19	8
	F	533	—	—	12	11	3	14	2	7	6	24	8	14	9	4
	M	770	1	—	16	17	21	27	6	9	17	24	15	33	16	9
	F	538	—	—	17	13	13	20	3	14	9	13	3	20	10	4
	M	1076	1	—	30	46	34	34	7	23	20	22	15	32	17	6
	F	892	—	—	21	27	19	39	4	21	26	20	11	20	16	3
Total under 1 year	M	4450	5	—	98	109	106	139	25	86	69	102	60	142	92	32
	F	3304	—	—	78	70	52	116	14	53	55	84	36	94	64	22
1—	M	1219	1	—	33	52	27	42	8	24	16	19	24	24	29	6
	F	1007	—	—	24	51	18	45	2	22	36	24	18	20	6	1
2—	M	497	—	—	9	21	10	17	4	8	13	9	6	9	4	2
	F	451	1	—	13	14	8	18	2	8	16	11	7	11	3	1
3—	M	334	—	—	8	9	9	14	2	6	8	3	7	12	4	—
	F	283	1	—	6	8	3	12	2	3	8	1	2	10	3	1
4—	M	242	—	—	7	8	5	13	1	5	1	1	2	3	3	1
	F	212	—	—	7	6	3	7	1	5	2	1	5	7	1	1
Total under 5 years	M	6742	6	—	155	199	157	225	40	129	107	134	99	190	132	41
	F	5257	2	—	128	149	84	198	21	91	117	121	68	142	77	26
5—	M	819	—	—	19	14	13	32	5	20	9	12	6	17	15	5
	F	787	1	—	10	20	17	30	4	8	6	17	7	29	6	2
10—	M	455	—	—	8	9	4	13	4	7	9	11	6	14	4	3
	F	405	—	—	9	10	4	11	3	6	7	5	6	8	7	4
15—	M	887	—	—	20	15	15	44	11	15	11	11	21	22	22	5
	F	797	—	—	29	21	16	33	7	9	8	23	20	20	17	5
20—	M	1013	2	—	27	25	17	28	3	12	22	21	17	39	22	4
	F	988	1	—	25	19	16	36	11	18	17	16	15	31	18	7
25—	M	975	1	—	21	28	16	48	9	14	8	18	13	23	14	7
	F	1081	2	—	22	13	12	39	6	27	13	18	12	39	17	14
30—	M	982	2	—	17	18	12	31	9	15	12	20	16	27	16	12
	F	983	—	—	18	16	15	31	9	13	7	28	9	25	18	13
35—	M	1258	3	—	23	14	14	56	4	20	19	25	19	30	22	11
	F	1113	1	—	27	18	17	39	12	18	13	40	12	31	33	13
40—	M	1687	2	—	42	35	30	58	13	31	24	35	16	53	32	14
	F	1392	3	—	30	15	24	47	17	18	14	26	14	44	15	14
45—	M	2290	6	1	46	39	44	74	19	39	34	50	30	50	44	22
	F	1818	2	—	39	23	19	53	19	24	24	32	27	42	29	26
50—	M	3011	9	—	68	49	52	104	23	52	48	56	44	93	54	30
	F	2285	7	—	49	38	34	80	16	32	22	38	27	68	49	25
55—	M	3734	10	—	68	57	50	142	44	70	41	64	53	110	68	40
	F	2764	5	—	56	37	54	86	26	38	33	75	38	75	45	35
60—	M	4190	12	1	99	74	60	150	52	56	52	84	44	123	77	56
	F	3228	11	—	71	38	44	119	42	44	39	65	42	108	45	52
65—	M	4751	6	—	93	83	65	170	51	75	67	102	59	128	89	61
	F	4093	6	—	83	71	57	153	49	68	36	92	57	130	81	59
70—	M	4370	4	—	108	71	65	160	45	67	44	64	53	138	78	45
	F	4547	9	—	107	78	68	124	39	69	51	113	53	137	89	64
75—	M	3880	6	—	91	50	46	157	48	56	33	73	54	126	66	59
	F	4744	7	—	125	56	66	185	57	62	51	105	64	145	67	59
80—	M	2323	6	—	43	20	19	76	32	36	13	47	28	68	38	33
	F	3640	4	—	74	55	45	131	43	44	35	68	45	93	69	56
85—	M	1483	1	—	32	17	16	45	29	16	17	26	25	49	27	24
	F	3103	3	—	72	30	30	97	39	35	24	53	40	84	51	58

* See footnote on page 58.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	292	2077	1095	1906	957	910	1090	628	1426	763	1322	1549	304	1833	799	831
	F	239	2095	1236	1762	1036	981	818	610	1217	618	1033	1359	328	1943	716	723
Under 4 weeks	M	5	68	45	79	38	36	46	19	48	30	49	55	17	59	19	29
	F	4	69	27	49	31	32	32	15	36	25	36	46	11	49	15	21
	4 weeks—3 months	M	4	36	28	28	12	19	25	14	31	12	26	31	3	20	7
		F	3	24	17	12	10	12	17	3	26	17	20	17	3	15	4
	3—6 months	M	3	42	26	31	16	16	23	12	23	23	24	44	3	21	18
		F	3	34	13	14	15	14	22	7	18	14	13	32	2	17	5
	6—12 months	M	3	55	35	56	21	33	33	19	42	22	45	56	3	23	4
		F	2	43	27	39	15	24	33	16	38	21	33	48	5	25	9
Total under 1 year	M	15	201	134	194	87	104	127	64	144	87	144	186	26	123	48	65
	F	12	170	84	114	71	82	104	41	118	77	102	143	21	106	33	49
1—	M	4	89	46	36	14	33	41	17	50	45	50	54	4	28	10	11
	F	7	71	31	33	16	27	32	20	40	24	46	56	3	30	3	13
2—	M	3	39	11	23	8	11	19	3	18	14	11	28	1	14	—	7
	F	2	25	15	23	10	12	15	6	23	15	18	18	3	7	3	5
3—	M	3	24	8	15	6	3	12	5	9	9	9	11	1	9	5	5
	F	2	15	3	10	5	7	8	2	9	4	7	17	2	8	1	3
4—	M	1	11	6	11	7	3	9	1	10	7	9	8	—	5	2	3
	F	1	12	6	5	4	7	4	—	7	2	5	12	1	4	1	4
Total under 5 years	M	26	364	205	279	122	154	208	90	231	162	223	287	32	179	65	91
	F	24	293	139	185	106	135	163	69	197	122	178	246	30	155	41	74
5—	M	1	38	12	26	18	13	25	2	23	11	17	37	3	30	11	14
	F	4	32	11	39	14	9	23	11	13	15	19	24	—	21	8	15
10—	M	—	17	8	13	14	6	13	5	13	3	21	27	5	19	6	6
	F	3	19	6	17	6	3	8	3	8	10	9	18	—	16	6	4
15—	M	2	38	25	31	12	19	21	3	21	17	31	38	7	41	8	17
	F	3	28	9	33	18	14	21	10	20	16	20	29	4	38	12	16
20—	M	5	41	17	34	20	16	33	6	26	22	26	44	8	40	15	22
	F	10	39	20	32	22	26	22	15	28	18	25	36	11	37	15	15
25—	M	7	45	25	48	17	14	18	7	28	20	26	26	4	53	13	24
	F	5	52	22	42	32	17	25	10	30	12	23	34	4	43	14	19
30—	M	7	33	22	50	27	18	24	12	29	13	22	25	9	41	15	28
	F	4	52	12	44	18	24	19	12	21	10	28	34	7	38	16	26
35—	M	5	55	26	51	31	23	32	24	50	19	43	42	10	54	22	23
	F	8	54	30	35	22	20	14	10	38	20	25	34	7	49	22	25
40—	M	11	83	32	77	41	32	41	29	53	30	54	58	8	71	38	23
	F	6	72	48	59	39	23	21	19	48	27	33	41	11	64	27	33
45—	M	21	97	61	108	60	46	70	40	65	38	85	83	11	75	46	34
	F	20	98	57	74	47	51	35	27	51	34	41	59	15	82	32	26
50—	M	26	128	56	141	68	77	66	36	104	48	83	125	19	130	73	58
	F	14	111	68	114	45	51	37	36	62	41	60	79	21	98	50	31
55—	M	28	166	79	150	86	84	93	60	143	68	108	154	25	155	78	67
	F	15	154	68	112	59	62	56	44	83	44	61	108	15	119	41	38
60—	M	34	216	106	207	83	82	81	71	143	67	138	132	26	179	87	84
	F	17	154	105	112	57	87	66	53	97	35	79	104	33	141	68	58
65—	M	33	210	109	194	89	91	115	87	160	78	142	155	32	200	90	118
	F	25	198	133	177	97	96	63	65	118	54	80	131	43	190	85	71
70—	M	42	197	120	193	96	85	103	62	127	68	125	143	32	198	98	91
	F	30	225	131	192	123	109	78	68	123	56	119	138	37	214	90	77
75—	M	28	179	88	153	80	73	79	60	110	51	101	90	34	172	66	78
	F	29	212	143	201	140	105	79	74	123	51	105	129	30	253	72	84
80—	M	12	124	57	97	55	50	50	15	64	33	53	57	25	110	43	32
	F	8	170	126	153	101	66	48	50	83	34	72	72	32	196	61	57
85—	M	4	46	47	54	38	27	18	19	36	15	24	26	14	86	25	21
	F	14	132	108	141	90	83	40	34	74	19	56	43	28	189	56	54

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	439	438	386	1033	5564	755	597	1184	532	552	1963	922	2202	660
	F	382	345	545	913	5089	785	687	1155	500	760	1959	996	2300	685
Under 4 weeks 4 weeks-3 months 3-6 months 6-12 months	M	42	21	7	47	282	38	23	42	40	19	77	32	106	30
	F	29	16	12	51	224	29	12	27	31	15	75	21	78	33
	M	11	6	1	27	109	11	7	18	17	8	46	7	26	14
	F	7	5	2	17	69	15	8	14	11	5	23	10	34	4
	M	13	5	4	19	89	13	7	14	12	3	32	7	29	6
	F	9	7	5	17	71	9	5	12	20	5	11	6	20	10
	M	13	4	4	36	162	14	10	28	28	3	25	7	44	13
	F	8	8	5	21	106	10	8	13	27	3	23	12	38	9
Total under 1 year 1— 2— 3— 4—	M	79	36	16	129	642	76	47	102	97	33	180	53	205	63
	F	53	36	24	106	470	63	33	66	89	28	132	49	170	56
	M	10	6	3	38	120	14	9	27	33	4	25	27	60	10
	F	7	2	6	35	119	12	7	15	18	3	34	14	63	11
	M	8	6	4	12	56	3	3	15	9	3	10	9	23	6
	F	6	5	1	9	32	4	3	16	13	—	15	11	21	4
	M	5	4	1	4	36	5	2	5	5	—	6	4	10	2
	F	5	—	2	8	23	3	2	6	5	2	5	7	13	5
	M	2	5	1	6	27	5	2	5	2	—	7	3	13	3
	F	—	3	2	3	19	3	1	8	2	2	9	3	9	—
	M	104	57	25	189	881	103	63	154	146	40	228	96	311	84
	F	71	46	35	161	663	85	46	111	127	35	195	84	276	76
	M	19	6	9	24	88	8	6	18	13	7	30	17	26	19
	F	11	6	1	15	92	10	6	16	14	5	23	19	35	9
	M	8	5	4	13	55	6	2	11	5	4	16	14	19	4
	F	3	6	4	16	47	6	2	7	7	6	15	7	24	6
	M	6	8	3	19	125	11	12	20	11	5	32	18	38	11
	F	12	10	6	21	83	11	6	14	15	11	27	11	46	12
	M	7	10	10	26	129	19	7	23	10	8	36	16	43	14
	F	9	6	7	27	131	17	7	34	12	12	42	10	45	14
	M	12	11	9	22	129	13	8	21	14	17	42	9	42	16
	F	8	10	5	20	121	19	12	20	16	11	51	13	49	19
	M	10	12	13	34	122	10	12	30	7	6	36	12	39	19
	F	13	10	4	34	127	20	23	31	15	15	46	10	46	20
	M	15	13	5	38	173	18	13	29	9	8	56	20	63	20
	F	10	15	17	29	163	21	22	34	13	5	45	20	59	16
	M	8	18	9	42	249	24	33	44	18	13	79	37	75	29
	F	20	9	12	32	193	38	30	40	21	17	66	42	75	18
	M	16	26	13	56	353	46	27	62	31	24	119	42	103	48
	F	19	20	18	41	260	34	26	52	21	33	74	35	97	29
	M	35	29	24	70	427	52	49	79	33	33	135	55	148	42
	F	21	15	30	44	317	42	42	71	22	27	122	34	113	42
	M	29	26	17	75	430	60	46	116	43	31	181	76	153	61
	F	23	18	29	53	338	67	50	99	34	51	161	55	156	54
	M	24	44	41	94	518	82	77	125	55	52	220	90	217	59
	F	31	22	30	74	408	71	68	99	27	74	168	78	156	64
	M	41	50	42	109	552	95	67	141	47	67	236	107	210	67
	F	33	34	52	78	459	83	90	132	48	84	230	113	204	79
	M	50	39	48	92	532	108	79	138	43	82	240	121	242	78
	F	29	42	56	85	556	103	94	144	40	96	253	132	274	103
	M	31	50	45	79	453	65	59	104	29	75	164	79	234	54
	F	34	29	79	78	488	83	80	142	34	106	224	133	250	59
	M	19	22	41	33	239	26	24	54	11	49	73	65	152	26
	F	23	29	66	63	402	44	57	83	25	100	138	102	206	48
	M	5	12	28	18	109	9	13	15	7	31	40	48	87	9
	F	12	18	94	42	241	31	26	26	9	72	79	98	189	17

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	294	403	127	383	232	850	1138	404	788	377	339	330	310	740	368	859	352
	F	298	386	171	377	235	722	1214	342	734	362	299	321	366	721	405	773	308
Under 4 weeks	M	21	25	—	33	11	50	44	34	45	21	19	26	14	29	13	52	11
	F	10	11	8	18	6	43	24	11	35	16	11	13	8	18	11	37	13
	M	5	6	1	6	8	10	21	4	8	5	3	7	1	13	9	21	11
	F	4	8	—	6	2	9	16	4	6	2	1	2	1	8	6	15	4
	M	2	3	1	5	1	9	15	2	19	3	6	10	—	6	7	32	5
	F	2	1	1	3	1	5	13	4	15	1	1	2	—	5	7	16	5
	M	7	6	1	5	4	16	23	6	20	7	4	11	3	13	9	35	6
	F	6	7	—	5	8	12	24	2	12	2	5	9	4	17	4	27	4
Total under 1 year	M	35	40	3	49	24	85	103	46	92	36	32	54	18	61	38	140	33
	F	22	27	9	32	17	69	77	21	68	21	18	26	13	48	28	95	26
1—	M	8	5	3	6	10	14	21	5	23	12	4	10	2	22	4	42	9
	F	10	5	2	5	5	12	19	9	18	2	6	7	4	16	6	42	6
2—	M	1	2	1	5	6	14	10	3	11	4	7	7	—	7	2	11	3
	F	3	2	—	4	—	8	10	2	5	1	1	8	1	9	4	16	3
3—	M	1	—	—	1	1	6	10	4	1	4	3	—	—	5	1	7	4
	F	6	5	1	1	1	7	13	2	5	1	4	4	—	7	3	2	1
4—	M	1	1	3	—	—	9	5	3	4	2	4	1	2	12	4	10	2
	F	1	3	1	2	1	5	5	2	3	1	1	1	2	5	1	5	1
Total under 5 years	M	46	48	10	61	41	128	149	61	131	58	50	72	22	107	49	210	51
	F	42	42	13	44	24	101	124	36	99	26	30	46	20	85	42	160	37
5—	M	7	7	5	4	3	25	19	17	13	5	3	6	6	29	3	26	4
	F	2	2	2	13	3	26	33	8	17	6	3	4	—	24	4	22	8
10—	M	3	2	2	8	4	13	8	6	10	5	4	3	1	12	2	15	3
	F	2	4	3	3	1	11	5	5	5	4	3	6	4	8	3	12	1
15—	M	3	2	2	5	2	16	21	9	10	8	2	7	5	14	10	20	8
	F	2	7	4	9	1	15	19	13	17	9	10	9	4	14	2	28	—
20—	M	9	7	2	9	4	23	27	11	19	8	5	7	7	18	7	25	9
	F	3	3	2	12	10	17	18	11	13	6	6	13	7	11	12	29	7
25—	M	6	4	5	7	2	20	24	10	13	5	11	13	3	15	5	15	14
	F	4	5	4	9	5	22	37	9	17	11	10	11	6	20	4	17	10
30—	M	1	5	2	8	3	22	18	10	10	5	16	8	8	20	6	25	6
	F	13	10	3	12	5	30	22	8	18	10	8	9	8	17	8	20	7
35—	M	7	11	2	7	5	34	31	14	20	14	8	12	7	29	13	24	9
	F	6	16	3	7	8	24	35	10	29	12	10	9	9	14	9	14	13
40—	M	6	18	2	9	7	35	50	17	28	13	15	16	17	22	10	34	12
	F	6	13	2	8	2	28	32	11	24	14	16	7	13	36	11	25	11
45—	M	11	24	1	16	16	55	60	22	45	22	22	13	12	44	19	38	16
	F	10	14	10	12	10	44	54	18	23	17	16	18	9	30	12	24	12
50—	M	17	29	7	26	14	66	66	18	54	21	23	19	22	41	21	51	15
	F	19	29	7	22	15	49	55	20	42	18	10	18	21	37	13	46	14
55—	M	26	37	7	41	23	78	89	39	64	35	30	23	24	57	21	50	23
	F	19	24	12	24	6	42	74	23	48	25	14	17	26	59	20	44	16
60—	M	31	55	13	28	20	79	102	30	74	42	32	21	27	75	29	66	28
	F	24	50	9	34	23	50	70	25	58	46	22	25	32	54	36	51	22
65—	M	34	51	12	38	25	71	118	38	83	48	30	32	42	75	51	80	39
	F	23	41	10	35	25	69	98	27	69	38	38	27	42	78	29	77	29
70—	M	25	49	23	44	26	75	113	39	89	39	34	27	39	72	44	77	41
	F	28	56	20	51	36	55	127	43	93	42	28	30	50	62	49	83	41
75—	M	31	26	18	44	18	58	112	35	70	35	22	34	38	54	34	65	35
	F	47	28	26	36	29	66	131	35	72	46	32	38	40	77	56	57	34
80—	M	22	20	7	19	15	33	79	16	38	6	23	8	15	39	26	20	27
	F	32	29	21	26	20	40	134	19	53	24	31	22	50	57	49	42	24
85—	M	9	8	7	9	4	19	52	12	17	8	9	9	15	17	18	18	12
	F	16	13	20	20	12	33	146	21	37	8	12	12	25	38	46	22	22

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages ..	M	341	535	631	343	743	481	2008	3253	1411	419	6008	5229	1022	1959	558	616	1756
	F	339	497	655	597	757	483	1788	2876	1337	389	5431	4760	735	1776	515	732	1670
Under 4 weeks	M	16	33	31	9	41	17	115	174	68	15	344	246	79	120	22	32	95
	F	12	18	16	8	25	14	71	112	56	16	280	207	42	84	13	19	83
	M	8	13	8	3	4	11	56	67	30	5	189	121	25	48	10	6	44
	F	3	8	6	2	9	2	42	35	19	1	119	85	14	25	2	10	29
	M	2	10	7	2	6	6	46	61	37	8	193	138	29	47	7	5	45
	F	5	10	5	4	1	3	45	33	26	1	133	90	21	24	2	1	29
	M	6	20	7	4	10	12	61	80	23	7	295	162	53	59	6	3	52
	F	5	21	5	8	7	4	48	44	24	4	243	130	24	45	10	6	32
Total under 1 year	M	32	76	53	18	61	46	278	382	158	35	1021	667	186	274	45	46	236
	F	25	57	32	22	42	23	206	224	125	22	775	512	101	178	27	36	173
1—	M	8	15	5	5	10	14	46	69	14	5	353	177	53	69	11	7	39
	F	2	14	6	3	9	15	49	53	9	5	291	140	43	79	7	5	34
2—	M	2	3	2	1	5	4	23	32	12	1	102	54	27	25	3	2	16
	F	2	4	8	4	9	2	25	34	9	5	110	66	12	21	2	5	14
3—	M	2	3	3	1	4	2	16	14	6	1	51	35	10	15	2	2	6
	F	—	6	2	4	3	—	9	16	1	2	50	34	9	10	—	1	9
4—	M	2	6	2	—	6	3	10	9	10	1	33	34	6	13	1	2	13
	F	—	4	5	—	2	—	8	8	3	3	46	36	6	9	3	2	11
Total under 5 years	M	46	103	65	25	86	69	373	506	200	43	1560	967	282	396	62	59	310
	F	29	85	53	33	65	40	297	335	147	37	1272	788	171	297	39	49	241
5—	M	1	10	9	4	12	15	47	51	16	6	121	111	22	51	10	10	32
	F	2	10	15	2	11	8	46	46	22	6	83	67	21	37	8	10	19
10—	M	2	5	2	4	8	5	27	26	11	7	76	61	11	26	7	7	14
	F	2	7	4	2	4	9	16	31	9	3	83	63	15	30	4	7	24
15—	M	3	12	3	2	11	10	44	46	19	12	138	89	29	30	7	13	31
	F	2	19	10	—	12	7	41	58	31	5	135	112	15	42	6	11	31
20—	M	12	8	14	5	15	5	48	51	36	11	146	116	32	49	13	7	41
	F	9	20	16	7	15	14	60	74	43	9	151	127	22	49	19	17	40
25—	M	8	16	14	4	15	9	48	53	41	4	146	119	31	51	26	11	29
	F	11	8	11	4	27	14	51	79	38	10	130	100	23	43	15	14	34
30—	M	7	16	10	8	12	9	47	79	33	10	149	126	20	41	11	12	32
	F	8	8	14	7	16	9	55	71	24	4	144	132	27	52	12	18	41
35—	M	7	12	19	6	18	16	65	86	36	13	176	165	41	56	16	18	40
	F	6	14	13	12	24	10	51	102	40	11	140	146	19	53	10	17	44
40—	M	10	24	21	8	24	22	91	155	49	10	269	243	57	77	13	27	64
	F	10	22	18	16	27	13	52	101	44	17	157	179	25	71	11	22	64
45—	M	13	20	34	15	35	21	100	190	78	22	328	320	48	100	22	18	97
	F	12	33	26	24	41	18	96	105	54	20	237	232	30	57	15	21	71
50—	M	26	34	40	23	77	23	131	258	102	20	374	437	55	120	32	34	97
	F	11	20	40	35	53	17	105	199	68	25	283	285	40	107	27	23	95
55—	M	23	39	55	32	71	32	146	255	108	32	454	451	71	143	34	52	140
	F	21	34	47	28	62	30	100	202	90	27	322	329	46	123	27	37	116
60—	M	27	49	70	26	98	47	167	330	136	35	475	482	83	166	48	46	163
	F	27	26	67	45	70	37	110	253	105	23	402	408	45	128	44	52	130
65—	M	41	55	94	38	80	40	168	367	153	43	484	493	69	199	65	73	185
	F	28	44	77	66	79	44	161	287	130	29	450	461	63	163	54	80	166
70—	M	53	48	75	43	83	60	188	346	162	52	542	467	80	182	62	82	211
	F	38	38	99	70	94	65	173	345	147	47	534	490	65	179	75	82	182
75—	M	21	45	67	45	59	50	170	242	132	42	333	354	50	156	67	75	151
	F	52	35	80	90	83	49	152	296	158	51	440	420	54	179	54	104	186
80—	M	25	27	26	40	29	27	89	147	65	47	170	155	23	74	41	47	69
	F	40	44	39	86	46	55	118	183	103	32	293	270	39	104	47	84	103
85—	M	16	12	13	15	10	21	59	65	34	10	67	73	18	42	22	25	50
	F	31	30	26	70	28	44	104	109	84	33	175	151	15	62	48	84	83

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	988	294	1288	1385	809	560	682	388	704	1717	3223	439	1098	608	457	920	814
	F	1076	340	1262	1363	803	590	603	359	624	1511	2874	386	952	616	587	778	817
Under 4 weeks	M	56	11	72	67	45	26	27	21	66	98	194	20	50	22	19	62	32
	F	36	4	48	35	34	18	18	18	50	78	130	20	29	13	15	35	31
	M	20	5	21	26	23	10	13	9	27	42	55	6	5	6	5	28	14
	F	17	2	16	19	12	7	4	10	8	26	28	5	13	1	3	26	9
	M	11	2	19	23	20	10	10	7	11	50	42	10	10	7	8	23	9
	F	6	3	14	17	9	5	6	7	19	24	28	6	6	5	7	10	7
	M	15	3	32	34	18	3	10	9	34	59	77	16	27	5	6	27	26
	F	20	2	28	24	13	3	6	12	22	59	64	6	14	8	6	15	13
Total under 1 year	M	102	21	144	150	106	49	60	46	138	249	368	52	92	40	38	140	81
	F	79	11	106	95	68	33	34	47	99	187	250	37	62	27	31	86	60
1—	M	23	4	41	30	19	7	12	9	39	53	89	7	14	1	7	45	16
	F	17	4	39	25	22	9	9	12	34	53	95	7	10	10	11	31	12
2—	M	12	3	15	15	4	3	3	6	14	29	50	8	11	4	6	11	8
	F	10	1	13	11	8	3	3	7	11	24	38	—	5	—	2	19	5
3—	M	9	—	9	10	5	—	3	7	4	14	23	1	9	3	3	12	3
	F	5	1	9	6	3	6	3	2	12	10	12	3	3	2	2	10	3
4—	M	4	—	6	11	4	2	3	2	5	4	23	3	2	3	2	7	2
	F	6	1	7	10	—	3	4	3	2	10	16	1	1	—	1	11	5
Total under 5 years	M	150	28	215	216	138	61	81	70	200	349	553	71	128	51	56	215	110
	F	117	18	174	147	101	54	53	71	158	284	411	48	81	39	47	157	85
5—	M	16	5	42	36	12	14	13	2	20	21	66	8	16	10	4	26	16
	F	26	2	31	30	13	11	9	5	21	25	65	8	7	10	2	31	8
10—	M	13	2	7	13	8	10	14	4	21	15	41	6	16	7	—	21	9
	F	12	2	16	9	7	5	2	5	14	17	26	4	10	8	4	18	7
15—	M	13	6	21	15	13	14	9	12	20	33	74	12	19	7	1	34	12
	F	30	7	19	34	8	5	7	9	12	26	62	5	22	8	7	34	9
20—	M	21	10	25	21	12	11	17	9	19	51	78	7	34	8	9	22	21
	F	33	5	25	38	15	19	4	9	18	43	72	6	24	11	8	32	21
25—	M	11	7	14	21	15	10	18	9	14	39	71	7	23	13	9	19	16
	F	29	8	21	28	22	14	14	13	17	36	79	9	15	15	6	31	17
30—	M	22	3	31	22	16	9	13	9	20	46	71	11	31	13	2	29	28
	F	30	8	30	36	23	11	16	4	22	31	80	9	17	13	8	30	19
35—	M	28	7	23	32	18	11	20	15	22	63	94	11	40	22	12	24	21
	F	32	2	37	38	18	15	20	19	19	34	80	9	21	20	12	32	27
40—	M	42	13	37	67	30	22	33	12	21	73	122	20	45	25	10	31	30
	F	44	6	45	36	27	25	18	12	21	65	99	16	33	11	15	27	34
45—	M	65	17	70	65	54	27	43	17	24	115	201	25	52	40	27	45	48
	F	48	21	47	60	39	27	40	15	22	73	127	16	46	32	21	36	31
50—	M	67	17	90	87	59	20	43	24	33	123	231	26	85	40	29	52	60
	F	71	15	58	60	41	35	34	14	35	88	167	27	61	34	28	41	45
55—	M	111	16	106	108	63	39	75	37	42	125	270	48	91	61	32	67	80
	F	96	21	96	76	53	28	49	26	39	90	195	24	60	32	44	44	66
60—	M	114	35	112	100	79	57	73	44	65	177	262	37	102	58	58	61	76
	F	97	32	81	101	72	39	64	28	36	124	229	33	72	48	55	44	67
65—	M	133	33	111	154	92	64	70	35	58	158	344	50	108	71	50	80	92
	F	127	26	120	134	93	57	87	30	55	146	243	39	100	67	57	65	90
70—	M	94	34	126	142	79	70	80	44	58	141	299	38	112	75	53	75	86
	F	112	52	123	150	78	72	74	31	62	157	328	58	105	85	89	48	108
75—	M	59	20	120	130	83	60	49	22	36	112	262	39	82	50	44	71	72
	F	100	41	116	159	88	72	63	39	40	143	292	33	111	80	79	45	91
80—	M	21	32	74	91	28	46	19	11	23	59	125	19	66	32	40	27	30
	F	48	39	111	134	74	46	31	19	18	85	199	24	96	60	54	36	61
85—	M	8	9	64	65	10	15	12	12	8	17	59	4	48	25	21	21	7
	F	24	35	112	93	31	55	18	10	15	44	120	18	71	43	51	27	31

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1928.
(Civilian population only.)

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1696	1311	449	340	539	642	489	438	1797	448	593	764	323	503	1474	521	567	1005
	F	1596	1119	392	292	521	570	414	405	1543	445	527	675	368	497	1186	483	480	889
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months	M	122	108	24	19	14	54	26	30	78	28	37	42	16	27	71	36	34	57
	F	84	65	21	10	13	47	17	28	72	22	26	42	4	17	57	24	23	50
	M	46	34	10	3	8	11	12	12	33	15	19	13	2	12	35	16	8	15
	F	46	27	7	3	1	10	5	16	32	8	12	7	3	6	26	6	7	8
	M	36	30	15	8	3	11	2	14	41	10	13	17	3	7	29	4	14	16
	F	21	23	3	3	3	13	6	6	28	4	10	4	2	1	24	5	7	13
	M	68	50	17	8	4	26	19	12	55	13	18	19	7	14	41	11	14	14
	F	57	34	11	6	10	15	13	8	41	8	18	17	8	10	32	12	10	11
Total under 1 year 1— 2— 3— 4—	M	272	222	66	38	29	102	59	68	207	66	87	91	28	60	176	67	70	102
	F	208	149	42	22	27	85	41	58	173	42	66	70	17	34	139	47	47	82
	M	49	56	9	7	9	20	14	16	65	19	19	17	10	13	25	10	13	9
	F	50	43	13	4	15	17	16	9	48	15	11	15	15	7	38	10	14	13
	M	19	20	10	2	5	12	8	3	28	9	8	12	8	6	19	4	2	11
	F	19	21	7	2	2	7	7	6	27	9	5	3	6	3	15	6	8	4
	M	16	13	7	4	—	9	2	4	21	3	7	6	5	3	9	7	3	4
	F	12	14	4	1	2	8	3	3	24	7	5	6	2	2	3	6	4	5
	M	10	13	7	1	2	5	6	2	11	5	2	3	2	1	9	2	3	8
	F	10	7	6	2	1	5	4	4	17	4	1	5	4	2	3	4	8	2
	M	366	324	99	52	45	148	89	93	332	102	123	129	53	83	238	90	91	134
	F	299	234	72	31	47	122	71	80	289	77	88	99	44	48	198	73	81	106
	M	44	35	14	2	5	17	9	12	44	14	11	11	3	6	28	12	9	20
	F	35	29	15	3	7	22	6	6	37	24	14	10	4	10	13	10	10	17
	M	24	26	6	6	2	11	10	2	24	10	11	10	4	3	21	7	9	19
	F	31	22	13	2	6	6	2	5	24	7	7	9	1	9	9	11	8	14
	M	33	40	7	7	7	9	10	4	45	15	13	9	2	8	40	17	13	15
	F	31	33	10	5	8	16	9	9	43	11	20	9	5	13	32	13	14	20
	M	43	43	8	4	11	20	16	15	43	10	12	12	7	11	31	19	23	35
	F	46	37	15	4	11	12	13	14	33	16	14	18	9	8	33	20	17	29
	M	46	27	12	9	14	12	12	9	36	12	15	16	6	11	39	12	16	31
	F	49	35	14	6	11	19	13	7	41	14	11	19	4	13	41	10	11	33
	M	31	29	20	11	15	20	14	13	55	14	16	17	12	18	37	10	11	40
	F	44	28	5	5	11	14	12	13	28	10	23	16	5	12	33	18	21	20
	M	48	39	15	7	13	19	18	10	63	8	20	28	2	8	44	15	15	30
	F	46	35	12	8	9	15	10	7	44	17	22	22	4	12	43	23	15	40
	M	61	36	17	11	24	19	26	22	83	16	22	36	18	13	71	23	31	37
	F	62	44	7	10	13	21	19	12	47	13	18	18	10	13	42	20	18	37
	M	90	61	17	13	23	22	27	15	84	29	24	44	12	23	73	24	24	60
	F	88	57	15	11	28	23	18	11	61	22	18	28	11	9	49	25	28	50
	M	125	72	26	28	49	45	31	33	95	23	46	41	15	30	94	34	50	69
	F	94	40	21	22	29	26	33	17	75	24	29	43	21	27	63	40	24	32
	M	133	99	32	42	48	39	44	26	128	28	48	53	19	44	102	39	50	69
	F	102	50	22	13	54	26	27	29	93	19	30	42	23	28	78	32	33	56
	M	171	114	37	33	53	54	45	42	160	39	42	73	35	56	152	36	47	96
	F	122	71	27	18	41	36	36	37	110	37	44	42	26	48	86	34	26	60
	M	166	114	44	29	59	67	43	38	180	35	72	83	40	49	145	60	49	93
	F	159	104	28	42	55	46	42	34	136	38	55	57	36	52	107	42	39	76
	M	148	85	37	38	64	59	42	43	153	31	62	77	35	48	153	57	65	119
	F	141	105	38	41	55	53	41	45	151	34	44	78	41	61	113	47	39	103
	M	98	97	30	24	59	51	27	36	142	35	36	68	28	57	97	48	29	74
	F	115	79	39	36	67	51	31	33	160	27	46	76	57	60	104	36	45	75
	M	41	54	19	16	29	15	15	16	79	21	17	29	22	24	80	12	19	36
	F	82	66	24	25	37	44	19	21	93	39	33	47	38	44	81	20	25	70
	M	28	16	9	8	19	15	11	9	51	6	3	28	10	11	29	6	16	28
	F	50	50	15	10	32	18	12	25	78	16	11	42	29	30	61	9	26	51

TABLE 16—*contd.*
DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.
(Civilian population only.)

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridge-shire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	705	446	398	780	550	858	339	478	2704	1114	894	1144	759	569	1789	1534
	F	721	477	404	726	567	832	328	438	2658	1044	1009	1142	718	551	1625	1421
Under 4 weeks	M	28	26	12	28	32	40	10	26	132	39	32	54	40	37	100	103
	F	18	19	9	19	15	27	13	14	94	41	21	30	32	19	68	85
4 weeks-3 months	M	13	5	5	4	4	10	6	9	54	15	7	14	18	7	36	28
	F	1	3	5	5	6	5	1	2	18	7	3	15	9	4	27	20
3-6 months	M	3	5	3	6	6	8	2	7	27	15	3	19	12	10	28	24
	F	1	2	2	8	4	5	6	3	17	6	5	10	7	3	16	15
6-12 months	M	11	3	4	11	3	12	4	4	55	24	13	20	10	13	52	40
	F	3	6	9	6	10	11	—	5	26	11	8	13	9	7	28	30
Total under 1 year	M	55	39	24	49	45	70	22	46	268	93	55	107	80	67	216	195
	F	23	30	25	38	35	48	20	24	155	65	37	68	57	33	139	150
1—	M	12	7	7	9	7	12	6	7	45	14	13	20	19	13	46	42
	F	6	3	6	5	4	10	1	4	40	13	10	14	13	6	34	30
2—	M	8	5	3	3	2	6	2	3	35	18	3	4	9	4	14	24
	F	4	2	2	4	3	6	2	—	26	10	5	5	10	3	13	20
3—	M	5	2	4	3	4	5	2	1	12	10	2	5	7	4	13	12
	F	5	3	—	2	3	4	3	—	14	9	2	4	4	2	12	7
4—	M	1	1	2	7	1	3	—	—	12	6	2	5	2	3	10	7
	F	5	2	1	2	2	2	2	2	14	3	—	1	3	2	9	7
Total under 5 years	M	81	54	40	71	59	96	32	57	372	141	75	141	117	91	299	280
	F	43	40	34	51	47	70	28	30	249	100	54	92	87	46	207	214
5—	M	14	5	5	11	17	8	11	6	44	19	8	24	17	4	32	31
	F	13	8	5	10	12	14	9	6	53	14	12	15	19	6	35	34
10—	M	7	8	1	10	4	8	4	3	23	7	9	15	14	12	27	17
	F	9	1	4	4	3	10	4	4	30	8	12	10	6	5	13	20
15—	M	14	5	5	10	12	16	5	11	47	13	21	15	18	5	33	37
	F	8	3	9	10	4	11	3	7	53	14	15	18	14	9	47	21
20—	M	18	10	10	17	16	12	9	13	53	30	21	19	19	15	34	35
	F	18	5	9	13	13	13	6	12	53	18	22	21	17	8	41	33
25—	M	20	6	9	18	9	20	7	6	34	26	26	25	21	12	53	31
	F	10	10	5	13	16	16	6	9	64	18	13	23	15	5	40	36
30—	M	13	9	7	12	14	18	8	9	64	27	17	23	24	7	26	31
	F	20	14	6	13	10	15	5	8	64	29	16	26	16	12	50	17
35—	M	19	8	5	17	10	13	10	7	68	24	14	21	21	8	52	39
	F	32	7	11	15	11	22	4	8	75	33	28	26	26	13	42	45
40—	M	30	6	10	20	15	32	14	10	108	42	25	29	23	17	60	54
	F	17	16	9	19	9	27	7	8	104	39	29	20	22	11	57	53
45—	M	29	10	19	38	20	29	12	12	136	45	31	54	37	18	87	51
	F	28	10	12	26	20	23	11	20	111	36	34	33	34	21	84	67
50—	M	39	23	20	47	33	46	11	19	183	54	45	56	41	20	114	81
	F	42	18	23	37	18	48	16	21	141	57	36	45	32	20	81	66
55—	M	53	26	34	52	39	53	20	23	175	94	48	59	34	32	133	95
	F	49	21	15	38	32	55	25	26	184	67	53	69	38	32	108	80
60—	M	57	31	33	83	49	70	31	48	272	92	89	89	64	43	173	129
	F	63	43	27	48	48	60	21	30	241	97	71	90	60	59	133	123
65—	M	82	54	59	73	63	87	37	52	295	124	112	130	88	55	180	140
	F	74	33	34	77	56	75	34	38	285	99	108	110	84	53	159	126
70—	M	87	47	47	88	62	107	47	58	351	135	129	132	87	93	185	177
	F	59	60	48	78	65	81	42	60	319	111	133	143	86	67	160	146
75—	M	73	65	42	101	52	113	37	55	279	114	90	141	73	63	161	139
	F	96	72	54	108	82	99	46	62	299	137	137	146	78	84	170	144
80—	M	38	45	31	74	45	77	21	51	130	82	81	95	39	45	94	106
	F	81	54	57	87	64	96	32	47	197	94	130	124	55	49	121	121
85—	M	31	34	21	38	31	53	23	38	70	45	53	76	22	29	46	61
	F	59	62	42	79	57	97	29	42	136	73	106	131	29	51	77	75

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.

(Civilian population only.)

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester- shire.		Hereford- shire.		Hertford- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1327	1407	740	671	3350	2505	288	202	3948	1698	669	1329	294	466	1362	600
	F	1534	1313	747	654	2940	2147	248	173	3682	1538	767	1371	310	453	1347	571
Under 4 weeks	M	56	42	35	20	254	221	13	12	201	72	28	60	7	14	64	25
	F	37	32	27	26	196	167	6	10	143	45	25	39	6	18	49	22
4 weeks-3 months	M	15	19	12	4	76	50	3	3	68	22	8	15	4	4	23	6
	F	7	10	6	5	63	47	3	3	48	18	6	6	4	5	9	2
3-6 months	M	9	9	4	6	71	53	2	—	38	18	8	11	2	2	11	6
	F	3	8	7	2	61	42	4	10	42	9	2	9	1	5	4	4
6-12 months	M	15	18	11	10	99	77	9	1	90	20	12	13	5	5	11	8
	F	20	13	3	3	67	73	6	4	64	16	5	23	5	2	12	1
Total under 1 year	M	95	88	62	40	500	401	27	16	397	132	56	99	18	25	109	45
	F	67	63	43	36	387	329	19	27	297	88	38	77	16	30	74	29
1—	M	14	24	13	12	125	85	5	3	90	16	9	21	6	7	12	8
	F	18	14	8	6	97	78	8	3	76	20	8	15	4	6	12	4
2—	M	3	4	2	3	58	31	3	4	39	12	3	9	2	3	14	3
	F	9	5	3	4	47	31	1	1	36	9	3	4	2	3	5	2
3—	M	4	6	4	3	27	22	2	1	31	6	1	2	—	4	7	4
	F	5	6	6	2	31	30	1	—	26	5	3	6	3	2	3	—
4—	M	2	4	3	4	27	19	4	1	24	5	7	5	2	—	4	4
	F	4	6	2	3	29	19	1	—	18	4	5	3	—	2	4	3
Total under 5 years	M	118	126	84	62	737	558	41	25	581	171	76	136	28	39	146	64
	F	103	94	62	51	591	487	30	31	453	126	57	105	25	43	98	38
5—	M	12	20	13	6	95	70	8	3	80	25	8	20	5	7	18	7
	F	7	19	12	4	85	61	6	2	72	27	8	16	5	2	8	5
10—	M	14	13	8	3	60	44	2	2	35	16	5	17	4	3	12	8
	F	4	8	4	3	40	39	2	2	40	16	4	13	2	1	7	8
15—	M	21	27	8	11	107	90	4	3	79	30	11	23	6	15	20	16
	F	17	22	6	9	90	58	7	6	60	24	12	15	4	7	18	6
20—	M	39	33	13	13	87	54	5	4	97	31	17	23	7	11	21	9
	F	28	24	9	12	83	45	7	3	93	27	8	21	5	13	27	6
25—	M	25	34	17	12	86	59	7	5	80	36	14	22	5	7	38	9
	F	21	27	16	16	76	66	7	2	106	29	19	30	5	9	30	12
30—	M	27	29	9	14	75	65	6	9	88	32	12	33	4	7	42	9
	F	20	25	18	6	84	63	5	3	104	20	14	31	2	9	33	8
35—	M	26	29	16	16	118	59	8	4	139	41	16	29	12	7	44	16
	F	46	32	15	14	107	67	7	4	87	36	17	30	5	19	24	16
40—	M	45	32	16	16	127	79	8	3	153	48	18	46	7	6	47	11
	F	46	30	28	14	107	77	6	4	111	40	17	35	6	18	42	16
45—	M	54	53	35	18	125	73	6	9	209	72	31	38	5	12	53	19
	F	46	43	31	21	131	94	4	6	148	57	25	44	14	11	46	25
50—	M	67	52	37	27	162	123	12	10	249	81	29	65	17	11	96	34
	F	71	71	28	33	132	110	9	7	206	52	34	62	12	20	75	17
55—	M	87	103	53	48	246	141	14	15	298	104	52	89	17	21	105	48
	F	85	73	51	44	173	129	10	11	237	82	44	77	19	22	86	33
60—	M	94	109	65	57	292	181	26	15	346	149	57	128	25	39	101	59
	F	127	97	43	47	266	165	13	9	302	103	48	97	29	27	86	31
65—	M	143	171	97	77	288	258	25	15	415	191	86	145	30	61	157	63
	F	132	143	76	66	241	164	29	17	350	142	96	127	36	47	127	56
70—	M	180	175	98	88	298	255	37	27	356	205	77	169	47	64	142	69
	F	197	167	94	84	281	195	30	15	352	218	102	186	39	51	166	67
75—	M	177	178	83	97	259	220	31	23	367	196	71	152	35	68	152	69
	F	220	159	89	89	234	146	29	19	379	208	95	184	36	55	196	87
80—	M	108	135	54	66	125	114	26	20	219	167	57	113	19	56	98	53
	F	184	154	90	77	130	109	25	11	330	181	76	176	33	49	157	76
85—	M	90	88	34	40	63	62	22	10	157	103	32	81	21	32	70	37
	F	180	125	75	64	89	72	22	21	252	150	91	122	33	50	121	64

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.
(Civilian population only.)

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	164	209	4510	1971	9353	1460	641	909	237	275	262	411	648	754	6602	362
	F	147	195	4627	1791	9320	1454	545	964	233	249	248	401	610	714	6721	365
Under 4 weeks	M	8	9	183	71	483	71	33	43	9	18	11	24	37	37	310	23
	F	4	7	124	53	306	51	29	47	4	15	14	19	24	24	242	13
	M	1	3	51	16	147	22	12	18	2	6	2	4	6	10	109	7
	F	1	1	32	23	121	12	7	7	1	2	5	4	10	8	81	8
	M	1	—	44	15	111	14	6	14	4	—	2	8	6	6	90	3
	F	—	2	39	14	91	14	5	10	3	4	1	3	5	6	59	6
	M	—	2	60	18	220	24	12	21	4	5	3	3	14	14	111	6
	F	—	—	58	16	132	8	8	9	2	6	6	8	10	7	92	8
Total under 1 year	M	10	14	338	120	961	131	63	96	19	29	18	39	63	67	620	39
	F	5	10	253	106	650	85	49	73	10	27	26	34	49	45	474	35
1—	M	3	2	69	27	163	23	14	12	4	3	4	6	10	6	146	6
	F	1	4	59	26	162	26	3	9	4	3	6	6	5	7	100	7
2—	M	—	—	38	15	80	13	4	11	2	4	1	6	6	4	65	1
	F	1	1	28	18	79	17	3	11	3	2	—	4	3	2	46	3
3—	M	1	—	16	7	64	8	6	1	1	3	2	—	5	1	36	3
	F	—	—	24	8	43	2	2	2	—	4	2	—	4	2	35	4
4—	M	1	1	23	13	37	3	2	7	1	1	1	1	3	5	35	2
	F	—	—	23	6	33	4	3	6	—	—	5	2	4	—	35	—
Total under 5 years	M	15	17	484	182	1305	178	89	127	27	40	26	52	87	83	902	51
	F	7	15	387	164	967	134	60	101	17	36	39	46	65	56	690	49
5—	M	6	2	107	40	179	24	6	15	7	6	1	6	10	6	143	6
	F	1	1	95	33	180	17	10	11	6	6	3	7	10	9	135	10
10—	M	3	1	40	25	104	17	5	11	1	4	—	5	4	6	74	4
	F	3	2	49	25	96	6	9	14	4	4	3	5	9	8	78	—
15—	M	2	2	76	22	174	30	16	21	6	6	3	9	9	13	122	8
	F	2	1	81	36	164	27	7	17	2	2	—	10	15	7	115	11
20—	M	2	9	94	38	233	33	17	25	5	8	4	4	17	15	150	7
	F	2	6	84	32	227	32	16	34	6	5	5	7	19	17	168	5
25—	M	3	4	88	47	201	27	19	13	5	5	3	8	10	12	163	9
	F	4	3	110	40	224	37	11	30	7	4	3	9	13	22	178	8
30—	M	3	1	104	42	214	26	16	22	3	5	3	12	18	10	142	5
	F	3	4	103	34	228	27	9	29	8	8	6	9	17	21	178	9
35—	M	6	3	118	52	261	36	21	19	1	3	8	4	10	8	160	12
	F	4	5	109	39	250	42	24	23	5	4	7	7	15	18	183	4
40—	M	6	6	148	43	322	43	23	24	9	5	2	13	18	21	228	8
	F	2	7	153	59	353	57	17	21	10	10	3	15	19	16	215	9
45—	M	5	4	202	97	508	69	31	48	7	6	10	9	36	33	317	11
	F	4	5	172	61	427	72	22	28	10	14	9	16	20	22	290	18
50—	M	7	8	328	105	610	70	32	42	10	15	19	12	49	24	438	25
	F	10	7	235	97	578	78	32	59	15	11	10	14	34	26	354	17
55—	M	10	13	328	126	793	119	45	44	15	10	22	19	43	47	556	31
	F	7	10	283	90	675	104	41	52	14	10	21	28	37	40	410	25
60—	M	16	21	417	164	972	160	60	61	21	22	25	31	45	51	600	28
	F	13	13	354	124	831	133	37	67	15	11	16	20	43	46	489	25
65—	M	17	23	414	216	1118	171	63	106	26	26	34	55	70	81	725	42
	F	10	14	415	159	1106	168	54	85	17	19	23	26	46	67	602	31
70—	M	15	25	511	248	1052	172	77	94	24	28	36	46	71	108	655	35
	F	22	27	519	205	1147	188	52	121	21	17	20	50	73	67	716	34
75—	M	23	30	468	227	756	143	71	112	29	41	24	57	77	100	616	32
	F	16	25	601	246	922	167	64	118	25	36	29	47	69	116	768	32
80—	M	15	22	337	176	394	104	28	76	25	26	28	43	46	84	376	22
	F	16	24	474	189	627	100	40	79	31	21	28	42	63	80	629	46
85—	M	10	18	246	121	157	38	22	49	16	19	14	26	28	52	235	26
	F	21	26	403	158	318	65	40	75	20	31	23	43	43	76	523	32

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.

(Civilian population only.)

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	366	1640	566	694	1865	600	1407	891	236	562	213	78	19	75	659	766
	F	421	1462	563	684	1614	563	1254	840	272	564	236	68	18	91	733	766
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months	M	13	90	21	28	144	29	113	61	3	28	5	2	—	5	35	49
	F	15	51	23	22	71	15	75	40	8	14	11	2	1	3	28	33
	M	4	20	6	7	48	9	25	17	3	6	—	—	1	—	10	7
	F	2	16	3	1	19	5	20	13	2	9	1	—	—	1	4	12
	M	5	20	6	3	29	6	26	8	—	1	3	—	—	1	4	9
	F	2	10	5	2	21	5	21	6	1	1	2	—	—	—	5	5
	M	10	17	4	9	53	6	31	14	1	4	5	2	—	—	9	10
	F	5	16	8	6	35	6	21	17	2	3	6	—	—	—	13	6
Total under 1 year 1— 2— 3— 4—	M	32	147	37	47	274	50	195	100	7	39	13	4	1	6	58	75
	F	24	93	39	31	146	31	137	76	13	27	20	2	1	4	50	56
	M	4	24	12	5	46	8	40	14	5	6	7	1	—	1	9	8
	F	4	12	8	3	41	8	32	15	2	5	—	1	—	1	11	10
	M	4	6	4	2	19	4	13	7	1	5	—	3	—	1	3	6
	F	—	11	3	2	18	3	12	6	1	3	—	—	—	1	10	9
	M	—	7	3	1	17	5	6	7	—	1	1	—	—	—	2	2
	F	2	4	3	1	14	—	7	4	—	3	1	1	1	—	2	5
Total under 5 years 5— 10— 15— 20— 25— 30— 35— 40— 45— 50— 55— 60— 65— 70— 75— 80— 85—	M	41	190	58	56	370	71	262	131	16	52	23	8	1	8	75	98
	F	34	123	53	37	228	45	196	108	16	38	21	4	2	6	77	81
	M	5	31	7	11	33	8	26	23	7	6	5	3	—	3	4	8
	F	7	17	7	7	33	9	16	14	1	7	6	1	—	1	12	22
	M	5	21	7	7	23	9	21	7	3	4	4	1	—	—	8	6
	F	5	12	5	8	28	8	12	13	3	6	2	1	—	1	5	5
	M	3	30	9	13	61	9	23	29	5	5	4	—	—	2	12	10
	F	3	21	13	13	47	8	31	20	3	5	1	—	2	—	11	9
	M	5	32	7	17	50	8	47	14	6	15	1	—	—	1	16	14
	F	5	22	16	15	34	10	28	22	6	4	—	2	—	4	12	7
	M	5	24	11	12	44	11	26	19	6	7	5	1	1	—	15	14
	F	9	25	15	17	48	12	26	21	5	11	2	—	—	3	12	13
	M	10	23	11	11	33	11	32	27	5	13	1	3	—	1	20	13
	F	11	34	13	14	39	10	29	24	3	9	5	1	—	—	10	10
	M	8	31	15	12	60	15	40	17	11	14	8	3	1	—	18	17
	F	4	32	6	13	59	16	35	29	4	8	4	1	—	1	14	18
	M	6	31	19	22	62	12	44	33	5	15	6	2	—	2	27	12
	F	14	43	9	13	48	12	51	21	5	17	8	3	—	—	27	28
	M	8	37	21	27	84	19	64	41	13	18	10	1	—	3	31	24
	F	14	40	16	26	73	26	50	26	12	20	10	2	1	4	24	28
	M	26	57	39	29	110	34	78	47	11	19	15	5	1	2	34	37
	F	19	62	31	35	85	31	75	41	15	22	7	4	2	4	28	26
	M	30	81	38	34	131	36	95	44	12	34	17	7	—	3	30	48
	F	31	63	36	38	117	39	94	41	11	32	22	7	—	7	48	46
	M	21	135	61	56	141	54	123	53	24	56	14	6	2	8	64	64
	F	27	98	55	52	115	52	103	41	27	33	19	3	2	7	47	56
	M	46	184	67	77	207	75	164	94	28	59	22	9	3	14	72	93
	F	46	160	60	62	144	53	104	70	28	74	26	10	1	15	59	80
	M	38	216	56	92	172	63	144	101	25	85	33	8	5	12	72	91
	F	55	187	67	84	171	71	134	87	26	67	31	5	2	7	106	80
	M	47	210	67	89	156	78	119	101	23	70	18	12	3	9	78	101
	F	50	189	69	96	155	67	113	102	40	79	30	9	4	7	93	82
	M	39	161	53	77	94	52	63	64	23	58	14	5	2	4	54	68
	F	47	165	52	83	121	53	98	88	37	75	21	9	1	9	84	96
	M	23	146	20	52	34	35	36	46	13	32	13	4	—	3	29	48
	F	40	169	40	71	69	41	59	72	30	57	21	6	1	15	64	79

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.
(Civilian population only.)

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	989	1376	1045	1330	2800	1165	477	642	263	414	3361	881	805	804	612	596
	F	1069	1378	1031	1173	2486	1077	485	660	283	390	3429	877	951	689	696	573
Under 4 weeks	M	32	55	57	67	190	63	19	28	15	18	152	27	22	19	20	26
	F	22	25	32	58	139	54	17	29	12	13	102	38	23	15	20	10
	M	15	11	15	23	63	21	13	5	1	2	43	10	4	5	4	6
	F	9	7	8	15	35	11	2	6	2	2	23	8	8	10	2	4
	M	7	14	6	5	55	19	8	6	2	3	39	3	6	6	4	4
	F	8	7	13	11	32	10	—	3	—	2	14	5	5	2	2	1
	M	11	18	16	12	74	24	7	6	1	1	41	8	9	12	5	7
	F	10	18	12	7	59	11	3	5	5	1	35	9	8	9	5	2
Total under 1 year	M	65	98	94	107	382	127	47	45	19	24	275	48	41	42	33	43
	F	49	57	65	91	265	86	22	43	19	18	174	60	44	36	29	17
1—	M	11	16	15	7	70	15	7	7	1	5	39	9	9	6	15	5
	F	15	17	14	14	68	15	2	8	2	1	36	11	8	9	7	1
2—	M	4	7	11	6	32	9	6	3	3	4	36	8	5	4	—	4
	F	3	5	9	8	33	3	2	—	1	4	17	3	3	2	7	4
3—	M	5	5	3	9	22	11	5	1	—	1	25	6	3	5	—	3
	F	6	4	7	5	22	7	—	3	1	—	13	1	3	7	2	1
4—	M	5	2	4	5	15	6	1	—	—	1	16	10	3	2	4	2
	F	1	2	4	4	11	7	1	2	—	—	16	—	1	2	1	—
Total under 5 years	M	90	128	127	134	521	168	66	56	23	35	391	81	61	59	52	57
	F	74	85	99	122	399	118	27	56	23	23	256	75	59	56	46	23
5—	M	9	23	15	19	57	23	5	11	5	2	51	14	10	9	8	7
	F	9	16	19	15	57	14	8	2	—	1	57	13	10	10	9	8
10—	M	12	16	11	16	43	20	11	1	3	6	28	17	3	7	2	5
	F	7	14	14	6	43	21	2	8	—	1	30	5	3	1	5	5
15—	M	14	14	22	22	70	36	12	11	1	5	72	17	10	15	9	5
	F	22	14	8	9	62	11	9	11	—	10	48	15	7	13	4	3
20—	M	18	29	32	30	75	26	6	10	7	8	74	13	12	12	17	10
	F	16	31	21	28	62	17	10	6	4	7	73	22	9	8	9	10
25—	M	24	26	26	25	62	20	8	10	5	7	54	11	13	19	4	12
	F	17	32	15	28	62	26	12	13	4	8	87	18	11	11	5	7
30—	M	21	19	18	20	67	28	4	13	6	9	76	30	15	12	9	6
	F	19	26	25	27	62	22	5	17	6	11	76	19	14	8	9	13
35—	M	29	34	23	33	79	25	15	10	4	9	73	12	20	15	14	12
	F	22	24	23	20	59	22	10	13	9	7	88	16	20	14	10	14
40—	M	26	38	31	41	91	38	16	14	7	5	109	31	19	33	20	14
	F	16	53	32	36	86	37	14	11	9	7	92	31	25	30	15	16
45—	M	45	53	58	40	99	43	25	26	9	6	172	38	22	26	21	16
	F	37	46	43	40	81	41	24	26	10	12	142	34	33	18	18	24
50—	M	60	68	56	63	160	63	18	28	12	21	200	48	49	34	35	27
	F	62	59	53	62	136	66	22	25	10	20	183	33	47	28	35	25
55—	M	67	69	82	98	220	70	31	31	18	26	285	58	55	40	50	44
	F	49	82	62	80	161	58	29	37	16	20	220	58	65	34	41	37
60—	M	101	126	86	114	235	92	42	57	29	39	274	81	78	76	50	46
	F	90	102	85	89	211	71	43	48	15	23	263	73	75	57	63	37
65—	M	101	170	114	143	301	98	53	75	28	53	390	93	105	90	78	70
	F	123	135	98	131	215	101	57	67	37	36	312	85	100	72	79	60
70—	M	124	172	97	171	283	135	55	83	28	49	376	103	119	123	66	75
	F	146	193	101	104	246	123	53	85	34	52	387	97	113	85	94	76
75—	M	116	173	107	143	236	143	54	85	32	54	347	124	98	110	75	79
	F	131	167	134	139	237	146	60	76	39	55	440	114	124	91	96	89
80—	M	75	126	83	125	135	85	38	75	29	41	234	66	74	65	55	68
	F	105	146	104	130	190	101	52	78	34	52	379	93	123	79	81	64
85—	M	57	92	57	93	66	52	18	46	17	39	155	44	42	59	47	43
	F	124	153	95	107	117	82	48	81	33	45	296	76	113	74	77	62

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.

(Civilian population only.)

Age.	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	801	1007	165	220	326	180	788	878	1164	692	455	610	1115	807
	F	904	956	186	241	421	155	751	851	1171	640	451	541	1105	800
Under 4 weeks	M	48	65	3	14	9	9	36	32	61	42	19	30	67	41
	F	37	52	6	7	12	5	18	28	49	17	16	15	43	36
4 weeks-3 months	M	14	13	2	4	5	3	9	18	24	9	8	16	26	5
	F	7	19	—	1	5	1	7	9	19	7	3	5	22	10
3-6 months	M	11	10	2	—	2	2	6	7	13	5	1	5	14	7
	F	10	5	3	3	3	1	5	6	10	2	3	4	14	4
6-12 months	M	4	21	1	2	3	—	10	19	27	10	5	6	24	11
	F	12	10	1	—	3	—	10	5	23	7	8	3	18	11
Total under 1 year	M	77	109	8	20	19	14	61	76	125	66	33	57	131	64
	F	66	86	10	11	23	7	40	48	101	33	30	27	97	61
1—	M	14	19	1	1	9	2	12	15	25	6	2	11	26	7
	F	12	21	2	1	10	4	12	9	23	4	3	5	29	9
2—	M	8	7	—	2	2	3	3	5	10	4	2	5	12	8
	F	6	9	1	1	2	1	6	3	5	1	4	6	18	1
3—	M	5	10	—	1	2	—	2	3	8	4	3	3	9	1
	F	6	6	2	—	2	1	9	3	8	2	2	1	10	5
4—	M	3	4	1	2	—	—	4	3	3	1	3	2	3	—
	F	3	4	1	—	1	—	5	3	9	2	2	4	8	3
Total under 5 years	M	107	149	10	26	32	19	82	102	171	81	43	78	181	80
	F	93	126	16	13	38	13	72	66	146	42	41	43	162	79
5—	M	14	22	3	4	3	—	9	10	21	7	8	9	30	12
	F	9	14	2	2	5	—	6	11	17	7	4	4	17	8
10—	M	7	19	1	4	3	1	6	7	16	8	4	4	12	6
	F	9	10	—	—	2	1	6	6	14	5	6	9	11	9
15—	M	13	22	1	2	4	2	5	11	18	16	8	15	16	9
	F	15	22	4	—	1	—	5	15	16	7	6	7	16	9
20—	M	16	28	6	4	4	3	19	14	20	17	8	9	22	18
	F	14	13	5	2	9	2	21	11	23	14	7	15	26	14
25—	M	24	24	3	7	8	6	18	6	39	12	13	12	24	18
	F	29	24	5	5	5	3	13	21	23	9	6	14	37	20
30—	M	20	17	10	1	5	3	16	13	23	12	9	8	23	18
	F	23	28	6	2	4	3	16	24	36	13	9	18	27	9
35—	M	16	33	6	5	3	5	16	21	33	14	12	7	39	24
	F	24	35	3	7	9	1	24	17	32	10	13	15	39	28
40—	M	23	32	9	2	10	4	25	16	34	25	13	13	39	25
	F	27	28	6	10	10	3	22	22	38	19	13	12	30	22
45—	M	46	46	7	6	14	6	34	27	46	26	21	19	53	27
	F	43	30	8	7	17	4	21	17	40	19	15	23	56	31
50—	M	55	56	7	12	11	9	55	42	64	32	21	18	54	31
	F	38	42	8	12	18	6	33	47	50	38	20	20	53	30
55—	M	51	75	15	11	26	12	49	55	70	36	34	37	85	44
	F	56	57	13	14	27	9	36	54	65	25	38	29	66	39
60—	M	77	62	15	19	27	23	75	63	96	57	38	55	96	72
	F	74	71	14	21	28	12	61	53	79	38	43	37	79	65
65—	M	89	119	12	23	36	13	81	117	118	66	46	71	103	85
	F	87	65	21	26	34	24	78	91	111	68	36	53	92	91
70—	M	75	107	20	29	35	18	105	108	139	82	61	68	110	113
	F	102	103	24	43	48	21	86	115	144	71	52	67	123	105
75—	M	87	86	17	32	35	24	103	118	132	81	58	84	123	91
	F	106	124	19	35	49	17	95	111	149	100	51	65	115	90
80—	M	46	61	15	21	41	16	56	85	89	72	29	53	74	83
	F	82	82	13	24	59	16	87	86	110	82	40	61	89	92
85—	M	35	49	8	12	29	16	34	63	35	48	29	50	31	51
	F	73	82	19	18	58	20	69	84	78	73	51	49	67	59

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.
(Civilian population only).

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardigan- shire.		Carmarthen- shire.		Denbigh- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	6595	2292	127	239	109	257	454	444	100	265	467	665	383	636
	F	6483	2160	135	227	112	248	461	485	136	344	403	640	398	579
Under 4 weeks 4 weeks-3 months 3-6 months 6-12 months	M	329	157	2	14	6	11	21	18	5	8	21	43	25	43
	F	259	118	4	11	8	15	12	10	2	11	20	30	9	33
	M	117	56	1	4	4	8	7	7	1	3	8	17	5	12
	F	70	39	1	4	1	3	3	6	—	—	9	8	3	15
	M	71	40	—	3	1	5	3	5	3	3	7	13	4	11
	F	65	14	1	1	3	2	5	7	1	1	2	10	3	8
	M	130	72	2	1	2	3	4	2	—	—	7	11	8	20
	F	107	38	1	4	1	5	5	6	—	5	5	10	6	14
Total under 1 year 1— 2— 3— 4—	M	647	325	5	22	13	27	35	32	9	14	43	84	42	86
	F	501	209	7	20	13	25	25	29	3	17	36	58	21	70
	M	114	66	1	4	2	3	5	2	1	5	8	7	9	16
	F	122	57	1	3	2	5	4	5	—	3	5	7	7	10
	M	76	23	1	2	1	3	4	—	—	1	5	4	6	7
	F	59	24	1	—	2	—	1	3	1	2	2	8	3	3
	M	53	16	1	1	1	—	—	3	—	1	5	3	1	3
	F	37	14	—	—	1	3	—	—	—	1	1	4	1	3
	M	41	15	2	1	1	1	3	1	—	2	1	3	2	3
	F	31	19	—	1	1	3	2	3	—	—	1	5	2	3
	M	931	445	10	30	18	34	47	38	10	23	62	101	60	115
	F	750	323	9	24	19	36	32	40	4	23	45	82	34	89
	M	124	54	3	4	—	1	5	2	1	3	2	9	5	8
	F	120	46	2	2	1	4	3	4	—	2	9	14	5	7
	M	78	35	—	3	1	3	4	3	—	2	7	10	—	8
	F	76	37	3	3	1	5	2	7	2	4	7	6	6	8
	M	129	37	1	4	—	3	14	11	—	5	14	13	6	14
	F	117	44	—	5	3	6	8	11	5	8	13	20	3	8
	M	164	52	4	6	2	8	8	16	3	5	20	14	7	18
	F	164	67	3	3	4	2	15	9	2	8	11	19	7	20
	M	132	45	1	6	—	7	13	10	2	4	10	18	6	17
	F	164	60	5	3	2	3	15	7	4	8	17	21	6	14
	M	151	48	3	5	2	6	12	8	—	10	11	22	7	21
	F	148	63	2	8	—	6	9	12	1	11	11	21	9	11
	M	201	54	3	2	—	9	9	5	—	9	14	13	9	18
	F	168	49	2	6	2	9	9	8	2	8	11	23	10	17
	M	252	79	6	5	6	4	15	13	—	9	12	21	19	12
	F	246	88	3	4	1	11	12	20	3	6	15	20	13	20
	M	304	89	5	5	4	8	17	11	2	9	30	39	20	22
	F	274	88	6	9	6	8	19	21	6	7	20	28	16	16
	M	413	128	6	10	6	17	28	25	6	8	30	44	17	32
	F	347	102	9	4	5	10	17	34	9	14	19	31	27	34
	M	543	159	10	15	9	15	31	31	10	13	36	43	32	30
	F	445	133	8	14	7	16	35	29	9	27	18	33	24	22
	M	617	170	14	23	15	24	40	51	15	23	41	61	36	38
	F	577	141	9	28	8	24	38	38	9	20	34	42	34	42
	M	732	212	19	20	11	28	52	58	12	29	55	60	51	64
	F	680	205	12	18	9	25	49	51	14	27	32	54	46	60
	M	740	269	12	32	11	29	66	54	11	33	54	69	49	66
	F	762	225	15	32	15	26	74	63	17	47	40	57	49	66
	M	629	220	14	31	10	38	48	53	15	37	27	73	35	69
	F	737	220	17	28	14	26	55	66	21	56	40	74	33	67
	M	326	122	13	22	7	14	24	33	6	23	22	40	16	49
	F	437	169	20	15	8	20	43	32	17	37	37	56	50	42
	M	129	74	3	16	7	9	21	22	7	20	20	15	8	35
	F	271	100	10	21	7	11	26	33	11	31	24	39	26	36

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1928.

(Civilian population only.)

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	262	430	3702	1149	161	169	1863	313	135	230	256	307	38	117
	F	280	384	3178	929	162	171	1495	283	113	221	220	306	43	86
Under 4 weeks	M	12	26	264	79	12	7	107	16	4	11	6	12	2	4
4 weeks-3 months	F	10	9	175	38	8	9	89	18	3	9	7	7	4	8
3-6 months	M	5	8	93	24	6	3	39	4	2	4	3	2	1	3
6-12 months	F	1	4	55	15	3	2	25	3	—	3	2	3	—	2
	M	2	5	48	19	2	2	35	2	—	2	1	4	—	1
	F	3	3	42	12	1	4	25	2	—	3	2	—	—	1
	M	9	8	104	19	3	3	60	3	—	2	5	9	1	—
	F	8	6	95	26	1	4	45	5	1	1	4	3	—	—
Total under 1 year	M	28	47	509	141	23	15	241	25	6	19	15	27	4	8
	F	22	22	367	91	13	19	184	28	4	16	15	13	4	11
1—	M	6	7	109	26	3	2	62	3	3	1	5	5	1	1
	F	6	8	94	14	2	1	53	3	3	3	3	3	—	1
2—	M	8	6	49	16	1	1	17	2	1	3	—	2	—	3
	F	6	5	51	12	1	4	27	2	—	5	—	5	—	2
3—	M	5	2	37	8	—	1	16	1	1	—	—	2	—	—
	F	4	2	43	8	—	—	21	5	—	1	—	—	—	—
4—	M	2	1	28	9	—	—	12	2	—	1	2	1	—	1
	F	2	4	31	7	—	2	9	2	—	1	1	—	—	—
Total under 5 years	M	49	63	732	200	27	19	348	33	11	24	22	37	5	13
	F	40	41	586	132	16	26	294	40	7	26	19	21	4	14
5—	M	3	8	83	25	2	1	45	7	3	4	1	4	—	1
	F	3	4	88	24	—	2	27	5	—	1	4	4	1	1
10—	M	5	7	69	8	3	1	30	1	2	2	2	3	—	1
	F	2	2	51	19	2	—	32	4	4	2	1	3	—	2
15—	M	2	6	97	33	2	6	59	5	2	7	7	9	1	1
	F	4	4	99	29	2	2	43	3	2	5	5	4	—	2
20—	M	6	10	97	39	1	3	42	3	3	6	6	7	1	2
	F	4	10	110	31	1	2	62	11	3	3	4	8	1	1
25—	M	9	10	85	34	4	3	47	9	2	2	5	3	1	4
	F	6	10	104	27	3	5	62	5	1	8	6	7	—	2
30—	M	10	9	85	42	2	4	47	4	1	2	6	6	1	—
	F	9	9	101	23	2	2	41	9	1	5	6	4	3	1
35—	M	7	14	114	31	2	2	60	8	5	9	7	6	—	—
	F	6	10	99	39	1	4	37	7	1	5	7	6	—	—
40—	M	6	11	153	43	7	8	66	10	5	7	12	7	—	1
	F	9	17	139	41	4	1	46	12	2	8	8	12	—	4
45—	M	9	21	201	57	8	2	86	13	7	9	8	7	1	3
	F	9	16	123	42	4	5	55	8	5	5	1	16	—	1
50—	M	6	24	241	69	10	9	114	17	7	11	13	11	3	3
	F	15	14	209	67	10	5	87	9	8	10	8	13	2	3
55—	M	22	20	265	94	12	17	142	20	10	10	16	14	1	8
	F	26	22	254	55	12	7	91	9	6	11	6	24	3	4
60—	M	22	42	340	100	14	12	159	35	13	19	27	18	5	11
	F	20	40	227	68	18	15	119	19	13	11	30	21	1	3
65—	M	22	43	344	95	19	16	184	25	13	26	22	34	2	14
	F	23	42	241	60	19	21	105	28	15	17	24	28	5	9
70—	M	38	50	362	107	14	23	170	40	17	27	44	46	3	13
	F	33	53	300	78	23	26	138	31	11	32	21	50	5	12
75—	M	28	39	245	95	17	22	158	36	15	25	23	44	8	24
	F	28	34	207	72	24	18	114	27	19	30	31	29	11	17
80—	M	11	38	146	48	12	12	74	34	12	25	21	34	3	10
	F	22	37	144	69	9	17	95	30	6	15	29	30	5	8
85—	M	7	15	43	29	5	9	32	13	7	15	14	17	3	7
	F	21	19	96	53	12	13	47	26	9	27	10	26	2	2

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928. (TOTAL DEATHS REGISTERED).

NOTE.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, 2 Typhus 5, 15, 20, 50, would denote that the deaths of three males in age-groups 5-10, 15-20 and 20-25 and one female in age-group 50-55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1(a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	235542	224847	33122	28232	215	223	161	177	54	46	31	5	38	15	2284	2018
0—1	24856	18104	2365	1918	1	—	—	—	1	—	—	—	2	3	526	388
1—5	10526	9296	4295	4158	3	6	2	4	1	2	1	—	—	—	1505	1376
5—10	4296	3878	1717	1732	5	6	5	5	—	1	—	—	1	1	205	207
10—15	2680	2426	777	983	12	15	12	14	—	1	—	—	1	1	21	21
15—20	4603	4204	1734	2343	19	17	16	11	3	6	1	—	—	—	10	6
20—25	5442	5237	2373	2701	29	25	23	22	6	3	1	—	—	1	4	3
25—30	5117	5367	2200	2387	26	19	23	16	3	3	3	—	—	—	1	3
30—35	5216	5312	2059	1897	21	20	13	13	8	7	1	3	1	1	3	4
35—40	6373	5996	2143	1558	18	16	12	13	6	3	5	—	1	—	3	3
40—45	8410	7377	2372	1453	14	17	10	13	4	4	5	—	—	—	1	2
45—50	11227	9197	2519	1305	12	16	9	12	3	4	7	—	2	—	—	2
50—55	14484	11834	2405	1132	17	21	13	19	4	2	1	—	2	2	1	1
55—60	17670	14274	1936	1011	17	21	10	17	7	4	1	—	2	1	2	2
60—65	21329	17429	1570	981	10	7	6	4	4	3	2	1	2	—	—	—
65—70	24825	21740	1205	889	8	10	6	8	2	2	3	1	3	3	—	—
70—75	25235	25152	708	707	1	4	—	3	1	1	—	—	8	1	1	—
75—80	21852	24644	430	593	1	2	—	2	1	—	—	—	10	1	—	—
80 and upwards	21401	33380	314	484	1	1	1	1	—	—	—	—	3	—	1	—

* 2. Typhus 5, ; 3. Relapsing fever (*Spirillum obermeieri*) — ; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) 1. With pneumonic complications.		11 (a) 2. With other pulmonary complications.		11 (b) 1. With non-pulmonary complications.		11 (b) 2. Without stated complication.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	263	317	1343	1633	1580	1611	4084	3670	2035	1432	707	764	998	1070	344	404
0-1	11	5	685	712	73	62	134	88	56	37	27	16	32	20	19	15
1-5	113	123	616	853	661	633	139	108	61	53	20	17	51	35	7	3
5-10	79	89	39	59	629	677	60	71	24	33	5	1	25	29	6	8
10-15	21	42	—	2	136	123	49	57	18	26	4	2	25	24	2	5
15-20	9	11	1	1	27	13	132	73	74	37	12	4	38	26	8	6
20-25	6	17	—	—	14	12	116	99	76	45	6	13	26	36	8	5
25-30	6	12	—	—	6	11	137	104	79	47	12	7	39	46	7	4
30-35	7	6	—	—	6	14	158	128	96	73	15	10	36	38	11	7
35-40	4	4	—	—	2	12	198	141	145	73	15	15	33	46	5	7
40-45	3	3	—	1	7	6	265	170	170	85	26	30	57	44	12	11
45-50	—	1	—	—	4	10	317	188	200	89	38	29	59	63	20	7
50-55	1	1	—	1	6	8	313	216	179	108	42	29	76	55	16	24
55-60	—	2	—	—	3	9	357	272	181	108	71	50	85	95	20	19
60-65	1	1	—	—	5	10	416	341	232	138	64	71	100	95	20	37
65-70	1	—	—	1	—	3	460	413	200	144	113	99	114	136	33	34
70-75	1	—	1	1	1	2	340	430	119	141	87	128	93	107	41	54
75-80	—	—	—	1	—	5	263	396	71	117	83	117	56	101	53	61
80 and upwards	—	—	1	1	—	1	230	375	54	78	67	126	53	74	56	97

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	12*		14*		16		16 (a)		16 (b)		16 (c)		17,18,19,20*		22 Acute poliomyelitis.	
	13 Mumps.		15 Cholera nostras.		Dysentery.		Amœbic.		Bacillary.		Other or unspecified.		21 Erysipelas.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	14	1	—	84	71	12	1	17	20	55	50	480	416	99	68
0—1	1	1	—	—	—	2	—	—	—	1	—	1	55	33	14	5
1—5	1	3	—	—	4	3	—	—	4	2	—	1	6	4	28	28
5—10	6	1	—	—	5	4	—	—	3	—	2	4	3	1	16	5
10—15	1	1	—	—	1	1	—	—	1	—	—	1	8	5	11	10
15—20	—	2	—	—	3	1	—	—	1	1	2	—	9	6	11	8
20—25	1	—	—	—	4	2	—	—	1	1	3	1	12	6	4	2
25—30	—	—	—	—	4	3	3	—	—	1	1	2	11	7	—	4
30—35	—	—	—	—	4	6	—	—	—	2	4	4	10	10	2	2
35—40	—	—	—	—	7	4	3	—	—	1	4	3	17	17	1	—
40—45	—	1	—	—	9	8	2	—	2	1	5	7	20	13	3	1
45—50	1	2	—	—	8	4	2	—	2	2	4	2	33	31	2	1
50—55	—	1	—	—	8	4	2	1	—	—	6	3	46	37	3	1
55—60	—	1	—	—	7	6	—	—	—	2	7	4	44	42	4	—
60—65	—	—	—	—	6	10	—	—	1	4	5	6	46	45	—	—
65—70	—	—	—	—	6	4	—	—	1	1	5	3	51	43	—	1
70—75	—	—	1	—	5	4	—	—	1	—	4	4	39	36	—	—
75—80	—	1	—	—	2	5	—	—	—	1	2	4	34	38	—	—
80 and upwards	—	—	—	—	1	—	—	—	—	—	1	—	36	42	—	—

* 12 Miliary fever—; 14. Asiatic cholera—; 17. Plague—; 18. Yellow fever—; 19. Spirochaetosis
ictero-haemorrhagica 0, 35, 35, 50; 20. Leprosy 35.

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	26*		28*		30 Mycoses.		30 (1) Actino-mycosis.		30 (2) Other mycoses.		Tuberculosis.					
	27 Anthrax.		29 Tetanus.								31-37 All forms.		31 Respiratory system.		32 Nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	3	107	27	66	31	44	19	22	12	20157	16466	16608	13191	1333	1218
0—1	—	—	3	2	12	7	—	—	12	7	408	302	56	37	197	160
1—5	—	—	4	3	—	—	—	—	—	—	1061	878	173	127	527	443
5—10	—	—	11	4	1	—	1	—	—	—	577	539	124	134	271	249
10—15	—	—	18	2	—	1	—	1	—	—	421	636	165	409	115	106
15—20	—	—	10	3	4	3	4	3	—	—	1401	2115	1110	1791	74	115
20—25	—	—	18	—	6	1	6	1	—	—	2094	2460	1823	2211	45	61
25—30	1	1	5	2	3	4	3	4	—	—	1899	2161	1720	1983	26	21
30—35	—	1	6	2	7	—	6	—	1	—	1761	1634	1603	1488	29	17
35—40	2	1	2	1	4	3	4	3	—	—	1793	1277	1670	1158	16	11
40—45	—	—	5	—	7	2	6	2	1	—	1912	1122	1807	1010	8	11
45—50	1	—	4	1	6	1	6	1	—	—	1926	940	1820	835	8	4
50—55	3	—	6	—	3	2	2	—	1	2	1791	733	1684	638	12	7
55—60	1	—	2	3	2	3	1	1	1	2	1305	556	1233	479	4	7
60—65	—	—	6	2	4	1	2	1	2	—	902	469	823	393	1	2
65—70	1	—	2	—	3	2	2	2	1	—	548	325	494	265	—	2
70—75	—	—	3	2	2	—	—	—	2	—	246	174	215	136	—	1
75—80	—	—	2	—	1	1	1	—	—	1	87	104	69	75	—	1
80 and upwards	—	—	—	—	1	—	—	—	1	—	25	41	19	22	—	—

* 26. Glanders. —; 28. Rabies —.

Causes of Death.	Tuberculosis—continued.															
	33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands excepted).		36 (d) Genito-urinary system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	635	701	277	213	136	89	285	269	19	60	49	29	49	41	164	127
0—1	78	50	1	—	—	1	12	7	—	—	6	2	4	3	1	—
1—5	181	144	7	5	1	—	19	8	—	—	4	1	13	6	1	—
5—10	62	67	11	1	9	4	8	7	—	—	3	—	2	4	3	1
10—15	40	46	8	4	9	3	7	5	—	—	—	2	2	—	5	2
15—20	54	78	32	15	18	6	24	22	1	3	2	1	5	4	16	14
20—25	45	51	28	21	16	10	35	19	1	3	3	2	4	3	27	11
25—30	33	57	26	19	5	5	25	18	—	2	2	1	1	—	22	15
30—35	29	43	27	19	11	5	17	20	1	2	2	1	—	1	13	16
35—40	23	31	25	17	3	6	21	23	3	4	2	—	2	1	14	17
40—45	19	36	14	14	8	8	18	15	2	4	2	4	2	—	11	6
45—50	20	27	26	11	4	7	15	16	2	1	1	1	1	2	11	12
50—55	16	12	16	30	5	3	22	20	3	3	2	2	1	2	16	13
55—60	8	23	12	13	11	4	15	17	2	9	5	—	2	4	6	4
60—65	14	21	22	15	10	4	19	19	—	3	6	2	2	3	11	10
65—70	7	7	9	19	10	11	17	10	1	5	6	3	5	1	5	1
70—75	5	4	6	8	8	5	7	13	1	4	3	3	2	4	1	1
75—80	1	3	5	1	4	4	4	19	2	9	—	3	1	3	1	3
80 and upwards	—	1	2	1	4	3	—	11	—	8	—	1	—	—	—	1

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Tuberculosis— <i>continued.</i>								38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.	
	36 (c) Others in 36.		37 Disseminated tuberculosis.		37 (a) Acute.		37 (b) Chronic or unstated				40 Gonococcal infection.		M.	F.	M.	F.
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.				
All Ages	4	12	883	785	339	344	544	441	993	539	55	21	42	9	13	12
0—1	1	2	64	47	34	29	30	18	281	190	12	13	—	1	12	12
1—5	1	1	153	151	62	86	91	65	22	20	1	1	—	1	1	—
5—10	—	2	92	77	37	41	55	36	8	4	—	—	—	—	—	—
10—15	—	1	77	63	29	33	48	30	4	10	—	—	—	—	—	—
15—20	—	—	89	88	36	40	53	48	8	9	1	1	1	1	—	—
20—25	—	—	102	87	40	32	62	55	8	9	2	3	2	3	—	—
25—30	—	—	64	58	22	19	42	39	21	12	5	1	5	1	—	—
30—35	1	—	45	42	11	11	34	31	27	15	3	—	3	—	—	—
35—40	—	1	35	31	15	11	20	20	35	29	4	1	4	1	—	—
40—45	1	1	38	28	14	9	24	19	59	35	3	—	3	—	—	—
45—50	—	—	33	40	12	11	21	29	114	42	5	1	5	1	—	—
50—55	—	—	36	23	12	6	24	17	106	39	9	—	9	—	—	—
55—60	—	—	22	13	6	5	16	8	100	37	4	—	4	—	—	—
60—65	—	1	13	15	5	3	8	12	91	36	2	—	2	—	—	—
65—70	—	—	11	11	3	4	8	7	64	20	3	—	3	—	—	—
70—75	—	1	5	7	1	3	4	4	24	19	1	—	1	—	—	—
75—80	—	1	4	1	—	—	4	1	16	8	—	—	—	—	—	—
80 and upwards	—	1	—	3	—	1	—	2	5	5	—	—	—	—	—	—

* 39. Soft chancre—.

Causes of Death.	41 Purulent infection, septicæmia.		42 (1,2)*		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.									
			42. Other infectious diseases.				43-49 Total Deaths.		43 Buccal cavity.		44 Pharynx, œsophagus stomach, liver and annæa.		45 Peritoneum, intestines, and rectum.		46 Female genital organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	405	287	8	10	331	294	260	1330	2790	422	931	785	615	632	—	6008
0—1	34	26	2	2	328	226	9	12	2	—	1	2	—	—	—	—
1—5	18	16	—	2	372	294	55	46	—	1	6	3	4	1	—	1
5—10	23	9	1	3	282	227	36	23	1	1	2	—	5	2	—	—
10—15	20	5	5	1	248	276	22	27	—	4	1	3	3	4	—	1
15—20	22	10	—	1	305	329	79	51	2	5	5	2	8	8	—	2
20—25	9	13	—	—	275	365	95	76	2	2	11	11	16	16	—	16
25—30	20	9	—	—	330	422	135	157	2	—	24	24	26	33	—	45
30—35	13	14	—	—	395	670	210	388	5	5	65	52	49	62	—	127
35—40	20	12	—	—	548	1070	362	777	15	6	107	103	93	96	—	284
40—45	24	18	—	—	906	1970	691	1533	34	22	268	201	117	192	—	529
45—50	33	15	—	—	1658	2918	1310	2361	127	33	529	406	226	282	—	750
50—55	37	22	—	—	2870	3967	2403	3200	258	33	954	661	471	482	—	864
55—60	39	16	—	—	4129	4571	3459	3644	462	67	1272	884	754	633	—	828
60—65	29	21	—	—	5262	5195	4473	4022	547	56	1648	1140	1024	870	—	738
65—70	27	28	—	1	5613	5615	4716	4338	525	50	1781	1353	1178	1061	—	671
70—75	19	16	—	—	4725	5217	3908	3977	427	67	1349	1311	1058	1036	—	552
75—80	10	19	—	—	3118	4010	2576	3119	240	38	843	1019	730	863	—	356
80 and upwards	8	18	—	—	1765	3166	1474	2489	141	32	451	681	394	683	—	244

* 42. (1) Vaccina 0, 0, 5, 10, 10, 10, 10, 10, 0, 0, 1, 1, 5, 5, 5, 10, 15, 65;
(2) Other diseases included under 42, —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Cancer— <i>continued.</i>						50 Tumours not returned as malignant. (brain and female genital organs exceptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		52 (1) Chronic rheumatism.		52 (2) Rheumatoid and osteo-arthritis.	
	47 Breast.		48 Skin.		49 Other or unspecified organs.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.										
All Ages	51	5878	883	502	6816	3250	436	386	638	862	1176	2142	94	120	805	1969
0—1	—	—	—	2	6	8	5	6	2	—	—	—	—	—	—	—
1—5	—	—	1	—	44	40	4	3	17	25	—	—	—	—	—	—
5—10	—	—	1	1	27	19	3	2	113	126	1	—	—	—	1	—
10—15	—	—	—	2	18	13	4	5	113	161	—	1	—	—	—	1
15—20	—	—	—	1	64	33	3	1	80	129	1	1	—	—	1	1
20—25	—	2	—	2	66	27	9	4	46	89	4	9	—	—	4	9
25—30	—	20	5	1	78	34	7	12	37	62	6	6	—	—	6	6
30—35	—	80	7	1	84	61	7	9	36	47	9	12	—	1	9	11
35—40	1	192	10	7	136	89	23	13	30	32	10	21	—	—	8	21
40—45	2	422	21	14	249	153	16	20	29	37	13	27	—	—	12	27
45—50	3	633	31	7	394	250	26	27	31	42	39	64	3	1	30	63
50—55	3	800	61	24	656	336	38	34	30	31	60	104	2	2	46	101
55—60	6	811	83	32	882	389	46	35	23	21	109	162	4	8	83	149
60—65	13	753	105	34	1136	431	62	39	23	22	165	243	8	8	116	230
65—70	5	688	117	49	1110	466	56	49	15	15	194	329	19	7	119	313
70—75	8	565	145	63	921	383	49	34	8	10	235	400	17	26	156	370
75—80	8	456	141	89	614	298	37	44	2	10	224	373	29	29	148	331
80 and upwards	2	456	155	173	331	220	41	49	3	3	106	390	12	38	66	336

Causes of Death.	52 (3) Gout.		53 Scurvy.		54 Pellagra.		55* Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	277	53	18	3	1	4	290	203	2198	2982	855	1284	739	1115	116	169
0—1	—	—	10	2	—	—	125	68	—	1	14	11	2	5	12	6
1—5	—	—	3	1	—	—	146	115	13	9	14	17	6	5	8	12
5—10	—	—	—	—	—	—	10	5	19	18	7	8	2	4	5	4
10—15	—	—	—	—	—	—	3	3	32	26	14	11	9	3	5	8
15—20	—	—	—	—	1	—	2	4	42	42	15	22	10	15	5	7
20—25	—	—	1	—	—	—	1	3	45	49	17	26	13	21	4	5
25—30	—	—	—	—	—	—	—	1	47	50	27	37	16	28	11	9
30—35	—	—	—	—	—	—	2	2	45	59	23	33	18	23	5	10
35—40	2	—	—	—	—	—	—	1	40	50	17	49	15	46	2	3
40—45	1	—	—	—	—	—	1	—	53	71	26	82	26	65	—	17
45—50	6	—	—	—	—	1	—	—	81	118	67	90	57	84	10	6
50—55	12	1	1	—	—	1	—	—	127	210	68	121	65	102	3	19
55—60	22	5	1	—	—	—	—	—	241	310	112	160	104	146	8	14
60—65	41	5	1	—	—	1	—	—	313	468	119	194	107	184	12	10
65—70	56	9	—	—	—	1	—	1	395	525	159	164	148	155	11	9
70—75	62	4	1	—	—	—	—	—	382	498	92	156	85	142	7	14
75—80	47	13	—	—	—	—	—	—	215	311	46	71	43	62	3	9
80 and upwards	28	16	—	—	—	—	—	—	108	167	18	32	13	25	5	7

* 55 Beri-beri —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	59 Diseases of the pituitary gland.		60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) (1) Myxœdema.		60 (b) (2) Cretinism.		60 (b) (3) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	22	182	1275	119	933	24	195	23	23	16	124	18	17	18	17
0—1	—	1	6	6	—	—	1	1	4	4	1	1	14	13	14	13
1—5	1	—	10	11	—	1	—	1	10	9	—	—	2	1	2	1
5—10	—	—	5	3	1	—	—	1	4	2	—	—	1	—	1	—
10—15	2	2	—	6	—	5	—	—	—	—	—	1	—	1	—	1
15—20	—	—	6	29	2	26	—	—	1	1	3	2	—	1	—	1
20—25	1	2	11	56	9	48	—	1	1	4	1	3	—	—	—	—
25—30	1	—	7	41	6	36	—	—	1	2	—	3	—	—	—	—
30—35	1	3	11	65	10	61	1	—	—	—	—	4	—	—	—	—
35—40	—	2	8	80	7	74	1	2	—	—	—	4	—	—	—	—
40—45	—	—	10	140	8	120	—	8	1	—	1	12	1	—	1	—
45—50	—	2	19	147	15	128	2	11	—	—	2	8	—	—	—	—
50—55	3	3	28	170	23	143	2	19	1	1	2	7	—	—	—	—
55—60	3	1	24	139	22	104	1	21	—	—	1	14	—	1	—	1
60—65	2	2	19	128	7	86	9	31	—	—	3	11	—	—	—	—
65—70	—	2	13	112	7	57	5	37	—	—	1	18	—	—	—	—
70—75	—	2	2	74	1	28	1	32	—	—	—	14	—	—	—	—
75—80	—	—	1	48	—	11	—	23	—	—	1	14	—	—	—	—
80 and upwards	—	—	2	20	1	5	1	7	—	—	—	8	—	—	—	—

Causes of Death.	61 (2)* Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymph-adenoma.		65 (a) Leukæmia.		65 (b) Lymph-adenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	108	65	99	144	20	22	601	457	342	275	259	182	74	34	56	7
0—1	61	36	1	1	—	—	5	7	5	7	—	—	—	—	—	—
1—5	19	12	—	—	2	—	42	24	37	23	5	1	—	—	—	—
5—10	10	3	—	—	—	1	59	19	34	16	25	3	—	—	—	—
10—15	8	4	—	2	—	—	33	17	25	11	8	6	—	—	—	—
15—20	6	3	1	7	1	—	47	27	27	17	20	10	—	—	1	—
20—25	1	2	4	11	—	1	31	21	14	9	17	12	—	—	2	—
25—30	—	3	10	6	—	—	43	34	20	11	23	23	—	—	—	—
30—35	1	1	7	10	—	—	30	30	16	17	14	13	6	2	1	1
35—40	1	—	9	9	2	1	27	23	16	12	11	11	5	2	3	1
40—45	—	—	7	17	—	—	31	30	15	16	16	14	12	2	3	2
45—50	1	—	10	15	3	3	37	27	21	17	16	10	12	3	8	—
50—55	—	—	16	17	5	3	54	44	23	23	31	21	12	6	9	1
55—60	—	—	10	16	2	1	52	45	32	30	20	15	10	5	14	1
60—65	—	1	8	9	2	2	43	28	23	18	20	10	5	5	6	1
65—70	—	—	10	14	1	3	29	38	17	18	12	20	6	1	7	—
70—75	—	—	4	7	2	3	24	27	12	19	12	8	4	5	1	—
75—80	—	—	2	2	—	1	9	15	4	10	5	5	2	2	—	—
80 and upwards	—	—	—	1	—	3	5	1	1	1	4	—	—	1	1	—

*61. (2) Other diseases of the parathyroid glands —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	67 (1) Occupational lead poisoning		67 (2) Other chronic poisoning by mineral substances.		68 Chronic poisoning by organic substances.		69 Other general diseases.		69 (1) Purpura.		69 (2) Hæmophilia.		69 (3) Other diseases included under 69.		III. 70-86 Diseases of the nervous system and sense organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	53	6	3	1	5	5	327	354	141	153	88	39	98	162	20105	21698
0-1	—	—	—	—	—	—	76	62	26	31	44	24	6	7	1306	860
1-5	—	—	—	—	—	—	44	30	15	16	12	1	17	13	562	455
5-10	—	—	—	—	—	—	18	19	12	11	2	1	4	7	310	312
10-15	—	—	—	—	—	—	17	10	15	10	2	—	—	—	266	228
15-20	1	—	—	—	—	—	20	12	12	6	5	4	3	2	336	248
20-25	2	—	—	—	—	—	7	16	4	11	3	2	—	3	301	241
25-30	—	—	—	—	—	—	10	13	4	9	4	—	2	4	287	259
30-35	—	1	1	—	1	—	5	8	3	6	1	—	1	2	336	302
35-40	3	—	—	1	2	—	9	9	4	3	3	2	2	4	470	415
40-45	2	2	1	—	—	—	13	9	6	5	4	1	3	3	713	606
45-50	7	—	1	—	—	2	14	16	5	3	1	1	8	12	952	900
50-55	9	1	—	—	—	—	16	22	3	4	3	1	10	17	1309	1322
55-60	14	1	—	—	2	—	21	30	8	12	—	1	13	17	1629	1662
60-65	6	1	—	—	—	—	21	30	6	11	2	—	13	19	2078	2105
65-70	7	—	—	—	—	1	12	22	4	3	2	—	6	19	2581	2698
70-75	1	—	—	—	—	1	13	23	7	4	—	1	6	18	2690	3100
75-80	—	—	—	—	—	—	4	14	3	6	—	—	1	8	2227	2848
80 and upwards	1	—	—	—	—	1	7	9	4	2	—	—	3	7	1752	3137

Causes of Death.	70 Encephalitis.		70 (1) Cerebral abscess.		70 (2) Other diseases included under 70.		71 Meningitis.		72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy, etc.		74 (a) (1) Cerebral hæmorrhage so returned.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	151	130	92	74	59	56	669	541	651	126	836	619	10194	13560	8051	10548
0-1	9	9	5	5	4	4	174	124	—	—	1	1	3	1	—	—
1-5	12	10	4	5	8	5	185	124	—	—	5	3	1	5	1	4
5-10	15	10	10	6	5	4	78	84	—	—	1	3	3	1	1	—
10-15	12	4	6	2	6	2	50	52	—	—	13	2	2	3	2	3
15-20	10	18	6	14	4	4	37	32	—	1	19	7	7	7	5	6
20-25	10	10	4	7	6	3	21	21	—	—	19	12	14	11	13	8
25-30	14	6	12	4	2	2	18	13	3	1	17	9	19	19	15	12
30-35	7	7	7	6	—	1	12	8	8	2	24	13	35	26	27	20
35-40	10	5	9	3	1	2	15	13	12	6	29	25	59	72	48	58
40-45	10	5	7	3	3	2	11	14	30	6	44	43	134	164	110	138
45-50	13	9	9	4	4	5	18	11	66	20	62	52	287	415	233	338
50-55	10	9	5	4	5	5	11	17	112	16	99	66	511	765	414	646
55-60	6	6	2	—	4	6	19	11	128	23	112	79	817	1065	667	892
60-65	6	8	2	5	4	3	9	4	110	22	124	87	1269	1482	1044	1163
65-70	4	5	3	3	1	2	7	6	95	18	97	74	1802	2067	1400	1632
70-75	1	3	—	2	1	1	2	—	65	8	83	75	2009	2485	1598	1963
75-80	2	4	1	—	1	4	1	5	16	3	54	45	1770	2320	1394	1734
80 and upwards	—	2	—	1	—	1	1	2	6	—	33	23	1452	2652	1079	1931

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	74 (a) (2) Apoplexy, lesion unstated.		74 (b) (1) Cerebral embolism.		74 (b) (2) Cerebral thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.		76 General paralysis of the insane.		77 Other forms of insanity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	709	852	202	330	1232	1830	640	853	553	778	87	75	1150	263	491	770
0—1	—	1	—	—	3	—	1	3	—	2	1	1	—	—	—	—
1—5	—	1	—	—	—	—	6	5	4	2	2	3	—	—	—	—
5—10	1	—	—	—	1	1	2	—	—	—	2	—	1	—	—	—
10—15	—	—	—	—	—	—	2	1	1	—	1	1	2	—	—	1
15—20	—	—	—	—	2	1	2	3	1	1	1	2	2	3	5	6
20—25	1	1	—	—	—	2	2	—	—	—	2	—	6	6	9	18
25—30	—	1	2	3	2	3	—	2	—	1	—	1	12	9	18	21
30—35	3	1	1	2	4	3	1	1	1	1	—	—	53	21	17	35
35—40	5	4	1	5	5	5	2	2	1	1	1	1	140	25	15	46
40—45	6	8	2	4	16	14	7	8	4	6	3	2	216	55	30	58
45—50	17	20	9	15	28	42	9	10	6	8	3	2	233	45	47	98
50—55	34	34	3	15	60	70	18	32	13	28	5	4	211	43	57	103
55—60	53	60	19	21	78	92	33	45	27	42	6	3	132	21	83	101
60—65	74	98	27	40	124	181	61	81	53	76	8	5	81	16	84	112
65—70	139	119	40	57	223	259	116	111	105	106	11	5	46	9	70	73
70—75	139	138	39	54	233	330	149	173	132	161	17	12	10	4	28	45
75—80	122	165	28	52	226	369	133	162	117	150	16	12	4	5	14	30
80 and upwards	115	201	31	62	227	458	96	214	88	193	8	21	1	1	14	23

Causes of Death.	78 Epilepsy.		79 & 80 Convulsions (non-puerperal)		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.		84 (1) Idiocy, imbecility.		84 (2) Cerebral tumour.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1133	1121	1141	768	18	66	90	139	157	211	2003	1902	174	168	642	588
0—1	14	10	991	633	—	—	1	—	—	—	38	32	27	23	7	3
1—5	29	33	131	124	—	2	1	—	—	—	89	70	53	41	20	15
5—10	32	34	8	4	3	20	—	—	—	—	70	58	22	28	44	21
10—15	56	26	3	—	5	21	—	—	—	—	45	34	11	9	23	21
15—20	117	63	1	—	5	15	—	1	—	—	50	39	19	11	24	21
20—25	91	79	1	2	1	2	1	4	—	—	56	42	11	9	33	26
25—30	83	83	—	—	1	1	1	2	—	—	45	65	4	10	30	35
30—35	75	79	1	2	1	3	3	4	—	—	66	70	2	4	37	39
35—40	74	91	—	—	—	—	6	4	1	2	72	97	2	8	40	46
40—45	77	90	2	1	1	1	3	8	1	5	112	121	7	5	58	55
45—50	70	73	—	—	—	—	5	11	6	3	113	135	3	8	72	60
50—55	82	65	—	—	—	1	12	20	10	7	155	150	6	3	72	78
55—60	69	84	—	—	—	—	13	14	9	10	189	182	4	5	65	72
60—65	84	81	1	—	—	—	12	10	18	25	204	160	—	1	57	43
65—70	63	70	1	—	1	—	8	16	18	25	235	217	1	2	40	22
70—75	66	77	—	1	—	—	12	10	25	28	229	181	—	1	10	16
75—80	33	48	—	—	—	—	7	17	28	41	157	157	2	—	8	14
80 and upwards	18	35	1	1	—	—	5	18	41	65	78	92	—	—	2	1

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	84 (3) Disseminated sclerosis.		84 (4) Paralysis agitans.		84 (5) Other diseases included under 84.		85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		86 (1) Diseases of the mastoid sinus.		86 (2) Diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	378	421	620	524	189	201	41	38	740	591	242	215	498	376
0—1	—	—	—	—	4	6	8	2	66	45	17	16	49	29
1—5	—	—	—	—	16	14	4	6	99	73	33	21	66	52
5—10	1	—	—	—	3	9	2	3	95	95	40	48	55	47
10—15	1	—	—	—	10	4	—	—	76	84	26	37	50	47
15—20	2	5	—	1	5	1	3	1	78	52	32	15	46	37
20—25	8	6	—	—	4	1	2	1	68	33	20	16	48	17
25—30	9	16	—	—	2	4	—	2	56	26	22	8	34	18
30—35	19	22	1	1	7	4	—	1	33	30	6	10	27	20
35—40	22	35	2	—	6	8	1	—	34	27	10	8	24	19
40—45	33	46	4	5	10	10	2	3	33	24	9	8	24	16
45—50	30	47	2	6	6	14	1	—	22	18	5	8	17	10
50—55	47	44	14	12	16	13	1	1	20	27	7	9	13	18
55—60	54	65	47	23	19	17	—	1	19	20	4	3	15	17
60—65	52	41	73	58	22	17	1	1	14	16	3	4	11	12
65—70	53	44	123	128	18	21	7	1	11	6	3	2	8	4
70—75	28	24	177	122	14	18	6	3	5	7	3	1	2	6
75—80	15	21	122	101	10	21	1	6	7	5	2	—	5	5
80 and upwards	4	5	55	67	17	19	2	6	4	3	—	1	4	2

Causes of Death.	IV. 87-96 Diseases of the circulatory system.		87-90 Heart diseases.		87 Pericarditis.		88 Acute endocarditis and myocarditis.		88 (1) Infective endocarditis.		88 (2) Other acute endocarditis.		88 (3) Acute myocarditis.		89 Angina pectoris.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	51543	53852	35777	41251	153	129	884	956	456	488	192	248	236	220	2586	1108
0—1	21	15	2	6	2	6	—	—	—	—	—	—	—	—	—	—
1—5	39	40	30	34	6	3	15	18	5	4	8	11	2	3	—	—
5—10	142	141	137	134	8	8	29	45	6	14	19	24	4	7	—	—
10—15	246	309	243	308	9	5	50	68	22	38	22	22	6	8	—	—
15—20	350	370	344	367	11	5	72	78	41	48	23	25	8	5	—	—
20—25	306	448	296	439	4	—	62	110	42	73	13	22	7	15	1	1
25—30	343	499	325	486	9	7	88	108	53	64	17	27	18	17	4	1
30—35	431	520	401	500	4	2	89	83	41	31	20	23	28	29	13	3
35—40	662	776	604	736	5	6	119	113	54	47	19	28	46	38	30	5
40—45	1039	1055	902	972	11	4	141	136	39	33	27	36	75	67	67	15
45—50	1802	1606	1498	1434	6	5	50	34	39	26	3	4	8	4	129	33
50—55	2804	2455	2197	2064	11	9	32	34	20	26	7	6	5	2	256	56
55—60	4177	3572	3109	2953	16	13	44	36	37	22	3	5	4	9	351	112
60—65	6060	4993	4385	4029	19	8	41	23	28	18	6	4	7	1	472	153
65—70	8178	7152	5644	5530	11	20	24	34	14	23	2	5	8	6	506	213
70—75	9072	9102	5925	6767	7	13	18	19	10	11	2	4	6	4	379	225
75—80	8233	9053	5155	6453	11	8	8	13	4	9	1	2	3	2	245	159
80 and upwards	7638	11746	4580	8039	3	7	2	4	1	1	—	—	1	3	133	132

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	90 Other diseases of the heart.		90 (1) Aortic valve disease.		90 (2) Mitral valve disease.		90 (3) Aortic and mitral valve disease.		90 (4) Other or unspecified valve disease.		90 (5) Fatty heart.		90 (6) Cardiac dilatation, cause unspecified.		90 (7) Other or unspecified myocardial disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	32154	39058	2252	1074	3855	6640	633	662	5250	6625	1225	1671	258	245	14743	17120
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	9	13	—	—	3	5	—	—	4	5	—	—	—	—	1	—
5—10	100	81	2	2	37	39	4	6	48	29	1	—	1	—	2	—
10—15	184	235	5	6	87	114	12	12	61	84	—	—	—	—	4	4
15—20	261	284	15	5	110	128	28	19	80	101	2	3	2	1	5	10
20—25	229	328	14	10	83	138	18	21	73	113	2	6	1	2	15	7
25—30	224	370	23	11	90	180	14	19	65	101	4	7	3	1	8	13
30—35	295	412	34	17	106	194	18	17	81	105	4	10	1	2	19	29
35—40	450	612	49	22	115	249	31	21	123	153	18	36	5	7	51	66
40—45	683	817	98	32	150	284	36	39	161	202	31	33	10	2	112	99
45—50	1313	1362	154	51	212	370	54	38	282	329	79	94	12	7	388	297
50—55	1898	1965	219	71	239	464	61	48	423	432	97	121	15	12	629	549
55—60	2698	2792	288	97	322	531	56	76	493	635	170	205	20	18	1047	857
60—65	3853	3845	357	125	462	651	77	74	651	778	198	246	33	14	1588	1429
65—70	5103	5263	349	172	548	861	79	74	831	895	226	307	38	41	2342	2173
70—75	5521	6510	276	171	524	948	64	79	823	1069	187	263	48	41	2861	3058
75—80	4891	6273	245	157	431	770	49	66	620	840	129	184	31	33	2756	3370
80 and upwards	4442	7896	124	125	336	714	32	53	431	754	77	156	38	64	2915	5159

Causes of Death.	90 (8) Disordered action of the heart.		90 (9) Heart disease (undefined).		91 Diseases of the arteries.		91 (a) Aneurysm.		91 (b) Arterio- sclerosis.		91 (b) (1) With record of cerebral vascular lesion.		91 (b) (2) Without record of cerebral vascular lesion.		91 (c) Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	702	1259	3236	3762	15227	11971	946	280	14176	11577	5475	5214	8701	6363	105	114
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	1	3	1	—	1	—	—	—	—	—	—	—	—	—
5—10	—	—	5	5	1	1	1	1	—	—	—	—	—	—	—	—
10—15	1	—	14	15	3	1	3	1	—	—	—	—	—	—	—	—
15—20	2	4	17	13	2	—	1	—	—	—	—	—	—	—	1	—
20—25	5	7	18	24	5	4	1	3	2	1	2	—	—	1	2	—
25—30	4	10	13	28	16	7	14	2	2	4	2	4	—	—	—	1
30—35	9	10	23	28	23	9	13	5	9	4	2	1	7	3	1	—
35—40	13	18	45	40	43	23	21	8	22	13	15	11	7	2	—	2
40—45	9	39	76	87	119	49	44	8	72	38	32	25	40	13	3	3
45—50	24	48	108	128	268	122	100	21	164	94	84	69	80	25	4	7
50—55	44	87	171	181	556	330	157	34	394	290	196	194	198	96	5	6
55—60	60	110	242	263	993	535	180	35	806	497	419	316	387	181	7	3
60—65	93	147	394	381	1605	870	151	32	1446	832	632	510	814	322	8	6
65—70	130	186	560	554	2449	1537	124	47	2311	1480	986	804	1325	676	14	10
70—75	133	208	605	673	3081	2268	76	30	2986	2223	1208	1106	1778	1117	19	15
75—80	94	192	536	661	3033	2546	44	30	2973	2494	1053	1028	1920	1466	16	22
80 and upwards	81	193	408	678	3029	3669	15	23	2989	3607	844	1146	2145	2461	25	39

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		97 (1) Diseases of the nose.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	183	180	211	337	37	36	14	12	94	65	32947	26544	141	86	38	29
0—1	1	1	—	1	15	6	3	1	—	—	5127	3766	13	13	6	12
1—5	1	—	—	—	7	6	—	—	—	—	3247	2830	7	2	4	—
5—10	1	1	—	—	3	3	—	2	—	—	554	512	2	1	1	—
10—15	—	—	—	—	—	—	—	—	—	—	276	184	11	7	3	—
15—20	1	1	1	1	2	1	—	—	—	—	409	231	14	10	3	3
20—25	1	4	2	—	1	1	1	—	—	—	468	272	12	5	3	—
25—30	—	2	2	2	—	1	—	1	—	—	484	289	11	10	2	2
30—35	2	5	2	6	1	—	1	—	1	—	660	394	10	6	1	2
35—40	6	6	8	10	1	—	—	—	—	1	917	496	15	2	3	1
40—45	6	10	7	20	—	1	—	1	5	2	1324	584	11	5	3	1
45—50	14	15	17	29	—	3	1	1	4	2	1708	680	7	2	3	—
50—55	20	15	23	36	1	4	—	—	7	6	1937	865	7	3	1	—
55—60	30	21	31	51	2	1	2	2	10	9	2059	1115	7	6	2	1
60—65	27	42	24	44	—	1	1	1	18	6	2427	1580	10	2	2	1
65—70	25	14	35	56	1	3	3	—	21	12	2789	2256	1	3	—	—
70—75	22	16	28	39	—	1	1	1	15	10	2883	2805	1	5	—	4
75—80	14	12	23	25	2	3	1	2	5	12	2667	3076	2	1	1	—
80 and upwards	12	15	8	17	1	1	—	—	8	5	3011	4609	—	3	—	2

Causes of Death.	97 (2) Diseases of the accessory nasal sinuses.		98 Diseases of the larynx.		98 (1) Laryngismus stridulus.		98 (2) Laryngitis.		98 (3) Other diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	103	57	185	171	41	29	136	141	8	1	11942	11489	2329	2783	4614	3467
0—1	7	1	34	38	17	10	17	28	—	—	1346	963	572	438	7	4
1—5	3	2	76	74	21	16	52	58	3	—	398	372	196	180	14	13
5—10	1	1	24	26	3	3	20	23	1	—	52	50	27	25	8	6
10—15	8	7	2	1	—	—	2	1	—	—	23	18	9	11	9	3
15—20	11	7	2	—	—	—	2	—	—	—	43	29	15	9	17	11
20—25	9	5	3	2	—	—	3	2	—	—	34	21	6	5	19	11
25—30	9	8	2	1	—	—	2	1	—	—	31	27	8	6	18	13
30—35	9	4	3	2	—	—	3	2	—	—	82	50	10	9	49	28
35—40	12	1	3	—	—	—	3	—	—	—	118	67	18	15	62	27
40—45	8	4	2	4	—	—	2	4	—	—	264	99	40	20	147	54
45—50	4	2	2	1	—	—	2	1	—	—	382	159	63	30	206	81
50—55	6	3	1	4	—	—	1	4	—	—	506	253	68	55	278	116
55—60	5	5	6	4	—	—	6	4	—	—	659	437	98	84	361	193
60—65	8	1	4	1	—	—	3	1	1	—	935	693	145	151	502	319
65—70	1	3	8	2	—	—	6	2	2	—	1437	1138	219	253	723	453
70—75	1	1	5	2	—	—	4	2	1	—	1678	1645	252	314	742	612
75—80	1	1	4	2	—	—	4	2	—	—	1742	2080	244	461	734	654
80 and upwards	—	1	4	7	—	—	4	6	—	1	2212	3388	339	717	718	869

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		102 (1) Empyema.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4999	5239	18212	12802	8413	7072	9799	5730	6983	3871	2816	1859	686	440	273	119
0—1	767	521	3688	2697	3135	2290	553	407	221	173	332	234	10	14	6	8
1—5	188	179	2690	2319	2082	1856	608	463	344	230	264	233	55	43	45	32
5—10	17	19	442	408	225	202	217	206	142	130	75	76	25	16	22	14
10—15	5	4	220	144	58	45	162	99	118	73	44	26	13	6	9	5
15—20	11	9	321	161	51	34	270	127	205	91	65	36	17	15	10	10
20—25	9	5	386	214	57	41	329	173	256	131	73	42	16	13	9	3
25—30	5	8	405	223	61	52	344	171	276	133	68	38	21	13	14	4
30—35	23	13	499	303	77	51	422	252	346	192	76	60	32	11	13	3
35—40	38	25	700	363	106	74	594	289	467	232	127	57	26	19	17	5
40—45	77	25	917	399	157	80	760	319	600	233	160	86	44	21	20	9
45—50	113	48	1135	421	210	119	925	302	717	238	208	64	58	23	20	5
50—55	160	82	1188	491	227	139	961	352	730	265	231	87	51	27	13	3
55—60	200	160	1165	547	293	174	872	373	635	295	237	78	64	21	26	4
60—65	288	223	1192	704	349	243	843	461	619	332	224	129	75	38	21	2
65—70	495	432	1066	908	339	357	727	551	519	379	208	172	60	56	12	8
70—75	684	719	961	925	373	436	588	489	404	321	184	168	48	37	5	2
75—80	764	965	699	746	327	389	372	357	242	228	130	129	44	33	9	1
80 and upwards	1155	1802	538	829	286	490	252	339	142	195	110	144	27	34	2	1

Causes of Death.	102 (2) Other pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.		107 (b) Diseases of the mediastinum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	413	321	434	608	16	8	997	827	51	14	283	99	220	74	6	1
0—1	4	6	32	38	—	—	—	3	—	—	4	—	—	—	—	—
1—5	10	11	10	7	—	—	9	8	—	1	2	4	—	3	—	—
5—10	3	2	—	3	—	—	7	6	—	—	2	2	—	2	—	—
10—15	4	1	2	3	—	—	1	5	1	—	3	—	2	—	1	—
15—20	7	5	2	3	1	—	7	8	—	—	2	5	1	4	—	—
20—25	7	10	4	4	2	2	9	8	1	—	1	3	—	1	—	—
25—30	7	9	3	1	—	1	7	12	—	—	4	1	1	1	—	—
30—35	19	8	1	2	1	—	21	16	—	—	11	4	8	4	—	—
35—40	9	14	1	6	1	2	35	33	1	—	17	4	12	1	—	1
40—45	24	12	2	4	2	—	54	45	2	1	26	6	18	3	—	—
45—50	38	18	7	7	4	—	91	59	1	—	21	8	18	5	—	—
50—55	38	24	10	10	1	1	113	65	5	1	55	10	42	9	3	—
55—60	38	17	11	7	—	1	114	86	7	—	26	6	22	5	—	—
60—65	54	36	18	20	1	—	134	110	6	2	52	10	44	9	2	—
65—70	48	48	35	28	2	—	139	106	11	4	30	11	27	9	—	—
70—75	43	35	55	66	1	1	111	113	6	1	17	10	17	9	—	—
75—80	35	32	77	122	—	—	88	83	5	3	6	6	5	4	—	—
80 and upwards	25	33	164	277	—	—	57	61	5	1	4	9	3	5	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	107 (c) Other diseases included under 107.		VI. 108-127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Ludwig's angina.		108 (3) Other diseases included under 108.		109 Diseases of the pharynx and tonsils.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	57	24	14442	12213	399	316	297	227	52	37	50	52	464	545
0—1	4	—	3029	1958	34	15	19	9	7	2	8	4	26	14
1—5	2	1	837	767	17	17	14	12	3	4	—	1	88	81
5—10	2	—	332	416	15	10	9	8	4	2	2	—	78	89
10—15	—	—	243	159	6	7	4	4	2	2	—	1	26	23
15—20	1	1	301	207	13	10	9	9	4	1	—	—	24	26
20—25	1	2	327	230	16	11	12	6	3	4	1	1	33	24
25—30	3	—	342	252	12	11	6	10	2	—	4	1	15	20
30—35	3	—	363	276	12	13	8	12	4	—	—	1	18	16
35—40	5	2	482	347	15	23	13	20	1	2	1	1	18	18
40—45	8	3	676	491	22	19	20	14	2	2	—	3	19	29
45—50	3	3	887	633	33	20	29	17	3	2	1	1	20	36
50—55	10	1	1065	788	30	24	28	20	1	3	1	1	17	31
55—60	4	1	1230	911	46	21	35	16	6	2	5	3	16	48
60—65	6	1	1159	904	36	24	28	19	4	1	4	4	17	21
65—70	3	2	1136	1035	39	24	30	17	2	2	7	5	19	18
70—75	—	1	874	1058	28	27	20	17	2	1	6	9	11	25
75—80	1	2	615	867	15	15	8	6	2	3	5	6	9	10
80 and upwards	1	4	544	914	10	25	5	11	—	4	5	10	10	16

Causes of Death.	109 (1) Tonsillitis, etc., adenoid vegetations.		109 (2) Other diseases included under 109.		110 Diseases of the cesophagus.		111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		112 (1) Inflammation of the stomach.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	373	451	91	94	18	21	2830	997	1824	815	1006	182	741	846	625	761
0—1	11	7	15	7	—	—	2	1	1	—	1	1	187	141	169	133
1—5	70	72	18	9	—	—	—	2	—	2	—	—	41	48	41	44
5—10	74	83	4	6	—	—	2	—	1	—	1	—	9	8	7	7
10—15	22	21	4	2	—	—	3	1	1	1	2	—	10	5	10	4
15—20	21	22	3	4	1	—	20	7	12	6	8	1	4	5	3	4
20—25	28	21	5	3	1	—	50	16	27	13	23	3	3	6	2	6
25—30	13	18	2	2	—	—	107	25	64	20	43	5	4	10	2	6
30—35	16	12	2	4	1	—	141	28	89	26	52	2	1	6	—	5
35—40	13	13	5	5	—	1	197	50	132	44	65	6	10	12	7	8
40—45	17	25	2	4	—	1	305	83	196	74	109	9	24	18	13	13
45—50	18	28	2	8	2	1	393	119	255	91	138	28	31	17	21	11
50—55	13	27	4	4	—	3	421	112	274	90	147	22	37	21	34	16
55—60	11	36	5	12	1	1	362	114	228	97	134	17	49	40	41	34
60—65	14	17	3	4	4	5	306	123	197	98	109	25	49	44	38	39
65—70	14	14	5	4	1	5	260	137	167	113	93	24	64	82	51	74
70—75	5	16	6	9	2	3	142	80	95	64	47	16	68	111	57	101
75—80	7	7	2	3	2	—	83	56	60	42	23	14	65	120	57	115
80 and upwards	6	12	4	4	3	1	36	43	25	34	11	9	85	152	72	141

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	112 (2) Other diseases included under 112.		113 & 114 Diarrhoea and enteritis.		113 & 114 (1) Ulceration of the intestines.		113 & 114 (2) Colitis.		113 & 114 (3) Other diseases included under 113 & 114.		115* 116 Diseases due to other intestinal parasites.		116 (a) Cestodes (hydatids of the liver excepted).		116 (b,d,e,f)* 116 (c) Nematodes. Other than Ankylo. stoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	116	85	3527	2937	119	181	163	187	3245	2569	12	13	6	4	5	4
0—1	18	8	2466	1633	2	2	64	43	2400	1588	—	—	—	—	—	—
1—5	—	4	489	455	2	1	16	13	471	441	4	5	—	—	4	1
5—10	2	1	45	56	—	1	4	4	41	51	1	4	—	1	1	3
10—15	—	1	17	12	1	—	—	1	16	11	—	—	—	—	—	—
15—20	1	1	14	21	3	13	—	2	11	6	—	—	—	—	—	—
20—25	1	—	10	19	5	13	1	—	4	6	—	—	—	—	—	—
25—30	2	4	15	30	5	17	2	5	8	8	3	—	3	—	—	—
30—35	1	1	19	34	8	16	5	6	6	12	—	—	—	—	—	—
35—40	3	4	27	41	13	23	1	8	13	10	1	—	—	—	—	—
40—45	11	5	26	42	8	19	6	7	12	16	—	—	—	—	—	—
45—50	10	6	27	47	12	15	2	10	13	22	1	—	1	—	—	—
50—55	3	5	36	34	15	15	10	7	11	12	—	—	—	—	—	—
55—60	8	6	39	63	12	16	8	15	19	32	1	—	1	—	—	—
60—65	11	5	44	40	9	5	7	6	28	29	1	1	1	1	—	—
65—70	13	8	65	66	9	9	8	13	48	44	—	—	—	—	—	—
70—75	11	10	62	97	5	8	13	15	44	74	—	2	—	1	—	—
75—80	8	5	63	109	8	5	9	20	46	84	—	—	—	—	—	—
80 and upwards	13	11	63	138	2	3	7	12	54	123	—	1	—	1	—	—

*115. Ankylostomiasis —;
116 (e). Other parasites —;

116 (b). Trematodes 35;
116 (f). Undefined parasites 1, 1, 1, 1, 70.

116 (d). Coccidia —;

Causes of Death.	117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.		118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119		120 Acute yellow atrophy of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1623	1245	2267	2126	993	974	1274	1152	268	272	67	93	201	179	22	54
0—1	2	2	281	127	80	8	201	119	15	15	9	9	6	6	—	—
1—5	89	55	74	40	17	1	57	39	13	11	8	5	5	6	1	—
5—10	131	141	34	25	2	3	32	22	2	—	1	—	1	—	3	1
10—15	121	79	45	12	3	—	42	12	5	—	1	—	4	—	3	1
15—20	162	100	51	15	4	2	47	13	1	2	—	1	1	1	1	1
20—25	139	83	58	29	5	1	53	28	4	3	3	2	1	1	1	12
25—30	108	76	45	35	5	3	40	32	1	6	1	1	—	5	1	5
30—35	79	59	55	48	13	4	42	44	5	6	—	—	5	6	1	8
35—40	87	62	58	54	15	13	43	41	10	9	—	3	10	6	—	8
40—45	97	74	79	93	31	24	48	69	10	16	—	1	10	15	2	3
45—50	103	74	90	117	25	55	65	62	8	13	1	2	7	11	1	3
50—55	117	105	135	155	68	68	67	87	26	25	2	3	24	22	1	—
55—60	119	106	185	170	81	101	104	69	29	23	2	3	27	20	2	1
60—65	94	61	197	205	109	131	88	74	36	25	4	2	32	23	4	4
65—70	82	60	243	254	136	162	107	92	45	21	9	3	36	18	—	3
70—75	58	54	239	269	139	163	100	106	25	34	6	16	19	18	—	1
75—80	24	30	194	235	122	124	72	111	15	21	8	12	7	9	1	1
80 and upwards	11	24	204	243	138	111	66	132	18	42	12	30	6	12	—	2

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928
(TOTAL DEATHS REGISTERED).

Causes of Death.	121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	12	1206	684	210	110	996	574	335	903	427	756	192	226	100	260
0—1	—	—	3	1	—	—	3	1	—	—	5	3	1	—	7	6
1—5	—	—	3	1	—	—	3	1	—	—	7	6	1	2	10	44
5—10	—	—	—	3	—	—	—	3	—	—	5	4	3	2	4	73
10—15	1	—	2	5	—	—	2	5	—	—	1	3	—	—	3	11
15—20	—	1	—	2	—	—	—	2	—	—	3	5	3	2	4	10
20—25	—	1	3	5	—	—	3	5	2	1	4	3	2	10	1	7
25—30	—	1	4	2	2	—	2	2	—	5	10	8	9	6	8	12
30—35	1	1	13	7	3	—	10	7	3	14	10	9	1	12	3	15
35—40	2	1	18	15	4	4	14	11	6	22	20	11	9	7	4	13
40—45	—	—	49	32	12	7	37	25	11	33	13	20	17	14	2	14
45—50	2	2	101	71	17	12	84	59	15	48	30	36	22	17	8	12
50—55	—	1	163	97	38	17	125	80	26	79	32	63	16	31	8	7
55—60	3	1	229	99	46	17	183	82	58	115	48	83	31	22	12	4
60—65	2	1	225	97	37	14	188	83	53	116	62	97	17	30	12	10
65—70	—	1	187	107	25	22	162	85	46	126	48	88	31	34	6	9
70—75	—	—	125	68	18	9	107	59	50	140	50	115	11	22	3	10
75—80	—	1	56	47	6	6	50	41	37	108	40	104	10	8	1	2
80 and upwards	—	—	25	25	2	2	23	23	28	96	39	98	8	7	4	1

* 127. Other diseases of the digestive system —.

Causes of Death.	VII. 128—142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		133 (1) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	12629	9412	600	583	6925	6753	342	452	241	133	599	355	575	345
0—1	83	48	30	18	—	1	16	21	—	1	—	—	—	—
1—5	91	73	58	47	11	6	10	14	—	—	1	2	1	2
5—10	93	64	57	33	27	21	4	5	4	1	1	2	1	2
10—15	63	92	26	24	31	57	1	5	3	2	1	1	1	1
15—20	126	130	34	30	77	79	5	8	5	2	3	2	1	2
20—25	144	202	33	38	94	110	9	13	4	10	2	1	2	1
25—30	159	237	24	26	106	124	15	16	9	—	3	4	3	4
30—35	173	294	24	35	113	151	12	20	12	3	5	6	5	6
35—40	263	364	37	33	185	188	12	24	11	7	6	3	6	2
40—45	340	561	27	39	256	304	24	26	14	12	6	5	5	5
45—50	532	701	35	38	401	429	27	35	13	13	18	10	17	10
50—55	794	783	33	38	599	565	26	36	23	12	17	12	14	11
55—60	1187	853	51	55	806	669	23	46	42	9	40	14	40	12
60—65	1405	1004	44	35	897	829	28	40	25	15	51	28	50	28
65—70	1875	1155	30	39	1049	963	36	42	29	11	75	39	72	38
70—75	2063	1065	28	26	1011	864	31	44	16	14	107	57	101	55
75—80	1765	916	20	19	743	735	31	27	19	11	117	62	113	61
80 and upwards	1473	870	9	10	519	653	32	30	12	10	146	107	143	105

* 130. Chyluria, 80, 25.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	133 (2) Other diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	10	435	10	407	—	28	10	3407	—	75	—	—	290	—	205
0—1	—	—	2	—	—	—	2	—	—	—	32	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	2
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
10—15	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
15—20	2	—	1	—	—	—	1	—	—	—	1	—	—	3	—	2
20—25	—	—	1	1	1	—	—	1	—	—	1	—	—	7	—	19
25—30	—	—	2	—	2	—	—	—	—	—	—	—	—	12	—	32
30—35	—	—	5	—	5	—	—	—	1	—	1	—	—	8	—	29
35—40	—	1	9	—	8	—	1	—	1	—	2	—	—	19	—	31
40—45	1	—	10	—	9	—	1	—	1	—	2	—	—	25	—	29
45—50	1	—	31	1	30	—	1	1	5	—	2	—	—	22	—	28
50—55	3	1	44	—	43	—	1	—	52	—	—	—	—	27	—	18
55—60	—	2	63	—	57	—	6	—	160	—	2	—	—	26	—	6
60—65	1	—	64	1	62	—	2	1	294	—	2	—	—	29	—	3
65—70	3	1	90	1	86	—	4	1	555	—	11	—	—	38	—	—
70—75	6	2	62	3	58	—	4	3	802	—	6	—	—	22	—	3
75—80	4	1	33	1	29	—	4	1	801	—	1	—	—	30	—	1
80 and upwards	3	2	18	2	17	—	1	2	735	—	1	—	—	21	—	1

Causes of Death.	138 (1) Salpingitis.		138 (2) Pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		141 (1) Other diseases of the uterus.		141 (2) Diseases of the other female genital organs not included in other headings.		142 Non-puerperal diseases of the breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	185	—	20	—	424	—	13	—	183	—	132	—	51	4	10
0—1	—	—	—	—	—	—	—	—	—	2	—	—	—	2	3	5
1—5	—	2	—	—	—	—	—	—	—	2	—	—	—	2	1	—
5—10	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—
10—15	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—
15—20	—	2	—	—	—	—	—	1	—	3	—	1	—	2	—	—
20—25	—	18	—	1	—	—	—	—	—	3	—	1	—	2	—	—
25—30	—	32	—	—	—	11	—	2	—	9	—	6	—	3	—	—
30—35	—	27	—	2	—	19	—	5	—	18	—	13	—	5	—	—
35—40	—	28	—	3	—	40	—	—	—	19	—	12	—	7	—	—
40—45	—	26	—	3	—	94	—	1	—	23	—	22	—	1	—	3
45—50	—	26	—	2	—	101	—	1	—	23	—	20	—	3	—	—
50—55	—	15	—	3	—	54	—	1	—	20	—	15	—	5	—	—
55—60	—	5	—	1	—	15	—	—	—	13	—	8	—	5	—	—
60—65	—	1	—	2	—	13	—	1	—	10	—	7	—	3	—	—
65—70	—	—	—	—	—	16	—	—	—	6	—	5	—	1	—	—
70—75	—	1	—	2	—	23	—	—	—	9	—	7	—	2	—	—
75—80	—	1	—	—	—	18	—	—	—	12	—	7	—	5	—	—
80 and upwards	—	—	—	1	—	20	—	—	—	9	—	7	—	2	—	2

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	151 Gangrene.		151 (1) Senile gangrene.		151 (2) Other gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		153 (1) Cellulitis.		153 (2) Acute abscess.		154 Other diseases of the skin and its annexe.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	528	423	480	385	48	38	307	152	423	311	339	238	84	73	431	451
0—1	9	1	—	—	9	1	6	16	57	42	29	22	28	20	185	101
1—5	4	2	—	—	4	2	1	1	12	13	6	8	6	5	30	14
5—10	—	1	—	—	—	1	—	1	12	3	9	1	3	2	5	1
10—15	1	—	—	—	1	—	10	5	3	8	3	8	—	—	3	—
15—20	1	1	—	—	1	1	11	8	19	11	17	8	2	3	1	—
20—25	—	—	—	—	—	—	20	13	12	10	10	6	2	4	2	3
25—30	1	2	—	—	1	2	10	13	7	5	7	4	—	1	—	3
30—35	2	2	—	—	2	2	16	11	7	16	5	13	2	3	3	6
35—40	2	3	—	—	2	3	12	7	10	7	7	4	3	3	3	4
40—45	—	3	—	—	—	3	14	11	24	14	18	13	6	1	5	6
45—50	4	1	1	—	3	1	24	9	30	16	26	15	4	1	7	7
50—55	1	4	—	—	1	4	22	10	28	19	25	14	3	5	17	15
55—60	7	8	3	2	4	6	22	9	31	22	29	20	2	2	18	21
60—65	27	22	23	17	4	5	23	7	33	24	29	20	4	4	19	34
65—70	60	38	55	36	5	2	35	5	47	28	40	23	7	5	26	53
70—75	103	55	98	54	5	1	37	11	43	29	38	23	5	6	32	47
75—80	146	103	144	102	2	1	24	9	24	20	19	19	5	1	32	56
80 and upwards	160	177	156	174	4	3	20	6	24	24	22	17	2	7	43	80

Causes of Death.	154 (1) Ulcer, bed sore.		154 (2) Eczema.		154 (3) Pemphigus.		154 (4) Other diseases included under 154.		X. 155—158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		155 (1) Acute infective osteomyelitis and periostitis.		155 (2) Other diseases of the bones.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	88	170	70	30	105	77	168	174	596	336	477	239	362	144	115	95
0—1	1	—	37	15	82	46	65	40	29	10	23	7	22	6	1	1
1—5	1	—	8	2	2	3	19	9	48	42	43	40	43	35	—	5
5—10	1	—	2	—	—	—	2	1	106	53	99	44	95	41	4	3
10—15	1	—	—	—	—	—	2	—	99	40	90	37	86	33	4	4
15—20	—	—	—	—	—	—	1	—	75	14	64	10	59	8	5	2
20—25	—	—	1	—	—	—	1	3	23	13	18	8	10	5	8	3
25—30	—	—	—	—	—	2	—	1	13	5	9	2	3	1	6	1
30—35	—	1	—	—	1	1	2	4	14	7	12	4	8	2	4	2
35—40	—	1	—	—	2	—	1	3	16	10	10	5	4	2	6	3
40—45	2	—	—	1	—	2	3	3	17	11	10	7	2	—	8	7
45—50	2	—	2	—	2	1	1	6	20	13	13	10	4	1	9	9
50—55	5	6	1	—	3	4	8	5	21	13	14	5	3	2	11	3
55—60	9	9	—	—	2	3	7	9	19	14	11	9	7	3	4	6
60—65	7	20	4	3	1	4	7	7	37	21	27	10	10	2	17	8
65—70	12	31	3	2	2	3	9	17	18	15	12	8	3	1	9	7
70—75	9	24	4	3	3	4	16	16	18	21	9	12	1	—	8	12
75—80	15	35	3	1	2	1	12	19	13	16	8	10	2	—	6	10
80 and upwards	23	43	5	3	3	3	12	31	10	18	5	11	—	2	5	9

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	162 (3) Other diseases included under 162.		163 Lack of care.		XIII. 164 Old age.		164 (1) Senile dementia.		164 (2) Other forms of senile decay.		XIV. 165-203 External causes.		Suicide. 165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	133	121	132	118	7976	11774	852	1141	7124	10633	14678	6635	3409	1473	380	285
0—1	133	121	132	118	—	—	—	—	—	—	351	310	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	839	493	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	698	381	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	420	108	2	2	—	—
15—20	—	—	—	—	—	—	—	—	—	—	910	209	81	42	9	9
20—25	—	—	—	—	—	—	—	—	—	—	1160	287	134	89	17	22
25—30	—	—	—	—	—	—	—	—	—	—	925	248	176	88	31	26
30—35	—	—	—	—	—	—	—	—	—	—	748	227	158	113	25	30
35—40	—	—	—	—	—	—	—	—	—	—	824	287	235	143	38	28
40—45	—	—	—	—	—	—	—	—	—	—	953	272	316	135	38	25
45—50	—	—	—	—	1	2	—	—	1	2	1049	351	370	179	31	37
50—55	—	—	—	—	1	6	1	3	—	3	1154	417	466	210	54	32
55—60	—	—	—	—	13	28	8	17	5	11	1141	412	423	166	56	32
60—65	—	—	—	—	83	92	44	45	39	47	1063	407	430	137	44	21
65—70	—	—	—	—	296	310	114	94	182	216	846	416	311	91	18	18
70—75	—	—	—	—	1348	1440	229	239	1119	1201	636	487	151	45	7	3
75—80	—	—	—	—	2056	2569	221	314	1835	2255	496	506	109	20	9	1
80 and upwards	—	—	—	—	4178	7327	235	429	3943	6898	465	817	47	13	3	1

Suicide—continued.																		
Causes of Death.	167 By poisonous gas.		168 By hanging or strangu- lation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175-196 201-203 Violent d'ths excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	667	421	697	166	609	350	226	11	567	111	83	59	173	36	7	34	11169	5054
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	328	279
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	831	490
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	693	372
10—15	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	414	104
15—20	20	4	17	2	14	23	9	1	1	—	1	3	10	—	—	—	826	162
20—25	31	23	25	3	25	26	12	1	6	2	5	5	13	4	—	3	1021	188
25—30	33	17	33	4	28	23	11	2	22	3	3	3	15	4	—	6	744	148
30—35	41	22	26	6	29	23	13	3	14	11	4	7	6	3	—	8	583	107
35—40	49	47	32	11	33	34	19	1	40	9	3	3	19	4	2	6	581	136
40—45	66	37	64	19	46	27	26	—	47	12	7	7	21	4	1	4	629	134
45—50	85	48	76	24	64	45	21	1	70	15	8	5	15	2	—	2	674	164
50—55	89	80	96	20	86	48	25	—	85	18	10	5	21	5	—	2	683	205
55—60	76	50	90	23	86	33	24	—	63	17	8	3	19	6	1	2	714	243
60—65	65	48	101	24	80	27	22	1	88	7	14	7	15	2	1	—	628	267
65—70	48	24	71	12	63	24	21	1	70	7	9	4	9	1	2	—	532	324
70—75	34	14	31	10	28	9	14	—	29	6	5	1	3	1	—	1	484	441
75—80	18	6	29	4	19	5	4	—	22	1	2	3	6	—	—	—	387	486
80 and upwards	12	1	4	4	8	1	5	—	10	3	4	3	1	—	—	—	417	804

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	15	18	15	75	64	32	25	642	824	302	242	100	84	1304	313	74	7
0—1	—	—	2	1	2	1	1	—	51	38	224	204	—	—	8	17	—	—
1—5	1	1	3	1	11	11	4	2	358	244	17	7	—	3	107	34	1	1
5—10	3	4	—	—	1	2	3	3	29	81	1	4	4	1	136	18	2	—
10—15	1	—	—	—	—	1	3	1	5	22	2	3	1	1	84	13	5	—
15—20	—	—	2	3	2	2	5	2	10	43	3	1	3	3	140	17	14	1
20—25	—	—	2	1	1	4	1	4	16	30	3	1	4	5	112	27	10	1
25—30	4	2	1	1	2	5	1	1	11	24	2	—	7	4	61	26	8	1
30—35	—	1	1	—	7	3	—	3	12	19	3	2	6	5	51	9	4	1
35—40	—	—	—	1	5	4	4	2	7	17	6	1	6	7	49	17	6	—
40—45	2	2	1	2	6	6	1	—	14	18	4	1	11	4	78	17	8	1
45—50	1	1	2	2	7	5	1	1	9	12	7	3	10	3	84	21	3	—
50—55	2	1	—	—	6	9	—	—	10	22	5	4	11	7	94	28	7	—
55—60	2	1	—	—	8	5	2	—	18	26	6	—	9	6	101	21	—	—
60—65	3	1	—	2	9	2	1	—	12	33	5	1	7	7	81	21	3	1
65—70	2	—	3	—	3	1	2	—	11	32	8	1	8	4	56	12	1	—
70—75	—	1	—	—	3	1	1	2	21	53	3	3	4	7	30	7	1	—
75—80	—	—	—	1	1	—	—	1	27	47	3	4	6	7	20	6	—	—
80 and upwards	—	—	1	—	1	2	2	3	21	63	—	2	3	10	12	2	1	—

Causes of Death.	184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, railways, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war		191* 192 Hunger or thirst.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	19	12	1734	1788	958	—	218	4	5100	1521	48	3	76	—	14	9
0—1	3	—	14	5	—	—	—	—	6	4	—	—	—	—	2	—
1—5	1	2	46	28	—	—	1	—	250	144	4	—	—	—	1	—
5—10	1	2	37	11	—	—	1	—	455	240	4	—	—	—	—	—
10—15	2	—	35	6	14	—	5	—	229	56	1	—	—	—	—	—
15—20	—	—	53	11	102	—	19	—	430	78	5	—	—	—	—	—
20—25	2	—	53	8	97	—	20	2	657	95	2	—	—	—	—	—
25—30	1	1	70	13	101	—	17	—	420	62	1	—	3	—	1	—
30—35	—	—	56	9	87	—	14	—	289	38	1	1	25	—	—	1
35—40	1	1	70	16	91	—	22	—	266	58	2	—	17	—	—	2
40—45	2	—	73	17	109	—	24	1	262	58	5	—	16	—	1	—
45—50	1	1	88	34	97	—	31	—	297	76	—	—	12	—	—	—
50—55	—	—	116	52	86	—	18	—	289	71	5	—	3	—	1	1
55—60	1	2	129	77	84	—	24	—	297	97	7	—	—	—	2	—
60—65	2	—	123	92	48	—	11	—	285	98	4	—	—	—	3	1
65—70	—	1	143	158	31	—	5	—	233	109	1	—	—	—	1	1
70—75	1	1	206	257	10	—	3	1	182	101	3	2	—	—	1	2
75—80	—	1	168	342	1	—	3	—	147	73	2	—	—	—	—	1
80 and upwards	1	—	254	652	—	—	—	—	106	63	1	—	—	—	1	—

* 191. Execution of civilians by belligerent armies —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(TOTAL DEATHS REGISTERED).

Causes of Death.	193 Excessive cold.		194 Excessive heat.		195 Lightning		196 Electricity (lightning excepted).		Homicide.								200*	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	197-199 Total.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		201 Fracture (cause not specified).	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	9	52	22	4	—	47	4	100	108	7	10	13	25	80	73	36	4
0—1	2	—	—	—	—	—	—	—	23	31	—	—	—	4	23	27	2	—
1—5	—	—	7	2	—	—	1	—	8	3	—	—	5	—	3	3	1	1
5—10	—	—	3	2	—	—	1	1	5	9	—	1	1	2	4	6	1	—
10—15	—	—	3	—	—	—	3	1	4	2	1	—	—	2	3	—	1	—
15—20	—	—	2	—	—	—	10	—	3	5	—	1	—	1	3	3	1	—
20—25	1	—	3	1	2	—	7	—	5	10	—	2	—	3	5	5	3	—
25—30	1	—	2	—	—	—	3	—	5	12	—	1	—	4	5	7	1	—
30—35	2	1	1	2	—	—	7	—	7	7	—	—	4	1	3	6	1	—
35—40	1	—	2	1	—	—	2	1	8	8	—	2	—	3	8	3	2	—
40—45	—	—	—	1	1	—	3	—	8	3	2	—	1	—	5	3	1	—
45—50	2	1	3	1	—	—	4	—	5	8	2	1	1	2	2	5	4	—
50—55	3	3	3	1	—	—	3	1	5	2	—	1	—	—	5	1	—	—
55—60	4	2	5	—	—	—	2	—	4	3	—	—	1	2	3	1	3	1
60—65	7	1	5	3	—	—	—	—	5	3	2	1	—	—	3	2	7	—
65—70	5	—	8	1	1	—	—	—	3	1	—	—	—	1	3	—	4	—
70—75	4	—	2	1	—	—	—	—	1	1	—	—	—	—	1	1	1	—
75—80	4	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1
80 and upwards	4	—	1	6	—	—	—	—	1	—	—	—	—	—	1	—	2	1

*200. Infanticide. Deaths from this cause are shown under Nos. 197-199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure 1-70 years.		205 (2) Other ill-defined causes.		205 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	239	84	16	5	494	343	138	74	356	269	246	169	85	84	25	16
0—1	11	7	—	2	24	18	—	—	24	18	—	—	14	10	10	8
1—5	17	9	—	—	31	36	—	—	31	36	2	—	29	36	—	—
5—10	11	3	—	—	8	3	2	1	6	2	1	—	4	2	1	—
10—15	20	—	—	—	3	2	2	—	1	2	1	2	—	—	—	—
15—20	25	1	—	—	7	3	5	—	2	3	2	2	—	1	—	—
20—25	23	8	2	1	7	1	1	—	6	1	5	1	—	—	1	—
25—30	26	8	—	—	6	5	1	1	5	4	3	3	1	1	1	—
30—35	16	12	—	—	6	5	2	1	4	4	3	1	1	1	—	2
35—40	20	7	2	1	16	8	8	—	8	8	7	5	1	2	—	1
40—45	6	6	1	—	25	15	10	1	15	14	11	11	1	—	3	3
45—50	7	2	4	1	30	13	10	4	20	9	18	9	1	—	1	—
50—55	18	5	3	—	51	29	20	9	31	20	26	19	3	1	2	—
55—60	8	5	2	—	68	60	21	24	47	36	38	30	6	6	3	—
60—65	12	4	—	—	80	57	22	14	58	43	52	34	5	7	1	2
65—70	6	4	—	—	119	74	34	19	85	55	77	52	8	3	—	—
70—75	7	2	1	—	3	7	—	—	3	7	—	—	2	7	1	—
75—80	1	1	—	—	6	2	—	—	6	2	—	—	5	2	1	—
80 and upwards	5	—	1	—	4	5	—	—	4	5	—	—	4	5	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic, and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27754	26141	4544	3584	22	29	16	22	6	7	3	2	1	—	727	631
0—1	2814	2065	384	306	—	—	—	—	—	—	—	—	—	—	164	120
1—5	1518	1316	871	817	1	—	—	—	1	—	—	—	—	—	512	458
5—10	448	415	194	201	1	1	1	1	—	—	—	—	—	—	48	52
10—15	268	216	68	72	—	—	—	—	—	—	—	—	—	—	3	—
15—20	543	499	206	283	5	2	4	2	1	—	—	—	—	—	—	—
20—25	614	601	307	328	2	4	1	4	1	—	—	—	—	—	—	—
25—30	595	618	270	269	4	4	4	3	—	1	—	—	—	—	—	—
30—35	582	567	214	203	2	3	2	—	—	3	—	1	—	—	—	—
35—40	770	687	254	180	1	4	1	2	—	2	1	—	—	—	—	—
40—45	1066	852	317	143	2	1	2	1	—	—	1	—	—	—	—	1
45—50	1438	1108	344	139	1	2	—	2	1	—	—	—	1	—	—	—
50—55	1920	1403	334	141	1	3	1	3	—	—	—	—	—	—	—	—
55—60	2361	1682	289	109	—	2	—	2	—	—	—	—	—	—	—	—
60—65	2676	1986	206	111	—	1	—	—	—	1	—	—	—	—	—	—
65—70	2952	2568	146	86	1	—	—	—	1	—	1	1	—	—	—	—
70—75	2722	2811	60	70	1	1	—	1	1	—	—	—	—	—	—	—
75—80	2307	2879	45	67	—	1	—	1	—	—	—	—	—	—	—	—
80 and upwards	2160	3868	35	59	—	—	—	—	—	—	—	—	—	—	—	—

*2. Typhus — 3. Relapsing fever (*Spirillum obermeieri*) — ; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12* 13 Mumps.		14, 15* 16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	45	185	220	204	195	286	304	213	205	73	99	—	—	12	1
0—1	4	1	87	90	23	14	9	8	5	6	4	2	—	—	—	1
1—5	19	27	92	114	110	101	18	7	13	6	5	1	—	—	1	—
5—10	7	9	6	15	53	63	3	6	1	4	2	2	—	—	—	—
10—15	4	5	—	1	9	7	1	2	1	2	—	—	—	—	—	—
15—20	—	—	—	—	3	1	6	3	5	2	1	1	—	—	—	—
20—25	1	3	—	—	2	1	7	8	6	5	1	3	—	—	1	—
25—30	—	—	—	—	1	1	10	7	7	4	3	3	—	—	—	—
30—35	—	—	—	—	—	1	7	8	6	7	1	1	—	—	—	—
35—40	—	—	—	—	1	1	11	8	10	7	1	1	—	—	—	—
40—45	1	—	—	—	—	1	19	9	16	7	3	2	—	—	1	—
45—50	—	—	—	—	—	—	25	15	21	11	4	4	—	—	2	—
50—55	—	—	—	—	2	—	17	17	14	12	3	5	—	—	1	—
55—60	—	—	—	—	—	—	26	18	21	12	5	6	—	—	1	—
60—65	—	—	—	—	—	2	43	33	35	20	8	13	—	—	1	—
65—70	—	—	—	—	—	—	24	39	15	24	9	15	—	—	2	—
70—75	—	—	—	—	—	—	17	41	10	31	7	10	—	—	1	—
75—80	—	—	—	—	—	1	23	35	17	21	6	14	—	—	—	—
80 and upwards	—	—	—	—	—	1	20	40	10	24	10	16	—	—	1	—

* 12. Miliary fever — ; 14. Asiatic cholera — ; 15. Cholera Nostras —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17,18,19,20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	3	1	6	—	50	61	7	7	26	25	23	36	5	4
0—1	—	—	—	1	—	—	6	4	1	2	—	—	9	19	3	2
1—5	—	—	1	—	—	—	—	1	1	2	2	1	5	8	1	1
5—10	—	—	—	—	—	—	2	—	2	1	—	—	2	—	—	1
10—15	—	—	—	—	—	—	—	1	—	—	4	—	3	3	—	—
15—20	—	—	—	—	—	—	—	1	—	1	2	3	—	2	—	—
20—25	—	—	1	—	—	—	1	1	2	—	2	4	1	1	—	—
25—30	—	—	—	—	—	—	2	—	—	1	1	1	1	—	1	—
30—35	—	—	—	—	—	—	1	2	—	—	1	4	—	—	—	—
35—40	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—
40—45	—	—	—	—	1	—	2	5	—	—	—	2	1	—	—	—
45—50	2	—	—	—	—	—	3	5	—	—	1	1	—	—	—	—
50—55	1	—	—	—	—	—	4	3	—	—	6	3	—	—	—	—
55—60	—	—	—	—	1	—	5	5	1	—	3	1	—	—	—	—
60—65	—	—	—	—	1	—	3	6	—	—	2	1	—	—	—	—
65—70	—	—	1	—	1	—	8	4	—	—	1	2	—	—	—	—
70—75	—	—	—	—	1	—	5	4	—	—	1	1	—	—	—	—
75—80	—	—	—	—	—	—	2	5	—	—	—	—	—	1	—	—
80 and upwards	—	—	—	—	1	—	6	10	—	—	—	—	—	—	—	—

* 17. Plague — ; 18. Yellow fever — ; 19. Spirochætosis ictero-hæmorrhagica, 0, 35; 20. Leprosy —.

Causes of Death.	26, 27, 28*		30 Mycoses.		Tuberculosis.													
	29 Tetanus.				31-37 All forms.		31 Respira- tory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral Column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	1	17	4	2701	1923	2356	1629	148	130	31	34	31	16	14	7	26	30
0—1	—	—	—	—	40	29	11	5	16	19	2	—	—	—	—	—	1	—
1—5	—	—	—	—	107	96	19	13	62	49	4	6	—	2	—	—	1	2
5—10	2	1	—	—	66	49	19	7	34	36	3	2	1	—	—	—	—	—
10—15	2	—	—	1	37	51	12	36	11	10	3	1	—	—	1	—	1	1
15—20	—	—	3	—	177	268	146	241	10	7	4	3	2	—	3	—	2	5
20—25	1	—	1	—	280	302	251	279	6	5	4	6	3	—	2	1	3	3
25—30	—	—	1	—	240	250	227	238	2	1	1	5	3	2	1	1	3	—
30—35	—	—	3	—	196	181	181	174	2	1	2	—	2	2	2	1	1	1
35—40	—	—	3	1	224	155	213	145	1	1	2	1	3	2	—	—	2	3
40—45	—	—	—	1	277	115	269	111	1	—	1	2	3	—	—	—	1	1
45—50	—	—	1	—	284	107	274	100	1	—	—	2	5	—	—	1	2	1
50—55	1	—	1	—	269	105	259	97	2	—	1	1	1	2	—	1	2	2
55—60	—	—	—	—	231	78	219	68	—	—	2	2	3	3	3	1	2	2
60—65	—	—	2	—	136	62	124	56	—	—	2	2	3	2	1	1	4	—
65—70	1	—	1	1	89	33	87	30	—	1	—	—	1	—	—	—	1	—
70—75	—	—	1	—	28	17	26	13	—	—	—	—	1	1	—	—	—	2
75—80	—	—	—	—	14	20	14	13	—	—	—	1	—	—	—	—	—	6
80 and upwards	—	—	—	—	6	5	5	3	—	—	—	—	—	—	1	—	—	1

* 26. Glanders — ; 27. Anthrax, 35, 45; 28. Rabies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	Tuberculosis— <i>contd.</i>															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymph- atic system (abdominal glands excepted).		36 (d) Genito- urinary system.		36 (e) Others in 36.		37 Dissemi- nated.		37 (a) Acute.		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	2	7	8	1	—	5	16	14	—	3	95	77	45	41	50	36
0—1	—	—	1	—	—	—	—	—	—	—	10	5	7	5	3	—
1—5	—	—	1	1	—	—	—	—	—	1	21	24	13	12	8	12
5—10	—	—	—	—	—	—	—	—	—	—	9	4	4	2	5	2
10—15	—	—	—	—	—	—	1	1	—	—	9	3	4	2	5	1
15—20	—	1	1	—	—	2	1	2	—	—	10	12	5	9	5	3
20—25	1	—	1	—	—	—	1	3	—	—	11	8	5	5	6	3
25—30	—	—	—	—	—	—	3	—	—	—	3	3	1	—	2	3
30—35	—	—	—	—	—	—	1	1	—	—	6	2	—	1	6	1
35—40	—	—	—	—	—	—	2	3	—	—	3	3	1	2	2	1
40—45	1	—	—	—	—	—	—	1	—	—	2	1	2	—	—	1
45—50	—	—	—	—	—	1	2	—	—	—	2	3	1	1	1	2
50—55	—	—	—	—	—	—	2	2	—	—	4	2	2	—	2	2
55—60	—	2	2	—	—	—	—	—	—	—	2	2	—	1	2	1
60—65	—	—	1	—	—	—	3	—	—	—	2	1	—	1	2	—
65—70	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	2
70—75	—	—	—	—	—	1	—	—	—	1	1	1	—	—	1	1
75—80	—	3	—	—	—	1	—	1	—	1	—	—	—	—	—	—
80 and upwards	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, Septicæmia.		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.			
													43-49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	168	57	6	—	6	—	—	—	54	37	3954	4602	3227	3546	336	54
0—1	32	10	—	—	—	—	—	—	5	6	39	16	1	1	—	—
1—5	2	—	—	—	—	—	—	—	—	1	42	26	8	6	—	1
5—10	—	—	—	—	—	—	—	—	2	2	39	27	4	3	—	—
10—15	1	—	—	—	—	—	—	—	4	1	22	25	1	5	—	1
15—20	4	2	—	—	—	—	—	—	6	—	34	40	11	7	1	—
20—25	4	1	1	—	1	—	—	—	1	3	28	27	15	8	—	—
25—30	4	2	1	—	1	—	—	—	4	3	44	49	21	22	—	—
30—35	2	2	—	—	—	—	—	—	2	1	43	79	23	54	—	—
35—40	6	4	—	—	—	—	—	—	4	—	80	114	53	95	1	1
40—45	9	5	—	—	—	—	—	—	4	3	119	217	97	178	4	2
45—50	20	8	1	—	1	—	—	—	4	1	204	342	181	279	12	3
50—55	21	7	3	—	3	—	—	—	8	3	345	462	303	386	38	2
55—60	20	3	—	—	—	—	—	—	2	2	509	540	437	441	54	12
60—65	16	4	—	—	—	—	—	—	3	2	650	558	573	453	75	6
65—70	16	2	—	—	—	—	—	—	2	3	700	654	597	507	65	6
70—75	5	4	—	—	—	—	—	—	1	2	534	589	450	453	46	5
75—80	5	2	—	—	—	—	—	—	1	2	348	467	299	364	30	9
80 and upwards	1	1	—	—	—	—	—	—	1	2	174	370	153	284	10	6

* 39. Soft chancre —; 42. (1) Vaccinia 5, 65; (2) Other diseases included under 42, —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	Cancer, Malignant Disease— <i>contd.</i>												50 Tumours not returned as malignant (brain & female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, oesophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.		M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Ages	1107	825	685	763	—	717	3	708	77	36	1019	443	53	44	70	95
0—1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—
1—5	—	1	—	1	—	1	—	—	—	—	8	2	—	—	4	4
5—10	—	—	1	—	—	—	—	—	—	—	3	3	—	—	19	17
10—15	—	1	—	—	—	—	—	—	—	—	1	3	—	—	13	16
15—20	1	—	1	—	—	—	—	—	—	—	8	7	—	—	8	22
20—25	4	2	3	3	—	2	—	1	—	—	8	—	2	1	1	5
25—30	4	3	3	4	—	5	—	5	—	—	14	5	2	3	6	5
30—35	6	7	6	11	—	17	—	10	—	—	11	9	1	1	2	3
35—40	17	11	7	13	—	34	—	24	—	1	28	11	6	2	3	2
40—45	36	27	18	21	—	48	—	58	1	1	38	21	1	5	3	1
45—50	76	46	23	33	—	87	1	76	1	2	68	32	3	5	1	7
50—55	111	84	48	67	—	99	—	88	6	2	100	44	3	2	3	2
55—60	157	76	82	66	—	113	—	111	6	5	138	58	7	2	1	2
60—65	201	110	115	99	—	90	—	82	8	4	174	62	6	2	3	1
65—70	212	133	135	141	—	79	1	84	8	2	176	62	12	7	—	6
70—75	160	143	116	118	—	72	1	59	21	4	106	52	2	5	2	2
75—80	81	103	80	102	—	42	—	55	16	7	92	46	3	4	—	—
80 and upwards	41	78	47	84	—	28	—	55	10	8	45	25	4	5	—	—

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	258	2	—	24	11	208	314	52	78	39	66	13	12	—	2
0—1	—	—	1	—	11	4	—	—	2	3	1	1	1	2	—	—
1—5	—	—	1	—	12	7	—	—	1	2	1	1	—	1	—	—
5—10	—	—	—	—	—	—	2	2	—	2	—	2	—	—	—	—
10—15	—	—	—	—	—	—	1	—	2	—	1	—	1	—	—	—
15—20	—	—	—	—	—	—	1	2	1	3	—	2	1	1	—	—
20—25	—	—	—	—	1	—	2	3	1	1	—	1	1	—	—	—
25—30	1	—	—	—	—	—	3	3	3	1	2	1	1	—	—	—
30—35	—	2	—	—	—	—	5	5	1	2	—	2	1	—	—	—
35—40	—	1	—	—	—	—	6	3	1	1	1	1	—	—	—	—
40—45	—	3	—	—	—	—	5	8	2	4	2	2	—	2	—	—
45—50	1	7	—	—	—	—	7	16	5	7	4	7	1	—	—	—
50—55	4	10	—	—	—	—	12	23	3	5	3	5	—	—	—	2
55—60	10	16	—	—	—	—	31	38	6	11	5	8	1	3	—	—
60—65	21	24	—	—	—	—	30	47	7	10	5	10	2	—	—	—
65—70	31	40	—	—	—	—	39	60	10	10	9	10	1	—	—	—
70—75	31	50	—	—	—	—	38	48	6	10	5	7	1	3	—	—
75—80	23	55	—	—	—	—	20	29	—	5	—	5	—	—	—	—
80 and upwards	9	50	—	—	—	—	6	27	1	1	—	1	1	—	—	—

* 54. Pellagra 45; 55. Beri-beri—.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2)* Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	119	11	85	2	34	—	—	—	—	14	9	9	18	3	2	92	58
0—1	1	—	—	—	1	—	—	—	—	—	9	5	1	—	—	—	2	—
1—5	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	10	3
5—10	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	11	3
10—15	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	3	2
15—20	1	2	1	1	—	1	—	—	—	—	—	—	—	1	—	—	9	2
20—25	1	5	1	5	—	—	—	—	—	—	—	1	—	1	—	—	5	2
25—30	—	6	—	5	—	1	—	—	—	—	—	—	—	1	—	—	8	8
30—35	1	5	1	5	—	—	—	—	—	—	—	1	—	1	—	—	7	3
35—40	1	3	1	2	—	1	—	—	—	—	—	—	1	3	—	—	6	4
40—45	1	11	1	10	—	1	—	—	—	—	—	—	1	5	—	—	4	1
45—50	2	14	2	13	—	1	—	—	—	—	—	—	—	2	—	—	3	1
50—55	4	20	4	18	—	2	—	—	—	—	—	—	3	2	1	—	4	6
55—60	1	12	—	11	1	1	—	—	—	—	—	—	1	1	1	—	7	9
60—65	—	12	—	7	—	5	—	—	—	—	—	—	—	—	1	—	5	2
65—70	—	13	—	3	—	10	—	—	—	—	—	—	2	1	—	1	4	5
70—75	—	10	—	2	—	8	—	—	—	—	—	—	—	—	—	—	2	4
75—80	—	4	—	1	—	3	—	—	—	—	—	—	—	—	—	—	2	3
80 and upwards	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—

* 61. (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* Other general diseases.		III. 70—86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	34	34	24	11	3	4	—	41	41	1860	2058	19	18	70	43
0—1	2	—	—	—	—	—	—	—	9	3	90	54	4	1	18	10
1—5	9	3	1	—	—	—	—	—	3	2	43	33	1	—	15	14
5—10	7	2	4	1	—	—	—	—	2	—	29	40	1	3	10	6
10—15	2	1	1	1	—	—	—	—	1	1	27	27	1	1	2	4
15—20	4	1	5	1	—	—	—	—	3	1	43	23	3	4	4	2
20—25	4	1	1	1	—	—	—	—	—	—	38	21	1	1	1	1
25—30	4	2	4	6	—	—	—	—	—	—	29	33	—	—	1	1
30—35	3	1	4	2	2	1	—	—	1	1	38	29	3	—	3	—
35—40	5	2	1	2	1	—	—	—	2	—	65	49	—	1	4	2
40—45	2	—	2	1	3	—	1	—	1	1	82	67	1	—	1	2
45—50	1	1	2	—	—	—	—	—	1	2	119	111	2	—	2	—
50—55	3	2	1	4	2	—	—	—	3	4	142	127	—	1	3	—
55—60	6	6	1	3	2	1	1	—	4	7	175	167	—	3	5	1
60—65	2	2	3	—	—	—	—	—	4	7	185	191	1	1	—	—
65—70	2	4	2	1	1	—	1	—	3	4	244	260	—	—	1	—
70—75	2	4	—	—	—	—	1	—	2	6	216	267	—	1	—	—
75—80	—	2	2	1	—	1	—	—	1	2	165	257	1	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	1	—	130	302	—	1	—	—

* 68. Chronic poisoning by organic substances 45, 70, 80.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	99	20	87	51	825	1283	630	969	195	314	45	70	41	66	4	4
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	3	3	2	—	2	—	—	—	—	—	—	—	—	—
20—25	—	—	2	—	1	1	1	1	—	—	—	—	—	—	—	—
25—30	—	—	2	—	4	1	4	1	—	—	—	—	—	—	—	—
30—35	—	1	1	—	2	3	2	2	—	1	—	1	—	1	—	—
35—40	4	—	—	1	13	6	11	5	2	1	—	—	—	—	—	—
40—45	3	1	5	5	15	11	12	10	3	1	1	—	1	—	—	—
45—50	13	4	5	5	27	56	22	49	5	7	1	1	1	1	—	—
50—55	15	1	11	3	47	77	39	65	8	12	1	2	—	2	1	—
55—60	20	1	9	5	84	111	69	101	15	10	1	2	1	2	—	—
60—65	18	5	11	12	102	136	82	106	20	30	3	4	3	4	—	—
65—70	15	5	12	4	156	201	120	152	36	49	12	10	11	9	1	1
70—75	9	2	12	6	149	214	103	162	46	52	11	12	11	11	—	1
75—80	2	—	7	4	120	213	91	151	29	62	7	15	6	15	1	—
80 and upwards	—	—	6	3	103	253	72	164	31	89	8	23	7	21	1	2

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	172	41	51	92	99	93	57	35	1	6	5	10	7	14	210	199
0—1	—	—	—	—	1	1	50	29	—	—	—	—	—	—	8	9
1—5	—	—	—	—	3	—	6	5	—	—	—	—	—	—	6	7
5—10	—	—	—	—	2	5	1	1	—	1	—	—	—	—	5	8
10—15	—	—	—	—	8	4	—	—	1	4	—	—	—	—	5	1
15—20	—	—	1	1	10	3	—	—	—	1	—	—	—	—	7	4
20—25	1	1	4	3	8	5	—	—	—	—	—	1	—	—	9	4
25—30	—	1	—	5	5	7	—	—	—	—	—	—	—	—	9	8
30—35	5	—	4	6	7	5	—	—	—	—	—	1	—	—	7	11
35—40	22	5	—	10	7	8	—	—	—	—	—	—	—	—	7	13
40—45	29	15	4	10	5	8	—	—	—	—	1	—	—	1	13	11
45—50	35	6	7	10	8	8	—	—	—	—	—	4	1	—	14	14
50—55	36	7	4	10	8	2	—	—	—	—	1	—	—	1	12	18
55—60	21	1	9	14	8	3	—	—	—	—	—	1	—	1	13	22
60—65	14	3	5	8	8	9	—	—	—	—	1	—	—	1	18	8
65—70	9	—	7	9	—	8	—	—	—	—	—	1	2	2	29	19
70—75	—	1	4	1	6	7	—	—	—	—	1	—	2	—	19	21
75—80	—	1	1	4	4	9	—	—	—	—	—	1	—	2	22	8
80 and upwards	—	—	1	1	1	1	—	—	—	—	1	1	2	6	7	13

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	2	107	81	6270	6761	4598	5283	25	19	118	123	466	178	3989	4963
0—1	2	—	7	4	4	2	1	1	1	1	—	—	—	—	—	—
1—5	1	—	11	7	4	3	4	3	—	1	3	1	—	—	1	1
5—10	—	—	10	16	11	15	10	15	1	2	1	5	—	—	8	8
10—15	—	—	9	13	33	40	32	39	2	1	6	8	—	—	24	30
15—20	—	—	13	5	49	59	49	59	2	1	13	11	—	—	34	47
20—25	—	—	11	4	40	74	38	73	1	—	13	22	—	—	24	51
25—30	—	1	8	9	56	80	52	78	1	1	18	15	2	—	31	62
30—35	—	—	6	1	59	55	55	53	1	—	12	9	3	—	39	44
35—40	—	—	8	3	66	106	57	101	—	1	12	18	2	—	43	82
40—45	—	—	4	3	132	130	107	118	—	1	14	15	12	3	81	99
45—50	—	—	4	3	248	198	210	175	1	—	9	4	37	5	163	166
50—55	—	—	4	5	408	315	329	264	1	1	4	8	51	9	273	246
55—60	—	—	5	2	551	438	409	362	2	1	3	3	60	14	344	344
60—65	—	—	4	4	806	600	597	475	5	2	6	2	90	24	496	447
65—70	1	—	—	1	973	864	710	687	4	3	2	2	90	38	614	644
70—75	1	1	2	1	1004	1073	712	826	1	1	1	—	54	32	656	793
75—80	—	—	1	—	931	1157	634	858	1	—	1	—	37	25	595	833
80 and upwards	1	—	—	—	895	1552	592	1096	1	2	—	—	28	28	563	1066

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1162	1620	2538	3009	289	334	1614	1419	181	77	1407	1316	484	552	923	764
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
5—10	7	8	—	—	1	—	—	—	—	—	—	—	—	—	—	—
10—15	21	27	1	1	2	2	1	1	1	1	—	—	—	—	—	—
15—20	29	42	2	4	3	1	—	—	—	—	—	—	—	—	—	—
20—25	18	46	3	2	3	3	1	1	—	1	—	—	—	—	—	—
25—30	29	53	2	6	—	3	3	2	3	2	—	—	—	—	—	—
30—35	29	37	6	6	4	1	4	1	3	1	1	—	1	—	—	—
35—40	29	59	10	18	4	5	7	4	4	3	3	1	3	1	—	—
40—45	55	69	18	19	8	11	21	11	7	1	11	10	9	6	2	4
45—50	67	89	86	66	10	11	32	17	15	6	17	10	10	7	7	3
50—55	105	101	146	128	22	17	75	49	35	13	39	36	18	19	21	17
55—60	99	139	229	184	16	21	134	71	25	10	108	60	50	29	58	31
60—65	171	162	284	248	41	37	201	116	33	6	167	110	59	67	108	43
65—70	181	192	382	402	51	50	249	163	23	9	224	152	87	70	137	82
70—75	127	219	485	512	44	62	287	244	19	9	267	234	90	113	177	121
75—80	118	195	430	579	47	59	296	292	11	10	283	276	81	106	202	170
80 and upwards	77	182	453	834	33	50	303	447	2	5	287	427	76	134	211	293

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other Diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	26	22	20	25	29	4	4	2	—	5	6	4129	3379	29	14
0—1	—	—	1	—	—	—	2	1	—	—	—	—	659	489	2	2
1—5	—	—	—	—	—	—	—	—	—	—	—	—	372	301	1	—
5—10	—	—	—	—	—	—	1	—	—	—	—	—	34	39	1	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	24	11	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	36	21	3	2
20—25	1	—	—	—	1	—	—	—	—	—	—	—	42	24	1	1
25—30	—	—	—	—	1	—	—	—	—	—	—	—	50	29	3	—
30—35	—	—	—	1	—	—	—	—	—	—	—	—	74	43	—	1
35—40	—	—	1	—	—	1	1	—	—	—	—	—	119	63	4	1
40—45	3	—	—	—	3	1	—	—	—	—	1	—	165	93	4	1
45—50	—	1	4	3	2	2	—	1	—	—	—	—	211	95	—	2
50—55	1	—	2	1	2	1	—	—	—	—	—	—	301	116	2	1
55—60	1	1	1	2	6	2	—	—	—	—	1	1	331	134	2	2
60—65	1	—	4	3	4	5	—	—	—	—	—	1	345	212	4	—
65—70	2	2	7	1	3	10	—	1	1	—	3	2	379	321	—	—
70—75	1	1	2	1	3	2	—	—	—	—	—	—	363	350	—	1
75—80	2	6	—	3	—	4	—	—	1	—	—	—	306	415	2	—
80 and upwards	14	15	—	5	—	1	—	1	—	—	—	2	318	623	—	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	17	9	1339	1305	220	278	635	477	484	550	2402	1757	1283	1046	1119	711
0—1	3	3	107	78	51	33	1	1	55	44	543	400	484	352	59	48
1—5	3	2	26	18	13	11	2	1	11	6	333	272	261	223	72	49
5—10	1	—	4	2	—	2	3	—	1	—	26	34	16	20	10	14
10—15	—	—	3	1	2	1	1	—	—	—	20	8	7	4	13	4
15—20	—	—	1	2	—	—	1	1	—	1	31	13	5	6	26	7
20—25	—	—	3	—	2	—	—	—	1	—	36	19	5	3	31	16
25—30	1	1	8	2	2	—	5	2	1	—	30	22	7	9	23	13
30—35	2	1	18	5	4	1	8	4	6	—	41	31	10	5	31	26
35—40	—	—	15	8	1	1	11	5	3	2	87	44	27	12	60	32
40—45	—	—	35	14	4	4	19	6	12	4	109	67	24	18	85	49
45—50	1	—	67	21	11	2	41	7	15	12	118	62	29	21	89	41
50—55	—	1	90	25	7	1	64	13	19	11	178	81	38	30	140	51
55—60	2	—	115	46	16	10	68	20	31	16	185	79	66	29	119	50
60—65	1	—	113	86	18	13	58	45	37	28	184	100	68	36	116	64
65—70	—	—	176	139	26	36	97	61	53	42	166	140	73	64	93	76
70—75	1	—	165	176	14	29	95	80	56	67	161	142	79	74	82	68
75—80	1	—	188	257	22	52	88	104	78	101	87	112	49	62	38	50
80 and upwards	1	1	205	425	27	82	73	127	105	216	67	131	35	78	32	53

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	841	501	278	210	91	65	82	124	1	—	126	83	11	2	31	20
0—1	27	28	32	20	2	5	2	1	—	—	—	—	—	—	—	—
1—5	47	27	25	22	6	6	3	—	—	—	—	1	—	1	—	1
5—10	10	9	—	5	1	2	—	—	—	—	1	1	—	—	—	—
10—15	12	3	1	1	1	1	—	—	—	—	—	1	—	—	—	—
15—20	18	6	8	1	1	—	—	1	—	—	—	—	—	—	—	3
20—25	26	13	5	3	1	2	—	—	—	—	1	1	—	—	—	1
25—30	18	10	5	3	5	2	—	—	—	—	3	2	—	—	—	—
30—35	26	22	5	4	9	1	—	—	—	—	4	2	—	—	—	2
35—40	52	26	8	6	5	4	—	3	—	—	5	3	—	—	3	—
40—45	65	37	20	12	4	4	1	1	—	—	7	6	—	—	5	—
45—50	72	34	17	7	9	3	—	1	1	—	13	4	—	—	2	2
50—55	105	35	35	16	11	1	2	2	—	—	12	4	1	—	5	1
55—60	93	42	26	8	11	2	2	1	—	—	10	4	1	—	3	—
60—65	88	47	28	17	9	4	1	7	—	—	25	14	2	—	6	1
65—70	79	52	14	24	5	16	7	7	—	—	19	15	3	1	3	3
70—75	52	49	30	19	4	3	12	15	—	—	15	11	2	—	3	2
75—80	31	36	7	14	3	4	18	33	—	—	5	8	1	—	1	1
80 and upwards	20	25	12	28	4	5	34	52	—	—	6	6	1	—	—	3

Causes of Death.	107 (b) *		107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œso-phagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	18	5	2	1822	1447	38	33	28	24	10	9	40	52	2	2
0—1	—	—	—	—	446	327	3	—	2	—	1	—	4	4	—	—
1—5	—	1	—	—	74	63	2	2	2	1	—	1	8	8	—	—
5—10	—	—	—	—	24	35	6	1	4	1	2	—	4	7	—	—
10—15	—	—	—	—	19	15	—	1	—	—	—	1	1	—	—	—
15—20	—	3	—	—	32	20	—	—	—	—	—	—	3	3	—	—
20—25	—	1	—	—	24	20	—	1	—	1	—	—	4	1	—	—
25—30	—	—	—	—	38	24	1	1	—	1	1	—	1	3	—	—
30—35	—	2	—	—	43	25	3	1	1	1	2	—	2	3	1	—
35—40	2	—	1	—	54	37	1	3	1	2	—	1	1	—	—	—
40—45	4	—	1	—	89	55	—	2	—	2	—	—	6	1	—	—
45—50	2	1	—	1	119	78	—	3	—	2	—	1	—	6	1	—
50—55	2	1	2	—	142	94	3	2	3	1	—	1	3	3	—	—
55—60	3	—	—	—	193	106	5	4	4	3	1	1	1	3	—	—
60—65	6	1	—	—	169	114	5	2	5	2	—	—	2	2	—	1
65—70	2	3	1	—	129	126	2	3	2	2	—	1	—	2	—	1
70—75	3	2	—	—	108	114	4	5	2	4	2	1	—	3	—	—
75—80	1	1	—	—	73	97	3	2	2	1	1	1	—	2	—	—
80 and upwards	—	2	—	1	46	97	—	—	—	—	—	—	—	1	—	—

* 107 (b) Diseases of the mediastinum 50.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appen- dicitis and typhlitis.		118 Hernia, Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	414	146	274	122	140	24	37	46	483	402	1	1	179	114	282	254
0—1	2	—	1	—	1	—	7	7	395	294	—	—	—	—	29	17
1—5	—	—	—	—	—	—	1	1	36	37	—	—	9	5	12	4
5—10	—	—	—	—	—	—	—	—	2	1	—	—	10	13	2	3
10—15	—	—	—	—	—	—	—	—	1	1	—	—	11	9	5	1
15—20	2	—	—	—	2	—	—	—	1	3	—	—	19	10	4	2
20—25	1	1	—	1	1	—	—	—	1	4	—	—	9	4	8	3
25—30	16	1	10	—	6	1	—	1	1	3	1	—	10	7	6	1
30—35	12	1	5	1	7	—	—	—	2	3	—	—	13	1	7	3
35—40	20	5	15	5	5	—	—	—	3	5	—	—	10	2	7	6
40—45	41	10	28	10	13	—	1	2	3	7	—	—	12	5	11	9
45—50	53	20	43	16	10	4	1	1	5	5	—	—	14	9	14	11
50—55	65	20	43	16	22	4	3	—	4	2	—	—	13	8	22	14
55—60	64	18	36	15	28	3	4	2	6	6	—	—	22	10	28	28
60—65	63	13	42	12	21	1	6	4	2	3	—	1	9	10	24	33
65—70	39	28	24	23	15	5	2	1	4	7	—	—	8	7	26	27
70—75	23	11	18	10	5	1	2	7	7	5	—	—	6	9	29	32
75—80	10	11	7	9	3	2	6	9	3	7	—	—	4	5	26	25
80 and upwards	3	7	2	4	1	3	4	11	7	9	—	—	—	—	22	35

* 115. Ankylostomiasis —; 116(a) Cestodes (hydatids of the liver excepted) 25, 60.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	124	129	158	125	37	40	6	8	31	32	2	9	1	1	172	127
0—1	7	2	22	15	1	1	1	—	—	1	—	—	—	—	2	1
1—5	4	—	8	4	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	5	1	1	—	—	—	1	—	—	—	—	—	—	—
15—20	1	—	3	2	1	—	—	—	1	—	1	—	—	—	—	1
20—25	—	—	8	3	—	1	—	1	—	—	—	1	—	—	—	—
25—30	1	—	5	1	—	1	—	—	—	1	—	2	—	—	—	1
30—35	3	—	4	3	—	1	—	—	—	1	—	2	—	—	2	1
35—40	3	2	4	4	2	—	—	—	2	—	—	2	—	—	3	6
40—45	1	3	10	6	1	2	—	—	1	2	1	1	—	—	7	4
45—50	5	5	9	6	1	1	—	—	1	1	—	—	—	—	18	11
50—55	12	5	10	9	2	8	—	2	2	6	—	—	—	1	20	17
55—60	15	16	13	12	5	4	—	1	5	3	—	—	—	—	42	19
60—65	12	18	12	15	9	3	—	—	9	3	—	—	1	—	27	21
65—70	13	19	13	8	5	3	2	—	3	3	—	1	—	—	26	23
70—75	14	23	15	9	6	9	1	2	5	7	—	—	—	—	13	9
75—80	15	16	11	9	2	2	1	—	1	2	—	—	—	—	10	8
80 and upwards	18	19	4	16	1	4	1	2	—	2	—	—	—	—	2	5

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only)

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	33	32	139	95	35	91	46	65	30	28	23	36	1561	1126	54	41
0-1	—	—	2	1	—	—	1	—	—	—	2	3	11	13	1	2
1-5	—	—	—	—	—	—	2	1	1	—	3	5	12	7	7	2
5-10	—	—	—	—	—	—	—	—	—	—	—	10	9	9	6	1
10-15	—	—	—	—	—	—	—	1	—	—	—	2	7	5	3	—
15-20	—	—	—	1	—	—	—	—	—	—	1	1	14	14	1	2
20-25	—	—	—	—	—	—	1	—	—	3	—	1	16	19	3	4
25-30	—	—	—	1	—	—	—	1	—	2	2	—	25	29	4	5
30-35	1	—	1	1	—	2	—	—	1	3	—	4	27	34	3	4
35-40	1	2	2	4	1	3	2	—	1	1	3	4	37	46	2	4
40-45	1	1	6	3	3	6	1	1	2	1	—	4	56	67	3	—
45-50	3	4	15	7	—	3	5	3	3	3	4	2	73	82	5	5
50-55	6	3	14	14	1	9	4	7	1	3	1	—	106	87	3	2
55-60	13	6	29	13	4	8	3	3	6	1	3	—	168	110	4	1
60-65	4	4	23	17	7	8	11	9	2	4	1	—	171	115	3	2
65-70	3	6	23	17	4	16	7	4	6	3	—	—	235	153	1	4
70-75	—	3	13	6	8	11	6	12	2	1	2	—	230	126	4	1
75-80	—	3	10	5	4	10	3	13	2	3	—	—	197	108	1	1
80 and upwards	1	—	1	5	3	15	—	10	3	—	1	—	167	102	—	1

* 127. Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	900	800	58	80	26	21	66	45	70	2	66	—	4	2	381	—
0-1	—	—	6	11	—	—	—	—	1	—	—	—	1	—	—	—
1-5	—	—	5	3	—	—	—	1	—	—	—	—	—	—	—	—
5-10	1	7	2	—	—	—	—	1	—	—	—	—	—	—	—	—
10-15	3	4	—	—	1	1	—	—	—	—	—	—	—	—	—	—
15-20	11	10	—	1	—	—	1	—	—	—	—	—	—	—	—	—
20-25	12	10	1	2	—	2	—	—	—	—	—	—	—	—	—	—
25-30	18	13	1	2	1	—	—	—	1	—	1	—	—	—	—	—
30-35	19	16	2	6	—	—	—	2	1	—	1	—	—	—	1	—
35-40	26	19	4	4	2	—	1	—	2	—	1	—	1	—	—	—
40-45	44	32	4	2	2	2	1	1	—	—	—	—	—	—	1	—
45-50	59	56	4	4	—	3	1	1	3	—	3	—	—	—	1	—
50-55	80	68	2	7	3	1	4	1	4	—	4	—	—	—	10	—
55-60	116	83	6	10	2	2	8	—	5	—	5	—	—	—	27	—
60-65	105	96	2	3	3	4	7	3	11	—	11	—	—	—	40	—
65-70	130	117	5	11	4	2	10	7	19	1	18	—	1	1	66	—
70-75	114	102	5	6	3	2	9	7	15	1	14	—	1	1	80	—
75-80	93	90	7	4	3	1	9	7	6	—	6	—	—	—	78	—
80 and upwards	69	77	2	4	2	1	15	14	2	—	2	—	—	—	77	—

130. Chyluria —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	—	—	40	—	22	—	53	—	1	—	21	—	—	—	260
0—1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
20—25	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	44
25—30	—	—	—	1	—	5	—	3	—	—	—	—	—	—	—	61
30—35	1	—	—	1	—	2	—	1	—	—	—	2	—	—	—	52
35—40	—	—	—	4	—	5	—	8	—	—	—	2	—	—	—	51
40—45	1	—	—	6	—	6	—	15	—	—	—	3	—	—	—	38
45—50	—	—	—	1	—	1	—	9	—	1	—	1	—	—	—	5
50—55	—	—	—	3	—	1	—	3	—	—	—	1	—	—	—	—
55—60	—	—	—	6	—	2	—	3	—	—	—	3	—	—	—	—
60—65	—	—	—	3	—	—	—	2	—	—	—	2	—	—	—	—
65—70	—	—	—	6	—	—	—	4	—	—	—	1	—	—	—	—
70—75	—	—	—	4	—	—	—	1	—	—	—	2	—	—	—	—
75—80	—	—	—	2	—	—	—	2	—	—	—	1	—	—	—	—
80 and upwards	—	—	—	2	—	—	—	2	—	—	—	1	—	—	—	—

[illegible]

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable else where (puerperal insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	41	—	3	187	142	45	34	40	25	51	34	51	49	76	48
0—1	—	—	—	—	25	13	1	—	2	1	4	2	18	10	6	3
1—5	—	—	—	—	3	5	1	—	—	1	—	1	2	3	4	9
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	4
10—15	—	—	—	—	2	2	—	—	1	2	—	—	1	—	12	8
15—20	—	3	—	1	4	5	—	—	—	3	3	2	1	—	6	2
20—25	—	9	—	—	4	3	—	—	2	—	1	3	1	—	1	—
25—30	—	10	—	1	3	6	—	—	2	5	1	—	—	1	2	—
30—35	—	9	—	—	6	7	—	—	4	2	2	3	—	2	1	1
35—40	—	7	—	1	5	3	—	—	—	1	4	1	1	1	1	—
40—45	—	2	—	—	6	6	—	—	2	2	3	4	1	—	2	3
45—50	—	1	—	—	11	6	1	—	3	3	5	1	2	2	2	2
50—55	—	—	—	—	11	5	—	1	5	1	1	1	5	2	7	1
55—60	—	—	—	—	8	6	1	—	3	—	2	4	2	2	1	2
60—65	—	—	—	—	10	9	2	3	1	—	4	2	3	4	6	4
65—70	—	—	—	—	19	9	7	2	2	—	8	2	2	5	2	2
70—75	—	—	—	—	20	18	7	3	7	4	2	5	4	6	5	1
75—80	—	—	—	—	30	11	17	8	3	—	5	1	5	2	2	4
80 and upwards	—	—	—	—	20	28	8	17	3	—	6	2	3	9	3	2

* 150. Puerperal diseases of the breast 25.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal- formations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	32	15	13	3	3	194	151	922	659	167	78	656	494	581	448
0—1	5	2	1	1	—	—	174	131	922	658	167	78	656	493	581	448
1—5	4	9	—	—	—	—	9	5	—	1	—	—	—	1	—	—
5—10	11	2	—	2	2	—	4	3	—	—	—	—	—	—	—	—
10—15	10	7	2	1	—	—	2	2	—	—	—	—	—	—	—	—
15—20	6	1	—	1	—	—	2	2	—	—	—	—	—	—	—	—
20—25	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
25—30	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
30—35	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
35—40	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	1	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—
45—50	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—
50—55	4	—	3	1	—	—	—	1	—	—	—	—	—	—	—	—
55—60	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—
60—65	5	2	1	1	—	1	—	1	—	—	—	—	—	—	—	—
65—70	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	2	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	75	46	66	68	33	19	549	941	1677	977	405	185	76	55	114	65		
0—1	75	45	66	68	33	19	—	—	52	51	—	—	—	—	—	—		
1—5	—	1	—	—	—	—	—	—	81	44	—	—	—	—	—	—		
5—10	—	—	—	—	—	—	—	—	90	42	—	—	—	—	—	—		
10—15	—	—	—	—	—	—	—	—	51	9	—	—	—	—	—	—		
15—20	—	—	—	—	—	—	—	—	117	21	15	1	1	—	8	—		
20—25	—	—	—	—	—	—	—	—	114	40	17	11	4	5	6	4		
25—30	—	—	—	—	—	—	—	—	77	37	18	14	4	5	5	2		
30—35	—	—	—	—	—	—	—	—	76	38	19	22	4	6	6	7		
35—40	—	—	—	—	—	—	—	—	89	38	32	16	11	6	6	3		
40—45	—	—	—	—	—	—	—	—	97	33	35	13	5	4	10	6		
45—50	—	—	—	—	—	—	—	—	107	48	40	19	6	7	11	6		
50—55	—	—	—	—	—	—	—	—	124	54	45	27	9	9	12	14		
55—60	—	—	—	—	—	—	—	3	135	66	53	25	10	7	12	9		
60—65	—	—	—	—	—	—	3	4	125	66	51	13	13	2	13	4		
65—70	—	—	—	—	—	—	18	18	106	75	43	14	5	4	10	5		
70—75	—	—	—	—	—	—	94	100	88	103	16	6	1	—	9	4		
75—80	—	—	—	—	—	—	133	210	77	85	14	—	3	—	3	—		
80 and upwards	—	—	—	—	—	—	301	606	71	127	7	4	—	—	3	1		

Causes of Death.	Suicide— <i>contd.</i>														175-196 201-203 Violent deaths, excluding suicide and homicide.	
	168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Ages at Death.																
All Ages	51	10	43	19	26	1	52	9	22	17	20	4	1	5	1257	773
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	47	48
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	80	44
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	88	42
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	51	19
15—20	2	—	3	1	1	—	—	—	—	—	—	—	—	—	102	20
20—25	1	—	1	1	1	—	1	—	2	1	1	—	—	—	97	23
25—30	3	—	3	3	1	—	—	—	1	2	1	1	—	—	59	19
30—35	2	1	3	1	1	—	1	2	—	2	2	—	—	1	55	15
35—40	1	—	3	3	2	1	5	1	1	2	2	—	—	3	57	19
40—45	7	2	1	—	2	—	6	—	2	—	2	—	—	1	59	20
45—50	5	—	3	4	4	—	8	2	2	—	1	—	—	—	65	28
50—55	9	—	3	1	2	—	5	1	4	2	1	—	—	—	79	27
55—60	5	3	10	2	4	—	8	1	3	1	1	2	—	—	82	40
60—65	4	1	5	2	3	—	6	—	2	3	5	1	—	—	74	53
65—70	6	2	6	1	2	—	10	1	2	1	2	—	—	—	63	61
70—75	1	1	1	—	2	—	—	1	1	—	1	—	—	—	72	97
75—80	5	—	1	—	—	—	1	—	—	—	1	—	—	—	63	85
80 and upwards	—	—	—	—	1	—	1	—	2	3	—	—	—	—	64	123

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	3	2	2	15	15	7	3	72	84	48	45	12	13	118	30
0—1	—	—	—	1	—	—	—	—	6	6	33	38	—	—	2	2
1—5	—	—	1	—	3	—	—	—	36	21	2	2	—	—	2	1
5—10	1	1	—	—	—	1	1	1	4	2	—	—	—	—	14	4
10—15	—	—	—	—	—	—	1	—	—	2	1	—	—	—	6	1
15—20	—	—	—	—	—	—	2	—	4	2	1	—	2	—	12	3
20—25	—	—	—	—	—	—	—	1	1	2	1	—	—	—	13	5
25—30	1	—	—	—	—	1	—	—	—	1	1	—	1	—	8	2
30—35	—	—	—	—	2	2	—	—	1	2	—	—	1	1	2	—
35—40	—	—	—	—	1	2	—	—	—	3	—	—	—	2	6	1
40—45	—	1	—	—	2	3	—	—	3	2	—	—	1	2	8	1
45—50	1	—	—	1	3	1	—	1	—	1	1	—	1	1	10	2
50—55	—	1	—	—	—	3	—	—	3	2	1	1	—	1	12	2
55—60	1	—	—	—	2	—	1	—	3	2	1	—	2	1	8	1
60—65	—	—	—	—	1	1	—	—	—	2	1	—	—	—	5	1
65—70	1	—	1	—	1	—	—	—	1	3	4	1	3	—	4	2
70—75	—	—	—	—	—	1	1	—	2	13	1	2	1	2	2	1
75—80	—	—	—	—	—	—	—	—	4	8	—	1	—	1	3	1
80 and upwards	—	—	—	—	—	—	1	—	4	10	—	—	—	2	1	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	—	5	1	277	291	—	—	16	1	604	259	2	1	15	—
0—1	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
1—5	1	—	1	—	7	4	—	—	—	—	23	12	—	—	—	—
5—10	1	—	—	—	2	1	—	—	—	—	64	30	—	—	—	—
10—15	—	—	1	—	3	1	—	—	—	—	33	5	—	—	—	—
15—20	—	—	—	—	6	2	—	—	2	—	69	13	—	—	—	—
20—25	1	—	—	—	6	2	—	—	1	—	68	11	—	—	—	—
25—30	—	—	—	—	9	1	—	—	3	—	30	9	—	—	1	—
30—35	—	—	—	—	5	2	—	—	1	—	34	6	—	—	4	—
35—40	1	—	—	—	13	3	—	—	1	—	23	7	1	—	4	—
40—45	—	—	1	—	12	2	—	—	3	1	25	7	—	—	4	—
45—50	—	—	—	—	17	8	—	—	2	—	27	12	—	—	2	—
50—55	—	—	—	—	21	3	—	—	—	—	38	11	—	—	—	—
55—60	—	—	1	—	23	13	—	—	2	—	35	22	—	—	—	—
60—65	1	—	—	—	28	20	—	—	—	—	36	28	—	—	—	—
65—70	—	—	—	—	18	28	—	—	1	—	27	27	1	—	—	—
70—75	—	—	1	1	36	48	—	—	—	—	27	28	—	1	—	—
75—80	—	—	—	—	31	50	—	—	—	—	25	23	—	—	—	—
80 and upwards	—	—	—	—	38	103	—	—	—	—	19	8	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	191*		193		194		195*		Homicide.							
	192		Excessive cold.		Excessive heat.		196		197-199		197		198		199	
	Hunger or thirst.						Electricity (lightning excepted).		All forms.		By firearms.		By cutting or piercing instruments.		By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	2	2	1	4	2	8	2	15	19	1	2	2	7	12	10
0—1	1	—	—	—	—	—	—	—	5	3	—	—	—	—	5	3
1—5	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—
5—10	—	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—
10—15	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	—	—	—	1	3	—	—	6	—	2	—	1	—	3
25—30	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	2
30—35	—	—	—	—	—	—	2	—	2	1	—	—	—	—	2	1
35—40	—	—	—	—	1	—	—	—	—	3	—	—	—	2	—	1
40—45	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—
45—50	—	—	—	—	—	—	1	—	2	1	1	—	1	1	—	—
50—55	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—
55—60	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—
60—65	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*191. Execution of civilians by belligerent armies —. *195. Lightning —.

Causes of Death.	200*		202		203		XV. 204-205		204		205		205 (1)		205 (2 & 3)	
	201		Other and unstated forms of accidental violence; Execution.		Violent deaths of unknown causation.		Ill-defined diseases.		Sudden death.		Cause of death unstated or ill-defined.		Heart failure, 1-70 years.		Others.	
	Fracture (cause not specified).															
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	1	36	16	—	1	9	6	2	—	7	6	1	—	6	6
0—1	—	—	2	—	—	1	2	2	—	—	2	2	—	—	2	2
1—5	—	1	4	2	—	—	3	2	—	—	3	2	—	—	3	2
5—10	—	—	1	1	—	—	1	—	—	—	1	—	—	—	1	—
10—15	1	—	4	—	—	—	1	—	1	—	—	—	—	—	—	—
15—20	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	5	5	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
45—50	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1
65—70	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—
70—75	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1
80 and upwards	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

* 200. Infanticide. Deaths from this cause are shown under Nos. 197-199.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic. Endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	83107	78415	12816	10640	64	60	47	52	17	8	13	2	11	8	728	711
0—1	9947	7233	990	804	1	—	—	—	1	—	—	—	—	2	181	163
1—5	4263	3831	1689	1673	—	4	—	3	—	1	—	—	—	—	497	491
5—10	1623	1428	638	658	1	—	1	—	—	—	—	—	1	1	44	56
10—15	978	901	293	367	5	4	5	4	—	—	—	—	—	1	5	2
15—20	1571	1590	648	906	5	4	5	3	—	1	1	—	—	—	1	—
20—25	1902	1977	869	1050	11	10	10	10	1	—	1	—	—	—	—	—
25—30	1813	1912	800	853	8	4	7	4	1	—	—	—	—	—	—	—
30—35	1916	1969	786	709	6	5	2	4	4	1	—	2	1	1	—	—
35—40	2382	2228	869	600	6	3	4	3	2	—	2	—	—	—	—	—
40—45	3352	2679	1000	586	6	2	4	1	2	1	1	—	—	—	—	—
45—50	4463	3437	1079	520	6	4	4	3	2	1	5	—	1	—	—	—
50—55	5596	4324	1008	416	4	7	2	7	2	—	1	—	1	1	—	—
55—60	6563	5118	739	353	3	6	2	5	1	1	—	—	1	—	—	—
60—65	7693	6096	574	346	1	5	1	3	—	2	2	—	2	—	—	—
65—70	8414	7540	418	285	—	2	—	2	—	—	—	—	1	1	—	—
70—75	8406	8586	220	225	—	—	—	—	—	—	—	—	—	1	—	—
75—80	6656	7881	121	170	1	—	—	—	1	—	—	—	2	—	—	—
80 and upwards	5569	9685	75	119	—	—	—	—	—	—	—	—	1	—	—	—

* 2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever —,

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14, 15*	
													13 Mumps.		16 Dysentery	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	99	107	635	716	580	625	1310	1157	916	767	394	390	1	6	29	3
0—1	4	2	313	294	28	30	56	34	38	24	18	10	—	—	—	—
1—5	44	49	312	396	267	256	41	44	26	30	15	14	—	2	3	—
5—10	33	31	9	24	223	255	26	25	17	10	9	15	1	—	2	—
10—15	7	12	—	—	39	41	13	20	5	15	8	5	—	—	1	—
15—20	5	5	1	—	8	6	45	28	31	15	14	13	—	—	1	—
20—25	2	3	—	—	2	5	44	31	30	19	14	12	—	—	1	—
25—30	—	3	—	—	4	3	41	27	30	13	11	14	—	—	—	—
30—35	2	—	—	—	—	6	45	51	33	37	12	14	—	—	2	—
35—40	1	1	—	—	—	4	75	48	65	26	10	22	—	—	1	—
40—45	—	1	—	—	4	1	84	60	67	45	17	15	—	1	2	—
45—50	—	—	—	—	1	4	109	72	84	49	25	23	—	2	4	—
50—55	1	—	—	—	1	3	115	65	75	48	40	17	—	—	5	—
55—60	—	—	—	—	1	3	132	97	95	63	37	34	—	1	3	—
60—65	—	—	—	—	2	2	125	105	90	73	35	32	—	—	1	—
65—70	—	—	—	—	—	1	144	126	98	93	46	33	—	—	—	—
70—75	—	—	—	1	—	1	96	130	57	88	39	42	—	—	1	—
75—80	—	—	—	1	—	4	67	102	44	68	23	34	—	—	2	—
80 and upwards	—	—	—	—	—	—	52	92	31	51	21	41	—	—	—	—

* 12. Miliary fever —; 14. Asiatic cholera —, 15. Cholera nostras —.

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17, 18, 19, 20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	1	6	10	23	21	177	176	35	20	182	213	92	67	21	16
0—1	—	—	—	—	—	—	25	17	6	—	3	3	35	19	13	6
1—5	—	—	3	1	—	—	2	—	12	11	11	16	29	17	5	5
5—10	—	—	1	—	1	2	—	—	4	1	4	10	11	7	1	1
10—15	—	—	1	—	—	1	3	—	5	5	16	12	2	7	—	1
15—20	—	—	—	—	1	—	3	3	3	1	19	21	4	4	—	—
20—25	—	—	—	1	1	—	1	2	—	—	14	16	3	4	1	—
25—30	—	—	—	1	—	1	2	4	—	1	11	9	3	1	—	—
30—35	—	—	—	1	2	2	5	2	2	—	8	13	3	2	—	1
35—40	—	—	—	—	1	2	7	5	—	—	7	12	—	—	—	—
40—45	—	—	—	—	2	4	6	7	1	—	19	21	—	2	—	—
45—50	—	—	1	1	3	1	13	13	1	—	15	17	—	2	—	—
50—55	—	1	—	—	5	—	19	17	1	1	17	19	1	—	—	—
55—60	—	—	—	2	3	2	13	20	—	—	15	8	1	1	—	1
60—65	—	—	—	2	1	3	21	21	—	—	11	12	—	1	—	—
65—70	—	—	—	—	—	—	20	18	—	—	9	11	—	—	—	—
70—75	—	—	—	—	1	2	11	14	—	—	3	9	—	—	—	1
75—80	—	—	—	1	2	1	14	20	—	—	—	4	—	—	1	—
80 and upwards	—	—	—	—	—	—	12	13	—	—	—	—	—	—	—	—

* 17. Plague —; 18. Yellow Fever —; 19. Spirochaetosis ictero-hæmorrhagica —; 20. Leprosy —.

Causes of Death.	26, 27, 28*		30 Mycoses.		31-37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	5	19	10	8216	6358	6884	5117	541	510	239	254	101	72	48	30	102	96
0—1	—	1	6	2	168	126	27	14	82	65	34	21	1	—	—	—	3	1
1—5	—	—	—	—	450	364	91	61	210	185	78	54	2	2	1	—	10	4
5—10	2	1	1	—	261	239	55	62	115	112	26	23	6	1	6	4	5	1
10—15	6	—	—	—	180	257	75	163	50	41	15	22	4	2	4	3	2	—
15—20	2	—	—	2	541	823	437	695	25	55	22	26	14	7	7	2	10	8
20—25	4	—	2	—	780	967	694	869	18	25	8	22	9	12	7	6	15	8
25—30	2	1	1	3	710	788	647	730	11	4	10	20	11	4	—	1	10	11
30—35	2	1	—	—	692	611	640	562	14	7	13	15	4	4	5	1	2	9
35—40	—	—	—	—	746	503	704	462	6	5	7	11	9	4	2	1	8	13
40—45	—	—	3	—	836	465	800	428	3	4	8	12	7	4	3	4	6	4
45—50	2	—	2	—	853	382	824	344	3	2	4	10	8	4	1	1	4	7
50—55	—	—	1	—	789	275	743	253	3	1	8	4	9	9	3	—	9	2
55—60	—	—	1	3	516	182	495	163	—	2	1	4	5	3	4	1	4	7
60—65	—	—	—	—	364	169	345	140	1	1	3	7	6	5	2	2	6	7
65—70	—	—	2	—	209	115	196	99	—	—	1	2	2	7	2	1	6	4
70—75	—	1	—	—	89	53	83	45	—	1	1	1	2	2	—	—	2	3
75—80	—	—	—	—	24	30	21	22	—	—	—	—	1	1	1	2	—	5
80 and upwards	—	—	—	—	8	9	7	5	—	—	—	—	1	1	—	1	—	2

* 26. Glanders —; 27. Anthrax 25, 50, 50, 50, 55, 65, 25, 35; 28. Rabies —

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	Tuberculosis— <i>contd.</i>															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.		37 (a) Acute		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	7	22	13	8	21	13	59	51	2	2	301	279	110	144	191	135
0—1	—	—	—	1	1	—	1	—	1	—	21	25	9	16	12	9
1—5	—	—	3	—	7	4	—	—	—	—	58	58	20	37	38	21
5—10	—	—	2	—	—	—	3	—	—	1	48	36	22	20	26	16
10—15	—	—	—	—	1	—	1	—	—	—	30	26	15	16	15	10
15—20	—	1	—	1	2	1	8	5	—	—	26	30	9	15	17	15
20—25	—	2	2	—	2	1	11	5	—	—	29	25	11	12	18	13
25—30	—	1	—	1	1	—	9	9	—	—	21	18	7	7	14	11
30—35	1	1	—	—	—	1	1	7	—	—	14	13	2	2	12	11
35—40	2	3	2	—	1	1	3	8	—	1	10	7	5	3	5	4
40—45	—	2	—	1	1	—	4	1	1	—	9	9	1	6	8	3
45—50	1	—	—	—	1	—	2	7	—	—	9	14	2	3	7	11
50—55	2	—	1	—	—	—	6	2	—	—	14	6	4	2	10	4
55—60	—	4	—	—	2	1	2	2	—	—	7	2	2	1	5	1
60—65	—	1	1	1	—	2	5	3	—	—	1	7	—	2	1	5
65—70	—	2	2	1	2	—	2	1	—	—	2	2	1	1	1	1
70—75	1	1	—	1	—	1	1	—	—	—	1	1	—	1	1	—
75—80	—	2	—	1	—	1	—	1	—	—	1	—	—	—	1	—
80 and upwards	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	Cancer, Malignant Disease.															
	38 Syphilis.		39* Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhoeal or purulent ophthalmia.		42* Purulent infection, septicaemia.		II. 43-69 General diseases not included in I. 1-42.		43-49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	417	243	24	7	16	4	8	3	136	95	11066	13498	8692	10153	1064	13
0—1	127	95	7	3	—	—	7	3	17	7	125	93	2	6	—	—
1—5	6	7	1	1	—	1	1	—	9	7	138	119	16	15	—	—
5—10	2	2	—	—	—	—	—	—	11	3	105	71	18	3	—	—
10—15	3	4	—	—	—	—	—	—	8	—	83	97	6	8	—	—
15—20	2	3	—	1	—	1	—	—	7	5	104	111	28	19	—	—
20—25	—	4	—	2	—	2	—	—	3	5	94	133	29	30	—	—
25—30	11	3	3	—	3	—	—	—	3	3	100	150	45	57	—	—
30—35	14	7	2	—	2	—	—	—	2	4	135	234	77	139	1	—
35—40	21	15	—	—	—	—	—	—	3	5	186	398	123	297	4	—
40—45	30	14	1	—	1	—	—	—	7	8	335	709	268	570	12	—
45—50	55	17	3	—	3	—	—	—	9	5	636	1037	495	836	53	—
50—55	37	16	1	—	1	—	—	—	11	11	1062	1351	891	1104	104	—
55—60	38	18	1	—	1	—	—	—	13	9	1514	1609	1273	1306	196	2
60—65	32	21	1	—	1	—	—	—	12	5	1825	1713	1533	1345	203	2
65—70	24	7	3	—	3	—	—	—	5	4	1886	1878	1619	1485	227	1
70—75	10	6	1	—	1	—	—	—	9	6	1462	1708	1205	1302	149	2
75—80	4	3	—	—	—	—	—	—	6	4	846	1187	703	920	73	1
80 and upwards	1	1	—	—	—	—	—	—	1	4	430	900	361	711	42	—

* 39. Soft chancre — ; 42. (1) Vaccinia 5, 0, 0, 1, 1; (2) Other diseases included under 42, —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	Cancer, Malignant Disease— <i>contd.</i>												50 Tumours not returned as malignant (brain and female genital organs exceptd).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	3075	2614	2028	2050	—	2219	20	1901	280	170	2225	1068	134	130	237	323
0—1	—	1	—	—	—	—	—	—	—	1	2	4	1	2	—	—
1—5	2	1	—	—	—	—	—	—	1	—	13	14	1	2	4	13
5—10	—	—	2	—	—	—	—	—	1	—	15	3	1	—	38	47
10—15	1	1	1	1	—	—	—	—	—	2	4	2	1	2	43	55
15—20	2	—	4	3	—	1	—	—	—	1	22	13	1	—	28	45
20—25	2	5	9	7	—	4	—	1	—	1	18	12	4	1	19	36
25—30	8	11	12	12	—	10	—	7	1	1	24	16	2	6	11	23
30—35	29	24	17	20	—	45	—	26	3	1	27	21	3	2	13	21
35—40	32	44	33	33	—	127	1	68	3	3	50	21	4	3	16	14
40—45	101	65	43	72	—	229	1	140	10	3	101	55	5	10	15	17
45—50	197	137	86	91	—	283	1	222	12	2	146	93	12	10	13	17
50—55	346	212	181	155	—	346	2	256	20	10	238	118	11	16	7	10
55—60	441	338	273	225	—	326	3	261	29	9	331	126	18	11	12	6
60—65	575	383	339	296	—	263	4	242	40	10	372	129	19	13	10	7
65—70	579	476	416	349	—	234	2	224	46	18	349	165	19	14	6	4
70—75	428	431	310	338	—	165	—	189	46	24	272	134	17	10	1	3
75—80	229	289	210	253	—	122	6	136	32	26	153	81	4	13	1	4
80 and upwards	103	196	92	195	—	64	—	129	36	58	88	61	11	15	—	1

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	366	662	6	1	129	102	727	988	263	404	229	346	34	58	6	8
0—1	—	—	3	—	55	39	—	—	4	4	1	2	3	2	—	1
1—5	—	—	1	1	66	55	2	3	5	4	—	—	5	4	1	—
5—10	—	—	—	—	5	2	4	2	3	1	2	1	1	—	—	—
10—15	—	—	—	—	1	—	7	10	4	8	2	2	2	6	—	1
15—20	—	—	—	—	2	3	17	14	4	8	2	5	2	3	—	—
20—25	2	2	—	—	—	1	11	15	9	13	6	10	3	3	—	—
25—30	—	1	—	—	—	1	16	14	9	14	6	12	3	2	—	—
30—35	6	5	—	—	—	1	15	21	7	8	6	6	1	2	—	1
35—40	3	10	—	—	—	—	11	16	4	17	4	16	—	1	—	1
40—45	6	4	—	—	—	—	20	25	2	26	2	22	—	4	—	—
45—50	17	26	—	—	—	—	35	49	25	30	21	28	4	2	—	1
50—55	24	26	1	—	—	—	45	80	23	36	23	27	—	9	2	1
55—60	45	59	—	—	—	—	83	111	32	43	30	40	2	3	2	1
60—65	58	78	1	—	—	—	117	150	43	57	39	54	4	3	1	—
65—70	58	110	—	—	—	—	119	164	48	58	45	53	3	5	—	1
70—75	68	122	—	—	—	—	134	179	24	50	23	45	1	5	—	—
75—80	57	112	—	—	—	—	63	87	12	20	12	18	—	2	—	—
80 and upwards	22	107	—	—	—	—	28	48	5	7	5	5	—	2	—	—

* 54. Pellagra 15, 65; 55. Beri-beri —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2)* Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	53	381	34	275	19	106	5	1	5	1	36	18	38	42	6	4	206	139
0—1	1	4	—	—	1	4	4	—	4	—	19	9	—	1	—	—	1	2
1—5	5	3	—	1	5	2	1	—	1	—	8	3	—	—	1	—	14	6
5—10	2	1	1	—	1	1	—	—	—	—	3	2	—	—	—	—	23	6
10—15	—	—	—	—	—	—	—	1	—	1	1	2	—	—	—	—	12	4
15—20	—	9	—	9	—	—	—	—	—	—	4	1	1	—	—	—	14	8
20—25	4	16	4	14	—	2	—	—	—	—	—	—	3	7	—	1	7	7
25—30	3	13	3	11	—	2	—	—	—	—	—	—	3	2	—	—	11	10
30—35	2	21	2	21	—	—	—	—	—	—	—	—	2	3	—	—	8	9
35—40	3	31	2	30	1	1	—	—	—	—	1	—	3	1	—	—	10	5
40—45	3	38	3	31	—	7	—	—	—	—	—	—	3	1	—	—	6	13
45—50	4	46	3	40	1	6	—	—	—	—	—	—	4	5	2	1	14	12
50—55	11	48	10	40	1	8	—	—	—	—	—	—	6	5	2	—	26	14
55—60	4	44	4	33	—	11	—	—	—	—	—	—	5	3	—	—	20	9
60—65	10	39	2	25	8	14	—	—	—	—	—	1	1	3	1	1	20	9
65—70	1	19	—	11	1	8	—	—	—	—	—	—	3	7	—	—	7	12
70—75	—	21	—	5	—	16	—	—	—	—	—	—	3	3	—	1	6	7
75—80	—	21	—	3	—	18	—	—	—	—	—	—	1	1	—	—	4	6
80 and upwards	—	7	—	1	—	6	—	—	—	—	—	—	—	—	—	—	3	—

*61 (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* Other general diseases.		III. 70—86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	119	85	87	54	22	12	34	6	102	122	6967	7189	51	28	248	20
0—1	1	2	—	—	—	—	—	—	35	25	488	317	2	2	64	5
1—5	13	6	1	—	—	—	—	—	13	14	208	173	6	3	64	4
5—10	14	5	9	1	—	—	—	—	8	7	110	99	3	—	28	3
10—15	8	2	4	2	—	—	—	—	8	6	95	84	3	1	26	2
15—20	8	4	6	4	—	—	1	—	3	4	120	89	3	5	16	1
20—25	1	2	6	5	—	—	2	—	4	4	100	91	5	1	9	1
25—30	6	4	5	6	—	—	—	—	—	9	103	83	6	3	7	—
30—35	6	6	2	3	—	—	—	1	2	2	123	110	2	1	2	—
35—40	6	2	4	3	2	1	3	—	1	2	171	140	4	—	2	—
40—45	6	9	—	4	3	1	1	2	3	2	306	212	2	1	6	—
45—50	10	7	4	5	5	—	6	—	4	4	375	315	5	1	7	—
50—55	8	8	18	6	2	4	5	1	6	6	514	493	6	4	3	—
55—60	13	6	7	3	4	1	8	1	7	14	612	571	1	2	6	—
60—65	10	7	10	2	1	1	5	1	5	8	789	749	—	1	4	—
65—70	4	5	3	7	2	—	3	—	1	2	866	931	2	—	1	—
70—75	3	6	3	1	2	3	—	—	2	7	886	1033	—	1	1	—
75—80	1	4	3	2	1	—	—	—	—	3	638	853	1	2	1	—
80 and upwards	1	—	2	—	—	1	—	—	—	3	463	846	—	—	1	—

* 68. Chronic poisoning by organic substances 35, 35, 55, 65.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	274	50	268	195	3389	4438	2883	3716	506	722	212	225	178	204	34	21
0—1	—	—	—	1	—	1	—	1	—	—	—	2	—	2	—	—
1—5	—	—	5	2	1	—	1	—	—	—	2	4	1	2	1	2
5—10	—	—	1	—	2	—	1	—	1	—	1	—	—	—	1	—
10—15	—	—	2	2	1	2	1	2	—	—	2	—	1	—	1	—
15—20	—	—	6	2	1	3	—	3	1	—	2	1	1	—	1	1
20—25	—	—	8	9	4	6	4	6	—	—	1	—	—	—	1	—
25—30	3	1	4	4	3	5	3	2	—	3	—	1	—	—	—	1
30—35	4	—	5	5	16	9	13	9	3	—	—	—	—	—	—	—
35—40	8	4	11	8	19	28	17	25	2	3	1	—	—	—	1	—
40—45	14	2	18	8	61	65	52	54	9	11	5	3	2	2	3	1
45—50	24	6	26	16	104	151	93	127	11	24	2	2	2	2	—	—
50—55	54	6	23	29	215	286	185	258	30	28	6	10	4	9	2	1
55—60	49	9	44	23	311	365	273	326	38	39	16	16	12	14	4	2
60—65	51	8	43	23	468	535	407	448	61	87	33	23	28	23	5	—
65—70	42	8	31	27	593	709	495	583	98	126	41	37	39	36	2	1
70—75	23	4	18	17	678	853	581	724	97	129	37	43	33	42	4	1
75—80	2	2	13	12	523	701	449	560	74	141	41	36	38	31	3	5
80 and upwards	—	—	10	7	389	719	308	588	81	131	22	47	17	41	5	6

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	502	121	230	282	379	367	432	287	9	27	33	48	42	78	624	598
0—1	—	—	—	—	1	1	379	232	—	—	—	—	—	—	13	6
1—5	—	—	—	—	9	15	49	50	—	2	—	—	—	—	30	20
5—10	—	—	—	—	11	6	2	1	2	9	—	—	—	—	26	16
10—15	1	—	—	1	15	10	1	—	2	5	—	—	—	—	14	12
15—20	—	—	2	2	36	20	—	—	3	8	—	1	—	—	23	15
20—25	4	2	2	4	28	26	—	2	—	1	—	—	—	—	13	12
25—30	5	4	12	5	28	20	—	—	—	—	1	—	—	—	14	23
30—35	18	10	7	13	30	29	—	1	1	2	1	1	—	—	24	18
35—40	59	13	6	13	26	29	—	—	—	—	4	1	—	1	24	32
40—45	107	22	16	18	27	33	1	1	—	—	—	5	—	3	38	37
45—50	112	22	17	35	32	26	—	—	—	—	2	4	—	2	34	43
50—55	86	21	25	43	24	19	—	—	—	—	8	7	2	2	55	49
55—60	56	11	45	39	20	28	—	—	—	—	3	6	2	3	55	58
60—65	34	6	42	48	35	26	—	—	—	—	2	7	10	12	65	56
65—70	13	5	30	25	20	28	—	—	1	—	2	3	7	9	78	75
70—75	5	—	14	18	24	25	—	—	—	—	6	1	6	9	69	58
75—80	2	4	5	8	9	13	—	—	—	—	3	5	8	16	28	50
80 and upwards	—	1	7	10	4	13	—	—	—	—	1	7	7	21	21	18

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	4	259	236	17475	18254	11833	13729	62	49	325	337	848	365	10598	12978
0—1	2	—	27	19	10	6	—	2	—	2	—	—	—	—	—	—
1—5	2	1	40	35	19	15	12	12	4	1	5	4	—	—	3	7
5—10	1	—	33	36	50	56	49	52	5	4	9	17	—	—	35	31
10—15	—	—	28	28	99	115	98	115	3	2	19	26	—	—	76	87
15—20	1	—	27	20	134	136	132	134	5	3	23	30	—	—	104	101
20—25	1	1	25	17	130	174	125	169	1	—	20	37	—	1	104	131
25—30	—	—	20	12	139	191	132	189	2	3	44	44	—	1	86	141
30—35	—	—	13	15	151	217	141	207	3	—	34	36	3	1	101	170
35—40	—	—	7	10	267	318	243	306	2	3	49	39	15	4	177	260
40—45	—	—	11	11	416	388	364	360	7	—	56	49	26	1	275	310
45—50	1	—	9	4	719	624	600	565	3	2	20	10	47	15	530	538
50—55	—	—	7	10	1074	925	832	761	4	4	10	6	90	23	728	728
55—60	—	—	4	7	1576	1286	1139	1057	10	6	15	14	119	40	995	997
60—65	—	—	2	3	2213	1756	1529	1428	9	3	8	6	167	41	1345	1378
65—70	2	—	3	1	2777	2505	1839	1883	4	6	7	10	154	69	1674	1798
70—75	4	1	1	3	3049	3074	1891	2178	—	6	3	5	119	68	1769	2099
75—80	1	1	1	2	2628	2943	1549	2031	—	3	2	4	74	62	1473	1962
80 and upwards	—	—	1	3	2024	3525	1158	2280	—	1	1	—	34	39	1123	2240

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4042	4978	5752	6984	804	1016	5457	4339	350	95	5084	4204	1959	1790	3125	2414
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	3	7	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5—10	33	28	—	—	2	3	—	1	—	1	—	—	—	—	—	—
10—15	67	79	2	3	7	5	1	—	1	—	—	—	—	—	—	—
15—20	96	91	3	5	5	5	2	—	1	—	—	—	—	—	—	—
20—25	87	112	8	9	9	10	2	2	1	1	1	1	1	—	—	1
25—30	73	124	4	7	9	10	7	2	6	—	1	1	1	1	—	—
30—35	85	139	13	18	3	13	8	4	3	3	5	1	—	—	5	1
35—40	124	188	32	54	21	18	20	7	9	1	11	5	6	3	5	2
40—45	188	205	65	75	22	30	48	15	19	3	29	11	9	6	20	5
45—50	273	312	212	175	45	51	106	42	39	5	66	34	33	24	33	10
50—55	343	381	330	291	55	56	224	146	60	12	162	129	82	86	80	43
55—60	451	482	472	435	72	80	410	205	79	18	329	186	174	117	155	69
60—65	539	551	705	731	101	96	656	305	55	11	600	293	275	163	325	130
65—70	561	663	977	976	136	159	910	603	42	20	864	579	358	308	506	271
70—75	524	676	1109	1250	136	173	1135	876	19	5	1111	862	451	390	660	472
75—80	373	516	979	1283	121	163	1067	898	14	7	1051	886	353	330	698	556
80 and upwards	222	424	841	1672	60	144	860	1233	1	8	854	1216	216	362	638	854

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1927.
(Civilian population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23	40	57	51	73	99	15	11	5	6	35	19	12980	10351	46	26
0—1	—	—	—	—	—	—	8	3	2	1	—	—	2203	1629	4	4
1—5	—	—	—	—	—	—	6	3	—	—	—	—	1425	1246	2	—
5—10	—	—	1	1	—	—	—	1	—	1	—	—	239	209	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	118	83	3	3
15—20	1	—	—	1	—	—	—	1	—	—	—	—	153	102	4	2
20—25	—	—	—	3	1	—	1	—	1	—	—	—	195	127	5	2
25—30	—	1	—	—	—	—	—	—	—	—	—	—	207	107	4	3
30—35	—	—	—	2	1	4	—	—	1	—	—	—	289	147	2	4
35—40	—	1	1	1	3	3	—	—	—	—	—	1	351	195	3	—
40—45	—	1	3	3	1	8	—	—	—	1	—	1	606	212	4	2
45—50	1	3	4	5	7	9	—	1	—	1	2	1	755	290	3	—
50—55	2	5	6	4	9	13	—	—	—	—	3	1	833	384	5	1
55—60	2	1	10	4	13	18	—	—	1	1	3	1	842	483	4	2
60—65	1	1	12	10	7	11	—	1	—	—	9	1	964	631	2	1
65—70	4	4	8	6	13	8	—	1	—	—	7	4	988	850	1	2
70—75	5	9	8	5	8	12	—	—	—	—	7	3	1058	1111	—	—
75—80	2	5	3	2	7	6	—	—	—	1	2	5	889	1084	—	—
80 and upwards	5	9	1	4	3	7	—	—	—	—	2	1	865	1461	—	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	54	53	4579	4487	818	1032	1859	1419	1902	2036	7512	5162	3587	2945	3925	2217
0—1	14	14	555	415	231	190	3	1	321	224	1608	1179	1392	996	216	183
1—5	24	25	176	165	85	76	8	10	83	79	1190	1036	940	839	250	197
5—10	6	4	21	17	9	9	2	1	10	7	198	181	103	88	95	93
10—15	—	—	8	10	3	4	2	2	3	4	97	65	28	20	69	45
15—20	1	—	23	15	9	5	9	6	5	4	112	73	16	14	96	59
20—25	—	1	10	9	1	2	5	4	4	3	170	107	23	26	147	81
25—30	—	—	13	13	4	2	6	7	3	4	177	82	25	21	152	61
30—35	—	1	34	23	4	4	22	10	8	9	226	110	38	21	188	89
35—40	1	—	51	24	8	4	22	6	21	14	268	148	36	26	232	122
40—45	1	2	124	52	19	8	76	31	29	13	425	138	76	30	349	108
45—50	—	—	172	73	28	14	92	43	52	16	516	172	98	49	418	123
50—55	—	1	229	130	24	26	134	64	71	40	515	204	107	56	408	148
55—60	3	2	285	217	39	36	160	111	86	70	480	216	127	76	353	140
60—65	—	1	412	295	55	65	230	138	127	92	465	277	145	100	320	177
65—70	2	—	552	456	64	96	288	172	200	188	355	334	113	136	242	198
70—75	1	1	645	707	86	108	296	268	263	331	345	326	139	154	206	172
75—80	1	—	616	752	63	158	280	241	273	353	211	263	101	146	110	117
80 and upwards	—	1	653	1114	86	225	224	304	343	585	154	251	80	147	74	104

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	101 (a) Pneumonia lobar.		101 (b) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2956	1508	969	709	258	139	127	173	7	1	289	276	14	4	94	30
0—1	93	75	123	108	3	3	16	14	—	—	—	—	—	—	3	—
1—5	146	104	104	93	27	17	4	2	—	—	2	1	—	—	—	—
5—10	62	60	33	33	13	3	—	—	—	—	1	2	—	—	—	2
10—15	52	36	17	9	7	2	—	2	—	—	1	1	—	—	2	—
15—20	79	40	17	19	7	5	1	—	—	—	3	5	—	—	2	2
20—25	122	62	25	19	4	4	1	—	1	—	3	3	1	—	—	1
25—30	126	49	26	12	6	5	2	1	—	—	1	3	—	—	4	—
30—35	163	66	25	23	13	4	—	—	1	—	9	5	—	—	4	—
35—40	200	97	32	25	9	5	—	1	1	1	11	14	1	—	6	2
40—45	289	86	60	22	19	3	—	1	1	—	22	11	1	1	9	2
45—50	340	97	78	26	22	12	3	2	1	—	34	28	—	—	4	3
50—55	309	122	99	26	20	15	4	4	1	—	38	25	1	1	20	3
55—60	270	111	83	29	19	9	5	2	—	—	36	32	3	—	7	3
60—65	244	123	76	54	31	12	2	5	—	—	31	37	1	—	20	3
65—70	185	139	57	59	20	12	11	13	—	—	32	29	5	—	10	4
70—75	153	106	53	66	17	13	18	20	1	—	30	40	—	—	1	4
75—80	70	77	40	40	14	11	22	35	—	—	24	21	—	2	1	—
80 and upwards	53	58	21	46	7	4	38	71	—	—	11	19	1	—	1	1

Causes of Death.	107 (a) Chronic interstitial pneumonia.		107 (b)* 107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexe.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexe.		109 Diseases of the pharynx and tonsils.		110 Diseases of the oesophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	69	23	22	7	5306	4359	131	107	92	70	39	37	160	164	4	8
0—1	—	—	3	—	1415	894	16	5	7	4	9	1	10	6	—	—
1—5	—	—	—	—	373	329	9	4	8	3	1	1	32	23	—	—
5—10	—	2	—	—	140	146	3	6	2	5	1	1	31	25	—	—
10—15	1	—	—	—	88	54	2	3	1	2	1	1	4	6	—	—
15—20	1	1	1	1	103	74	6	4	4	4	2	—	7	10	—	—
20—25	—	—	—	1	115	73	9	4	7	2	2	2	14	6	1	—
25—30	1	—	3	—	130	77	3	5	1	4	2	1	5	7	—	—
30—35	3	—	1	—	131	98	2	4	2	3	—	1	6	6	—	—
35—40	3	1	3	1	173	111	5	5	4	3	1	2	5	8	—	1
40—45	8	1	1	1	234	151	7	7	7	2	—	5	5	12	—	—
45—50	3	2	1	1	295	226	12	5	12	4	—	1	9	11	—	—
50—55	15	3	4	—	390	288	10	7	8	6	2	1	6	10	—	1
55—60	6	3	1	—	419	311	13	7	7	5	6	2	4	11	1	—
60—65	16	3	3	—	370	307	8	6	7	6	1	—	8	5	—	3
65—70	9	3	1	1	344	353	7	10	6	6	1	4	6	5	1	1
70—75	1	4	—	—	271	332	9	11	6	4	3	7	3	3	—	2
75—80	1	—	—	—	174	285	5	5	1	3	4	2	5	5	—	—
80 and upwards	1	—	—	1	141	250	5	9	2	4	3	5	—	5	1	—

*107 (b) Diseases of the mediastinum. 10, 50, 60.

AGGREGATE OF COUNTY HOSPITALS.—CAUSES OF DEATH AT DIFFERENT AGE PERIODS, 1928.
(Civilian population only).

Cause of death.	111 Chlor of the throat or larynx.		111 (a) Chlor of the throat.		111 (b) Chlor of the larynx.		112 Other diseases of the throat.		113 & 114 Diphtheria and scarletina.		115 Diphtheria due to other infectious parasites.		116 Typhoid fever and typhus.		118 Hernia, intestinal obstruction.	
Age at death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	936	939	614	253	344	59	269	314	1644	1263	6	5	530	401	772	696
0—1	—	1	—	—	—	1	74	63	1186	764	—	—	—	—	106	48
1—5	—	2	—	2	—	—	19	23	249	219	1	2	26	17	20	12
5—10	—	—	—	—	—	—	4	3	27	25	—	2	34	40	17	10
10—15	—	1	—	1	—	—	5	1	4	6	—	—	33	26	19	5
15—20	7	1	6	1	1	—	1	3	8	6	—	—	48	33	22	8
20—25	17	3	8	3	9	—	1	1	2	6	—	—	43	33	23	3
25—30	36	8	23	4	15	2	3	3	19	4	2	—	35	21	23	12
30—35	57	9	39	8	18	1	1	1	7	11	—	—	31	21	17	18
35—40	81	17	52	14	29	3	4	5	8	11	1	—	27	20	20	16
40—45	113	23	70	21	43	2	6	5	8	16	—	—	32	23	26	27
45—50	137	42	88	32	49	10	11	7	6	16	1	—	33	27	32	46
50—55	167	40	89	32	58	8	19	7	15	10	—	—	37	37	49	62
55—60	121	39	77	33	44	5	18	16	10	23	—	—	36	29	66	54
60—65	94	37	64	30	30	7	15	14	18	12	1	—	25	18	67	72
65—70	68	33	53	29	33	6	18	30	23	21	—	—	17	21	77	95
70—75	28	23	20	23	8	5	27	45	20	33	—	—	24	19	80	80
75—80	25	17	18	14	7	3	15	40	16	34	—	—	8	10	60	75
80 and over	9	9	7	4	2	3	19	47	15	40	—	1	4	4	48	53

* 115. Acute diphtheria. 116 (a) Typhoid (typhus) of the liver excepted. 20, 21, 45, 60, 6, 60. 116 (b) Typhoid 85.
116 (c) Diphtheria (other than Acute diphtheria). 1, 1, 2. 116 (f). Lacerated peritonitis 1.

Cause of death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid cyst of the liver.		122 Cancer of the liver.	
Age at death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	336	323	442	367	197	92	23	32	84	69	6	18	5	5	369	209
0—1	31	1	75	47	6	5	5	3	1	2	—	—	—	—	—	—
1—5	4	1	16	11	10	7	5	5	5	2	—	—	—	—	2	1
5—10	2	2	15	8	1	—	—	—	1	—	—	—	—	—	—	1
10—15	2	—	17	5	1	—	—	—	1	—	—	1	—	—	—	1
15—20	—	—	22	8	—	1	—	1	—	—	—	—	—	—	—	—
20—25	1	—	22	3	2	1	1	1	1	—	—	4	—	—	—	3
25—30	2	—	21	12	1	1	1	—	—	1	1	3	—	—	2	—
30—35	5	1	12	17	3	4	—	—	3	4	—	1	—	1	2	2
35—40	4	5	16	11	4	3	—	—	4	3	—	5	1	1	6	1
40—45	17	19	9	17	4	—	—	—	4	—	—	1	—	—	18	11
45—50	7	28	25	18	2	5	—	1	2	4	—	1	2	1	26	20
50—55	27	29	22	33	12	4	2	—	10	4	1	—	—	—	60	35
55—60	25	37	41	17	11	11	1	—	10	11	1	1	—	1	76	37
60—65	36	44	31	28	14	9	—	1	14	8	3	—	1	—	71	36
65—70	44	55	33	40	17	6	1	1	16	6	—	1	—	1	62	28
70—75	56	51	25	26	9	9	1	5	8	4	—	—	—	—	32	15
75—80	37	36	23	34	5	9	3	5	2	4	—	—	—	—	15	16
80 and over	31	26	17	27	5	14	3	9	2	5	—	—	—	—	7	3

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	62	30	307	179	115	282	154	292	59	88	24	106	4161	3261	200	204
0—1	—	—	—	—	—	—	4	1	1	—	—	1	31	16	8	7
1—5	—	—	2	1	—	—	3	2	—	—	2	17	40	27	24	15
5—10	—	—	—	1	—	—	—	—	2	2	1	32	39	22	24	11
10—15	—	—	—	1	—	—	1	1	—	—	1	3	20	37	7	11
15—20	—	—	—	—	—	—	2	1	1	—	1	5	38	55	8	14
20—25	—	—	—	3	1	—	1	—	1	4	—	5	51	71	13	13
25—30	1	—	1	—	—	5	5	1	—	—	2	7	51	93	4	6
30—35	—	—	2	2	2	3	2	6	—	1	1	6	59	113	4	9
35—40	3	—	3	1	2	7	5	5	4	3	—	3	93	125	12	13
40—45	6	1	12	10	4	7	5	9	6	5	—	5	141	193	12	11
45—50	5	5	21	15	5	16	9	15	9	10	1	4	209	261	12	11
50—55	8	6	52	29	11	31	17	25	4	17	2	2	290	273	14	14
55—60	13	4	63	33	22	38	22	33	13	11	5	1	425	316	16	25
60—65	10	5	61	31	17	40	20	38	4	11	4	6	500	347	19	14
65—70	11	6	41	22	15	46	18	36	5	11	2	3	621	379	13	12
70—75	4	1	28	14	18	35	18	37	3	10	—	5	647	372	2	8
75—80	1	1	14	14	9	32	6	42	4	—	1	1	528	315	8	8
80 and upwards	—	1	7	2	9	22	16	40	2	3	1	—	378	246	—	2

* 127. Other diseases of the digestive system — :

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, &c.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2355	2394	119	135	80	38	186	108	175	2	165	—	10	2	1002	—
0—1	—	—	3	4	—	—	—	—	1	—	—	—	1	—	—	—
1—5	6	4	3	6	—	—	1	—	—	—	—	—	—	—	—	—
5—10	11	7	1	—	2	1	1	1	—	—	—	—	—	—	—	—
10—15	11	24	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	26	31	1	5	2	2	1	1	—	—	—	—	—	—	—	—
20—25	29	37	5	5	2	4	1	—	—	1	—	—	—	1	—	—
25—30	35	56	9	6	3	—	—	1	—	—	—	—	—	—	—	—
30—35	44	61	4	7	3	1	2	1	2	—	2	—	—	—	—	—
35—40	63	68	5	9	6	2	1	2	4	—	4	—	—	—	—	—
40—45	109	116	8	9	7	1	—	2	4	—	3	—	1	—	—	—
45—50	161	171	11	11	4	2	6	3	11	—	10	—	1	—	2	—
50—55	216	206	10	7	7	5	6	3	21	—	20	—	1	—	16	—
55—60	285	251	6	11	17	3	11	5	33	—	30	—	3	—	56	—
60—65	327	280	14	14	7	4	11	13	25	—	24	—	1	—	96	—
65—70	355	327	12	11	7	—	25	10	35	—	33	—	2	—	169	—
70—75	329	309	7	17	4	5	37	18	24	—	24	—	—	—	239	—
75—80	210	256	11	5	5	6	41	20	9	—	9	—	—	—	244	—
80 and upwards	138	190	8	7	4	2	42	28	6	1	6	—	—	1	180	—

* 130. Chyluria —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	—	—	95	—	76	—	133	—	8	—	61	2	7	—	1027
0—1	17	—	—	—	—	—	—	—	—	—	—	—	2	5	—	—
1—5	6	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
5—10	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
10—15	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
15—20	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	20
20—25	1	—	—	2	—	8	—	—	—	—	—	1	—	—	—	139
25—30	—	—	—	5	—	11	—	1	—	2	—	5	—	—	—	274
30—35	—	—	—	5	—	13	—	10	—	1	—	5	—	—	—	249
35—40	2	—	—	2	—	8	—	11	—	—	—	10	—	—	—	218
40—45	1	—	—	6	—	14	—	27	—	1	—	5	—	1	—	115
45—50	2	—	—	9	—	10	—	34	—	—	—	10	—	—	—	11
50—55	—	—	—	7	—	5	—	20	—	1	—	5	—	—	—	1
55—60	1	—	—	11	—	—	—	4	—	—	—	6	—	—	—	—
60—65	1	—	—	14	—	2	—	3	—	1	—	2	—	—	—	—
65—70	5	—	—	13	—	—	—	4	—	—	—	2	—	—	—	—
70—75	5	—	—	3	—	1	—	9	—	—	—	2	—	—	—	—
75—80	—	—	—	12	—	1	—	4	—	—	—	3	—	—	—	—
80 and upwards	—	—	—	5	—	1	—	6	—	—	—	3	—	1	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (a) Abortion.		143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	96	—	28	—	29	—	39	—	119	—	120	—	454	—	67
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	2	—	1	—	—	—	1	—	—	—	3	—	11	—	—
20—25	—	10	—	1	—	4	—	5	—	15	—	12	—	68	—	6
25—30	—	15	—	3	—	6	—	6	—	25	—	30	—	139	—	14
30—35	—	25	—	7	—	6	—	12	—	33	—	27	—	105	—	24
35—40	—	27	—	9	—	11	—	7	—	24	—	31	—	90	—	15
40—45	—	12	—	6	—	1	—	5	—	21	—	17	—	38	—	6
45—50	—	4	—	1	—	1	—	2	—	1	—	—	—	3	—	2
50—55	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	159	—	8	571	448	154	135	113	51	151	108	153	154	207	121
0—1	—	—	—	—	105	75	4	1	3	8	21	18	77	48	10	5
1—5	—	—	—	—	17	9	1	1	1	—	2	3	13	5	23	17
5—10	—	—	—	—	5	2	—	1	—	—	4	1	1	—	36	17
10—15	—	—	—	—	5	3	1	—	4	1	—	2	—	—	34	14
15—20	—	4	—	—	11	5	1	—	4	3	6	2	—	—	28	5
20—25	—	27	—	1	10	8	—	—	5	5	4	2	1	1	8	7
25—30	—	44	—	5	6	7	1	1	2	4	3	2	—	—	4	2
30—35	—	34	—	1	6	10	—	—	4	3	1	7	1	—	3	1
35—40	—	29	—	1	8	5	—	—	5	1	2	3	1	1	5	6
40—45	—	20	—	—	15	12	—	1	4	3	9	7	2	1	6	5
45—50	—	1	—	—	23	15	1	1	8	1	12	10	2	3	10	4
50—55	—	—	—	—	27	19	—	2	7	2	16	5	4	10	5	1
55—60	—	—	—	—	34	17	5	—	10	2	12	10	7	5	5	7
60—65	—	—	—	—	44	26	13	10	10	3	12	5	9	8	12	7
65—70	—	—	—	—	74	45	23	11	17	5	23	10	11	19	5	4
70—75	—	—	—	—	76	48	41	22	10	3	15	9	10	14	5	9
75—80	—	—	—	—	50	64	30	35	11	5	2	6	7	18	6	3
80 and upwards	—	—	—	—	55	78	33	49	8	2	7	6	7	21	2	7

* 150. Puerperal diseases of the breast 25, 25, 35, 40.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160-163 Diseases of early infancy.		160. Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	170	95	33	14	4	12	726	578	3800	2787	656	404	2822	2115	2543	1905
0—1	7	5	3	—	—	—	648	492	3800	2787	656	404	2822	2115	2543	1905
1—5	20	15	3	2	—	—	37	26	—	—	—	—	—	—	—	—
5—10	34	15	2	1	—	1	11	14	—	—	—	—	—	—	—	—
10—15	30	14	4	—	—	—	6	15	—	—	—	—	—	—	—	—
15—20	26	5	2	—	—	—	3	13	—	—	—	—	—	—	—	—
20—25	6	6	2	—	—	1	8	2	—	—	—	—	—	—	—	—
25—30	3	1	1	1	—	—	1	4	—	—	—	—	—	—	—	—
30—35	2	1	1	—	—	—	1	3	—	—	—	—	—	—	—	—
35—40	3	4	2	1	—	1	—	1	—	—	—	—	—	—	—	—
40—45	4	4	2	1	—	—	—	1	—	—	—	—	—	—	—	—
45—50	7	4	2	—	1	—	2	2	—	—	—	—	—	—	—	—
50—55	4	1	1	—	—	—	4	3	—	—	—	—	—	—	—	—
55—60	2	5	2	—	1	2	3	2	—	—	—	—	—	—	—	—
60—65	10	5	2	2	—	—	1	—	—	—	—	—	—	—	—	—
65—70	4	1	1	—	—	3	1	—	—	—	—	—	—	—	—	—
70—75	3	5	1	2	1	2	—	—	—	—	—	—	—	—	—	—
75—80	4	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	2	—	3	1	2	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide. 165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	279	210	283	236	39	32	2350	3469	4562	2331	1170	534	133	94	328	208
0—1	279	210	283	236	39	32	—	—	118	110	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	283	184	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	248	134	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	136	32	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	226	74	22	17	7	3	4	2
20—25	—	—	—	—	—	—	—	—	321	102	47	38	6	12	14	10
25—30	—	—	—	—	—	—	—	—	271	68	63	23	13	5	13	3
30—35	—	—	—	—	—	—	—	—	230	77	56	36	8	11	20	9
35—40	—	—	—	—	—	—	—	—	254	108	86	56	14	12	26	24
40—45	—	—	—	—	—	—	—	—	285	90	101	50	12	11	34	21
45—50	—	—	—	—	—	—	—	2	356	126	139	68	9	12	49	24
50—55	—	—	—	—	—	—	—	4	378	158	170	78	20	7	43	41
55—60	—	—	—	—	—	—	9	12	372	136	165	54	21	5	47	24
60—65	—	—	—	—	—	—	43	44	340	152	143	57	12	9	40	29
65—70	—	—	—	—	—	—	156	137	249	154	80	28	3	5	18	10
70—75	—	—	—	—	—	—	508	498	221	171	52	14	4	1	12	5
75—80	—	—	—	—	—	—	631	811	143	165	37	9	4	—	6	6
80 and upwards	—	—	—	—	—	—	1003	1961	131	290	9	6	—	1	2	—

Causes of Death.	Suicide— <i>continued.</i>														175-196 201-203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		M.	F.
All Ages	210	50	198	97	27	1	189	42	38	20	45	9	2	13	3359	1761
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	111	101
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	281	181
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	247	131
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135	31
15—20	5	1	4	10	1	—	—	—	1	1	1	—	—	—	204	56
20—25	10	1	8	10	3	—	3	1	1	2	2	1	—	1	273	63
25—30	12	2	9	8	2	—	9	1	2	—	3	1	—	3	205	41
30—35	5	—	8	6	4	1	8	4	2	2	1	—	—	3	172	37
35—40	15	1	9	8	2	—	15	6	1	—	4	2	—	3	163	51
40—45	19	6	14	6	—	—	12	2	3	3	6	1	1	—	181	39
45—50	23	8	19	14	2	—	26	5	4	4	7	—	—	1	215	54
50—55	30	6	35	10	3	—	27	8	5	2	7	2	—	2	207	79
55—60	31	6	34	10	2	—	21	5	3	2	5	2	1	—	205	80
60—65	31	8	24	6	3	—	23	3	8	2	2	—	—	—	195	94
65—70	14	5	17	5	3	—	19	3	3	—	3	—	—	—	168	126
70—75	7	3	11	3	1	—	12	2	4	—	1	—	—	—	169	157
75—80	7	—	5	1	—	—	10	—	2	2	3	—	—	—	106	156
80 and upwards	1	3	1	—	1	—	4	2	—	—	—	—	—	—	122	284

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	6	7	1	21	19	6	7	245	317	90	84	43	40	387	96
0—1	—	—	—	—	1	—	—	—	29	15	69	75	—	—	2	5
1—5	—	1	—	—	3	2	—	—	131	95	5	1	—	—	36	12
5—10	1	2	—	—	—	—	—	—	14	38	1	1	1	1	49	4
10—15	1	—	—	—	—	1	—	—	1	10	—	—	—	1	28	1
15—20	—	—	1	—	—	2	2	—	3	16	—	—	—	1	31	6
20—25	—	—	1	1	—	1	—	2	4	11	2	1	2	2	30	7
25—30	—	—	—	—	1	3	1	1	2	5	—	—	3	2	17	6
30—35	—	1	1	—	2	1	—	2	4	8	—	1	1	1	22	3
35—40	—	—	—	—	1	—	2	2	4	6	2	—	3	4	12	7
40—45	2	1	1	—	2	—	—	—	3	6	1	—	3	1	22	5
45—50	—	—	2	—	3	1	—	—	3	5	2	3	2	2	29	7
50—55	—	—	—	—	2	4	—	—	3	12	1	1	7	3	29	13
55—60	1	—	—	—	3	2	—	—	10	8	2	—	4	4	26	6
60—65	—	—	—	—	1	—	1	—	6	14	2	—	6	5	23	7
65—70	—	—	—	—	1	1	—	—	6	14	1	—	4	4	19	5
70—75	—	1	—	—	—	—	—	—	8	19	1	—	1	2	10	1
75—80	—	—	—	—	—	—	—	—	7	17	1	1	4	3	2	1
80 and upwards	—	—	1	—	1	1	—	—	7	18	—	—	2	4	—	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	1	6	6	664	651	144	—	87	2	1496	485	1	—	25	—
0—1	—	—	—	—	4	2	—	—	—	—	2	—	—	—	—	—
1—5	—	—	—	—	15	16	—	—	—	—	87	51	—	—	—	—
5—10	—	—	1	2	11	3	—	—	—	—	159	76	—	—	—	—
10—15	1	—	—	—	16	3	1	—	1	—	76	14	—	—	—	—
15—20	1	—	—	—	22	4	10	—	4	—	122	26	—	—	—	—
20—25	—	—	2	—	24	3	14	—	10	1	173	31	—	—	—	—
25—30	—	—	1	—	32	5	22	—	5	—	109	18	—	—	2	—
30—35	—	—	—	—	29	2	11	—	3	—	82	8	—	—	8	—
35—40	—	—	—	1	26	8	18	—	11	—	73	19	—	—	4	—
40—45	1	—	1	—	36	9	18	—	14	—	68	16	—	—	5	—
45—50	—	—	1	1	37	12	12	—	12	—	100	22	—	—	5	—
50—55	1	—	—	—	49	26	12	—	9	—	85	19	—	—	1	—
55—60	—	—	—	1	48	25	14	—	8	—	78	31	1	—	—	—
60—65	—	1	—	—	45	33	6	—	4	—	89	33	—	—	—	—
65—70	—	—	—	1	55	62	6	—	3	—	68	38	—	—	—	—
70—75	—	—	—	—	86	100	—	—	1	1	59	30	—	—	—	—
75—80	—	—	—	—	52	105	—	—	2	—	37	28	—	—	—	—
80 and upwards	—	—	—	—	77	233	—	—	—	—	29	25	—	—	—	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	191*		193		194		195*		Homicide.							
	192 Hunger or thirst.		Excessive cold.		Excessive heat.		196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	5	6	2	9	8	13	1	33	36	4	1	5	6	24	29
0—1	—	—	—	—	—	—	—	—	7	9	—	—	—	—	7	9
1—5	—	—	—	—	2	1	—	—	2	3	—	—	2	—	—	3
5—10	—	—	—	—	2	2	1	—	1	3	—	—	1	1	—	2
10—15	—	—	—	—	1	—	1	1	1	1	—	—	—	1	1	—
15—20	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	1
20—25	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	—
25—30	—	—	—	—	—	—	1	—	3	4	—	—	—	1	3	3
30—35	—	1	—	1	—	2	2	—	2	4	—	—	2	1	—	3
35—40	—	1	1	—	—	—	—	—	5	1	—	—	—	—	5	1
40—45	—	—	—	—	—	—	1	—	3	1	2	—	—	—	1	1
45—50	—	—	1	—	—	1	—	—	2	4	1	1	—	—	1	3
50—55	—	—	1	—	—	—	1	—	1	1	—	—	—	—	1	1
55—60	1	—	—	1	1	—	1	—	2	2	—	—	—	1	2	1
60—65	1	—	—	—	2	—	—	—	2	1	1	—	—	—	1	1
65—70	1	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—
70—75	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—

* 191. Execution of civilians by belligerent armies — ; 195. Lightning 20.

Causes of Death.	200*		202		203		XV. 204-205		204		205		205 (1)		205 (2 & 3)	
	201 Fracture (cause not specified).		Other and unstated forms of accidental violence; Execution.		Violent deaths of unknown causation.		Ill-defined diseases.		Sudden death.		Cause of death unstated or ill-defined.		Heart failure, 1-70 years.		Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	1	76	27	5	2	120	102	39	24	81	78	48	39	33	39
0—1	1	—	3	3	—	1	4	5	—	—	4	5	—	—	4	5
1—5	—	—	2	2	—	—	11	13	—	—	11	13	—	—	11	13
5—10	—	—	7	2	—	—	2	—	—	—	2	—	—	—	2	—
10—15	—	—	8	—	—	—	1	—	1	—	—	—	—	—	—	—
15—20	—	—	4	1	—	—	3	—	2	—	1	—	1	—	—	—
20—25	2	—	7	3	1	—	1	—	—	—	1	—	1	—	—	—
25—30	1	—	8	1	—	—	1	3	—	—	1	3	1	3	—	—
30—35	1	—	6	6	—	—	2	1	1	—	1	1	1	—	—	1
35—40	1	—	4	2	1	1	5	3	4	—	1	3	1	2	—	1
40—45	1	—	2	1	—	—	8	5	4	1	4	4	2	3	2	1
45—50	2	—	3	—	1	—	4	4	2	2	2	2	1	2	1	—
50—55	—	—	5	1	1	—	11	8	5	4	6	4	6	4	—	—
55—60	1	—	5	2	1	—	13	15	3	6	10	9	7	6	3	3
60—65	2	—	7	1	—	—	18	18	9	4	9	14	9	9	—	5
65—70	1	—	2	—	—	—	29	19	8	7	21	12	18	10	3	2
70—75	—	—	1	1	—	—	3	5	—	—	3	5	—	—	3	5
75—80	—	—	—	1	—	—	2	1	—	—	2	1	—	—	2	1
80 and upwards	2	1	2	—	—	—	2	2	—	—	2	2	—	—	2	2

* 200 Infanticide. Deaths from this cause are shown under Nos. 197-199.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1-42 Epidemic, endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	77682	76205	10472	9111	77	80	61	59	16	21	12	1	20	3	594	489
0—1	7768	5627	659	541	—	—	—	—	—	—	—	—	2	1	132	80
1—5	3188	2810	1231	1199	1	1	1	—	—	1	1	—	—	—	371	328
5—10	1458	1375	594	605	1	3	1	3	—	—	—	—	—	—	78	66
10—15	894	836	272	335	4	7	4	6	—	1	—	—	—	—	6	9
15—20	1545	1391	571	765	4	8	3	4	1	4	—	—	—	—	1	2
20—25	1820	1767	806	865	9	5	7	5	2	—	—	—	—	—	2	—
25—30	1698	1842	743	820	8	7	7	5	1	2	2	—	—	—	—	1
30—35	1711	1809	678	623	10	8	8	5	2	3	1	—	—	—	1	—
35—40	2137	2000	678	492	8	6	7	6	1	—	2	—	—	—	1	—
40—45	2662	2487	722	446	2	8	1	6	1	2	2	—	—	—	—	1
45—50	3610	3065	759	437	4	7	4	4	—	3	1	—	—	—	—	1
50—55	4719	4026	734	378	9	6	7	5	2	1	—	—	1	—	—	—
55—60	5850	4944	626	353	9	8	6	5	3	3	1	—	—	1	—	1
60—65	7057	6131	503	316	5	1	3	1	2	—	—	1	—	—	—	—
65—70	8426	7416	395	318	3	3	2	3	1	—	2	—	2	1	—	—
70—75	8500	8591	259	236	—	1	—	—	—	1	—	—	8	—	1	—
75—80	7449	8484	138	221	—	—	—	—	—	—	—	—	6	—	—	—
80 and upwards	7190	11604	104	161	—	1	—	1	—	—	—	—	1	—	1	—

* 2. Typhus—; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14, 15*	
													13 Mumps.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	83	99	346	473	547	562	1527	1371	1016	784	511	587	5	4	19	23
0—1	—	2	181	214	14	10	36	25	22	15	14	10	1	—	—	1
1—5	36	31	153	242	202	219	47	38	26	24	21	14	1	1	—	1
5—10	27	31	11	12	249	254	19	27	8	14	11	13	3	1	2	1
10—15	4	11	—	1	54	41	21	26	9	7	12	19	—	1	—	—
15—20	3	2	—	1	7	2	57	32	36	19	21	13	—	—	1	—
20—25	1	7	—	—	5	3	36	41	25	22	11	19	—	—	1	—
25—30	4	6	—	—	1	4	61	47	42	25	19	22	—	—	1	1
30—35	4	3	—	—	3	5	70	40	46	23	24	17	—	—	—	1
35—40	1	3	—	—	1	5	80	55	62	35	18	20	—	—	1	2
40—45	1	2	—	1	1	3	116	61	85	37	31	24	—	—	3	3
45—50	—	—	—	—	3	4	129	70	93	42	36	28	—	—	1	1
50—55	—	—	—	—	1	4	107	89	79	58	28	31	—	—	1	3
55—60	—	1	—	—	2	3	138	116	98	60	40	56	—	—	2	2
60—65	1	—	—	—	3	3	148	117	103	68	45	49	—	—	3	3
65—70	—	—	—	1	—	2	161	148	114	78	47	70	—	—	3	3
70—75	1	—	1	—	1	—	143	147	88	88	55	59	—	—	—	—
75—80	—	—	—	—	—	—	84	161	44	98	40	63	—	1	—	1
80 and upwards	—	—	—	1	—	—	74	131	36	71	38	60	—	—	—	—

* 12. Miliary Fever—; 14. Asiatic Cholera —; 15. Cholera Nostras —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only.)

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17, 18, 19, 20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	—	3	5	12	18	169	112	31	29	200	213	85	53	12	14
0—1	—	—	—	—	—	1	14	9	4	1	1	2	22	13	3	4
1—5	—	—	—	1	—	—	2	1	9	9	17	18	19	13	4	5
5—10	—	—	1	—	1	1	1	1	5	3	8	16	10	6	2	1
10—15	—	—	—	—	—	—	2	2	4	4	6	10	7	4	—	1
15—20	—	—	—	—	1	—	5	1	3	4	18	14	8	5	—	—
20—25	—	—	—	—	1	—	7	2	1	2	10	13	5	3	1	1
25—30	—	—	—	—	1	1	7	3	—	2	20	12	3	—	—	—
30—35	—	—	—	—	—	1	3	5	—	2	10	12	2	—	—	—
35—40	1	—	—	1	—	1	7	3	—	—	8	12	2	2	—	1
40—45	2	—	1	1	—	2	8	—	1	1	9	15	—	2	1	—
45—50	—	—	—	1	1	—	13	12	—	—	19	21	4	1	—	—
50—55	1	—	—	—	—	3	12	9	1	—	16	12	1	2	—	1
55—60	—	—	—	—	2	2	21	9	3	—	17	18	1	—	—	—
60—65	—	—	1	1	2	2	17	14	—	—	20	15	1	2	—	—
65—70	—	—	—	—	3	3	13	16	—	1	9	13	—	—	1	—
70—75	—	—	—	—	—	—	15	9	—	—	8	4	—	—	—	—
75—80	—	—	—	—	—	1	10	7	—	—	2	6	—	—	—	—
80 and upwards	—	—	—	—	—	—	12	9	—	—	2	—	—	—	—	—

* 17. Plague —; 18. Yellow fever —; 19. Spirochaetosis ictero-hæmorrhagica —; 20. Leprosy, —.

Causes of Death.	26, 27, 28*		30 Mycoses.		31-37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	6	16	10	6241	5302	5016	4195	435	381	243	272	91	76	47	31	95	83
0—1	2	—	2	1	137	99	13	11	73	50	28	21	—	—	—	—	4	3
1—5	2	2	—	—	352	274	51	36	175	137	65	52	4	1	—	—	6	1
5—10	5	—	—	—	161	182	36	47	73	73	23	31	3	—	3	—	1	5
10—15	7	—	—	—	145	208	56	134	35	39	18	11	3	1	2	—	3	2
15—20	4	1	1	1	451	687	344	578	31	34	16	37	11	6	6	2	9	8
20—25	6	—	2	1	713	781	615	700	17	21	19	13	15	7	6	2	11	4
25—30	2	—	1	—	623	728	563	657	7	9	14	23	6	9	2	2	8	4
30—35	2	1	1	—	555	535	501	481	6	4	12	19	9	5	1	2	9	9
35—40	—	1	1	1	554	389	508	351	7	3	8	15	11	6	1	2	6	2
40—45	4	—	3	1	545	335	500	292	3	5	7	13	2	5	4	3	7	5
45—50	1	—	2	1	539	300	500	263	1	1	8	10	7	3	3	2	7	5
50—55	2	—	—	2	532	238	501	200	5	2	4	4	3	11	2	2	3	8
55—60	1	—	—	—	388	177	365	153	2	1	2	11	—	3	2	2	7	3
60—65	2	1	2	—	265	148	229	125	—	1	9	6	8	7	5	1	5	6
65—70	—	—	—	1	172	110	147	91	—	—	5	2	5	8	3	5	6	2
70—75	1	—	1	—	69	64	58	46	—	—	4	2	—	4	3	4	3	6
75—80	1	—	—	1	32	34	24	24	—	1	1	2	3	—	2	1	—	5
80 and upwards	—	—	—	—	8	13	5	6	—	—	—	—	1	—	2	1	—	5

* 26. Glanders —; 27. Anthrax 35, 30; 28. Rabies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	Tuberculosis—continued.															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.		37 (a) Acute.		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	20	18	11	16	15	55	33	2	4	314	264	114	98	200	166
0—1	—	—	4	—	—	2	—	—	—	1	19	14	14	6	5	8
1—5	—	—	—	—	4	1	1	—	1	—	51	47	17	24	34	23
5—10	—	—	—	—	1	3	—	1	—	1	22	26	7	14	15	12
10—15	—	—	—	1	1	—	2	1	—	—	28	21	7	8	21	13
15—20	1	—	1	—	2	1	5	7	—	—	34	22	13	5	21	17
20—25	—	1	—	1	2	2	9	—	—	—	30	34	10	12	20	22
25—30	—	1	2	—	—	—	6	3	—	—	23	24	10	10	13	14
30—35	—	1	—	1	—	—	8	7	1	—	17	15	4	3	13	12
35—40	—	—	—	—	1	—	5	2	—	—	13	10	5	3	8	7
40—45	1	2	1	1	1	—	4	1	—	1	22	12	9	3	13	9
45—50	—	1	1	1	—	—	6	3	—	—	13	16	6	4	7	12
50—55	1	2	—	2	—	1	2	3	—	—	14	11	4	2	10	9
55—60	1	2	3	—	—	1	3	—	—	—	10	4	3	1	7	3
60—65	—	1	2	—	1	1	2	4	—	—	9	2	4	—	5	2
65—70	—	1	2	1	2	—	2	—	—	—	6	2	1	—	5	2
70—75	—	2	2	2	1	2	—	—	—	—	1	2	—	2	1	—
75—80	—	3	—	—	—	1	—	1	—	—	2	1	—	—	2	1
80 and upwards	—	3	—	1	—	—	—	—	—	1	—	1	—	1	—	—

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhoeal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.			
													43-49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	295	164	15	11	11	4	4	7	129	90	11217	14148	8731	10513	922	147
0—1	95	62	4	8	—	1	4	7	8	9	98	77	2	4	2	—
1—5	9	9	—	—	—	—	—	—	5	7	129	83	17	14	—	—
5—10	4	—	—	—	—	—	—	—	8	1	89	83	9	8	—	1
10—15	—	6	—	—	—	—	—	—	7	3	79	96	12	6	—	1
15—20	2	3	—	—	—	—	—	—	6	2	98	114	17	16	1	4
20—25	4	1	—	1	—	1	—	—	3	4	95	141	37	30	2	2
25—30	5	5	1	1	1	1	—	—	4	3	118	151	40	54	1	—
30—35	8	3	1	—	1	—	—	—	7	7	132	229	71	134	2	3
35—40	3	8	3	—	3	—	—	—	5	4	187	368	123	258	5	2
40—45	17	8	1	—	1	—	—	—	8	5	298	677	210	525	13	10
45—50	28	14	—	1	—	1	—	—	15	4	541	1006	417	812	42	11
50—55	38	8	4	—	4	—	—	—	9	4	980	1422	811	1138	88	15
55—60	27	15	—	—	—	—	—	—	16	2	1347	1564	1112	1232	137	21
60—65	28	4	1	—	1	—	—	—	7	7	1789	1881	1516	1428	194	17
65—70	16	8	—	—	—	—	—	—	13	11	1864	1932	1541	1475	161	12
70—75	6	7	—	—	—	—	—	—	4	4	1648	1788	1357	1372	150	25
75—80	3	1	—	—	—	—	—	—	—	9	1095	1434	916	1140	74	10
80 and upwards	2	2	—	—	—	—	—	—	4	4	630	1102	523	867	50	13

* 39 Soft chancre —; 42. (1) Vaccinia 0, 10, 10, 10, 10, 10, 10; (2) Other diseases included under 42 —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only).

Causes of Death.	Cancer, Malignant Disease— <i>cont.</i>												50 Tumours not returned as malignant. (brain and female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3130	2705	2093	2248	—	2069	15	2098	317	168	2254	1078	167	112	227	301
0—1	—	1	—	—	—	—	—	—	—	1	—	2	3	3	1	—
1—5	2	—	2	—	—	—	—	—	—	—	13	14	3	—	7	4
5—10	1	—	2	2	—	—	—	—	—	—	6	5	1	2	42	42
10—15	—	—	2	2	—	—	—	—	—	—	10	3	2	1	31	61
15—20	1	1	1	4	—	—	—	—	—	—	14	7	2	—	35	40
20—25	3	4	4	5	—	9	—	—	—	—	28	10	3	1	20	34
25—30	4	7	9	12	—	21	—	3	2	—	24	11	2	2	13	23
30—35	21	15	17	25	—	43	—	27	2	—	29	21	1	4	10	15
35—40	39	35	34	34	—	87	—	66	5	3	40	31	7	6	8	12
40—45	82	74	33	67	—	185	1	130	6	5	75	54	9	3	8	11
45—50	170	132	75	111	—	268	—	211	14	2	116	77	10	6	13	16
50—55	327	205	158	169	—	296	—	332	24	8	214	113	17	7	12	13
55—60	419	305	247	227	—	252	2	293	31	11	276	123	16	16	7	10
60—65	541	395	361	303	—	253	5	285	39	14	376	161	25	13	6	9
65—70	602	470	364	357	—	237	2	243	36	17	376	139	16	14	6	3
70—75	454	455	385	360	—	202	3	192	42	20	323	118	15	9	5	2
75—80	306	375	262	326	—	121	1	162	54	34	219	112	15	11	—	5
80 and upwards	158	231	137	244	—	95	1	154	62	53	115	77	20	14	3	1

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	384	754	4	2	89	57	759	1022	353	499	305	434	48	65	4	11
0—1	—	—	2	2	37	15	—	—	4	3	—	2	4	1	—	—
1—5	—	—	1	—	49	32	6	5	5	5	3	2	2	3	—	—
5—10	1	—	—	—	—	2	4	8	4	3	—	1	4	2	—	—
10—15	—	1	—	—	1	3	16	7	3	1	2	—	1	1	—	1
15—20	1	1	—	—	—	1	12	13	6	7	4	6	2	1	—	—
20—25	1	3	—	—	—	2	15	24	4	10	4	9	—	1	1	2
25—30	2	4	—	—	—	—	15	22	12	13	6	7	6	6	1	—
30—35	2	5	—	—	1	—	14	17	9	12	8	8	1	4	—	1
35—40	5	7	—	—	—	1	17	18	9	15	8	14	1	1	—	1
40—45	5	12	—	—	1	—	21	16	15	34	15	26	—	8	—	—
45—50	13	23	—	—	—	—	27	35	25	37	22	34	3	3	—	1
50—55	20	38	—	—	—	—	46	67	27	56	24	50	3	6	1	—
55—60	32	60	—	—	—	—	85	96	50	66	47	58	3	8	1	—
60—65	46	89	—	—	—	—	109	176	51	85	46	82	5	3	—	2
65—70	66	113	—	—	—	1	138	188	65	52	59	49	6	3	—	1
70—75	84	139	1	—	—	—	127	164	39	58	37	53	2	5	—	2
75—80	74	111	—	—	—	—	71	115	16	31	15	26	1	5	—	—
80 and upwards	32	148	—	—	—	—	36	51	9	11	5	7	4	4	—	—

*54. Pellagra 50; 55. Beri-beri —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2) * 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	74	468	42	348	32	120	8	12	8	12	32	25	35	53	5	10	202	171
0—1	3	1	—	—	3	1	6	9	6	9	20	13	—	—	—	—	2	3
1—5	5	3	—	—	5	3	—	1	—	1	5	4	—	—	—	—	13	8
5—10	1	1	—	—	1	1	1	—	1	—	3	1	—	—	—	1	16	7
10—15	—	4	—	3	—	1	—	—	—	—	3	1	—	1	—	—	9	7
15—20	4	13	1	11	3	2	—	1	—	1	1	2	—	4	—	—	12	14
20—25	—	16	—	14	—	2	—	—	—	—	—	1	1	2	—	—	12	8
25—30	2	15	1	13	1	2	—	—	—	—	—	3	6	2	—	—	20	11
30—35	5	21	4	20	1	1	—	—	—	—	—	—	3	3	—	—	11	12
35—40	1	27	1	25	—	2	—	—	—	—	—	—	2	4	1	1	8	10
40—45	5	54	3	47	2	7	1	—	1	—	—	—	1	7	—	—	17	9
45—50	9	51	6	44	3	7	—	—	—	—	—	—	4	6	1	—	12	9
50—55	9	68	7	56	2	12	—	—	—	—	—	—	6	7	1	2	17	14
55—60	13	52	12	39	1	13	—	1	—	1	—	—	2	5	—	—	15	17
60—65	6	50	2	34	4	16	—	—	—	—	—	—	5	4	—	1	14	12
65—70	8	50	4	25	4	25	—	—	—	—	—	—	4	6	1	2	10	15
70—75	2	24	1	10	1	14	—	—	—	—	—	—	1	2	1	1	10	10
75—80	—	13	—	6	—	7	—	—	—	—	—	—	—	—	—	—	2	4
80 and upwards	1	5	—	1	1	4	—	—	—	—	—	—	—	—	—	2	2	1

* 61. (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68 * 69 Other general diseases.		III. 70—86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	105	103	97	68	22	14	12	1	108	122	7013	7737	57	56	231	191
0—1	2	3	—	—	—	—	—	—	18	24	487	295	1	3	65	43
1—5	12	7	1	1	—	—	—	—	18	7	190	153	3	2	71	38
5—10	7	6	9	1	—	—	—	—	7	8	109	118	8	6	24	31
10—15	8	4	1	3	—	—	—	—	2	2	93	83	6	2	14	18
15—20	6	11	6	3	—	—	—	—	8	2	112	82	3	7	13	8
20—25	5	5	7	3	—	—	—	—	1	8	99	89	3	6	8	6
25—30	8	3	12	8	—	—	—	—	5	2	97	82	4	2	3	6
30—35	6	6	5	6	3	1	—	—	2	4	116	113	1	4	6	1
35—40	4	6	4	4	2	1	—	1	4	6	164	146	6	3	7	7
40—45	6	4	11	5	2	—	—	—	3	6	219	217	7	3	2	7
45—50	6	6	6	3	1	2	2	—	7	8	328	282	5	6	7	4
50—55	7	8	10	6	5	2	3	—	5	9	441	466	3	4	4	8
55—60	7	12	8	5	3	2	4	—	6	7	571	620	3	—	2	5
60—65	9	8	5	4	2	3	1	—	8	9	721	761	2	4	3	2
65—70	5	5	5	10	2	1	2	—	5	11	924	965	1	3	2	2
70—75	5	5	5	5	2	1	—	—	4	4	956	1117	1	—	—	—
75—80	2	3	—	1	—	1	—	—	1	3	809	1022	—	1	—	4
80 and upwards	—	1	2	—	—	—	—	—	4	2	577	1126	—	—	—	1

* 68. Chronic poisoning by organic substances 55.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	195	39	299	222	3630	4832	3178	4136	452	696	226	311	196	289	30	22
0—1	—	—	1	—	3	—	—	—	3	—	1	—	—	—	1	—
1—5	—	—	—	—	—	1	—	1	—	—	2	1	2	—	—	1
5—10	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—
10—15	—	—	4	—	—	1	—	1	—	—	—	1	—	—	—	1
15—20	—	1	6	1	4	2	3	2	1	—	—	1	—	—	—	1
20—25	—	—	5	2	4	4	4	2	—	2	—	—	—	—	—	—
25—30	—	—	8	3	10	8	6	6	4	2	—	1	—	1	—	—
30—35	4	1	14	7	9	8	8	6	1	2	1	—	1	—	—	—
35—40	—	2	12	11	16	26	15	23	1	3	1	1	1	1	—	—
40—45	9	1	19	19	35	59	33	55	2	4	1	3	1	3	—	—
45—50	21	8	20	18	112	124	93	107	19	17	4	4	3	3	1	1
50—55	31	4	44	26	171	261	152	231	19	30	7	12	5	10	2	2
55—60	43	10	38	33	294	394	266	355	28	39	10	16	9	16	1	—
60—65	29	6	43	29	460	524	407	452	53	72	19	36	17	36	2	—
65—70	20	4	33	23	660	741	577	638	83	103	44	44	39	42	5	2
70—75	26	2	21	32	725	887	642	761	83	126	56	63	49	58	7	5
75—80	8	—	21	11	654	831	569	701	85	130	44	55	36	52	8	3
80 and upwards	4	—	10	6	473	961	403	795	70	166	35	73	33	67	2	6

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	352	72	131	256	393	403	421	268	7	23	31	62	61	72	704	722
0—1	—	—	—	—	6	8	372	217	—	—	—	—	—	—	14	10
1—5	—	—	—	—	8	9	41	47	—	—	1	—	—	—	28	32
5—10	1	—	—	—	15	18	3	2	1	6	—	—	—	—	23	23
10—15	1	—	—	—	19	8	1	—	2	9	—	—	—	—	15	13
15—20	2	2	2	3	41	22	—	—	1	6	—	—	—	—	10	11
20—25	1	2	2	7	26	31	1	—	1	1	1	2	—	—	21	20
25—30	5	2	2	8	33	25	—	—	1	—	—	2	—	—	12	20
30—35	21	8	2	12	21	29	1	1	—	1	1	2	—	—	24	29
35—40	43	5	6	14	28	32	—	—	—	—	2	—	1	1	32	34
40—45	62	12	4	22	24	25	—	—	1	—	2	2	1	1	38	54
45—50	67	11	16	27	21	22	—	—	—	—	3	3	5	1	40	46
50—55	64	11	22	36	27	28	—	—	—	—	1	11	3	3	59	56
55—60	36	7	23	34	28	33	—	—	—	—	5	7	5	2	77	69
60—65	26	6	24	35	21	35	—	—	—	—	7	2	4	8	77	65
65—70	21	3	19	22	30	23	1	—	—	—	4	10	4	8	78	78
70—75	1	3	6	17	26	28	—	—	—	—	1	7	11	15	80	61
75—80	—	—	2	11	10	17	—	—	—	—	1	9	12	13	53	63
80 and upwards	1	—	1	8	9	10	1	1	—	—	2	5	15	20	23	38

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	20	264	188	16955	18100	11824	13935	41	39	314	339	853	373	10616	13184
0—1	2	1	22	13	3	4	—	2	—	2	—	—	—	—	—	—
1—5	1	2	35	21	10	16	8	14	1	1	3	9	—	—	4	4
5—10	—	3	33	28	57	50	54	48	—	1	14	17	—	—	40	30
10—15	—	—	31	31	74	108	74	108	2	2	16	25	—	—	56	8
15—20	1	—	29	18	116	128	113	127	3	1	24	26	—	—	86	100
20—25	1	—	25	8	86	145	85	143	2	—	19	37	—	—	64	100
25—30	—	1	19	4	103	147	98	143	5	—	17	27	1	—	75	110
30—35	—	—	11	10	156	175	147	173	—	1	31	29	3	2	113	140
35—40	—	—	10	10	232	236	220	220	2	2	51	41	10	1	157	170
40—45	2	2	12	7	351	356	304	327	3	1	53	48	23	7	225	270
45—50	—	—	7	8	561	526	466	463	—	2	15	10	35	9	416	440
50—55	—	—	5	6	923	796	714	677	5	4	15	15	81	12	613	640
55—60	—	1	7	9	1413	1234	1077	1029	2	4	18	14	123	37	934	970
60—65	—	1	6	8	1980	1723	1470	1362	5	2	22	10	146	54	1297	1290
65—70	2	1	5	3	2754	2410	1900	1876	2	8	7	16	179	72	1712	1780
70—75	1	1	1	1	2991	3062	1939	2275	1	1	7	5	123	85	1808	2180
75—80	—	4	4	3	2691	3016	1679	2174	6	4	1	8	88	50	1584	2110
80 and upwards	1	3	2	—	2454	3968	1476	2774	2	3	1	2	41	44	1432	2720

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4078	5238	5376	6562	1162	1384	4932	3923	287	77	4613	3821	1827	1856	2786	1968
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	3	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
5—10	38	28	2	—	—	2	1	—	1	—	—	—	—	—	—	—
10—15	51	77	2	—	3	4	—	—	—	—	—	—	—	—	—	—
15—20	77	91	2	5	7	4	—	—	—	—	—	—	—	—	—	—
20—25	53	90	7	7	4	9	—	1	—	1	—	—	—	—	—	—
25—30	65	94	8	12	2	10	5	1	4	—	1	1	1	1	—	—
30—35	91	112	10	19	12	10	7	1	4	—	2	1	1	—	1	—
35—40	117	140	27	29	13	7	10	7	6	3	4	3	3	3	1	—
40—45	138	193	56	52	31	26	38	15	14	2	24	11	9	9	15	—
45—50	241	261	141	141	34	40	85	47	32	8	52	36	29	25	23	1
50—55	336	341	217	237	60	68	185	90	44	9	141	80	67	56	74	2
55—60	403	489	427	389	104	96	301	171	54	5	244	165	130	107	114	5
60—65	540	565	600	576	157	155	490	322	37	8	451	313	181	208	270	10
65—70	616	710	886	855	210	215	825	499	42	13	777	483	343	275	434	20
70—75	566	802	1024	1142	218	240	1031	762	28	11	994	749	411	411	583	33
75—80	453	656	954	1232	177	224	992	821	12	11	973	806	363	361	610	44
80 and upwards	290	587	1013	1866	129	272	962	1186	9	6	950	1173	289	400	661	77

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only.)

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	32	25	71	69	67	133	12	12	6	2	43	26	10411	8527	37	21
0—1	—	—	—	1	—	—	2	1	1	—	—	—	1540	1107	3	3
1—5	—	—	1	—	—	—	1	2	—	—	—	—	999	872	1	—
5—10	—	—	—	—	—	—	2	2	—	—	—	—	190	194	1	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	78	61	2	2
15—20	—	—	1	—	1	1	1	—	—	—	—	—	139	72	6	4
20—25	—	—	1	1	—	—	—	—	—	—	—	—	144	79	3	1
25—30	—	—	—	1	—	2	—	—	—	—	—	—	151	112	3	4
30—35	1	—	1	1	—	—	—	—	—	—	1	—	200	140	5	1
35—40	—	1	2	4	—	5	—	—	—	—	—	—	307	164	4	—
40—45	—	2	3	6	3	7	—	—	—	—	3	1	385	181	3	—
45—50	1	3	2	4	5	11	—	—	1	—	2	1	529	202	2	—
50—55	—	1	10	6	10	17	1	2	—	—	3	4	587	253	—	1
55—60	3	1	15	10	11	18	2	1	1	1	6	4	628	355	—	—
60—65	2	1	7	16	6	20	—	—	1	—	6	3	752	533	3	—
65—70	6	3	5	6	13	25	—	1	2	—	9	3	964	740	—	1
70—75	9	2	10	6	7	14	—	1	—	—	4	4	930	904	1	1
75—80	7	4	7	5	8	8	2	2	—	1	3	5	904	1019	—	1
80 and upwards	3	7	6	2	3	5	1	—	—	—	6	1	984	1539	—	2

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	74	67	3885	3780	861	978	1385	1069	1639	1733	5593	3983	2417	2141	3176	1842
0—1	12	13	461	294	205	144	3	2	253	148	1051	773	850	646	201	127
1—5	32	30	124	118	67	54	4	1	53	63	826	706	623	564	203	142
5—10	10	15	17	23	12	11	2	3	3	9	148	144	76	75	72	69
10—15	—	—	8	6	3	5	5	1	—	—	62	48	16	16	46	32
15—20	1	—	11	8	4	3	4	3	3	2	110	50	17	8	93	42
20—25	2	—	13	9	2	3	9	4	2	2	113	59	21	9	92	50
25—30	—	—	9	10	1	4	7	3	1	3	133	86	22	19	111	67
30—35	1	—	19	15	1	3	13	8	5	4	157	109	20	14	137	95
35—40	2	—	41	25	8	6	21	12	12	7	237	117	30	25	207	92
40—45	1	1	80	24	13	4	38	16	29	4	257	126	41	20	216	106
45—50	1	—	111	51	19	11	58	26	34	14	357	124	62	36	295	88
50—55	1	1	139	76	24	22	61	28	54	26	366	138	61	40	305	98
55—60	—	2	190	134	35	32	96	43	59	59	356	176	79	49	277	127
60—65	2	—	286	240	55	59	140	107	91	74	360	229	97	85	263	144
65—70	4	—	505	387	89	84	247	164	169	139	354	290	99	108	255	182
70—75	2	1	572	536	99	122	223	186	250	228	275	290	94	134	181	156
75—80	1	2	575	702	96	157	225	202	254	343	258	237	117	119	141	118
80 and upwards	2	2	724	1122	128	254	229	260	367	608	173	281	92	174	81	107

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2144	1220	1032	622	209	151	135	195	3	4	363	287	19	4	93	35
0—1	75	49	126	78	3	5	9	17	—	—	—	2	—	—	1	—
1—5	104	64	99	78	11	12	1	—	—	—	4	4	—	—	—	2
5—10	49	40	23	29	8	8	—	3	—	—	4	1	—	—	2	—
10—15	31	23	15	9	4	2	1	1	—	—	—	2	—	—	1	—
15—20	72	30	21	12	6	6	1	1	—	—	4	3	—	—	—	—
20—25	65	37	27	13	7	6	2	1	1	1	3	2	—	—	—	—
25—30	83	54	28	13	4	5	—	—	—	—	2	6	—	—	—	1
30—35	106	70	31	25	6	3	1	1	—	—	6	9	—	—	5	2
35—40	148	71	59	21	4	8	—	2	—	1	15	10	—	—	4	1
40—45	166	71	50	35	16	9	1	2	1	—	17	17	1	—	8	2
45—50	217	69	78	19	18	6	—	1	1	—	32	19	—	—	7	1
50—55	239	73	66	25	11	9	3	2	—	1	46	22	3	—	18	3
55—60	187	102	90	25	24	4	4	3	—	—	43	33	1	—	10	3
60—65	187	104	76	40	22	12	10	7	—	—	52	39	3	—	14	6
65—70	164	123	91	59	22	20	13	6	—	—	49	32	3	1	14	3
70—75	123	96	58	60	19	11	15	21	—	1	37	38	3	1	6	4
75—80	91	75	50	43	14	11	21	32	—	—	30	28	2	1	3	5
80 and upwards	37	69	44	38	10	14	53	95	—	—	19	20	3	1	—	2

Causes of Death.	107 (b) *		107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexe.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexe.		109 Diseases of the pharynx and tonsils.		110 Diseases of the oesophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	76	24	16	10	4583	4125	140	105	109	73	31	32	150	211	8	7
0—1	—	—	1	—	742	505	8	7	5	3	3	4	8	4	—	—
1—5	—	1	—	1	238	242	2	8	2	6	—	2	23	28	—	—
5—10	—	—	2	—	95	147	3	2	2	1	1	1	24	40	—	—
10—15	1	—	—	—	88	56	2	1	1	—	1	1	16	9	—	—
15—20	—	—	—	—	99	64	5	5	5	4	—	1	10	11	—	—
20—25	—	—	—	—	112	81	3	4	2	1	1	3	8	10	—	—
25—30	—	1	—	—	107	108	6	4	4	4	2	—	6	6	—	—
30—35	3	2	2	—	119	96	6	4	4	4	2	—	7	3	—	—
35—40	4	—	—	—	159	120	7	5	6	5	1	—	9	6	—	—
40—45	4	1	4	1	235	173	10	4	8	4	2	—	2	7	—	—
45—50	6	1	1	—	313	233	12	8	9	7	3	1	5	16	—	1
50—55	15	2	3	1	353	266	11	7	11	7	—	—	6	14	—	1
55—60	9	2	1	1	397	328	19	6	15	4	4	2	5	22	—	1
60—65	11	5	2	1	414	330	12	11	9	6	3	5	4	10	4	1
65—70	14	2	—	1	404	348	18	8	14	6	4	2	5	8	—	1
70—75	6	3	—	1	305	406	9	6	7	4	2	2	5	9	1	1
75—80	3	3	—	2	216	305	5	3	3	1	2	—	3	—	1	—
80 and upwards	—	1	—	1	187	317	2	12	2	6	—	6	4	8	2	1

* 107. (b). Diseases of the mediastinum 60, 35.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES
OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appen- dicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	962	334	618	272	344	62	277	300	906	870	1	5	543	467	717	732
0—1	—	—	—	—	—	—	62	41	570	408	—	—	—	1	83	37
1—5	—	—	—	—	—	—	16	15	133	140	—	2	31	17	24	15
5—10	—	—	—	—	—	—	3	3	11	17	—	1	39	58	7	6
10—15	3	—	1	—	2	—	4	4	8	3	—	—	38	29	11	6
15—20	5	4	4	3	1	1	1	1	1	9	—	—	58	25	16	3
20—25	21	5	13	3	8	2	2	2	5	9	—	—	52	25	16	15
25—30	39	13	20	11	19	2	—	6	2	15	—	—	32	35	10	14
30—35	46	12	28	11	18	1	—	2	6	13	—	—	20	24	20	17
35—40	65	19	41	16	24	3	3	5	9	18	—	—	25	26	20	17
40—45	108	26	72	23	36	3	9	8	10	10	—	—	28	28	30	34
45—50	142	38	87	28	55	10	12	4	13	16	—	—	33	30	27	39
50—55	139	33	98	30	41	3	13	9	11	15	—	—	47	42	35	46
55—60	124	39	83	33	41	6	20	14	13	26	1	—	40	45	60	61
60—65	94	44	57	35	37	9	17	16	16	19	—	—	38	23	73	68
65—70	80	40	53	31	27	9	27	31	25	22	—	—	31	21	79	77
70—75	52	28	27	22	25	6	29	39	20	40	—	2	21	15	81	106
75—80	27	19	21	13	6	6	27	46	28	37	—	—	7	12	57	91
80 and upwards	17	14	13	13	4	1	32	54	25	53	—	—	3	11	68	80

*115. Ankylostomiasis — ; 116 (a) Cestodes (hydatids of the liver excepted) 55, 70, ; 116 (c) Nematodes (other than Ankylostoma), 5.

116 (f) Undefined Parasites, 1, 1, 70.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	321	337	396	395	76	80	26	22	50	58	8	19	3	4	441	233
0—1	22	3	61	34	7	4	3	2	4	2	—	—	—	—	1	—
1—5	5	—	19	15	3	1	3	—	—	1	1	—	—	—	1	—
5—10	—	—	7	6	—	—	—	—	—	—	1	1	—	—	—	—
10—15	—	—	11	6	2	—	1	—	1	—	1	—	—	—	2	2
15—20	2	2	14	1	—	1	—	—	—	1	—	1	—	—	—	—
20—25	1	1	15	14	1	1	1	—	—	1	—	5	—	1	—	1
25—30	—	2	10	12	—	2	—	—	—	2	—	—	—	1	—	—
30—35	3	1	17	16	—	—	—	—	—	—	1	3	1	—	4	1
35—40	4	3	16	14	2	2	—	1	2	1	—	1	1	—	3	5
40—45	9	7	21	27	2	13	—	1	2	12	1	1	—	—	17	13
45—50	7	14	20	25	4	4	1	—	3	4	1	1	—	—	38	35
50—55	17	23	18	23	10	8	—	1	10	7	—	—	—	—	60	28
55—60	27	33	33	28	7	3	1	—	6	3	—	—	1	—	66	33
60—65	42	47	31	21	8	12	4	1	4	11	1	4	—	1	93	23
65—70	45	56	34	21	12	4	3	1	9	3	—	—	—	—	82	40
70—75	44	64	37	42	5	11	3	6	2	5	—	—	—	—	47	29
75—80	42	46	15	45	6	4	3	2	3	2	1	1	—	1	20	16
80 and upwards	51	35	17	45	7	10	3	7	4	3	—	1	—	—	7	7

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127 * 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	76	39	365	194	107	352	149	263	63	74	32	69	4139	3238	224	237
0—1	—	—	1	—	—	—	—	2	—	—	3	1	21	9	11	3
1—5	—	—	1	—	—	—	1	1	—	2	3	13	24	28	16	23
5—10	—	—	—	—	—	—	5	2	1	—	1	17	33	20	20	12
10—15	—	—	2	2	—	—	—	—	—	—	1	2	25	29	11	7
15—20	—	—	—	—	—	—	—	3	1	—	2	1	44	41	18	10
20—25	—	—	—	1	—	1	2	1	1	1	1	—	47	76	10	15
25—30	—	—	—	—	—	—	4	6	6	2	2	4	50	70	9	9
30—35	1	—	3	1	—	6	7	3	—	4	1	4	50	99	10	12
35—40	—	2	3	3	1	7	9	2	4	2	1	5	87	132	14	13
40—45	3	4	14	9	3	14	5	7	8	6	2	2	91	218	7	23
45—50	6	3	32	32	5	21	12	15	7	2	2	3	176	241	16	18
50—55	18	5	42	23	6	32	5	21	7	7	3	3	259	278	10	18
55—60	12	5	54	28	16	41	17	28	6	7	2	2	406	292	23	19
60—65	15	4	78	19	22	48	21	39	6	9	5	2	449	362	19	14
65—70	9	9	73	31	19	40	15	36	9	15	2	5	642	381	9	18
70—75	8	5	39	24	14	59	18	47	3	10	—	4	669	347	13	11
75—80	3	2	17	14	14	44	18	27	2	3	—	1	582	298	3	8
80 and upwards	1	—	6	7	7	39	10	23	2	4	1	—	484	317	5	4

* 127. Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130 * 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2243	2272	105	160	83	39	206	128	130	4	120	—	10	4	1130	—
0—1	—	1	5	4	—	—	—	—	—	—	—	—	—	—	—	—
1—5	2	—	2	4	—	—	—	1	—	—	—	—	—	—	—	—
5—10	10	3	1	5	2	—	—	—	—	—	—	—	—	—	—	—
10—15	13	19	—	1	—	—	1	—	—	—	—	—	—	—	—	—
15—20	19	25	2	1	3	—	1	—	1	—	—	—	1	—	—	—
20—25	31	40	2	4	2	4	1	1	1	—	1	—	—	—	—	—
25—30	32	29	3	6	2	—	3	2	1	—	1	—	—	—	—	—
30—35	31	51	2	5	3	—	2	3	2	—	2	—	—	—	—	—
35—40	61	67	3	6	1	3	4	1	3	—	3	—	—	—	1	—
40—45	68	113	8	12	3	6	3	2	2	—	2	—	—	—	—	—
45—50	123	141	9	15	6	4	8	3	12	—	12	—	—	—	2	—
50—55	197	198	9	17	9	1	6	7	14	—	14	—	—	—	14	—
55—60	284	225	8	20	16	4	14	8	13	—	12	—	1	—	47	—
60—65	280	302	6	13	10	4	17	8	22	1	21	—	1	1	94	—
65—70	356	314	13	12	11	3	29	12	28	—	28	—	—	—	193	—
70—75	326	274	11	14	4	4	40	22	16	1	13	—	3	1	258	—
75—80	251	236	10	8	7	3	32	20	12	1	8	—	4	1	266	—
80 and upwards	159	234	11	13	4	3	45	38	3	1	3	—	—	1	255	—

* 130. Chyluria 80, 25.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGH).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.	
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	17	—	—	105	—	69	—	148	—	3	—	70	—	2	—	1039
0—1	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
1—5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
15—20	—	—	—	—	—	2	—	—	—	—	—	3	—	—	—	35
20—25	—	—	—	5	—	7	—	—	—	—	—	—	—	—	—	177
25—30	—	—	—	4	—	11	—	5	—	—	—	3	—	—	—	238
30—35	—	—	—	—	—	8	—	6	—	3	—	11	—	—	—	235
35—40	—	—	—	12	—	12	—	12	—	—	—	6	—	—	—	239
40—45	—	—	—	7	—	7	—	37	—	—	—	10	—	1	—	108
45—50	—	—	—	6	—	11	—	36	—	—	—	7	—	—	—	7
50—55	—	—	—	10	—	8	—	12	—	—	—	7	—	—	—	—
55—60	1	—	—	5	—	2	—	8	—	—	—	1	—	—	—	—
60—65	1	—	—	8	—	1	—	7	—	—	—	4	—	—	—	—
65—70	3	—	—	14	—	—	—	5	—	—	—	3	—	—	—	—
70—75	1	—	—	11	—	—	—	6	—	—	—	4	—	—	—	—
75—80	1	—	—	10	—	—	—	6	—	—	—	6	—	—	—	—
80 and upwards	1	—	—	12	—	—	—	8	—	—	—	3	—	1	—	—

[illegible]

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGH).—CAUSES
OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only.)

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable else- where (puer- peral insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	225	—	5	564	452	179	153	104	54	135	103	146	142	176	105
0—1	—	—	—	—	86	48	2	—	1	3	19	11	64	34	9	2
1—5	—	—	—	—	20	10	2	1	—	—	4	4	14	5	10	11
5—10	—	—	—	—	9	2	—	—	—	—	6	2	3	—	35	21
10—15	—	—	—	—	5	5	—	—	2	2	2	3	1	—	29	12
15—20	—	20	—	—	12	7	—	1	5	2	7	4	—	—	24	5
20—25	—	43	—	3	16	9	—	—	11	5	5	3	—	1	8	4
25—30	—	52	—	1	5	6	—	—	4	4	1	1	—	1	5	2
30—35	—	40	—	1	10	12	2	1	4	3	2	5	2	3	5	2
35—40	—	45	—	—	6	8	2	1	2	4	2	2	—	1	7	2
40—45	—	24	—	—	16	12	—	2	7	5	8	2	1	3	5	1
45—50	—	1	—	—	19	10	2	—	7	4	10	4	—	2	3	6
50—55	—	—	—	—	19	19	—	1	7	5	9	11	3	2	5	8
55—60	—	—	—	—	24	23	1	4	7	5	11	4	5	10	4	3
60—65	—	—	—	—	33	37	9	8	7	4	13	12	4	13	15	6
65—70	—	—	—	—	48	42	18	13	11	—	10	13	9	16	3	3
70—75	—	—	—	—	68	41	33	23	14	2	12	8	9	8	3	8
75—80	—	—	—	—	89	63	55	35	9	3	9	6	16	19	3	4
80 and upwards	—	—	—	—	79	98	53	63	6	3	5	8	15	24	3	5

* 150. Puerperal diseases of the breast 20, 25, 30.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malforma- tions.		XII. 160-163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	139	73	30	23	7	9	710	572	3392	2449	635	383	2451	1827	2215	1675
0—1	7	—	1	2	1	—	611	497	3390	2449	635	383	2449	1827	2215	1675
1—5	10	11	—	—	—	—	45	26	2	—	—	—	2	—	—	—
5—10	34	18	1	3	—	—	12	8	—	—	—	—	—	—	—	—
10—15	27	10	2	2	—	—	8	9	—	—	—	—	—	—	—	—
15—20	19	4	4	1	1	—	8	7	—	—	—	—	—	—	—	—
20—25	7	1	1	2	—	1	11	7	—	—	—	—	—	—	—	—
25—30	2	1	2	1	1	—	6	5	—	—	—	—	—	—	—	—
30—35	4	2	1	—	—	—	1	2	—	—	—	—	—	—	—	—
35—40	4	1	3	—	—	1	3	1	—	—	—	—	—	—	—	—
40—45	2	—	3	—	—	1	1	1	—	—	—	—	—	—	—	—
45—50	1	4	1	2	1	—	2	3	—	—	—	—	—	—	—	—
50—55	2	3	2	4	1	1	1	2	—	—	—	—	—	—	—	—
55—60	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	11	2	4	1	—	3	1	2	—	—	—	—	—	—	—	—
65—70	2	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—
70—75	2	5	1	1	—	2	—	1	—	—	—	—	—	—	—	—
75—80	2	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

TABLE 17—contd.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES
OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only.)

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		M.	F.	M.	F.
All Ages	236	152	269	202	37	37	2871	4364	4967	2108	1112	517	123	93	197	129
0—1	234	152	269	202	37	37	—	—	111	87	—	—	—	—	—	—
1—5	2	—	—	—	—	—	—	—	278	158	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	230	125	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	143	41	1	2	—	—	—	—
15—20	—	—	—	—	—	—	—	—	320	70	28	18	1	5	7	2
20—25	—	—	—	—	—	—	—	—	394	94	37	29	4	4	10	7
25—30	—	—	—	—	—	—	—	—	310	99	53	44	8	13	13	12
30—35	—	—	—	—	—	—	—	—	241	80	52	40	9	9	14	6
35—40	—	—	—	—	—	—	—	—	297	90	73	47	10	7	15	17
40—45	—	—	—	—	—	—	—	—	334	93	111	45	15	4	19	8
45—50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	1	—	363	107	120	61	12	12	23	14
55—60	—	—	—	—	—	—	1	2	386	125	152	67	18	11	27	19
60—65	—	—	—	—	—	—	4	11	388	138	130	61	20	12	16	16
65—70	—	—	—	—	—	—	23	30	343	130	134	46	15	8	11	14
70—75	—	—	—	—	—	—	81	109	311	131	123	33	8	5	19	9
75—80	—	—	—	—	—	—	481	537	190	143	44	17	1	2	8	5
80—85	—	—	—	—	—	—	763	946	158	156	32	5	—	1	8	—
85 and wards	—	—	—	—	—	—	1517	2729	170	241	22	2	2	—	7	—

Causes of Death.	Suicide—contd.														175-196 201-203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		M.	F.
All Ages	239	60	217	150	52	4	203	43	17	14	61	15	3	9	3830	1559
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	104	75
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	274	158
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	230	121
10—15	1	—	—	2	—	—	—	—	—	—	—	—	—	—	141	38
15—20	7	1	5	8	2	—	1	—	1	2	4	—	—	—	292	49
20—25	6	1	7	12	1	—	1	1	1	1	7	2	—	1	355	62
25—30	8	2	8	10	3	1	8	1	—	1	5	2	—	2	255	53
30—35	10	2	10	12	3	1	4	4	1	2	1	3	—	1	189	39
35—40	9	5	12	14	2	—	14	—	1	—	9	1	1	3	222	42
40—45	16	7	18	13	9	—	24	8	2	3	8	2	—	—	223	47
45—50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	25	9	27	17	6	1	21	6	2	—	4	1	—	1	242	44
55—60	32	9	29	21	5	—	35	5	1	1	5	1	—	—	232	57
60—65	32	11	25	12	6	—	20	8	1	—	10	1	—	1	257	77
65—70	31	6	35	11	3	1	31	4	2	2	5	—	1	—	208	83
70—75	37	2	21	12	5	—	27	3	3	1	2	1	1	—	187	98
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—85	12	4	10	3	5	—	8	1	—	1	—	1	—	—	145	126
85—90	11	1	6	2	1	—	5	1	—	—	1	—	—	—	126	151
90 and wards	2	—	4	1	1	—	4	1	2	—	—	—	—	—	148	239

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 By acute accidental poisonings.		178 Con-flagration.		179 Accidental burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	4	4	7	22	13	8	10	209	249	98	67	31	23	477	94
0—1	—	—	—	—	1	1	—	—	14	10	75	54	—	—	1	3
1—5	—	—	2	1	3	1	1	2	120	77	5	4	—	1	33	8
5—10	1	—	—	—	1	1	—	—	8	24	—	1	2	—	47	3
10—15	—	—	—	—	—	—	1	1	2	4	—	2	1	—	38	6
15—20	—	—	—	1	—	—	1	1	1	10	2	—	1	2	53	4
20—25	—	—	—	—	—	2	1	1	7	12	—	—	2	1	37	8
25—30	2	1	1	1	1	—	—	—	4	10	1	—	1	2	19	9
30—35	—	—	—	—	2	—	—	—	4	6	2	1	4	3	15	4
35—40	—	—	—	1	1	2	1	—	2	6	2	1	2	1	24	5
40—45	—	—	—	2	2	2	—	—	7	7	2	—	2	1	27	9
45—50	—	1	—	—	1	2	1	—	5	2	2	—	4	—	30	4
50—55	1	—	—	—	3	—	—	—	2	4	1	1	4	2	33	5
55—60	—	1	—	—	3	1	—	—	4	10	2	—	3	1	43	9
60—65	2	1	—	1	4	1	—	—	4	10	—	1	—	2	29	8
65—70	—	—	1	—	—	—	1	—	3	10	3	—	1	—	19	1
70—75	—	—	—	—	—	—	—	2	6	16	1	—	2	3	12	4
75—80	—	—	—	—	—	—	—	1	10	11	—	1	2	3	9	2
80 and upwards	—	—	—	—	—	—	1	2	6	20	—	1	—	1	8	2

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	4	2	4	498	542	495	—	74	1	1707	503	8	1	21	—
0—1	—	—	1	—	6	2	—	—	—	—	3	2	—	—	—	—
1—5	—	1	—	2	18	7	—	—	1	—	82	51	1	—	—	—
5—10	—	—	—	—	14	7	—	—	—	—	152	85	1	—	—	—
10—15	2	—	—	—	9	—	7	—	3	—	70	25	—	—	—	—
15—20	4	—	—	—	13	3	58	—	6	—	130	28	—	—	—	—
20—25	2	1	—	—	15	3	50	—	5	1	219	30	—	—	—	—
25—30	2	1	—	—	21	5	38	—	8	—	143	23	—	—	—	—
30—35	—	1	—	—	12	3	35	—	5	—	97	17	—	1	5	—
35—40	1	—	1	—	20	4	47	—	6	—	101	17	—	—	6	—
40—45	3	—	—	—	17	5	57	—	5	—	91	19	2	—	4	—
45—50	1	—	—	—	25	9	58	—	10	—	93	25	—	—	4	—
50—55	—	—	—	—	31	13	43	—	9	—	92	27	2	—	2	—
55—60	—	—	—	1	32	26	46	—	9	—	107	27	1	—	—	—
60—65	—	—	—	—	31	29	30	—	6	—	88	25	—	—	—	—
65—70	—	—	—	—	42	50	19	—	1	—	87	34	—	—	—	—
70—75	1	—	—	—	49	67	6	—	—	—	63	34	—	—	—	—
75—80	—	—	—	1	54	117	1	—	—	—	48	15	—	—	—	—
80 and upwards	—	—	—	—	89	192	—	—	—	—	41	19	1	—	—	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.

(Civilian population only).

Causes of Death.	191*		193		194		195*		Homicide.							
	192		Excessive cold.		Excessive heat.		196		197-199		197		198		199	
	Hunger or thirst.						Electricity (lightning excepted).		All forms.		By firearms.		By cutting or piercing instruments.		By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	1	9	1	21	7	21	—	25	32	—	2	3	8	22	22
0—1	1	—	—	—	—	—	—	—	7	12	—	—	—	3	7	9
1—5	1	—	—	—	2	—	1	—	4	—	—	—	3	—	1	—
5—10	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	3
10—15	—	—	—	—	1	—	1	—	1	1	—	—	—	1	1	—
15—20	—	—	—	—	1	—	6	—	—	3	—	—	—	1	—	2
20—25	—	—	1	—	2	—	3	—	2	3	—	—	—	1	2	2
25—30	1	—	1	—	2	—	1	—	2	2	—	1	—	—	2	1
30—35	—	—	1	—	1	—	2	—	—	1	—	—	—	—	—	1
35—40	—	1	—	—	—	1	2	—	2	1	—	—	—	—	2	1
40—45	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1
45—50	—	—	—	—	2	—	2	—	1	2	—	—	—	1	1	1
50—55	1	—	—	1	1	1	1	—	2	1	—	1	—	—	2	—
55—60	—	—	1	—	2	—	1	—	1	—	—	—	—	—	1	—
60—65	2	—	3	—	2	2	—	—	1	1	—	—	—	—	1	1
65—70	—	—	1	—	4	1	—	—	1	—	—	—	—	—	1	—
70—75	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—
75—80	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—

* 191. Execution of civilians by belligerent armies —; * 195. Lightning 20, 65.

Causes of Death.	200*		202		203		XV. 204-205		204		205		205 (1)		205 (2 & 3)	
	201		Other and unstated forms of accidental violence; Execution.		Violent deaths of unknown causation.		Ill-defined diseases.		Sudden death.		Cause of death unstated or ill-defined.		Heart failure, 1-70 years.		Others.	
	Fracture (cause not specified).															
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	15	1	74	26	4	1	212	130	63	33	149	97	104	68	45	29
0—1	1	—	1	3	—	—	11	6	—	—	11	6	—	—	11	6
1—5	1	—	3	3	—	—	12	12	—	—	12	12	1	—	11	12
5—10	1	—	3	—	—	—	5	2	2	1	3	1	1	—	2	1
10—15	—	—	6	—	—	—	—	1	—	—	—	1	—	1	—	—
15—20	1	—	15	—	—	—	2	1	1	—	1	1	1	1	—	—
20—25	—	—	10	2	—	1	2	—	1	—	1	—	1	—	—	—
25—30	—	—	9	1	—	—	3	2	1	1	2	1	1	—	1	1
30—35	—	—	4	3	—	—	3	3	—	1	3	2	2	1	1	1
35—40	1	—	4	3	1	—	10	2	4	—	6	2	5	2	1	—
40—45	—	—	2	2	—	—	5	4	2	—	3	4	2	2	1	2
45—50	1	—	1	1	2	—	15	5	8	2	7	3	6	3	1	—
50—55	—	—	6	3	—	—	30	11	12	3	18	8	14	7	4	1
55—60	2	1	—	—	1	—	42	23	12	10	30	13	25	12	5	1
60—65	4	—	3	3	—	—	34	20	8	5	26	15	22	14	4	1
65—70	1	—	3	2	—	—	36	36	12	10	24	26	23	25	1	1
70—75	1	—	3	—	—	—	—	1	—	—	—	1	—	—	—	1
75—80	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—
80 and upwards	—	—	1	—	—	—	1	1	—	—	1	1	—	—	1	1

* 200. Infanticide, Deaths from this cause are shown under Nos. 197-199.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1-42, Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	46573	44086	5210	4897	50	54	36	44	14	10	2	—	6	4	234	187
0—1	4327	3179	332	267	—	—	—	—	—	—	—	—	—	—	49	27
1—5	1557	1339	504	469	1	1	1	1	—	—	—	—	—	—	125	99
5—10	767	660	291	268	2	2	2	1	—	1	—	—	—	—	35	33
10—15	538	473	144	209	3	4	3	4	—	—	—	—	1	—	7	10
15—20	892	724	291	389	5	3	4	2	1	1	—	—	—	—	8	4
20—25	989	892	365	458	6	6	5	3	1	3	—	—	—	1	1	3
25—30	928	995	380	445	5	4	4	4	1	—	—	—	—	—	1	2
30—35	955	967	371	362	3	4	1	4	2	—	—	—	—	—	2	4
35—40	1024	1081	333	286	3	3	—	2	3	1	—	—	1	—	2	2
40—45	1304	1359	330	278	4	6	3	5	1	1	1	—	—	—	1	—
45—50	1698	1587	332	209	1	3	1	3	—	—	1	—	—	—	—	1
50—55	2240	2081	327	197	3	5	3	4	—	1	—	—	—	1	1	1
55—60	2894	2530	282	196	5	5	2	5	3	—	—	—	1	—	2	1
60—65	3901	3216	287	208	4	—	2	—	2	—	—	—	—	—	—	—
65—70	5031	4216	246	200	4	5	4	3	—	2	—	—	—	1	—	—
70—75	5607	5164	169	176	—	2	—	2	—	—	—	—	—	—	—	—
75—80	5439	5400	126	135	—	1	—	1	—	—	—	—	2	1	—	—
80 and upwards	6482	8223	100	145	1	—	1	—	—	—	—	—	1	—	—	—

*2. Typhus 5 ; 3. Relapsing fever (*Spirillum obermeieri*) — ; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14, 15*	
													13 Mumps.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	45	66	177	224	248	229	954	838	593	440	361	398	5	4	22	15
0—1	3	—	104	114	8	8	33	21	18	8	15	13	—	1	—	—
1—5	14	16	59	101	82	57	33	19	16	10	17	9	—	—	—	1
5—10	12	18	13	8	104	105	12	13	3	6	9	7	2	—	1	1
10—15	6	14	—	—	34	34	14	9	7	4	7	5	1	—	—	—
15—20	1	4	—	—	9	4	20	10	11	5	9	5	—	2	1	1
20—25	2	4	—	—	4	3	28	19	20	12	8	7	1	—	1	1
25—30	2	3	—	—	—	3	25	23	12	12	13	11	—	—	2	—
30—35	1	3	—	—	3	2	35	29	26	16	9	13	—	—	2	2
35—40	2	—	—	—	—	2	32	30	23	20	9	10	—	—	4	—
40—45	1	—	—	—	2	1	46	40	28	26	18	14	—	—	3	1
45—50	—	1	—	—	—	2	54	31	40	16	14	15	1	—	1	1
50—55	—	1	—	1	2	1	73	45	53	19	20	26	—	1	1	—
55—60	—	1	—	—	—	3	61	41	38	23	23	18	—	—	1	—
60—65	—	1	—	—	—	3	100	86	68	48	32	38	—	—	1	2
65—70	1	—	—	—	—	—	131	100	86	48	45	52	—	—	1	1
70—75	—	—	—	—	—	1	84	112	51	62	33	50	—	—	3	2
75—80	—	—	—	—	—	—	89	98	49	47	40	51	—	—	—	2
80 and upwards	—	—	1	—	—	—	84	112	44	58	40	54	—	—	—	—

*12. Miliary fever — ; 14. Asiatic cholera — ; 15. Cholera nostras 70.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	5	4	14	11	84	67	26	12	102	109	44	36	7	1
0—1	—	—	—	—	—	—	10	3	3	2	2	1	16	7	3	1
1—5	—	—	—	—	—	1	2	2	6	6	11	9	7	8	1	—
5—10	—	—	1	—	—	1	—	—	5	—	4	5	5	5	—	—
10—15	—	—	—	—	—	—	3	2	2	1	7	8	2	4	1	—
15—20	—	—	1	1	—	—	1	1	5	2	9	11	5	3	—	—
20—25	—	—	—	—	1	1	3	1	1	—	5	4	—	2	—	—
25—30	2	—	—	—	—	—	—	—	—	—	9	10	3	1	—	—
30—35	—	—	—	1	2	1	1	1	—	—	5	4	—	1	—	—
35—40	1	—	—	—	3	—	3	5	1	—	4	6	2	1	—	—
40—45	—	—	1	—	2	1	4	1	1	—	4	11	1	1	—	—
45—50	—	—	1	—	—	1	4	1	1	1	4	8	1	—	—	—
50—55	—	—	—	—	1	—	11	8	1	—	10	6	—	—	—	—
55—60	—	—	—	—	1	—	5	8	—	—	8	10	1	1	—	—
60—65	—	—	—	1	1	1	5	4	—	—	11	6	1	—	2	—
65—70	—	—	—	1	1	—	10	5	—	—	5	7	—	1	—	—
70—75	—	—	1	—	2	2	8	9	—	—	3	2	—	1	—	—
75—80	—	—	—	—	—	2	8	6	—	—	1	1	—	—	—	—
80 and upwards	—	—	—	—	—	—	6	10	—	—	—	—	—	—	—	—

*17. Plague —; 18. Yellow Fever —; 19. Spirochætosis ictero-hæmorrhagica 35, 50; 20. Leprosy 35.

Causes of Death.	26, 27, 28*		30 Mycoses.		Tuberculosis.													
	29 Tetanus.				31-37 All forms.		31 Respira- tory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
	Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Ages	38	15	14	7	2940	2883	2304	2250	208	197	118	141	53	49	27	21	62	60
0—1	1	1	4	4	63	48	5	7	26	26	14	8	—	—	—	1	4	3
1—5	2	1	—	—	152	144	12	17	80	72	34	32	1	—	—	—	2	1
5—10	2	2	—	—	89	69	14	18	49	28	10	11	1	—	—	—	2	1
10—15	3	2	—	—	59	120	22	76	19	16	4	12	1	1	2	—	1	2
15—20	4	2	—	—	219	337	174	277	7	19	11	12	5	2	2	2	3	1
20—25	7	—	1	—	303	410	250	363	4	10	12	10	—	2	1	1	6	4
25—30	1	1	—	1	323	395	280	358	6	7	8	9	6	4	2	1	4	3
30—35	2	—	3	—	309	307	272	271	7	5	2	9	12	8	3	1	5	1
35—40	2	—	—	1	261	230	238	200	2	2	5	4	2	5	—	3	5	5
40—45	1	—	1	—	252	207	236	179	1	2	3	9	2	5	1	1	4	5
45—50	1	1	1	—	245	151	218	128	3	1	8	5	6	4	—	3	2	3
50—55	3	—	1	—	200	115	180	88	2	4	3	3	3	8	—	—	8	8
55—60	1	3	1	—	170	119	154	95	2	4	3	6	4	4	2	—	2	5
60—65	4	1	—	1	137	90	125	72	—	—	—	6	5	1	2	—	4	6
65—70	1	—	—	—	78	67	64	45	—	1	1	3	1	4	5	5	4	4
70—75	2	1	—	—	60	40	48	32	—	—	—	1	3	1	5	1	2	2
75—80	1	—	1	—	17	20	10	16	—	—	—	—	1	—	1	1	4	3
80 and upwards	—	—	1	—	3	14	2	8	—	—	—	1	—	—	1	1	—	3

*26. Glanders —; 27. Anthrax —; 28. Rabies —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	Tuberculosis— <i>contd.</i>															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd.).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.		37 (a) Acute.		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	11	10	9	12	8	34	29	—	3	168	165	68	61	100	104
0—1	—	—	1	1	3	1	—	—	—	1	14	3	4	2	10	1
1—5	—	—	—	—	2	1	—	—	—	—	23	22	12	13	11	9
5—10	—	—	1	—	1	1	—	—	—	—	13	11	4	5	9	6
10—15	—	—	—	1	—	—	1	—	—	1	10	13	3	7	7	6
15—20	—	1	—	—	1	—	2	—	—	—	17	24	8	11	9	13
20—25	—	—	—	1	—	—	6	3	—	—	30	20	13	3	17	17
25—30	—	—	—	—	—	—	4	3	—	—	17	13	4	2	13	11
30—35	—	—	2	—	—	—	3	1	—	—	8	12	5	5	3	7
35—40	1	1	—	—	—	—	4	4	—	—	9	11	4	3	5	8
40—45	—	—	1	2	—	—	3	3	—	—	5	6	2	—	3	6
45—50	1	—	—	—	—	1	1	2	—	—	8	7	3	3	5	4
50—55	—	1	1	—	1	1	6	6	—	—	4	4	2	2	2	2
55—60	1	1	—	—	—	2	1	2	—	—	3	5	1	2	2	3
60—65	—	1	2	1	1	—	1	3	—	1	1	5	1	—	—	5
65—70	1	2	1	1	1	1	1	—	—	—	3	5	1	3	2	2
70—75	—	1	1	—	1	—	—	1	—	—	2	3	1	—	1	3
75—80	2	1	—	2	1	—	1	—	—	—	1	—	—	—	1	—
80 and upwards	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	1

Causes of Death.	Cancer, Malignant Disease.															
	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43-69 General diseases not included in I. 1-42.		43-49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	113	75	8	3	7	1	1	2	85	65	6854	8260	5331	6028	467	9
0—1	27	23	1	2	—	—	1	2	4	4	66	40	4	1	—	—
1—5	5	4	—	—	—	—	—	—	4	1	63	66	14	11	—	—
5—10	2	2	—	—	—	—	—	—	2	3	49	46	5	9	1	—
10—15	—	—	—	—	—	—	—	—	1	1	63	58	3	8	—	—
15—20	—	1	1	—	1	—	—	—	3	3	66	64	21	9	—	—
20—25	—	3	—	—	—	—	—	—	2	1	52	64	9	8	—	—
25—30	1	2	—	—	—	—	—	—	8	—	66	72	27	24	1	—
30—35	3	3	—	—	—	—	—	—	2	2	76	128	32	61	2	—
35—40	5	2	1	1	1	1	—	—	8	3	86	190	54	127	4	—
40—45	3	8	—	—	—	—	—	—	5	2	153	367	115	260	5	—
45—50	11	3	1	—	1	—	—	—	5	5	273	533	214	434	20	1
50—55	10	8	1	—	1	—	—	—	9	4	482	732	397	572	28	—
55—60	15	1	3	—	3	—	—	—	8	3	758	858	636	665	75	1
60—65	15	7	—	—	—	—	—	—	7	7	998	1043	851	796	75	1
65—70	8	3	—	—	—	—	—	—	7	10	1162	1151	958	871	72	1
70—75	3	2	—	—	—	—	—	—	5	4	1081	1132	896	850	82	1
75—80	4	2	—	—	—	—	—	—	3	4	829	922	658	695	63	—
80 and upwards	1	1	—	—	—	—	—	—	2	8	531	794	437	627	39	—

*39. Soft chancre —; 42. (1) Vaccinia 0, 5, 5, 15; (2) Other diseases included under 42 —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	Cancer, Malignant disease—contd.												50 Tumours not returned as malignant (brain and female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, oesophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.		M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Ages	1996	1712	1345	1263	—	1003	13	1171	209	128	1301	661	81	100	104	143
0—1	1	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—
1—5	2	1	2	—	—	—	—	—	—	—	10	10	—	1	2	4
5—10	1	—	—	—	—	—	—	—	1	—	3	8	1	—	14	20
10—15	—	1	—	1	—	1	—	—	—	—	3	5	1	2	26	29
15—20	1	1	2	1	—	1	—	—	—	—	18	6	—	1	9	22
20—25	2	—	—	1	—	1	—	—	—	1	7	5	—	1	6	14
25—30	7	3	2	5	—	9	—	5	2	—	15	2	1	1	7	11
30—35	7	6	8	6	—	22	—	17	2	—	13	10	1	2	11	8
35—40	16	13	16	16	—	36	—	34	2	—	16	26	6	2	3	4
40—45	49	35	23	32	—	67	—	94	4	5	34	23	1	2	3	8
45—50	84	91	42	47	—	112	1	124	4	1	63	48	1	6	4	2
50—55	169	160	84	91	—	123	1	124	11	4	104	61	7	9	8	6
55—60	255	165	151	115	—	137	1	146	17	7	137	82	5	6	3	3
60—65	331	252	209	172	—	132	4	144	18	6	214	79	12	11	4	5
65—70	388	274	263	214	—	121	—	137	27	12	208	100	9	14	3	2
70—75	307	282	247	220	—	113	4	125	36	15	220	79	15	10	—	3
75—80	227	252	178	182	—	71	1	103	39	22	150	59	15	16	1	1
80 and upwards	149	176	118	160	—	57	1	118	47	54	83	57	6	15	—	1

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58. Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	295	468	6	—	48	33	503	658	186	303	165	269	21	34	4	1
0—1	—	—	4	—	22	10	—	1	4	1	—	—	4	1	—	—
1—5	—	—	—	—	19	21	5	1	3	6	2	2	1	4	—	—
5—10	—	—	—	—	5	1	9	6	—	2	—	—	—	2	—	—
10—15	—	—	—	—	1	—	8	9	5	2	4	1	1	1	2	—
15—20	—	—	—	—	—	—	12	13	3	4	3	2	—	2	—	—
20—25	1	4	1	—	—	—	16	7	3	2	3	1	—	1	—	—
25—30	3	1	—	—	—	—	13	11	3	9	2	8	1	1	—	—
30—35	1	—	—	—	1	1	11	16	6	11	4	7	2	4	1	1
35—40	2	3	—	—	—	—	6	13	3	16	2	15	1	1	—	—
40—45	2	8	—	—	—	—	7	22	7	18	7	15	—	3	—	—
45—50	8	8	—	—	—	—	12	18	12	16	10	15	2	1	—	—
50—55	12	30	—	—	—	—	24	40	15	24	15	20	—	4	—	—
55—60	22	27	1	—	—	—	42	65	24	40	22	40	2	—	—	—
60—65	40	52	—	—	—	—	57	95	18	42	17	38	1	4	1	—
65—70	39	66	—	—	—	—	99	113	36	44	35	43	1	1	—	—
70—75	52	89	—	—	—	—	83	107	23	38	20	37	3	1	—	—
75—80	70	95	—	—	—	—	61	80	18	15	16	13	2	2	—	—
80 and upwards	43	85	—	—	—	—	38	41	3	13	3	12	—	1	—	—

* 54. Pellagra 60 ; 55. Beri-beri —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid gland.		61 (1) Tetany		61 (2*) Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	307	32	225	10	82	5	4	5	4	25	13	17	31	6	6	99	89
0—1	1	1	—	—	1	1	4	4	4	4	13	9	—	—	—	—	—	2
1—5	—	5	—	—	—	5	1	—	1	—	3	3	—	—	1	—	5	7
5—10	2	1	—	—	2	1	—	—	—	—	3	—	—	—	—	—	9	3
10—15	—	1	—	1	—	—	—	—	—	—	2	1	—	1	—	—	9	4
15—20	1	5	—	5	1	—	—	—	—	—	1	—	—	2	1	—	12	3
20—25	6	19	4	15	2	4	—	—	—	—	1	—	—	1	—	—	7	4
25—30	2	7	2	7	—	—	—	—	—	—	—	—	1	1	—	—	4	5
30—35	3	18	3	15	—	3	—	—	—	—	1	—	2	3	—	—	3	6
35—40	3	19	3	17	—	2	—	—	—	—	—	—	3	1	1	—	3	4
40—45	1	37	1	32	—	5	—	—	—	—	—	—	2	4	—	—	4	7
45—50	4	36	4	31	—	5	—	—	—	—	1	—	2	2	—	2	7	5
50—55	4	34	2	29	2	5	—	—	—	—	—	—	1	3	1	1	7	10
55—60	6	31	6	21	—	10	—	—	—	—	—	—	2	7	1	1	10	10
60—65	3	27	3	20	—	7	—	—	—	—	—	—	2	2	—	—	4	5
65—70	4	30	3	18	1	12	—	—	—	—	—	—	1	—	—	—	8	6
70—75	—	19	—	11	—	8	—	—	—	—	—	—	—	2	1	1	6	6
75—80	1	10	—	1	1	9	—	—	—	—	—	—	1	1	—	1	1	2
80 and upwards	1	7	1	2	—	5	—	—	—	—	—	—	—	1	—	—	—	—

61. (2). Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* Other general diseases.		III. 70-86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	59	53	40	36	19	5	6	—	76	69	4242	4714	22	28	119	102
0—1	—	2	—	—	—	—	—	—	14	10	241	194	2	3	27	14
1—5	3	7	2	—	—	—	—	—	10	7	121	96	2	5	35	3
5—10	6	3	3	—	—	—	—	—	1	4	62	55	3	1	16	1
10—15	7	4	2	—	—	—	—	—	6	1	51	34	2	—	8	—
15—20	9	1	3	2	—	—	—	—	6	5	59	54	1	2	4	1
20—25	4	1	3	3	—	—	—	—	2	4	60	40	1	2	3	—
25—30	2	2	2	3	—	—	—	—	5	2	51	61	3	1	6	—
30—35	1	4	2	2	1	—	1	—	—	1	58	50	1	2	1	—
35—40	1	2	2	2	—	—	—	—	2	1	68	80	—	1	2	—
40—45	1	3	3	4	4	1	1	—	6	—	103	110	—	1	2	—
45—50	3	3	4	2	6	1	—	—	2	2	127	192	1	2	2	—
50—55	5	5	2	5	3	—	1	—	2	3	212	236	1	—	1	—
55—60	6	6	4	4	1	1	1	—	4	2	270	304	1	1	6	—
60—65	2	1	2	4	2	1	—	—	4	6	383	404	3	2	2	—
65—70	6	4	2	2	1	—	1	—	3	5	547	542	1	2	3	—
70—75	2	4	4	2	—	1	—	—	5	6	632	683	—	1	1	—
75—80	1	1	—	1	1	—	—	—	2	6	615	716	—	1	—	—
80 and upwards	—	—	—	—	—	—	1	—	2	4	582	863	—	1	—	—

* 68. Chronic poisoning by organic substances 30, 45.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	83	17	181	151	2346	3007	2065	2579	281	428	157	247	138	219	19	28
0—1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
1—5	—	—	—	1	—	4	—	4	—	—	2	—	1	—	1	—
5—10	—	—	—	2	1	1	1	—	—	1	—	—	—	—	—	—
10—15	—	—	6	—	1	—	1	—	—	—	—	—	—	—	—	—
15—20	—	—	4	1	—	2	—	1	—	1	—	1	—	1	—	—
20—25	—	—	4	1	3	—	3	—	—	—	1	—	—	—	1	—
25—30	—	—	3	2	1	5	1	4	—	1	—	—	—	—	—	—
30—35	—	—	4	1	8	6	7	4	1	2	—	—	—	—	—	—
35—40	—	—	6	5	11	12	10	9	1	3	—	1	—	—	—	1
40—45	4	2	2	11	22	29	18	27	4	2	—	2	—	1	—	1
45—50	8	2	10	13	44	84	42	75	2	9	2	3	—	2	2	1
50—55	12	5	21	8	78	141	72	126	6	15	4	8	4	7	—	1
55—60	16	3	21	18	128	195	112	170	16	25	6	11	5	10	1	1
60—65	12	3	27	23	239	287	222	255	17	32	6	18	5	13	1	5
65—70	18	1	21	20	393	416	347	378	46	38	19	20	16	19	3	1
70—75	7	—	32	20	457	531	411	454	46	77	45	55	39	50	6	5
75—80	4	1	13	18	473	575	407	487	66	88	41	56	37	52	4	4
80 and upwards	2	—	7	7	487	719	411	585	76	134	31	71	31	64	—	7

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	121	29	77	140	261	258	230	178	1	10	21	19	47	47	462	383
0—1	—	—	—	—	6	—	190	155	—	—	1	—	—	—	3	7
1—5	—	—	—	—	9	9	35	22	—	—	—	—	—	—	25	11
5—10	—	—	—	—	4	5	2	—	—	4	—	—	—	—	16	11
10—15	—	—	—	—	14	4	1	—	—	3	—	—	—	—	11	8
15—20	—	1	—	—	30	18	—	—	1	—	—	—	—	—	10	9
20—25	—	1	1	4	29	17	—	—	—	—	—	1	—	—	12	6
25—30	2	2	3	3	17	31	—	—	—	1	—	—	—	—	9	14
30—35	9	3	4	4	17	16	—	—	—	—	1	—	—	—	11	12
35—40	14	2	3	9	13	22	—	—	—	—	—	3	—	—	9	18
40—45	17	6	5	8	21	24	1	—	—	1	—	1	—	—	23	19
45—50	19	6	7	26	8	17	—	—	—	—	—	—	—	—	24	32
50—55	25	4	6	14	23	16	—	—	—	1	2	2	5	1	29	27
55—60	19	2	6	14	13	20	—	—	—	—	5	—	2	4	44	33
60—65	7	1	13	21	20	11	1	—	—	—	2	1	4	4	44	31
65—70	3	1	14	17	13	11	—	—	—	—	2	2	5	6	50	45
70—75	4	—	4	9	10	17	—	1	—	—	4	2	6	4	61	41
75—80	2	—	6	7	10	9	—	—	—	—	3	2	8	10	54	36
80 and upwards	—	—	5	4	4	11	—	—	—	—	1	5	17	18	27	23

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	12	105	86	10817	10737	7501	8304	25	22	121	157	415	192	6940	7933
0—1	2	1	10	9	4	3	1	1	1	1	—	—	—	—	1	1
1—5	—	3	13	10	6	6	6	5	1	—	4	4	—	—	17	12
5—10	1	—	19	15	24	20	24	19	2	1	5	6	—	—	28	37
10—15	—	—	8	12	40	46	39	46	2	—	9	9	—	—	37	36
15—20	1	1	8	9	50	47	49	47	1	—	11	11	—	—	—	—
20—25	—	—	6	4	45	55	44	54	—	—	8	14	—	—	36	40
25—30	—	—	7	1	42	81	40	76	1	3	8	22	1	—	30	51
30—35	—	1	2	4	63	73	56	67	—	1	12	9	3	—	41	57
35—40	1	—	9	4	91	116	78	109	1	—	6	15	2	—	69	94
40—45	—	1	6	3	137	181	125	167	1	2	17	24	6	4	101	137
45—50	—	—	2	3	272	258	221	231	2	1	6	10	10	4	203	216
50—55	1	1	4	6	397	419	320	362	1	—	3	5	33	12	283	345
55—60	—	—	3	2	637	614	484	505	2	2	8	5	49	21	425	477
60—65	1	—	2	1	1061	914	789	764	—	1	5	5	69	34	715	724
65—70	2	—	3	1	1673	1373	1195	1084	1	3	8	6	83	34	1103	1041
70—75	—	—	1	2	2028	1893	1383	1488	5	5	7	9	83	40	1288	1434
75—80	—	1	1	—	1982	1937	1293	1390	4	1	4	1	46	22	1239	1366
80 and upwards	—	3	1	—	2265	2701	1354	1889	—	1	—	2	30	21	1324	1865

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2705	3165	3255	3740	980	1028	3220	2290	127	31	3069	2236	1204	1016	1865	1220
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	13	12	2	—	2	—	—	—	—	—	—	—	—	—	—	—
10—15	26	33	—	—	2	4	1	—	1	—	—	—	—	—	—	—
15—20	31	29	4	4	2	3	—	—	—	—	—	—	—	—	—	—
20—25	29	34	5	4	2	2	1	—	—	—	—	—	—	—	—	—
25—30	25	40	3	6	2	5	1	2	1	—	—	2	—	2	—	—
30—35	34	45	3	8	4	4	4	3	3	1	1	2	—	1	1	1
35—40	47	58	16	26	6	10	6	5	2	1	4	4	3	4	1	—
40—45	63	90	23	27	15	20	11	8	3	2	8	6	5	4	3	2
45—50	121	126	63	64	19	26	45	16	14	2	29	14	12	13	17	1
50—55	158	192	91	113	34	40	72	45	18	—	52	45	29	33	23	12
55—60	206	229	169	182	50	66	148	88	22	2	125	86	65	63	60	23
60—65	297	350	323	281	95	93	258	127	26	7	228	116	117	72	111	44
65—70	449	437	491	474	163	130	464	272	17	5	445	266	198	151	247	115
70—75	470	570	611	666	207	198	628	386	10	5	614	378	256	192	358	186
75—80	401	466	647	685	191	215	677	535	7	2	665	526	256	231	409	295
80 and upwards	334	453	804	1200	186	212	904	803	3	4	898	791	263	250	635	541

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	23	32	40	46	76	6	9	1	4	11	14	5381	4287	27	25
0—1	—	—	—	—	—	1	3	1	—	—	—	—	725	541	4	4
1—5	—	—	—	—	—	—	—	1	—	—	—	—	451	411	3	2
5—10	—	—	—	—	—	—	—	—	—	1	—	—	91	70	—	1
10—15	—	—	—	—	—	—	—	—	—	—	—	—	56	29	6	2
15—20	—	—	—	—	—	—	1	—	—	—	—	—	75	36	1	2
20—25	1	—	—	—	—	—	—	1	—	—	—	—	77	42	3	1
25—30	—	—	—	1	1	—	—	1	—	1	—	—	73	41	1	3
30—35	—	—	1	1	1	2	1	—	—	—	—	—	93	64	2	—
35—40	—	—	2	1	5	1	—	—	—	—	—	—	126	74	3	1
40—45	—	—	—	1	—	4	—	1	—	—	1	—	162	98	—	2
45—50	2	—	3	3	3	7	—	1	—	—	—	—	212	93	2	—
50—55	2	—	2	4	2	5	—	2	—	—	1	1	215	112	—	—
55—60	1	—	4	5	1	13	—	—	—	—	—	3	258	143	1	2
60—65	4	4	4	13	7	8	—	—	—	1	3	1	365	204	1	1
65—70	2	1	5	1	6	13	1	—	—	—	2	3	458	345	—	—
70—75	4	3	2	4	10	11	—	—	1	1	4	3	532	440	—	3
75—80	5	7	4	2	8	7	—	1	—	—	—	2	568	558	—	—
80 and upwards	3	8	5	4	2	4	—	—	—	—	—	1	844	986	—	1

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	42	2136	1917	430	495	733	502	973	920	2672	1900	1121	940	1551	960
0—1	5	8	223	176	85	71	—	—	138	105	486	345	409	296	77	49
1—5	17	17	72	71	31	39	—	1	41	31	341	305	258	230	83	75
5—10	7	7	10	8	6	3	1	2	3	3	70	49	30	19	40	30
10—15	2	1	4	1	1	1	1	—	2	—	41	23	7	5	34	18
15—20	—	—	7	4	2	1	3	1	2	2	63	25	11	6	52	19
20—25	1	1	8	3	1	—	5	3	2	—	59	29	8	3	51	26
25—30	1	—	1	2	1	—	—	1	—	1	62	33	6	3	56	30
30—35	—	—	11	7	1	1	6	6	4	—	73	53	8	11	65	42
35—40	—	—	9	10	1	4	6	4	2	2	99	54	13	11	86	43
40—45	—	1	25	9	4	4	14	1	7	4	120	68	15	12	105	56
45—50	—	1	32	14	5	3	15	5	12	6	144	63	21	13	123	50
50—55	—	1	48	22	13	6	19	11	16	5	129	68	21	13	108	55
55—60	1	—	69	40	8	6	37	19	24	15	144	76	21	20	123	56
60—65	1	—	124	72	17	14	74	29	33	29	183	98	39	22	144	76
65—70	2	2	204	156	40	37	91	56	73	63	191	144	54	49	137	95
70—75	1	—	296	226	53	55	128	78	115	93	180	167	61	74	119	93
75—80	1	—	363	369	63	94	141	107	159	168	143	134	60	62	83	72
80 and upwards	1	3	630	727	98	156	192	178	340	393	144	166	79	91	65	75

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1022	642	529	318	125	85	89	116	5	3	217	181	7	4	63	14
0—1	26	21	51	28	2	1	5	6	—	—	—	1	—	—	—	—
1—5	47	35	36	40	11	8	2	5	—	—	3	2	—	—	2	1
5—10	21	21	19	9	3	3	—	—	—	—	1	2	—	—	—	—
10—15	23	11	11	7	1	1	1	—	—	—	—	1	1	—	—	—
15—20	34	15	18	4	3	4	—	1	1	—	—	—	—	—	—	—
20—25	37	19	14	7	3	1	1	3	—	1	2	2	—	—	—	1
25—30	47	20	9	10	6	1	1	—	—	1	1	1	—	—	—	—
30—35	51	34	14	8	4	3	—	1	—	—	2	—	—	—	1	—
35—40	60	38	26	5	7	2	—	—	—	—	4	6	—	—	4	1
40—45	77	39	28	17	5	5	—	—	—	—	8	11	—	—	4	2
45—50	88	38	35	12	9	2	4	3	1	—	11	8	1	—	8	2
50—55	77	35	31	20	9	2	1	2	—	—	16	14	—	—	12	3
55—60	85	40	38	16	10	6	—	1	—	1	25	17	2	—	6	—
60—65	100	58	44	18	12	10	5	1	1	—	26	20	—	2	12	—
65—70	91	65	46	30	13	8	4	2	2	—	39	30	—	2	3	1
70—75	76	70	43	23	8	10	10	10	—	—	29	24	1	—	7	—
75—80	50	40	33	32	13	7	16	22	—	—	29	26	2	—	1	—
80 and upwards	32	43	33	32	6	11	39	59	—	—	21	16	—	—	3	3

Causes of Death.	107 (b) *		107 (c) Other diseases included under 107.		VI. 108-127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	49	9	13	5	2696	2282	89	71	68	60	21	11	111	118	4	—
0—1	—	—	—	—	426	232	7	3	5	2	2	1	4	—	—	—
1—5	—	1	2	—	152	133	4	3	2	2	2	1	25	22	—	—
5—10	—	—	—	—	73	88	3	1	1	1	2	—	19	17	—	—
10—15	—	—	—	—	48	34	2	2	2	2	—	—	5	8	—	—
15—20	—	—	—	—	65	49	2	1	—	1	2	—	3	2	1	—
20—25	—	—	—	1	65	56	3	2	3	2	—	—	7	7	—	—
25—30	—	—	—	—	61	43	2	1	1	1	1	—	3	4	—	—
30—35	1	—	—	—	63	57	1	4	1	4	—	—	1	4	—	—
35—40	3	—	1	1	92	79	2	10	2	10	—	—	3	4	—	—
40—45	2	1	2	1	116	112	5	6	5	6	—	—	6	9	—	—
45—50	7	1	1	1	157	96	9	4	8	4	1	—	6	3	1	—
50—55	10	3	1	—	180	140	6	8	6	6	—	2	2	4	—	—
55—60	4	—	2	—	221	166	9	4	9	4	—	—	6	12	—	—
60—65	11	—	1	—	206	153	11	5	7	5	4	—	3	4	—	—
65—70	2	1	1	—	259	208	12	3	8	3	4	—	8	3	—	—
70—75	7	—	—	—	190	206	6	5	5	5	1	—	3	10	1	—
75—80	—	—	1	—	152	180	2	5	2	1	—	4	1	3	1	—
80 and upwards	2	2	1	1	170	250	3	4	1	1	2	3	6	2	—	—

* 107 (b), Diseases of the mediastinum 50.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	487	208	313	168	174	40	167	186	494	402	4	2	356	263	493	444
0—1	—	—	—	—	—	—	44	30	303	167	—	—	2	1	63	25
1—5	—	—	—	—	—	—	5	9	71	59	3	1	23	16	18	9
5—10	2	—	1	—	1	—	2	2	5	13	1	1	28	30	8	6
10—15	—	—	—	—	—	—	1	—	4	2	—	—	22	15	10	—
15—20	6	2	2	2	4	—	2	1	4	3	—	—	36	30	9	2
20—25	9	7	6	6	3	1	—	3	2	—	—	—	30	21	10	8
25—30	12	5	9	5	3	—	1	—	2	6	—	—	28	13	6	8
30—35	25	6	16	6	9	—	—	3	4	3	—	—	14	13	9	10
35—40	29	9	22	9	7	—	3	2	7	7	—	—	24	14	11	15
40—45	43	24	26	20	17	4	8	3	5	9	—	—	23	18	12	23
45—50	61	19	37	15	24	4	7	5	3	10	—	—	21	8	17	21
50—55	70	19	44	12	26	7	2	5	6	7	—	—	20	18	29	33
55—60	53	19	32	16	21	3	7	8	10	8	—	—	21	22	31	27
60—65	55	29	34	21	21	8	11	10	8	6	—	—	22	10	33	32
65—70	55	34	37	30	18	4	17	20	13	16	—	—	26	11	61	55
70—75	39	13	30	9	9	4	10	20	15	19	—	—	7	11	49	51
75—80	21	9	14	6	7	3	17	25	16	31	—	—	5	3	51	44
80 and upwards	7	13	3	11	4	2	30	40	16	36	—	—	4	9	66	75

*115. Ankylostomiasis —; 116 (a) Cestodes (hydatids of the liver excepted), —; 116 (c) Nematodes (other than Ankylostoma), 1, 1, 1, 5, 5. 116. (f) Undefined parasites 1.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	218	179	275	265	48	60	12	31	36	29	5	8	2	2	223	115
0—1	20	2	43	23	1	5	—	4	1	1	—	—	—	—	—	—
1—5	4	—	14	9	—	3	—	—	—	3	—	—	—	—	—	—
5—10	—	—	8	6	1	—	1	—	—	—	2	—	—	—	—	2
10—15	1	—	9	—	1	—	—	—	1	—	2	—	—	—	—	2
15—20	1	—	8	2	—	—	—	—	—	—	—	—	—	1	—	1
20—25	3	—	7	8	1	—	1	—	—	—	—	2	—	—	3	1
25—30	2	1	4	7	—	2	—	1	—	1	—	—	—	—	2	1
30—35	2	2	7	8	2	1	—	—	2	1	—	2	—	—	5	3
35—40	4	3	7	12	2	4	—	2	2	2	—	—	—	—	6	3
40—45	4	4	8	19	3	1	—	—	3	1	—	—	—	—	7	4
45—50	6	8	11	13	1	3	—	1	1	2	—	1	—	1	18	5
50—55	12	11	17	22	2	5	—	—	2	5	—	—	—	—	23	17
55—60	14	15	17	12	6	5	—	2	6	3	1	—	2	—	45	10
60—65	19	22	14	10	5	1	—	—	5	1	—	—	—	—	34	17
65—70	34	32	27	23	11	5	3	1	8	4	—	1	—	—	27	16
70—75	26	25	23	26	5	5	1	3	4	2	—	1	—	—	33	15
75—80	28	23	23	21	2	6	1	5	1	1	—	—	—	—	11	8
80 and upwards	38	31	28	44	5	14	5	12	—	2	—	1	—	—	9	10

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	39	9	184	106	76	178	77	136	40	36	20	49	2753	1787	116	101
0-1	—	—	—	—	—	—	—	—	—	—	2	1	20	10	10	6
1-5	—	—	—	—	—	—	1	2	—	—	2	9	15	11	11	7
5-10	—	—	—	2	—	—	—	2	—	—	2	14	12	13	7	9
10-15	—	—	—	2	—	—	—	1	—	—	1	4	11	21	5	6
15-20	—	—	—	1	—	—	1	1	1	2	—	3	28	20	6	4
20-25	—	—	3	1	—	—	—	2	—	2	—	1	23	36	4	6
25-30	1	—	1	1	—	—	1	—	3	2	1	1	31	45	6	6
30-35	1	—	4	3	—	3	1	—	—	4	1	1	36	48	6	10
35-40	—	—	6	3	2	5	3	4	—	1	—	1	46	61	9	3
40-45	2	1	5	3	1	6	2	3	1	2	—	3	52	83	5	5
45-50	3	—	15	5	5	8	4	3	3	2	1	3	74	117	2	4
50-55	6	3	17	14	8	7	6	10	4	4	2	2	137	145	6	4
55-60	8	2	37	8	16	28	6	19	6	3	2	1	188	135	8	10
60-65	8	1	26	16	7	20	10	11	5	6	2	2	284	180	3	5
65-70	2	1	25	15	8	24	8	12	11	5	2	1	377	242	7	5
70-75	6	—	27	15	10	35	8	19	3	1	1	1	517	220	9	6
75-80	2	—	9	8	10	22	13	22	2	2	—	—	458	195	8	2
80 and upwards	—	1	9	9	9	20	13	25	1	—	1	1	444	205	4	3

*127. Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1418	1287	60	77	52	35	141	74	60	2	56	—	4	2	894	—
0-1	—	—	2	2	—	1	—	—	—	—	—	—	—	—	—	—
1-5	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5-10	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10-15	4	10	—	3	2	1	—	1	—	—	—	—	—	—	—	—
15-20	20	13	2	1	—	—	—	1	—	—	—	—	—	—	—	—
20-25	18	23	1	2	—	—	—	—	—	—	—	—	—	—	—	—
25-30	20	26	2	2	3	—	—	1	—	—	—	—	—	—	—	—
30-35	19	23	4	2	6	2	1	—	—	—	—	—	—	—	—	—
35-40	35	34	—	5	2	2	—	—	—	—	—	—	—	—	—	—
40-45	35	43	4	3	2	3	2	—	4	—	4	—	—	—	—	—
45-50	58	61	3	5	3	4	3	3	5	1	5	—	—	1	—	—
50-55	104	93	5	5	4	5	1	1	5	—	5	—	—	—	12	—
55-60	121	110	3	5	7	—	7	1	12	—	10	—	2	—	30	—
60-65	184	151	6	10	5	3	16	4	6	—	6	—	—	—	64	—
65-70	208	205	6	8	7	6	11	10	8	—	7	—	1	—	127	—
70-75	242	179	8	7	5	3	21	10	7	1	7	—	—	1	225	—
75-80	189	153	3	10	4	1	35	15	6	—	6	—	—	—	213	—
80 and upwards	153	157	11	6	2	4	44	27	7	—	6	—	1	—	223	—

*130. Chyluria —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	—	—	50	—	38	—	90	—	1	—	31	2	1	—	594
0—1	7	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
1—5	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15—20	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	11
20—25	—	—	—	—	—	4	—	—	—	—	—	1	—	—	—	76
25—30	—	—	—	2	—	5	—	2	—	—	—	1	—	—	—	157
30—35	—	—	—	2	—	6	—	2	—	1	—	—	—	—	—	143
35—40	—	—	—	1	—	6	—	9	—	—	—	1	—	—	—	134
40—45	—	—	—	6	—	2	—	15	—	—	—	5	—	1	—	60
45—50	—	—	—	6	—	6	—	22	—	—	—	5	—	—	—	11
50—55	—	—	—	7	—	4	—	19	—	—	—	7	—	—	—	1
55—60	—	—	—	4	—	2	—	—	—	—	—	3	—	—	—	—
60—65	—	—	—	4	—	—	—	1	—	—	—	2	—	—	—	—
65—70	3	—	—	5	—	—	—	3	—	—	—	—	—	—	—	—
70—75	—	—	—	4	—	2	—	7	—	—	—	1	—	—	—	—
75—80	—	—	—	6	—	—	—	6	—	—	—	2	—	—	—	—
80 and upwards	—	—	—	2	—	—	—	4	—	—	—	2	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (a) Abortion.		143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	49	—	13	—	16	—	20	—	69	—	63	—	215	—	61
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	1	—	—	—	—	—	5	—	—
20—25	—	3	—	—	—	1	—	2	—	11	—	9	—	29	—	8
25—30	—	14	—	3	—	3	—	8	—	19	—	12	—	63	—	14
30—35	—	11	—	3	—	7	—	1	—	15	—	18	—	54	—	15
35—40	—	14	—	6	—	3	—	5	—	12	—	16	—	45	—	14
40—45	—	4	—	1	—	1	—	2	—	10	—	5	—	17	—	10
45—50	—	1	—	—	—	—	—	1	—	2	—	3	—	2	—	—
50—55	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	132	—	5	364	295	150	101	49	22	85	66	80	106	135	6
0—1	—	—	—	—	41	24	2	—	—	4	13	11	26	9	4	—
1—5	—	—	—	—	7	6	—	—	—	—	6	5	1	1	11	—
5—10	—	—	—	—	3	2	—	—	—	1	2	—	1	1	22	1
10—15	—	1	—	—	5	3	—	—	3	—	1	3	1	—	24	—
15—20	—	5	—	—	5	3	—	—	2	—	3	3	—	—	16	—
20—25	—	16	—	—	4	6	—	—	2	3	2	2	—	1	6	—
25—30	—	32	—	3	3	4	—	1	2	—	1	2	—	1	1	—
30—35	—	29	—	1	6	6	—	1	4	3	2	1	—	1	5	—
35—40	—	32	—	1	6	5	—	2	4	1	2	1	—	1	3	—
40—45	—	14	—	—	6	4	—	—	1	1	4	1	1	2	4	—
45—50	—	3	—	—	12	2	—	—	6	1	3	1	3	—	5	—
50—55	—	—	—	—	11	5	1	—	3	2	2	2	5	1	4	—
55—60	—	—	—	—	12	14	—	4	2	2	6	4	4	4	9	—
60—65	—	—	—	—	15	15	3	1	5	—	4	5	3	9	4	—
65—70	—	—	—	—	27	28	12	12	5	—	6	3	4	13	8	—
70—75	—	—	—	—	51	35	22	7	6	2	14	7	9	19	5	—
75—80	—	—	—	—	57	50	44	25	1	1	8	7	4	17	2	—
80 and upwards	—	—	—	—	93	83	66	48	3	1	6	8	18	26	2	—

150. Puerperal diseases of the breast, —.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Prematur birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	108	39	18	14	9	9	448	351	2000	1496	375	248	1452	1110	1291	107
0—1	4	—	—	—	—	—	391	305	2000	1496	375	248	1452	1110	1291	107
1—5	9	5	2	—	—	—	25	20	—	—	—	—	—	—	—	—
5—10	20	9	1	1	1	1	10	6	—	—	—	—	—	—	—	—
10—15	23	6	1	—	—	—	6	5	—	—	—	—	—	—	—	—
15—20	12	—	3	1	1	1	5	3	—	—	—	—	—	—	—	—
20—25	4	1	2	1	—	—	5	5	—	—	—	—	—	—	—	—
25—30	1	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—
30—35	5	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	2	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—
40—45	3	2	1	—	—	—	1	2	—	—	—	—	—	—	—	—
45—50	4	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
50—55	4	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—
55—60	6	1	2	1	1	—	—	2	—	—	—	—	—	—	—	—
60—65	1	1	2	2	1	1	1	—	—	—	—	—	—	—	—	—
65—70	5	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—
70—75	2	2	2	—	1	1	—	—	—	—	—	—	—	—	—	—
75—80	1	2	1	—	—	3	—	—	—	—	—	—	—	—	—	—
80 and upwards	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.		165-166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		M.	F.	M.	F.
All Ages	161	97	150	108	23	30	2206	3000	3315	1219	697	237	44	43	26	19
0—1	161	97	150	108	23	30	—	—	70	62	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	197	107	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	130	80	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	89	26	1	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	230	44	15	6	—	1	1	—
20—25	—	—	—	—	—	—	—	—	284	51	28	11	3	1	—	2
25—30	—	—	—	—	—	—	—	—	216	44	33	7	5	3	2	—
30—35	—	—	—	—	—	—	—	—	183	32	27	15	3	4	—	—
35—40	—	—	—	—	—	—	—	—	170	51	39	24	2	3	2	3
40—45	—	—	—	—	—	—	—	—	229	56	68	27	5	6	3	2
45—50	—	—	—	—	—	—	—	—	223	70	71	31	4	6	2	4
50—55	—	—	—	—	—	—	—	—	265	80	99	38	7	5	7	6
55—60	—	—	—	—	—	—	—	2	246	72	75	26	5	8	1	1
60—65	—	—	—	—	—	—	14	14	255	59	102	21	4	2	1	1
65—70	—	—	—	—	—	—	41	46	180	56	65	16	2	4	1	—
70—75	—	—	—	—	—	—	265	305	137	70	39	8	1	—	5	—
75—80	—	—	—	—	—	—	529	602	118	100	26	6	2	—	1	—
80 and upwards	—	—	—	—	—	—	1357	2031	93	159	9	1	1	—	—	—

Causes of Death.	Suicide—contd.														175-196 201-203 Violent deaths, excluding suicide and homicide.	
	168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	193	46	151	84	110	5	122	17	5	8	45	8	1	7	2593	961
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	66	55
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	196	107
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128	78
10—15	1	—	—	—	—	—	—	—	—	—	—	—	—	—	86	26
15—20	3	—	2	4	4	1	—	—	—	—	5	—	—	—	214	37
20—25	7	1	9	3	5	1	1	—	1	1	2	1	—	1	254	40
25—30	8	—	8	2	1	1	4	1	—	—	5	—	—	—	183	35
30—35	9	3	8	4	4	1	1	1	—	1	2	—	—	1	153	16
35—40	6	5	9	9	10	—	6	2	—	1	4	1	—	—	130	24
40—45	22	4	13	8	15	—	5	2	—	1	5	1	—	3	159	28
45—50	23	7	15	10	9	—	15	2	—	1	3	1	—	—	152	38
50—55	25	5	19	16	15	—	18	4	—	—	8	2	—	—	164	42
55—60	22	3	17	9	12	—	14	3	1	—	3	1	—	1	170	46
60—65	35	9	16	8	13	—	28	—	2	—	3	1	—	—	151	37
65—70	14	3	19	6	11	1	14	—	1	2	2	—	1	—	114	39
70—75	11	2	6	3	6	—	9	2	—	—	1	—	—	1	98	61
75—80	6	3	7	2	3	—	6	—	—	1	1	—	—	—	92	94
80 and upwards	1	1	3	—	2	—	1	—	—	—	1	—	—	—	83	158

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	2	5	5	16	17	11	5	114	174	66	46	14	8	315	99
0—1	—	—	2	—	—	—	1	—	2	7	47	37	—	—	3	—
1—5	1	—	—	—	2	8	3	—	71	51	5	—	—	2	36	18
5—10	—	1	—	—	—	—	2	2	3	17	—	2	1	—	26	—
10—15	—	—	—	—	—	—	1	—	2	6	1	1	—	—	12	—
15—20	—	—	1	2	2	—	—	1	2	15	—	1	—	—	44	—
20—25	—	—	1	—	1	1	—	—	4	5	—	—	—	2	31	—
25—30	—	1	—	—	—	1	—	—	3	8	—	—	2	—	14	—
30—35	—	—	—	—	—	—	—	1	3	3	1	—	—	—	11	—
35—40	—	—	—	—	2	—	1	—	1	2	2	—	1	—	7	—
40—45	—	—	—	—	—	1	1	—	1	3	1	1	5	—	19	—
45—50	—	—	—	1	—	1	—	—	1	4	2	—	3	—	15	—
50—55	1	—	—	—	1	2	—	—	2	4	2	1	—	1	20	—
55—60	—	—	—	—	—	2	1	—	1	6	1	—	—	—	24	—
60—65	1	—	—	1	3	—	—	—	2	7	2	—	1	—	24	—
65—70	1	—	1	—	1	—	1	—	1	5	—	—	—	—	14	—
70—75	—	—	—	—	3	—	—	—	5	5	—	1	—	—	6	—
75—80	—	—	—	1	1	—	—	—	6	11	2	1	—	—	6	—
80 and upwards	—	—	—	—	—	1	—	1	4	15	—	1	1	3	3	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	44	2	6	1	285	304	319	—	39	—	1194	274	37	1	14	—
0—1	—	—	2	—	2	1	—	—	—	—	—	2	—	—	—	—
1—5	—	—	—	—	6	1	—	—	—	—	58	30	3	—	—	—
5—10	1	—	—	—	10	—	—	—	1	—	80	49	3	—	—	—
10—15	2	—	1	—	6	2	6	—	1	—	50	12	1	—	—	—
15—20	9	1	—	—	9	2	34	—	6	—	99	11	5	—	—	—
20—25	3	—	—	—	8	—	33	—	4	—	161	23	2	—	—	—
25—30	5	—	—	1	5	2	41	—	1	—	106	12	1	—	—	—
30—35	4	—	—	—	10	2	41	—	5	—	64	7	1	—	8	—
35—40	4	—	—	—	8	1	26	—	3	—	64	15	1	—	3	—
40—45	4	1	—	—	8	1	34	—	2	—	75	16	3	—	2	—
45—50	2	—	—	—	9	5	27	—	7	—	77	17	—	—	1	—
50—55	6	—	—	—	15	10	31	—	—	—	73	14	3	—	—	—
55—60	—	—	—	—	26	13	24	—	5	—	77	17	5	—	—	—
60—65	2	—	2	—	19	10	12	—	1	—	72	12	4	—	—	—
65—70	1	—	—	—	28	18	6	—	—	—	51	10	—	—	—	—
70—75	—	—	—	—	35	42	4	—	2	—	33	9	3	1	—	—
75—80	—	—	—	—	31	70	—	—	1	—	37	7	2	—	—	—
80 and upwards	1	—	1	—	50	124	—	—	—	—	17	11	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1928.
(Civilian population only).

Causes of Death.	191*		193		194		195*		Homicide.							
	192 Hunger or thirst.		Excessive cold.		Excessive heat.		196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	23	5	18	5	5	1	25	21	2	5	3	4	20	12
0—1	—	—	2	—	—	—	—	—	4	7	—	—	—	1	4	6
1—5	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—
5—10	—	—	—	—	1	—	—	—	2	2	—	1	—	—	2	1
10—15	—	—	—	—	1	—	—	—	2	—	1	—	—	—	1	—
15—20	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—
20—25	—	—	—	—	1	—	1	—	2	—	—	—	—	—	2	—
25—30	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	1
30—35	—	—	1	—	—	—	1	—	3	1	—	—	2	—	1	1
35—40	—	—	—	—	1	—	—	1	1	3	—	2	—	1	2	—
40—45	—	—	—	—	—	1	1	—	2	1	—	—	—	—	—	1
45—50	—	—	1	1	1	—	1	—	—	1	—	—	—	—	—	1
50—55	—	—	2	2	1	—	—	—	2	—	—	—	—	—	2	—
55—60	—	—	2	1	2	—	—	—	1	—	—	—	1	—	—	—
60—65	—	1	3	—	1	1	—	—	2	1	1	1	—	—	1	—
65—70	—	—	4	—	2	—	—	—	1	1	—	—	—	1	1	—
70—75	1	—	2	—	1	1	—	—	—	1	—	—	—	—	—	1
75—80	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	3	—	1	2	—	—	1	—	—	—	—	—	1	—

*191. Execution of civilians by belligerent armies—; 195. Lightning 40.

Causes of Death.	200*		202		203		XV. 204-205		204		205		205 (1)		205 (2 & 3)	
	201 Fracture (cause not specified).		Other and un- stated forms of accidental violence; Execution.		Violent deaths of unknown causation.		Ill-defined diseases.		Sudden death.		Cause of death unstated or ill-defined.		Heart failure, 1-70 years.		Others	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	1	51	15	7	1	152	105	34	17	118	88	92	62	26	26
0—1	—	—	5	1	—	—	7	5	—	—	7	5	—	—	7	5
1—5	—	—	8	2	—	—	5	9	—	—	5	9	1	—	4	9
5—10	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1
10—15	—	—	2	—	—	—	1	1	—	—	1	1	1	1	—	—
15—20	—	—	3	—	—	—	2	2	2	—	—	2	—	1	—	1
20—25	1	—	2	2	1	—	3	1	—	—	3	1	2	1	1	—
25—30	—	—	4	1	—	—	2	—	—	—	2	—	1	—	1	—
30—35	—	—	3	1	—	—	1	1	1	—	—	1	—	—	—	1
35—40	—	—	6	1	—	—	1	3	—	—	1	3	1	1	—	2
40—45	—	—	1	2	1	—	11	6	3	—	8	6	7	6	1	—
45—50	1	—	3	—	1	1	11	4	—	—	11	4	11	4	—	—
50—55	—	—	5	—	2	—	10	10	3	2	7	8	6	8	1	—
55—60	—	—	2	2	—	—	13	22	6	8	7	14	6	12	1	2
60—65	—	—	2	—	—	—	28	18	5	5	23	13	21	11	2	2
65—70	2	—	1	2	—	—	53	19	14	2	39	17	35	17	4	—
70—75	—	—	2	1	1	—	—	1	—	—	—	1	—	—	—	1
75—80	—	1	1	—	—	—	3	—	—	—	3	—	—	—	3	—
80 and upwards	—	—	1	—	1	—	1	2	—	—	1	2	—	—	1	2

* Infanticide. Deaths from this cause are shown under Nos. 197-199.
(36884)

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1928.

Inter- national List Number	Causes of Death.				Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
	ALL CAUSES	{ M. F.	35382 27400	11855 8,658	4,197 2,838	3,557 2,528	5,247 4,080	5,400 4,710	2,404 2,156	1,501 1,342	1,221 1,088
7	Measles	{ M. F.	2,031 1,764	3 —	25 5	35 30	463 353	889 782	340 325	165 168	111 101
8	Scarlet fever	{ M. F.	124 128	— —	1 —	3 —	7 5	24 28	32 33	31 35	26 27
9	Whooping cough	{ M. F.	1,301 1,565	19 17	145 142	154 176	367 377	394 501	128 196	64 96	30 60
10	Diphtheria	{ M. F.	734 695	4 3	11 11	13 7	45 41	150 141	154 139	161 157	196 196
11	Influenza	{ M. F.	273 196	15 8	38 21	29 19	52 40	63 43	31 26	22 22	23 17
13	Mumps	{ M. F.	2 4	— —	1 —	— 1	— —	— 1	— 1	— —	1 1
21	Erysipelas	{ M. F.	61 37	21 6	20 14	7 4	7 9	3 3	2 —	1 1	— —
22	Acute poliomyelitis, acute polioencephalitis.			{ M. F.	42 33	1 —	— 1	3 1	10 3	12 11	7 9	3 3	6 5
23	Encephalitis lethargica	{ M. F.	47 50	— —	— —	1 3	5 3	19 9	10 10	11 10	1 15
24	Meningococcal meningitis	{ M. F.	142 104	— —	14 5	23 17	45 36	30 24	16 10	4 7	10 5
25 (1)	German measles	{ M. F.	6 3	— —	— —	1 —	2 1	2 1	1 —	— 1	— —
25 (2)	Varicella	{ M. F.	27 21	— —	1 —	8 2	10 10	5 5	1 4	1 —	1 —
31-37	Tuberculosis, all forms	{ M. F.	1,469 1,180	5 1	43 18	119 82	241 201	469 369	289 250	182 133	121 126
31	Tuberculosis, respiratory system.			{ M. F.	229 164	— —	6 2	14 9	36 26	78 53	55 34	25 21	15 19
32	Tuberculosis, nervous system			{ M. F.	724 603	2 1	13 4	63 48	119 107	214 171	137 137	111 71	65 64
33	Tuberculosis, intestines and peritoneum.			{ M. F.	259 194	2 —	15 7	23 12	38 31	91 75	55 36	18 20	17 13
34-36	Tuberculosis, other organs	{ M. F.	40 21	— —	1 —	3 2	9 6	14 6	4 4	7 3	2 —
37	Disseminated tuberculosis	{ M. F.	217 198	1 —	8 5	16 11	39 31	72 64	38 39	21 18	22 30
	(a) Acute	{ M. F.	96 115	1 —	5 3	7 6	21 20	34 35	13 27	8 9	7 15
	(b) Chronic or unstated	{ M. F.	121 83	— —	3 2	9 5	18 11	38 29	25 12	13 9	15 15
38	Syphilis	{ M. F.	303 210	129 80	92 59	30 28	30 23	13 9	6 7	3 3	— 1
40 (2)	Gonorrhoeal or purulent ophthalmia.			{ M. F.	13 12	4 4	5 5	2 2	1 1	1 —	— —	— —	— —
41	Purulent infection, septicaemia.			{ M. F.	52 42	9 10	12 6	6 2	7 8	8 8	4 3	3 2	3 3
42 (1)	Vaccinia	{ M. F.	2 4	— —	2 1	— 1	— —	— 1	— —	— —	— 1
43-49	Cancer	{ M. F.	64 58	3 1	2 3	3 3	1 5	15 14	13 8	8 16	19 8

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1928—*cont.*

Inter- national List Number	Causes of Death.				Total under 5 years.	Under 4 weeks.	4 wks.— 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
51	Rheumatic fever	{ M. F.	19 25	1 —	— —	— —	1 —	2 3	2 4	3 6	10 12
56	Rickets	{ M. F.	271 183	1 1	10 8	28 10	86 49	110 86	20 17	11 8	5 4
62	Diseases of the thymus	{ M. F.	80 48	14 5	18 9	22 9	7 13	11 6	2 1	4 4	2 1
65a	Leukæmia	{ M. F.	42 30	— 2	1 —	— 1	4 4	13 5	6 8	7 5	11 5
69 (1)	Purpura	..	.	{ M. F.	41 47	11 15	6 5	4 3	5 8	7 5	4 6	3 2	1 3
69 (2)	Hæmophilia	{ M. F.	56 25	40 21	1 1	1 1	2 1	3 1	6 —	3 —	— —
71	Meningitis	{ M. F.	359 248	10 9	27 17	43 31	94 67	97 67	46 28	24 24	18 5
78	Epilepsy	{ M. F.	43 43	3 4	4 3	4 1	3 2	7 13	7 10	4 5	11 5
79-80	Convulsions	{ M. F.	1,122 757	526 297	201 133	121 100	143 103	90 90	23 24	12 6	6 4
84 (1)	Idiocy	{ M. F.	80 64	6 1	2 2	5 6	14 14	22 19	10 11	8 6	13 5
86	Diseases of the ear and of the mastoid sinus.			{ M. F.	165 118	1 —	5 5	20 15	40 25	38 35	23 16	14 7	24 15
	1. Diseases of the mastoid sinus			{ M. F.	50 37	— —	1 1	6 6	10 9	7 7	9 6	6 1	11 7
	2. Other ear diseases	{ M. F.	115 81	1 —	4 4	14 9	30 16	31 28	14 10	8 6	13 8
87-90	Heart disease	{ M. F.	32 40	— 1	— 1	1 2	1 2	5 2	7 12	12 6	6 14
98 (1)	Laryngismus stridulus	{ M. F.	38 26	7 4	1 2	3 1	6 3	8 5	7 6	5 1	1 4
98 (2)	Laryngitis	{ M. F.	69 86	— 9	2 4	4 2	11 13	17 20	13 16	12 15	10 7
99	Bronchitis	{ M. F.	1,744 1,335	205 138	419 304	329 220	393 301	269 260	66 60	30 35	33 17
100-101	Pneumonia (all forms)	{ M. F.	6,378 5,016	266 230	722 500	922 648	1,778 1,319	1,693 1,400	570 522	275 246	152 151
100	Broncho-pneumonia	{ M. F.	5,217 4,146	216 193	643 436	786 557	1,490 1,104	1,374 1,165	427 405	186 180	95 106
101	(a) Lobar	{ M. F.	565 403	11 12	27 28	58 29	125 104	163 115	82 55	58 34	41 26
	(b) Pneumonia not otherwise defined	{ M. F.	596 467	39 25	52 36	78 62	163 111	156 120	61 62	31 32	16 19
102	Pleurisy	{ M. F.	65 57	2 1	1 1	— 2	7 10	19 18	16 11	11 6	9 8
	1. Empyema	{ M. F.	51 40	— 1	1 1	— 1	5 5	14 15	15 8	8 3	8 6
	2. Other pleurisy	{ M. F.	14 17	2 —	— —	— 1	2 5	5 3	1 3	3 3	1 2
103	Congestion and pulmonary infarct.			{ M. F.	42 45	8 12	9 10	5 7	10 9	8 4	— 1	1 2	1 —
97,98(3) 104-107	Other respiratory diseases	{ M. F.	38 31	3 1	7 6	6 4	1 5	6 3	5 2	4 6	6 4
108 (1)	Diseases of the teeth and gums			{ M. F.	33 21	6 3	3 1	5 —	5 5	5 4	5 4	1 2	3 2

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1928—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
109 (1)	Tonsillitis, etc., adenoid vegetations. { M. F.	81 79	1 3	2 —	2 1	6 3	13 11	12 17	24 27	21 17
112 (1)	Inflammation of the Stomach { M. F.	210 177	36 31	57 49	41 24	35 29	20 26	7 12	7 3	7 3
113-114	Diarrhoea and enteritis .. { M. F.	2,955 2,088	230 148	651 360	842 561	743 564	348 322	86 69	35 36	20 28
117	Appendicitis, typhlitis .. { M. F.	91 57	— —	— —	— —	2 2	8 4	25 18	32 13	24 20
118	Hernia, intestinal obstruction { M. F.	355 167	39 17	32 8	103 41	107 61	32 18	20 9	12 4	10 9
	(a) Hernia { M. F.	97 9	19 4	16 1	29 —	16 3	9 1	5 —	3 —	— —
	(b) Intestinal obstruction.. { M. F.	258 158	20 13	16 7	74 41	91 58	23 17	15 9	9 4	10 9
128	Acute nephritis { M. F.	88 65	9 4	4 —	5 4	12 10	22 11	12 21	12 8	12 7
129	Chronic nephritis { M. F.	11 7	— —	— —	— —	— 1	2 —	1 2	5 2	3 2
153	Cellulitis, acute abscess .. { M. F.	69 55	20 10	15 12	9 7	13 13	4 5	4 6	3 —	1 2
	1. Cellulitis { M. F.	35 30	12 7	7 7	5 3	5 5	2 2	2 5	1 —	1 1
	2. Acute abscess { M. F.	34 25	8 3	8 5	4 4	8 8	2 3	2 1	2 —	— 1
154 (2)	Eczema { M. F.	45 17	7 1	4 4	11 4	15 6	4 2	3 —	1 —	— —
154 (3)	Pemphigus { M. F.	84 49	70 37	9 3	— 5	3 1	1 2	1 —	— 1	— —
151-152 154 (1) 154 (4)	Other skin diseases .. { M. F.	106 69	28 23	20 12	17 10	16 12	14 5	5 4	4 3	2 —
155 (1)	Acute infective osteomyelitis and periostitis. { M. F.	65 41	3 1	4 1	8 2	7 2	5 6	11 7	10 11	17 11
159	Congenital malformations .. { M. F.	1,940 1,502	1,138 907	411 281	175 135	100 102	66 48	27 13	12 8	11 8
	1. Congenital hydrocephalus { M. F.	116 79	35 21	14 15	21 14	20 13	17 11	5 3	2 2	2 —
	2. Congenital malformation of heart. { M. F.	711 542	490 356	106 71	43 54	33 39	19 13	9 3	8 2	3 4
	3. Other congenital malformations. { M. F.	1,113 881	613 530	291 195	111 67	47 50	30 24	13 7	2 4	6 4
160	Congenital debility, sclerema and icterus. { M. F.	1,833 1,113	1,095 680	439 227	212 141	87 65	— —	— —	— —	— —
	1. Congenital debility and sclerema. { M. F.	1,578 977	876 566	408 211	209 135	85 65	— —	— —	— —	— —
	2. Icterus neonatorum .. { M. F.	255 136	219 114	31 16	3 6	2 —	— —	— —	— —	— —
161	Premature birth, injury at birth. { M. F.	7,381 5,546	6,796 5,025	509 450	60 58	14 12	1 —	1 1	— —	— —
	1. Premature birth .. { M. F.	6,630 5,041	6,057 4,530	502 443	60 56	11 12	— —	— —	— —	— —
	2. Injury at birth .. { M. F.	751 505	739 495	7 7	— 2	3 —	1 —	1 1	— —	— —
162 (1)	Diseases of the umbilicus .. { M. F.	41 38	36 32	5 6	— —	— —	— —	— —	— —	— —

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1928—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
162 (2)	Atelectasis { M. F.	594 455	576 445	18 10	— —	— —	— —	— —	— —	— —
163	Lack of care { M. F.	132 118	132 118	— —	— —	— —	— —	— —	— —	— —
175-203	Violent deaths { M. F.	1,190 803	119 140	97 72	54 54	81 44	234 146	236 131	195 122	174 94
179	Accidental burns (conflagra- tion excepted). { M. F.	409 282	2 4	6 3	6 4	37 27	151 105	110 58	57 54	40 27
	1. By Clothing { M. F.	19 29	— —	— —	1 3	4 3	6 4	4 5	2 6	2 8
	2. Otherwise (or not stated how) { M. F.	62 55	2 1	4 1	4 —	8 8	14 15	10 10	9 9	11 11
	3. Scalds { M. F.	328 198	— 3	2 2	1 1	25 16	131 86	96 43	46 39	27 8
180	Accidental mechanical suffo- cation. { M. F.	241 211	82 90	82 61	38 45	22 8	9 3	3 1	3 2	2 1
	1. In bed or not stated how { M. F.	204 191	78 88	71 54	31 42	20 6	4 1	— —	— —	— —
	2. Otherwise than in 1 .. { M. F.	37 20	4 2	11 7	7 3	2 2	5 2	3 1	3 2	2 1
182	Accidental drowning.. { M. F.	115 51	7 14	— —	1 1	— 2	19 7	38 15	23 7	27 5
188	Accidental, by certain forms of crushing (vehicles, rail- ways, etc.). { M. F.	256 148	— —	2 2	2 1	2 1	20 10	56 33	89 48	85 53
	1. Road Vehicles .. { M. F.	239 136	— —	2 2	2 1	2 1	17 7	51 28	83 45	82 52
	2. Otherwise { M. F.	17 12	— —	— —	— —	— —	3 3	5 5	6 3	3 1
	Other violence { M. F.	169 111	28 32	7 6	7 3	20 6	35 21	29 24	23 11	20 8
	Other causes { M. F.	701 603	197 152	69 40	58 40	102 84	99 108	81 66	46 58	49 55

Inter-national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES.. ..	M. 17958 F. 17150	M. 18503 F. 17458	M. 23424 F. 22907	M. 24522 F. 23804	M. 20993 F. 20110	M. 23180 F. 22957	M. 21304 F. 20154	M. 20117 F. 18769	M. 17516 F. 16361	M. 16618 F. 15795	M. 15971 F. 15114	M. 16039 F. 15264
1-42	1. Epidemic, Endemic and Infectious Diseases	M. 2386 F. 1999	M. 2456 F. 2055	M. 3164 F. 2662	M. 3493 F. 2976	M. 3222 F. 2659	M. 3730 F. 3267	M. 3428 F. 2899	M. 3073 F. 2556	M. 2507 F. 2134	M. 2079 F. 1888	M. 1949 F. 1788	M. 1895 F. 1719
1	Enteric fever	M. 17 F. 26	M. 28 F. 17	M. 14 F. 15	M. 17 F. 19	M. 8 F. 15	M. 18 F. 13	M. 16 F. 19	M. 20 F. 14	M. 15 F. 14	M. 16 F. 15	M. 31 F. 28	M. 27 F. 23
	(a) Typhoid fever	M. 15 F. 17	M. 24 F. 9	M. 13 F. 13	M. 12 F. 17	M. 6 F. 12	M. 13 F. 12	M. 10 F. 17	M. 16 F. 11	M. 15 F. 13	M. 14 F. 9	M. 22 F. 18	M. 17 F. 21
	(b) Paratyphoid fever	M. 2 F. 9	M. 4 F. 8	M. 1 F. 2	M. 5 F. 2	M. 2 F. 3	M. 5 F. 1	M. 6 F. 2	M. 4 F. 3	M. — F. 1	M. 2 F. 6	M. 9 F. 10	M. 4 F. 7
2	Typhus	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. 1 F. —	M. — F. —	M. — F. —
3	Relapsing Fever (Spirillum obermeieri)	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —
4	Mediterranean fever	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —
5	Malaria	M. 1 F. 1	M. 2 F. —	M. 3 F. —	M. 1 F. —	M. 2 F. —	M. 4 F. 1	M. 1 F. —	M. 2 F. 2	M. 1 F. —	M. 3 F. 1	M. 5 F. —	M. 2 F. —
6	Small-pox	M. 1 F. —	M. 1 F. 2	M. 1 F. 1	M. 8 F. 2	M. 7 F. 3	M. 8 F. 5	M. 4 F. 1	M. 5 F. 2	M. 4 F. 1	M. — F. —	M. — F. —	M. — F. —
7	Measles	M. 75 F. 69	M. 139 F. 110	M. 234 F. 227	M. 294 F. 304	M. 346 F. 251	M. 490 F. 426	M. 397 F. 345	M. 240 F. 208	M. 153 F. 126	M. 87 F. 87	M. 56 F. 56	M. 33 F. 32
8	Scarlet fever	M. 27 F. 21	M. 28 F. 28	M. 31 F. 35	M. 19 F. 34	M. 22 F. 24	M. 25 F. 32	M. 24 F. 19	M. 32 F. 19	M. 24 F. 24	M. 12 F. 21	M. 11 F. 19	M. 14 F. 20
9	Whooping cough	M. 39 F. 59	M. 31 F. 53	M. 77 F. 92	M. 93 F. 113	M. 100 F. 136	M. 156 F. 186	M. 146 F. 186	M. 141 F. 193	M. 115 F. 122	M. 83 F. 114	M. 94 F. 113	M. 90 F. 97
10	Diphtheria	M. 130 F. 136	M. 130 F. 121	M. 185 F. 208	M. 180 F. 202	M. 161 F. 168	M. 162 F. 150	M. 135 F. 138	M. 120 F. 128	M. 87 F. 93	M. 87 F. 111	M. 84 F. 95	M. 103 F. 95
11	Influenza	M. 267 F. 239	M. 241 F. 255	M. 517 F. 447	M. 601 F. 578	M. 473 F. 431	M. 551 F. 597	M. 484 F. 465	M. 431 F. 333	M. 222 F. 178	M. 139 F. 83	M. 108 F. 83	M. 121 F. 90
	(a) { 1. With pneumonic complications. {	M. 136 F. 89	M. 114 F. 97	M. 250 F. 184	M. 315 F. 272	M. 217 F. 167	M. 286 F. 252	M. 239 F. 168	M. 227 F. 126	M. 111 F. 61	M. 74 F. 23	M. 49 F. 26	M. 51 F. 28
	{ 2. With other pulmonary complications. {	M. 47 F. 47	M. 36 F. 53	M. 97 F. 104	M. 106 F. 117	M. 87 F. 78	M. 102 F. 146	M. 94 F. 96	M. 72 F. 73	M. 42 F. 39	M. 18 F. 11	M. 14 F. 16	M. 19 F. 18

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
20	Leprosy { M. F.	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
21	Erysipelas { M. F.	22 27	41 39	40 32	64 41	43 48	39 46	48 40	46 38	29 40	27 25	28 25	23 18
22	Acute poliomyelitis.. { M. F.	13 15	8 10	7 6	17 2	5 9	6 4	9 4	11 7	11 6	12 5	2 6	4 7
	1. Poliomyelitis .. { M. F.	7 8	6 5	4 4	13 2	3 5	2 3	5 3	7 4	7 4	10 4	2 2	3 3
	2. Polioencephalitis .. { M. F.	6 7	2 5	3 2	4 —	2 4	4 1	4 1	4 3	4 2	2 1	— 4	1 4
23	Encephalitis lethargica .. { M. F.	40 31	51 35	56 58	44 53	48 59	47 55	57 61	35 43	45 43	45 28	37 41	32 37
24	Meningococcal meningitis .. { M. F.	15 5	22 9	16 11	17 10	28 21	34 19	19 22	26 14	21 16	28 20	17 9	11 11
25	Other epidemic diseases .. { M. F.	— 2	1 —	3 3	10 8	5 1	7 6	3 3	4 2	3 2	1 4	1 —	3 2
	(1) German measles .. { M. F.	— —	— —	1 —	3 2	1 —	1 2	— 1	2 —	— —	— —	— —	— —
	(2) Varicella { M. F.	— 2	1 —	2 3	6 6	4 1	5 4	3 2	1 1	2 2	1 4	1 —	3 2
	(3) Other diseases included under 25. { M. F.	— —	— —	— —	1 —	— —	1 —	— —	1 1	1 —	— —	— —	— —
26	Glanders { M. F.	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Anthrax { M. F.	— —	— —	— —	1 1	1 —	2 —	1 —	— —	1 1	— 1	— —	1 —
29	Tetanus { M. F.	10 1	8 5	7 1	11 —	10 1	13 1	6 2	9 5	14 —	4 4	9 8	12 2
30	Mycoses { M. F.	3 4	4 5	5 —	5 2	10 4	6 3	4 1	7 2	5 5	4 1	4 1	6 4
	(1) Actinomycosis .. { M. F.	1 1	4 4	3 —	2 1	6 4	5 1	1 1	6 1	3 2	2 —	1 1	5 2
	(2) Other mycoses .. { M. F.	2 3	— 1	2 —	3 1	4 —	1 2	3 —	1 1	2 3	2 1	3 —	1 2
31-37	Tuberculosis (all forms) .. { M. F.	1609 1274	1592 1284	1803 1451	1956 1517	1818 1400	2012 1645	1943 1507	1805 1466	1642 1394	1432 1294	1371 1228	1304 1215
31	„ Respiratory system { M. F.	1327 1053	1332 1036	1508 1179	1658 1228	1473 1122	1648 1315	1595 1199	1469 1165	1316 1103	1161 994	1116 954	1054 984
32	„ Nervous system .. { M. F.	107 81	90 81	105 103	117 92	142 99	140 129	129 127	121 127	128 114	96 112	100 106	83 87
33	„ Intestines and peritoneum .. { M. F.	62 53	48 65	48 62	46 71	62 60	64 68	69 59	59 65	52 60	48 61	46 59	47 47
34	„ Vertebral column .. { M. F.	18 15	24 18	28 13	27 18	23 23	27 21	15 16	29 16	26 19	18 21	20 16	15 12
35	„ Joints { M. F.	15 7	13 7	15 9	15 9	11 8	10 8	15 10	8 10	11 4	13 8	11 10	11 7
36	„ Other organs .. { M. F.	22 15	24 22	30 21	20 33	24 24	24 35	32 16	28 21	28 20	23 22	16 18	28 17
	(a) { Skin and subcutaneous tissue. { M. F.	— 2	— 10	3 7	— 9	3 4	1 6	2 4	1 5	2 3	2 7	2 5	3 5
	(b) { Bones (Vertebral column excepted). { M. F.	3 —	7 1	5 3	2 6	5 1	5 3	2 4	4 —	4 3	7 3	1 1	6 1
	(c) { Lymphatic system (abdominal glands excepted). { M. F.	6 4	4 2	7 2	3 4	1 5	6 6	6 4	8 6	7 4	4 3	2 1	4 2
	(d) Genito-urinary system. { M. F.	13 9	13 8	14 9	13 14	14 11	12 17	22 4	15 8	14 10	10 8	11 11	15 8
	(e) Others in 36 .. { M. F.	— —	— 1	1 —	2 —	1 3	— 3	— —	— 2	1 —	— 1	— —	— 1

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
37	Disseminated tuberculosis .. { M. F.	58 50	61 55	69 64	73 66	83 64	99 69	88 80	91 62	81 74	73 76	62 65	66 61
	(a) Acute { M. F.	25 19	17 14	25 32	28 22	34 31	38 27	38 42	32 28	33 37	28 38	23 25	29 26
	(b) Chronic or unstated .. { M. F.	33 31	44 41	44 32	45 44	49 33	61 42	50 38	59 34	48 37	45 38	39 40	37 35
38	Syphilis { M. F.	80 54	83 52	108 53	104 54	82 42	93 47	87 42	85 50	74 32	59 38	61 48	74 35
39	Soft Chancre { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
40	Gonococcal infection.. { M. F.	3 5	9 —	3 3	4 3	3 1	5 1	6 —	5 2	6 2	5 3	8 —	4 3
	(1) { Gonococcal infection { M. (ophthalmia excepted). { F.	1 3	7 —	3 2	3 2	1 1	2 —	6 —	4 —	3 —	4 1	7 —	4 2
	(2) { Gonorrhœal or puru- { M. lent ophthalmia. { F.	2 2	2 —	— 1	1 1	2 —	3 1	— —	1 2	3 2	1 2	1 —	— 1
41	Purulent infection, septicæmia { M. F.	30 26	33 25	45 11	38 27	42 39	38 23	25 23	40 22	25 21	24 25	15 20	30 17
42	Other infectious diseases .. { M. F.	— —	— —	— 2	— —	— —	1 1	— 1	3 —	1 2	— 4	— —	1 1
	(1) Vaccinia { M. F.	— —	— —	— —	— —	— —	1 1	— 1	3 —	1 2	— 4	— —	1 1
	(2) { Other diseases included { M. under 42. { F.	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
43-69	II. General diseases not in- { M. cluded above. { F.	2732 3449	2746 3283	2994 3589	2922 3657	2679 3311	2847 3573	2767 3361	2740 3314	2671 3183	2780 3264	2604 3267	2716 3243
43-49	Cancer, Malignant disease .. { M. F.	2156 2553	2163 2415	2288 2586	2206 2634	2025 2398	2189 2600	2138 2469	2169 2486	2148 2443	2206 2515	2112 2528	2221 2443
43	„ Buccal cavity .. { M. F.	222 29	248 38	233 45	243 27	224 39	233 31	247 34	261 28	220 43	236 37	223 35	212 32
44	„ Pharynx, œsophagus, stomach, liver and annæa. { M. F.	786 672	785 589	835 609	777 686	702 563	782 704	784 626	787 656	767 657	794 666	770 690	840 642
45	„ Peritoneum, intes- { M. tines and rectum. { F.	521 548	492 491	548 549	512 530	492 502	527 517	499 520	511 509	520 513	522 553	482 538	519 529
46	„ Female genital organs.. F.	523	474	545	488	480	519	498	518	462	522	512	469
47	„ Breast { M. F.	6 483	6 520	6 535	5 548	5 489	2 511	6 489	2 490	5 458	2 430	3 452	4 484
48	„ Skin { M. F.	65 48	62 37	97 56	76 52	72 39	82 43	76 44	78 40	70 43	76 38	65 38	72 38
49	„ Other or unspecified { M. organs. { F.	556 250	570 266	569 247	593 303	530 286	563 275	526 258	530 245	566 267	576 269	569 263	574 249
50	Tumours not returned as { M. malignant (brain and female { F. genital organs excepted).	39 28	40 43	46 33	46 33	37 27	38 38	43 37	37 39	36 34	39 34	24 25	32 36
51	Rheumatic fever { M. F.	39 68	47 64	47 72	67 70	54 78	55 87	55 78	55 71	43 64	46 58	41 52	36 75
52	Chronic rheumatism, osteo- { M. arthritis, gout. { F.	105 170	118 167	127 203	120 233	120 202	112 211	105 208	101 154	78 126	106 158	77 137	85 152
	(1) Chronic rheumatism, { M. F.	6 3	4 7	11 4	13 15	14 15	6 13	7 9	4 9	6 6	8 8	5 10	9 8
	(2) { Rheumatoid and osteo- { M. arthritis. { F.	78 166	90 153	98 190	77 213	77 185	76 194	69 192	77 140	48 110	72 146	55 121	64 144
	(3) Gout { M. F.	21 1	24 7	18 9	30 5	29 2	30 4	29 7	20 5	24 10	26 4	17 6	12 —
53	Scurvy.. .. { M. F.	— 1	1 —	2 1	5 —	2 2	— —	3 1	2 —	1 —	2 —	1 —	— —
54	Pellagra { M. F.	— —	— 3	— —	— —	— —	— —	— —	— —	— 1	1 —	— 1	— —

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
55	Beri-beri { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
56	Rickets { M. F.	15 17	11 11	24 17	30 23	26 19	39 22	35 20	27 16	17 12	20 14	12 13	19 13
57	Diabetes { M. F.	189 244	158 257	227 316	208 302	210 278	200 272	187 237	165 227	156 229	151 199	161 240	145 238
58	Anæmia, chlorosis { M. F.	80 173	94 137	98 133	83 127	80 121	94 105	74 110	67 114	71 88	61 93	76 97	61 103
	(a) Pernicious anæmia .. { M. F.	72 162	84 127	88 121	73 113	70 105	80 94	71 99	58 99	58 80	50 80	62 87	56 83
	(b) { Other anæmias and { M. F.	8 11	10 10	10 12	10 14	10 16	14 11	3 11	9 15	13 8	11 13	14 10	5 20
59	Diseases of the pituitary gland { M. F.	— —	1 1	— 2	1 3	1 1	1 1	1 3	2 —	2 1	2 1	— 3	1 2
60	Diseases of the thyroid gland { M. F.	12 87	15 95	12 125	20 121	11 105	15 130	13 109	13 109	15 110	23 94	14 94	11 95
	(a) Exophthalmic goitre .. { M. F.	9 63	10 67	5 90	14 87	5 74	9 94	7 71	9 83	11 77	16 74	11 69	8 72
	(1) Myxœdema .. { M. F.	1 14	1 16	— 26	1 21	2 9	2 21	2 20	3 13	2 16	2 14	1 14	1 16
	(b) { (2) Cretinism.. .. { M. F.	— 3	2 3	5 3	3 2	1 1	3 2	2 4	1 4	2 4	3 —	2 3	— —
	(3) Other diseases of the thyroid gland. { M. F.	2 7	2 9	2 6	2 11	3 21	1 13	2 14	— 9	— 13	2 6	— 8	2 7
61	Diseases of the parathyroid glands. { M. F.	1 3	1 3	1 1	3 5	5 4	3 —	1 2	2 —	— 2	— 1	— 1	1 1
	(1) Tetany { M. F.	1 3	1 3	1 1	3 5	5 4	3 —	1 2	2 —	— 2	— 1	— 1	1 1
	(2) Other diseases of the parathyroid glands.. { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
62	Diseases of the thymus .. { M. F.	5 4	8 10	17 7	12 7	6 3	8 6	15 4	6 7	11 3	9 9	5 5	5 2
63	Diseases of the adrenals .. { M. F.	4 13	8 9	7 10	12 15	5 13	4 16	6 9	14 14	9 10	10 11	5 7	10 15
64	Diseases of the spleen .. { M. F.	1 1	1 2	2 4	2 1	1 2	1 1	2 3	— 1	— 2	3 2	— 2	2 1
65	Leukæmia, lymphadenoma .. { M. F.	50 47	49 36	53 44	51 41	56 26	52 43	45 37	46 48	48 34	58 43	50 35	47 42
	(a) Leukæmia { M. F.	31 32	22 27	28 28	31 23	34 16	31 25	23 30	25 28	24 20	38 25	24 17	27 27
	(b) Lymphadenoma (Hodg-kin's disease). { M. F.	19 15	27 9	25 16	20 18	22 10	21 18	22 7	21 20	24 14	20 18	26 18	20 15
66	Alcoholism (Acute or chronic) { M. F.	9 2	5 2	8 3	5 2	5 3	7 3	2 3	7 1	9 3	7 4	9 5	7 4
67	Chronic poisoning by mineral substances. { M. F.	4 —	3 —	5 —	8 —	6 1	2 2	9 1	3 —	5 1	3 —	3 1	4 —
	(1) Occupational lead poisoning. { M. F.	3 —	3 —	5 —	7 —	6 1	2 2	9 —	2 —	5 1	3 —	3 1	4 —
	(2) Others { M. F.	1 —	— —	— —	1 —	— —	— —	— 1	1 —	— —	— —	— —	— —
68	Chronic poisoning by organic substances. { M. F.	1 —	1 —	— —	— —	1 1	— —	2 1	— —	1 2	— —	— —	— —
69	Other general diseases .. { M. F.	22 38	22 28	30 32	43 40	28 27	27 36	31 29	24 27	21 18	33 28	14 21	28 20
	(1) Purpura { M. F.	9 17	7 13	16 13	12 15	14 17	13 14	15 12	9 11	8 7	17 14	9 15	11 6
	(2) Hæmophilia { M. F.	8 1	7 2	8 2	10 8	5 4	6 5	8 5	7 2	5 3	9 1	4 1	9 3

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.	1927.			1928								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(3) Other diseases included under 69. { M. F.	5 20	8 13	6 17	21 17	9 6	8 17	8 12	8 14	8 8	7 13	1 5	8 11
70-86	III. Diseases of the Nervous System and Sense Organs { M. F.	1537 1676	1551 1749	2051 2217	2086 2153	1764 1880	1898 2079	1806 1898	1702 1848	1440 1630	1473 1675	1399 1493	1398 1538
70	Encephalitis { M. F.	15 5	20 9	14 11	15 10	6 13	12 12	12 6	16 11	11 4	11 18	12 13	12 11
	(1) Cerebral abscess .. { M. F.	9 1	14 4	8 5	9 8	4 9	4 5	5 3	14 6	6 2	8 9	6 5	8 5
	(2) Other diseases included under 70. { M. F.	6 4	6 5	6 6	6 2	2 4	8 7	7 3	2 5	5 2	3 9	6 8	4 6
71	Meningitis { M. F.	60 37	53 50	50 48	52 46	56 51	59 56	57 57	64 39	51 42	53 48	39 48	47 35
72	Tabes dorsalis (Locomotor-ataxy). { M. F.	48 16	54 9	59 13	69 7	68 9	63 12	71 9	51 12	46 10	34 13	60 9	40 10
73	Other diseases of the spinal cord. { M. F.	76 54	60 53	70 69	89 67	75 56	76 63	61 52	73 52	45 49	79 51	62 36	56 39
74	Cerebral hæmorrhage, apoplexy, etc. { M. F.	765 1064	760 1081	1057 1396	1059 1355	840 1165	960 1293	944 1189	866 1156	771 1011	713 995	659 944	712 962
	(a) { (1) Cerebral hæmorrhage so returned. { M. F.	609 832	613 845	818 1075	826 1052	656 909	756 1002	744 922	694 896	613 794	571 765	522 726	574 790
	(2) Apoplexy lesion unstated. { M. F.	44 72	45 84	90 114	84 97	60 66	76 76	72 81	51 72	50 70	47 58	56 64	46 47
	(b) { (1) Cerebral embolism { M. F.	23 23	15 27	23 31	24 26	17 34	22 34	19 26	23 24	16 22	15 25	12 21	18 21
	(2) Cerebral thrombosis. { M. F.	89 137	87 125	126 176	125 180	107 156	106 181	109 160	98 164	92 125	80 147	69 133	74 104
75	Paralysis of unstated origin.. { M. F.	41 66	51 68	79 104	72 91	55 69	64 79	61 75	50 67	44 61	42 66	47 59	46 56
	(a) Hemiplegia { M. F.	37 58	44 60	67 86	68 86	45 62	56 70	53 67	45 61	39 53	37 63	40 54	38 50
	(b) Other forms of paralysis { M. F.	4 8	7 8	12 18	4 5	10 7	8 9	8 8	5 6	5 8	5 3	7 5	8 6
76	General paralysis of the insane { M. F.	104 19	93 26	119 31	116 32	108 23	114 25	96 20	92 22	83 18	100 20	73 10	76 18
77	Other forms of insanity .. { M. F.	32 54	46 61	57 73	68 61	48 66	45 83	32 61	39 63	32 66	42 69	38 57	34 45
78	Epilepsy { M. F.	80 66	76 88	143 97	101 109	109 88	118 90	107 93	100 116	84 90	81 103	81 93	68 84
79-80	Convulsions (non-puerperal) { M. F.	79 66	76 62	102 82	128 77	129 74	122 92	120 71	101 69	70 46	79 45	63 39	80 56
81	Chorea { M. F.	1 3	4 7	2 9	— 9	3 6	1 7	— 8	2 5	3 4	2 5	2 3	2 4
82	Hysteria and neuritis .. { M. F.	7 11	4 9	3 13	6 11	12 11	8 15	5 10	11 6	7 20	11 12	6 7	10 11
83	Cerebral softening { M. F.	3 15	13 14	23 18	19 22	20 27	14 17	12 17	6 13	10 14	11 18	13 11	10 15
84	Other diseases of the nervous system. { M. F.	160 154	168 146	195 194	220 196	180 173	178 172	167 179	166 163	111 138	155 157	174 124	149 146
	(1) Idiocy, imbecility .. { M. F.	19 18	16 7	15 15	27 16	21 11	17 14	13 18	15 14	9 15	9 14	8 12	7 17
	(2) Cerebral tumour .. { M. F.	47 48	60 47	48 67	48 51	58 55	49 43	55 58	55 48	33 51	59 41	69 44	52 52
	(3) Disseminated sclerosis { M. F.	31 31	23 40	47 38	47 50	30 36	36 40	33 39	29 44	27 34	23 32	31 19	30 32
	(4) Paralysis agitans .. { M. F.	50 43	51 35	62 50	80 53	59 48	54 54	49 46	54 45	32 24	50 51	48 42	46 31
	(5) Other diseases included under 84. { M. F.	13 14	18 17	23 24	18 26	12 23	22 21	17 18	13 12	10 14	14 19	18 7	14 14

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.		1927.			1928.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
85	Diseases of the eye and an-	{ M.	1	5	4	6	3	2	4	1	4	1	4	4
	nexa.	F.	8	6	3	4	4	2	3	7	6	1	2	3
86	Diseases of the ear and of the	{ M.	65	68	74	66	52	62	57	64	68	59	66	52
	mastoid sinus.	F.	38	60	56	56	45	61	48	47	51	54	38	43
	(1) Diseases of the mastoid	{ M.	24	26	25	20	20	18	22	16	22	19	24	20
	sinus.	F.	14	18	20	18	18	16	11	16	23	21	14	13
	(2) Diseases of the ear ..	{ M.	41	42	49	46	32	44	35	48	46	40	42	32
		F.	24	42	36	38	27	45	37	31	28	33	24	30
87-96	IV. Diseases of the circu-	{ M.	3867	4037	5018	5275	4517	4921	4520	4497	3821	3645	3496	3451
	latory system.	F.	4029	4146	5536	5790	4814	5363	4781	4412	3858	3749	3603	3490
87-90	Heart diseases	{ M.	2634	2753	3486	3614	3083	3429	3184	3142	2667	2571	2413	2335
		F.	3050	3110	4239	4469	3713	4209	3677	3359	2913	2840	2740	2657
87	Pericarditis	{ M.	13	18	11	12	14	9	16	18	11	8	13	11
		F.	9	6	12	12	15	17	11	11	11	7	8	6
88	Acute endocarditis and myo-	{ M.	81	70	82	76	73	72	90	74	60	67	75	72
	carditis.	F.	78	68	77	114	77	80	81	85	82	72	69	72
	(1) Infective endocarditis	{ M.	47	41	41	41	40	28	39	38	31	37	44	49
		F.	46	38	33	47	44	35	39	43	48	38	41	40
	(2) Other acute endocardi-	{ M.	15	16	20	14	12	19	26	18	14	12	11	14
	tis.	F.	22	16	19	34	17	22	20	22	16	21	16	17
	(3) Acute myocarditis ..	{ M.	19	13	21	21	21	25	25	18	15	18	20	9
		F.	10	14	25	33	16	23	22	20	18	13	12	15
89	Angina pectoris	{ M.	206	197	278	258	204	222	212	223	198	195	187	178
		F.	86	92	108	124	84	110	90	97	81	79	83	78
90	Other diseases of the heart ..	{ M.	2334	2468	3115	3268	2792	3126	2866	2827	2398	2301	2138	2074
		F.	2877	2944	4042	4219	3537	4002	3495	3166	2739	2682	2580	2501
	(1) Aortic valve disease ..	{ M.	178	199	221	216	190	210	210	201	193	175	147	135
		F.	72	107	99	103	90	116	96	80	77	83	70	74
	(2) Mitral valve disease ..	{ M.	316	318	382	415	354	384	348	344	297	297	255	243
		F.	573	519	686	725	626	671	584	518	489	445	439	447
	(3) Aortic and mitral valve	{ M.	56	52	54	54	55	50	49	64	51	55	46	48
	disease.	F.	50	35	53	61	49	73	64	49	62	51	43	43
	(4) Other or unspecified	{ M.	398	462	481	509	491	482	467	473	412	369	362	339
	valve disease.	F.	487	529	708	684	579	665	610	550	482	509	455	449
	(5) Fatty heart	{ M.	115	95	131	132	97	102	105	117	84	80	82	83
		F.	133	129	174	195	134	141	146	134	135	90	129	117
	(6) Cardiac dilatation(cause	{ M.	29	15	31	27	24	33	16	21	18	23	18	16
	unspecified).	F.	37	29	26	54	22	16	18	16	18	21	11	13
	(7) Other or unspecified	{ M.	944	998	1389	1518	1228	1464	1318	1240	1058	1036	986	943
	myocardial disease.	F.	1114	1196	1750	1860	1592	1778	1512	1407	1142	1129	1074	1036
	(8) Disordered action of the	{ M.	62	57	79	64	68	69	59	70	55	50	41	51
	heart.	F.	114	90	136	107	106	131	103	112	76	92	87	97
	(9) Heart disease (unde-	{ M.	236	272	347	333	285	332	294	297	230	216	201	216
	fined).	F.	297	310	410	430	339	411	362	300	258	262	272	225
91	Disease of the arteries ..	{ M.	1195	1246	1495	1609	1393	1432	1300	1301	1110	1037	1047	1083
		F.	933	982	1238	1258	1035	1094	1051	1009	895	867	813	786
	(a) Aneurysm	{ M.	76	78	87	86	73	79	82	78	82	73	69	74
		F.	18	29	31	33	20	24	26	17	24	16	23	12
	(b) Arterio-sclerosis ..	{ M.	1107	1156	1394	1508	1310	1346	1209	1217	1017	959	969	1003
		F.	901	946	1191	1211	1006	1062	1016	985	863	847	779	764
	(1) With record of cere-	{ M.	490	489	544	592	492	508	466	449	402	368	370	395
	bral vascular lesion	F.	438	480	546	515	442	452	423	430	405	397	370	340
	(2) Without record of	{ M.	617	667	850	916	818	838	743	768	615	591	599	608
	cerebral vascular	F.	463	466	645	696	564	610	593	555	458	450	409	424
	lesion.													
	(c) Other diseases of the	{ M.	12	12	14	15	10	7	9	6	11	5	9	6
	arteries.	F.	14	7	16	14	9	8	9	7	8	4	11	10

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter- national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
92	Embolism and thrombosis { M. F. (not cerebral).	21 17	11 13	15 20	18 13	11 17	20 24	11 17	15 14	16 14	16 15	16 15	11 14
93	Diseases of the veins (varices, { M. F. hæmorrhoids, phlebitis, etc.)	12 24	11 36	12 26	17 38	14 34	22 20	16 23	19 27	20 28	14 24	15 27	14 22
94	Diseases of the lymphatic { M. F. system (lymphangitis, etc.)	3 2	6 1	4 7	5 3	6 4	5 7	— 3	3 1	1 1	2 1	1 4	3 5
95	Hæmorrhage without stated { M. F. cause.	1 1	1 —	— 1	— 1	2 —	1 2	1 2	4 —	1 —	2 1	— 1	1 1
96	Other diseases of the cir- { M. F. culatory system.	1 2	9 4	6 5	12 8	8 11	12 7	8 8	13 2	6 7	3 1	4 3	4 5
97 -107	V. Diseases of the respiratory { M. F. system.	2288 1752	2476 1907	4020 3577	4559 4050	3437 2904	4054 3640	3347 2627	2780 2112	2123 1451	1556 1036	1466 995	1460 1092
97	Diseases of the nasal fossæ { M. F. and annexa.	11 9	11 5	9 15	15 6	14 10	7 8	15 9	13 10	8 5	14 6	11 3	14 4
	(1) Diseases of the nose .. { M. F.	3 3	2 —	4 4	7 3	5 4	1 3	4 2	4 3	1 1	4 1	— —	5 —
	(2) Diseases of the acces- { M. F. sory nasal sinuses.	8 6	9 5	5 11	8 3	9 6	6 5	11 7	9 7	7 4	10 5	11 3	9 4
98	Diseases of the larynx .. { M. F.	8 12	11 10	26 19	22 23	30 32	25 21	14 12	12 15	13 8	4 10	9 9	12 9
	(1) Laryngismus stridulus { M. F.	— 2	3 —	7 5	6 4	5 5	8 1	5 2	— 4	1 3	1 1	2 1	4 1
	(2) Laryngitis { M. F.	8 10	8 10	19 14	15 18	24 27	16 20	9 10	11 11	11 5	3 9	7 8	6 8
	(3) Other diseases .. { M. F.	— —	— —	— —	1 1	1 —	1 —	— —	1 —	1 —	— —	— —	2 —
99	Bronchitis { M. F.	816 722	940 869	1690 1643	1760 1923	1323 1270	1493 1673	1199 1165	934 856	678 553	480 406	502 370	534 425
	(a) Acute { M. F.	146 173	153 190	366 420	357 509	297 315	334 423	227 272	185 192	120 117	55 69	67 60	86 84
	(b) Chronic { M. F.	371 218	430 271	663 453	623 549	442 356	534 466	436 335	369 251	296 204	237 145	219 130	225 153
	(c & d) { Not stated whether { M. F. acute or chronic.	299 331	357 408	661 770	780 865	584 599	625 784	536 558	380 413	262 232	188 192	216 180	223 188
100 -101	Pneumonia (all forms) .. { M. F.	1263 869	1309 885	1992 1649	2437 1824	1841 1419	2282 1729	1889 1245	1598 1074	1265 765	922 513	809 489	768 544
100	Broncho-pneumonia .. { M. F.	513 416	607 462	980 935	1164 1023	998 863	1165 1017	833 697	654 547	492 366	352 259	336 250	304 281
101	Pneumonia (Lobar or not { M. F. otherwise defined)	750 453	702 423	1012 714	1273 801	843 556	1117 712	1056 548	944 527	773 399	570 254	473 239	464 263
	(a) Lobar { M. F.	532 325	492 295	690 462	904 530	578 371	773 485	741 354	677 370	570 270	403 182	343 158	353 191
	(b) Not otherwise defined.. { M. F.	218 128	210 128	322 252	369 271	265 185	344 227	315 194	267 157	203 129	167 72	130 81	111 72
102	Pleurisy { M. F.	44 32	52 32	66 50	80 50	49 31	62 36	62 44	65 45	61 36	53 23	42 34	38 35
	(1) Empyema { M. F.	18 4	24 4	26 12	29 12	18 7	26 15	24 14	28 14	22 8	27 5	20 10	13 9
	(2) Other pleurisy .. { M. F.	26 28	28 28	40 38	51 38	31 24	36 21	38 30	37 31	39 28	26 18	22 24	25 26
103	Congestion and hæmorrhagic { M. F. infarct of lung.	39 43	27 36	50 73	40 78	37 49	32 66	39 66	42 42	38 39	26 28	34 44	33 34
104	Gangrene of the lung .. { M. F.	2 —	— —	— —	1 1	3 —	— 1	— —	3 3	1 —	2 1	2 —	1 1
105	Asthma { M. F.	87 58	97 61	157 118	169 131	105 85	118 90	97 75	79 60	46 36	36 38	42 40	39 27
106	Pulmonary emphysema .. { M. F.	2 —	4 —	7 —	5 2	8 2	10 3	3 —	3 —	2 1	3 1	2 1	4 2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
107	Other diseases of the respiratory system. { M. F.	16 7	25 9	23 10	30 12	27 6	25 13	29 11	31 7	11 8	16 10	13 5	17 11
	(a) Chronic interstitial pneumonia. { M. F.	14 3	19 4	19 7	24 11	23 4	20 10	24 10	20 6	9 4	14 5	10 3	13 8
	(b) Diseases of the mediastinum. { M. F.	— 1	1 —	— —	— —	— —	— —	— —	2 —	— 1	— —	1 —	— —
	(c) Other diseases included under 107. { M. F.	2 3	5 5	4 3	6 1	4 2	5 3	5 1	9 1	2 3	2 5	2 2	4 3
108-127	VI. Diseases of the Digestive System. { M. F.	1231 1049	1219 989	1402 1178	1314 1062	1097 903	1244 1038	1135 948	1132 976	1058 908	1098 970	1234 1026	1368 1165
108	Diseases of the buccal cavity and annexa. { M. F.	30 19	30 30	35 20	29 31	32 24	46 26	29 30	22 25	34 26	39 35	33 24	32 19
	(1) Diseases of the teeth and gums. { M. F.	23 13	26 18	28 15	19 24	22 20	31 18	16 19	19 13	29 21	33 30	23 16	26 9
	(2) Ludwig's angina .. { M. F.	3 3	3 6	5 2	5 3	7 1	7 6	8 7	— 1	2 2	2 1	5 1	3 6
	(3) Other diseases included under 108. { M. F.	4 3	1 6	2 3	5 4	3 3	8 2	5 4	3 11	3 3	4 4	5 7	3 4
109	Diseases of the pharynx and tonsils. { M. F.	32 48	37 40	40 42	45 42	28 44	40 40	45 47	43 50	31 33	37 39	42 42	37 46
	(1) Tonsillitis, etc., adenoid vegetations. { M. F.	28 40	28 26	38 36	33 30	24 40	29 34	31 40	35 37	25 31	26 35	37 36	36 30
	(2) Other diseases included under 109. { M. F.	4 8	9 4	2 6	12 12	4 4	11 6	14 7	8 13	6 2	11 4	5 6	1 16
110	Diseases of the œsophagus.. { M. F.	1 —	2 2	3 2	— —	2 4	3 3	1 1	1 3	3 2	1 1	2 —	1 2
111	Ulcer of the stomach or duodenum. { M. F.	238 88	253 76	317 110	275 110	230 100	259 86	254 76	224 76	226 80	232 71	211 60	205 63
	(a) Ulcer of the stomach .. { M. F.	156 73	176 66	204 95	170 92	144 78	167 69	161 59	136 63	147 71	136 58	133 51	147 53
	(b) Ulcer of the duodenum { M. F.	82 15	77 10	113 15	105 18	86 22	92 17	93 17	88 13	79 9	96 13	78 9	58 10
112	Other diseases of the stomach { M. F.	63 64	66 64	79 93	82 84	69 70	69 76	59 76	51 66	58 77	50 48	61 67	66 82
	(1) Inflammation of the stomach. { M. F.	54 57	53 58	61 83	70 74	62 63	56 65	48 69	41 62	51 68	39 41	51 62	55 74
	(2) Other diseases included under 112. { M. F.	9 7	13 6	18 10	12 10	7 7	13 11	11 7	10 4	7 9	11 7	10 5	11 8
113-114	Diarrhoea and enteritis .. { M. F.	326 294	292 255	326 281	283 229	225 180	250 198	206 170	250 190	213 182	228 252	352 291	524 419
	(1) Ulceration of the intestines. { M. F.	12 15	7 12	16 8	10 16	13 8	5 17	11 18	13 17	9 13	11 16	7 13	7 19
	(2) Colitis { M. F.	15 20	17 18	18 27	12 16	14 16	14 22	11 11	16 19	9 20	7 15	17 11	25 11
	(3) Other diseases included under 113-114. { M. F.	299 259	268 225	292 246	261 197	198 156	231 159	184 141	221 154	195 149	210 221	328 267	492 389
115	Ankylostomiasis { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
116	Diseases due to other intestinal parasites. { M. F.	— 5	— 2	1 4	— —	3 —	1 2	1 3	— 1	1 1	2 —	1 —	— 2
	(a) Cestodes (hydatids of the liver excepted). { M. F.	— 1	— 1	— 2	— —	1 —	1 1	1 1	— 1	1 —	1 —	— —	— —
	(b) Trematodes { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
	(c) Nematodes (other than ankylostoma). { M. F.	— 2	— 1	1 1	— —	2 —	— 1	— 1	— —	— —	1 —	— —	— 2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(f) Undefined parasites .. { M. F.	— 2	— —	— 1	— —	— —	— —	— 1	— —	— 1	— —	— —	— —
117	Appendicitis, typhlitis .. { M. F.	112 105	139 109	137 107	149 97	136 86	140 116	153 107	132 109	125 95	116 112	138 114	133 110
118	Hernia, intestinal obstruction. { M. F.	200 198	186 189	221 230	213 206	171 154	200 209	183 176	187 193	174 162	180 161	195 174	177 176
	(a) Hernia { M. F.	92 85	85 85	94 111	109 89	79 81	95 85	90 73	88 97	66 70	64 73	78 76	75 91
	(b) Intestinal obstruction { M. F.	108 113	101 104	127 119	104 117	92 73	105 124	93 103	99 96	108 92	116 88	117 98	102 85
119	Other diseases of the intestines. { M. F.	28 24	25 16	24 28	29 15	22 23	25 19	21 15	20 25	16 30	24 18	26 32	16 21
	(1) Intestinal stasis .. { M. F.	8 17	6 8	9 13	7 8	6 11	7 7	8 4	7 9	3 12	6 6	5 13	5 5
	(2) Other diseases included under 119 .. { M. F.	20 7	19 8	15 15	22 7	16 12	18 12	13 11	13 16	13 18	18 12	21 19	11 16
120	Acute yellow atrophy of the liver. { M. F.	1 6	2 4	— 3	— 3	1 8	5 2	2 7	1 1	1 2	2 3	3 2	3 5
121	Hydatid tumour of the liver. { M. F.	1 1	— —	2 2	2 1	1 —	— 1	1 —	— —	1 1	1 1	1 2	— —
122	Cirrhosis of the liver .. { M. F.	116 48	107 48	120 64	102 75	87 52	106 61	102 60	113 53	95 51	92 54	91 42	98 50
	(a) Returned as alcoholic .. { M. F.	27 12	12 13	17 13	12 18	15 10	19 11	17 11	22 5	15 4	18 8	19 8	19 7
	(b) Not returned as alcoholic { M. F.	89 36	95 35	103 51	90 57	72 42	87 50	85 49	91 48	80 47	74 46	72 34	79 43
123	Biliary calculi { M. F.	33 68	26 66	21 84	26 72	23 72	28 78	22 80	36 73	23 67	36 75	27 80	23 88
124	Other diseases of the liver .. { M. F.	28 47	25 47	35 54	47 54	37 58	45 77	36 63	37 67	33 52	33 63	31 65	26 50
125	Diseases of the pancreas .. { M. F.	12 17	22 17	25 20	22 17	19 10	19 24	14 16	11 21	14 21	15 20	9 16	21 13
126	Peritonitis of unstated origin { M. F.	10 17	7 24	16 34	10 26	11 18	8 20	6 21	4 23	10 26	10 17	11 15	6 19
128-142	VII. Non-puerperal diseases of the genito-urinary system { M. F.	1023 707	1022 773	1180 873	1259 911	1069 798	1156 909	1108 796	1070 825	980 726	843 685	949 678	940 700
128	Acute nephritis (including unspecified under 10 years of age). { M. F.	35 35	59 59	59 45	60 68	66 55	63 60	71 55	58 54	37 44	35 39	33 32	49 41
129	Chronic nephritis (including unspecified over 10 years of age). { M. F.	545 488	542 535	656 637	676 647	600 586	665 654	626 591	603 582	535 514	460 466	491 477	491 505
130	Chyluria { M. F.	— —	— —	1 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —
131	Other diseases of the kidneys and annexa. { M. F.	30 42	29 37	26 43	32 49	25 45	24 40	39 34	26 31	24 34	19 36	29 40	30 39
132	Calculi of the urinary passages { M. F.	16 8	17 8	23 12	12 11	22 4	17 11	17 12	26 11	21 10	17 7	27 12	14 12
133	Diseases of the bladder .. { M. F.	53 26	45 32	44 33	67 28	44 22	61 36	50 23	45 32	59 32	46 38	38 28	39 24
	(1) Cystitis { M. F.	48 22	38 31	41 31	62 28	43 22	57 35	49 20	43 32	58 32	43 37	36 28	39 24
	(2) Other diseases .. { M. F.	5 4	7 1	3 2	5 —	1 —	4 1	1 3	2 —	1 —	3 1	2 —	— —
134	Diseases of the urethra, urinary abscess, etc. { M. F.	35 1	39 1	41 2	42 —	30 —	37 1	35 —	41 —	35 2	35 3	38 1	33 —

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

International List No	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(a) Stricture of the urethra { M. F.	31 —	38 —	39 1	36 —	27 —	34 —	33 —	40 —	32 —	35 —	36 —	33 —
	(b) Other diseases .. { M. F.	4 1	1 1	2 1	6 —	3 —	3 1	2 —	1 —	3 2	— 3	2 1	— —
35	Diseases of the prostate .. M.	306	290	325	356	274	280	262	264	267	227	291	276
36	Non-venereal diseases of the male genital organs. M.	3	1	5	14	8	8	7	7	2	4	2	8
37	Cysts and other tumours of the ovary not returned as malignant. F.	24	28	24	28	23	30	22	21	23	22	22	22
38	Salpingitis and pelvic abscess in females. F.	22	14	17	24	14	21	16	27	15	16	16	18
	(1) Salpingitis F.	19	13	12	21	13	20	15	25	14	11	13	18
	(2) Pelvic abscess in females. F.	3	1	5	3	1	1	1	2	1	5	3	—
39	Tumours of the uterus not returned as malignant. F.	44	45	42	37	31	38	34	46	31	37	34	28
40	Non-puerperal uterine hæmorrhage. F.	1	3	2	1	2	1	—	2	3	—	1	1
41	Other diseases of the female genital organs. F.	16	11	14	17	14	17	8	19	17	21	13	9
	(1) Other diseases of the uterus. F.	15	7	11	14	8	12	5	15	14	13	7	9
	(2) Diseases of the other female genital organs not included above. F.	1	4	3	3	6	5	3	4	3	8	6	—
42	Non-puerperal diseases of the breast. { M. F.	— —	— —	— 1	— 1	— 1	1 —	1 1	— —	— 1	— —	— 2	— 1
43-150	VIII. The Puerperal State .. F.	230	211	223	263	222	266	250	255	223	275	240	226
48	Accidents of pregnancy .. F.	26	27	18	27	17	18	17	27	18	28	24	23
	(a) Abortion F.	3	12	4	11	4	3	5	10	4	6	7	4
	(b) Ectopic gestation .. F.	11	5	4	8	8	7	8	6	4	8	6	11
	(c) Other accidents F.	12	10	10	8	5	8	4	11	10	14	11	8
44	Puerperal hæmorrhage .. F.	25	21	26	34	21	37	31	25	27	30	19	30
45	Other accidents of childbirth .. F.	33	23	28	23	21	20	30	30	37	32	35	31
46	Puerperal sepsis F.	85	90	96	104	111	111	103	108	80	99	94	79
47	Puerperal phlegmasia alba dolens, embolism, sudden death. F.	19	6	10	30	16	19	14	14	15	25	17	13
	(1) Puerperal phlegmasia alba dolens not returned as septic. F.	2	1	—	6	1	4	1	1	2	3	2	2
	(2) Puerperal embolism and sudden death. F.	17	5	10	24	15	15	13	13	13	22	15	11
48	Puerperal albuminuria and convulsions. F.	39	41	43	44	35	58	49	49	44	57	49	50
49	Childbirth not assignable above (puerperal insanity). F.	2	3	1	—	1	3	4	2	2	4	2	—
	Puerperal diseases of the breast F.	1	—	1	1	—	—	2	—	—	—	—	—
154	IX. Diseases of the skin and cellular tissue. { M. F.	117 109	129 119	143 119	205 137	156 120	177 134	131 126	148 122	130 113	112 90	116 93	100 95
	Gangrene { M. F.	37 37	33 38	42 40	55 35	50 42	56 46	48 45	43 47	51 36	36 35	38 24	33 23
	(1) Senile gangrene .. { M. F.	35 35	30 35	39 36	50 30	44 37	54 44	44 41	39 46	49 35	31 31	36 22	28 20
	(2) Other gangrene .. { M. F.	2 2	3 3	3 4	5 5	6 5	2 2	4 4	4 1	2 1	5 4	2 2	5 3

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter- national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
152	Carbuncle, boil { M. F.	22 13	35 16	30 11	43 13	24 11	35 7	19 13	20 14	27 14	20 9	20 19	15 15
153	Cellulitis, acute abscess .. { M. F.	20 21	33 21	36 30	57 41	40 27	44 26	27 31	32 33	25 29	22 17	33 19	31 21
	(1) Cellulitis { M. F.	17 16	21 18	34 23	45 32	24 18	36 21	22 27	25 28	21 22	17 13	25 13	27 17
	(2) Acute abscess { M. F.	3 5	12 3	2 7	12 9	16 9	8 5	5 4	7 5	4 7	5 4	8 6	
154	Other diseases of the skin and its annexa. { M. F.	38 38	28 44	35 38	50 48	42 40	42 55	37 37	53 28	27 34	34 29	25 31	21 36
	(1) Ulcer, bed sore .. { M. F.	4 18	6 21	7 20	14 20	6 18	9 20	4 19	13 9	6 11	9 10	2 12	3 6
	(2) Eczema { M. F.	7 4	5 3	6 2	12 4	8 2	5 2	9 3	4 2	6 3	4 2	4 3	7 4
	(3) Pemphigus { M. F.	12 2	9 6	11 4	9 9	10 7	12 4	8 4	19 6	6 7	12 9	4 7	4 5
	(4) Other diseases included under 154. { M. F.	15 14	8 14	11 12	15 15	18 13	16 29	16 11	17 11	9 13	9 8	15 9	7 21
155-158	X. Diseases of the bones and organs of locomotion. { M. F.	38 32	43 20	42 27	69 42	48 29	53 39	44 24	39 28	47 26	54 21	41 21	47 30
155	Diseases of the bones .. { M. F.	30 23	37 16	33 20	54 30	39 21	45 26	34 21	31 20	38 16	37 14	32 15	38 15
	(1) Acute infective osteomyelitis and periostitis. { M. F.	21 14	28 12	28 12	41 18	26 13	37 15	25 12	23 13	33 12	28 8	28 10	28 11
	(2) Other diseases of the bones. { M. F.	9 9	9 4	5 8	13 12	13 8	8 11	9 9	8 7	5 4	9 6	4 5	1 1
156	Diseases of the joints .. { M. F.	7 7	5 3	6 6	13 7	9 3	7 8	9 2	6 6	8 6	13 6	8 4	
157	Amputation { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Other diseases of the organs of locomotion. { M. F.	1 2	1 1	3 1	2 5	— 5	1 5	1 1	2 2	1 4	4 1	1 2	
159	XI. Congenital malformations { M. F.	154 150	161 146	213 159	176 132	188 140	180 158	177 144	163 154	155 132	179 131	149 116	161 131
	(1) Congenital hydrocephalus. { M. F.	14 12	12 10	18 13	13 4	6 8	9 8	9 10	9 8	15 6	13 9	7 8	1 1
	(2) Congenital malformation of heart. { M. F.	68 60	70 63	81 53	67 48	67 55	75 60	71 66	65 59	62 51	58 51	52 41	5 4
	(3) Other congenital malformations. { M. F.	72 78	79 73	114 93	96 80	115 77	96 90	97 68	89 87	78 75	108 71	90 67	8 7
160-163	XII. Diseases of early infancy { M. F.	724 562	849 632	1023 760	977 670	917 644	953 747	904 639	829 639	769 608	737 516	714 529	751 541
160	Congenital debility, sclerema and icterus. { M. F.	138 76	114 97	181 114	174 105	156 100	174 131	170 98	153 88	148 77	130 62	116 80	12 8
	(1) Congenital debility and sclerema. { M. F.	114 66	95 86	160 106	156 97	140 88	153 112	138 89	128 77	120 66	117 58	93 68	10 6
	(2) Icterus neonatorum .. { M. F.	24 10	19 11	21 8	18 8	16 12	21 19	32 9	25 11	28 11	13 4	23 12	2 1
161	Premature birth, injury at birth. { M. F.	518 445	660 485	767 573	725 505	681 476	673 536	652 474	589 490	558 470	531 381	538 404	53 41
	(1) Premature birth .. { M. F.	450 403	595 446	706 525	648 467	616 440	621 487	586 432	529 438	492 424	470 332	472 368	47 38
	(2) Injury at birth .. { M. F.	68 42	65 39	61 48	77 38	65 36	52 49	66 42	60 52	66 46	61 49	66 36	6 3
162	Other diseases peculiar to early infancy. { M. F.	55 36	67 46	67 58	65 52	72 52	91 68	71 58	70 51	57 51	64 64	52 39	3 3

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(1) Diseases of the umbilicus. { M. F.	1 4	1 1	1 4	1 3	— 4	1 4	9 2	3 9	5 4	2 4	2 2	4 —
	(2) Atelectasis { M. F.	47 27	58 39	56 45	48 39	61 34	73 47	50 47	54 33	41 41	50 45	43 30	43 28
	(3) Other diseases included under 162. { M. F.	7 5	8 6	10 9	16 10	11 14	17 17	12 9	13 9	11 6	12 15	7 7	7 9
63	Lack of care { M. F.	13 5	8 4	8 15	13 8	8 16	15 12	11 9	17 10	6 10	12 9	8 6	10 8
64	XIII. Old age { M. F.	589 853	645 907	898 1311	906 1324	737 1081	783 1148	721 1122	661 949	530 810	535 864	526 733	543 750
	(1) Senile dementia .. { M. F.	69 78	67 71	95 122	92 130	94 101	80 98	77 111	69 107	50 70	53 105	56 74	79 74
	(2) Other forms of senile decay. { M. F.	520 775	578 836	803 1189	814 1194	643 980	703 1050	644 1011	592 842	480 740	482 759	470 659	464 676
65- 203	XIV. External causes .. { M. F.	1230 533	1129 492	1222 637	1236 599	1116 580	1150 568	1175 515	1234 544	1247 534	1498 607	1284 505	1194 516
65- 174	Suicide { M. F.	300 101	243 89	277 122	284 94	249 127	298 125	332 119	345 135	330 151	311 146	275 116	256 117
65- 166	By solid or liquid poisons and corrosive substances. { M. F.	34 20	32 19	25 24	29 16	32 19	29 19	39 26	31 33	47 27	25 38	39 19	34 24
67	By poisonous gas { M. F.	70 15	44 29	62 33	62 25	45 34	49 33	62 30	68 41	65 50	72 29	59 37	50 37
68	By hanging or strangulation. { M. F.	45 14	40 13	50 12	59 9	51 11	58 18	64 14	73 20	64 15	56 18	51 12	50 13
69	By drowning { M. F.	59 30	42 19	37 34	47 24	45 43	59 31	69 25	65 27	54 34	69 35	48 34	48 18
70	By firearms { M. F.	18 —	17 —	17 2	19 —	12 1	25 2	23 1	24 1	20 —	19 3	16 2	13 —
71	By cutting or piercing instruments. { M. F.	49 12	46 5	59 8	41 8	48 13	59 12	45 14	64 7	58 11	45 12	41 2	36 8
72	By jumping from high places { M. F.	5 5	5 2	9 6	9 6	2 —	3 6	8 2	7 3	7 6	9 6	12 5	10 8
73	By crushing { M. F.	18 3	16 2	17 3	16 2	14 3	16 1	21 4	13 1	14 5	14 2	9 3	15 4
74	By other means { M. F.	2 2	1 —	1 —	2 4	— 3	— 3	1 3	— 2	1 3	2 3	— 2	— 5
75- 196 & 201- 203	Violent deaths excluding suicide and homicide. { M. F.	925 425	879 390	937 507	944 502	857 443	843 434	836 384	882 398	908 371	1183 453	1000 382	926 393
75	Food poisoning { M. F.	— 1	— 2	1 —	2 —	— 1	— 3	1 1	2 2	2 2	3 —	5 2	2 3
76	Poisoning by venomous animals. { M. F.	1 —	— —	— 1	— —	— —	2 —	— 1	— 1	4 1	2 2	4 3	2 5
77	Other acute accidental poisonings. { M. F.	4 3	4 5	7 4	8 9	4 4	2 7	6 4	12 3	6 2	11 8	5 7	5 8
78	Conflagration { M. F.	4 3	3 3	3 1	3 8	6 4	5 4	— —	5 2	1 —	1 1	3 2	2 2
79	Accidental burns (conflagration excepted). { M. F.	62 71	54 64	73 108	64 95	62 96	67 78	55 74	51 54	31 51	48 49	44 45	43 65
80	Accidental mechanical suffocation. { M. F.	14 23	34 29	28 40	46 27	28 30	37 22	19 21	18 21	24 16	14 9	20 16	22 12
81	Accidental absorption of irrespirable or poisonous gas. { M. F.	13 7	9 11	18 15	7 5	11 4	10 11	9 5	10 7	3 4	5 5	7 4	6 8
82	Accidental drowning .. { M. F.	93 36	67 19	77 24	87 30	90 31	74 25	92 27	113 27	127 24	225 39	177 33	125 21

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1927-1928—*cont.*

Inter-national List No.	Causes of Death.	1927.			1928.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
183	Accidental injury by firearms { M. F.	12 1	4 —	7 —	7 —	4 2	7 1	6 —	10 1	7 —	3 1	9 —	5 —
184	Accidental injury by cutting or piercing instruments. { M. F.	1 —	— 1	4 1	1 —	— 1	1 1	— —	— 3	— 1	5 1	3 1	1 —
185	Accidental injury by fall .. { M. F.	154 145	135 142	179 198	198 205	145 164	134 168	149 143	133 138	146 129	150 136	121 122	118 120
186	Accidental injury in mining and quarrying. { M. F.	72 —	86 —	88 —	85 —	83 —	85 —	75 —	74 —	80 —	103 —	57 —	63 —
187	Accidental injury by machinery. { M. F.	21 3	28 2	22 —	31 1	21 —	28 1	18 —	13 1	14 —	19 —	12 —	13 —
188	Accidental injury by other forms of crushing (vehicles, railways, etc.). { M. F.	436 123	416 101	367 99	347 107	367 97	351 108	371 93	402 129	409 135	513 174	481 139	484 139
189	Injury by animals (poisoning excepted). { M. F.	2 1	4 1	3 —	5 1	1 —	4 —	1 2	3 —	3 —	4 —	8 —	5 —
190	Wounds of war { M. F.	3 —	5 —	6 —	7 —	7 —	6 —	8 —	5 —	9 —	6 —	4 —	5 —
192	Hunger or thirst { M. F.	1 —	1 1	1 1	2 1	2 1	— 2	— 1	2 1	— —	— —	2 —	— —
193	Excessive cold { M. F.	6 —	8 2	22 7	10 1	2 2	7 —	— —	— —	— —	— —	— —	1 —
194	Excessive heat { M. F.	— —	— —	— —	— —	— —	— —	— —	4 —	3 1	38 17	6 2	— 2
195	Lightning { M. F.	— —	— —	— —	— —	1 —	— —	— —	— —	2 —	— —	— —	— —
196	Electricity (lightning excepted). { M. F.	5 —	2 —	2 —	5 1	1 —	3 —	4 —	4 —	5 —	4 2	6 —	4 —
197-199	Homicide { M. F.	5 7	7 13	8 8	8 3	10 10	9 9	7 12	7 11	9 12	4 8	9 7	12 6
197	By firearms { M. F.	1 —	1 1	1 —	— 1	2 —	— —	1 1	— —	— 1	— 1	— 1	1 —
198	By cutting or piercing instruments. { M. F.	— 2	1 3	— 2	— —	3 3	1 —	— 4	1 3	3 6	— 2	— 1	2 1
199	By other means { M. F.	4 5	5 9	7 6	8 2	5 7	8 9	6 7	6 8	6 —	4 5	9 5	9 5
201	Fracture (cause not specified) { M. F.	2 1	3 1	3 2	5 —	2 —	2 1	1 1	1 —	4 —	2 —	3 —	3 —
202	Other and unstated forms of accidental violence, execution. { M. F.	19 7	16 6	25 —	22 11	17 6	18 1	19 10	18 8	28 5	26 9	22 6	15 6
203	Violent deaths of unknown causation. { M. F.	— —	— —	1 —	2 —	3 —	— 1	2 1	2 —	— —	1 —	1 —	3 1
204-205	XV. Ill-defined diseases. .. { M. F.	42 20	40 29	54 39	45 38	46 25	34 28	41 24	49 35	38 25	29 24	44 27	37 25
204	Sudden death.. .. { M. F.	14 5	10 6	16 6	11 7	13 6	11 8	15 8	13 11	10 5	7 5	14 1	12 8
205	Cause of death unstated or ill-defined. { M. F.	28 15	30 23	38 33	34 31	33 19	23 20	26 16	36 24	28 20	22 19	30 26	25 17
	(1) Heart failure (1-70 years). { M. F.	14 10	18 19	34 22	24 22	23 8	16 12	15 10	25 18	21 11	15 9	17 18	17 10
	(2) Other ill-defined causes { M. F.	11 5	10 3	4 10	9 7	8 11	5 7	9 4	10 6	2 7	5 8	8 7	7 5
	(3) Cause not specified. .. { M. F.	3 —	2 1	— 1	1 2	2 —	2 1	2 2	1 —	5 2	2 2	5 1	1 2

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE PERIODS, 1928.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards
ALL CAUSES	426	54*	117	83	52	60	26	18	9	7
Enteric fever	2	—	1	1	—	—	—	—	—	—
Malaria	1	—	—	1	—	—	—	—	—	—
Measles	1	—	1	—	—	—	—	—	—	—
Diphtheria	1	—	1	—	—	—	—	—	—	—
Influenza	7	4	1	—	1	—	—	—	1	—
Dysentery	2	—	—	1	—	1	—	—	—	—
Encephalitis lethargica	2	1	1	—	—	—	—	—	—	—
Meningococcal meningitis	2	—	2	—	—	—	—	—	—	—
Tuberculosis of the respiratory system.. .. .	48	9	13	3	9	7	2	4	1	—
Other tuberculosis	11	4	5	—	—	1	—	1	—	—
Gonococcal Infection	2	—	1	—	—	—	1	—	—	—
Purulent infection, Septicæmia.. .. .	1	—	—	1	—	—	—	—	—	—
Cancer	32	2	5	2	7	9	1	3	1	2
Tumours not returned as malignant	1	—	—	—	1	—	—	—	—	—
Diabetes	1	—	1	—	—	—	—	—	—	—
Pernicious Anæmia	1	1	—	—	—	—	—	—	—	—
Leukaemia, Lymphadenoma	2	—	—	—	1	—	—	1	—	—
Other general diseases	1	1†	—	—	—	—	—	—	—	—
Cerebral Abscess.. .. .	2	—	—	1	—	—	—	—	—	1
Meningitis	1	—	—	1	—	—	—	—	—	—
Cerebral hæmorrhage, &c.	4	—	2	1	—	—	1	—	—	—
General paralysis of the insane	3	—	—	—	—	2	1	—	—	—
Other forms of insanity	2	—	—	1	—	—	1	—	—	—
Epilepsy	1	—	—	—	—	—	—	1	—	—
Cerebral tumour	3	—	1	1	—	—	—	1	—	—
Other diseases of the nervous system.. .. .	2	1	—	—	—	—	—	1	—	—
Diseases of the ear and mastoid sinus	5	1	1	2	1	—	—	—	—	—
Infective Endocarditis	5	1	2	1	—	1	—	—	—	—
Angina Pectoris	4	—	1	—	1	1	—	—	1	—
Valvular disease	3	—	1	—	—	1	1	—	—	—
Other Heart disease	8	—	—	2	1	3	—	1	1	—
Arterio sclerosis	3	—	1	—	—	—	—	—	—	2
Other diseases of the circulatory system	3	—	—	—	—	—	2	1	—	—
Bronchitis.. .. .	3	1	—	—	—	2	—	—	—	—
Broncho-pneumonia	5	2	—	1	—	—	1	—	—	—
Lobar pneumonia	20	2	6	2	7	3	—	—	—	—
Pneumonia (type not stated)	8	1	2	—	1	2	2	—	—	—
Pleurisy	3	—	1	—	—	1	—	—	—	1
Asthma	2	—	—	—	—	—	—	1	1	—
Other Respiratory diseases	5	—	1	—	2	2	—	—	—	—
Diseases of pharynx and tonsils	3	1	—	—	2	—	—	—	—	—
Ulcer of the stomach	5	—	—	2	1	2	—	—	—	—
Ulcer of the duodenum	2	—	2	—	—	—	—	—	—	—
Appendicitis and typhlitis	15	1	5	3	1	1	2	2	—	—
Hernia, Intestinal obstruction	3	—	1	—	2	—	—	—	—	—
Biliary Calculi	2	—	1	—	1	—	—	—	—	—
Other diseases of the digestive system	5	—	2	1	—	1	—	1	—	—
Acute nephritis	6	1	3	1	1	—	—	—	—	—
Chronic nephritis.. .. .	9	1	4	1	—	—	—	—	2	1
Other diseases	6	1	1	2	—	2	—	—	—	—
Suicide	25	1	5	9	4	5	1	—	—	—
Accidental burns.. .. .	2	—	—	2	—	—	—	—	—	—
Accidental drowning	7	—	1	3	1	—	2	—	—	—
Accidental injury by firearms	5	—	4	1	—	—	—	—	—	—
Accidental injury by fall	10	4‡	—	3	—	3	—	—	—	—
Accidental injury by machinery	2	1	—	—	—	1	—	—	—	—
Injury by other forms of crushing (vehicles, railways, &c.)	99	10	36	32	12	5	3	—	1	—
Wounds of War	1	—	—	—	—	—	1	—	—	—
Homicide.. .. .	2	2	—	—	—	—	—	—	—	—
Other violence	4	—	1	1	1	—	1	—	—	—

* Including 1 aged 13 years, and 1 aged 14 years. † Aged 14 years. ‡ Including 1 aged 13 years.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
ALL AREAS—ENGLAND AND WALES—(TOTAL DEATHS REGISTERED).

CAUSES OF DEATH.		Sex.	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	235,542	24,856	5,400	5,126	6,976	10,045	25,116	64,710	50,060	43,253
		F	224,847	18,104	4,710	4,586	6,304	9,441	24,052	52,734	46,892	58,024
1	Enteric fever ..	M	215	1	1	2	17	48	79	56	9	2
		F	223	—	2	4	21	42	72	65	14	3
2	Small-pox ..	M	38	2	—	—	2	—	2	8	11	13
		F	15	3	—	—	2	1	1	3	4	1
3	Measles ..	M	2,284	526	889	616	226	14	8	3	1	1
		F	2,018	388	782	594	228	9	12	5	—	—
4	Scarlet fever ..	M	263	11	24	89	100	15	20	2	2	—
		F	317	5	28	95	131	28	25	5	—	—
5	Whooping cough ..	M	1,343	685	394	222	39	1	—	—	1	1
		F	1,633	712	501	352	61	1	1	1	2	2
6	Diphtheria ..	M	1,580	73	150	511	765	41	21	18	1	—
		F	1,611	62	141	492	800	25	43	37	5	6
7	Influenza ..	M	4,084	134	63	76	109	248	758	1,403	800	493
		F	3,670	88	43	65	128	172	543	1,017	843	771
8	Encephalitis lethargica ..	M	512	6	19	22	49	81	116	175	39	5
		F	560	6	9	35	61	86	145	158	49	11
9	Meningococcal meningitis ..	M	246	82	30	30	42	28	22	12	—	—
		F	192	58	24	22	36	24	15	10	2	1
10	Tuberculosis of respiratory system ..	M	16,608	56	78	95	289	2,933	6,800	5,560	709	88
		F	13,191	37	53	74	543	4,002	5,639	2,345	401	97
11	Other tuberculous diseases ..	M	3,549	352	391	497	709	562	565	364	85	24
		F	3,275	265	316	435	632	573	555	353	98	48
12	Cancer, malignant disease ..	M	26,013	9	15	40	58	174	1,398	11,645	8,624	4,050
		F	30,240	12	14	32	50	127	2,855	13,227	8,315	5,608
13	Rheumatic fever ..	M	638	2	2	15	226	126	132	107	23	5
		F	862	—	3	22	287	218	178	116	25	13
14	Diabetes ..	M	2,198	—	2	11	51	87	185	762	777	323
		F	2,982	1	3	6	44	91	230	1,106	1,023	478
15	Cerebral hæmorrhage, &c. ..	M	10,747	3	2	3	6	22	253	2,983	4,048	3,427
		F	14,338	3	4	3	4	19	290	3,881	4,819	5,315
16	Heart disease ..	M	35,777	2	5	25	380	640	2,232	11,189	11,569	9,735
		F	41,251	6	2	32	442	806	2,694	10,480	12,297	14,492
17	Arterio-sclerosis ..	M	14,176	—	—	—	—	2	105	2,810	5,297	5,962
		F	11,577	—	—	—	—	1	59	1,713	3,703	6,101
18	Bronchitis ..	M	11,942	1,346	269	129	75	77	495	2,482	3,115	3,954
		F	11,489	963	260	112	68	50	243	1,542	2,783	5,468
19	Pneumonia (all forms) ..	M	18,212	3,688	1,693	997	662	707	2,521	4,680	2,027	1,237
		F	12,802	2,697	1,400	919	552	375	1,288	2,163	1,833	1,575
20	Other respiratory diseases ..	M	2,793	93	58	101	93	93	369	969	530	487
		F	2,253	106	50	89	76	78	232	535	445	642
21	Ulcer of stomach or duodenum ..	M	2,830	2	—	—	5	70	750	1,482	402	119
		F	997	1	—	2	1	23	186	468	217	99
22	Diarrhoea, &c. ..	M	3,527	2,466	348	141	62	24	87	146	127	126
		F	2,937	1,633	322	133	68	40	147	184	163	247
23	Appendicitis and typhlitis ..	M	1,623	2	8	81	252	301	371	433	140	35
		F	1,245	2	4	51	220	183	271	346	114	54
24	Cirrhosis of liver ..	M	1,206	3	—	3	2	3	84	718	312	81
		F	684	1	—	1	8	7	56	364	175	72
25	Acute and chronic nephritis ..	M	7,525	30	24	45	141	238	772	2,866	2,118	1,291
		F	7,336	19	11	42	135	257	900	2,658	1,892	1,422
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	1,184	—	—	—	—	234	943	7	—	—
27	Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
		F	1,736	—	—	—	1	277	1,429	29	—	—
28	Congenital debility and malformation, premature birth ..	M	11,292	11,036	67	51	59	42	20	16	1	—
		F	8,311	8,083	48	30	62	40	23	23	2	—
29	Suicide ..	M	3,409	—	—	—	2	215	885	1,689	462	156
		F	1,473	—	—	—	2	131	479	692	136	33
30	Other deaths from violence ..	M	11,269	351	234	605	1,116	1,855	2,565	2,718	1,020	805
		F	5,162	310	146	347	487	365	555	895	767	1,290
31	Other defined diseases ..	M	39,149	3,871	613	709	1,428	1,384	3,448	9,185	7,688	10,823
		F	38,940	2,625	516	589	1,149	1,152	3,910	8,147	6,684	14,168
32	Causes ill-defined or unknown ..	M	494	24	21	10	11	14	53	229	122	10
		F	343	18	28	8	5	4	33	159	81	7

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	ADMINISTRATIVE COUNTY OF LONDON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	27,754	2,814	837	681	716	1,157	3,013	8,395	5,674	4,467
		F	26,141	2,065	719	597	631	1,100	2,724	6,179	5,379	6,747
1 Enteric fever	..	M	22	—	—	1	1	7	9	2	2	—
		F	29	—	—	—	1	6	12	8	1	1
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	727	164	305	207	51	—	—	—	—	—
		F	631	120	270	188	52	—	1	—	—	—
4 Scarlet fever	..	M	36	4	3	16	11	1	1	—	—	—
		F	45	1	5	22	14	3	—	—	—	—
5 Whooping cough	..	M	185	87	67	25	6	—	—	—	—	—
		F	220	90	72	42	16	—	—	—	—	—
6 Diphtheria	..	M	204	23	39	71	62	5	2	2	—	—
		F	195	14	35	66	70	2	4	2	—	2
7 Influenza	M	286	9	13	5	4	13	47	111	41	43
		F	304	8	4	3	8	11	32	83	80	75
8 Encephalitis lethargica	..	M	26	—	—	2	4	4	2	12	2	—
		F	25	—	—	1	—	7	8	6	3	—
9 Meningococcal meningitis	..	M	23	9	4	1	5	1	3	—	—	—
		F	36	19	5	3	3	3	2	—	—	1
10 Tuberculosis of respiratory system	..	M	2,356	11	14	5	31	397	890	876	113	19
		F	1,629	5	7	6	43	520	668	321	43	16
11 Other tuberculous diseases	M	345	29	36	52	72	60	47	44	4	1
		F	294	24	28	55	57	50	33	31	7	9
12 Cancer, malignant disease	M	3,227	1	2	6	5	26	194	1,494	1,047	452
		F	3,546	1	3	3	8	15	349	1,559	960	648
13 Rheumatic fever	..	M	70	1	1	3	32	9	14	8	2	—
		F	95	—	—	4	33	27	11	12	8	—
14 Diabetes	M	208	—	—	—	3	3	19	80	77	26
		F	314	—	—	—	2	5	19	124	108	56
15 Cerebral hæmorrhage, &c.	..	M	866	—	—	—	—	3	35	265	327	236
		F	1,349	—	—	—	—	1	22	389	435	502
16 Heart disease	..	M	4,598	1	1	3	42	87	271	1,545	1,422	1,226
		F	5,283	1	—	3	54	132	350	1,276	1,513	1,954
17 Arterio-sclerosis	..	M	1,407	—	—	—	—	—	15	331	491	570
		F	1,316	—	—	—	—	—	11	216	386	703
18 Bronchitis	..	M	1,339	107	21	5	7	4	76	385	341	393
		F	1,305	78	15	3	3	2	29	178	315	682
19 Pneumonia (all forms)	..	M	2,402	543	219	114	46	67	267	665	327	154
		F	1,757	400	170	102	42	32	164	322	282	243
20 Other respiratory diseases	M	388	9	6	7	5	7	65	138	74	77
		F	317	11	3	8	5	11	35	57	74	113
21 Ulcer of stomach or duodenum	..	M	414	2	—	—	—	3	89	245	62	13
		F	146	—	—	—	—	1	17	71	39	18
22 Diarrhœa, &c.	..	M	483	395	26	10	3	2	9	17	11	10
		F	402	294	32	5	2	7	18	16	12	16
23 Appendicitis and typhlitis..	..	M	179	—	—	9	21	28	45	58	14	4
		F	114	—	—	5	22	14	15	37	16	5
24 Cirrhosis of liver	..	M	172	2	—	—	—	—	12	107	39	12
		F	127	1	—	—	—	1	12	68	32	13
25 Acute and chronic nephritis	..	M	954	1	2	5	13	27	119	375	249	163
		F	841	2	—	2	12	26	93	313	224	169
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—
		F	115	—	—	—	—	26	87	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	145	—	—	—	—	27	115	3	—	—
28 Congenital debility and malformation, premature birth..	..	M	1,017	997	6	3	6	2	2	1	—	—
		F	723	702	4	2	5	3	2	5	—	—
29 Suicide	..	M	405	—	—	—	—	32	104	189	59	21
		F	185	—	—	—	—	12	65	84	20	4
30 Other deaths from violence..	..	M	1,272	52	19	62	141	199	235	302	135	127
		F	792	51	20	24	51	49	81	150	158	208
31 Other defined diseases	M	4,133	365	50	69	143	170	440	1,142	834	920
		F	3,855	241	44	50	128	107	469	845	663	1,308
32 Causes ill-defined or unknown	..	M	9	2	3	—	2	—	1	—	1	—
		F	6	2	2	—	—	—	—	1	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGH (ENGLAND AND WALES).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	83,107	9,947	2,282	1,981	2,601	3,473	9,463	24,315	16,820	12,225
	F	78,415	7,233	2,037	1,794	2,329	3,567	8,788	18,975	16,126	17,566
1 Enteric fever ..	M	64	1	—	—	6	16	26	14	—	1
	F	60	—	1	3	4	14	14	22	2	—
2 Small-pox ..	M	11	—	—	—	1	—	1	5	1	3
	F	8	2	—	—	2	—	1	1	2	—
3 Measles ..	M	728	181	315	182	49	1	—	—	—	—
	F	711	161	294	197	58	—	1	—	—	—
4 Scarlet fever ..	M	99	4	11	33	40	7	3	1	—	—
	F	107	2	15	34	43	8	5	—	—	—
5 Whooping cough ..	M	635	313	195	117	9	1	—	—	—	—
	F	716	294	233	163	24	—	—	—	1	1
6 Diphtheria ..	M	580	28	66	201	262	10	8	5	—	—
	F	625	30	59	197	296	11	14	12	2	4
7 Influenza ..	M	1,310	56	21	20	39	89	245	481	240	119
	F	1,157	34	20	24	45	59	186	339	256	194
8 Encephalitis lethargica ..	M	182	3	5	6	20	33	45	58	12	—
	F	213	3	4	12	22	37	55	56	20	4
9 Meningococcal meningitis ..	M	92	35	13	16	13	7	6	2	—	—
	F	67	19	6	11	14	8	5	4	—	—
10 Tuberculosis of respiratory system	M	6,884	27	34	57	130	1,131	2,791	2,407	279	28
	F	5,117	14	27	34	225	1,564	2,182	900	144	27
11 Other tuberculous diseases ..	M	1,332	141	178	181	311	190	193	115	19	4
	F	1,241	112	133	170	271	226	185	108	24	12
12 Cancer, malignant disease ..	M	8,692	2	6	10	24	57	513	4,192	2,824	1,064
	F	10,153	6	6	9	11	49	1,063	4,591	2,787	1,631
13 Rheumatic fever ..	M	237	—	—	4	81	47	55	42	7	1
	F	323	—	2	11	102	81	75	40	7	5
14 Diabetes ..	M	727	—	1	1	11	28	62	280	253	91
	F	988	—	1	2	12	29	76	390	343	135
15 Cerebral hæmorrhage, &c. ..	M	3,567	—	1	1	4	6	101	1,144	1,343	967
	F	4,642	3	1	1	2	9	109	1,385	1,640	1,492
16 Heart disease ..	M	11,833	—	2	10	147	257	880	4,100	3,730	2,707
	F	13,729	2	—	12	167	303	1,062	3,811	4,061	4,311
17 Arterio-sclerosis ..	M	5,084	—	—	—	—	1	46	1,157	1,975	1,905
	F	4,204	—	—	—	—	1	18	642	1,441	2,102
18 Bronchitis ..	M	4,579	555	116	60	29	33	222	1,098	1,197	1,269
	F	4,487	415	120	45	27	24	112	715	1,163	1,866
19 Pneumonia (all forms) ..	M	7,512	1,608	736	454	295	282	1,096	1,976	700	365
	F	5,162	1,179	637	399	246	180	478	869	660	514
20 Other respiratory diseases ..	M	889	40	23	36	33	33	135	320	149	120
	F	702	35	20	25	19	25	71	204	138	165
21 Ulcer of stomach or duodenum ..	M	960	—	—	—	—	24	289	499	114	34
	F	309	1	—	2	1	4	55	157	63	26
22 Diarrhoea, &c. ..	M	1,644	1,198	195	54	31	10	33	49	43	31
	F	1,263	764	171	48	31	12	48	61	54	74
23 Appendicitis and typhlitis..	M	530	—	4	22	104	91	125	131	41	12
	F	401	—	3	14	66	68	85	111	40	14
24 Cirrhosis of liver ..	M	369	—	—	2	—	—	28	233	84	22
	F	209	—	—	1	2	3	14	128	43	18
25 Acute and chronic nephritis ..	M	2,555	8	9	21	53	76	283	1,050	699	356
	F	2,598	7	2	17	53	95	340	972	656	456
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	454	—	—	—	—	79	372	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	573	—	—	—	—	80	484	9	—	—
28 Congenital debility and malformation, premature birth..	M	4,204	4,126	20	17	17	11	2	10	1	—
	F	3,097	3,011	15	11	29	15	9	7	—	—
29 Suicide ..	M	1,170	—	—	—	—	69	306	617	132	46
	F	534	—	—	—	—	55	165	257	42	15
30 Other deaths from violence..	M	3,392	118	89	194	384	478	734	829	338	228
	F	1,797	110	47	137	166	121	178	315	283	440
31 Other defined diseases ..	M	13,126	1,499	234	279	505	481	1,219	3,454	2,607	2,848
	F	12,666	1,024	211	211	391	407	1,314	2,821	2,230	4,057
32 Causes ill-defined or unknown ..	M	120	4	8	3	3	4	16	46	32	4
	F	102	5	9	4	—	—	12	45	24	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS (ENGLAND AND WALES).									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	77,682	7,768	1,550	1,638	2,352	3,365	8,208	21,236	16,926	14,639
	F	76,205	5,627	1,328	1,482	2,211	3,158	8,138	18,166	16,007	20,088
1 Enteric fever ..	M	77	—	1	—	5	13	28	27	3	—
	F	80	—	—	1	10	13	29	22	4	1
2 Small-pox ..	M	20	2	—	—	—	—	—	1	10	7
	F	3	1	—	—	—	—	—	1	1	—
3 Measles ..	M	594	132	203	168	84	3	2	—	1	1
	F	489	80	165	163	75	2	2	2	—	—
4 Scarlet fever ..	M	83	—	8	28	31	4	10	1	1	—
	F	99	2	7	24	42	9	14	1	—	—
5 Whooping cough ..	M	346	181	100	53	11	—	—	—	1	—
	F	473	214	138	104	13	1	1	—	1	1
6 Diphtheria ..	M	547	14	32	170	303	12	6	9	1	—
	F	562	10	40	179	295	5	17	14	2	—
7 Influenza ..	M	1,527	36	14	33	40	93	327	522	304	158
	F	1,371	25	9	29	53	73	203	392	295	292
8 Encephalitis lethargica ..	M	200	1	8	9	14	28	47	72	17	4
	F	213	2	2	16	26	27	51	66	17	6
9 Meningococcal meningitis ..	M	85	22	10	9	17	13	7	7	—	—
	F	53	13	9	4	10	8	4	5	—	—
10 Tuberculosis of respiratory system	M	5,016	13	21	30	92	959	2,072	1,595	205	29
	F	4,195	11	13	23	181	1,278	1,781	741	137	30
11 Other tuberculous diseases ..	M	1,225	124	122	179	214	205	205	129	36	11
	F	1,107	88	98	140	209	190	206	122	37	17
12 Cancer, malignant disease ..	M	8,731	2	4	13	21	54	444	3,856	2,898	1,439
	F	10,513	4	3	11	14	46	971	4,610	2,847	2,007
13 Rheumatic fever ..	M	227	1	1	6	73	55	39	38	11	3
	F	301	—	1	3	103	74	61	48	5	6
14 Diabetes ..	M	759	—	1	5	20	27	67	267	265	107
	F	1,022	—	2	3	15	37	73	374	352	166
15 Cerebral hæmorrhage, &c. ..	M	3,826	3	—	2	—	8	73	1,071	1,473	1,196
	F	5,121	—	—	1	1	6	106	1,368	1,728	1,911
16 Heart disease ..	M	11,824	—	2	6	128	198	769	3,727	3,839	3,155
	F	13,935	2	2	12	156	270	863	3,531	4,151	4,948
17 Arterio-sclerosis ..	M	4,613	—	—	—	—	—	31	888	1,771	1,923
	F	3,821	—	—	—	—	—	16	594	1,232	1,979
18 Bronchitis ..	M	3,885	461	80	44	25	24	149	726	1,077	1,299
	F	3,780	294	78	40	29	17	74	501	923	1,824
19 Pneumonia (all forms) ..	M	5,593	1,051	517	309	210	223	784	1,439	629	431
	F	3,983	773	421	285	192	109	438	667	580	518
20 Other respiratory diseases ..	M	933	28	13	36	33	36	110	331	188	158
	F	764	40	15	33	34	25	85	175	141	216
21 Ulcer of stomach or duodenum ..	M	962	—	—	—	3	26	258	499	132	44
	F	334	—	—	—	—	9	70	154	68	33
22 Diarrhœa, &c. ..	M	906	570	84	49	19	6	27	53	45	53
	F	870	408	82	58	20	18	56	76	62	90
23 Appendicitis and typhlitis ..	M	543	—	1	30	77	110	105	158	52	10
	F	467	1	—	17	87	50	113	140	36	23
24 Cirrhosis of liver ..	M	441	1	—	1	2	—	24	257	129	27
	F	233	—	—	—	2	1	19	119	69	23
25 Acute and chronic nephritis ..	M	2,467	11	3	15	54	78	232	952	704	418
	F	2,509	4	7	16	41	90	317	935	617	482
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	400	—	—	—	—	95	305	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	639	—	—	—	—	117	515	7	—	—
28 Congenital debility and malformation, premature birth ..	M	3,796	3,695	23	24	20	19	11	4	—	—
	F	2,782	2,707	16	10	17	14	9	7	2	—
29 Suicide ..	M	1,112	—	—	—	1	65	289	536	167	54
	F	517	—	—	—	2	47	176	235	50	7
30 Other deaths from violence ..	M	3,855	111	73	205	372	649	893	944	334	274
	F	1,591	87	45	113	164	117	186	265	224	390
31 Other defined diseases ..	M	13,277	1,298	221	210	478	453	1,178	3,006	2,597	3,836
	F	13,848	855	164	196	417	409	1,366	2,935	2,389	5,117
32 Causes ill-defined or unknown ..	M	212	11	8	4	5	4	21	121	36	2
	F	130	6	11	1	3	1	11	59	37	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (ENGLAND AND WALES).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	46,573	4,327	731	826	1,305	1,881	4,211	10,733	10,638	11,921
	F	44,086	3,179	626	713	1,133	1,616	4,402	9,414	9,380	13,623
1 Enteric fever ..	M	50	—	—	1	5	11	15	13	4	1
	F	54	—	1	—	6	9	17	13	7	1
2 Small-pox ..	M	6	—	—	—	1	—	1	1	—	3
	F	4	—	—	—	—	1	—	1	1	1
3 Measles ..	M	234	49	66	59	42	9	6	3	—	—
	F	187	27	53	46	43	7	8	3	—	—
4 Scarlet fever ..	M	45	3	2	12	18	3	6	—	1	—
	F	66	—	1	15	32	8	6	4	—	—
5 Whooping cough ..	M	177	104	32	27	13	—	—	—	—	1
	F	224	114	58	43	8	—	—	1	—	—
6 Diphtheria ..	M	248	8	13	69	138	13	5	2	—	—
	F	229	8	7	50	139	7	8	9	1	—
7 Influenza ..	M	954	33	15	18	26	48	138	288	215	173
	F	838	21	10	9	22	29	122	203	212	210
8 Encephalitis lethargica ..	M	102	2	6	5	11	14	22	33	8	1
	F	109	1	3	6	13	15	31	30	9	1
9 Meningococcal meningitis ..	M	44	16	3	4	7	5	6	3	—	—
	F	36	7	4	4	9	5	4	1	2	—
10 Tuberculosis of respiratory system	M	2,304	5	9	3	36	424	1,026	677	112	12
	F	2,250	7	6	11	94	640	1,008	383	77	24
11 Other tuberculous diseases ..	M	636	58	55	85	112	98	119	75	26	8
	F	633	41	57	70	95	107	131	92	30	10
12 Cancer, malignant disease ..	M	5,331	4	3	11	8	30	228	2,098	1,854	1,095
	F	6,028	1	2	9	17	17	472	2,467	1,721	1,322
13 Rheumatic fever ..	M	104	—	—	2	40	15	24	19	3	1
	F	143	—	—	4	49	36	31	16	5	2
14 Diabetes ..	M	503	—	—	5	17	28	37	135	182	99
	F	658	1	—	1	15	20	62	218	220	121
15 Cerebral hæmorrhage, &c. ..	M	2,484	—	1	—	2	3	42	503	905	1,028
	F	3,226	—	3	1	1	3	53	739	1,016	1,410
16 Heart disease ..	M	7,501	1	—	6	63	93	299	1,814	2,578	2,647
	F	8,304	1	—	5	65	101	419	1,862	2,572	3,279
17 Arterio-sclerosis ..	M	3,069	—	—	—	—	—	13	434	1,059	1,563
	F	2,236	—	—	—	—	—	14	261	644	1,317
18 Bronchitis ..	M	2,136	223	52	20	14	15	46	273	500	993
	F	1,917	176	47	24	9	7	28	148	382	1,096
19 Pneumonia (all forms) ..	M	2,672	486	221	120	111	122	354	600	371	287
	F	1,900	345	172	133	72	54	208	305	311	300
20 Other respiratory diseases ..	M	573	16	16	22	22	15	54	177	119	132
	F	470	20	12	23	18	17	41	99	92	148
21 Ulcer of stomach or duodenum ..	M	487	—	—	—	2	15	109	239	94	28
	F	208	—	—	—	—	9	44	86	47	22
22 Diarrhoea, &c. ..	M	494	303	43	28	9	6	18	27	28	32
	F	402	167	37	22	15	3	25	31	35	67
23 Appendicitis and typhlitis ..	M	356	2	3	20	50	66	89	84	33	9
	F	263	1	1	15	45	51	58	58	22	12
24 Cirrhosis of liver ..	M	223	—	—	—	—	3	20	120	60	20
	F	115	—	—	—	4	2	11	49	31	18
25 Acute and chronic nephritis ..	M	1,534	10	10	4	21	48	135	486	466	354
	F	1,388	6	2	7	29	46	150	438	395	315
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	215	—	—	—	—	34	179	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	379	—	—	—	1	53	315	10	—	—
28 Congenital debility and malformation, premature birth ..	M	2,275	2,218	18	7	16	10	5	1	—	—
	F	1,709	1,663	13	7	11	8	3	4	—	—
29 Suicide ..	M	697	—	—	—	1	43	167	347	104	35
	F	237	—	—	—	—	17	73	116	24	7
30 Other deaths from violence ..	M	2,618	70	53	144	218	471	631	642	213	176
	F	982	62	34	73	106	78	110	165	102	252
31 Other defined diseases ..	M	8,564	709	108	151	301	268	581	1,577	1,650	3,219
	F	8,571	505	97	132	213	229	761	1,546	1,402	3,686
32 Causes ill-defined or unknown ..	M	152	7	2	3	1	5	15	62	53	4
	F	105	5	6	3	2	3	10	54	20	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF NORTHERN COUNTIES.*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	83,363	10,163	2,265	2,037	2,689	3,598	9,295	23,816	17,279	12,221
	F	78,178	7,183	2,017	1,871	2,426	3,589	8,988	19,468	16,593	16,043
1 Enteric fever ..	M	71	1	1	—	8	15	34	11	1	—
	F	73	—	—	1	8	13	27	21	3	—
2 Small-pox ..	M	22	1	—	—	1	—	1	7	7	5
	F	10	2	—	—	1	—	1	1	4	1
3 Measles ..	M	567	148	234	144	38	1	1	—	1	—
	F	573	132	231	161	48	—	—	1	—	—
4 Scarlet fever ..	M	99	4	11	35	35	8	6	—	—	—
	F	141	3	15	40	62	7	13	1	—	—
5 Whooping cough ..	M	606	309	177	111	7	1	—	—	1	—
	F	690	283	231	157	18	1	—	—	—	—
6 Diphtheria ..	M	462	27	57	160	195	12	6	4	1	—
	F	454	20	46	152	208	8	10	6	2	2
7 Influenza ..	M	1,718	57	21	41	57	106	338	636	308	154
	F	1,483	33	20	34	63	93	225	427	336	252
8 Encephalitis lethargica ..	M	228	2	4	9	21	36	54	84	18	—
	F	234	4	2	14	24	40	64	70	13	3
9 Meningococcal meningitis ..	M	93	34	11	13	16	8	7	4	—	—
	F	63	15	5	7	18	9	5	3	1	—
10 Tuberculosis of respiratory system	M	5,922	21	36	51	142	1,058	2,348	2,008	242	16
	F	4,597	12	23	38	257	1,468	1,915	749	120	15
11 Other tuberculous diseases ..	M	1,444	151	161	216	310	218	227	131	26	4
	F	1,309	106	127	188	279	236	219	117	27	10
12 Cancer, malignant disease ..	M	8,413	2	4	13	16	47	473	4,109	2,758	991
	F	9,661	5	6	12	14	49	1,025	4,493	2,675	1,382
13 Rheumatic fever ..	M	234	1	—	5	74	49	54	44	7	—
	F	332	—	1	4	96	81	86	52	8	4
14 Diabetes ..	M	748	—	2	2	13	31	78	290	255	77
	F	1,089	—	3	1	13	30	92	461	366	123
15 Cerebral hæmorrhage, &c. ..	M	3,952	—	1	3	4	6	88	1,224	1,542	1,084
	F	4,958	1	2	—	2	10	115	1,531	1,828	1,469
16 Heart disease ..	M	11,305	—	2	14	138	269	863	3,942	3,657	2,420
	F	13,221	2	—	18	173	295	1,122	3,964	4,101	3,546
17 Arterio-sclerosis ..	M	5,752	—	—	—	—	—	34	1,212	2,272	2,234
	F	4,395	—	—	—	—	1	25	663	1,558	2,148
18 Bronchitis ..	M	4,631	626	134	69	42	36	237	1,085	1,229	1,173
	F	4,512	451	129	54	32	26	127	753	1,238	1,702
19 Pneumonia (all forms) ..	M	7,709	1,581	774	474	389	327	1,192	1,907	713	352
	F	5,149	1,102	655	454	279	183	545	861	626	444
20 Other respiratory diseases ..	M	893	36	35	36	47	30	114	317	168	110
	F	708	40	24	40	31	29	64	192	132	156
21 Ulcer of stomach or duodenum ..	M	889	—	—	—	2	30	270	465	92	30
	F	286	1	—	—	1	6	60	150	50	18
22 Diarrhœa, &c. ..	M	1,552	1,072	185	66	41	6	37	59	47	39
	F	1,219	664	170	67	39	15	56	72	65	71
23 Appendicitis and typhlitis ..	M	521	1	2	28	100	111	114	119	37	9
	F	391	—	3	14	72	74	82	101	34	11
24 Cirrhosis of liver ..	M	354	—	—	1	—	—	34	223	78	18
	F	156	—	—	—	2	3	10	91	35	15
25 Acute and chronic nephritis ..	M	2,609	13	10	20	57	78	294	1,076	741	320
	F	2,760	7	4	20	48	98	402	1,098	675	408
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	447	—	—	—	—	85	360	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	687	—	—	—	—	115	561	11	—	—
28 Congenital debility and malformation, premature birth ..	M	4,439	4,360	21	19	19	13	3	3	1	—
	F	3,211	3,130	18	12	21	15	7	8	—	—
29 Suicide ..	M	1,144	—	—	—	—	64	310	587	141	42
	F	482	—	—	—	1	49	171	221	35	5
30 Other deaths from violence ..	M	3,791	98	108	216	401	551	883	963	347	224
	F	1,721	85	64	141	194	113	197	313	258	356
31 Other defined diseases ..	M	12,972	1,607	263	288	511	483	1,168	3,206	2,530	2,916
	F	12,999	1,078	224	240	419	436	1,386	2,959	2,358	3,899
32 Causes ill-defined or unknown ..	M	223	11	11	3	5	4	27	100	59	3
	F	167	7	14	2	3	1	16	76	45	3

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF MIDLAND COUNTIES.*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	70,864	7,233	1,405	1,429	2,071	2,939	7,322	18,567	15,248	14,650
	F	68,239	5,386	1,180	1,203	1,913	2,697	7,095	15,399	13,975	19,391
1 Enteric fever .. {	M	74	—	—	1	5	12	20	32	2	2
	F	71	—	1	3	5	10	18	24	8	2
2 Small-pox .. {	M	10	—	—	—	1	—	1	—	4	4
	F	4	—	—	—	1	1	—	2	—	—
3 Measles .. {	M	586	130	223	160	66	4	3	—	—	—
	F	442	81	168	125	62	3	2	1	—	—
4 Scarlet fever .. {	M	73	2	8	23	27	3	8	2	—	—
	F	80	1	7	18	36	10	6	2	—	—
5 Whooping cough .. {	M	312	172	81	48	11	—	—	—	—	—
	F	417	185	119	93	17	—	—	1	1	1
6 Diphtheria .. {	M	511	13	29	170	276	11	7	5	—	—
	F	541	14	34	150	302	9	13	17	2	—
7 Influenza .. {	M	1,129	34	20	12	26	79	209	357	237	155
	F	947	26	13	11	27	33	148	258	215	216
8 Encephalitis lethargica .. {	M	147	3	8	8	11	23	36	45	10	3
	F	162	2	4	11	18	20	41	43	19	4
9 Meningococcal meningitis .. {	M	87	31	10	11	13	10	6	6	—	—
	F	54	18	6	6	7	6	5	5	1	—
10 Tuberculosis of respiratory system {	M	4,767	17	19	26	63	811	2,046	1,574	192	19
	F	3,939	14	16	22	141	1,110	1,747	740	117	32
11 Other tuberculous diseases .. {	M	1,025	109	127	142	189	154	160	104	31	9
	F	894	79	104	102	167	144	161	91	35	11
12 Cancer, malignant disease .. {	M	8,272	4	4	12	24	51	414	3,554	2,784	1,425
	F	9,658	4	3	9	24	37	873	4,119	2,632	1,957
13 Rheumatic fever .. {	M	206	—	1	5	76	41	43	34	4	2
	F	258	—	2	8	86	66	58	31	5	2
14 Diabetes .. {	M	717	—	—	4	19	27	51	246	254	116
	F	879	1	—	5	15	21	63	292	325	157
15 Cerebral hæmorrhage, &c. .. {	M	3,432	2	1	—	—	8	82	847	1,267	1,225
	F	4,544	2	1	2	—	5	97	1,143	1,439	1,855
16 Heart disease .. {	M	10,978	—	2	4	123	170	637	3,182	3,555	3,305
	F	12,772	1	—	7	129	221	716	2,996	3,766	4,936
17 Arterio-sclerosis .. {	M	3,923	—	—	—	—	—	33	676	1,430	1,784
	F	3,190	—	—	—	—	—	12	486	978	1,714
18 Bronchitis .. {	M	3,431	347	63	29	15	25	99	593	904	1,356
	F	3,307	263	58	30	15	12	59	372	735	1,763
19 Pneumonia (all forms) .. {	M	4,849	952	429	259	139	183	617	1,316	560	394
	F	3,549	731	352	213	137	109	356	601	544	506
20 Other respiratory diseases .. {	M	794	29	6	39	26	26	111	272	142	143
	F	669	26	11	17	22	24	77	168	125	199
21 Ulcer of stomach or duodenum .. {	M	884	—	—	—	1	23	222	450	145	43
	F	319	—	—	2	—	8	63	147	63	36
22 Diarrhoea, &c. .. {	M	946	662	87	27	10	10	27	43	40	40
	F	784	420	80	29	13	14	46	46	38	98
23 Appendicitis and typhlitis .. {	M	527	—	3	24	69	103	126	144	47	11
	F	418	1	1	16	71	52	106	115	35	21
24 Cirrhosis of liver .. {	M	385	—	—	1	1	1	21	217	114	30
	F	221	—	—	1	4	3	17	122	53	21
25 Acute and chronic nephritis .. {	M	2,022	5	7	10	33	75	214	743	560	375
	F	1,959	3	3	12	51	85	235	643	507	420
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—
	F	361	—	—	—	—	72	287	2	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—
	F	474	—	—	—	—	73	395	6	—	—
28 Congenital debility and malformation, premature birth .. {	M	3,598	3,502	27	14	21	17	7	10	—	—
	F	2,707	2,631	15	12	26	13	7	3	—	—
29 Suicide .. {	M	1,076	—	—	—	2	68	264	538	161	43
	F	495	—	—	—	1	47	151	232	48	16
30 Other deaths from violence .. {	M	3,458	133	61	180	358	579	764	799	325	259
	F	1,558	101	33	106	160	131	154	237	217	419
31 Other defined diseases .. {	M	12,475	1,082	182	216	462	420	1,079	2,701	2,432	3,901
	F	12,471	778	144	188	374	357	1,172	2,408	2,046	5,004
32 Causes ill-defined or unknown .. {	M	170	4	7	4	4	5	15	77	48	6
	F	95	4	5	5	2	1	10	46	21	1

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	64,044	5,525	1,376	1,265	1,684	2,487	6,363	17,782	14,032	13,530
	F	63,353	4,087	1,192	1,120	1,478	2,329	6,116	14,323	13,410	19,298
1 Enteric fever ..	M	55	—	—	1	3	15	19	11	6	—
	F	68	—	1	—	7	13	23	20	3	1
2 Small-pox ..	M	5	—	—	—	—	—	—	1	—	4
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1,010	211	392	286	110	6	3	1	—	1
	F	897	160	351	260	108	6	9	3	—	—
4 Scarlet fever ..	M	75	4	5	26	30	4	5	—	1	—
	F	82	1	5	32	28	11	4	1	—	—
5 Whooping cough ..	M	321	156	104	44	16	—	—	—	—	1
	F	390	177	113	75	22	—	1	—	1	1
6 Diphtheria ..	M	479	30	56	134	237	11	7	4	—	—
	F	481	22	50	142	229	8	14	11	1	4
7 Influenza ..	M	826	33	19	16	15	31	131	271	173	137
	F	907	19	9	11	22	25	111	239	225	246
8 Encephalitis lethargica ..	M	99	—	7	5	11	12	15	37	11	1
	F	109	—	2	5	8	18	26	32	15	3
9 Meningococcal meningitis ..	M	51	15	8	3	12	5	7	1	—	—
	F	60	23	9	7	8	7	3	2	—	1
10 Tuberculosis of respiratory system	M	4,699	14	19	12	61	781	1,897	1,635	235	45
	F	3,523	8	10	10	87	1,038	1,509	682	135	44
11 Other tuberculous diseases ..	M	807	67	82	116	156	124	133	98	22	9
	F	815	66	71	117	141	130	123	115	31	21
12 Cancer, malignant disease ..	M	7,714	3	7	13	14	51	393	3,237	2,605	1,391
	F	9,167	3	5	9	11	36	794	3,791	2,538	1,980
13 Rheumatic fever ..	M	135	1	1	4	50	21	26	23	6	3
	F	203	—	—	7	70	62	25	20	12	7
14 Diabetes ..	M	607	—	—	—	14	18	43	191	229	112
	F	823	—	—	—	12	28	56	276	273	178
15 Cerebral hæmorrhage, &c. ..	M	2,584	1	—	—	—	6	66	699	937	875
	F	3,846	—	1	1	2	2	61	913	1,203	1,663
16 Heart disease ..	M	10,894	2	1	5	80	137	536	3,224	3,485	3,424
	F	12,649	3	2	5	98	216	644	2,788	3,660	5,233
17 Arterio-sclerosis ..	M	3,614	—	—	—	—	1	32	738	1,246	1,597
	F	3,363	—	—	—	—	—	20	461	946	1,936
18 Bronchitis ..	M	2,860	240	53	15	12	9	119	598	696	1,118
	F	2,919	170	42	16	15	7	46	310	643	1,670
19 Pneumonia (all forms) ..	M	4,429	871	365	201	97	135	532	1,193	639	396
	F	3,328	657	287	181	104	64	308	602	578	547
20 Other respiratory diseases ..	M	855	20	13	18	13	22	109	293	174	193
	F	717	26	8	19	16	20	71	136	168	253
21 Ulcer of stomach or duodenum ..	M	888	2	—	—	1	10	190	492	150	43
	F	340	—	—	—	—	4	48	150	95	43
22 Diarrhœa, &c. ..	M	810	597	57	27	5	6	19	32	29	38
	F	716	429	58	18	11	10	35	52	41	62
23 Appendicitis and typhlitis..	M	458	1	3	25	64	66	99	137	50	13
	F	348	1	—	13	62	42	60	115	34	21
24 Cirrhosis of liver ..	M	390	2	—	—	—	2	24	230	103	29
	F	273	1	—	—	1	1	25	132	80	33
25 Acute and chronic nephritis ..	M	2,199	9	4	9	30	55	195	800	630	467
	F	2,020	7	2	4	22	45	191	700	548	501
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	274	—	—	—	—	55	216	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	392	—	—	—	1	61	323	7	—	—
28 Congenital debility and malformation, premature birth..	M	2,385	2,323	14	12	16	9	9	2	—	—
	F	1,748	1,690	10	4	12	11	7	12	2	—
29 Suicide ..	M	961	—	—	—	—	67	238	455	138	63
	F	416	—	—	—	—	27	137	199	41	12
30 Other deaths from violence..	M	2,909	96	41	134	277	506	590	698	291	276
	F	1,608	94	42	66	99	104	174	303	265	461
31 Other defined diseases ..	M	10,866	822	122	157	358	375	920	2,652	2,167	3,293
	F	10,828	525	108	118	282	278	1,048	2,231	1,863	4,375
32 Causes ill-defined or unknown ..	M	59	5	3	2	2	2	6	29	9	1
	F	43	5	6	—	—	—	4	17	9	2

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF WALES AND MONMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{	M	16,845	1,935	354	395	530	852	1,915	4,514	3,499	2,851
		F	15,077	1,448	321	392	487	826	1,853	3,544	2,914	3,292
1 Enteric fever ..	{	M	13	—	—	—	1	5	5	2	—	—
		F	11	—	—	—	1	6	4	—	—	—
2 Small-pox ..	{	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
3 Measles ..	{	M	120	37	40	26	12	2	1	2	—	—
		F	106	15	32	48	10	—	1	—	—	—
4 Scarlet fever ..	{	M	16	1	—	5	8	—	1	—	1	—
		F	14	—	1	5	5	—	2	1	—	—
5 Whooping cough ..	{	M	104	48	32	19	5	—	—	—	—	—
		F	136	67	38	27	4	—	—	—	—	—
6 Diphtheria ..	{	M	127	3	8	47	57	6	1	5	—	—
		F	135	6	11	48	61	—	6	3	—	—
7 Influenza ..	{	M	404	10	3	7	11	27	79	138	82	47
		F	333	10	1	9	16	21	59	93	67	57
8 Encephalitis lethargica ..	{	M	36	1	—	—	6	8	11	9	—	1
		F	55	—	1	5	11	8	14	13	2	1
9 Meningococcal meningitis ..	{	M	13	2	1	3	1	3	2	1	—	—
		F	15	2	4	2	3	2	2	—	—	—
10 Tuberculosis of respiratory system	{	M	1,172	4	4	6	23	261	488	338	40	8
		F	1,132	3	4	4	58	386	468	174	29	6
11 Other tuberculous diseases ..	{	M	262	25	21	23	54	57	44	30	6	2
		F	257	14	14	28	45	63	52	30	5	6
12 Cancer, malignant disease ..	{	M	1,582	—	—	2	4	18	99	740	476	243
		F	1,754	—	—	2	1	5	163	824	470	289
13 Rheumatic fever ..	{	M	63	—	—	1	26	15	9	6	6	—
		F	69	—	—	3	35	9	9	13	—	—
14 Diabetes ..	{	M	125	—	—	5	5	10	13	35	39	18
		F	191	—	—	—	4	12	19	77	59	20
15 Cerebral hæmorrhage, &c. ..	{	M	775	—	—	—	2	—	15	213	302	243
		F	990	—	—	—	—	2	17	294	349	328
16 Heart disease ..	{	M	2,579	—	—	2	39	59	183	838	872	586
		F	2,609	—	—	2	42	74	212	732	770	777
17 Arterio-sclerosis ..	{	M	884	—	—	—	—	—	6	184	348	346
		F	629	—	—	—	—	—	2	103	221	303
18 Bronchitis ..	{	M	1,017	133	19	16	6	6	38	206	286	307
		F	751	79	31	12	6	5	11	107	167	333
19 Pneumonia (all forms) ..	{	M	1,192	284	125	63	37	49	160	264	115	95
		F	776	207	106	71	32	19	79	99	85	78
20 Other respiratory diseases ..	{	M	241	8	4	8	7	13	30	84	46	41
		F	159	14	7	13	7	5	20	39	20	34
21 Ulcer of stomach or duodenum ..	{	M	162	—	—	—	1	5	63	75	15	3
		F	52	—	—	—	—	5	15	21	9	2
22 Diarrhœa, &c. ..	{	M	219	135	19	21	6	2	4	12	11	9
		F	218	120	14	19	5	1	10	14	19	16
23 Appendicitis and typhlitis..	{	M	102	—	—	4	19	15	25	31	6	2
		F	88	—	—	8	15	15	23	15	11	1
24 Cirrhosis of liver ..	{	M	76	1	—	1	1	—	5	47	17	4
		F	34	—	—	—	1	—	4	19	7	3
25 Acute and chronic nephritis ..	{	M	680	3	3	6	21	21	66	244	187	129
		F	597	2	2	6	14	29	72	217	162	93
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	102	—	—	—	—	22	80	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—
		F	183	—	—	—	—	28	150	5	—	—
28 Congenital debility and malformation, premature birth..	{	M	870	851	5	6	3	3	1	1	—	—
		F	645	632	5	2	3	1	2	—	—	—
29 Suicide ..	{	M	203	—	—	—	—	10	54	109	22	8
		F	80	—	—	—	—	8	20	40	12	—
30 Other deaths from violence..	{	M	979	24	24	75	79	161	256	257	57	46
		F	275	30	7	34	34	17	30	42	27	54
31 Other defined diseases ..	{	M	2,787	360	46	48	96	94	251	620	559	713
		F	2,642	244	40	43	74	81	304	549	417	890
32 Causes ill-defined or unknown ..	{	M	41	4	—	1	—	2	5	23	6	—
		F	38	2	3	1	—	2	3	20	6	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGHES (NORTH).*									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	46,825	6,053	1,496	1,182	1,495	1,962	5,421	14,003	9,228	5,985
	F	43,202	4,299	1,305	1,106	1,332	2,075	4,991	10,754	8,955	8,385
1 Enteric fever ..	M	35	1	—	—	2	11	15	6	—	—
	F	29	—	—	1	2	8	8	9	1	—
2 Small-pox ..	M	10	—	—	—	1	—	1	5	—	3
	F	6	2	—	—	1	—	1	—	2	—
3 Measles ..	M	403	108	183	91	21	—	—	—	—	—
	F	416	101	169	116	30	—	—	—	—	—
4 Scarlet fever ..	M	65	3	6	21	26	7	2	—	—	—
	F	77	2	11	22	34	4	4	—	—	—
5 Whooping cough ..	M	421	212	130	76	2	1	—	—	—	—
	F	455	175	156	109	15	—	—	—	—	—
6 Diphtheria ..	M	283	20	44	108	99	5	5	2	—	—
	F	280	17	33	86	129	6	3	3	1	2
7 Influenza ..	M	816	36	9	14	26	54	148	319	146	64
	F	730	18	16	18	30	48	116	215	163	106
8 Encephalitis lethargica ..	M	116	2	1	5	13	18	29	41	7	—
	F	124	3	1	6	12	24	34	33	9	2
9 Meningococcal meningitis ..	M	56	24	7	10	7	3	4	1	—	—
	F	45	14	3	7	9	6	3	3	—	—
10 Tuberculosis of respiratory system	M	3,868	16	26	31	82	646	1,514	1,390	151	12
	F	2,780	10	15	22	147	899	1,160	452	64	11
11 Other tuberculous diseases ..	M	784	79	91	110	198	109	123	69	5	—
	F	720	54	78	109	159	124	115	60	13	8
12 Cancer, malignant disease ..	M	4,715	—	3	5	6	29	281	2,382	1,524	485
	F	5,271	3	5	5	3	33	574	2,489	1,457	702
13 Rheumatic fever ..	M	128	—	—	3	42	23	32	24	4	—
	F	185	—	1	2	52	46	52	26	4	2
14 Diabetes ..	M	390	—	1	—	5	20	40	160	126	38
	F	547	—	1	1	7	15	44	238	176	65
15 Cerebral hæmorrhage, &c. ..	M	1,948	—	—	1	4	3	55	655	746	484
	F	2485	1	1	—	1	7	58	800	924	693
16 Heart disease ..	M	6,096	—	2	8	79	157	513	2,266	1,891	1,180
	F	7,123	2	—	8	99	162	638	2,195	2,185	1,834
17 Arterio-sclerosis ..	M	3,247	—	—	—	—	—	25	768	1,264	1,190
	F	2,577	—	—	—	—	1	11	375	935	1,255
18 Bronchitis ..	M	2,722	354	87	39	24	22	157	702	703	634
	F	2,668	261	82	29	16	20	80	485	742	953
19 Pneumonia (all forms) ..	M	4,761	1,024	512	304	226	186	729	1,197	402	181
	F	3,175	739	422	276	168	120	315	533	362	240
20 Other respiratory diseases ..	M	492	23	19	20	21	17	78	170	82	62
	F	374	21	10	16	10	15	33	116	74	79
21 Ulcer of stomach or duodenum ..	M	505	—	—	—	—	12	155	273	51	14
	F	154	1	—	—	1	1	26	84	30	11
22 Diarrhoea, &c. ..	M	1,049	766	138	31	23	3	19	31	23	15
	F	781	469	117	34	21	10	28	37	30	35
23 Appendicitis and typhlitis ..	M	270	—	1	8	63	50	61	67	18	2
	F	209	—	3	7	36	44	39	53	19	8
24 Cirrhosis of liver ..	M	182	—	—	—	—	—	20	122	32	8
	F	83	—	—	—	1	2	5	50	19	6
25 Acute and chronic nephritis ..	M	1,422	4	7	13	27	43	167	612	390	159
	F	1,508	5	1	13	29	54	208	601	360	237
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	262	—	—	—	—	47	214	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	329	—	—	—	—	48	277	4	—	—
28 Congenital debility and malformation, premature birth..	M	2,456	2,418	11	10	7	6	1	2	1	—
	F	1,777	1,731	10	7	11	9	5	4	—	—
29 Suicide ..	M	613	—	—	—	—	30	174	323	69	17
	F	249	—	—	—	—	25	90	113	17	4
30 Other deaths from violence..	M	1,853	61	62	110	205	240	419	467	185	104
	F	978	56	31	87	92	55	95	185	162	215
31 Other defined diseases ..	M	7,025	899	149	162	285	265	641	1,912	1,382	1,330
	F	6,727	611	134	124	217	242	747	1,554	1,184	1,914
32 Causes ill-defined or unknown ..	M	94	3	7	2	1	2	13	37	26	3
	F	78	3	5	1	—	—	8	36	22	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF COUNTY BOROUGH (MIDLANDS).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	24,238	2,762	568	560	718	1,010	2,755	6,968	4,974	3,923
		F	22,954	2,073	517	464	686	996	2,534	5,472	4,650	5,562
1 Enteric fever	..	M	16	—	—	—	3	2	5	5	—	1
		F	18	—	1	2	1	3	4	6	1	—
2 Small-pox	M	1	—	—	—	—	—	—	—	1	—
		F	2	—	—	—	1	—	—	1	—	—
3 Measles	M	215	53	94	60	8	—	—	—	—	—
		F	183	41	85	41	16	—	—	—	—	—
4 Scarlet fever	..	M	24	1	4	8	9	—	1	1	—	—
		F	20	—	4	4	8	3	1	—	—	—
5 Whooping cough	M	150	76	44	26	4	—	—	—	—	—
		F	189	84	54	42	7	—	—	—	1	1
6 Diphtheria	..	M	185	4	15	66	93	3	1	3	—	—
		F	221	7	17	71	109	5	5	6	1	—
7 Influenza	M	313	12	10	2	9	23	71	103	52	31
		F	252	7	3	5	10	8	41	81	50	47
8 Encephalitis lethargica	..	M	51	1	3	1	4	11	13	13	5	—
		F	58	—	2	4	9	8	13	12	8	2
9 Meningococcal meningitis	..	M	26	9	4	4	4	3	1	1	—	—
		F	20	4	3	4	4	2	2	1	—	—
10 Tuberculosis of respiratory system	..	M	2,061	7	6	20	30	317	855	739	82	5
		F	1,549	4	9	10	51	423	701	297	43	11
11 Other tuberculous diseases	M	365	45	67	50	71	47	43	29	11	2
		F	320	35	40	39	74	61	39	24	8	—
12 Cancer, malignant disease	M	2,674	1	1	3	15	17	156	1,259	859	363
		F	3,175	1	1	1	7	11	325	1,401	873	555
13 Rheumatic fever	M	77	—	—	1	27	17	15	14	2	1
		F	92	—	1	5	31	24	18	12	1	—
14 Diabetes	M	236	—	—	—	1	6	20	90	85	34
		F	273	—	—	1	3	8	19	91	108	43
15 Cerebral hæmorrhage, &c.	..	M	1,094	—	1	—	—	2	28	319	423	321
		F	1,405	2	—	1	—	1	36	407	467	491
16 Heart disease	..	M	3,731	—	—	2	48	68	261	1,201	1,187	964
		F	4,291	—	—	4	52	100	294	1,100	1,242	1,499
17 Arterio-sclerosis	M	1,155	—	—	—	—	—	15	249	454	437
		F	960	—	—	—	—	—	4	169	303	484
18 Bronchitis	..	M	1,269	133	20	13	3	8	49	280	353	410
		F	1,214	98	22	13	4	3	22	164	299	589
19 Pneumonia (all forms)	M	1,950	413	162	112	50	68	255	573	197	120
		F	1,378	301	155	86	51	46	117	253	193	176
20 Other respiratory diseases	M	246	11	3	11	7	11	35	96	41	31
		F	203	10	6	5	6	6	29	57	35	49
21 Ulcer of stomach or duodenum	..	M	313	—	—	—	—	8	90	154	49	12
		F	104	—	—	2	—	1	21	46	23	11
22 Diarrhœa, &c.	..	M	442	336	40	11	5	6	10	15	11	8
		F	348	220	43	10	7	2	15	13	14	24
23 Appendicitis and typhlitis..	..	M	172	—	3	10	27	32	41	41	13	5
		F	132	—	—	6	26	13	32	39	13	3
24 Cirrhosis of liver	M	120	—	—	1	—	—	4	70	35	10
		F	74	—	—	1	1	1	5	52	10	4
25 Acute and chronic nephritis	..	M	684	3	2	6	12	23	81	269	172	116
		F	697	1	1	3	15	32	95	246	183	121
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	123	—	—	—	—	18	103	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	142	—	—	—	—	24	115	3	—	—
28 Congenital debility and malformation, premature birth..	..	M	1,263	1,236	5	3	8	3	1	7	—	—
		F	955	925	4	4	14	5	2	1	—	—
29 Suicide	M	365	—	—	—	—	27	87	197	42	12
		F	191	—	—	—	—	22	46	94	21	8
30 Other deaths from violence..	..	M	1,040	40	20	67	125	148	219	249	99	73
		F	557	35	14	34	56	53	51	84	83	147
31 Other defined diseases	M	3,981	380	63	82	153	158	395	986	797	967
		F	3,793	297	50	63	123	113	377	804	669	1,297
32 Causes ill-defined or unknown	..	M	19	1	1	1	2	2	3	5	4	—
		F	15	1	2	3	—	—	2	6	1	—

*See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	8,477	717	161	158	263	308	825	2,325	1,877	1,843
	F	9,221	546	140	156	219	318	838	2,033	1,955	3,016
1 Enteric fever ..	M	9	—	—	—	1	1	5	2	—	—
	F	12	—	—	—	1	3	1	7	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	94	19	31	26	17	1	—	—	—	—
	F	91	17	33	30	10	—	1	—	—	—
4 Scarlet fever ..	M	7	—	1	2	4	—	—	—	—	—
	F	7	—	—	5	1	1	—	—	—	—
5 Whooping cough ..	M	37	16	12	6	3	—	—	—	—	—
	F	40	20	12	7	1	—	—	—	—	—
6 Diphtheria ..	M	88	3	6	20	56	1	2	—	—	—
	F	96	4	5	29	49	—	4	3	—	2
7 Influenza ..	M	113	7	2	3	4	3	13	32	29	20
	F	122	6	1	1	4	—	18	27	31	34
8 Encephalitis lethargica ..	M	12	—	1	—	3	2	2	4	—	—
	F	22	—	1	2	—	4	5	7	3	—
9 Meningococcal meningitis ..	M	7	2	1	1	2	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	649	2	2	2	10	106	284	195	38	10
	F	517	—	1	1	11	147	205	112	35	5
11 Other tuberculous diseases ..	M	137	11	18	15	34	20	23	11	3	2
	F	141	17	12	16	23	25	25	19	2	2
12 Cancer, malignant disease ..	M	985	1	2	2	2	7	48	398	345	180
	F	1,356	2	—	3	1	5	123	534	368	320
13 Rheumatic fever ..	M	17	—	—	—	5	4	4	4	—	—
	F	28	—	—	1	12	8	2	—	2	3
14 Diabetes ..	M	81	—	—	—	4	2	1	28	30	16
	F	131	—	—	—	2	3	11	47	46	22
15 Cerebral hæmorrhage, &c. ..	M	382	—	—	—	—	1	13	121	126	121
	F	570	—	—	—	1	—	9	123	187	250
16 Heart disease ..	M	1,497	—	—	—	10	16	61	460	484	466
	F	1,813	—	—	—	9	26	75	360	497	846
17 Arterio-sclerosis ..	M	465	—	—	—	—	1	4	100	156	204
	F	500	—	—	—	—	—	3	72	141	284
18 Bronchitis ..	M	359	45	5	5	2	1	6	58	74	163
	F	444	40	8	2	6	—	6	44	88	250
19 Pneumonia (all forms) ..	M	521	102	42	27	13	19	74	129	66	49
	F	438	90	38	25	20	10	27	64	81	83
20 Other respiratory diseases ..	M	109	4	1	4	4	4	12	40	17	23
	F	101	2	3	2	2	3	7	26	22	34
21 Ulcer of stomach or duodenum ..	M	104	—	—	—	—	3	29	52	12	8
	F	46	—	—	—	—	1	6	25	10	4
22 Diarrhœa, &c. ..	M	86	53	13	4	—	—	1	2	5	8
	F	82	40	8	3	1	—	4	9	8	9
23 Appendicitis and typhlitis ..	M	63	—	—	3	10	5	16	15	10	4
	F	46	—	—	1	4	6	13	14	5	3
24 Cirrhosis of liver ..	M	51	—	—	—	—	—	4	32	11	4
	F	42	—	—	—	—	—	3	21	11	7
25 Acute and chronic nephritis ..	M	288	—	—	1	6	6	20	98	97	60
	F	288	—	—	1	5	7	23	84	84	84
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	44	—	—	—	—	9	35	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	62	—	—	—	—	4	56	2	—	—
28 Congenital debility and malformation, premature birth ..	M	310	303	3	2	—	1	—	1	—	—
	F	240	232	—	—	4	1	1	2	—	—
29 Suicide ..	M	142	—	—	—	—	8	34	67	17	16
	F	77	—	—	—	—	5	26	40	3	3
30 Other deaths from violence ..	M	309	14	3	8	30	56	53	69	39	37
	F	208	11	2	10	14	11	23	37	35	65
31 Other defined diseases ..	M	1,548	135	18	27	43	39	116	403	316	451
	F	1,648	63	15	17	38	39	124	351	295	706
32 Causes ill-defined or unknown ..	M	7	—	—	—	—	—	—	4	2	1
	F	8	1	1	—	—	—	2	3	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGH (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	3,567	415	57	81	125	193	462	1,019	741	474
	F	3,038	315	75	68	92	178	425	716	566	603
1 Enteric fever ..	M	4	—	—	—	—	2	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	16	1	7	5	3	—	—	—	—	—
	F	21	2	7	10	2	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	2	1	—	—	—	—	—
	F	3	—	—	3	—	—	—	—	—	—
5 Whooping cough ..	M	27	9	9	9	—	—	—	—	—	—
	F	32	15	11	5	1	—	—	—	—	—
6 Diphtheria ..	M	24	1	1	7	14	1	—	—	—	—
	F	28	2	4	11	9	—	2	—	—	—
7 Influenza ..	M	68	1	—	1	—	9	13	27	13	4
	F	53	3	—	—	1	3	11	16	12	7
8 Encephalitis lethargica ..	M	3	—	—	—	—	2	1	—	—	—
	F	9	—	—	—	1	1	3	4	—	—
9 Meningococcal meningitis ..	M	3	—	1	1	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	306	2	—	4	8	62	138	83	8	1
	F	271	—	2	1	16	95	116	39	2	—
11 Other tuberculous diseases ..	M	46	6	2	6	8	14	4	6	—	—
	F	60	6	3	6	15	16	6	5	1	2
12 Cancer, malignant disease ..	M	318	—	—	—	1	4	28	153	96	36
	F	351	—	—	—	—	—	41	167	89	54
13 Rheumatic fever ..	M	15	—	—	—	7	3	4	—	1	—
	F	18	—	—	3	7	3	3	2	—	—
14 Diabetes ..	M	20	—	—	1	1	—	1	2	12	—
	F	37	—	—	—	—	3	2	14	13	5
15 Cerebral hæmorrhage, &c. ..	M	143	—	—	—	—	—	5	49	48	41
	F	182	—	—	—	—	1	6	55	62	58
16 Heart disease ..	M	509	—	—	—	10	16	45	173	168	97
	F	502	—	—	—	7	15	55	156	137	132
17 Arterio-sclerosis ..	M	217	—	—	—	—	—	2	40	101	74
	F	167	—	—	—	—	—	—	26	62	79
18 Bronchitis ..	M	229	23	4	3	—	2	10	58	67	62
	F	161	16	8	1	1	1	4	22	34	74
19 Pneumonia (all forms) ..	M	280	69	20	11	6	9	38	77	35	15
	F	171	49	22	12	7	4	19	19	24	15
20 Other respiratory diseases ..	M	42	2	—	1	1	1	10	14	9	4
	F	24	2	1	2	1	1	2	5	7	3
21 Ulcer of stomach or duodenum ..	M	38	—	—	—	—	1	15	20	2	—
	F	5	—	—	—	—	1	2	2	—	—
22 Diarrhoea, &c. ..	M	67	43	4	8	3	1	3	1	4	—
	F	52	35	3	1	2	—	1	2	2	6
23 Appendicitis and typhlitis ..	M	25	—	—	1	4	4	7	8	—	1
	F	14	—	—	—	—	5	1	5	3	—
24 Cirrhosis of liver ..	M	16	—	—	1	—	—	—	9	6	—
	F	10	—	—	—	—	—	1	5	3	1
25 Acute and chronic nephritis ..	M	161	1	—	1	8	4	15	71	40	21
	F	105	1	—	—	4	2	14	41	29	14
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	5	20	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	40	—	—	—	—	4	36	—	—	—
28 Congenital debility and malformation, premature birth..	M	175	169	1	2	2	1	—	—	—	—
	F	125	123	1	—	—	—	1	—	—	—
29 Suicide ..	M	50	—	—	—	—	4	11	30	4	1
	F	17	—	—	—	—	3	3	10	1	—
30 Other deaths from violence..	M	190	3	4	9	24	34	43	44	15	14
	F	54	8	—	6	4	2	9	9	3	13
31 Other defined diseases ..	M	572	85	4	8	24	19	67	153	112	100
	F	498	53	12	7	13	13	66	112	82	140
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		M F	AGGREGATE OF URBAN DISTRICTS (NORTH).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	26,361	2,902	541	623	852	1,203	2,902	7,439	5,780	4,119
		F	25,475	2,033	509	549	806	1,127	2,929	6,500	5,654	5,368
1 Enteric fever ..		M	27	—	1	—	4	3	14	5	—	—
		F	29	—	—	—	4	3	12	9	1	—
2 Small-pox ..		M	11	1	—	—	—	—	—	1	7	2
		F	2	—	—	—	—	—	—	1	1	—
3 Measles ..		M	117	25	39	40	12	—	—	—	1	—
		F	119	25	42	39	13	—	—	—	—	—
4 Scarlet fever ..		M	25	—	3	11	6	1	4	—	—	—
		F	48	1	3	13	22	2	7	—	—	—
5 Whooping cough ..		M	133	64	38	27	3	—	—	—	1	—
		F	171	72	57	39	2	1	—	—	—	—
6 Diphtheria ..		M	127	6	11	37	67	3	—	2	1	—
		F	138	1	12	53	61	2	5	3	1	—
7 Influenza ..		M	637	11	6	21	19	39	142	235	114	50
		F	555	11	3	12	25	38	72	164	121	109
8 Encephalitis lethargica ..		M	86	—	3	2	5	14	22	32	8	—
		F	81	1	—	7	8	12	23	25	4	1
9 Meningococcal meningitis ..		M	26	6	2	1	9	4	2	2	—	—
		F	10	1	2	—	5	2	—	—	—	—
10 Tuberculosis of respiratory system		M	1,610	4	7	18	47	313	639	507	71	4
		F	1,331	2	7	11	76	424	554	211	44	2
11 Other tuberculous diseases ..		M	503	52	56	79	85	85	80	46	17	3
		F	429	38	34	56	85	87	76	40	12	1
12 Cancer, malignant disease ..		M	2,718	2	—	5	8	14	149	1,304	888	348
		F	3,204	2	1	6	5	14	341	1,465	885	485
13 Rheumatic fever ..		M	84	1	—	2	21	24	15	18	3	—
		F	108	—	—	1	35	22	24	20	4	2
14 Diabetes ..		M	253	—	1	—	5	8	28	100	88	23
		F	370	—	2	—	4	12	28	156	130	38
15 Cerebral hæmorrhage, &c. ..		M	1,435	—	—	2	—	2	22	444	568	397
		F	1,758	—	—	—	1	2	39	524	662	530
16 Heart disease ..		M	3,700	—	—	2	38	87	263	1,277	1,236	797
		F	4,447	—	—	7	58	104	369	1,332	1,389	1,188
17 Arterio-sclerosis ..		M	1,781	—	—	—	—	—	7	339	742	693
		F	1,363	—	—	—	—	—	6	238	486	633
18 Bronchitis ..		M	1,422	205	29	25	13	9	64	303	401	373
		F	1,431	134	35	15	13	4	39	229	402	560
19 Pneumonia (all forms) ..		M	2,201	420	187	137	125	110	350	539	216	117
		F	1,504	282	165	126	91	52	174	262	206	146
20 Other respiratory diseases ..		M	282	9	6	11	17	12	28	111	60	28
		F	223	15	10	15	14	10	25	54	35	45
21 Ulcer of stomach or duodenum ..		M	290	—	—	—	1	12	94	143	31	9
		F	92	—	—	—	—	3	22	48	15	4
22 Diarrhœa, &c. ..		M	354	222	31	23	11	2	13	19	15	18
		F	325	148	41	24	14	4	20	28	24	22
23 Appendicitis and typhlitis ..		M	166	—	—	14	26	39	28	41	12	6
		F	133	—	—	3	26	19	31	40	12	2
24 Cirrhosis of liver ..		M	122	—	—	1	—	—	11	72	33	5
		F	52	—	—	—	1	1	2	32	14	2
25 Acute and chronic nephritis ..		M	888	5	2	7	22	25	94	364	261	108
		F	953	1	3	5	14	34	148	392	231	125
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—
		F	139	—	—	—	—	32	107	—	—	—
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—
		F	261	—	—	—	—	51	205	5	—	—
28 Congenital debility and malformation, premature birth ..		M	1,359	1,331	6	5	7	7	2	1	—	—
		F	976	949	7	4	8	4	1	3	—	—
29 Suicide ..		M	397	—	—	—	—	23	104	198	54	18
		F	173	—	—	—	1	18	60	80	13	1
30 Other deaths from violence ..		M	1,301	27	29	71	143	207	309	322	113	80
		F	526	21	19	40	67	40	72	92	77	98
31 Other defined diseases ..		M	4,208	505	82	81	154	158	408	964	816	1,040
		F	4,454	325	61	73	150	130	461	1,014	866	1,374
32 Causes ill-defined or unknown ..		M	98	6	2	1	4	2	10	50	23	—
		F	70	4	5	—	3	—	6	33	19	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS (MIDLANDS).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	27,469	2,731	568	554	837	1,137	2,920	7,352	5,872	5,498
	F	26,925	2,031	436	486	763	1,084	2,815	6,208	5,463	7,639
1 Enteric fever ..	M	30	—	—	—	—	4	8	17	1	—
	F	31	—	—	1	2	5	9	11	2	1
2 Small-pox ..	M	6	—	—	—	—	—	—	—	3	3
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	293	60	107	81	43	2	—	—	—	—
	F	193	29	68	65	29	—	1	1	—	—
4 Scarlet fever ..	M	32	—	4	10	12	1	4	1	—	—
	F	30	1	3	7	12	3	3	1	—	—
5 Whooping cough ..	M	99	55	26	15	3	—	—	—	—	—
	F	145	64	41	33	7	—	—	—	—	—
6 Diphtheria ..	M	216	5	11	71	122	3	3	1	—	—
	F	229	5	14	67	127	2	7	6	1	—
7 Influenza ..	M	457	12	6	3	11	33	97	152	90	53
	F	376	10	3	5	11	14	68	101	83	81
8 Encephalitis lethargica ..	M	64	1	3	4	3	7	16	25	3	2
	F	69	1	1	5	6	7	15	24	8	2
9 Meningococcal meningitis ..	M	43	13	6	6	4	5	5	4	—	—
	F	22	10	2	—	3	2	1	4	—	—
10 Tuberculosis of respiratory system ..	M	1,811	9	9	6	23	331	781	577	65	10
	F	1,505	6	4	8	56	439	650	287	44	11
11 Other tuberculous diseases ..	M	397	42	38	56	71	64	66	48	10	2
	F	345	31	42	40	61	45	76	30	13	7
12 Cancer, malignant disease ..	M	3,239	—	2	3	6	21	162	1,392	1,090	563
	F	3,921	2	1	3	6	21	363	1,701	1,031	793
13 Rheumatic fever ..	M	81	—	1	3	33	15	15	12	1	1
	F	111	—	1	2	37	31	22	16	1	1
14 Diabetes ..	M	272	—	—	2	9	8	19	103	95	36
	F	335	—	—	3	4	8	20	118	116	66
15 Cerebral hæmorrhage, &c. ..	M	1,311	2	—	—	—	5	33	341	489	441
	F	1,800	—	—	—	—	3	38	468	566	725
16 Heart disease ..	M	4,187	—	2	2	51	63	273	1,273	1,301	1,222
	F	4,948	1	—	2	56	86	262	1,153	1,453	1,935
17 Arterio-sclerosis ..	M	1,508	—	—	—	—	—	14	278	554	662
	F	1,258	—	—	—	—	—	5	198	403	652
18 Bronchitis ..	M	1,289	131	26	6	6	10	40	215	360	495
	F	1,268	89	19	8	5	7	24	146	286	684
19 Pneumonia (all forms) ..	M	1,876	358	180	97	47	59	240	503	234	158
	F	1,406	283	136	85	51	37	151	242	218	203
20 Other respiratory diseases ..	M	331	14	2	18	12	8	52	109	57	59
	F	284	12	2	4	10	13	32	68	54	89
21 Ulcer of stomach or duodenum ..	M	354	—	—	—	1	9	83	194	48	19
	F	118	—	—	—	—	4	23	59	22	10
22 Diarrhoea, &c. ..	M	320	209	31	8	3	2	11	19	19	18
	F	294	146	24	16	4	11	18	20	15	40
23 Appendicitis and typhlitis, ..	M	221	—	—	5	26	46	51	67	24	2
	F	177	1	—	7	27	19	49	50	13	11
24 Cirrhosis of liver ..	M	161	—	—	—	1	—	6	94	49	11
	F	101	—	—	—	1	—	9	48	30	13
25 Acute and chronic nephritis ..	M	768	—	—	4	13	30	73	290	220	138
	F	759	1	1	6	20	37	85	251	189	169
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	140	—	—	—	—	34	106	—	—	—
27 Other accidents and diseases of pregnancy and parturition. ..	M	—	—	—	—	—	—	—	—	—	—
	F	184	—	—	—	—	34	150	—	—	—
28 Congenital debility and malformation, premature birth, ..	M	1,375	1,320	13	11	7	7	6	2	—	—
	F	1,051	1,025	4	3	7	6	4	2	—	—
29 Suicide ..	M	415	—	—	—	1	27	113	187	69	18
	F	204	—	—	—	1	17	77	88	18	3
30 Other deaths from violence ..	M	1,373	55	20	60	138	226	311	320	135	108
	F	591	37	12	41	62	46	59	96	91	147
31 Other defined diseases ..	M	4,871	435	75	81	190	150	431	1,088	946	1,475
	F	4,994	276	55	74	158	153	486	1,003	794	1,995
32 Causes ill-defined or unknown ..	M	69	1	6	2	1	1	7	40	9	2
	F	36	1	3	1	—	—	2	16	12	1

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS (SOUTH).*									
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	15,795	1,162	226	248	387	620	1,477	4,223	3,617	3,835
		F	16,669	849	203	232	386	533	1,526	3,704	3,555	5,681
1 Enteric fever	..	M	14	—	—	—	1	4	3	4	2	—
		F	13	—	—	—	3	2	5	2	1	—
2 Small-pox	..	M	2	—	—	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	..	M	109	18	36	30	23	—	1	—	—	1
		F	109	17	34	28	27	2	—	1	—	—
4 Scarlet fever	..	M	18	—	1	6	7	2	2	—	—	—
		F	16	—	—	2	7	4	3	—	—	—
5 Whooping cough	..	M	58	34	18	4	2	—	—	—	—	—
		F	81	41	18	16	3	—	1	—	1	1
6 Diphtheria	..	M	129	1	5	33	82	3	3	2	—	—
		F	125	2	9	31	76	1	2	4	—	—
7 Influenza	..	M	224	8	—	6	—	9	45	63	59	34
		F	270	1	2	6	5	10	34	83	61	68
8 Encephalitis lethargica	..	M	34	—	2	3	3	3	4	12	6	1
		F	34	—	1	1	4	3	8	10	5	2
9 Meningococcal meningitis	..	M	8	1	2	1	3	1	—	—	—	—
		F	13	—	2	3	2	4	1	1	—	—
10 Tuberculosis of respiratory system	..	M	1,070	—	2	4	11	197	435	354	55	12
		F	826	1	1	1	22	223	362	168	34	14
11 Other tuberculous diseases	..	M	186	17	16	30	29	25	37	21	7	4
		F	222	17	15	31	42	32	32	36	10	7
12 Cancer, malignant disease	..	M	2,054	—	2	4	5	12	95	808	698	430
		F	2,588	—	1	1	2	8	199	1,052	728	597
13 Rheumatic fever	..	M	28	—	—	—	8	4	5	6	3	2
		F	48	—	—	—	14	17	10	4	—	3
14 Diabetes	..	M	171	—	—	—	3	6	10	46	63	43
		F	208	—	—	—	3	10	16	56	71	52
15 Cerebral hæmorrhage, &c.	..	M	722	1	—	—	—	1	13	190	260	257
		F	1,113	—	—	1	—	1	22	227	335	527
16 Heart disease	..	M	2,678	—	—	—	20	22	142	728	863	903
		F	3,333	1	2	2	24	40	133	685	958	1,488
17 Arterio-sclerosis	..	M	975	—	—	—	—	—	8	182	342	443
		F	949	—	—	—	—	—	4	110	250	585
18 Bronchitis	..	M	656	50	15	3	1	2	24	97	166	298
		F	706	36	8	8	6	3	8	54	140	443
19 Pneumonia (all forms)	..	M	927	136	70	40	18	33	115	269	136	110
		F	698	98	57	37	29	11	78	118	127	143
20 Other respiratory diseases	..	M	191	2	2	2	—	8	17	64	44	52
		F	174	7	—	6	5	1	15	30	42	68
21 Ulcer of stomach or duodenum	..	M	229	—	—	—	—	3	43	124	44	15
		F	97	—	—	—	—	—	18	33	28	18
22 Diarrhoea, &c.	..	M	140	91	10	8	2	1	3	7	6	12
		F	146	62	9	7	1	2	10	19	14	22
23 Appendicitis and typhlitis	..	M	114	—	1	10	16	20	13	40	12	2
		F	113	—	—	3	24	9	18	43	7	9
24 Cirrhosis of liver	..	M	115	—	—	—	—	—	4	62	39	10
		F	67	—	—	—	—	—	6	31	24	6
25 Acute and chronic nephritis	..	M	536	5	—	1	9	12	33	193	151	132
		F	514	1	1	1	2	3	45	182	126	153
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—
		F	71	—	—	—	—	14	57	—	—	—
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—
		F	112	—	—	—	—	17	95	—	—	—
28 Congenital debility and malformation, premature birth	..	M	608	590	2	5	5	4	2	—	—	—
		F	428	413	2	2	1	3	3	2	2	—
29 Suicide	..	M	224	—	—	—	—	12	51	110	36	15
		F	100	—	—	—	—	8	30	49	10	3
30 Other deaths from violence	..	M	692	14	11	28	54	133	152	170	61	69
		F	342	18	12	17	13	23	41	59	43	116
31 Other defined diseases	..	M	2,856	191	31	29	85	102	215	652	563	988
		F	3,144	133	27	28	71	82	270	641	536	1,356
32 Causes ill-defined or unknown	..	M	27	3	—	1	—	1	2	19	1	—
		F	9	1	2	—	—	—	—	4	2	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	8,057	973	215	213	276	405	909	2,222	1,657	1,187
		F	7,136	714	180	215	256	414	868	1,754	1,335	1,400
1 Enteric fever	..	M	6	—	—	—	—	2	3	1	—	—
		F	7	—	—	—	1	3	3	—	—	—
2 Small-pox	M	1	1	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
3 Measles	M	75	29	21	17	6	1	1	—	—	—
		F	68	9	21	31	6	—	1	—	—	—
4 Scarlet fever	..	M	8	—	—	1	6	—	—	—	1	—
		F	5	—	1	2	1	—	1	—	—	—
5 Whooping cough	..	M	56	28	18	7	3	—	—	—	—	—
		F	76	37	22	16	1	—	—	—	—	—
6 Diphtheria	..	M	75	2	5	29	32	3	—	4	—	—
		F	70	2	5	28	31	—	3	1	—	—
7 Influenza	M	209	5	2	3	10	12	43	72	41	21
		F	170	3	1	6	12	11	29	44	30	34
8 Encephalitis lethargica	..	M	16	—	—	—	3	4	5	3	—	1
		F	29	—	—	3	8	5	5	7	—	1
9 Meningococcal meningitis	..	M	8	2	—	1	1	3	—	1	—	—
		F	8	2	3	1	—	—	2	—	—	—
10 Tuberculosis of respiratory system	..	M	525	—	3	2	11	118	217	157	14	3
		F	533	2	1	3	27	192	215	75	15	3
11 Other tuberculous diseases	M	139	13	12	14	29	31	22	14	2	2
		F	111	2	7	13	21	26	22	16	2	2
12 Cancer, malignant disease	M	720	—	—	1	2	7	38	352	222	98
		F	800	—	—	1	1	3	68	392	203	132
13 Rheumatic fever	M	34	—	—	1	11	12	4	2	4	—
		F	34	—	—	—	17	4	5	8	—	—
14 Diabetes	M	63	—	—	3	3	5	10	18	19	5
		F	109	—	—	—	4	7	9	44	35	10
15 Cerebral hæmorrhage, &c.	..	M	358	—	—	—	—	—	5	96	156	101
		F	450	—	—	—	—	—	7	149	165	129
16 Heart disease	..	M	1,259	—	—	2	19	26	91	449	439	233
		F	1,207	—	—	1	18	40	99	361	351	337
17 Arterio-sclerosis	..	M	349	—	—	—	—	—	2	89	133	125
		F	251	—	—	—	—	—	1	48	93	109
18 Bronchitis	..	M	518	75	10	10	5	3	21	111	150	133
		F	375	35	16	9	5	3	3	72	95	137
19 Pneumonia (all forms)	..	M	589	137	80	35	20	21	79	128	43	46
		F	375	110	63	37	21	9	35	45	29	26
20 Other respiratory diseases	M	129	3	3	5	4	8	13	47	27	19
		F	83	6	3	8	5	1	13	23	10	14
21 Ulcer of stomach or duodenum	..	M	89	—	—	—	1	2	38	38	9	1
		F	27	—	—	—	—	2	7	14	3	1
22 Diarrhoea, &c.	..	M	92	48	12	10	3	1	—	8	5	5
		F	105	52	8	11	1	1	8	9	9	6
23 Appendicitis and typhlitis..	..	M	42	—	—	1	9	5	13	10	4	—
		F	44	—	—	4	10	3	15	7	4	1
24 Cirrhosis of liver	M	43	1	—	—	1	—	3	29	8	1
		F	13	—	—	—	—	—	2	8	1	2
25 Acute and chronic nephritis	..	M	275	1	1	3	10	11	32	105	72	40
		F	283	1	2	4	5	16	39	110	71	35
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	50	—	—	—	—	15	35	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	82	—	—	—	—	15	65	2	—	—
28 Congenital debility and malformation, premature birth..	..	M	454	445	2	3	1	1	1	1	—	—
		F	327	320	3	1	1	1	1	—	—	—
29 Suicide	M	76	—	—	—	—	3	21	41	8	3
		F	40	—	—	—	—	4	9	18	9	—
30 Other deaths from violence..	..	M	489	15	13	46	37	83	121	132	25	17
		F	132	11	2	15	22	8	14	18	13	29
31 Other defined diseases	M	1,342	167	33	19	49	43	124	302	272	333
		F	1,256	121	21	21	38	44	149	277	193	392
32 Causes ill-defined or unknown	..	M	18	1	—	—	—	—	2	12	3	—
		F	15	—	1	—	—	1	3	6	4	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	10,177	1,208	228	232	342	433	972	2,374	2,271	2,117
		F	9,501	851	203	216	288	387	1,068	2,214	1,984	2,290
1 Enteric fever	..	M	9	—	—	—	2	1	5	—	1	—
		F	15	—	—	—	2	2	7	3	1	—
2 Small-pox	..	M	1	—	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	—	—	1	1
3 Measles	..	M	47	15	12	13	5	1	1	—	—	—
		F	38	6	20	6	5	—	—	1	—	—
4 Scarlet fever	..	M	9	1	2	3	3	—	—	—	—	—
		F	16	—	1	5	6	1	2	1	—	—
5 Whooping cough	..	M	52	33	9	8	2	—	—	—	—	—
		F	64	36	18	9	1	—	—	—	—	—
6 Diphtheria	..	M	52	1	2	15	29	4	1	—	—	—
		F	36	2	1	13	18	—	2	—	—	—
7 Influenza	..	M	265	10	6	6	12	13	48	82	48	40
		F	198	4	1	4	8	7	37	48	52	37
8 Encephalitis lethargica	..	M	26	—	—	2	3	4	3	11	3	—
		F	29	—	1	1	4	4	7	12	—	—
9 Meningococcal meningitis	..	M	11	4	2	2	—	1	1	1	—	—
		F	8	—	—	—	4	1	2	—	1	—
10 Tuberculosis of respiratory system	..	M	444	1	3	2	13	99	195	111	20	—
		F	486	—	1	5	34	145	201	86	12	2
11 Other tuberculous diseases	..	M	157	20	14	27	27	24	24	16	4	1
		F	160	14	15	23	35	25	28	17	2	1
12 Cancer, malignant disease	..	M	980	—	1	3	2	4	43	423	346	158
		F	1,186	—	—	1	6	2	110	539	333	195
13 Rheumatic fever	..	M	22	—	—	—	11	2	7	2	—	—
		F	39	—	—	1	9	13	10	6	—	—
14 Diabetes	..	M	105	—	—	2	3	3	10	30	41	16
		F	172	—	—	—	2	3	20	67	60	20
15 Cerebral hæmorrhage, &c.	..	M	569	—	1	—	—	1	11	125	228	203
		F	715	—	1	—	—	1	18	207	242	246
16 Heart disease	..	M	1,509	—	—	4	21	25	87	399	530	443
		F	1,651	—	—	3	16	29	115	437	527	524
17 Arterio-sclerosis	..	M	724	—	—	—	—	—	2	105	266	351
		F	455	—	—	—	—	—	8	50	137	260
18 Bronchitis	..	M	487	67	18	5	5	5	16	80	125	166
		F	413	56	12	10	3	2	8	39	94	189
19 Pneumonia (all forms)	..	M	747	137	75	33	38	31	113	171	95	54
		F	470	81	68	52	20	11	56	66	58	58
20 Other respiratory diseases	..	M	119	4	10	5	9	1	8	36	26	20
		F	111	4	4	9	7	4	6	22	23	32
21 Ulcer of stomach or duodenum	..	M	94	—	—	—	1	6	21	49	10	7
		F	40	—	—	—	—	2	12	18	5	3
22 Diarrhoea, &c.	..	M	149	84	16	12	7	1	5	9	9	6
		F	113	47	12	9	4	1	8	7	11	14
23 Appendicitis and typhlitis	..	M	85	1	1	6	11	22	25	11	7	1
		F	49	—	—	4	10	11	12	8	3	1
24 Cirrhosis of liver	..	M	50	—	—	—	—	—	3	29	13	5
		F	21	—	—	—	—	—	3	9	2	7
25 Acute and chronic nephritis	..	M	299	4	1	—	8	10	33	100	90	53
		F	299	1	—	2	5	10	46	105	84	46
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	6	39	1	—	—
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—
		F	97	—	—	—	—	16	79	2	—	—
28 Congenital debility and malformation, premature birth	..	M	624	611	4	4	5	—	—	—	—	—
		F	458	450	1	1	2	2	1	1	—	—
29 Suicide	..	M	134	—	—	—	—	11	32	66	18	7
		F	60	—	—	—	—	6	21	28	5	—
30 Other deaths from violence	..	M	637	10	17	35	53	104	155	174	49	40
		F	217	8	14	14	35	18	30	36	19	43
31 Other defined diseases	..	M	1,739	203	32	45	72	60	119	330	332	546
		F	1,818	142	29	43	52	64	178	391	308	611
32 Causes ill-defined or unknown	..	M	31	2	2	—	—	—	4	13	10	—
		F	19	—	4	1	—	1	2	7	4	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (MIDLANDS).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	19,157	1,740	269	315	516	792	1,647	4,247	4,402	5,229
	F	18,360	1,282	227	253	464	617	1,746	3,719	3,862	6,190
1 Enteric fever ..	M	28	—	—	1	2	6	7	10	1	1
	F	22	—	—	—	2	2	5	7	5	1
2 Small-pox ..	M	3	—	—	—	1	—	1	—	—	1
	F	2	—	—	—	—	1	—	1	—	—
3 Measles ..	M	78	17	22	19	15	2	3	—	—	—
	F	66	11	15	19	17	3	1	—	—	—
4 Scarlet fever ..	M	17	1	—	5	6	2	3	—	—	—
	F	30	—	—	7	16	4	2	1	—	—
5 Whooping cough ..	M	63	41	11	7	4	—	—	—	—	—
	F	83	37	24	18	3	—	—	1	—	—
6 Diphtheria ..	M	110	4	3	33	61	5	3	1	—	—
	F	91	2	3	12	66	2	1	5	—	—
7 Influenza ..	M	359	10	4	7	6	23	41	102	95	71
	F	319	9	7	1	6	11	39	76	82	88
8 Encephalitis lethargica ..	M	32	1	2	3	4	5	7	7	2	1
	F	35	1	1	2	3	5	13	7	3	—
9 Meningococcal meningitis ..	M	18	9	—	1	5	2	—	1	—	—
	F	12	4	1	2	—	2	2	—	1	—
10 Tuberculosis of respiratory system	M	895	1	4	—	10	163	410	258	45	4
	F	885	4	3	4	34	248	396	156	30	10
11 Other tuberculous diseases ..	M	263	22	22	36	47	43	51	27	10	5
	F	229	13	22	23	32	38	46	37	14	4
12 Cancer, malignant disease ..	M	2,359	3	1	6	3	13	96	903	835	499
	F	2,562	1	1	5	11	5	185	1,017	728	609
13 Rheumatic fever ..	M	48	—	—	1	16	9	13	8	1	—
	F	55	—	—	1	18	11	18	3	3	1
14 Diabetes ..	M	209	—	—	2	9	13	12	53	74	46
	F	271	1	—	1	8	5	24	83	101	48
15 Cerebral hæmorrhage, &c. ..	M	1,027	—	—	—	—	1	21	187	355	463
	F	1,339	—	1	1	—	1	23	268	406	639
16 Heart disease ..	M	3,060	—	—	—	24	39	103	708	1,067	1,119
	F	3,533	—	—	1	21	35	160	743	1,071	1,502
17 Arterio-sclerosis ..	M	1,260	—	—	—	—	—	4	149	422	685
	F	972	—	—	—	—	—	3	119	272	578
18 Bronchitis ..	M	873	83	17	10	6	7	10	98	191	451
	F	825	76	17	9	6	2	13	62	150	490
19 Pneumonia (all forms) ..	M	1,023	181	87	50	42	56	122	240	129	116
	F	765	147	61	42	35	26	88	106	133	127
20 Other respiratory diseases ..	M	217	4	1	10	7	7	24	67	44	53
	F	182	4	3	8	6	5	16	43	36	61
21 Ulcer of stomach or duodenum ..	M	217	—	—	—	—	6	49	102	48	12
	F	97	—	—	—	—	3	19	42	18	15
22 Diarrhoea, &c. ..	M	184	117	16	8	2	2	6	9	10	14
	F	142	54	13	3	2	1	13	13	9	34
23 Appendicitis and typhlitis ..	M	134	—	—	9	16	25	34	36	10	4
	F	109	—	1	3	18	20	25	26	9	7
24 Cirrhosis of liver ..	M	104	—	—	—	—	1	11	53	30	9
	F	46	—	—	—	2	2	3	22	13	4
25 Acute and chronic nephritis ..	M	570	2	5	—	8	22	60	184	168	121
	F	503	1	1	3	16	16	55	146	135	130
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	98	—	—	—	—	20	78	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	148	—	—	—	—	15	130	3	—	—
28 Congenital debility and malformation, premature birth ..	M	960	937	9	—	6	7	—	1	—	—
	F	701	681	7	5	5	2	1	—	—	—
29 Suicide ..	M	296	—	—	—	1	14	64	154	50	13
	F	100	—	—	—	—	8	28	50	9	5
30 Other deaths from violence ..	M	1,045	38	21	53	95	205	234	230	91	78
	F	410	29	7	31	42	32	44	57	43	125
31 Other defined diseases ..	M	3,623	267	44	53	119	112	253	627	689	1,459
	F	3,684	205	39	51	93	91	309	601	583	1,712
32 Causes ill-defined or unknown ..	M	82	2	—	1	1	2	5	32	35	4
	F	44	2	—	1	2	1	6	24	8	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	12,018	832	152	178	318	402	1,048	2,839	2,864	3,385
	F	11,322	627	130	135	242	378	1,028	2,407	2,521	3,854
1 Enteric fever ..	M	10	—	—	—	—	3	2	3	2	—
	F	14	—	1	—	2	2	5	3	1	—
2 Small-pox ..	M	2	—	—	—	—	—	—	—	—	2
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	80	10	20	23	19	5	2	1	—	—
	F	66	6	14	14	19	4	7	2	—	—
4 Scarlet fever ..	M	14	—	—	2	8	1	2	—	1	—
	F	14	—	—	3	6	3	1	1	—	—
5 Whooping cough ..	M	41	19	7	9	5	—	—	—	—	1
	F	49	26	11	10	2	—	—	—	—	—
6 Diphtheria ..	M	58	3	6	10	37	2	—	—	—	—
	F	65	2	1	16	34	5	4	2	1	—
7 Influenza ..	M	203	9	4	2	7	6	26	65	44	40
	F	211	4	2	1	5	4	27	46	53	69
8 Encephalitis lethargica ..	M	27	—	4	—	1	3	7	9	3	—
	F	28	—	—	1	4	4	5	9	4	1
9 Meningococcal meningitis ..	M	13	3	1	—	2	2	4	1	—	—
	F	10	3	2	1	3	—	—	1	—	—
10 Tuberculosis of respiratory system	M	624	1	1	1	9	81	288	210	29	4
	F	551	2	1	2	11	148	274	81	23	9
11 Other tuberculous diseases ..	M	139	10	12	19	21	19	26	22	8	2
	F	158	8	16	15	19	23	33	29	12	3
12 Cancer, malignant disease ..	M	1,448	1	1	1	2	6	56	537	515	329
	F	1,677	—	1	2	—	8	123	646	482	415
13 Rheumatic fever ..	M	20	—	—	1	5	4	3	5	1	1
	F	32	—	—	2	11	10	2	4	2	1
14 Diabetes ..	M	147	—	—	—	4	7	13	37	59	27
	F	170	—	—	—	5	10	10	49	48	48
15 Cerebral hæmorrhage, &c. ..	M	614	—	—	—	—	1	5	123	224	261
	F	814	—	1	—	1	—	8	174	246	384
16 Heart disease ..	M	2,121	1	—	2	8	12	62	491	716	829
	F	2,220	1	—	—	11	18	86	467	692	945
17 Arterio-sclerosis ..	M	767	—	—	—	—	—	5	125	257	380
	F	598	—	—	—	—	—	2	63	169	364
18 Bronchitis ..	M	506	38	12	2	2	2	13	58	115	264
	F	464	16	11	3	—	2	3	34	100	295
19 Pneumonia (all forms) ..	M	579	90	34	20	20	16	76	130	110	83
	F	435	69	22	17	13	11	39	98	88	78
20 Other respiratory diseases ..	M	167	5	4	5	4	3	15	51	39	41
	F	125	6	2	3	4	5	14	23	30	38
21 Ulcer of stomach or duodenum ..	M	141	—	—	—	1	1	29	71	32	17
	F	51	—	—	—	—	2	7	21	18	3
22 Diarrhoea, &c. ..	M	101	58	8	5	—	3	6	6	7	8
	F	86	33	9	3	7	1	3	8	7	15
23 Appendicitis and typhlitis ..	M	102	1	2	3	17	13	25	24	14	3
	F	75	1	—	4	12	13	14	21	6	4
24 Cirrhosis of liver ..	M	52	—	—	—	—	2	4	29	14	3
	F	37	—	—	—	1	—	4	12	13	7
25 Acute and chronic nephritis ..	M	421	3	2	2	2	10	23	134	133	112
	F	377	4	1	—	3	9	30	121	114	95
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	44	—	—	—	—	6	37	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	73	—	—	—	1	13	57	2	—	—
28 Congenital debility and malformation, premature birth..	M	450	433	3	2	5	2	5	—	—	—
	F	357	343	4	—	2	4	1	3	—	—
29 Suicide ..	M	190	—	—	—	—	15	49	89	26	11
	F	54	—	—	—	—	2	16	26	8	2
30 Other deaths from violence..	M	636	16	8	36	52	118	150	157	56	43
	F	266	14	8	15	21	21	29	57	29	72
31 Other defined diseases ..	M	2,329	131	23	32	87	64	149	455	454	934
	F	2,181	88	22	23	45	50	185	394	369	1,005
32 Causes ill-defined or unknown ..	M	16	—	—	1	—	1	3	6	5	—
	F	20	1	1	—	—	—	2	9	6	1

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	5,221	547	82	101	129	254	544	1,273	1,101	1,190
		F	4,903	419	66	109	139	234	560	1,074	1,013	1,289
1 Enteric fever	..	M	3	—	—	—	1	1	1	—	—	—
		F	3	—	—	—	—	3	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	29	7	12	4	3	1	—	2	—	—
		F	17	4	4	7	2	—	—	—	—	—
4 Scarlet fever	..	M	5	1	—	2	1	—	1	—	—	—
		F	6	—	—	—	4	—	1	1	—	—
5 Whooping cough	..	M	21	11	5	3	2	—	—	—	—	—
		F	28	15	5	6	2	—	—	—	—	—
6 Diphtheria	..	M	28	—	2	11	11	2	1	1	—	—
		F	37	2	2	9	21	—	1	2	—	—
7 Influenza	M	127	4	1	3	1	6	23	39	28	22
		F	110	4	—	3	3	7	19	33	25	16
8 Encephalitis lethargica	..	M	17	1	—	—	3	2	5	6	—	—
		F	17	—	1	2	2	2	6	2	2	—
9 Meningococcal meningitis	..	M	2	—	—	1	—	—	1	—	—	—
		F	6	—	1	1	2	2	—	—	—	—
10 Tuberculosis of respiratory system	{	M	341	2	1	—	4	81	133	98	18	4
		F	328	1	1	—	15	99	137	60	12	3
11 Other tuberculous diseases	M	77	6	7	3	17	12	18	10	4	—
		F	86	6	4	9	9	21	24	9	2	2
12 Cancer, malignant disease	M	544	—	—	1	1	7	33	235	158	109
		F	603	—	—	1	—	2	54	265	178	103
13 Rheumatic fever	M	14	—	—	—	8	—	1	4	1	—
		F	17	—	—	—	11	2	1	3	—	—
14 Diabetes	M	42	—	—	1	1	5	2	15	8	10
		F	45	—	—	—	—	2	8	19	11	5
15 Cerebral hæmorrhage, &c.	..	M	274	—	—	—	2	—	5	68	98	101
		F	358	—	—	—	—	1	4	90	122	141
16 Heart disease	..	M	811	—	—	—	10	17	47	216	265	256
		F	900	—	—	1	17	19	58	215	282	308
17 Arterio-sclerosis	M	318	—	—	—	—	—	2	55	114	147
		F	211	—	—	—	—	—	1	29	66	115
18 Bronchitis	..	M	270	35	5	3	1	1	7	37	69	112
		F	215	28	7	2	—	1	4	13	38	122
19 Pneumonia (all forms)	M	323	78	25	17	11	19	43	59	37	34
		F	230	48	21	22	4	6	25	35	32	37
20 Other respiratory diseases	M	70	3	1	2	2	4	7	23	10	18
		F	52	6	3	3	1	3	5	11	3	17
21 Ulcer of stomach or duodenum	..	M	35	—	—	—	—	2	10	17	4	2
		F	20	—	—	—	—	2	6	5	6	1
22 Diarrhœa, &c.	M	60	44	3	3	—	—	1	3	2	4
		F	61	33	3	7	2	—	1	3	8	4
23 Appendicitis and typhlitis..	..	M	35	—	—	2	6	6	5	13	2	1
		F	30	—	—	4	5	7	7	3	4	—
24 Cirrhosis of liver	M	17	—	—	—	—	—	2	9	3	3
		F	11	—	—	—	1	—	1	6	3	—
25 Acute and chronic nephritis	..	M	244	1	2	2	3	6	19	68	75	68
		F	209	—	—	2	5	11	19	66	62	44
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	2	25	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	61	—	—	—	—	9	49	3	—	—
28 Congenital debility and malformation, premature birth..	..	M	241	237	2	1	—	1	—	—	—	—
		F	193	189	1	1	2	—	—	—	—	—
29 Suicide	M	77	—	—	—	—	3	22	38	10	4
		F	23	—	—	—	—	1	8	12	2	—
30 Other deaths from violence..	..	M	300	6	7	20	18	44	92	81	17	15
		F	89	11	5	13	8	7	7	15	11	12
31 Other defined diseases	M	873	108	9	21	23	32	60	165	175	280
		F	888	70	7	15	23	24	89	160	142	358
32 Causes ill-defined or unknown	..	M	23	3	—	1	—	2	3	11	3	—
		F	22	2	1	1	—	1	—	14	2	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	GREATER LONDON.*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	44,850	4,450	1,219	1,073	1,274	1,900	4,902	13,225	9,121	7,686
		F	43,025	3,304	1,007	946	1,192	1,785	4,569	10,095	8,640	11,487
1 Enteric fever	..	M	36	—	—	1	1	9	13	10	2	—
		F	47	—	—	1	5	10	16	12	1	2
2 Small-pox	M	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1,002	214	410	286	90	2	—	—	—	—
		F	842	146	354	252	89	—	1	—	—	—
4 Scarlet fever	..	M	67	4	6	27	24	3	2	1	—	—
		F	63	1	6	27	22	4	2	1	—	—
5 Whooping cough	..	M	256	119	89	39	9	—	—	—	—	—
		F	332	135	102	71	23	—	—	—	1	—
6 Diphtheria	..	M	385	26	53	129	163	7	4	3	—	—
		F	379	19	46	120	178	4	5	5	—	2
7 Influenza	M	525	17	16	9	9	27	87	196	87	77
		F	518	14	4	6	13	18	65	152	124	122
8 Encephalitis lethargica	..	M	62	—	1	4	6	10	13	21	6	1
		F	47	—	—	2	2	9	12	15	7	—
9 Meningococcal meningitis	..	M	55	18	12	6	7	4	4	4	—	—
		F	58	28	7	6	5	5	3	3	—	1
10 Tuberculosis of respiratory system	..	M	3,656	15	17	11	41	624	1,444	1,317	161	26
		F	2,651	9	11	10	78	806	1,127	508	75	27
11 Other tuberculous diseases	M	564	45	68	86	118	98	82	56	7	4
		F	522	41	49	90	105	83	74	49	16	15
12 Cancer, malignant disease	M	5,298	1	5	8	11	42	302	2,405	1,713	811
		F	6,090	2	3	4	13	25	593	2,658	1,618	1,174
13 Rheumatic fever	M	120	1	1	4	49	21	24	14	5	1
		F	170	—	1	5	59	46	26	23	9	1
14 Diabetes	M	356	—	—	1	10	9	27	131	122	56
		F	514	—	—	—	4	14	31	182	182	101
15 Cerebral hæmorrhage, &c.	M	1,522	1	1	—	—	5	53	453	571	438
		F	2,258	—	—	—	—	2	43	624	721	868
16 Heart disease	..	M	7,304	1	2	5	71	130	453	2,377	2,236	2,029
		F	8,557	1	—	6	98	196	537	2,036	2,407	3,276
17 Arterio-sclerosis	M	2,321	—	—	—	—	—	22	536	798	965
		F	2,128	—	—	—	—	—	13	351	597	1,167
18 Bronchitis	..	M	2,107	177	31	11	11	5	100	548	534	690
		F	2,059	132	21	8	8	4	40	255	477	1,114
19 Pneumonia (all forms)	M	3,667	779	332	186	68	103	427	1,042	485	245
		F	2,775	614	239	148	77	59	249	519	440	430
20 Other respiratory diseases	M	596	16	7	13	13	12	101	215	112	107
		F	473	16	5	11	8	18	53	90	111	161
21 Ulcer of stomach or duodenum	M	679	2	—	—	—	7	149	395	101	25
		F	235	—	—	—	—	3	32	113	58	29
22 Diarrhœa, &c.	M	686	554	34	14	5	4	14	24	19	18
		F	590	403	46	13	4	14	30	25	22	33
23 Appendicitis and typhlitis..	..	M	312	—	—	16	35	55	75	99	24	8
		F	235	—	—	12	41	28	44	70	28	12
24 Cirrhosis of liver	M	262	2	—	—	—	—	18	158	67	17
		F	198	1	—	—	1	1	18	101	55	21
25 Acute and chronic nephritis	..	M	1,436	1	3	9	18	45	164	568	378	250
		F	1,313	3	1	5	23	42	157	476	335	271
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	198	—	—	—	—	42	154	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—
		F	259	—	—	—	—	39	216	4	—	—
28 Congenital debility and malformation, premature birth..	..	M	1,767	1,723	10	10	12	7	4	1	—	—
		F	1,280	1,239	8	7	9	7	3	6	1	—
29 Suicide	M	671	—	—	—	—	46	175	323	91	36
		F	317	—	—	—	1	21	111	146	32	6
30 Other deaths from violence..	..	M	2,127	89	27	87	227	353	407	510	225	202
		F	1,208	75	29	45	89	82	123	222	218	325
31 Other defined diseases	M	6,989	642	90	111	274	271	736	1,813	1,373	1,679
		F	6,695	422	72	97	237	203	789	1,445	1,102	2,328
32 Causes ill-defined or unknown	..	M	21	3	4	—	2	1	2	4	4	1
		F	14	3	3	—	—	—	2	2	3	1

* See footnote on page 58.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	CITY OF LONDON										THE INNER AND MIDDLE TEMPLES.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	76	5	1	—	—	2	8	37	10	13	2	—	—	—	—	—	—	2	—	—
			F	64	—	—	2	1	1	6	25	15	14	—	—	—	—	—	—	—	—	—	
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria	..	{	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	{	M	10	—	—	—	—	1	2	6	1	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	
11 Other tuberculous diseases	{	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
12 Cancer, malignant disease	{	M	6	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	—	—	—	3	6	1	—	—	—	—	—	—	—	—	—	—	—	
13 Rheumatic fever ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15 Cerebral hæmorrhage, &c.	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	
16 Heart disease	..	{	M	17	—	—	—	1	—	8	4	4	1	—	—	—	—	—	—	1	—	—	
		F	14	—	—	—	—	—	—	4	4	6	—	—	—	—	—	—	—	—	—		
17 Arterio-sclerosis	{	M	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—	
		F	7	—	—	—	—	—	—	3	2	2	—	—	—	—	—	—	—	—	—		
18 Bronchitis	..	{	M	5	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
19 Pneumonia (all forms)	..	{	M	4	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	
20 Other respiratory diseases	{	M	4	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum	..	{	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Diarrhoea, &c.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver ..	{	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	..	{	M	6	—	—	—	—	—	4	1	1	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth..	..	{	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
29 Suicide	{	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
31 Other defined diseases	{	M	16	3	—	—	—	1	7	3	2	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	1	—	—	—	2	3	2	—	—	—	—	—	—	—	—	—	—	
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

(Civilian population only).

CAUSES OF DEATH.		Sex.	BATTERSEA.										BERMONDSEY.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	980	98	33	24	27	47	103	281	201	166	817	109	52	38	23	40	95	219	154	87
			F	974	78	24	26	19	54	97	215	190	271	707	70	51	28	30	40	62	136	149	141
1	Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	{	M	16	3	7	4	2	—	—	—	—	48	15	19	13	1	—	—	—	—	
			F	20	5	7	8	—	—	—	—	—	—	39	7	21	9	2	—	—	—	—	
4	Scarlet fever	..	{	M	3	—	—	2	—	1	—	—	—	2	—	1	1	—	—	—	—	—	
			F	2	—	—	—	1	1	—	—	—	—	2	—	—	2	—	—	—	—	—	
5	Whooping cough	..	{	M	7	3	3	1	—	—	—	—	—	13	5	5	3	—	—	—	—	—	
			F	7	3	2	1	1	—	—	—	—	—	15	4	6	2	3	—	—	—	—	
6	Diphtheria	..	{	M	14	—	4	5	4	1	—	—	—	9	—	6	1	2	—	—	—	—	
			F	12	—	2	6	3	—	1	—	—	—	8	—	3	3	2	—	—	—	—	
7	Influenza	{	M	8	1	—	—	—	2	1	1	3	2	—	—	—	—	2	—	—	—	
			F	6	—	—	—	—	—	1	—	1	4	2	—	—	1	—	—	1	—	—	
8	Encephalitis lethargica	..	{	M	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	
9	Meningococcal meningitis	..	{	M	2	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
			F	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	
10	Tuberculosis of respiratory system	{	M	76	—	1	—	1	19	25	26	4	—	85	—	1	—	1	14	39	29	1	—
			F	62	—	—	—	1	28	22	11	—	—	63	—	—	3	24	20	14	—	2	
11	Other tuberculous diseases	{	M	10	1	—	5	—	3	1	—	—	14	2	2	4	1	3	1	—	1	—
			F	13	1	2	4	2	2	1	1	—	—	5	1	—	1	1	—	1	—	—	1
12	Cancer, malignant disease	{	M	112	—	—	—	—	3	54	34	21	84	1	—	1	—	2	4	45	23	8
			F	135	—	—	—	1	2	6	60	30	36	57	—	—	—	—	8	21	24	4	4
13	Rheumatic fever ..	{	M	2	—	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—	—
			F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	1	—	1	—	
14	Diabetes	{	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	3	1	—	—
			F	16	—	—	—	—	—	3	5	5	3	6	—	—	—	—	2	1	3	—	—
15	Cerebral hæmorrhage, &c.	{	M	22	—	—	—	1	2	7	9	3	37	—	—	—	—	3	12	16	6	
			F	36	—	—	—	—	—	—	11	9	16	47	—	—	—	—	—	8	23	16	
16	Heart disease	..	{	M	214	—	—	—	5	12	62	66	69	110	—	1	—	1	3	3	37	39	26
			F	206	—	—	—	1	4	15	41	50	95	130	—	—	3	5	8	41	41	32	
17	Arterio-sclerosis ..	{	M	34	—	—	—	—	—	1	9	10	14	35	—	—	—	—	—	7	14	14	
			F	45	—	—	—	—	—	—	8	16	21	23	—	—	—	—	—	4	4	15	
18	Bronchitis	..	{	M	45	4	—	1	1	2	13	13	11	40	2	—	1	—	—	5	10	12	10
			F	57	4	1	—	—	—	1	5	16	30	45	1	—	—	—	1	5	14	24	
19	Pneumonia (all forms)	{	M	79	19	14	5	2	3	8	21	4	3	107	36	16	7	—	7	5	20	14
			F	67	19	8	3	—	3	9	9	10	6	69	21	16	7	—	1	3	10	6	
20	Other respiratory diseases	{	M	18	—	—	—	—	5	4	6	3	8	—	—	—	—	—	2	4	2	—
			F	13	1	—	—	—	4	—	1	4	3	6	—	—	—	—	1	1	1	3	
21	Ulcer of stomach or duodenum	..	{	M	13	—	—	—	—	3	9	1	—	4	—	—	—	—	—	2	2	—	—
			F	6	—	—	—	—	—	—	3	2	1	6	—	—	—	—	1	1	3	1	
22	Diarrhœa, &c.	{	M	20	17	1	—	1	—	—	—	1	—	9	7	1	—	—	—	—	1	—	—
			F	9	8	—	—	—	—	1	—	—	—	7	5	2	—	—	—	—	—	—	
23	Appendicitis and typhlitis	{	M	8	—	—	1	3	1	2	—	—	6	—	—	—	3	1	—	2	—	—
			F	8	—	—	—	—	2	1	4	1	—	3	—	—	2	1	—	—	—	—	
24	Cirrhosis of liver ..	{	M	6	—	—	—	—	—	—	4	2	—	6	—	—	—	—	—	4	1	1	
			F	5	—	—	—	—	—	1	2	2	—	2	—	—	—	—	—	2	—	—	
25	Acute and chronic nephritis	..	{	M	22	—	—	—	—	4	6	6	6	27	—	—	—	2	1	5	8	8	3
			F	25	—	—	—	—	1	4	6	9	5	17	—	—	2	2	2	1	4	5	3
26	Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	1	—	—	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	4	—	—	—	—
28	Congenital debility and malformation, premature birth	{	M	37	36	—	—	1	—	—	—	—	28	28	—	—	—	—	—	—	—	—
			F	28	27	—	—	1	—	—	—	—	—	20	19	—	1	—	—	—	—	—	—
29	Suicide	{	M	10	—	—	—	1	3	5	1	—	4	—	—	—	—	2	1	—	1	—
			F	4	—	—	—	—	1	—	1	1	1	3	—	—	—	—	1	2	—	—	—
30	Other deaths from violence	{	M	56	3	—	3	4	8	7	16	10	5	39	3	—	4	6	5	8	9	2
			F	23	—	1	2	—	1	2	4	7	6	30	2	2	—	5	1	1	1	4	14
31	Other defined diseases	{	M	142	10	3	1	2	6	20	41	32	27	91	10	—	3	3	4	14	26	17
			F	158	9	1	2	8	5	21	42	27	43	91	10	1	4	4	3	9	19	20	
32	Causes ill-defined or unknown	..	{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	BETHNAL GREEN.										CAMBERWELL.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	695	106	27	24	17	32	72	206	130	81	1613	139	42	44	45	72	193	470	330	278
			F	622	52	18	14	21	32	68	151	125	141	1492	116	45	37	41	69	156	338	277	413
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	31	8	14	8	1	—	—	—	—	—	55	12	22	18	3	—	—	—	—	—
			F	13	3	4	5	1	—	—	—	—	—	51	6	21	17	7	—	—	—	—	—
4 Scarlet fever	..	{	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
			F	1	—	1	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	{	M	4	3	1	—	—	—	—	—	—	—	10	5	3	1	1	—	—	—	—	—
			F	8	4	3	1	—	—	—	—	—	—	17	7	3	3	4	—	—	—	—	—
6 Diphtheria	..	{	M	3	1	—	1	—	1	—	—	—	—	10	—	2	5	3	—	—	—	—	—
			F	6	2	1	2	1	—	—	—	—	—	12	2	3	2	4	—	—	—	—	1
7 Influenza	{	M	9	—	—	—	—	—	1	6	1	1	15	—	—	2	—	—	3	6	2	2
			F	5	—	—	—	—	1	1	—	2	1	21	—	1	1	2	1	2	9	2	3
8 Encephalitis lethargica	..	{	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	3	2	—	—	—	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	61	1	—	—	2	11	20	25	2	—	138	—	—	—	3	20	63	42	9	1	
		F	44	—	—	—	2	17	18	6	1	—	104	—	1	1	4	30	44	22	2	—	
11 Other tuberculous diseases	{	M	8	—	2	3	2	—	—	1	—	—	17	2	—	3	4	3	1	3	1	—
			F	10	—	—	2	5	3	—	—	—	—	20	2	1	4	2	7	3	1	—	
12 Cancer, malignant disease	{	M	79	—	—	1	—	1	3	43	27	4	185	—	—	1	2	4	11	81	60	26
			F	80	—	—	—	1	—	9	38	20	12	195	—	—	—	—	—	20	81	54	40
13 Rheumatic fever	{	M	3	—	—	—	1	1	1	—	—	—	4	—	—	—	2	—	1	—	1	—
			F	3	—	—	—	1	1	—	1	—	—	5	—	—	—	1	1	1	1	—	
14 Diabetes	{	M	4	—	—	—	—	—	—	2	2	—	13	—	—	—	—	—	2	4	6	1
			F	9	—	—	—	—	—	—	1	7	1	18	—	—	—	—	—	2	9	5	2
15 Cerebral hæmorrhage, &c.	..	{	M	12	—	—	—	—	—	—	2	7	3	55	—	—	—	—	—	2	15	22	16
			F	24	—	—	—	—	—	—	9	8	7	71	—	—	—	—	—	—	21	19	31
16 Heart disease	..	{	M	143	—	—	—	1	2	12	44	49	35	256	—	—	—	1	5	20	87	82	61
			F	173	—	—	—	1	6	16	41	37	72	313	—	—	—	1	13	22	85	80	112
17 Arterio-sclerosis	..	{	M	23	—	—	—	—	—	—	8	7	8	59	—	—	—	—	—	—	20	17	22
			F	23	—	—	—	—	—	—	3	8	12	38	—	—	—	—	—	—	7	10	21
18 Bronchitis	..	{	M	36	3	—	—	1	—	2	11	10	9	80	10	1	—	—	1	7	20	16	25
			F	32	—	—	—	—	—	—	9	8	15	80	8	1	—	1	1	8	18	43	
19 Pneumonia (all forms)	..	{	M	78	24	7	5	2	3	7	19	6	5	134	27	10	7	3	5	16	31	21	14
			F	39	9	4	3	2	1	4	5	6	5	103	28	9	5	1	2	14	21	14	9
20 Other respiratory diseases	{	M	6	—	—	—	—	—	—	2	3	1	22	2	1	—	—	2	4	4	3	6
			F	6	—	—	1	—	1	—	—	3	—	24	1	—	—	1	—	2	5	4	11
21 Ulcer of stomach or duodenum	..	{	M	13	—	—	—	—	—	5	7	1	—	21	—	—	—	—	—	2	16	1	2
			F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	2	—	
22 Diarrhœa, &c.	..	{	M	21	19	—	2	—	—	—	—	—	—	23	20	1	—	—	—	—	1	1	—
			F	14	12	2	—	—	—	—	—	—	—	16	12	2	—	—	1	—	1	—	
23 Appendicitis and typhlitis..	..	{	M	5	—	—	1	—	2	1	1	—	—	14	—	—	—	3	2	5	3	—	1
			F	1	—	—	—	—	—	—	1	—	—	10	—	—	—	2	2	—	4	2	—
24 Cirrhosis of liver	{	M	3	—	—	—	—	—	—	3	—	—	7	—	—	—	—	—	—	5	2	—
			F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	1	4	2	1
25 Acute and chronic nephritis	..	{	M	8	—	—	—	—	—	3	3	1	1	96	—	—	—	1	1	8	37	32	17
			F	26	—	—	—	—	—	1	15	10	—	64	—	—	—	—	—	5	24	17	18
26 Puerperal sepsis	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	3	—	—	—	—	—	3	—	—	—	8	—	—	—	—	3	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth..	..	{	M	33	30	—	1	1	—	1	—	—	—	44	44	—	—	—	—	—	—	—	—
			F	14	13	—	—	—	—	—	1	—	—	34	33	1	—	—	—	—	—	—	—
29 Suicide	{	M	7	—	—	—	—	1	1	3	1	1	27	—	—	—	—	3	7	12	3	2
			F	4	—	—	—	—	—	3	1	—	—	9	—	—	—	—	5	3	1	—	
30 Other deaths from violence..	..	{	M	21	—	1	1	1	5	2	6	2	3	66	1	2	3	8	12	11	17	5	7
			F	17	1	1	—	3	—	—	4	4	4	25	1	—	2	3	2	2	2	7	6
31 Other defined diseases	{	M	81	16	2	1	4	5	12	20	11	10	258	16	—	3	10	12	30	66	46	75
			F	62	5	2	—	4	1	11	16	11	12	229	14	2	1	7	6	18	29	37	115
32 Causes ill-defined or unknown	..	{	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	CHELSEA.										DEPTFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	441	25	8	7	9	14	35	138	96	109	730	86	24	19	27	27	80	217	142	108
	F	420	14	2	5	7	18	44	103	88	139	624	53	22	16	14	27	76	138	137	141
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	1	1	—	—	—	—	—	—	—	16	6	5	3	2	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	14	2	5	6	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	—	1	1	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	10	6	3	—	1	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	6	1	1	2	2	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	7	—	2	4	1	—	—	—	—	—
7 Influenza ..	M	7	—	1	—	—	—	1	3	1	1	4	—	—	—	—	1	—	1	—	2
	F	10	—	—	—	—	1	1	3	2	3	6	—	—	—	—	1	2	1	2	—
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	36	1	—	—	1	3	12	11	6	2	65	—	1	—	1	13	24	19	7	—
	F	26	—	—	1	—	9	11	5	—	—	42	—	—	—	—	12	23	6	1	—
11 Other tuberculous diseases ..	M	7	1	1	1	1	1	2	—	—	—	18	1	2	5	4	—	5	1	—	—
	F	7	—	—	2	1	2	—	—	1	1	6	—	1	—	2	3	—	—	—	—
12 Cancer, malignant disease ..	M	65	—	—	—	—	—	4	27	22	12	76	—	—	—	—	—	7	38	20	11
	F	63	—	—	—	—	—	7	25	18	13	76	—	—	—	—	—	11	22	26	17
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	—	1	1	2	—
	F	9	—	—	—	—	—	—	6	2	1	5	—	—	—	—	—	—	2	3	—
15 Cerebral hæmorrhage, &c. ..	M	23	—	—	—	—	—	—	7	9	7	21	—	—	—	—	—	—	7	10	4
	F	18	—	—	—	—	—	—	5	7	6	35	—	—	—	—	—	—	18	5	12
16 Heart disease ..	M	92	—	—	—	—	2	26	25	39	131	—	—	—	1	4	3	45	44	34	—
	F	107	—	—	1	1	2	19	32	52	119	—	—	—	3	4	9	37	34	32	—
17 Arterio-sclerosis ..	M	23	—	—	—	—	—	9	7	7	50	—	—	—	—	—	3	16	19	12	—
	F	19	—	—	—	—	1	4	2	12	33	—	—	—	—	—	1	7	11	14	—
18 Bronchitis ..	M	18	2	—	—	—	—	—	5	3	8	29	2	1	—	—	—	3	6	10	7
	F	10	—	—	—	—	—	—	—	—	10	41	5	—	—	—	—	4	11	21	—
19 Pneumonia (all forms) ..	M	37	3	2	1	—	1	5	14	6	5	62	14	9	1	3	—	9	18	6	2
	F	13	4	—	—	—	—	1	3	1	4	56	11	7	2	1	1	5	11	10	8
20 Other respiratory diseases ..	M	3	—	—	—	—	—	—	1	—	2	8	—	—	1	—	—	1	3	1	2
	F	3	—	—	—	—	—	1	2	—	—	4	—	—	1	—	—	—	1	2	—
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	1	1	4	—	—	6	—	—	—	—	—	1	3	2	—
	F	5	—	—	—	—	—	1	4	—	—	3	—	—	—	—	1	—	1	1	—
22 Diarrhoea, &c. ..	M	—	—	—	—	—	—	—	—	—	—	17	13	—	2	—	—	1	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	8	6	1	—	—	—	1	—	—	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	1	1	1	—	—	6	—	—	—	—	1	—	4	1	—
	F	10	—	—	1	1	1	1	3	3	—	2	—	—	—	—	—	1	—	1	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	12	1	—	—	—	—	—	4	5	2	15	—	—	—	—	—	1	9	4	1
	F	9	—	—	—	—	—	—	5	—	4	15	—	—	—	—	1	2	7	2	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	10	10	—	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	10	9	—	—	1	—	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	1	1	1	—	—	9	—	—	—	—	—	2	6	1	—
	F	6	—	—	—	—	—	2	2	1	—	2	—	—	—	—	—	—	1	1	—
30 Other deaths from violence ..	M	24	—	—	2	5	2	2	6	1	6	30	1	—	1	4	4	11	5	1	3
	F	20	1	—	1	—	—	1	2	6	9	18	2	—	—	—	—	3	3	5	5
31 Other defined diseases ..	M	60	6	2	1	—	4	4	18	8	17	110	12	1	3	7	4	8	31	14	30
	F	68	1	2	—	3	—	12	14	12	24	93	9	2	1	4	1	9	17	21	29
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	GREENWICH.										HACKNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	603	60	24	15	12	38	64	171	112	107	1300	142	24	24	31	61	133	376	266	243
	F	556	36	18	14	13	35	47	134	110	149	1251	94	20	28	37	51	139	293	267	322
1 Enteric fever .. {	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	13	—	7	6	—	—	—	—	—	—	17	5	7	5	—	—	—	—	—	
	F	13	2	5	5	1	—	—	—	—	—	11	3	3	4	1	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—	
5 Whooping cough .. {	M	3	1	2	—	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	
	F	5	2	2	—	1	—	—	—	—	—	7	5	1	1	—	—	—	—	—	
6 Diphtheria .. {	M	10	4	2	2	1	—	—	1	—	—	13	—	2	3	8	—	—	—	—	
	F	5	1	—	2	2	—	—	—	—	—	15	—	2	7	6	—	—	—	—	
7 Influenza .. {	M	8	—	—	—	1	2	—	4	—	1	11	1	—	—	1	1	2	5	1	
	F	5	—	—	—	—	—	—	2	2	1	17	1	—	—	—	1	6	6	3	
8 Encephalitis lethargica .. {	M	2	—	—	1	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	63	—	1	1	—	15	20	21	5	—	84	—	—	—	2	16	34	30	2	
	F	45	—	—	—	1	19	12	12	1	—	76	—	—	—	1	21	38	13	3	
11 Other tuberculous diseases .. {	M	8	—	2	1	2	1	1	1	—	—	12	1	1	2	1	2	5	—	—	
	F	5	—	1	1	1	—	2	—	—	—	12	1	1	2	4	3	1	—	—	
12 Cancer, malignant disease .. {	M	70	—	—	—	—	—	3	29	23	15	159	—	—	1	—	8	80	50	19	
	F	74	—	—	—	—	1	2	35	22	14	181	—	—	—	—	16	76	58	31	
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
	F	6	—	—	—	2	3	1	—	—	—	2	—	—	—	1	1	—	—	—	
14 Diabetes .. {	M	3	—	—	—	—	—	—	1	1	1	8	—	—	—	—	—	5	3	—	
	F	8	—	—	—	—	—	—	3	—	5	18	—	—	—	1	—	7	7	3	
15 Cerebral hæmorrhage, &c. .. {	M	15	—	—	—	—	—	1	4	7	3	57	—	—	—	—	1	13	19	24	
	F	43	—	—	—	—	—	—	13	13	17	91	—	—	—	—	1	24	22	44	
16 Heart disease .. {	M	105	—	—	—	1	2	5	41	25	31	233	—	—	—	5	7	13	73	67	
	F	91	—	—	—	—	1	6	23	32	29	225	—	—	—	1	10	17	50	80	
17 Arterio-sclerosis .. {	M	44	—	—	—	—	—	—	14	13	17	73	—	—	—	—	2	11	28	32	
	F	22	—	—	—	—	—	—	3	5	14	53	—	—	—	—	2	8	15	28	
18 Bronchitis .. {	M	16	1	—	—	—	—	1	1	6	7	49	3	—	—	—	—	4	12	13	
	F	29	3	3	—	—	—	1	1	5	16	72	2	—	—	—	1	3	7	18	
19 Pneumonia (all forms) .. {	M	49	13	5	—	—	1	10	9	11	—	126	37	7	5	2	4	17	35	9	
	F	26	4	3	5	—	2	1	4	3	4	95	16	10	6	4	3	8	18	11	
20 Other respiratory diseases .. {	M	6	—	—	—	—	—	—	4	—	2	19	—	—	1	1	1	4	8	2	
	F	9	1	—	—	—	1	1	2	—	4	11	1	—	1	—	—	2	4	3	
21 Ulcer of stomach or duodenum .. {	M	8	—	—	—	—	—	3	4	1	—	22	1	—	—	—	7	10	2	2	
	F	6	—	—	—	—	—	1	4	1	—	6	—	—	—	—	1	3	1	1	
22 Diarrhœa, &c. .. {	M	8	7	1	—	—	—	—	—	—	—	25	23	—	—	—	2	—	—	—	
	F	6	3	1	—	—	—	1	1	—	—	17	14	—	—	—	1	—	—	2	
23 Appendicitis and typhlitis.. {	M	4	—	—	—	1	2	—	—	—	1	10	—	—	—	4	2	3	1	—	
	F	3	—	—	—	—	1	1	1	—	—	4	—	—	1	—	1	1	—	1	
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	2	1	1	7	1	—	—	—	1	5	—	—	
	F	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	1	3	—	—	
25 Acute and chronic nephritis .. {	M	21	—	—	1	1	3	1	8	4	3	59	—	—	—	1	1	4	20	20	
	F	17	—	—	—	—	1	2	5	6	3	47	—	—	—	—	1	6	15	11	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	3	1	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	1	3	—	—	—	11	—	—	—	—	2	9	—	—	
28 Congenital debility and malformation, premature birth.. {	M	18	18	—	—	—	—	—	—	—	—	50	49	1	—	—	—	—	—	—	
	F	17	17	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	
29 Suicide .. {	M	4	—	—	—	—	—	2	2	—	—	18	—	—	—	—	2	4	9	3	
	F	2	—	—	—	—	—	—	2	—	—	12	—	—	—	—	1	5	5	1	
30 Other deaths from violence.. {	M	31	5	2	1	2	8	5	3	2	3	45	2	2	1	3	9	7	6	7	
	F	19	1	1	1	1	1	—	1	7	6	41	7	—	1	1	2	5	11	7	
31 Other defined diseases .. {	M	89	11	2	2	3	4	11	21	13	22	188	14	1	4	6	11	17	48	39	
	F	88	2	2	—	3	3	10	21	12	35	183	16	2	5	13	2	22	42	23	
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	HAMMERSMITH.										HAMPSTEAD.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	820	92	29	11	19	44	84	243	167	131	472	32	6	3	8	9	44	148	106	116
		F	733	64	6	7	13	35	83	168	170	187	532	22	1	3	6	12	54	138	123	173
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ..	M	17	4	9	3	1	—	—	—	—	—	5	1	1	1	2	—	—	—	—	—
		F	6	4	1	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4	Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria ..	M	3	—	—	2	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7	Influenza ..	M	13	—	2	—	—	—	3	2	4	2	7	—	—	—	—	1	—	1	2	3
		F	9	—	—	—	—	—	1	4	2	2	10	1	—	—	—	—	1	4	2	2
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9	Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	72	—	2	—	1	15	29	22	3	—	20	—	—	—	—	1	8	11	—	—
		F	49	—	—	—	2	22	17	5	3	—	19	—	—	—	—	5	11	3	—	—
11	Other tuberculous diseases ..	M	11	—	—	2	—	7	1	1	—	—	2	1	—	—	1	—	—	—	—	—
		F	3	—	1	1	—	—	—	1	—	—	5	1	—	—	1	—	3	—	—	—
12	Cancer, malignant disease ..	M	104	—	1	—	—	1	6	43	32	21	69	—	—	—	1	—	2	31	22	13
		F	103	—	—	—	—	—	10	48	30	15	99	—	—	—	1	—	8	40	28	22
13	Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	1	1	—	—	—	3	—	1	—	1	—	—	2	—	—
14	Diabetes ..	M	9	—	—	—	—	1	1	4	3	—	5	—	—	—	—	—	1	1	2	1
		F	4	—	—	—	—	—	1	—	2	1	14	—	—	—	—	1	1	5	4	3
15	Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	1	11	10	7	17	—	—	—	—	—	—	3	5	9
		F	42	—	—	—	—	—	—	12	15	15	24	—	—	—	—	—	—	8	8	8
16	Heart disease ..	M	129	—	—	—	—	2	6	49	41	31	79	—	—	—	—	—	4	26	26	23
		F	150	—	—	—	1	2	8	36	48	55	106	—	—	—	1	—	6	17	35	47
17	Arterio-sclerosis ..	M	29	—	—	—	—	—	—	6	8	15	34	—	—	—	—	—	—	10	9	15
		F	41	—	—	—	—	—	2	4	13	22	34	—	—	—	—	—	—	7	12	15
18	Bronchitis ..	M	40	5	2	—	—	—	1	9	10	13	25	1	—	—	—	—	1	7	4	12
		F	36	1	—	—	—	—	—	5	12	18	26	—	—	—	—	—	—	1	4	21
19	Pneumonia (all forms) ..	M	69	21	4	3	2	2	7	14	11	5	36	7	1	1	—	2	8	8	7	2
		F	36	6	1	1	—	—	5	11	7	5	27	2	—	—	1	—	3	10	5	6
20	Other respiratory diseases ..	M	14	—	—	—	—	—	3	4	2	5	10	—	1	—	—	—	2	2	—	5
		F	7	—	—	—	—	1	2	—	2	2	3	—	—	—	—	—	—	—	—	3
21	Ulcer of stomach or duodenum ..	M	25	—	—	—	—	—	7	14	3	1	4	—	—	—	—	—	—	3	—	1
		F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	1	—	—	—
22	Diarrhœa, &c. ..	M	16	13	2	1	—	—	—	—	—	—	7	5	—	—	—	—	1	—	1	—
		F	17	13	1	—	—	—	1	—	1	1	4	2	—	—	—	—	—	—	—	2
23	Appendicitis and typhlitis..	M	4	—	—	—	—	—	—	3	—	1	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
24	Cirrhosis of liver ..	M	6	—	—	—	—	—	—	3	2	1	5	—	—	—	—	—	1	3	1	—
		F	7	—	—	—	—	—	—	2	4	1	1	—	—	—	—	—	1	—	—	—
25	Acute and chronic nephritis ..	M	33	—	—	—	—	—	2	20	9	2	15	—	—	—	—	1	1	3	4	6
		F	22	—	—	—	—	—	2	9	7	4	20	—	—	—	—	2	9	4	4	5
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	—	1	—	—	—	—	1	—	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	—	5	—	—	—	—	5	—	—	—	—
28	Congenital debility and malformation, premature birth..	M	32	32	—	—	—	—	—	—	—	—	15	14	1	—	—	—	—	—	—	—
		F	28	26	1	—	—	1	—	—	—	—	8	8	—	—	—	—	—	—	—	—
29	Suicide ..	M	7	—	—	—	—	1	1	3	2	—	5	—	—	—	—	—	2	2	—	1
		F	4	—	—	—	—	—	2	1	1	—	10	—	—	—	—	2	1	4	3	—
30	Other deaths from violence..	M	40	2	1	—	9	9	6	8	4	1	21	—	—	—	2	—	6	7	3	3
		F	29	2	—	3	4	3	7	2	2	6	16	2	1	—	—	2	3	5	2	1
31	Other defined diseases ..	M	112	13	5	—	3	6	9	27	23	26	83	3	1	—	1	3	6	27	20	22
		F	113	9	—	—	3	2	15	24	20	40	88	5	—	—	1	2	9	19	14	38
32	Causes ill-defined or unknown ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(Civilian population only).

CAUSES OF DEATH.	Sex.	HOLBORN.											ISLINGTON.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..	M	292	15	4	7	1	7	30	109	75	44	2077	201	89	74	55	79	216	607	407	349		
	F	239	12	7	5	7	13	23	66	55	51	2095	170	71	52	51	67	230	517	423	514		
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..	M	2	1	—	1	—	—	—	—	—	—	99	14	48	34	3	—	—	—	—	—		
	F	6	—	2	3	1	—	—	—	—	—	59	8	30	15	6	—	—	—	—	—		
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	2	1	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	4	—	2	1	1	—	—	—	—	—		
5 Whooping cough ..	M	3	—	3	—	—	—	—	—	—	—	11	8	2	1	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	14	7	4	2	1	—	—	—	—	—		
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	11	2	3	—	6	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	11	—	3	4	4	—	—	—	—	—		
7 Influenza ..	M	1	—	—	—	—	—	—	—	1	—	16	1	—	—	—	2	2	6	4	1		
	F	2	—	—	—	—	—	1	—	1	—	24	1	—	—	1	1	5	4	3	9		
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—		
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	5	2	1	—	1	—	1	—	—	—		
10 Tuberculosis of respiratory system	M	30	—	—	—	—	4	9	17	—	—	184	—	—	—	3	32	70	71	7	1		
	F	11	—	—	—	—	4	4	3	—	—	128	—	—	3	2	27	63	24	7	2		
11 Other tuberculous diseases ..	M	3	—	—	1	—	1	—	1	—	—	25	1	6	3	4	5	4	2	—	—		
	F	3	—	2	—	—	—	—	1	—	—	27	4	3	8	5	2	1	3	—	1		
12 Cancer, malignant disease ..	M	41	—	—	—	—	—	1	19	14	7	237	—	—	—	1	1	15	103	80	37		
	F	25	—	—	—	—	—	4	16	3	2	292	—	—	—	—	3	35	131	78	45		
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	10	—	—	1	6	—	1	2	—	—		
	F	1	—	—	—	1	—	—	—	—	—	8	—	—	—	4	—	1	2	1	—		
14 Diabetes ..	M	4	—	—	—	—	—	1	1	2	—	8	—	—	—	—	—	1	4	2	1		
	F	2	—	—	—	—	—	—	2	—	—	20	—	—	—	1	1	1	8	5	4		
15 Cerebral hæmorrhage, &c. ..	M	9	—	—	—	—	—	—	5	2	2	84	—	—	—	—	1	5	21	25	32		
	F	15	—	—	—	—	—	—	3	6	6	97	—	—	—	—	—	2	21	39	35		
16 Heart disease ..	M	46	—	—	—	—	1	3	16	17	9	306	—	—	—	3	5	24	98	101	75		
	F	28	—	—	—	—	1	2	6	10	9	404	—	—	—	4	7	20	126	108	139		
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	—	1	8	9	76	—	—	—	—	—	1	17	27	31		
	F	19	—	—	—	—	—	—	2	6	11	70	—	—	—	—	—	1	12	25	32		
18 Bronchitis ..	M	29	—	—	—	—	—	1	9	10	9	113	1	2	1	1	1	2	35	35	35		
	F	23	—	—	—	—	—	—	3	9	11	116	4	1	—	1	—	3	14	35	58		
19 Pneumonia (all forms) ..	M	28	2	1	3	—	—	4	9	8	1	200	33	23	8	5	1	17	61	30	22		
	F	22	2	2	—	2	1	2	6	5	2	150	37	17	11	5	2	14	29	22	13		
20 Other respiratory diseases ..	M	6	—	—	—	—	—	—	6	—	—	46	—	—	2	—	1	5	13	6	19		
	F	1	—	—	1	—	—	—	—	—	—	47	—	—	—	—	1	5	6	7	28		
21 Ulcer of stomach or duodenum ..	M	4	1	—	—	—	—	1	2	—	—	33	—	—	—	—	—	6	21	4	2		
	F	3	—	—	—	—	—	—	1	2	—	9	—	—	—	—	—	2	3	3	1		
22 Diarrhœa, &c. ..	M	4	3	—	—	—	—	—	—	—	1	46	40	1	—	—	—	—	2	1	2		
	F	3	3	—	—	—	—	—	—	—	—	31	24	3	—	—	—	1	2	1	—		
23 Appendicitis and typhlitis..	M	1	—	—	—	—	—	1	—	—	—	12	—	—	1	1	1	4	5	—	—		
	F	2	—	—	1	—	—	1	—	—	—	6	—	—	—	1	—	2	1	1	—		
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	13	—	—	—	—	—	2	5	4	2		
	F	3	—	—	—	—	—	—	3	—	—	9	1	—	—	—	—	5	3	—	—		
25 Acute and chronic nephritis ..	M	10	—	—	—	—	—	3	6	—	1	65	—	1	—	—	1	7	26	13	17		
	F	8	—	—	—	—	2	1	3	2	—	64	—	—	—	1	1	6	24	22	10		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	9	—	—	—	—	2	6	1	—	—		
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	15	—	—	—	—	3	12	—	—	—		
28 Congenital debility and malformation, premature birth..	M	4	4	—	—	—	—	—	—	—	—	70	69	—	1	—	—	—	—	—	—		
	F	7	6	—	—	—	1	—	—	—	—	68	68	—	—	—	—	—	—	—	—		
29 Suicide ..	M	6	—	—	—	—	—	3	1	2	—	23	—	—	—	—	2	4	12	5	—		
	F	6	—	—	—	—	—	3	3	—	—	11	—	—	—	—	1	3	6	—	1		
30 Other deaths from violence..	M	5	—	—	—	—	—	1	2	—	2	91	8	—	9	8	14	14	24	11	3		
	F	6	—	—	—	—	1	—	2	1	2	63	3	3	2	3	1	9	14	11	17		
31 Other defined diseases ..	M	34	3	—	1	—	1	2	13	11	3	292	24	3	11	13	12	29	79	52	69		
	F	41	1	—	3	2	5	12	12	10	8	329	11	4	6	10	12	37	80	52	117		
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	KENSINGTON.										LAMBETH.											
			All Ages.	Ages.										All Ages.	Ages.									
				0—	1—	2—	5—	15—	25—	45—	65—	75—	0—		1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..		M	1095	134	46	25	20	42	105	302	229	192	1906	194	36	49	39	65	226	606	387	304		
		F	1236	84	31	24	17	29	112	298	264	377	1762	114	33	38	56	65	180	412	369	495		
1	Enteric fever ..	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1		
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles ..	M	36	5	20	10	1	—	—	—	—	—	28	5	8	12	3	—	—	—	—	—		
		F	23	4	12	5	2	—	—	—	—	—	33	11	7	10	5	—	—	—	—	—		
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—		
		F	2	—	—	2	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—		
5	Whooping cough ..	M	5	2	2	1	—	—	—	—	—	—	22	8	4	9	1	—	—	—	—	—		
		F	5	2	2	1	—	—	—	—	—	—	16	4	4	5	3	—	—	—	—	—		
6	Diphtheria ..	M	7	—	3	2	2	—	—	—	—	—	15	3	3	4	4	—	1	—	—	—		
		F	8	—	3	3	1	—	1	—	—	—	9	—	—	3	6	—	—	—	—	—		
7	Influenza ..	M	9	—	—	—	—	1	1	4	2	1	25	1	—	—	—	1	5	14	3	1		
		F	18	1	1	1	—	—	—	1	6	8	17	—	—	—	—	1	1	6	3	6		
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—		
		F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—	—		
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10	Tuberculosis of respiratory system	M	67	—	1	—	—	8	28	28	2	—	170	2	—	—	2	23	64	71	6	2		
		F	40	—	—	—	—	11	17	11	1	—	106	1	—	—	1	28	48	24	3	1		
11	Other tuberculous diseases ..	M	13	1	2	2	3	3	—	2	—	—	27	3	3	2	6	4	4	5	—	—		
		F	12	2	1	2	—	—	4	1	1	1	18	1	2	3	7	—	2	2	—	1		
12	Cancer, malignant disease ..	M	119	—	—	—	—	1	6	49	46	17	248	—	—	—	—	2	16	110	82	38		
		F	199	—	—	1	1	1	16	86	52	42	254	—	1	1	—	2	23	110	62	55		
13	Rheumatic fever ..	M	3	—	—	—	1	1	—	1	—	—	3	—	—	1	1	—	1	—	—	—		
		F	3	—	—	1	2	—	—	—	—	—	9	—	—	1	2	4	1	1	—	—		
14	Diabetes ..	M	6	—	—	—	—	—	—	3	1	2	14	—	—	—	—	—	1	8	4	1		
		F	17	—	—	—	—	—	1	3	6	7	17	—	—	—	—	—	1	3	8	5		
15	Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	1	8	12	8	63	—	—	—	—	—	4	26	22	11		
		F	64	—	—	—	—	—	2	23	18	21	90	—	—	—	—	—	5	27	28	30		
16	Heart disease ..	M	176	—	—	—	1	2	14	55	59	45	288	—	—	—	1	4	17	88	96	82		
		F	257	—	—	—	3	6	11	48	69	120	393	—	—	—	3	10	25	79	124	152		
17	Arterio-sclerosis ..	M	73	—	—	—	—	—	—	16	21	36	93	—	—	—	—	—	1	20	29	43		
		F	88	—	—	—	—	—	—	9	32	47	88	—	—	—	—	—	—	18	30	40		
18	Bronchitis ..	M	54	4	1	—	—	1	3	14	16	15	62	11	—	1	—	—	3	14	14	19		
		F	49	1	3	—	—	—	2	10	10	23	76	6	2	—	—	1	1	16	11	39		
19	Pneumonia (all forms) ..	M	103	35	9	5	1	4	10	21	10	8	156	30	12	12	5	4	13	45	23	12		
		F	86	17	6	7	—	2	8	9	19	18	113	19	12	6	7	3	11	19	21	15		
20	Other respiratory diseases ..	M	6	—	—	—	—	—	2	2	1	1	28	1	1	—	—	—	5	13	4	4		
		F	13	1	—	—	—	—	1	1	2	8	15	—	1	1	—	—	1	4	3	5		
21	Ulcer of stomach or duodenum ..	M	19	—	—	—	—	—	3	11	5	—	23	—	—	—	—	—	6	12	5	—		
		F	11	—	—	—	—	—	1	6	3	1	13	—	—	—	—	—	2	4	2	5		
22	Diarrhoea, &c. ..	M	15	10	2	—	1	—	—	2	—	—	21	16	—	—	—	—	4	1	—	—		
		F	13	9	—	—	—	1	—	3	—	—	25	17	2	3	—	—	1	1	—	1		
23	Appendicitis and typhlitis..	M	4	—	—	1	—	—	2	1	—	—	16	—	—	1	1	3	3	7	1	—		
		F	3	—	—	—	—	—	—	2	1	—	5	—	—	2	2	—	—	1	—	—		
24	Cirrhosis of liver ..	M	9	—	—	—	—	—	—	5	3	1	18	—	—	—	—	—	1	13	2	2		
		F	6	—	—	—	—	—	2	3	—	1	11	—	—	—	—	—	2	6	2	1		
25	Acute and chronic nephritis ..	M	31	—	1	—	—	2	4	9	7	8	60	—	—	—	1	4	12	23	14	6		
		F	40	—	—	—	—	—	4	14	10	12	56	1	—	1	1	—	7	16	13	17		
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	2	2	—	—	—		
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	4	—	—	—	7	—	—	—	—	—	7	—	—	—		
28	Congenital debility and malformation, premature birth..	M	60	60	—	—	—	—	—	—	—	—	86	86	—	—	—	—	—	—	—	—		
		F	32	32	—	—	—	—	—	—	—	—	42	37	2	—	2	—	—	1	—	—		
29	Suicide ..	M	18	—	—	—	—	1	5	11	1	—	30	—	—	—	—	—	6	19	4	1		
		F	10	—	—	—	—	1	3	5	1	—	10	—	—	—	—	—	1	8	1	—		
30	Other deaths from violence..	M	62	3	1	3	9	9	11	13	6	7	85	4	2	2	4	7	22	25	11	8		
		F	52	3	2	1	—	3	8	16	6	13	53	1	—	2	5	2	4	8	8	23		
31	Other defined diseases ..	M	169	14	4	1	1	9	15	47	35	43	316	22	3	4	9	11	36	91	66	74		
		F	176	12	1	—	7	4	24	47	26	55	274	16	—	2	10	8	34	56	50	98		
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	LEWISHAM.										PADDINGTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	957	87	14	21	32	32	116	297	185	173	910	104	33	17	19	35	87	289	176	150
		F	1036	71	16	19	20	40	111	208	220	331	981	82	27	26	12	40	84	251	205	254
1	Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	1	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	16	4	3	7	2	—	—	—	—	—	29	9	11	6	3	—	—	—	—	
		F	19	—	8	10	1	—	—	—	—	—	42	5	17	18	2	—	—	—	—	
4	Scarlet fever ..	M	2	—	—	2	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	
		F	2	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough ..	M	8	6	2	—	—	—	—	—	—	—	6	4	1	—	1	—	—	—	—	
		F	7	2	2	3	—	—	—	—	—	—	7	3	3	1	—	—	—	—	—	
6	Diphtheria ..	M	8	—	—	4	3	—	—	1	—	—	5	2	1	2	—	—	—	—	—	
		F	7	2	—	1	3	—	—	—	—	1	2	—	—	1	1	—	—	—	—	
7	Influenza ..	M	8	—	—	—	—	—	1	5	1	1	12	1	2	—	—	3	3	1	2	
		F	12	—	1	—	—	1	—	3	5	2	15	—	—	—	—	1	6	3	5	
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	M	1	—	1	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	86	1	—	—	—	17	34	29	3	2	57	—	—	—	7	19	30	—	1	
		F	69	—	—	—	1	22	32	11	2	1	48	1	—	—	18	20	7	1	—	
11	Other tuberculous diseases ..	M	13	—	2	1	6	1	2	1	—	—	6	—	1	2	—	1	—	2	—	
		F	10	1	—	1	3	2	1	—	1	1	5	—	1	—	1	—	1	1	—	
12	Cancer, malignant disease ..	M	103	—	—	—	—	—	8	51	23	21	117	—	—	—	—	8	48	43	18	
		F	149	1	—	—	—	—	13	55	41	39	143	—	—	—	2	12	63	37	23	
13	Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
		F	6	—	—	—	1	1	1	1	2	—	4	—	—	—	2	2	—	—	—	
14	Diabetes ..	M	8	—	—	—	1	—	2	1	3	1	9	—	—	—	—	—	5	4	—	
		F	18	—	—	—	—	—	—	7	7	4	10	—	—	—	—	1	6	3	—	
15	Cerebral hæmorrhage, &c. ..	M	21	—	—	—	—	—	—	4	9	8	22	—	—	—	—	1	6	5	10	
		F	52	—	—	—	—	—	3	10	15	24	57	—	—	—	—	—	12	24	21	
16	Heart disease ..	M	165	—	—	—	4	3	13	49	50	46	142	—	—	—	—	1	5	59	42	
		F	192	—	—	—	—	3	11	41	62	75	194	—	—	—	—	3	14	47	58	
17	Arterio-sclerosis ..	M	53	—	—	—	—	—	—	18	19	16	62	—	—	—	—	—	7	24	31	
		F	44	—	—	—	—	—	1	7	11	25	51	—	—	—	—	—	8	16	27	
18	Bronchitis ..	M	47	1	1	—	—	—	1	9	15	20	30	3	1	—	—	—	3	7	7	
		F	62	2	—	—	—	—	4	4	11	41	38	4	—	—	—	—	5	8	21	
19	Pneumonia (all forms) ..	M	80	11	3	2	4	—	14	26	10	10	87	20	13	1	3	3	7	20	16	
		F	67	13	1	—	3	1	5	13	13	18	64	20	4	3	2	1	2	10	9	
20	Other respiratory diseases ..	M	18	2	—	—	2	1	1	4	4	4	9	1	—	—	—	—	1	6	1	
		F	6	—	—	—	—	—	1	2	2	1	6	—	1	—	—	—	1	1	2	
21	Ulcer of stomach or duodenum ..	M	13	—	—	—	—	—	1	9	2	1	14	—	—	—	—	—	2	11	1	
		F	3	—	—	—	—	—	1	1	1	—	13	—	—	—	—	—	2	7	2	
22	Diarrhœa, &c. ..	M	16	12	1	1	—	—	—	1	—	1	16	15	—	—	—	—	—	1	—	
		F	14	9	—	—	—	—	1	1	1	2	15	8	—	—	—	—	3	1	3	
23	Appendicitis and typhlitis..	M	8	—	—	—	—	—	3	5	—	—	5	—	—	—	1	—	2	—	2	
		F	3	—	—	—	2	—	—	1	—	—	4	—	—	—	—	1	—	3	—	
24	Cirrhosis of liver ..	M	6	—	—	—	—	—	—	6	—	—	2	—	—	—	—	—	1	1	—	
		F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	4	—	1	
25	Acute and chronic nephritis ..	M	37	—	—	—	—	1	4	14	10	8	25	—	—	—	—	1	2	14	3	
		F	29	—	—	—	1	2	3	7	9	7	31	—	—	—	—	1	4	11	6	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	3	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	1	3	—	—	
28	Congenital debility and malformation, premature birth..	M	36	36	—	—	—	—	—	—	—	—	39	37	—	1	1	—	—	—	—	
		F	23	23	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	
29	Suicide ..	M	13	—	—	—	—	1	6	6	—	—	22	—	—	—	—	5	4	12	1	
		F	9	—	—	—	—	—	1	7	1	—	11	—	—	—	—	1	2	6	1	
30	Other deaths from violence..	M	41	2	1	1	4	2	11	16	1	3	49	2	—	3	2	10	12	13	1	
		F	26	1	3	2	3	—	2	5	5	5	30	2	—	—	1	2	5	10	8	
31	Other defined diseases ..	M	149	12	—	3	6	6	15	41	35	31	138	9	3	1	6	7	16	43	24	
		F	194	17	1	1	2	6	20	31	31	85	145	7	1	2	2	7	11	36	26	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	POPULAR.										ST. MARYLEBONE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1090	127	41	40	38	54	115	310	218	147	628	64	17	9	7	9	72	207	149	94
		F	818	104	32	27	31	43	79	194	141	167	610	41	20	8	14	25	51	160	133	158
1	Enteric fever ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	1	1	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	38	10	14	9	5	—	—	—	—	18	9	8	1	—	—	—	—	—	—	
		F	18	4	7	5	2	—	—	—	—	19	5	9	3	2	—	—	—	—	—	
4	Scarlet fever ..	M	2	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
5	Whooping cough ..	M	9	3	5	1	—	—	—	—	—	5	2	3	—	—	—	—	—	—	—	
		F	10	3	4	3	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—	
6	Diphtheria ..	M	13	1	2	7	2	1	—	—	—	6	2	1	1	2	—	—	—	—	—	
		F	12	1	4	2	5	—	—	—	—	6	1	2	—	3	—	—	—	—	—	
7	Influenza ..	M	15	1	1	—	—	2	2	8	1	6	—	—	1	—	—	2	2	—	1	
		F	9	3	1	1	—	—	—	3	1	7	—	—	—	2	—	—	—	2	3	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	90	—	1	1	1	21	34	29	2	56	—	—	—	—	4	22	26	4	—	
		F	63	1	1	—	5	25	23	7	—	30	—	—	—	1	14	10	5	—	—	
11	Other tuberculous diseases ..	M	16	—	1	2	6	3	3	1	—	3	1	—	—	—	—	1	1	—	—	
		F	10	1	—	3	2	1	2	1	—	3	—	—	—	1	—	1	1	—	—	
12	Cancer, malignant disease ..	M	117	—	1	—	—	1	2	49	46	71	—	—	—	—	—	8	29	26	8	
		F	91	—	—	—	1	1	7	43	28	80	—	—	—	—	—	7	43	20	10	
13	Rheumatic fever ..	M	9	—	—	1	3	—	4	—	1	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
14	Diabetes ..	M	5	—	—	—	1	—	1	1	2	2	—	—	—	—	—	—	1	1	—	
		F	6	—	—	—	—	—	1	5	—	8	—	—	—	—	—	—	4	3	1	
15	Cerebral hæmorrhage, &c. ..	M	22	—	—	—	—	—	1	9	9	15	—	—	—	—	—	—	7	6	2	
		F	39	—	—	—	—	—	1	13	15	35	—	—	—	—	—	—	10	9	16	
16	Heart disease ..	M	168	—	—	—	—	1	7	67	50	105	—	—	—	—	1	5	37	40	22	
		F	138	—	—	—	2	3	8	42	34	127	—	—	—	2	1	2	38	38	46	
17	Arterio-sclerosis ..	M	70	—	—	—	—	—	2	13	24	39	—	—	—	—	—	1	7	14	17	
		F	53	—	—	—	—	—	—	7	9	48	—	—	—	—	—	—	5	20	23	
18	Bronchitis ..	M	71	12	1	—	—	—	5	24	17	22	2	—	—	—	—	1	6	4	9	
		F	40	9	1	1	—	—	—	11	6	24	1	—	—	—	—	—	4	1	18	
19	Pneumonia (all forms) ..	M	111	33	8	5	2	3	15	28	15	54	12	4	5	—	—	3	16	9	5	
		F	76	24	8	6	1	1	4	18	9	32	5	5	2	—	—	4	10	3	3	
20	Other respiratory diseases ..	M	14	—	—	1	—	—	5	4	2	15	—	—	—	—	—	1	7	6	1	
		F	16	—	—	—	1	1	1	1	3	12	—	—	—	—	—	3	3	3	3	
21	Ulcer of stomach or duodenum ..	M	15	—	—	—	—	—	3	12	—	8	—	—	—	—	—	4	2	2	—	
		F	3	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—	—	
22	Diarrhœa, &c. ..	M	21	16	4	—	—	—	—	—	1	11	8	—	—	—	—	—	2	1	—	
		F	24	18	4	—	—	—	1	—	1	11	9	1	—	—	—	—	—	1	—	
23	Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	1	3	—	—	
		F	9	—	—	1	5	—	2	—	1	1	—	—	—	1	—	—	—	—	—	
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	1	2	2	6	—	—	—	—	—	2	2	2	—	
		F	1	—	—	—	—	—	—	—	—	7	—	—	—	—	—	1	3	3	—	
25	Acute and chronic nephritis ..	M	34	—	—	2	—	2	3	14	7	18	—	—	—	—	—	1	10	7	—	
		F	31	—	—	—	2	1	3	14	8	15	—	—	—	—	—	1	7	6	1	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	3	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	—	—	2	6	—	—	5	—	—	—	—	2	3	—	—	—	
28	Congenital debility and malformation, premature birth ..	M	39	39	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—	
		F	30	30	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—	
29	Suicide ..	M	9	—	—	—	—	—	3	6	—	12	—	—	—	—	1	1	6	3	1	
		F	5	—	—	—	—	—	3	1	1	5	—	—	—	—	—	1	3	1	—	
30	Other deaths from violence ..	M	60	1	—	5	7	12	13	8	7	28	2	1	1	2	—	10	4	5	3	
		F	19	5	1	2	2	—	1	2	3	17	—	—	—	—	4	1	4	5	3	
31	Other defined diseases ..	M	135	11	3	4	11	8	11	35	30	102	5	—	—	3	2	9	39	19	25	
		F	100	4	1	2	3	5	16	24	19	90	5	1	—	2	1	15	17	18	31	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.		Sex.	SOUTHWARK.										STEPNEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	1322	144	50	29	38	57	145	414	267	178	1549	186	54	47	64	82	151	494	298	173
		F	1033	102	46	30	28	45	109	241	199	233	1359	143	56	47	42	65	143	350	269	244
1 Enteric fever .. {		M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox .. {		M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {		M	27	7	14	5	1	—	—	—	—	—	50	13	17	14	6	—	—	—	—	—
		F	45	8	23	12	2	—	—	—	—	—	50	12	25	10	3	—	—	—	—	—
4 Scarlet fever .. {		M	1	—	—	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—	—
5 Whooping cough .. {		M	15	7	6	2	—	—	—	—	—	—	10	5	4	1	—	—	—	—	—	—
		F	11	4	4	3	—	—	—	—	—	—	16	6	7	3	—	—	—	—	—	—
6 Diphtheria .. {		M	7	—	—	4	3	—	—	—	—	—	11	1	2	5	2	1	—	—	—	—
		F	6	2	1	1	1	1	—	—	—	—	17	1	—	5	9	1	1	—	—	—
7 Influenza .. {		M	18	1	1	—	1	1	3	8	2	1	13	—	1	1	—	—	3	7	1	—
		F	13	—	—	—	—	—	2	3	7	1	14	—	—	—	—	—	3	4	4	3
8 Encephalitis lethargica .. {		M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	4	—	—	1	—	1	2	—	—	—
9 Meningococcal meningitis .. {		M	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
		F	2	1	—	—	—	1	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system {		M	129	1	1	—	3	21	39	55	7	2	155	3	3	2	4	26	46	60	10	1
		F	68	—	1	—	3	18	30	16	—	—	103	—	1	—	6	35	42	15	3	1
11 Other tuberculous diseases .. {		M	21	2	4	2	6	4	2	1	—	—	15	2	2	6	—	1	1	2	1	—
		F	15	1	1	5	5	1	1	—	—	1	9	1	2	2	1	—	2	1	—	—
12 Cancer, malignant disease .. {		M	147	—	—	—	—	—	9	80	48	10	155	—	—	1	—	2	15	75	45	17
		F	109	—	—	—	—	—	9	56	24	20	154	—	—	—	—	—	13	84	34	23
13 Rheumatic fever .. {		M	5	—	—	—	3	2	—	—	—	—	3	—	—	—	1	—	1	1	—	—
		F	4	—	—	—	1	1	1	1	—	—	11	—	—	1	5	4	1	—	—	—
14 Diabetes .. {		M	5	—	—	—	—	—	—	1	2	2	19	—	—	—	—	—	2	6	8	3
		F	16	—	—	—	—	1	—	9	4	2	21	—	—	—	—	—	11	9	1	—
15 Cerebral hæmorrhage, &c. .. {		M	36	—	—	—	—	—	—	12	14	10	36	—	—	—	—	—	1	6	21	8
		F	51	—	—	—	—	—	—	16	14	21	45	—	—	—	—	—	16	15	14	—
16 Heart disease .. {		M	217	—	—	1	5	6	12	70	66	57	262	—	—	1	9	10	15	108	67	52
		F	227	—	—	—	5	11	21	53	62	75	315	—	—	—	6	14	25	87	96	87
17 Arterio-sclerosis .. {		M	55	—	—	—	—	—	1	12	16	26	71	—	—	—	—	—	—	19	22	30
		F	42	—	—	—	—	—	—	6	11	25	70	—	—	—	—	—	1	15	23	31
18 Bronchitis .. {		M	87	8	1	—	—	—	6	36	16	20	86	7	1	1	—	—	5	26	28	18
		F	48	5	1	—	—	—	—	7	14	21	58	5	1	—	—	—	4	10	17	21
19 Pneumonia (all forms) .. {		M	128	31	12	7	1	3	21	27	21	5	135	33	13	7	2	3	10	45	19	3
		F	67	12	11	4	1	—	8	8	15	8	97	31	8	6	1	2	12	15	10	12
20 Other respiratory diseases .. {		M	18	1	2	—	—	—	2	8	3	2	22	—	—	2	1	—	2	10	5	2
		F	9	2	—	—	—	—	2	3	2	—	17	1	—	3	—	—	1	1	7	4
21 Ulcer of stomach or duodenum .. {		M	20	—	—	—	—	1	5	12	2	—	17	—	—	—	—	—	4	9	4	—
		F	7	—	—	—	—	—	—	4	1	2	6	—	—	—	—	—	3	3	—	—
22 Diarrhœa, &c. .. {		M	20	16	1	1	—	—	1	1	—	—	44	36	5	—	—	—	—	—	1	2
		F	16	12	1	—	—	1	—	—	2	—	35	28	3	1	—	—	—	1	1	1
23 Appendicitis and typhlitis .. {		M	6	—	—	1	—	—	1	2	2	—	6	—	—	—	3	1	1	—	1	—
		F	1	—	—	—	—	—	—	—	1	—	4	—	—	1	1	—	—	1	—	—
24 Cirrhosis of liver .. {		M	4	—	—	—	—	—	—	2	2	—	3	—	—	—	—	—	3	—	—	—
		F	5	—	—	—	—	1	—	3	—	1	7	—	—	—	—	1	5	1	—	—
25 Acute and chronic nephritis .. {		M	50	—	—	—	—	1	11	18	14	6	43	—	—	—	1	1	8	18	10	5
		F	49	1	—	—	—	1	8	17	12	10	45	—	—	1	—	2	4	22	10	6
26 Puerperal sepsis .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	5	1	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth .. {		M	50	49	—	—	—	1	—	—	—	—	57	55	1	—	1	—	—	—	—	—
		F	42	42	—	—	—	—	—	—	—	—	42	41	—	—	—	—	—	1	—	—
29 Suicide .. {		M	14	—	—	—	—	2	3	4	3	2	21	—	—	—	—	4	3	9	3	2
		F	8	—	—	—	—	—	3	4	1	—	5	—	—	—	—	2	2	2	1	—
30 Other deaths from violence .. {		M	55	2	2	4	8	6	6	15	8	4	84	1	—	3	18	16	8	26	7	5
		F	32	1	1	2	4	4	2	4	9	5	25	—	3	1	1	—	1	8	4	7
31 Other defined diseases .. {		M	183	19	5	2	5	8	23	49	41	31	221	29	3	3	12	16	24	64	45	25
		F	122	11	—	1	6	3	12	28	20	41	172	16	5	8	8	3	21	48	30	33
32 Causes ill-defined or unknown .. {		M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	3	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	STOKE NEWINGTON.										WANDSWORTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	304	26	4	2	8	15	31	81	64	73	1833	123	28	28	49	81	219	539	398	368
	F	328	21	3	6	—	15	29	84	80	90	1943	106	30	19	37	75	194	440	404	638
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	4	1	—	1	2	—	—	—	—	—	20	3	7	6	4	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	17	4	10	3	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough .. {	M	2	—	2	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	6	4	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	1	1	—	—	—	—	—	—	—	—	11	2	2	3	3	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
7 Influenza .. {	M	6	—	—	—	—	1	1	—	—	4	22	—	—	1	1	—	1	7	6	6
	F	7	—	—	—	—	2	—	2	2	1	23	—	—	—	—	1	3	8	8	3
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	23	—	—	—	1	3	5	13	—	1	136	1	—	—	—	22	63	41	7	2
	F	15	—	—	—	—	6	2	5	2	—	111	—	—	—	2	37	44	21	3	4
11 Other tuberculous diseases .. {	M	2	—	—	—	—	1	—	1	—	—	34	1	—	4	7	9	6	6	1	—
	F	4	—	—	1	—	2	1	—	—	—	15	—	1	6	1	2	1	1	2	1
12 Cancer, malignant disease .. {	M	39	—	—	—	—	—	2	13	16	8	230	—	—	—	1	5	15	104	76	29
	F	47	—	—	—	—	1	3	17	17	9	275	—	1	—	1	—	25	118	67	63
13 Rheumatic fever .. {	M	2	—	—	—	1	—	—	1	—	—	5	—	—	—	3	2	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	6	—	—	—	1	2	—	2	1	—
14 Diabetes .. {	M	6	—	—	—	—	—	—	2	2	2	22	—	—	—	1	—	2	8	8	3
	F	4	—	—	—	—	—	—	2	2	—	30	—	—	—	—	—	1	10	9	10
15 Cerebral hæmorrhage, &c. .. {	M	16	—	—	—	—	—	—	3	7	6	72	—	—	—	—	—	6	16	25	25
	F	22	—	—	—	—	—	—	5	7	10	121	—	—	—	—	—	3	32	41	45
16 Heart disease .. {	M	54	—	—	—	—	2	4	12	13	23	338	—	—	1	2	2	23	85	108	117
	F	79	—	—	—	—	—	5	25	25	24	461	1	—	—	8	9	26	86	111	220
17 Arterio-sclerosis .. {	M	10	—	—	—	—	—	—	4	4	2	70	—	—	—	—	—	1	13	30	26
	F	19	—	—	—	—	—	—	6	3	10	90	—	—	—	—	—	1	18	16	55
18 Bronchitis .. {	M	15	1	1	—	—	—	—	4	4	5	62	3	—	—	—	—	1	19	14	25
	F	13	—	—	—	—	—	1	2	6	4	86	5	—	1	—	—	2	8	20	50
19 Pneumonia (all forms) .. {	M	16	4	1	—	—	—	—	4	4	3	132	19	12	2	4	4	18	39	20	14
	F	11	—	2	1	—	—	—	4	2	2	110	17	11	4	1	3	10	19	23	22
20 Other respiratory diseases .. {	M	11	—	—	—	—	1	2	3	1	4	19	—	—	—	—	—	5	5	9	—
	F	2	—	—	—	—	—	—	—	1	1	31	1	—	—	—	—	4	7	10	9
21 Ulcer of stomach or duodenum .. {	M	7	—	—	—	—	—	1	3	3	—	31	—	—	—	—	—	7	17	7	—
	F	3	—	—	—	—	—	—	—	3	—	6	—	—	—	—	—	—	5	—	1
22 Diarrhoea, &c. .. {	M	1	1	—	—	—	—	—	—	—	—	21	16	—	1	—	—	—	2	—	2
	F	1	1	—	—	—	—	—	—	—	—	22	13	2	—	2	—	2	1	—	—
23 Appendicitis and typhlitis .. {	M	4	—	—	—	—	—	2	2	—	—	11	—	—	1	2	1	2	3	2	—
	F	2	—	—	1	—	—	—	1	—	—	6	—	—	—	1	—	—	1	2	2
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	—	—	2	—	20	—	—	—	—	—	1	14	2	3
	F	2	—	—	—	—	—	—	2	—	—	13	—	—	—	—	—	—	7	5	1
25 Acute and chronic nephritis .. {	M	9	—	—	—	—	2	1	1	2	3	71	—	—	—	1	1	7	32	15	15
	F	9	—	—	—	—	1	3	—	3	2	56	—	—	—	2	1	4	21	14	14
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	—	4	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	13	—	—	—	—	1	10	2	—	—
28 Congenital debility and malformation, premature birth .. {	M	16	15	—	—	—	1	—	—	—	—	62	58	2	—	1	—	1	—	—	—
	F	8	7	—	1	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
29 Suicide .. {	M	4	—	—	—	—	—	2	1	—	1	40	—	—	—	—	1	11	18	9	1
	F	4	—	—	—	—	1	1	2	—	—	9	—	—	—	—	—	6	3	—	—
30 Other deaths from violence .. {	M	9	—	—	—	—	2	2	2	2	1	84	1	—	4	9	22	12	15	8	13
	F	12	3	—	—	—	—	1	2	3	3	54	4	—	—	2	3	7	10	9	19
31 Other defined diseases .. {	M	45	3	—	1	4	2	9	12	4	10	311	16	4	4	9	9	37	94	51	87
	F	51	6	—	—	—	—	8	9	4	24	321	11	3	4	12	12	41	58	63	117
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	BARNSELEY.										BARROW-IN-FURNESS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	439	79	10	15	27	13	45	104	91	55	438	36	6	15	11	18	54	125	89	84
	F	382	53	7	11	14	21	51	94	62	69	345	36	2	8	12	16	44	75	76	76
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
	F	4	—	3	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
6 Diphtheria ..	M	4	—	1	1	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	2	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
7 Influenza ..	M	11	—	—	—	—	—	2	5	1	3	7	—	—	—	—	2	3	1	1	
	F	11	—	—	—	1	1	1	2	3	3	4	—	—	—	—	2	1	1	—	
8 Encephalitis lethargica ..	M	2	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	22	—	—	1	1	5	8	7	—	—	31	—	—	—	2	6	13	10	—	
	F	26	—	—	1	3	7	11	4	—	—	18	—	—	—	1	4	9	2	2	
11 Other tuberculous diseases ..	M	7	1	—	1	2	1	—	2	—	—	7	—	—	2	1	2	1	—	—	
	F	7	—	—	1	3	2	—	1	—	—	3	—	—	1	1	—	—	—	—	
12 Cancer, malignant disease ..	M	39	—	—	—	—	—	3	18	14	4	46	—	—	—	—	4	19	21	2	
	F	49	—	—	—	1	—	7	20	16	5	44	—	—	—	—	6	21	11	6	
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	
14 Diabetes ..	M	4	—	—	—	—	—	1	1	1	1	2	—	—	—	—	—	2	—	—	
	F	5	—	—	—	—	—	—	3	1	1	5	—	—	—	—	—	2	2	1	
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	1	7	8	4	17	—	—	—	—	1	7	4	5	
	F	18	—	—	—	—	—	—	7	7	4	16	—	—	—	—	—	4	5	7	
16 Heart disease ..	M	62	—	—	—	3	2	5	24	21	7	65	—	—	—	—	2	28	20	15	
	F	57	—	—	—	1	—	8	21	12	15	64	—	—	—	3	8	18	25	10	
17 Arterio-sclerosis ..	M	28	—	—	—	—	—	—	6	12	10	57	—	—	—	—	—	11	19	27	
	F	20	—	—	—	—	—	—	4	6	10	33	—	—	—	—	—	1	10	22	
18 Bronchitis ..	M	27	6	4	—	1	—	1	5	6	4	24	2	1	1	1	—	3	2	2	
	F	24	4	1	1	1	—	—	3	7	7	21	4	—	2	—	—	5	2	8	
19 Pneumonia (all forms) ..	M	41	13	4	6	4	—	5	3	4	2	40	8	1	2	1	3	7	11	5	
	F	26	8	3	4	1	2	2	3	1	2	26	6	1	2	1	4	3	2	2	
20 Other respiratory diseases ..	M	3	1	—	—	—	1	—	—	1	—	7	—	—	—	1	1	2	1	1	
	F	3	—	—	—	—	—	1	2	—	—	1	1	—	—	—	—	—	—	—	
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	1	2	1	—	
	F	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	—	1	1	—	
22 Diarrhœa, &c. ..	M	7	5	—	—	1	—	—	—	—	1	3	2	—	—	1	—	—	—	—	
	F	7	4	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	
23 Appendicitis and typhlitis..	M	3	—	—	—	1	1	—	1	—	—	2	—	—	—	1	—	—	—	—	
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	2	—	—	—	—	—	
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	3	1	—	
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	
25 Acute and chronic nephritis ..	M	20	—	—	—	1	1	3	6	5	4	4	—	—	—	—	—	2	2	—	
	F	11	—	—	—	1	—	—	7	3	—	12	—	—	1	4	—	3	1	3	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	5	—	—	—	1	—	—	—	—	1	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	4	—	—	—	
28 Congenital debility and malformation, premature birth..	M	41	41	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	
	F	30	30	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	
29 Suicide ..	M	5	—	—	—	—	—	1	1	3	—	6	—	—	—	1	1	2	2	—	
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
30 Other deaths from violence..	M	26	2	—	3	6	1	8	5	1	—	19	1	—	2	1	2	7	5	—	
	F	7	1	—	1	1	1	1	—	—	2	5	—	—	1	1	1	—	1	1	
31 Other defined diseases ..	M	63	10	1	2	5	1	4	11	14	15	64	4	2	6	1	3	9	12	9	
	F	52	3	—	—	—	5	6	12	6	20	58	8	—	—	2	1	7	13	7	
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	3	1	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	BIRMINGHAM.										BLACKBURN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	5564	642	120	119	143	254	673	1728	1084	801	755	76	14	13	14	30	65	240	203	100
	F	5089	470	119	74	139	214	604	1323	1015	1131	785	63	12	10	16	28	98	214	186	158
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	23	9	8	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	4	9	3	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	72	34	22	15	1	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
	F	94	43	32	16	3	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
6 Diphtheria ..	M	27	1	2	7	15	—	—	2	—	—	7	—	—	5	1	1	—	—	—	—
	F	43	1	2	13	23	1	1	2	—	—	6	—	1	1	3	1	—	—	—	—
7 Influenza ..	M	74	2	3	2	2	6	20	23	8	8	25	—	—	—	—	2	6	9	6	2
	F	57	2	—	2	2	—	10	25	11	5	25	—	—	—	1	1	5	10	7	1
8 Encephalitis lethargica ..	M	18	—	1	1	1	3	7	2	3	—	4	—	—	—	1	1	1	1	—	—
	F	14	—	—	1	2	1	3	3	3	1	4	—	—	—	—	1	1	2	—	—
9 Meningococcal meningitis ..	M	5	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	1	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	504	4	1	3	5	67	209	196	17	2	36	—	—	—	—	9	14	13	—	—
	F	331	1	2	1	3	91	156	70	6	1	45	—	—	—	—	16	24	5	—	—
11 Other tuberculous diseases ..	M	74	7	9	8	14	12	12	10	2	—	10	1	2	—	1	1	3	2	—	—
	F	53	6	8	2	10	10	6	10	1	—	11	—	—	1	3	1	3	2	1	—
12 Cancer, malignant disease ..	M	622	—	1	2	3	10	39	312	194	61	74	—	—	—	—	—	2	34	34	4
	F	702	1	—	—	—	2	84	328	175	112	101	—	—	—	—	—	16	44	30	11
13 Rheumatic fever ..	M	16	—	—	—	6	2	3	3	2	—	—	—	—	—	—	—	—	—	—	—
	F	28	—	—	2	10	10	2	4	—	—	3	—	—	—	—	—	2	1	—	—
14 Diabetes ..	M	43	—	—	—	—	1	4	15	20	3	6	—	—	—	—	—	1	3	2	—
	F	55	—	—	—	1	2	4	19	23	6	10	—	—	—	—	—	—	5	3	2
15 Cerebral hæmorrhage, &c. ..	M	248	—	—	—	—	1	3	83	100	61	37	—	—	—	1	—	1	11	17	7
	F	356	—	—	—	—	1	10	110	115	120	48	—	—	—	—	—	—	19	14	15
16 Heart disease ..	M	836	—	—	1	11	20	65	273	246	220	138	—	—	—	—	4	7	44	49	34
	F	914	—	—	—	10	17	63	264	250	310	163	—	—	—	—	—	8	48	61	46
17 Arterio-sclerosis ..	M	273	—	—	—	—	—	3	71	104	95	63	—	—	—	—	—	—	18	22	23
	F	218	—	—	—	—	—	1	48	71	98	31	—	—	—	—	—	—	4	18	9
18 Bronchitis ..	M	287	22	5	1	—	1	13	72	79	94	38	7	3	—	—	1	—	13	8	6
	F	273	4	1	1	—	—	9	46	74	138	56	5	1	—	1	—	—	11	14	24
19 Pneumonia (all forms) ..	M	547	84	33	26	10	25	92	180	54	43	69	15	4	1	2	5	11	17	10	4
	F	338	67	34	12	14	18	39	63	54	37	49	8	5	3	3	2	7	11	7	3
20 Other respiratory diseases ..	M	52	2	1	1	2	1	10	24	6	5	9	1	—	1	1	—	1	5	—	—
	F	41	3	3	—	2	1	8	6	8	10	10	1	—	1	—	—	1	4	2	1
21 Ulcer of stomach or duodenum ..	M	67	—	—	—	—	—	18	40	8	1	10	—	—	—	—	—	3	6	1	—
	F	29	—	—	—	—	—	5	14	9	1	2	—	—	—	—	—	—	—	2	—
22 Diarrhœa, &c. ...	M	117	89	9	4	—	1	1	5	4	4	4	1	2	—	—	—	—	—	1	—
	F	87	50	13	3	3	2	5	2	5	4	10	7	2	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	47	—	1	5	5	11	12	9	3	1	4	—	—	—	2	—	1	—	1	—
	F	26	—	—	2	7	3	2	9	1	2	2	—	—	—	—	—	—	2	—	—
24 Cirrhosis of liver ..	M	32	—	—	1	—	—	1	20	8	2	2	—	—	—	—	—	—	2	—	—
	F	21	—	—	—	1	1	2	11	4	2	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	149	2	—	2	2	5	21	58	34	25	21	—	—	—	—	1	3	6	10	1
	F	167	1	—	2	5	9	23	61	36	30	26	—	—	—	—	—	2	8	8	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	30	—	—	—	—	1	28	1	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	31	—	—	—	—	4	25	2	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth ..	M	290	284	3	—	2	—	—	1	—	—	29	29	—	—	—	—	—	—	—	—
	F	217	212	—	1	3	—	1	—	—	—	27	27	—	—	—	—	—	—	—	—
29 Suicide ..	M	90	—	—	—	—	8	20	50	8	4	18	—	—	—	—	—	2	13	3	—
	F	54	—	—	—	—	3	14	30	5	2	6	—	—	—	—	—	4	2	—	—
30 Other deaths from violence ..	M	235	14	4	14	31	41	33	50	30	18	20	—	2	1	—	3	1	7	4	2
	F	141	15	4	5	13	13	14	21	24	32	20	1	1	1	—	—	1	4	3	9
31 Other defined diseases ..	M	808	85	15	20	30	38	87	227	152	154	124	20	1	3	5	2	8	33	35	17
	F	742	59	9	7	24	22	87	174	140	220	113	13	2	2	3	3	18	28	15	29
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	1	—	1	1	—	4	1	—	—	—	—	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	3	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	BLACKPOOL.										BOLTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	597	47	9	7	8	19	66	199	146	96	1184	102	27	25	29	43	124	382	279	173
		F	687	33	7	6	8	13	87	186	184	163	1155	66	15	30	23	48	125	321	276	251
1 Enteric fever ..		M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..		M	4	1	1	1	1	—	—	—	—	—	9	3	1	4	1	—	—	—	—	—
		F	4	3	—	1	—	—	—	—	—	—	7	2	2	2	1	—	—	—	—	—
4 Scarlet fever ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..		M	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—	6	2	1	3	—	—	—	—	—	—
6 Diphtheria ..		M	3	1	2	—	—	—	—	—	—	—	5	—	2	1	1	—	1	—	—	—
		F	3	—	1	—	2	—	—	—	—	—	12	1	—	7	4	—	—	—	—	—
7 Influenza ..		M	7	—	—	1	—	—	—	2	2	2	30	1	1	2	1	3	5	11	6	—
		F	17	—	—	—	—	—	2	7	6	2	26	2	—	1	1	1	3	4	7	7
8 Encephalitis lethargica ..		M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	2	2	—
		F	3	—	—	—	—	1	2	—	—	—	8	—	—	1	2	1	—	3	—	1
9 Meningococcal meningitis ..		M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	1	—	2	—	—
10 Tuberculosis of respiratory system		M	35	2	—	—	—	3	16	13	1	—	65	—	—	—	—	12	25	25	3	—
		F	31	—	—	—	—	7	16	6	2	—	57	—	—	—	1	19	23	13	1	—
11 Other tuberculous diseases ..		M	5	2	—	—	1	1	1	—	—	—	13	1	1	2	2	3	2	1	1	—
		F	5	—	—	2	3	—	—	—	—	—	8	2	1	—	—	1	2	1	1	—
12 Cancer, malignant disease ..		M	67	—	—	—	—	—	8	25	24	10	125	—	1	—	—	—	2	63	43	16
		F	100	—	—	—	—	—	12	52	23	13	129	—	—	1	—	—	12	74	32	10
13 Rheumatic fever ..		M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	2	—	4	—	—	—
		F	3	—	—	—	—	—	2	1	—	—	11	—	—	—	2	—	5	3	—	1
14 Diabetes ..		M	10	—	—	—	—	—	—	3	7	—	10	—	—	—	—	1	—	3	6	—
		F	20	—	—	1	—	—	1	10	7	1	14	—	—	—	1	—	3	4	6	—
15 Cerebral hæmorrhage, &c. ..		M	50	—	—	—	—	—	2	17	15	16	59	—	—	—	—	—	4	24	25	6
		F	58	—	—	—	—	—	2	15	29	12	68	—	—	—	—	1	1	29	20	17
16 Heart disease ..		M	93	—	—	—	1	1	4	42	25	20	157	—	—	—	1	—	12	58	46	40
		F	136	—	—	—	—	—	16	38	44	38	187	—	—	—	—	1	18	52	68	48
17 Arterio-sclerosis ..		M	33	—	—	—	—	—	1	8	15	9	98	—	—	—	—	—	—	18	47	33
		F	24	—	—	—	—	—	—	3	9	12	106	—	—	—	—	—	—	9	43	54
18 Bronchitis ..		M	33	1	1	1	—	1	2	8	7	12	76	5	1	2	1	—	4	23	26	14
		F	40	2	1	—	—	—	—	7	10	20	107	4	3	—	—	1	3	27	38	31
19 Pneumonia (all forms) ..		M	35	6	3	2	2	2	3	11	5	1	92	12	9	3	2	5	20	29	9	3
		F	32	6	3	—	2	1	4	8	2	6	55	8	6	8	4	3	6	10	6	4
20 Other respiratory diseases ..		M	7	—	—	—	1	—	1	1	2	2	14	2	—	—	—	—	2	7	1	2
		F	5	—	—	—	—	—	—	1	3	1	10	—	—	—	2	—	3	1	2	2
21 Ulcer of stomach or duodenum ..		M	10	—	—	—	—	—	1	7	2	—	9	—	—	—	—	—	4	4	1	—
		F	5	—	—	—	—	—	—	3	1	1	7	—	—	—	—	1	1	3	1	—
22 Diarrhoea, &c. ..		M	5	3	—	—	—	—	—	2	—	—	15	10	2	—	—	—	—	2	—	1
		F	5	2	1	—	—	—	1	—	1	—	13	5	—	—	—	1	1	3	—	3
23 Appendicitis and typhlitis..		M	6	—	—	—	2	2	—	2	—	—	10	—	—	—	—	—	3	5	2	—
		F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	—	3	4	—	—
24 Cirrhosis of liver ..		M	9	—	—	—	—	—	2	6	1	—	7	—	—	—	—	—	—	4	3	—
		F	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis ..		M	27	—	—	—	—	1	5	13	6	2	42	—	—	—	1	1	3	16	13	8
		F	28	—	—	1	—	—	5	12	7	3	36	—	—	—	—	2	4	19	10	—
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth..		M	26	26	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
		F	12	12	—	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—	—
29 Suicide ..		M	10	—	—	—	—	—	4	4	2	—	19	—	—	—	—	—	5	14	—	—
		F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	3	1	1	—
30 Other deaths from violence..		M	24	—	—	—	—	4	7	9	4	—	65	3	3	4	10	8	11	16	4	—
		F	12	—	—	—	—	1	3	—	4	4	24	—	1	1	2	—	7	5	4	—
31 Other defined diseases ..		M	96	5	2	2	—	4	9	25	27	22	206	24	3	6	7	10	17	55	40	44
		F	127	6	—	1	1	2	12	21	34	50	202	6	1	6	2	7	24	55	35	60
32 Causes ill-defined or unknown ..		M	—	—	—	—	—	—	—	—	—	—	—	5	1	1	1	—	—	1	1	—
		F	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928.
(Civilian population only).

CAUSES OF DEATH.	Sex.	BOOTLE.										BOURNEMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	532	97	33	16	18	21	48	162	90	47	552	33	4	3	11	13	44	140	149	155
	F	500	89	18	20	21	27	65	104	88	68	760	28	3	4	11	23	48	185	180	278
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	2	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	8	4	2	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	16	3	7	6	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	19	10	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	9	1	1	2	5	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	11	—	—	1	—	—	3	5	2	—	13	1	—	—	—	—	2	4	3	3
	F	9	—	—	—	—	—	2	2	4	1	6	—	—	—	—	—	—	—	4	2
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	—	—	—	2	—	—	4	—	—	—	—	—	1	2	1	—
9 Meningococcal meningitis ..	M	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	49	—	—	—	3	7	17	20	2	—	52	—	—	—	2	5	21	17	5	2
	F	39	—	—	—	3	9	21	6	—	—	44	—	—	—	—	9	16	12	6	1
11 Other tuberculous diseases ..	M	16	—	1	1	7	2	3	2	—	—	4	—	2	—	1	—	—	—	—	1
	F	9	1	1	2	—	1	2	2	—	—	12	2	2	1	1	2	1	2	—	1
12 Cancer, malignant disease ..	M	52	—	—	—	—	1	—	30	14	7	79	—	—	—	—	1	3	24	25	26
	F	43	—	—	—	—	—	4	24	14	1	140	—	—	—	—	2	7	58	40	33
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1
14 Diabetes ..	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	—	—	5	1
	F	9	—	—	—	—	3	2	2	1	1	10	—	—	—	—	—	1	2	4	3
15 Cerebral hæmorrhage, &c. ..	M	21	—	—	—	—	—	—	9	9	3	28	—	—	—	—	—	—	6	8	14
	F	20	—	—	—	—	—	2	8	6	4	49	—	—	—	—	—	1	8	13	27
16 Heart disease ..	M	56	—	—	—	—	4	6	17	21	8	91	—	—	—	—	1	1	17	35	37
	F	56	—	—	—	2	2	9	14	18	11	164	—	—	—	—	3	—	31	39	91
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	4	11	10	36	—	—	—	—	—	—	7	14	15
	F	27	—	—	—	—	—	—	5	11	11	46	—	—	—	—	—	—	8	17	21
18 Bronchitis ..	M	29	4	1	1	—	1	1	9	5	7	11	2	—	—	—	—	—	1	1	7
	F	18	3	1	1	—	—	—	3	4	6	22	2	—	—	1	—	1	4	4	10
19 Pneumonia (all forms) ..	M	64	22	13	5	2	—	6	9	5	2	25	3	—	—	—	1	3	8	5	5
	F	53	20	4	4	—	3	8	4	5	5	22	2	1	1	1	—	—	4	5	8
20 Other respiratory diseases ..	M	5	1	1	—	—	—	—	2	1	—	7	—	—	1	—	—	1	4	—	1
	F	6	1	—	1	—	—	—	3	1	—	8	—	—	—	—	—	—	3	1	4
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	—	5	—	—	7	—	—	—	—	—	2	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	1	2	2
22 Diarrhoea, &c. ..	M	11	10	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
	F	13	9	1	1	—	—	—	—	1	1	5	2	—	1	—	—	—	—	1	1
23 Appendicitis and typhlitis ..	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	1	—	1	—	3	1
	F	2	—	—	—	—	1	—	1	—	—	3	—	—	—	—	1	1	1	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1	—
	F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	2	2	2
25 Acute and chronic nephritis ..	M	18	—	—	—	1	—	2	12	3	—	26	—	—	—	—	—	—	9	7	10
	F	23	1	—	—	—	—	5	8	6	3	33	—	—	—	1	1	—	7	13	11
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	35	35	—	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
	F	33	32	—	—	1	—	—	—	—	—	16	15	—	—	—	—	—	1	—	—
29 Suicide ..	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	—	4	2	—
	F	1	—	—	—	—	1	—	—	—	—	10	—	—	—	—	1	2	6	—	1
30 Other deaths from violence ..	M	29	2	4	—	2	3	5	9	2	2	16	—	—	1	1	2	1	4	6	1
	F	13	1	—	3	1	—	1	1	2	4	19	—	—	—	2	3	2	3	3	6
31 Other defined diseases ..	M	71	17	3	1	2	1	4	20	15	8	99	3	—	—	3	1	8	26	27	31
	F	79	6	4	—	7	6	6	18	12	20	124	5	—	—	3	—	9	29	25	53
32 Causes ill-defined or unknown ..	M	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	BRADFORD.										BRIGHTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1963	180	25	23	46	68	213	655	476	277	922	53	27	16	31	34	78	263	228	192
	F	1959	132	34	29	38	69	208	525	483	441	996	49	14	21	26	21	85	202	245	333
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
2 Small-pox ..	M	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	2	1	—	1	—	—	—	—	—	—	19	2	7	5	4	1	—	—	—	
	F	3	2	1	—	—	—	—	—	—	—	13	3	2	6	2	—	—	—	—	
4 Scarlet fever ..	M	7	1	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	1	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough ..	M	11	9	2	—	—	—	—	—	—	—	9	2	4	3	—	—	—	—	—	
	F	24	12	7	5	—	—	—	—	—	—	11	4	4	2	1	—	—	—	—	
6 Diphtheria ..	M	10	—	1	2	7	—	—	—	—	—	5	—	—	—	5	—	—	—	—	
	F	9	—	3	1	5	—	—	—	—	—	9	2	—	2	5	—	—	—	—	
7 Influenza ..	M	26	1	—	1	—	1	2	12	7	2	3	—	—	—	—	—	1	—	2	
	F	23	—	—	—	—	3	2	7	8	3	13	—	—	—	—	—	4	4	2	
8 Encephalitis lethargica ..	M	4	—	—	2	1	—	—	1	—	—	2	—	—	—	1	—	—	1	—	
	F	5	—	—	—	1	1	—	1	2	—	2	—	—	—	—	—	1	1	—	
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	149	—	—	—	2	26	60	54	6	1	73	—	—	—	2	4	33	27	6	
	F	86	—	—	—	3	27	37	16	2	1	41	—	1	—	—	8	16	12	4	
11 Other tuberculous diseases ..	M	16	3	1	2	4	—	2	4	—	—	10	2	1	1	2	3	1	—	—	
	F	36	—	4	4	5	10	8	3	1	1	15	2	1	3	4	2	3	—	—	
12 Cancer, malignant disease ..	M	198	—	—	—	—	7	102	71	18	113	1	—	—	—	1	1	53	44	13	
	F	250	—	—	—	—	1	28	116	75	30	153	—	—	—	—	13	56	47	37	
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	1	—	1	2	—	—	2	—	—	—	1	—	—	1	—	
14 Diabetes ..	M	22	—	—	—	—	2	2	8	6	4	6	—	—	—	—	—	3	3	—	
	F	32	—	—	—	—	—	—	12	12	8	21	—	—	—	1	—	10	6	1	
15 Cerebral hæmorrhage, &c. ..	M	98	—	—	—	—	—	2	27	47	22	49	—	—	—	—	2	13	19	15	
	F	155	—	—	—	—	2	3	47	57	46	54	—	—	—	—	1	15	18	20	
16 Heart disease ..	M	293	—	—	—	3	6	22	108	97	57	177	—	—	—	4	1	9	52	62	
	F	410	—	—	—	2	5	21	107	135	140	197	—	—	—	1	2	12	36	80	
17 Arterio-sclerosis ..	M	116	—	—	—	—	—	—	24	46	46	55	—	—	—	—	2	10	25	18	
	F	105	—	—	—	—	—	—	14	39	52	56	—	—	—	—	2	12	22	20	
18 Bronchitis ..	M	95	4	3	—	—	—	4	28	34	22	29	2	—	1	1	—	1	5	5	
	F	101	2	2	—	—	3	5	14	31	44	52	5	—	—	—	—	1	1	6	
19 Pneumonia (all forms) ..	M	150	28	7	3	4	9	25	51	14	9	53	6	8	2	5	2	6	13	9	
	F	90	14	10	7	4	2	13	20	15	5	44	9	2	4	3	1	2	6	7	
20 Other respiratory diseases ..	M	21	—	—	—	—	—	4	7	6	4	7	1	—	1	—	—	2	1	2	
	F	24	1	—	—	—	—	1	5	9	8	14	—	—	1	—	1	2	2	5	
21 Ulcer of stomach or duodenum ..	M	32	—	—	—	—	—	9	14	7	2	20	—	—	—	—	3	3	10	4	
	F	6	—	—	—	—	—	—	6	—	—	7	—	—	—	—	—	3	3	—	
22 Diarrhœa, &c. ..	M	35	16	5	1	2	1	1	4	3	2	10	2	5	—	—	—	1	—	2	
	F	23	11	2	2	1	1	1	2	3	—	9	2	2	—	—	—	2	1	2	
23 Appendicitis and typhlitis..	M	15	—	—	—	3	2	5	4	1	—	5	—	—	—	1	—	3	1	—	
	F	11	—	—	1	2	1	3	4	—	—	4	—	—	—	1	2	—	—	1	
24 Cirrhosis of liver ..	M	16	—	—	—	—	—	2	8	6	—	4	—	—	—	—	—	—	3	1	
	F	4	—	—	—	—	—	1	1	1	1	7	—	—	—	—	1	4	2	—	
25 Acute and chronic nephritis ..	M	58	—	1	1	—	—	6	25	18	7	20	—	—	1	2	1	1	9	3	
	F	61	—	—	—	—	1	10	23	17	10	19	—	—	—	—	3	3	7	6	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	13	—	—	—	—	1	12	—	—	—	2	—	—	—	—	1	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	13	—	—	—	—	1	12	—	—	—	2	—	—	—	—	2	—	—	—	
28 Congenital debility and malformation, premature birth..	M	91	90	—	—	—	—	—	1	—	—	27	26	—	—	—	—	1	—	—	
	F	74	71	—	1	—	—	2	—	—	—	18	18	—	—	—	—	—	—	—	
29 Suicide ..	M	41	—	—	—	—	1	14	21	4	1	22	—	—	—	—	1	5	13	1	
	F	12	—	—	—	—	—	5	6	1	—	8	—	—	—	—	3	3	—	2	
30 Other deaths from violence..	M	81	3	1	2	7	10	16	20	14	8	27	1	1	—	3	8	4	6	3	
	F	48	6	1	4	3	2	5	14	—	9	22	1	1	1	4	1	2	3	6	
31 Other defined diseases ..	M	353	24	2	6	9	8	26	121	86	71	177	8	1	2	2	8	8	42	37	
	F	318	13	4	3	8	8	35	94	70	83	198	2	1	1	4	4	12	28	46	
32 Causes ill-defined or unknown ..	M	18	—	1	—	1	1	4	8	3	—	—	—	—	—	—	—	—	—	—	
	F	13	—	—	—	—	—	1	11	1	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	BRISTOL.										BURNLEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2202	205	60	46	45	81	219	621	452	473	660	63	10	11	23	25	84	210	145	89
	F	2300	170	63	43	59	91	229	522	478	645	685	56	11	9	15	26	73	189	182	124
1 Enteric fever ..	M	3	—	—	—	1	1	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	52	12	22	18	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—	—
	F	47	11	18	14	4	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	6	5	—	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	19	10	3	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	7	—	1	3	3	—	—	—	—	—	8	—	—	3	5	—	—	—	—	—
	F	10	—	2	1	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	30	—	—	—	—	2	5	11	10	2	11	—	—	—	—	—	3	5	2	1
	F	27	—	—	—	1	—	3	8	8	7	15	—	—	—	1	—	6	4	3	1
8 Encephalitis lethargica ..	M	4	—	—	—	1	—	1	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	5	—	1	1	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	1	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	184	—	2	3	2	34	72	55	15	1	48	—	—	—	1	7	20	18	2	—
	F	158	—	—	2	4	39	72	36	4	1	35	—	—	—	—	10	13	10	2	—
11 Other tuberculous diseases ..	M	31	3	7	—	5	4	4	3	3	2	10	1	—	1	2	2	2	1	1	—
	F	23	1	5	2	7	8	—	—	—	—	9	1	3	—	2	—	1	1	—	1
12 Cancer, malignant disease ..	M	262	—	—	—	2	1	13	119	80	47	74	—	—	1	—	—	7	34	23	9
	F	306	—	—	—	—	—	39	121	82	64	92	—	—	—	—	—	9	43	29	11
13 Rheumatic fever ..	M	5	—	—	1	1	1	1	1	—	—	5	—	—	—	2	3	—	—	—	—
	F	8	—	—	—	3	2	2	1	—	—	6	—	—	—	2	2	—	2	—	—
14 Diabetes ..	M	27	—	—	—	—	—	1	10	11	5	6	—	—	—	1	—	—	2	3	—
	F	30	—	—	1	—	—	—	9	13	7	14	—	—	—	—	—	1	6	5	2
15 Cerebral hæmorrhage, &c. ..	M	95	—	—	—	—	—	1	20	41	33	26	—	—	—	1	—	—	6	15	4
	F	131	—	—	—	—	—	3	24	44	60	40	—	—	—	—	—	—	13	18	9
16 Heart disease ..	M	370	—	—	—	5	3	18	107	103	134	106	—	—	1	—	3	8	43	33	18
	F	476	—	—	—	3	10	27	108	137	191	155	—	—	—	1	2	14	49	56	33
17 Arterio-sclerosis ..	M	118	—	—	—	—	—	3	25	38	52	45	—	—	—	—	—	—	16	18	11
	F	95	—	—	—	—	—	1	13	32	49	36	—	—	—	—	—	—	7	15	14
18 Bronchitis ..	M	91	7	2	—	2	—	6	15	18	41	44	8	2	—	1	—	3	9	10	11
	F	102	6	2	1	—	—	1	10	17	65	47	6	1	—	—	—	2	11	18	9
19 Pneumonia (all forms) ..	M	153	32	14	7	2	3	20	51	14	10	45	10	4	1	—	2	13	11	2	2
	F	135	28	16	7	6	4	10	27	20	17	29	4	3	4	—	4	5	5	1	3
20 Other respiratory diseases ..	M	15	—	—	—	—	—	3	6	2	4	6	—	1	—	—	—	1	2	1	1
	F	19	—	—	1	2	1	2	5	3	5	3	—	—	—	1	—	1	—	—	—
21 Ulcer of stomach or duodenum ..	M	32	—	—	—	—	1	8	14	6	3	11	—	—	—	—	1	1	8	1	—
	F	15	—	—	1	—	—	2	4	6	2	2	—	—	—	—	—	—	—	1	1
22 Diarrhoea, &c. ..	M	17	8	1	1	—	—	1	3	3	—	6	5	1	—	—	—	—	—	—	—
	F	28	15	6	—	1	—	1	1	—	4	5	4	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	16	—	—	1	3	4	2	4	—	2	4	—	—	—	—	—	4	—	—	—
	F	13	—	—	1	—	2	3	5	2	—	4	—	1	—	—	1	—	1	—	—
24 Cirrhosis of liver ..	M	17	—	—	—	—	—	1	9	4	3	2	—	—	—	—	—	—	2	—	—
	F	7	—	—	—	—	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	78	—	1	—	2	1	8	25	19	22	21	—	—	—	2	1	4	7	4	3
	F	89	—	—	—	1	3	10	39	20	16	19	—	—	1	—	1	1	6	6	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	8	1	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth..	M	101	101	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	72	66	1	—	4	1	—	—	—	—	28	28	—	—	—	—	—	—	—	—
29 Suicide ..	M	33	—	—	—	—	—	9	18	5	1	11	—	—	—	—	1	1	8	1	—
	F	13	—	—	—	—	2	3	4	3	1	3	—	—	—	—	—	—	3	—	—
30 Other deaths from violence..	M	93	6	2	5	7	15	13	31	6	8	29	—	—	2	2	3	6	5	6	5
	F	56	3	—	2	1	7	6	9	11	17	10	1	—	1	3	—	—	2	1	2
31 Other defined diseases ..	M	359	30	7	7	7	11	29	91	74	103	106	11	1	—	3	2	10	32	23	24
	F	393	30	8	3	14	7	30	88	74	139	124	11	1	1	5	6	16	25	25	34
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	BURTON-UPON-TRENT.										BURY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES		M	294	35	8	3	10	12	20	85	59	62	403	40	5	3	9	9	38	145	100	54
		F	298	22	10	10	4	5	29	72	51	95	386	27	5	10	6	10	44	117	97	70
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	5	1	2	1	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	
		F	4	—	3	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Diphtheria	M	3	—	—	3	—	—	—	—	—	5	—	—	2	3	—	—	—	—	—	
		F	4	—	—	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
7	Influenza ..	M	2	—	—	—	—	—	1	—	1	7	—	—	—	—	—	1	5	1	—	
		F	3	—	—	1	—	—	1	—	—	4	—	—	—	—	—	2	—	2	—	
8	Encephalitis lethargica	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis	M	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	15	—	—	—	—	1	5	8	1	22	—	—	—	—	3	8	11	—	—	
		F	16	—	1	1	—	4	9	1	—	20	—	—	—	1	6	8	3	1	1	
11	Other tuberculous diseases ..	M	6	—	3	—	1	2	—	—	—	4	—	—	—	—	1	1	2	—	—	
		F	2	—	—	1	1	—	—	—	—	3	—	1	—	—	1	1	—	—	—	
12	Cancer, malignant disease ..	M	37	—	—	—	1	—	—	19	13	4	36	—	—	—	—	1	18	16	1	
		F	33	—	—	—	—	—	3	17	6	7	54	—	—	—	—	3	28	16	7	
13	Rheumatic fever ..	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
14	Diabetes ..	M	5	—	—	—	—	—	—	2	2	1	5	—	—	—	—	2	2	1	—	
		F	6	—	—	—	—	—	—	2	3	1	3	—	—	—	—	1	—	—	2	
15	Cerebral hæmorrhage, &c.	M	15	—	—	—	—	—	1	3	8	3	17	—	—	—	—	1	7	7	2	
		F	22	—	—	—	—	—	—	6	8	8	20	—	—	—	—	—	6	8	6	
16	Heart disease	M	34	—	—	—	—	1	2	13	11	7	90	—	—	—	—	7	31	34	18	
		F	53	—	—	—	—	—	5	19	10	19	84	—	—	—	1	5	31	28	18	
17	Arterio-sclerosis ..	M	17	—	—	—	—	—	—	4	4	9	32	—	—	—	—	—	9	14	9	
		F	13	—	—	—	—	—	—	2	4	7	20	—	—	—	—	—	2	9	9	
18	Bronchitis	M	17	2	2	—	—	—	—	3	4	6	21	1	—	—	—	1	4	8	7	
		F	14	2	—	—	—	—	—	1	4	7	37	1	1	—	—	—	11	12	12	
19	Pneumonia (all forms) ..	M	14	5	1	1	—	—	2	5	—	—	29	8	3	—	2	1	5	9	—	
		F	6	1	2	—	—	—	2	—	—	1	29	4	2	5	1	2	10	2	3	
20	Other respiratory diseases ..	M	4	—	—	1	—	—	—	—	—	3	4	—	—	—	—	—	1	3	—	
		F	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	2	—	—	
21	Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	2	1	—	4	—	—	—	—	—	4	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Diarrhœa, &c.	M	2	1	—	—	—	—	—	1	—	—	2	2	—	—	—	—	—	—	—	
		F	7	3	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
23	Appendicitis and typhlitis..	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	1	—	2	1	—	
		F	4	—	—	1	—	—	—	1	2	—	2	—	—	—	—	1	1	—	—	
24	Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	1	
		F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	
25	Acute and chronic nephritis	M	4	—	—	—	—	—	—	2	1	1	19	—	—	—	—	4	11	2	2	
		F	5	—	—	—	—	—	1	1	—	3	16	—	—	1	—	3	8	3	1	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	5	1	—	—	
28	Congenital debility and malformation, premature birth..	M	20	20	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	
		F	13	13	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	
29	Suicide ..	M	4	—	—	—	—	—	—	4	—	—	10	—	—	—	—	2	6	2	—	
		F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	1	—	—	—	
30	Other deaths from violence..	M	17	2	—	—	2	4	1	5	1	2	14	—	1	—	2	1	6	3	—	
		F	9	1	—	1	1	—	—	—	2	4	5	—	—	—	—	1	2	2	—	
31	Other defined diseases ..	M	61	4	—	—	1	3	8	10	11	24	53	8	1	1	—	3	3	13	13	
		F	70	2	—	1	1	1	3	15	11	36	61	10	1	2	1	2	9	12	11	
32	Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex	CANTERBURY.										CARLISLE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	127	3	3	4	7	4	11	28	35	32	383	49	6	6	12	14	31	111	82	72
	F	171	9	2	2	5	6	12	38	30	67	377	32	5	7	16	21	36	92	86	82
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
6 Diphtheria ..	M	4	1	—	—	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
7 Influenza ..	M	3	—	—	1	—	—	1	1	—	—	9	1	—	—	—	—	6	—	2	—
	F	2	—	—	—	1	—	1	—	—	—	10	1	—	—	—	4	1	3	1	—
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	—	3	4	5	1	1	31	—	1	2	1	6	11	8	2	—
	F	12	—	—	—	1	3	4	3	1	—	25	—	1	—	—	6	13	3	2	—
11 Other tuberculous diseases ..	M	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	2	2	1	1	—	1	—	—
12 Cancer, malignant disease ..	M	13	—	—	1	—	—	—	5	5	2	52	—	—	—	—	1	2	28	14	7
	F	28	—	—	—	—	—	1	9	7	11	45	—	—	—	—	—	7	18	11	9
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	5	—	—	—	—	—	—	—	4	1	14	—	—	—	—	—	—	6	3	5
	F	9	—	—	—	—	—	—	1	2	6	28	—	—	—	—	—	1	13	7	7
16 Heart disease ..	M	20	—	—	—	—	—	5	9	6	59	—	—	—	—	—	3	21	22	13	—
	F	40	—	—	—	—	1	1	7	9	22	87	—	—	—	3	—	5	25	26	28
17 Arterio-sclerosis ..	M	6	—	—	—	—	—	—	2	2	2	41	—	—	—	—	—	1	3	13	24
	F	4	—	—	—	—	—	—	1	2	1	34	—	—	—	—	—	—	1	14	19
18 Bronchitis ..	M	12	—	—	—	—	—	—	2	2	8	14	2	1	—	—	—	1	2	4	4
	F	6	—	—	—	—	—	—	1	2	3	5	2	—	—	—	—	—	1	—	2
19 Pneumonia (all forms) ..	M	7	1	1	1	—	—	1	1	—	1	23	3	3	2	2	3	1	9	—	—
	F	5	—	—	—	2	—	—	1	1	1	14	3	1	2	—	1	2	3	1	1
20 Other respiratory diseases ..	M	1	—	—	—	—	—	—	1	—	—	6	1	—	—	—	—	2	1	1	1
	F	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	1	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
22 Diarrhoea, &c. ..	M	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	6	—	—	—	—	—	1	—	4	1	5	—	—	—	—	1	—	2	2	—
	F	4	—	—	—	—	—	—	2	2	—	14	—	—	—	—	2	1	4	7	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	1	1	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	18	17	—	—	1	—	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	1	1	—	1	3	—	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
30 Other deaths from violence..	M	2	—	—	—	1	—	1	—	—	—	12	—	—	—	2	1	4	2	—	3
	F	4	—	1	—	—	—	—	—	1	2	10	2	—	—	3	—	—	3	1	1
31 Other defined diseases ..	M	22	—	2	—	1	—	—	3	7	9	65	8	—	2	4	2	3	13	20	13
	F	38	1	1	—	1	1	1	10	2	21	58	5	1	—	2	3	4	15	14	14
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	CHESTER.										COVENTRY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	232	24	10	7	7	6	17	73	51	37	850	85	14	29	38	39	111	278	146	110
	F	235	17	5	2	4	11	20	54	61	61	722	69	12	20	37	32	104	185	124	139
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
6 Diphtheria .. {	M	1	—	—	—	1	—	—	—	—	—	21	—	1	6	14	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	21	—	1	4	13	1	1	1	—	—
7 Influenza .. {	M	2	—	—	—	—	—	1	1	—	—	10	—	1	—	—	—	5	3	1	—
	F	3	—	—	—	—	1	1	—	—	1	8	1	1	—	—	—	2	1	3	—
8 Encephalitis lethargica .. {	M	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	3	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	7	—	—	1	1	3	2	—	—	—
9 Meningococcal meningitis .. {	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	20	—	—	—	—	3	2	11	3	1	87	—	—	—	1	13	34	36	3	—
	F	10	1	—	—	—	1	4	4	—	—	54	—	—	4	12	28	9	1	—	—
11 Other tuberculous diseases .. {	M	5	—	1	3	—	1	—	—	—	—	14	3	2	4	3	1	1	—	—	—
	F	4	2	1	—	—	—	1	—	—	—	8	1	3	—	1	—	3	—	—	—
12 Cancer, malignant disease .. {	M	30	—	—	—	—	—	1	14	11	4	93	—	—	—	2	—	5	55	25	6
	F	32	—	—	—	—	—	1	8	15	8	111	—	—	—	2	2	12	59	20	16
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes .. {	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
	F	6	—	—	—	—	—	—	2	3	1	6	—	—	—	1	1	—	1	3	—
15 Cerebral hæmorrhage, &c. .. {	M	8	—	—	—	—	—	1	2	4	1	34	—	—	—	—	—	—	13	14	—
	F	15	—	—	—	—	1	—	5	2	7	33	—	—	—	—	2	10	12	9	—
16 Heart disease .. {	M	33	—	—	—	—	1	3	10	6	13	154	—	—	—	3	2	14	50	44	41
	F	43	—	—	—	—	2	4	11	14	12	136	—	—	—	1	2	12	31	47	43
17 Arterio-sclerosis .. {	M	29	—	—	—	—	—	—	6	10	13	28	—	—	—	—	—	—	6	12	10
	F	25	—	—	—	—	—	—	4	11	10	23	—	—	—	—	—	1	7	5	10
18 Bronchitis .. {	M	8	—	—	—	—	—	—	4	2	2	37	7	—	—	—	—	3	10	4	13
	F	10	—	1	—	—	—	—	—	3	6	39	4	—	—	—	1	—	7	8	19
19 Pneumonia (all forms) .. {	M	14	6	4	—	—	—	—	2	2	—	53	8	3	6	1	2	7	16	5	5
	F	18	5	2	1	1	—	1	6	2	—	35	7	4	5	—	2	7	4	2	4
20 Other respiratory diseases .. {	M	5	—	1	1	—	—	—	2	—	1	12	—	—	2	—	2	—	3	4	1
	F	2	—	—	—	—	—	—	—	1	1	5	—	—	—	—	—	2	—	1	2
21 Ulcer of stomach or duodenum .. {	M	5	—	—	—	—	—	1	3	1	—	11	—	—	—	—	—	3	6	2	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
22 Diarrhœa, &c. .. {	M	3	2	—	—	1	—	—	—	—	—	11	7	2	—	—	—	1	1	—	—
	F	2	1	—	—	—	—	—	—	1	—	8	4	—	1	1	—	2	—	—	—
23 Appendicitis and typhlitis.. {	M	3	—	—	—	2	—	1	—	—	—	5	—	—	—	1	1	2	1	—	—
	F	3	—	—	—	1	1	—	—	—	1	7	—	—	—	—	5	2	—	—	—
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	2	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis .. {	M	8	—	—	—	—	—	1	4	3	—	24	—	—	—	1	1	3	13	5	1
	F	7	—	—	—	—	—	1	4	2	—	17	—	—	—	—	—	11	4	—	2
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	9	8	—	1	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	42	41	—	1	—	—	—	—	—	—
29 Suicide .. {	M	2	—	—	—	—	—	—	2	—	—	17	—	—	—	—	—	4	10	3	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	2	1	3	1	—
30 Other deaths from violence.. {	M	8	—	—	2	2	1	—	3	—	—	48	1	2	3	5	12	11	10	2	2
	F	9	—	—	1	—	1	1	2	2	2	18	2	—	2	2	3	1	4	3	1
31 Other defined diseases .. {	M	32	8	2	—	1	—	4	7	8	2	121	6	1	6	6	5	18	38	19	22
	F	33	4	—	—	1	2	2	8	5	11	113	7	1	7	7	—	17	28	16	30
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	CROYDON.										DARLINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1138	103	21	25	27	48	123	317	231	243	404	46	5	10	23	20	51	109	77	63
	F	1214	77	19	28	38	37	126	253	225	411	342	21	9	6	13	24	38	86	70	75
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	18	4	6	6	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	16	2	3	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	4	2	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	11	—	2	1	8	—	—	—	—	—	5	—	—	2	2	1	—	—	—	—
	F	21	1	1	6	13	—	—	—	—	—	6	—	2	1	3	—	—	—	—	—
7 Influenza ..	M	15	1	—	—	—	1	4	4	4	1	15	1	—	—	1	—	1	4	7	1
	F	18	3	—	—	—	—	2	6	3	4	6	—	—	—	—	1	—	2	2	1
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	3	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	86	—	—	1	1	21	39	18	3	3	43	—	—	—	1	13	15	13	1	—
	F	80	—	—	1	1	17	41	16	3	1	20	—	—	—	2	9	6	2	1	—
11 Other tuberculous diseases ..	M	21	—	4	4	5	3	4	—	—	1	17	1	1	3	8	—	2	2	—	—
	F	19	4	2	2	2	2	3	4	—	—	8	1	2	1	2	2	—	—	—	—
12 Cancer, malignant disease ..	M	157	—	—	—	—	3	9	66	50	29	31	—	—	—	—	—	2	14	12	3
	F	170	—	—	—	—	—	13	68	43	46	46	—	—	1	—	1	6	20	11	7
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	2	1	—	—	—	—	—
	F	4	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	14	—	—	—	—	1	—	7	2	4	2	—	—	—	—	—	—	2	—	—
	F	14	—	—	—	1	2	—	3	4	4	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	43	—	—	—	—	—	3	9	13	18	24	—	—	—	1	—	1	7	5	10
	F	66	—	—	—	—	—	2	10	24	30	26	—	—	—	—	—	—	8	9	9
16 Heart disease ..	M	176	—	—	—	1	1	5	52	59	58	43	—	—	—	—	2	5	20	10	6
	F	246	—	—	—	1	4	10	55	56	120	54	—	—	—	1	1	2	22	12	16
17 Arterio-sclerosis ..	M	62	—	—	—	—	—	—	13	17	32	32	—	—	—	—	—	—	2	16	14
	F	78	—	—	—	—	—	—	8	15	55	13	—	—	—	—	—	—	2	7	4
18 Bronchitis ..	M	32	1	—	—	1	—	—	10	7	13	12	3	—	—	1	—	—	1	6	1
	F	59	4	1	—	1	—	—	4	10	39	20	3	1	—	—	—	1	2	5	8
19 Pneumonia (all forms) ..	M	89	16	4	6	1	3	17	22	10	10	37	3	3	1	1	1	11	10	4	3
	F	59	11	6	2	2	2	3	9	9	15	15	1	2	—	—	1	4	2	3	2
20 Other respiratory diseases ..	M	18	—	—	—	—	—	2	7	5	4	8	—	—	—	—	—	1	4	—	3
	F	13	—	1	—	—	1	2	—	3	6	4	—	—	—	—	1	—	2	1	—
21 Ulcer of stomach or duodenum ..	M	21	—	—	—	—	—	5	12	1	3	3	—	—	—	—	—	—	2	1	—
	F	6	—	—	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	14	12	1	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—
	F	16	10	2	—	—	—	1	—	3	—	2	1	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	M	4	—	—	—	—	1	1	1	—	1	2	—	—	—	1	—	—	1	—	—
	F	7	—	—	1	—	1	2	1	2	—	2	—	—	—	—	1	1	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	34	—	—	—	—	1	5	11	9	8	11	—	—	—	1	—	1	6	3	—
	F	45	—	—	—	1	—	2	15	13	14	16	—	—	—	—	1	5	3	6	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	9	1	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	35	33	1	—	—	1	—	—	—	—	23	23	—	—	—	—	—	—	—	—
	F	27	26	—	—	—	1	—	—	—	—	12	11	—	—	—	1	—	—	—	—
29 Suicide ..	M	21	—	—	—	—	1	8	9	2	1	5	—	—	—	—	—	1	1	1	2
	F	12	—	—	—	—	1	4	5	2	—	3	—	—	—	—	1	—	1	1	—
30 Other deaths from violence ..	M	58	1	—	2	3	6	11	19	6	10	10	—	—	—	1	1	4	2	2	—
	F	29	3	—	2	2	2	6	4	3	7	8	—	—	2	—	—	1	2	—	3
31 Other defined diseases ..	M	189	31	1	5	4	4	9	49	40	46	70	13	—	1	4	2	6	16	8	20
	F	180	9	1	1	8	3	20	39	30	69	66	4	1	1	3	3	5	15	10	24
32 Causes ill-defined or unknown ..	M	4	—	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928

(Civilian population only).

CAUSES OF DEATH.	Sex.	DONCASTER.										DUDLEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	339	32	4	14	7	7	50	107	64	54	330	54	10	8	9	14	49	76	59	51
	F	299	18	6	6	6	16	44	62	66	75	321	26	7	13	10	22	36	78	57	72
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	2	—	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	5	2	1	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	4	—	1	—	2	1	—	—	—	—	4	—	—	1	2	1	—	—	—	—
7 Influenza ..	M	13	—	—	—	—	1	2	4	2	4	4	—	—	—	—	1	3	—	—	—
	F	8	—	1	—	—	—	2	1	2	2	5	—	—	1	—	—	2	1	1	—
8 Encephalitis lethargica ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	—	—	—	—	3	12	7	1	—	26	—	—	—	—	7	14	5	—	—
	F	13	—	—	—	1	6	5	1	—	—	22	—	1	—	—	10	9	2	—	—
11 Other tuberculous diseases ..	M	5	1	—	1	2	—	1	—	—	—	3	1	1	—	1	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	4	—	1	—	1	1	—	—	—	—
12 Cancer, malignant disease ..	M	40	—	—	—	—	1	4	18	15	2	32	—	—	—	1	1	5	13	8	4
	F	46	—	—	—	—	1	7	19	13	6	43	—	—	—	—	—	4	29	6	4
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	2	1	—
	F	3	—	—	—	—	—	1	—	—	2	3	—	—	—	—	—	1	2	—	—
15 Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	—	7	2	6	23	—	—	—	—	—	1	3	12	7
	F	24	—	—	—	—	—	—	3	10	11	32	—	—	1	—	—	1	10	10	10
16 Heart disease ..	M	36	—	—	—	—	—	4	15	11	6	21	—	—	—	—	—	1	14	2	4
	F	42	—	—	—	—	1	2	11	12	16	42	—	—	—	2	4	5	12	11	8
17 Arterio-sclerosis ..	M	23	—	—	—	—	—	—	6	8	9	10	—	—	—	—	—	1	2	2	5
	F	15	—	—	—	—	—	—	2	6	7	10	—	—	—	—	—	—	—	4	6
18 Bronchitis ..	M	14	—	—	—	—	—	1	2	4	7	41	8	—	—	—	—	2	8	12	11
	F	21	1	—	—	—	—	2	2	6	10	29	2	1	1	1	—	—	3	9	12
19 Pneumonia (all forms) ..	M	34	3	2	—	2	—	8	13	5	1	35	10	5	1	1	1	3	7	7	—
	F	12	1	2	1	—	—	3	3	1	1	29	7	2	4	2	1	—	5	2	6
20 Other respiratory diseases ..	M	4	—	1	—	—	—	1	1	—	1	8	1	—	—	—	—	2	2	1	2
	F	5	—	—	—	—	—	—	—	1	4	5	—	—	2	—	1	1	—	—	1
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	3	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. ..	M	6	4	1	—	—	—	—	—	1	—	12	5	2	3	—	—	2	—	—	—
	F	4	2	—	1	—	—	—	—	1	—	4	1	1	1	—	—	—	—	—	1
23 Appendicitis and typhlitis ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	12	—	—	1	—	—	—	8	1	2	9	—	—	—	—	1	3	4	—	1
	F	12	—	—	—	—	—	4	4	2	2	6	—	—	—	—	—	2	—	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	17	16	—	1	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
	F	12	11	—	—	—	1	—	—	—	—	15	14	—	—	—	1	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	2	1	—	—	4	—	—	—	—	—	1	3	—	—
	F	4	—	—	—	—	1	1	1	1	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence ..	M	14	—	—	—	1	1	5	4	3	—	18	1	1	1	3	—	5	5	1	1
	F	8	—	—	—	—	3	1	—	3	1	9	—	—	2	—	2	2	1	—	2
31 Other defined diseases ..	M	60	6	—	6	1	1	7	14	9	16	51	6	—	2	1	2	3	8	13	16
	F	45	1	1	2	2	—	7	13	6	13	47	1	1	—	2	1	—	10	11	21
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	EXETER.										GATESHEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	368	38	4	7	5	17	34	90	95	78	859	140	42	28	41	45	98	205	157	103
	F	405	28	6	8	7	14	32	81	78	151	773	95	42	23	34	57	76	165	160	121
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	1	—	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	4	—	2	2	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	15	9	5	1	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	26	7	13	5	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza ..	M	5	—	—	1	—	—	1	—	1	2	13	—	1	—	1	2	5	1	2	1
	F	9	—	—	—	—	—	2	3	1	3	13	1	—	2	2	1	1	3	2	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
10 Tuberculosis of respiratory system	M	17	—	—	—	1	2	5	8	1	—	72	—	—	—	4	16	27	23	2	—
	F	22	—	—	—	1	7	10	4	—	—	61	—	—	—	3	28	21	9	—	—
11 Other tuberculous diseases ..	M	6	—	—	1	1	3	—	—	1	—	29	3	5	6	7	4	4	—	—	—
	F	5	—	—	1	2	2	—	—	—	—	29	5	4	3	7	7	3	—	—	—
12 Cancer, malignant disease ..	M	34	—	—	—	—	2	11	17	4	83	—	—	—	—	1	4	42	25	11	—
	F	50	—	—	—	—	5	22	11	12	91	—	1	—	—	—	5	39	28	18	—
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	4	—	—	—	2	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	3	2	1
	F	2	—	—	—	—	—	—	1	1	—	8	—	—	—	—	—	—	4	3	1
15 Cerebral hæmorrhage, &c. ..	M	23	—	—	—	—	—	1	12	8	2	44	—	—	—	—	—	3	16	18	7
	F	23	—	—	—	—	—	1	3	13	6	48	—	—	—	—	—	—	14	22	12
16 Heart disease ..	M	54	—	—	—	—	4	14	19	17	86	—	—	—	—	3	3	8	23	33	16
	F	55	—	—	—	1	1	3	8	15	27	119	—	—	—	3	2	12	37	40	25
17 Arterio-sclerosis ..	M	22	—	—	—	—	—	5	6	11	35	—	—	—	—	—	—	1	5	16	13
	F	35	—	—	—	—	—	5	3	27	19	—	—	—	—	—	—	—	1	4	14
18 Bronchitis ..	M	26	6	1	—	—	—	—	4	3	12	59	14	5	1	1	—	3	11	15	9
	F	30	5	2	—	—	—	—	—	9	14	54	7	4	2	1	—	1	11	12	16
19 Pneumonia (all forms) ..	M	21	5	1	—	—	1	4	4	5	1	69	20	12	5	2	3	7	10	5	5
	F	28	6	1	1	—	—	1	6	5	8	55	16	10	4	3	1	4	6	7	4
20 Other respiratory diseases ..	M	5	—	—	—	—	2	1	1	—	1	10	1	1	1	—	—	—	4	1	2
	F	3	—	—	—	—	—	2	1	—	—	7	—	2	1	—	1	1	2	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	—	—	1	6	—	—	—	—	—	3	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c. ..	M	7	6	1	—	—	—	—	—	—	—	27	18	7	—	1	—	1	—	—	—
	F	8	4	1	1	—	—	—	1	—	1	15	7	4	—	1	—	—	3	—	—
23 Appendicitis and typhlitis ..	M	4	—	—	—	—	—	2	1	1	—	5	—	—	—	1	2	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	1	2	—	4	—	—	—	—	—	2	1	1	—
	F	4	—	—	—	—	—	—	2	2	—	3	—	—	—	—	1	—	1	1	—
25 Acute and chronic nephritis ..	M	17	—	—	—	—	1	—	6	7	3	30	1	—	1	1	2	2	9	6	8
	F	12	—	—	—	—	1	2	4	2	3	26	—	—	—	2	2	2	6	11	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	—	4	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	10	—	—	—	—	4	6	—	—	—
28 Congenital debility and malformation, premature birth..	M	13	12	—	1	—	—	—	—	—	—	51	50	1	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	40	40	—	—	—	—	—	—	—	—
29 Suicide ..	M	11	—	—	—	—	—	2	5	3	1	13	—	—	—	—	1	5	6	—	1
	F	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	3	2	—	—
30 Other deaths from violence..	M	18	2	—	2	1	3	6	3	—	1	29	1	—	6	8	4	4	6	—	—
	F	8	—	—	—	1	—	1	1	1	4	9	1	—	—	3	—	3	—	1	1
31 Other defined diseases ..	M	70	5	—	1	—	4	5	14	19	22	150	22	3	3	9	7	15	34	28	29
	F	89	2	1	2	2	1	4	17	14	46	101	10	1	3	3	5	7	18	28	26
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	9	—	—	1	—	—	1	4	3	—
	F	1	1	—	—	—	—	—	—	—	—	6	—	—	1	—	—	—	4	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	GRIMSBY.										HALIFAX.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	535	76	15	12	15	20	68	142	103	84	631	53	5	7	11	17	64	199	169	106
			F	497	57	14	14	17	39	52	113	82	109	655	32	6	15	19	26	56	180	176	145
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—	—
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	3	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	{	M	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	10	7	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	..	{	M	2	—	—	1	1	—	—	—	—	—	6	—	—	2	3	—	1	—	—	—
			F	1	—	—	—	1	—	—	—	—	—	10	—	2	3	5	—	—	—	—	—
7 Influenza	{	M	6	1	1	—	1	2	—	1	—	—	4	—	—	—	—	—	1	3	—	—
			F	9	—	—	—	—	2	3	4	—	—	6	—	—	—	2	—	3	—	—	1
8 Encephalitis lethargica	..	{	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	35	—	—	—	1	5	17	11	1	—	28	—	—	—	—	6	10	9	3	—	—
		F	42	—	—	1	1	19	13	7	1	—	24	—	—	1	1	8	8	5	1	—	—
11 Other tuberculous diseases	{	M	18	2	1	6	6	1	1	1	—	4	1	—	—	1	1	1	—	—	—	—
		F	12	2	3	3	3	1	—	—	—	—	14	2	—	2	3	1	2	4	—	—	—
12 Cancer, malignant disease	{	M	51	—	—	—	—	—	3	22	11	15	74	—	—	1	—	—	4	34	27	8
		F	76	—	—	—	—	—	—	12	37	12	15	98	—	—	—	1	7	39	37	14	—
13 Rheumatic fever	{	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
		F	2	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	{	M	12	—	—	—	—	—	3	7	2	—	11	—	—	—	—	—	—	2	6	3
		F	10	—	—	—	—	2	—	1	2	4	1	11	—	—	—	1	—	—	3	4	3
15 Cerebral hæmorrhage, &c.	..	{	M	24	—	—	—	—	—	1	6	12	5	39	—	—	—	—	—	1	14	17	7
		F	31	—	—	—	—	—	—	—	9	13	9	53	—	—	—	—	—	—	13	23	17
16 Heart disease	..	{	M	80	—	—	—	1	1	6	28	28	16	94	—	—	—	—	2	4	32	36	20
		F	72	—	—	—	1	2	5	5	24	21	19	122	—	—	—	1	2	5	40	40	34
17 Arterio-sclerosis	..	{	M	18	—	—	—	—	—	—	6	7	5	55	—	—	—	—	—	—	19	21	15
		F	16	—	—	—	—	—	—	—	2	6	8	38	—	—	—	—	—	1	6	17	14
18 Bronchitis	..	{	M	27	8	—	1	—	—	—	4	9	5	23	2	—	—	—	—	—	6	7	8
		F	25	3	2	1	—	—	—	—	2	2	15	32	1	—	1	—	—	1	8	14	7
19 Pneumonia (all forms)	..	{	M	37	11	4	1	1	3	7	7	2	1	55	11	3	2	3	3	10	14	8	1
		F	26	10	3	5	1	1	1	1	1	3	1	31	4	2	5	2	2	2	7	4	3
20 Other respiratory diseases	{	M	11	—	—	1	—	—	3	5	2	—	10	—	—	—	—	—	3	5	1	1
		F	4	—	—	—	—	1	—	—	2	1	—	3	—	—	—	—	—	1	1	1	1
21 Ulcer of stomach or duodenum	..	{	M	7	—	—	—	—	1	4	1	1	—	6	—	—	—	—	—	3	2	1	—
		F	2	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—	—
22 Diarrhoea, &c.	..	{	M	12	7	3	—	—	—	—	—	1	1	5	4	—	—	—	—	—	1	—	—
		F	8	7	—	—	—	—	—	—	—	1	—	5	1	—	—	—	—	—	4	—	—
23 Appendicitis and typhlitis..	..	{	M	3	—	1	—	—	1	—	1	—	—	4	—	—	—	1	—	2	—	—	1
		F	1	—	—	—	1	—	—	—	—	—	—	4	—	—	2	1	—	—	1	—	—
24 Cirrhosis of liver	{	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—
		F	3	—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	..	{	M	11	—	—	—	—	—	1	6	2	2	14	—	—	—	—	—	—	7	6	1
		F	13	—	—	—	3	1	2	—	4	2	1	23	—	—	1	2	—	3	6	6	5
26 Puerperal sepsis	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	—	5	—	—	—	—	5	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	3	2	—	—	—	—	8	—	—	—	2	6	—	—	—	—
28 Congenital debility and malformation, premature birth..	..	{	M	30	30	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
		F	14	13	—	—	—	—	1	—	—	—	—	18	17	—	—	1	—	—	—	—	—
29 Suicide	{	M	7	—	—	—	1	2	3	—	—	1	11	—	—	—	—	—	3	5	3	—
		F	5	—	—	—	—	1	3	1	—	—	—	8	—	—	—	—	1	7	—	—	—
30 Other deaths from violence..	..	{	M	21	—	1	1	—	2	7	6	2	2	23	—	1	1	—	1	4	10	4	2
		F	6	3	—	—	—	1	—	—	1	1	—	15	—	—	1	—	—	5	4	5	—
31 Other defined diseases	{	M	108	10	3	1	1	13	25	23	31	131	7	1	1	1	3	16	35	28	39	
		F	96	12	1	—	5	3	5	15	15	40	118	7	2	—	1	4	15	25	23	41	
32 Causes ill-defined or unknown	..	{	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	HASTINGS.										HUDDERSFIELD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	343	18	5	2	8	7	26	96	81	100	743	61	10	15	20	26	69	281	163	98
	F	597	22	3	8	4	7	39	132	136	246	757	42	9	14	15	27	94	226	173	157
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	4	2	1	—	1	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	2	—	—	1	—	—	—	—	—	1	5	—	—	3	1	—	—	1	—	—
7 Influenza ..	M	7	—	—	—	—	1	—	4	1	1	7	—	—	—	—	2	1	—	3	1
	F	11	1	—	—	—	—	1	1	3	5	6	—	—	—	—	—	—	3	—	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	28	—	—	—	1	2	13	10	2	—	48	—	—	—	—	5	14	26	2	1
	F	22	—	—	—	—	—	11	5	6	—	37	1	—	1	1	14	16	3	—	1
11 Other tuberculous diseases ..	M	4	—	—	—	2	—	1	1	—	—	10	—	—	3	2	2	—	3	—	—
	F	5	1	—	—	—	1	—	3	—	—	10	—	2	—	3	2	1	1	—	1
12 Cancer, malignant disease ..	M	38	—	—	—	—	—	—	13	10	15	89	—	—	1	—	2	4	52	23	7
	F	85	—	—	—	—	—	5	28	23	29	105	—	—	—	—	1	11	59	18	16
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	5	—	—	—	—	—	—	2	3	—	15	—	—	—	—	—	1	6	7	1
	F	13	—	—	—	—	—	—	5	4	4	16	—	—	—	1	—	3	4	7	1
15 Cerebral hæmorrhage, &c. ..	M	10	—	—	—	—	—	—	3	4	3	40	—	—	—	—	—	—	17	12	11
	F	45	—	—	—	—	—	—	10	7	28	56	—	—	—	—	—	—	23	19	14
16 Heart disease ..	M	67	—	—	—	1	1	1	16	20	28	134	—	—	—	1	1	10	62	34	26
	F	133	—	—	—	1	—	5	17	39	71	121	—	—	—	1	2	8	30	42	38
17 Arterio-sclerosis ..	M	21	—	—	—	—	—	—	3	8	10	62	—	—	—	—	—	—	18	21	23
	F	43	—	—	—	—	—	—	6	9	28	78	—	—	—	—	—	1	13	33	31
18 Bronchitis ..	M	14	2	—	—	—	—	—	1	1	10	19	3	—	—	—	—	3	2	5	6
	F	20	1	—	1	—	—	—	5	3	10	42	1	1	1	—	—	3	9	14	13
19 Pneumonia (all forms) ..	M	16	2	2	1	—	—	—	4	3	4	34	1	2	1	1	3	6	14	4	2
	F	21	4	2	3	—	1	1	1	4	5	39	5	2	—	3	2	8	13	3	3
20 Other respiratory diseases ..	M	4	—	—	—	—	—	—	2	1	1	7	1	1	—	1	—	2	1	1	—
	F	9	—	—	—	—	—	—	3	2	4	4	—	—	—	—	—	—	2	1	1
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	4	2	—	1	15	—	—	—	—	—	5	7	2	1
	F	4	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	1	1	—
22 Diarrhoea, &c. ..	M	2	—	—	—	—	—	—	1	—	1	5	4	1	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	2	9	2	1	1	—	—	2	—	1	2
23 Appendicitis and typhlitis ..	M	2	—	—	—	—	—	—	2	—	—	3	—	—	1	1	1	—	—	—	—
	F	5	—	—	—	—	—	2	1	2	—	5	—	—	—	—	—	1	—	2	1
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	3	2	—	5	—	—	—	—	—	—	3	2	—
	F	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	17	—	—	—	—	1	—	4	5	7	47	—	—	—	1	1	2	20	19	4
	F	20	—	—	—	—	—	—	7	3	10	53	—	—	—	—	3	6	25	15	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	8	—	—	—	—	1	7	—	—	—
28 Congenital debility and malformation, premature birth ..	M	9	9	—	—	—	—	—	—	—	—	29	26	1	—	—	1	—	1	—	—
	F	9	9	—	—	—	—	—	—	—	—	24	23	—	1	—	—	—	—	—	—
29 Suicide ..	M	9	—	—	—	—	—	1	5	2	1	13	—	—	—	—	1	1	8	3	—
	F	5	—	—	—	—	—	1	4	—	—	7	—	—	—	—	1	4	2	—	—
30 Other deaths from violence ..	M	16	—	—	—	3	1	3	2	4	3	27	—	2	2	5	2	6	7	2	11
	F	15	—	—	—	1	1	4	4	1	4	13	—	—	3	1	—	1	5	1	2
31 Other defined diseases ..	M	59	4	1	1	1	1	3	18	15	15	115	22	1	5	4	3	11	32	23	14
	F	116	3	—	3	2	2	8	26	28	44	105	8	2	2	3	1	18	30	15	26
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	LEEDS.										LEICESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	3253	382	69	55	77	97	373	1033	713	454	1411	158	14	28	27	55	159	424	315	231
		F	2876	224	53	58	77	132	353	759	632	588	1337	125	9	13	31	74	146	317	277	345
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	11	1	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	2	2	5	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—	
4	Scarlet fever ..	M	7	2	—	2	2	1	—	—	—	—	2	—	—	2	—	—	—	—	—	
		F	10	—	—	4	6	—	—	—	—	2	—	—	1	—	1	—	—	—	—	
5	Whooping cough ..	M	28	15	12	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
		F	10	6	3	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—	
6	Diphtheria ..	M	12	1	1	5	4	—	—	1	—	—	5	—	—	3	2	—	—	—	—	
		F	9	—	1	3	4	—	1	—	—	14	1	2	2	7	1	—	—	1	—	
7	Influenza ..	M	55	4	1	1	—	8	7	20	12	2	18	1	—	—	1	—	3	9	2	
		F	51	1	—	1	—	2	13	14	12	8	22	—	1	—	—	1	1	7	6	
8	Encephalitis lethargica ..	M	4	—	—	—	—	—	1	2	1	—	3	—	—	—	—	1	1	1	—	
		F	9	1	—	—	—	2	2	4	—	—	1	—	—	—	—	1	—	—	—	
9	Meningococcal meningitis ..	M	2	2	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	
		F	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	272	—	—	3	2	26	114	107	18	2	151	—	—	2	4	23	64	52	6	
		F	182	1	2	2	6	48	85	33	5	—	114	1	—	—	1	33	57	15	7	
11	Other tuberculous diseases ..	M	50	9	7	6	18	2	4	4	—	—	22	3	1	3	2	6	4	3	—	
		F	37	2	3	10	6	8	5	3	—	—	21	5	—	1	3	9	2	—	1	
12	Cancer, malignant disease ..	M	326	—	—	—	—	3	24	162	110	27	158	—	—	—	—	9	79	49	21	
		F	368	—	—	—	—	3	39	173	98	55	201	—	—	—	—	18	84	61	38	
13	Rheumatic fever ..	M	7	—	—	—	2	—	3	—	2	—	4	—	—	—	1	1	1	—	—	
		F	15	—	—	—	5	5	4	1	—	—	8	—	—	—	1	2	2	3	—	
14	Diabetes ..	M	31	—	—	—	1	1	2	15	10	2	13	—	—	—	—	1	3	6	3	
		F	40	—	—	—	—	1	5	14	15	5	18	—	—	—	—	3	8	5	2	
15	Cerebral hæmorrhage, &c. ..	M	149	—	—	—	—	—	3	52	59	35	83	—	—	—	—	2	33	22	26	
		F	196	—	—	—	—	1	9	64	76	46	76	—	—	—	—	1	19	28	28	
16	Heart disease ..	M	454	—	—	—	6	11	32	163	139	103	178	—	—	—	4	2	10	61	62	
		F	525	1	—	—	8	9	43	153	161	150	228	—	—	—	3	6	14	54	63	
17	Arterio-sclerosis ..	M	318	—	—	—	—	—	2	64	128	124	62	—	—	—	—	1	17	22	22	
		F	217	—	—	—	—	—	—	35	83	99	57	—	—	—	—	—	10	17	30	
18	Bronchitis ..	M	192	11	2	1	2	1	15	57	58	45	59	6	—	—	—	1	13	19	20	
		F	175	4	3	1	1	1	6	30	61	68	55	5	1	—	—	1	7	8	33	
19	Pneumonia (all forms) ..	M	302	51	27	17	6	7	51	104	30	9	71	14	7	7	—	2	5	21	8	
		F	177	25	21	19	14	10	24	34	12	18	66	14	4	4	3	3	4	18	8	
20	Other respiratory diseases ..	M	32	1	—	—	2	2	6	15	4	2	9	2	—	1	—	1	2	1	2	
		F	11	—	1	1	—	—	—	4	4	1	9	—	—	—	2	2	3	2	—	
21	Ulcer of stomach or duodenum ..	M	46	—	—	—	—	—	13	27	4	2	20	—	—	—	—	6	6	6	2	
		F	10	1	—	—	1	—	3	2	3	—	6	—	—	—	—	1	4	—	1	
22	Diarrhœa, &c. ..	M	72	58	7	—	—	—	4	1	2	—	38	34	2	—	—	1	—	1	—	
		F	40	29	6	—	—	—	1	—	3	1	23	19	—	—	—	1	2	—	1	
23	Appendicitis and typhlitis..	M	9	—	—	1	1	—	1	4	1	1	9	—	1	—	—	1	2	4	1	
		F	16	—	—	—	5	5	2	3	—	1	7	—	—	1	2	2	—	2	—	
24	Cirrhosis of liver ..	M	18	—	—	—	—	—	3	14	—	1	8	—	—	—	—	—	4	4	—	
		F	6	—	—	—	1	—	1	3	1	—	6	—	—	—	—	—	4	1	1	
25	Acute and chronic nephritis ..	M	97	1	—	—	—	1	11	37	36	11	58	—	—	—	2	2	5	19	16	
		F	106	—	—	—	1	4	18	53	17	13	53	—	—	—	4	4	15	19	11	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	18	—	—	—	—	5	13	—	—	—	8	—	—	—	—	8	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	17	—	—	—	—	3	14	—	—	—	4	—	—	—	1	3	—	—	—	
28	Congenital debility and malformation, premature birth..	M	166	161	1	3	1	—	—	—	—	—	64	63	1	—	—	—	—	—	—	
		F	102	99	1	—	1	—	1	—	—	—	56	56	—	—	—	—	—	—	—	
29	Suicide ..	M	34	—	—	—	—	2	3	18	8	3	20	—	—	—	—	4	12	3	1	
		F	21	—	—	—	—	1	4	15	1	—	7	—	—	—	—	1	4	2	—	
30	Other deaths from violence..	M	122	10	2	2	12	13	37	27	12	7	77	4	1	6	4	6	20	21	7	
		F	77	7	2	3	4	5	9	15	17	15	30	2	—	—	2	2	1	9	6	
31	Other defined diseases ..	M	436	54	5	8	17	19	37	139	79	78	273	28	1	4	7	9	17	62	79	
		F	415	41	7	8	13	19	51	105	63	108	238	18	1	3	9	7	19	51	40	
32	Causes ill-defined or unknown ..	M	1	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	LINCOLN.										LIVERPOOL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	419	35	5	3	13	23	37	109	95	99	6008	1021	353	186	197	284	740	1631	1026	570
	F	389	22	5	10	9	14	42	95	76	116	5431	775	291	206	166	286	571	1244	984	908
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	2	—	—	—	—	—	—	—	83	18	52	11	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	92	23	43	22	4	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	8	—	1	3	3	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	10	—	2	4	2	1	1	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	138	65	53	20	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	132	42	53	37	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	55	5	12	22	14	1	1	—	—	—
	F	5	—	1	1	2	—	—	1	—	—	44	4	4	17	19	—	—	—	—	—
7 Influenza ..	M	7	—	—	—	—	—	2	4	1	—	47	3	1	—	4	3	11	15	4	6
	F	4	—	—	1	—	1	—	—	1	1	58	3	1	2	1	4	3	20	13	11
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	14	—	—	1	3	3	2	5	—	—
	F	5	—	—	—	—	1	3	1	—	—	11	—	—	—	2	3	1	3	2	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	13	8	—	2	—	1	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	2	—	1	1	2	—	—	—	—
10 Tuberculosis of respiratory system	M	40	—	—	1	—	8	12	16	3	—	606	4	4	7	14	108	232	207	28	2
	F	18	—	—	—	1	3	9	5	—	—	427	3	5	6	25	139	158	79	10	2
11 Other tuberculous diseases ..	M	7	1	1	—	1	2	1	—	1	—	94	8	14	15	19	16	12	10	—	—
	F	8	—	—	—	3	2	2	—	1	—	85	8	9	16	22	11	7	7	3	2
12 Cancer, malignant disease ..	M	40	—	—	—	1	—	—	17	15	7	580	—	—	—	1	3	45	304	170	57
	F	58	—	—	—	—	—	7	29	10	12	577	—	2	—	2	4	58	280	149	82
13 Rheumatic fever ..	M	1	—	—	—	—	—	1	—	—	—	17	—	—	—	6	2	4	4	1	—
	F	4	—	—	—	1	1	2	—	—	—	26	—	—	1	8	5	6	4	2	—
14 Diabetes ..	M	11	—	—	—	—	—	—	6	4	1	35	—	—	—	—	5	4	14	11	1
	F	3	—	—	—	—	—	—	1	2	—	48	—	—	—	1	1	5	20	15	6
15 Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	1	—	3	12	11	166	—	—	—	—	2	8	55	69	32
	F	28	—	—	—	—	—	1	8	7	12	235	1	—	—	—	—	9	82	80	63
16 Heart disease ..	M	71	—	—	—	1	1	4	17	23	25	609	—	—	1	8	24	66	235	181	94
	F	83	—	—	—	—	—	3	18	25	37	755	1	—	1	12	35	66	252	228	160
17 Arterio-sclerosis ..	M	30	—	—	—	—	—	—	6	9	15	289	—	—	—	—	—	4	72	115	98
	F	19	—	—	—	—	—	1	—	4	14	238	—	—	—	—	—	1	30	89	118
18 Bronchitis ..	M	26	5	1	—	—	1	—	4	4	11	313	54	13	3	4	1	21	72	62	83
	F	19	2	1	1	—	—	—	4	6	5	311	52	12	5	—	4	4	47	74	113
19 Pneumonia (all forms) ..	M	33	8	1	1	1	2	4	9	3	4	862	243	125	54	45	23	110	178	65	19
	F	30	2	—	4	2	1	3	4	6	8	591	171	92	58	25	16	44	91	57	37
20 Other respiratory diseases ..	M	4	—	—	—	1	—	—	3	—	—	43	—	2	—	—	2	13	11	8	7
	F	5	—	—	—	—	—	1	2	—	2	39	2	—	1	1	3	1	12	7	12
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	61	—	—	—	—	3	22	31	3	2
	F	1	—	—	—	—	—	—	—	1	—	17	—	—	—	—	—	4	7	5	1
22 Diarrhœa, &c. ..	M	3	2	—	—	—	1	—	—	—	—	218	167	31	10	2	—	2	4	2	—
	F	5	2	2	—	—	—	—	—	—	1	166	108	33	9	—	3	3	3	2	5
23 Appendicitis and typhlitis..	M	2	—	—	—	—	—	1	—	1	—	34	—	—	—	8	9	5	9	3	—
	F	1	—	—	—	—	—	—	1	—	—	21	—	—	—	3	5	7	4	1	1
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	10	—	—	—	—	—	1	8	1	—
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	7	—	—	—
25 Acute and chronic nephritis ..	M	19	—	—	—	1	2	2	6	4	4	177	—	3	4	1	5	18	76	52	18
	F	12	—	—	—	—	—	—	7	3	2	176	—	—	2	4	3	20	75	45	27
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	31	—	—	—	—	3	28	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	41	—	—	—	—	4	37	—	—	—
28 Congenital debility and malformation, premature birth..	M	13	12	—	1	—	—	—	—	—	—	315	313	1	—	1	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	247	240	1	1	3	—	—	2	—	—
29 Suicide ..	M	2	—	—	—	—	1	—	1	—	—	63	—	—	—	—	4	22	27	9	1
	F	4	—	—	—	—	1	—	2	1	—	20	—	—	—	—	2	7	8	2	1
30 Other deaths from violence..	M	13	1	—	—	2	1	3	1	3	2	222	6	13	16	27	24	48	45	30	13
	F	4	—	—	1	—	—	—	1	—	2	128	7	6	10	15	6	13	23	23	25
31 Other defined diseases ..	M	63	6	—	—	3	3	7	13	12	19	931	127	27	17	35	42	87	248	211	137
	F	58	6	1	2	—	3	7	10	9	20	892	108	28	13	16	32	88	188	177	242
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	MANCHESTER.										MIDDLESBROUGH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	5229	667	177	123	172	205	653	1690	960	582	1022	186	53	43	33	61	149	257	149	91
	F	4760	512	140	136	130	239	557	1254	951	841	735	101	43	27	36	37	94	161	128	108
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	—	—	1	—	1	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	61	22	23	14	2	—	—	—	—	—	23	6	8	8	1	—	—	—	—	—
	F	66	25	21	18	2	—	—	—	—	—	9	1	5	2	1	—	—	—	—	—
4 Scarlet fever ..	M	8	—	—	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	1	2	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	48	27	9	11	1	—	—	—	—	—	14	7	5	2	—	—	—	—	—	—
	F	45	18	15	9	3	—	—	—	—	—	18	9	4	4	1	—	—	—	—	—
6 Diphtheria ..	M	58	8	13	15	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	36	5	3	13	14	1	—	—	—	—	4	—	—	1	2	—	—	1	—	—
7 Influenza ..	M	99	2	—	—	2	8	26	40	17	4	32	1	—	—	1	4	7	14	3	2
	F	78	2	—	1	—	1	15	27	19	13	17	—	1	2	3	—	2	5	3	1
8 Encephalitis lethargica ..	M	18	—	—	—	4	3	4	7	—	—	1	—	—	—	—	—	—	1	—	—
	F	22	1	—	2	2	2	7	6	2	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	6	3	1	—	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	7	3	—	1	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	523	1	4	2	8	70	197	222	19	—	85	—	3	2	7	16	37	19	1	—
	F	329	1	—	2	10	105	131	66	12	2	71	1	1	—	7	23	24	11	2	2
11 Other tuberculous diseases ..	M	70	8	5	7	20	7	18	3	2	—	23	2	5	6	6	1	2	1	—	—
	F	76	3	6	16	15	12	17	6	1	—	17	2	3	1	5	3	3	—	—	—
12 Cancer, malignant disease ..	M	564	—	1	—	2	2	37	317	163	42	87	—	—	—	—	1	7	43	30	6
	F	566	—	—	2	—	3	66	268	157	70	61	—	—	—	—	—	11	28	18	4
13 Rheumatic fever ..	M	14	—	—	—	4	3	4	2	1	—	3	—	—	—	—	1	2	—	—	—
	F	18	—	1	—	8	5	2	2	—	—	2	—	—	—	—	—	2	—	—	—
14 Diabetes ..	M	27	—	—	—	—	—	3	11	9	4	4	—	—	—	—	—	—	4	—	—
	F	63	—	—	—	—	1	4	32	21	5	6	—	—	—	—	—	2	3	1	—
15 Cerebral hæmorrhage, &c. ..	M	167	—	—	1	—	1	7	54	61	43	27	—	—	—	—	—	—	13	10	4
	F	213	—	—	—	—	1	4	85	77	46	38	—	—	—	—	—	—	17	14	7
16 Heart disease ..	M	569	—	—	3	10	16	54	229	153	104	128	—	—	—	1	5	13	45	39	25
	F	699	—	—	2	14	22	71	241	195	154	129	—	—	—	3	—	11	43	39	33
17 Arterio-sclerosis ..	M	357	—	—	—	—	—	3	89	140	125	57	—	—	—	—	—	1	16	24	16
	F	308	—	—	—	—	—	2	57	94	155	29	—	—	—	—	—	—	2	11	16
18 Bronchitis ..	M	396	42	11	2	2	3	22	126	110	78	33	9	1	1	—	1	1	10	6	4
	F	397	29	4	4	1	4	9	93	128	125	31	7	1	—	1	—	2	6	6	8
19 Pneumonia (all forms) ..	M	568	117	55	30	21	31	99	154	42	19	164	29	16	14	4	12	37	29	14	9
	F	360	88	50	33	15	16	39	61	42	16	74	14	16	7	3	4	6	8	11	5
20 Other respiratory diseases ..	M	51	2	3	2	3	3	5	17	10	6	12	3	—	1	2	1	2	2	1	—
	F	41	—	1	—	—	5	3	18	7	7	11	—	1	1	—	1	—	4	2	2
21 Ulcer of stomach or duodenum ..	M	46	—	—	—	—	—	14	26	5	1	11	—	—	—	—	—	6	4	1	—
	F	21	—	—	—	—	—	1	15	4	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	157	122	25	2	1	—	—	4	2	1	44	30	9	1	—	—	2	2	—	—
	F	114	85	14	4	3	—	2	2	3	1	23	13	6	1	—	1	1	—	—	1
23 Appendicitis and typhlitis ..	M	30	—	—	—	2	6	10	8	4	—	4	—	—	—	1	—	1	2	—	—
	F	26	—	1	—	1	3	7	10	3	1	6	—	—	—	5	1	—	—	—	—
24 Cirrhosis of liver ..	M	24	—	—	—	—	—	3	17	3	1	2	—	—	—	—	—	1	1	—	—
	F	14	—	—	—	—	—	2	7	4	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	144	—	1	1	5	4	22	74	29	8	27	—	—	1	1	1	3	11	9	1
	F	159	—	—	1	3	7	23	71	31	23	17	1	—	1	—	—	3	6	3	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	27	—	—	—	—	6	21	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	32	—	—	—	—	2	28	2	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth ..	M	230	227	2	—	1	—	—	—	—	—	70	68	1	1	—	—	—	—	—	—
	F	188	180	2	1	3	1	—	1	—	—	33	33	—	—	—	—	—	—	—	—
29 Suicide ..	M	67	—	—	—	—	5	18	38	4	2	9	—	—	—	—	2	2	3	1	1
	F	23	—	—	—	—	3	10	8	1	1	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence ..	M	167	8	8	13	23	20	33	37	19	6	44	—	—	2	3	9	14	11	3	2
	F	107	11	5	11	9	2	15	19	14	21	7	—	1	1	—	—	1	—	2	2
31 Other defined diseases ..	M	759	78	16	17	33	23	73	214	167	138	114	31	5	3	6	6	10	26	7	20
	F	717	61	16	14	23	35	77	156	136	199	112	20	4	4	5	3	14	22	16	24
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	NEWCASTLE-ON-TYNE.										NORTHAMPTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1959	274	69	53	77	79	225	529	381	272	558	45	11	6	17	20	66	136	127	130
	F	1776	178	79	40	67	91	219	415	342	345	515	27	7	5	12	25	48	113	129	149
1 Enteric fever ..	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	26	6	8	7	5	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	30	5	12	10	3	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	23	13	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	10	11	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	1	1	2	—	—	—	—	—	5	1	1	1	2	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
7 Influenza ..	M	22	1	1	—	3	1	4	7	3	2	12	—	—	—	—	2	2	2	6	—
	F	25	—	2	1	1	—	4	9	5	3	4	—	—	—	—	1	1	2	—	1
8 Encephalitis lethargica ..	M	4	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	9	—	—	—	—	1	5	3	—	—	2	—	—	1	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	157	—	4	2	2	31	66	45	7	—	51	—	—	1	10	24	14	2	—	—
	F	137	—	—	—	9	45	61	21	1	—	38	—	—	—	14	17	5	1	1	—
11 Other tuberculous diseases ..	M	39	5	6	4	7	6	8	3	—	—	9	—	3	—	2	3	—	1	—	—
	F	39	2	5	3	13	8	4	3	1	—	6	—	1	2	2	1	—	—	—	—
12 Cancer, malignant disease ..	M	205	—	—	—	1	2	7	91	75	29	72	—	—	—	—	2	29	25	16	—
	F	229	—	—	1	—	3	23	106	58	38	85	—	—	—	1	3	34	33	14	—
13 Rheumatic fever ..	M	8	—	—	—	1	3	2	2	—	—	4	—	—	—	—	2	2	—	—	—
	F	7	—	—	1	3	2	—	1	—	—	1	—	—	1	—	—	—	—	—	—
14 Diabetes ..	M	17	—	1	—	—	—	4	6	6	—	8	—	—	—	—	—	1	6	1	—
	F	17	—	1	—	—	—	1	6	6	3	4	—	—	—	—	1	2	—	1	—
15 Cerebral hæmorrhage, &c. ..	M	89	—	—	—	1	—	4	27	35	22	26	—	—	—	—	—	6	7	13	—
	F	94	—	—	—	—	—	3	30	39	22	36	—	—	—	—	1	6	13	16	—
16 Heart disease ..	M	260	—	—	—	3	7	24	100	75	51	93	—	—	—	1	1	8	25	28	30
	F	282	—	—	1	4	8	22	91	96	60	127	—	—	2	2	11	23	40	49	—
17 Arterio-sclerosis ..	M	160	—	—	—	—	—	1	36	61	62	27	—	—	—	—	—	1	14	12	—
	F	114	—	—	—	—	—	—	16	31	67	22	—	—	—	—	—	6	6	10	—
18 Bronchitis ..	M	95	19	7	1	2	1	5	17	21	22	32	3	—	1	—	—	1	2	11	14
	F	75	6	6	1	—	—	2	12	18	30	41	2	1	—	—	—	5	9	24	—
19 Pneumonia (all forms) ..	M	180	38	19	10	13	3	23	50	15	9	37	5	2	1	4	1	6	11	4	3
	F	131	34	16	4	9	6	16	23	10	13	17	4	3	—	—	2	4	3	1	—
20 Other respiratory diseases ..	M	19	1	—	3	1	—	2	6	3	3	3	—	—	—	—	—	2	—	1	—
	F	20	—	—	—	—	1	2	6	6	5	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	16	—	—	—	—	1	5	7	2	1	6	—	—	—	—	1	3	1	1	—
	F	6	—	—	—	—	—	1	4	1	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. ..	M	62	41	3	4	9	—	1	2	1	1	4	1	1	—	—	1	—	—	—	—
	F	43	19	8	1	4	1	2	1	2	5	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	M	7	—	—	—	2	—	3	1	1	—	7	—	—	1	1	—	1	3	—	1
	F	5	—	—	1	1	3	—	—	—	—	3	—	—	—	—	1	1	1	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	52	—	—	—	2	2	6	18	18	6	16	—	—	1	—	2	4	6	3	—
	F	47	—	—	1	—	—	8	18	7	13	11	—	—	1	1	—	3	5	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	4	—	—	—	1	3	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	3	11	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	102	101	—	—	1	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	72	71	1	—	—	—	—	—	—	—	12	10	1	1	—	—	—	—	—	—
29 Suicide ..	M	24	—	—	—	—	1	10	12	1	—	11	—	—	—	1	3	6	1	—	—
	F	14	—	—	—	—	1	7	4	1	1	4	—	—	—	1	—	2	1	—	—
30 Other deaths from violence..	M	76	4	—	6	10	9	16	22	7	2	16	2	—	—	1	4	5	3	1	—
	F	40	1	3	2	6	3	5	5	6	9	9	2	—	—	2	—	2	2	1	—
31 Other defined diseases ..	M	301	44	12	11	12	9	32	70	49	62	88	7	2	—	5	4	18	12	34	—
	F	277	30	12	6	9	4	33	54	53	76	80	7	1	—	1	4	16	15	30	—
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(Civilian population only).

CAUSES OF DEATH.	Sex.	OLDHAM.										OXFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	988	102	23	25	29	34	103	357	227	88	294	21	4	3	7	16	30	85	67	61
	F	1076	79	17	21	38	63	135	312	239	172	340	11	4	3	4	12	24	89	78	115
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	3	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	5	1	4	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	13	1	—	7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	1	8	11	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	35	—	—	—	1	—	5	17	11	1	9	—	—	—	—	1	4	2	2	2
	F	20	—	—	1	—	2	2	5	8	2	6	—	—	—	—	2	2	2	—	—
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	61	—	—	—	1	6	28	26	—	—	18	—	—	—	1	5	8	4	—	—
	F	54	—	—	—	2	29	14	9	—	—	15	—	—	—	3	7	3	2	—	—
11 Other tuberculous diseases ..	M	10	—	—	—	1	5	2	2	—	—	7	—	1	1	—	3	—	1	1	—
	F	17	—	—	1	2	5	8	1	—	—	2	—	1	—	—	1	—	—	—	—
12 Cancer, malignant disease ..	M	99	—	—	—	—	—	2	50	39	8	49	—	—	—	—	1	19	19	10	10
	F	117	—	—	—	—	—	14	63	29	11	57	—	—	—	1	—	28	14	14	14
13 Rheumatic fever ..	M	2	—	—	—	1	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—
	F	6	—	—	—	1	—	4	1	—	—	2	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	1	1	5	1	—	3	—	—	—	—	—	2	—	—	1
	F	13	—	—	—	—	2	2	3	3	3	3	—	—	—	—	1	—	—	—	2
15 Cerebral hæmorrhage, &c. ..	M	42	—	—	—	—	—	—	16	16	10	15	—	—	—	—	1	3	6	5	5
	F	65	—	—	—	—	—	2	24	28	11	21	—	—	—	—	—	4	7	10	10
16 Heart disease ..	M	141	—	—	—	4	3	9	56	48	21	43	—	—	—	1	2	3	11	13	13
	F	202	—	—	—	2	7	25	72	62	34	66	—	—	—	1	2	12	21	30	30
17 Arterio-sclerosis ..	M	49	—	—	—	—	—	1	20	20	8	19	—	—	—	—	—	1	4	5	9
	F	47	—	—	—	—	—	1	8	19	19	25	—	—	—	—	—	3	8	14	14
18 Bronchitis ..	M	80	10	4	—	—	2	4	24	26	10	10	—	—	—	—	1	2	2	5	5
	F	83	5	1	1	2	—	7	24	27	16	13	1	—	—	—	1	1	3	7	7
19 Pneumonia (all forms) ..	M	76	5	6	7	2	3	21	24	3	5	15	2	1	1	—	2	5	2	1	1
	F	45	12	3	2	3	1	1	11	9	3	22	2	—	—	1	1	7	3	7	7
20 Other respiratory diseases ..	M	14	2	—	1	—	1	4	4	2	—	6	—	—	—	—	2	2	1	1	1
	F	10	—	2	—	2	1	1	2	—	2	3	—	—	—	—	—	2	1	—	—
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	—	1	3	4	1	—	3	—	—	—	—	—	3	—	—	—
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	—	—	1	1
22 Diarrhœa, &c. ..	M	13	10	2	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—
	F	9	4	1	1	—	—	2	—	1	—	5	3	—	—	—	—	1	1	—	—
23 Appendicitis and typhlitis...	M	7	—	—	—	4	1	2	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	5	—	—	—	1	—	—	3	1	—	2	—	1	1	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
25 Acute and chronic nephritis ..	M	48	1	1	—	—	2	5	26	11	2	8	—	—	—	—	—	4	2	2	2
	F	35	—	—	—	—	—	3	16	13	3	16	—	—	—	—	1	4	4	7	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	3	8	—	—	—	2	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	—	2	—	—	—	—	2	—	—	—	—
28 Congenital debility and malformation, premature birth...	M	52	50	1	1	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	45	41	3	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide ..	M	17	—	—	—	—	—	3	14	—	—	3	—	—	—	—	2	—	1	—	—
	F	6	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence...	M	35	—	1	1	3	4	8	12	5	1	15	1	—	—	4	3	—	6	1	—
	F	19	2	—	4	1	2	1	3	1	5	10	—	—	—	4	4	1	1	3	1
31 Other defined diseases ..	M	155	20	5	6	6	5	4	52	38	19	52	5	1	1	—	2	6	13	12	12
	F	211	13	2	2	11	8	27	56	33	59	57	1	—	2	2	—	2	19	9	22
32 Causes ill-defined or unknown ..	M	9	—	—	—	—	—	1	1	4	3	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	—	—	4	5	3	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	PLYMOUTH.											PORTSMOUTH.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..	M	1288	144	41	30	49	46	105	378	237	258	1385	150	30	36	49	36	142	360	296	286		
	F	1262	106	39	29	47	44	133	282	243	339	1363	95	25	27	39	72	138	297	284	386		
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..	M	41	11	13	11	6	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—		
	F	39	8	18	9	4	—	—	—	—	—	6	1	2	2	1	—	—	—	—	—		
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
5 Whooping cough ..	M	3	1	1	1	—	—	—	—	—	—	7	3	1	1	2	—	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	—	5	2	3	—	—	—	—	—	—	—		
6 Diphtheria ..	M	17	—	—	2	15	—	—	—	—	—	28	2	3	11	12	—	—	—	—	—		
	F	15	—	1	4	9	—	1	—	—	—	25	1	1	8	12	—	2	1	—	—		
7 Influenza ..	M	9	1	—	—	1	1	—	4	—	2	13	2	1	—	—	—	—	5	3	2		
	F	8	1	—	—	1	—	1	1	3	1	13	—	1	1	—	—	1	4	3	3		
8 Encephalitis lethargica ..	M	2	—	1	—	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—		
	F	4	—	1	1	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—		
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system	M	84	—	—	—	1	16	29	30	7	1	91	—	—	—	—	11	49	24	7	—		
	F	70	—	—	—	2	22	26	13	6	1	91	—	—	—	2	37	33	17	1	1		
11 Other tuberculous diseases ..	M	21	1	1	2	8	2	4	2	1	—	22	5	5	2	3	2	3	2	—	—		
	F	18	—	1	4	6	1	5	1	—	—	27	4	2	3	5	6	4	2	—	1		
12 Cancer, malignant disease ..	M	140	—	—	—	1	—	10	59	43	27	148	—	—	1	1	—	8	55	62	21		
	F	181	—	—	—	—	1	17	81	56	26	179	1	—	1	1	2	22	67	43	42		
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	8	—	—	—	2	2	3	1	—	—		
	F	4	—	—	—	3	—	—	—	—	1	8	—	—	—	3	4	—	—	—	1		
14 Diabetes ..	M	12	—	—	—	1	1	—	5	4	1	10	—	—	—	1	—	—	3	3	3		
	F	15	—	—	—	—	—	2	6	4	3	20	—	—	—	—	—	3	5	9	3		
15 Cerebral hæmorrhage, &c. ..	M	80	—	—	—	—	—	—	29	18	33	68	—	—	—	—	—	2	21	27	18		
	F	83	—	—	—	—	—	—	13	31	39	88	—	—	—	—	—	—	33	27	28		
16 Heart disease ..	M	217	—	—	—	—	2	12	90	58	55	282	—	—	—	1	4	12	95	84	86		
	F	226	—	—	—	2	5	12	48	57	102	249	—	—	—	1	4	17	58	76	93		
17 Arterio-sclerosis ..	M	66	—	—	—	—	1	1	20	20	24	32	—	—	—	—	—	1	8	13	10		
	F	48	—	—	—	—	—	—	5	19	24	51	—	—	—	—	—	—	13	17	21		
18 Bronchitis ..	M	86	16	2	1	—	1	3	14	18	31	64	7	1	1	—	—	1	9	14	31		
	F	75	8	3	—	1	—	1	6	14	42	66	9	1	—	2	—	1	8	18	27		
19 Pneumonia (all forms) ..	M	79	19	17	6	—	5	10	12	4	6	89	32	8	5	4	1	12	20	5	2		
	F	71	19	9	3	6	—	7	9	9	9	65	15	10	5	2	5	6	10	8	4		
20 Other respiratory diseases ..	M	18	1	1	1	1	—	3	6	3	2	19	1	—	—	1	1	2	9	2	3		
	F	13	1	—	1	2	—	—	3	1	5	14	1	2	—	—	—	1	3	4	3		
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	—	3	5	3	2	13	—	—	—	—	—	5	7	—	1		
	F	6	—	—	—	—	—	1	5	—	—	2	—	—	—	—	—	—	1	1	—		
22 Diarrhœa, &c. ..	M	11	6	2	1	—	—	—	—	2	—	19	14	2	2	—	—	—	—	—	1		
	F	19	7	2	—	—	—	1	6	3	—	7	6	—	—	1	—	—	—	—	—		
23 Appendicitis and typhlitis..	M	12	—	—	1	3	2	4	1	1	—	6	—	—	—	1	—	1	2	1	1		
	F	6	—	—	—	2	—	2	2	—	—	5	—	—	—	1	—	2	1	—	1		
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	—	4	1	1	7	—	—	—	—	—	2	5	—	—		
	F	4	—	—	—	—	—	2	2	—	—	4	—	—	—	—	—	—	2	1	1		
25 Acute and chronic nephritis ..	M	30	—	—	—	—	—	2	9	14	5	39	—	—	—	2	1	3	11	16	6		
	F	35	—	—	—	1	2	6	12	8	6	54	—	—	—	1	1	5	16	15	16		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	—	9	—	—	—	14	—	—	—	—	3	11	—	—	—		
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	—	12	—	—	—	10	—	—	—	—	1	9	—	—	—		
28 Congenital debility and malformation, premature birth..	M	54	54	—	—	—	—	—	—	—	—	64	63	1	—	—	—	—	—	—	—		
	F	45	44	—	—	1	—	—	—	—	—	43	41	—	—	1	—	1	—	—	—		
29 Suicide ..	M	16	—	—	—	—	1	2	12	1	—	26	—	—	—	—	2	7	11	1	5		
	F	7	—	—	—	—	—	3	4	—	—	12	—	—	—	—	1	4	7	—	—		
30 Other deaths from violence..	M	38	2	1	—	5	10	5	8	1	6	37	1	1	2	4	8	6	6	6	3		
	F	28	1	—	4	2	1	1	5	5	9	27	3	—	2	1	—	2	6	4	9		
31 Other defined diseases ..	M	230	32	2	4	6	4	17	65	38	62	282	17	6	9	11	4	24	66	52	93		
	F	216	16	4	2	4	11	23	58	27	71	273	11	2	3	5	7	14	42	57	132		
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	—		

(Civilian population only).

CAUSES OF DEATH.		Sex.	PRESTON.										READING.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	809	106	19	13	20	25	79	255	171	121	560	49	7	5	24	25	52	143	134	121
		F	803	68	22	11	20	23	90	205	171	193	590	33	9	12	16	24	65	129	129	173
1 Enteric fever	..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	6	1	3	2	—	—	—	—	—	
4 Scarlet fever	..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	M	7	4	2	1	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	
		F	8	2	2	3	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—	
6 Diphtheria	..	M	7	1	1	3	2	—	—	—	—	—	9	—	—	1	7	—	1	—	—	
		F	2	—	—	—	2	—	—	—	—	—	10	—	1	2	6	—	—	—	1	
7 Influenza	M	14	—	—	—	2	—	2	5	5	—	11	—	1	—	—	—	—	6	4	
		F	27	1	2	—	1	1	5	7	4	6	9	1	—	—	1	—	2	1	2	
8 Encephalitis lethargica	..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	—	
9 Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	{	M	53	1	—	—	2	6	19	21	2	2	45	—	1	—	2	8	20	13	1	—
		F	39	—	—	1	1	9	21	6	1	—	35	—	—	—	1	10	14	8	2	—
11 Other tuberculous diseases	M	14	2	3	2	1	1	4	1	—	—	15	2	2	2	2	2	3	—	—	—
		F	15	—	2	1	5	4	1	1	1	—	16	—	1	2	3	3	5	2	—	—
12 Cancer, malignant disease	M	91	—	—	—	1	—	7	30	35	18	52	—	1	—	—	5	17	22	7	
		F	88	—	—	—	—	1	10	37	23	17	82	1	—	1	—	16	26	21	17	
13 Rheumatic fever ..	{	M	4	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	2	—	1	1	—	—	2	—	—	—	1	—	—	—	—	
14 Diabetes	M	4	—	—	—	1	—	2	—	—	1	5	—	—	—	1	—	2	2	—	
		F	21	—	—	—	—	—	2	7	11	1	8	—	—	—	1	—	2	5	—	
15 Cerebral hæmorrhage, &c.	..	M	36	—	—	—	—	—	11	15	10	14	—	—	—	—	1	—	6	5	2	
		F	39	—	1	—	—	—	2	11	12	13	26	—	—	—	—	1	10	7	8	
16 Heart disease	..	M	121	—	—	—	2	3	6	50	38	22	88	—	—	—	2	3	23	35	25	
		F	127	—	—	—	1	—	12	44	38	32	122	—	—	—	2	1	32	31	56	
17 Arterio-sclerosis ..	{	M	50	—	—	—	—	—	20	17	13	57	—	—	—	—	—	—	9	16	32	
		F	53	—	—	—	—	—	7	24	22	54	—	—	—	—	—	—	3	17	34	
18 Bronchitis	..	M	44	4	—	—	—	2	2	14	8	14	29	4	—	—	—	—	6	7	12	
		F	47	7	—	—	—	—	9	9	22	27	—	—	—	—	—	1	7	6	13	
19 Pneumonia (all forms)	M	63	16	7	—	—	3	12	17	3	5	31	5	—	1	2	2	12	7	2	
		F	54	5	8	1	1	2	5	12	14	6	22	5	2	2	1	1	1	8	1	
20 Other respiratory diseases ..	{	M	16	—	1	—	—	—	1	9	1	4	6	—	—	—	—	1	1	1	3	
		F	13	2	—	—	1	—	1	6	2	1	6	—	—	—	—	1	3	1	1	
21 Ulcer of stomach or duodenum	..	M	6	—	—	—	—	—	1	4	1	—	6	—	—	—	—	2	4	—	—	
		F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	1	—	—	—	
22 Diarrhœa, &c.	..	M	13	9	—	—	1	—	2	1	—	—	4	2	—	—	—	—	—	1	1	
		F	8	2	—	—	1	—	1	1	—	3	5	4	—	—	—	—	—	—	1	
23 Appendicitis and typhlitis..	{	M	7	—	—	1	—	1	—	4	1	—	2	—	—	—	1	1	—	—	—	
		F	7	—	1	1	—	2	—	—	3	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver ..	{	M	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	—	4	—	1	
		F	2	—	—	—	—	—	—	1	—	1	4	—	—	—	—	—	—	2	2	
25 Acute and chronic nephritis	..	M	46	—	—	—	2	—	2	8	20	14	14	—	—	—	2	—	5	2	3	
		F	62	—	1	—	—	1	4	10	13	33	11	—	—	—	—	—	4	4	3	
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	2	1	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	9	—	—	—	—	—	9	—	—	—	7	—	—	—	—	7	—	—	—	
28 Congenital debility and malformation, premature birth..	..	M	51	51	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	
		F	36	35	—	1	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	
29 Suicide	M	6	—	—	—	—	1	4	1	—	—	8	—	—	—	—	1	5	2	—	
		F	5	—	—	—	—	—	—	5	—	—	4	—	—	—	—	2	1	1	—	
30 Other deaths from violence..	{	M	22	—	—	1	1	6	4	10	—	—	30	4	—	—	2	7	4	6	4	3
		F	21	1	2	—	2	1	—	9	1	5	8	1	—	—	1	—	2	1	3	
31 Other defined diseases	M	126	18	5	4	3	2	8	44	24	18	103	11	1	—	4	2	9	27	23	26
		F	105	12	1	4	1	1	13	28	14	31	100	4	1	2	2	11	26	21	31	
32 Causes ill-defined or unknown	..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	ROCHDALE.										ROTHERHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	682	60	12	9	27	26	84	234	150	80	388	46	9	15	6	21	45	122	79	45
	F	603	34	9	10	11	11	68	187	161	112	359	47	12	12	10	18	48	83	61	68
1 Enteric fever ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
5 Whooping cough ..	M	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	5	1	1	2	1	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	4	—	—	1	2	1	—	—	—	—
7 Influenza ..	M	21	—	1	—	—	1	3	12	3	1	5	—	—	2	—	1	1	1	—	—
	F	11	—	—	—	1	—	2	3	4	1	4	—	—	—	—	1	1	1	—	1
8 Encephalitis lethargica ..	M	4	—	—	—	1	2	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	3	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	—	—	2	4	10	16	1	—	33	—	—	—	—	7	9	17	—	—
	F	21	—	—	—	—	4	10	6	1	—	25	1	—	1	1	4	11	6	1	—
11 Other tuberculous diseases ..	M	12	2	—	1	5	2	1	1	—	—	5	1	—	2	—	—	—	2	—	—
	F	4	1	—	—	1	1	—	1	—	—	9	1	1	3	2	1	—	1	—	—
12 Cancer, malignant disease ..	M	66	—	—	—	—	—	9	30	22	5	39	—	—	—	—	—	4	25	10	—
	F	90	—	—	—	—	1	10	42	31	6	34	—	—	—	—	1	6	17	3	7
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	3	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes ..	M	7	—	—	—	—	—	—	2	4	1	6	—	—	—	—	—	2	1	2	1
	F	4	—	—	—	—	—	1	2	—	1	3	—	—	—	—	—	1	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	1	9	11	7	17	—	—	—	—	—	2	7	5	3
	F	54	—	—	—	—	—	2	16	20	16	19	—	—	—	—	—	1	5	3	10
16 Heart disease ..	M	91	—	—	—	2	1	6	39	32	11	49	—	—	—	—	1	4	18	14	12
	F	118	—	—	—	1	—	11	46	39	21	48	—	—	—	—	1	2	10	20	15
17 Arterio-sclerosis ..	M	63	—	—	—	—	—	—	21	24	18	22	—	—	—	—	—	1	2	9	10
	F	55	—	—	—	—	—	—	8	25	22	12	—	—	—	—	—	—	3	2	7
18 Bronchitis ..	M	47	2	1	—	1	1	1	15	16	10	25	5	—	—	—	—	1	7	5	7
	F	36	1	—	—	—	1	2	10	10	12	28	5	1	—	—	—	1	7	2	12
19 Pneumonia (all forms) ..	M	52	5	3	1	3	2	15	17	4	2	45	10	6	3	1	—	3	12	9	1
	F	30	5	1	2	1	1	3	8	5	4	31	9	4	2	—	—	3	4	6	3
20 Other respiratory diseases ..	M	5	—	—	—	—	—	—	1	2	2	10	—	—	1	1	—	1	3	3	1
	F	3	1	1	—	—	—	—	—	—	1	4	—	—	—	—	—	—	1	2	1
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	—	—	3	6	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	12	8	1	—	—	—	—	1	—	2	8	5	2	1	—	—	—	—	—	—
	F	5	3	2	—	—	—	—	—	—	—	12	8	4	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	M	10	—	—	1	3	2	2	2	—	—	5	—	—	—	1	3	1	—	—	—
	F	5	—	—	1	—	—	2	2	—	—	3	—	—	—	1	1	1	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	20	—	—	—	—	—	3	10	5	2	12	—	—	—	—	—	1	7	2	2
	F	16	—	—	—	—	—	4	9	2	1	15	—	—	—	1	1	3	4	5	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth..	M	30	29	—	—	—	—	1	—	—	—	19	18	—	1	—	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	15	14	—	—	—	1	—	—	—	—
29 Suicide ..	M	13	—	—	—	—	—	6	6	1	—	2	—	—	—	—	—	1	—	1	—
	F	8	—	—	—	—	1	1	4	2	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence..	M	27	3	2	2	6	—	5	7	—	2	25	—	—	3	—	4	7	6	5	—
	F	10	3	—	—	—	—	1	3	3	—	9	—	—	3	1	2	1	1	1	—
31 Other defined diseases ..	M	113	10	1	1	2	9	15	35	24	16	52	6	—	1	1	5	5	12	14	8
	F	90	2	3	4	4	2	8	24	17	26	64	7	—	1	—	3	9	19	14	11
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	SHEFFIELD.										SMETHWICK.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	3223	368	89	96	107	152	358	964	643	446	439	52	7	12	14	19	49	136	88	62
	F	2874	250	95	66	91	134	338	718	571	611	386	37	7	4	12	11	43	100	97	75
1 Enteric fever ..	M	7	—	—	—	1	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	61	14	30	16	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	61	9	33	15	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	10	—	1	3	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	1	2	10	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	—	1	2	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
	F	9	4	3	2	—	—	—	—	—	—	5	3	1	—	1	—	—	—	—	—
6 Diphtheria ..	M	16	—	3	7	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	4	4	2	6	—	1	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza ..	M	44	3	—	2	—	3	2	25	6	3	5	—	—	—	—	1	2	2	—	—
	F	41	1	1	1	—	3	5	11	11	8	6	—	—	1	—	1	1	2	1	—
8 Encephalitis lethargica ..	M	4	—	—	—	—	—	2	1	1	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	—	3	1	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	2	—	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	255	—	2	2	4	37	94	102	13	1	35	—	—	1	1	5	13	15	—	—
	F	129	—	1	—	4	45	57	20	2	—	24	—	1	—	2	3	12	5	1	—
11 Other tuberculous diseases ..	M	53	5	6	4	16	8	9	5	—	—	4	1	—	1	1	—	—	—	—	—
	F	40	3	1	11	9	6	3	6	—	1	5	—	—	1	2	—	2	—	—	—
12 Cancer, malignant disease ..	M	338	—	1	—	—	6	21	169	112	29	51	—	—	—	—	6	26	14	5	—
	F	369	—	—	—	—	5	42	185	97	40	43	—	—	—	1	4	19	15	4	—
13 Rheumatic fever ..	M	9	—	—	—	3	3	—	3	—	—	2	—	—	—	—	1	1	—	—	—
	F	9	—	—	—	2	4	2	1	—	—	1	—	—	1	—	—	—	—	—	—
14 Diabetes ..	M	23	—	—	—	—	2	4	12	3	2	3	—	—	—	—	—	1	2	—	—
	F	34	—	—	—	2	1	1	20	7	3	7	—	—	—	—	1	4	2	—	—
15 Cerebral hæmorrhage, &c. ..	M	102	—	—	—	—	—	3	38	37	24	19	—	—	—	—	1	8	4	6	—
	F	141	—	—	—	—	—	3	45	47	46	32	—	—	—	—	2	6	15	9	—
16 Heart disease ..	M	385	—	—	1	5	15	30	141	123	70	85	—	—	—	4	5	24	28	24	—
	F	426	—	—	—	9	13	48	126	124	106	77	—	—	1	3	4	19	28	22	—
17 Arterio-sclerosis ..	M	373	—	—	—	—	—	3	70	149	151	12	—	—	—	—	—	2	4	6	—
	F	383	—	—	—	—	—	1	44	133	205	12	—	—	—	—	—	4	4	4	—
18 Bronchitis ..	M	179	13	1	4	2	4	9	46	44	56	20	—	—	1	—	1	—	5	6	7
	F	138	16	5	—	2	—	10	23	32	50	18	2	—	1	—	1	3	5	6	—
19 Pneumonia (all forms) ..	M	349	60	29	28	25	14	55	91	33	14	49	10	3	4	4	1	5	16	6	—
	F	212	40	26	16	15	5	29	41	24	16	35	7	1	1	—	5	8	7	5	—
20 Other respiratory diseases ..	M	36	2	3	—	1	1	7	13	6	3	2	—	—	—	—	1	1	—	—	—
	F	19	1	—	—	1	1	4	4	3	5	5	—	—	—	—	—	3	—	2	—
21 Ulcer of stomach or duodenum ..	M	40	—	—	—	—	1	11	26	2	—	4	—	—	—	—	1	2	—	1	—
	F	13	—	—	—	—	—	3	7	2	1	2	—	—	—	—	—	2	—	—	—
22 Diarrhœa, &c. ..	M	52	39	4	4	—	—	1	—	2	2	6	6	—	—	—	—	—	—	—	—
	F	35	19	6	1	2	1	1	2	2	1	4	2	1	—	—	—	—	1	—	—
23 Appendicitis and typhlitis..	M	24	—	—	3	6	5	5	5	—	—	4	—	—	—	1	1	2	—	—	—
	F	12	—	—	1	2	4	1	3	1	—	3	—	—	—	—	1	1	1	—	—
24 Cirrhosis of liver ..	M	11	—	—	—	—	—	2	6	2	1	3	—	—	—	—	—	3	—	—	—
	F	5	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	108	—	—	2	4	8	13	44	29	8	17	—	—	1	—	1	8	7	—	—
	F	101	2	—	2	2	7	17	38	24	11	10	—	—	—	—	1	5	3	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	—	7	27	—	—	—	2	—	—	—	1	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	4	15	—	—	—	4	—	—	—	—	4	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	181	179	—	1	—	1	—	—	—	—	24	22	—	—	—	—	2	—	—	—
	F	107	105	1	—	—	—	1	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide ..	M	37	—	—	—	—	2	12	20	2	1	4	—	—	—	—	—	4	—	—	—
	F	13	—	—	—	—	1	3	7	1	1	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence..	M	135	6	2	8	7	22	29	37	15	9	11	2	—	3	2	3	1	—	—	—
	F	72	1	4	8	5	6	4	13	15	16	10	—	2	—	1	—	1	2	4	—
31 Other defined diseases ..	M	386	47	5	8	22	19	40	109	64	72	70	7	2	3	4	4	9	13	15	13
	F	411	44	9	6	16	18	57	116	44	101	57	3	1	—	2	2	6	16	10	17
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.		Sex	SOUTHAMPTON.										SOUTHEND-ON-SEA.									
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1098	92	14	22	32	53	139	330	220	196	608	40	1	10	17	15	73	199	146	107
		F	952	62	10	9	17	46	86	239	205	278	616	27	10	2	18	19	59	146	152	183
1	Enteric fever ..	M	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	
		F	4	—	—	—	—	1	—	3	—	—	4	—	—	—	—	2	2	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	1	—	—	1	—	—	—	—	—	—	6	—	—	4	2	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	
4	Scarlet fever ..	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	5	2	3	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	
		F	6	5	—	1	—	—	—	—	—	—	3	—	2	—	—	—	—	—	1	
6	Diphtheria ..	M	10	—	1	4	4	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
		F	9	—	1	2	3	—	1	2	—	—	6	—	—	—	6	—	—	—	—	
7	Influenza ..	M	23	2	—	1	3	—	3	5	6	3	7	—	—	—	—	—	1	2	3	
		F	16	—	—	—	1	—	1	2	5	7	3	—	—	—	—	—	1	—	2	
8	Encephalitis lethargica ..	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	1	1	—	—	1	—	—	1	—	—	—	—	—	
9	Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	113	1	1	1	—	22	50	32	4	2	50	—	—	—	1	3	28	16	1	
		F	63	—	—	—	2	28	19	13	1	—	38	—	—	—	10	15	11	2	—	
11	Other tuberculous diseases ..	M	17	—	1	2	5	4	4	1	—	—	14	2	1	2	3	2	1	3	—	
		F	10	2	1	—	—	3	2	1	1	—	8	1	2	1	1	—	3	—	—	
12	Cancer, malignant disease ..	M	138	—	—	—	—	2	6	71	42	17	70	—	—	—	—	3	27	27	13	
		F	145	—	—	—	—	—	10	64	40	31	119	—	1	—	—	9	47	37	25	
13	Rheumatic fever ..	M	2	—	—	—	1	—	1	—	—	—	2	—	—	—	1	—	1	—	—	
		F	4	—	—	—	—	2	1	—	1	—	1	—	—	—	—	1	—	—	—	
14	Diabetes ..	M	14	—	—	—	1	—	—	4	5	4	9	—	—	—	—	1	—	1	6	
		F	15	—	—	—	—	—	—	7	5	3	12	—	—	—	1	—	1	—	7	
15	Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	—	1	8	13	5	35	—	—	—	—	—	13	14	8	
		F	59	—	—	—	1	—	1	9	22	26	43	—	—	—	—	2	7	21	13	
16	Heart disease ..	M	197	—	—	—	1	2	11	62	58	63	111	—	—	—	—	5	35	40	31	
		F	186	—	—	—	2	2	5	38	59	80	134	—	—	—	1	4	32	38	59	
17	Arterio-sclerosis ..	M	50	—	—	—	—	—	—	15	17	18	16	—	—	—	—	—	6	5	5	
		F	29	—	—	—	—	—	1	4	4	20	26	—	—	—	—	—	2	6	18	
18	Bronchitis ..	M	38	5	1	2	—	—	—	5	10	15	23	3	—	—	—	—	2	4	10	
		F	61	5	1	1	1	—	1	7	12	33	30	1	—	—	—	—	3	5	21	
19	Pneumonia (all forms) ..	M	78	10	1	2	—	2	15	24	11	13	40	7	—	1	—	1	6	20	5	
		F	63	11	4	2	2	—	4	11	14	15	20	5	1	—	1	1	3	6	2	
20	Other respiratory diseases ..	M	9	—	—	1	—	—	2	3	—	3	6	—	—	—	1	—	1	1	2	
		F	10	—	—	—	—	—	1	4	1	4	5	—	—	—	—	—	1	2	—	
21	Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	2	1	—	14	—	—	—	—	4	9	1	—	
		F	6	—	—	—	—	1	1	3	1	—	1	—	—	—	—	—	—	—	1	
22	Diarrhœa, &c. ..	M	13	9	1	1	—	—	—	—	—	2	5	3	—	—	1	—	1	—	—	
		F	9	4	1	1	—	—	2	—	—	1	3	2	—	—	—	—	—	—	1	
23	Appendicitis and typhlitis ..	M	14	—	—	1	3	—	5	3	1	1	5	—	—	—	1	—	3	1	—	
		F	7	—	—	—	—	—	1	5	1	—	7	—	—	—	2	—	2	1	1	
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—	
		F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	2	1	—	
25	Acute and chronic nephritis ..	M	53	—	—	—	—	—	4	22	20	7	19	—	—	—	—	2	6	8	3	
		F	33	—	—	—	1	1	2	11	9	9	16	—	—	—	1	1	5	5	4	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	—	5	—	—	—	3	—	—	—	—	3	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	9	—	—	—	—	2	7	—	—	—	2	—	—	—	—	2	—	—	—	
28	Congenital debility and malformation, premature birth..	M	42	41	—	1	—	—	—	—	—	—	18	17	—	—	—	1	—	—	—	
		F	27	26	—	—	1	—	—	—	—	—	12	12	—	—	—	—	—	—	—	
29	Suicide ..	M	13	—	—	—	—	3	5	1	1	3	16	—	—	—	—	3	4	7	2	
		F	9	—	—	—	—	1	3	5	—	—	4	—	—	—	—	1	1	2	—	
30	Other deaths from violence..	M	44	3	—	1	5	8	5	9	8	5	26	—	—	2	2	3	4	10	1	
		F	24	1	—	—	—	2	2	8	7	4	11	—	—	—	2	1	—	3	4	
31	Other defined diseases ..	M	179	19	4	3	8	7	22	58	23	35	110	6	—	1	3	2	10	33	26	
		F	137	8	1	2	3	3	14	39	22	45	96	5	2	—	2	5	9	20	22	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	SOUTHPORT.										SOUTH SHIELDS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	457	38	7	11	4	10	33	146	103	105	920	140	45	30	47	56	103	225	155	119
	F	587	31	11	5	6	15	41	148	146	184	778	86	31	40	49	66	120	165	113	108
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	—	1	—
3 Measles ..	M	2	1	1	—	—	—	—	—	—	—	5	2	3	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	3	4	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	1	—	2	—	—	—	—	—	—	11	4	4	3	—	—	—	—	—	—
	F	6	1	3	2	—	—	—	—	—	—	9	5	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—
7 Influenza ..	M	15	—	—	1	1	—	—	6	5	2	30	1	1	1	3	5	6	8	4	1
	F	16	—	—	—	—	—	3	5	3	5	14	—	—	—	3	2	1	6	2	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	2	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	22	—	—	—	1	8	11	2	—	—	96	—	3	2	3	25	36	25	2	—
	F	17	—	—	2	6	5	2	2	—	—	103	—	1	1	12	41	41	7	—	—
11 Other tuberculous diseases ..	M	6	—	1	3	—	1	1	—	—	—	37	4	8	4	6	8	5	2	—	—
	F	5	2	—	1	—	1	—	—	1	—	24	3	4	6	4	4	3	—	—	—
12 Cancer, malignant disease ..	M	56	—	—	—	—	1	3	19	20	13	76	—	—	1	—	—	3	42	21	9
	F	93	—	—	—	—	—	6	34	38	15	68	1	—	—	—	—	13	33	18	3
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	1	1	1	2	—
	F	14	—	—	—	—	—	—	7	4	3	6	—	—	—	—	—	1	2	2	1
15 Cerebral hæmorrhage, &c. ..	M	34	—	—	—	—	—	—	11	11	12	41	—	—	—	—	—	—	13	13	15
	F	59	—	—	—	—	—	1	16	20	22	29	—	—	—	—	—	—	11	11	7
16 Heart disease ..	M	69	—	—	—	—	—	3	24	26	16	81	—	—	—	1	1	4	27	34	14
	F	103	—	—	—	—	—	1	28	28	46	96	—	—	1	4	3	9	38	22	19
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	8	6	13	42	—	—	—	—	—	—	9	15	18
	F	20	—	—	—	—	—	—	5	4	11	23	—	—	—	—	—	1	5	7	10
18 Bronchitis ..	M	22	—	1	1	—	—	—	3	8	9	70	12	3	5	2	—	4	12	21	11
	F	38	1	2	—	—	—	1	4	8	22	52	6	5	—	2	—	1	8	16	14
19 Pneumonia (all forms) ..	M	36	6	3	3	—	3	3	9	3	6	81	21	17	7	5	2	9	13	5	2
	F	27	4	2	1	—	1	4	7	4	4	74	9	14	16	8	2	6	10	6	3
20 Other respiratory diseases ..	M	6	1	—	—	—	—	—	1	2	2	11	1	—	—	1	1	—	6	2	—
	F	6	—	—	—	—	—	—	1	3	2	5	—	—	1	—	—	2	—	2	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	2	1	—	7	—	—	—	—	—	2	4	—	1
	F	3	—	—	—	—	—	1	1	—	1	2	—	—	—	—	—	1	—	1	—
22 Diarrhoea, &c. ..	M	—	—	—	—	—	—	—	—	—	—	21	12	3	—	2	1	—	—	2	1
	F	7	4	1	—	—	—	—	1	—	1	25	10	1	1	5	—	2	4	—	2
23 Appendicitis and typhlitis..	M	3	—	—	—	1	—	—	1	—	—	3	—	—	—	—	—	2	1	—	—
	F	2	—	—	—	1	—	1	—	—	—	3	—	—	—	1	—	—	1	1	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	1	1	—	—
	F	5	—	—	—	—	1	—	1	3	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	18	—	—	—	—	—	3	6	3	6	22	—	1	—	2	1	4	9	4	1
	F	22	—	—	—	—	1	1	6	7	7	21	—	—	—	—	1	7	10	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	19	19	—	—	—	—	—	—	—	—	63	62	1	—	—	—	—	—	—	—
	F	15	13	1	—	—	—	1	—	—	—	33	33	—	—	—	—	—	—	—	—
29 Suicide ..	M	8	—	—	—	—	1	2	5	—	—	8	—	—	—	—	—	4	2	2	—
	F	7	—	—	—	—	1	4	2	—	—	6	—	—	—	—	1	2	2	1	—
30 Other deaths from violence..	M	13	—	—	—	—	1	2	5	2	3	44	—	1	1	11	5	12	11	1	2
	F	9	—	—	1	—	1	1	2	1	3	15	—	—	2	3	1	1	4	—	4
31 Other defined diseases ..	M	86	10	1	1	2	2	7	29	13	21	148	21	—	5	3	6	9	36	24	44
	F	109	6	2	—	2	3	9	25	20	42	134	18	1	5	5	5	13	23	19	45
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	2	3	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	STOCKPORT.										STOKE-ON-TRENT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	814	81	16	13	25	33	95	264	178	109	1696	272	49	45	68	76	186	519	314	167
	F	817	60	12	13	15	30	97	209	198	183	1596	208	50	41	66	77	201	406	300	247
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
3 Measles ..	M	8	1	4	2	1	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
	F	7	2	1	3	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	6	1	1	2	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	6	3	1	2	—	—	—	—	—	—	8	2	5	1	—	—	—	—	—	—
	F	8	5	2	1	—	—	—	—	—	—	10	7	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	1	1	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza ..	M	19	1	—	—	1	—	2	7	7	1	25	4	4	—	1	—	3	9	3	1
	F	18	—	—	—	3	—	5	7	2	1	23	3	1	—	1	—	6	5	3	4
8 Encephalitis lethargica ..	M	5	—	—	—	—	3	1	1	—	—	2	—	1	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	1	1	—	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	51	2	—	—	—	15	18	14	2	—	139	2	3	6	3	20	43	55	7	—
	F	38	—	—	—	—	13	18	6	1	—	123	1	1	3	6	29	52	28	2	1
11 Other tuberculous diseases ..	M	11	4	2	1	2	—	2	—	—	—	30	4	7	3	6	3	3	4	—	—
	F	7	—	—	2	1	—	2	1	1	—	30	2	2	3	9	5	6	3	—	—
12 Cancer, malignant disease ..	M	92	—	—	—	—	—	2	50	32	8	173	1	—	—	—	—	10	95	49	18
	F	129	—	—	—	—	—	13	64	35	17	193	—	—	—	1	1	22	94	52	23
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	2	4	—	—	—	—	—
14 Diabetes ..	M	11	—	—	—	1	—	1	2	5	2	13	—	—	—	—	2	1	4	3	3
	F	8	—	—	—	—	—	—	3	4	1	19	—	—	—	—	1	—	8	8	2
15 Cerebral hæmorrhage, &c. ..	M	18	—	—	—	—	—	1	9	6	2	62	—	—	—	—	—	2	18	24	18
	F	46	—	—	—	—	1	2	14	17	12	102	1	—	—	—	—	5	46	26	24
16 Heart disease ..	M	127	—	—	—	1	1	14	53	40	18	234	—	—	—	4	7	25	95	69	34
	F	145	—	—	—	2	2	9	41	49	44	285	—	—	1	7	10	27	91	93	56
17 Arterio-sclerosis ..	M	92	—	—	—	—	—	2	27	31	32	68	—	—	—	—	—	1	11	38	18
	F	79	—	—	—	—	—	1	16	24	38	54	—	—	—	—	—	—	3	20	31
18 Bronchitis ..	M	42	8	—	—	1	—	3	10	13	7	137	16	4	3	1	1	6	51	34	21
	F	48	2	1	—	—	—	—	6	20	19	84	16	6	3	1	1	1	15	22	19
19 Pneumonia (all forms) ..	M	62	13	4	5	5	2	11	18	2	2	140	37	13	8	7	5	16	39	13	2
	F	47	6	3	2	3	3	7	6	14	3	98	30	23	7	8	4	5	13	4	4
20 Other respiratory diseases ..	M	13	1	—	1	—	—	3	6	1	1	23	—	—	—	1	2	3	11	4	2
	F	5	2	—	—	—	—	—	1	1	1	17	4	1	—	—	—	—	6	4	2
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	—	5	5	—	1	16	—	—	—	—	1	8	4	3	—
	F	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	—	3	2	—	—
22 Diarrhoea, &c. ..	M	10	6	1	1	—	—	1	1	—	—	51	42	5	—	—	—	1	1	1	1
	F	6	3	—	—	1	—	1	—	—	1	36	22	5	2	1	—	1	1	3	1
23 Appendicitis and typhlitis ..	M	8	—	—	—	7	—	1	—	—	—	14	—	—	1	3	2	3	3	1	1
	F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	1	2	—	1	1	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	—	1	7	—	—	—	—	—	—	5	1	1
	F	4	—	—	—	—	—	—	4	—	—	3	—	—	—	—	—	1	1	—	1
25 Acute and chronic nephritis ..	M	38	—	—	—	1	—	1	19	10	7	41	—	—	—	—	1	7	20	10	3
	F	42	—	—	—	1	4	5	7	10	15	39	—	1	—	1	4	5	17	9	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	13	—	—	—	—	2	10	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	15	—	—	—	—	1	14	—	—	—
28 Congenital debility and malformation, premature birth ..	M	28	27	—	—	—	1	—	—	—	—	125	122	—	2	1	—	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—	89	87	1	1	—	—	—	—	—	—
29 Suicide ..	M	12	—	—	—	—	1	3	5	2	1	16	—	—	—	—	2	7	7	—	—
	F	8	—	—	—	—	1	3	4	—	—	9	—	—	—	—	2	3	3	1	—
30 Other deaths from violence ..	M	26	—	1	—	3	4	9	4	2	3	93	3	1	11	17	12	22	15	10	2
	F	9	—	—	1	1	—	3	2	—	2	38	2	—	4	6	2	3	5	5	11
31 Other defined diseases ..	M	115	15	2	—	2	6	15	28	24	23	260	35	4	6	18	15	24	72	44	42
	F	109	7	5	2	2	3	21	22	18	29	278	31	5	9	14	12	34	61	46	66
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	3	—	1	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	1	2	—	—	1	1	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	SUNDERLAND.										TYNEMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	1311	222	56	46	61	83	131	346	199	167	449	66	9	24	20	15	64	112	81	58
		F	1119	149	43	42	51	70	142	218	209	195	392	42	13	17	28	25	38	85	66	78
1	Enteric fever .. {	M	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	
2	Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles .. {	M	13	5	7	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
		F	9	—	6	2	1	—	—	—	—	—	4	1	1	1	—	—	—	—	—	
4	Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
5	Whooping cough .. {	M	18	9	5	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	
		F	12	6	3	3	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	
6	Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	8	—	—	5	2	1	—	—	—	
		F	2	—	—	1	1	—	—	—	—	—	9	—	—	2	6	1	—	—	—	
7	Influenza .. {	M	19	5	—	—	1	1	3	7	2	—	5	—	—	—	—	1	2	2	—	
		F	12	2	1	2	—	1	2	2	2	—	8	—	—	—	2	2	3	1	—	
8	Encephalitis lethargica .. {	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
9	Meningococcal meningitis .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
10	Tuberculosis of respiratory system {	M	109	—	—	1	3	34	47	21	3	—	36	—	—	—	1	6	17	11	—	1
		F	96	—	1	—	11	33	40	10	1	—	28	—	—	3	4	8	9	4	—	—
11	Other tuberculous diseases .. {	M	30	1	5	5	9	4	3	3	—	—	16	1	1	5	6	1	2	—	—	—
		F	32	2	1	1	9	10	9	—	—	—	13	—	3	—	3	2	4	1	—	—
12	Cancer, malignant disease .. {	M	102	—	—	—	—	1	7	51	27	16	32	—	—	—	—	1	1	19	5	6
		F	124	—	1	—	—	1	18	48	40	16	40	—	—	—	—	5	22	7	6	6
13	Rheumatic fever .. {	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
		F	4	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
14	Diabetes .. {	M	10	—	—	—	—	—	1	5	3	1	3	—	—	—	—	—	2	1	—	
		F	10	—	—	—	—	1	—	7	2	—	7	—	—	—	—	—	4	3	—	
15	Cerebral hæmorrhage, &c. .. {	M	77	—	—	—	—	—	1	22	28	26	18	—	—	—	—	1	4	7	6	
		F	68	—	—	—	—	—	2	18	21	27	28	—	—	—	—	1	9	11	7	
16	Heart disease .. {	M	147	—	—	—	2	3	16	64	34	28	53	—	—	—	1	8	19	19	6	
		F	155	—	—	—	—	4	21	53	49	28	53	—	—	3	2	3	15	11	19	
17	Arterio-sclerosis .. {	M	99	—	—	—	—	—	—	32	33	34	28	—	—	—	—	—	5	12	11	
		F	67	—	—	—	—	—	—	8	29	30	13	—	—	—	—	—	3	5	5	
18	Bronchitis .. {	M	90	25	5	5	—	—	6	20	9	20	22	5	2	—	—	3	3	5	4	
		F	72	6	4	2	—	1	2	10	16	31	18	2	2	—	—	1	1	2	9	
19	Pneumonia (all forms) .. {	M	118	31	15	19	14	3	6	18	7	5	50	13	3	5	3	12	5	6	2	
		F	98	30	18	19	7	3	4	8	5	4	31	7	5	1	3	2	2	8	1	
20	Other respiratory diseases .. {	M	11	—	—	1	1	—	1	3	5	—	4	—	—	—	—	1	1	1	1	
		F	5	—	—	—	—	—	1	1	2	1	5	—	—	—	—	—	2	—	3	
21	Ulcer of stomach or duodenum .. {	M	18	—	—	—	—	—	4	9	4	1	2	—	—	—	—	2	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Diarrhoea, &c. .. {	M	40	24	11	1	1	1	—	—	1	1	20	13	1	1	—	—	1	2	2	
		F	35	20	6	4	—	—	1	—	2	2	11	6	—	2	—	—	—	1	2	
23	Appendicitis and typhlitis .. {	M	5	—	—	—	2	2	1	—	—	—	1	—	—	—	1	—	—	—	—	
		F	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—	
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
25	Acute and chronic nephritis .. {	M	45	—	—	1	—	2	6	19	12	5	9	—	—	—	—	2	5	1	1	
		F	39	—	—	1	2	3	3	14	11	5	11	—	—	1	—	1	6	2	1	
26	Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	7	—	—	—	—	1	6	—	—	—	3	—	—	—	2	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	7	—	—	—	—	1	6	—	—	—	7	—	—	—	2	5	—	—	—	
28	Congenital debility and malformation, premature birth.. {	M	104	103	—	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—	
		F	64	63	—	1	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	
29	Suicide .. {	M	22	—	—	—	—	1	7	12	2	—	6	—	—	—	1	1	3	—	1	
		F	8	—	—	—	—	1	5	1	1	—	—	—	—	—	—	—	—	—	—	
30	Other deaths from violence.. {	M	56	1	1	3	10	12	12	9	6	2	23	—	1	2	1	3	10	1	1	
		F	42	2	—	4	6	4	—	4	11	11	11	1	—	1	1	2	—	2	2	
31	Other defined diseases .. {	M	166	18	7	5	15	15	10	47	21	28	78	9	1	3	6	8	18	17	16	
		F	139	16	1	2	10	3	19	32	16	40	67	9	1	3	4	2	13	12	23	
32	Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—	
		F	4	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	

(Civilian population only).

CAUSES OF DEATH.		Sex.	WAKEFIELD.										WALLASEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	340	38	7	7	8	11	38	116	67	48	539	29	9	7	7	18	66	173	123	107
		F	292	22	4	5	5	9	29	64	83	71	521	27	15	5	13	19	44	152	110	136
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	
		F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	1	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	
4	Scarlet fever ..	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—	
6	Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	5	—	—	1	4	—	—	—	—	
7	Influenza ..	M	4	—	—	—	—	—	1	2	1	—	8	1	—	—	—	1	5	—	1	
		F	3	1	—	—	—	1	1	—	—	—	9	—	3	—	—	1	1	2	—	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—	
		F	1	—	—	—	—	1	—	—	—	—	2	—	—	1	—	1	—	—	—	
9	Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	26	1	—	—	—	3	14	8	—	—	43	—	1	—	1	3	19	17	2	
		F	14	—	—	—	1	3	8	2	—	—	26	—	—	—	3	11	10	2	—	
11	Other tuberculous diseases ..	M	5	—	—	1	—	—	4	—	—	—	6	—	—	1	—	3	2	—	—	
		F	5	—	—	3	—	—	1	1	—	—	7	—	1	—	2	2	—	2	—	
12	Cancer, malignant disease ..	M	38	—	—	—	—	—	3	20	11	4	75	—	—	—	—	4	33	28	10	
		F	50	—	—	—	—	—	6	21	17	6	77	—	—	—	1	6	32	19	19	
13	Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	
14	Diabetes ..	M	5	—	—	—	—	—	—	2	3	—	10	—	—	—	—	—	6	3	1	
		F	8	—	—	—	—	—	1	4	2	1	8	—	—	—	—	1	4	2	1	
15	Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	—	14	9	5	29	—	—	—	—	1	7	8	13	
		F	20	—	—	—	—	—	—	2	11	7	34	—	—	—	—	1	10	13	10	
16	Heart disease ..	M	46	—	—	—	1	1	4	17	11	12	94	—	—	—	5	4	28	33	24	
		F	65	—	—	—	2	1	4	14	21	23	98	—	—	—	1	4	26	27	40	
17	Arterio-sclerosis ..	M	19	—	—	—	—	—	1	5	6	7	51	—	—	—	—	1	4	21	25	
		F	10	—	—	—	—	—	—	2	2	6	31	—	—	—	—	—	5	12	14	
18	Bronchitis ..	M	16	—	—	1	—	—	2	1	6	6	10	—	2	—	—	—	3	3	2	
		F	15	3	—	—	—	—	—	—	6	6	26	2	1	—	—	—	4	9	10	
19	Pneumonia (all forms) ..	M	25	3	3	2	2	—	1	11	2	1	45	5	1	3	—	1	11	17	4	
		F	12	5	2	—	—	—	—	2	1	2	39	6	4	1	1	3	7	9	7	
20	Other respiratory diseases ..	M	2	—	2	—	—	—	—	—	—	—	5	—	—	—	—	1	3	1	—	
		F	1	1	—	—	—	—	—	—	—	—	7	—	—	—	—	2	4	—	1	
21	Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	3	—	—	8	—	—	—	—	3	4	—	1	
		F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	4	—	2	
22	Diarrhoea, &c. ..	M	8	7	1	—	—	—	—	—	—	—	4	1	—	—	—	—	2	1	—	
		F	2	—	1	—	—	—	—	—	—	1	4	3	—	—	—	1	—	—	—	
23	Appendicitis and typhlitis..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
		F	4	—	—	—	—	—	—	2	—	2	2	—	—	—	1	—	1	—	—	
24	Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis ..	M	6	—	—	—	—	—	—	3	2	1	19	—	—	—	—	3	9	4	3	
		F	18	—	—	—	1	2	4	9	2	2	30	1	—	—	1	1	13	7	5	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	1	2	—	—	—	—	2	—	—	—	1	1	—	—	—	
28	Congenital debility and malformation, premature birth..	M	8	8	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	
		F	8	8	—	—	—	—	—	—	—	—	12	11	—	1	—	—	—	—	—	
29	Suicide ..	M	5	—	—	—	—	—	—	5	—	—	7	—	—	—	—	3	3	1	—	
		F	3	—	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—	
30	Other deaths from violence..	M	24	1	—	1	1	4	4	11	2	—	20	1	1	—	5	5	4	3	1	
		F	7	—	—	1	—	—	1	1	3	1	10	—	—	—	1	2	2	1	4	
31	Other defined diseases ..	M	62	16	—	1	2	2	2	13	14	12	74	4	2	—	—	7	24	13	24	
		F	39	3	—	—	1	1	1	8	11	14	70	3	2	—	—	9	25	7	23	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	WALSALL.										WARRINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	642	102	20	26	28	29	70	160	126	81	489	59	14	16	19	26	70	147	85	53
	F	570	85	17	20	28	28	69	111	99	113	414	41	16	14	8	22	54	114	83	62
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	6	2	3	1	—	—	—	—	—	—	15	4	7	4	—	—	—	—	—	—
	F	9	3	5	1	—	—	—	—	—	—	14	3	4	6	1	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	24	—	3	13	6	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	18	1	1	8	8	—	—	—	—	—	4	—	2	1	1	—	—	—	—	—
7 Influenza .. {	M	8	—	—	—	—	1	4	3	—	—	13	1	—	—	—	1	3	4	3	1
	F	3	—	—	—	1	—	—	1	1	—	12	—	—	—	—	3	—	6	3	—
8 Encephalitis lethargica .. {	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	50	—	—	—	5	10	20	11	4	—	58	—	—	—	1	11	24	21	1	—
	F	51	—	1	—	4	9	23	12	2	—	34	—	—	—	1	8	19	5	1	—
11 Other tuberculous diseases .. {	M	12	2	3	2	2	1	—	2	—	—	10	—	1	3	2	—	3	—	1	—
	F	16	2	3	3	3	2	—	2	1	—	8	—	—	2	1	—	3	2	—	—
12 Cancer, malignant disease .. {	M	60	—	—	—	—	—	5	32	18	5	36	—	—	—	1	—	—	20	12	3
	F	63	—	—	—	—	—	11	30	16	6	51	—	—	—	—	1	3	27	16	4
13 Rheumatic fever .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes .. {	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	1	—	1	—	—
	F	4	—	—	—	—	—	1	1	1	1	4	—	—	—	—	—	—	2	2	—
15 Cerebral hæmorrhage, &c. .. {	M	29	—	—	—	—	—	—	13	6	10	17	—	—	—	—	—	1	5	6	5
	F	21	—	—	—	—	—	—	8	5	8	26	—	—	—	1	—	1	9	8	7
16 Heart disease .. {	M	86	—	—	—	1	—	8	20	37	20	73	—	1	—	1	4	6	28	20	13
	F	99	—	—	—	2	5	9	22	28	33	66	—	—	—	1	3	6	26	20	10
17 Arterio-sclerosis .. {	M	19	—	—	—	—	—	1	3	8	7	41	—	—	—	—	—	—	11	20	10
	F	21	—	—	—	—	—	—	2	10	9	12	—	—	—	—	—	—	4	5	3
18 Bronchitis .. {	M	30	2	—	—	—	—	—	5	14	9	29	6	—	1	—	—	2	4	8	8
	F	39	7	1	1	1	—	1	6	10	12	30	6	—	—	—	—	—	4	9	11
19 Pneumonia (all forms) .. {	M	51	12	8	5	1	—	9	11	3	2	38	2	1	3	4	2	10	14	1	1
	F	26	9	4	1	—	—	1	4	5	2	28	6	6	1	—	1	2	8	2	2
20 Other respiratory diseases .. {	M	7	—	—	—	—	2	—	2	2	1	1	—	—	—	—	—	—	—	—	1
	F	4	—	—	—	—	—	1	—	1	2	6	—	—	—	—	1	—	1	1	3
21 Ulcer of stomach or duodenum .. {	M	6	—	—	—	—	—	1	5	—	—	2	—	—	—	—	—	1	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. .. {	M	17	16	1	—	—	—	—	—	—	—	6	4	1	—	—	—	—	1	—	—
	F	9	8	—	—	—	—	—	—	—	—	7	2	1	—	—	—	2	1	1	—
23 Appendicitis and typhlitis .. {	M	5	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	11	—	—	1	—	1	1	6	2	—	18	—	—	—	1	1	7	6	1	2
	F	9	—	—	—	—	—	2	5	1	1	9	—	—	—	—	—	2	3	3	1
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	55	55	—	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	—
	F	43	43	—	—	—	—	—	—	—	—	18	16	—	—	—	2	—	—	—	—
29 Suicide .. {	M	11	—	—	—	—	1	3	4	2	1	13	—	—	—	—	—	5	7	1	—
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence.. {	M	30	1	1	2	5	5	5	6	1	4	13	—	1	1	3	2	2	2	2	—
	F	18	—	—	3	4	3	—	1	—	7	10	—	—	2	—	2	—	2	1	3
31 Other defined diseases .. {	M	116	12	1	2	7	3	11	30	29	21	63	8	1	3	5	3	5	22	7	9
	F	92	11	1	3	1	4	14	11	16	31	50	7	—	1	1	—	7	7	9	18
32 Causes ill-defined or unknown .. {	M	1	—	—	—	1	—	—	—	—	—	4	—	1	—	—	1	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	1	—	—	—	2	2	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.		Sex.	WEST BROMWICH.										WEST HAM.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	438	68	16	9	14	19	54	116	81	61	1797	207	65	60	68	88	237	467	333	272
		F	405	58	9	13	11	23	39	94	79	79	1543	173	48	68	61	76	160	339	287	331
1 Enteric fever ..		M	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..		M	—	—	—	—	—	—	—	—	—	—	38	10	19	9	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	31	4	19	7	1	—	—	—	—	
4 Scarlet fever ..		M	—	—	—	—	—	—	—	—	—	—	4	—	1	1	2	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
5 Whooping cough ..		M	3	2	1	—	—	—	—	—	—	—	15	6	5	3	1	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	11	1	4	6	—	—	—	—	—	
6 Diphtheria ..		M	1	—	1	—	—	—	—	—	—	—	11	—	2	6	2	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	23	2	2	10	8	—	—	1	—	
7 Influenza ..		M	12	—	—	—	1	1	3	4	2	1	20	—	—	—	2	2	3	6	3	4
		F	6	—	—	—	—	1	1	3	1	—	14	—	—	—	1	2	1	6	2	2
8 Encephalitis lethargica ..		M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
9 Meningococcal meningitis ..		M	—	—	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	
10 Tuberculosis of respiratory system		M	35	—	—	—	1	5	19	10	—	—	165	—	—	3	1	30	72	52	7	—
		F	26	—	—	—	—	13	8	3	2	—	124	—	1	—	9	36	49	24	3	2
11 Other tuberculous diseases ..		M	3	1	—	—	2	—	—	—	—	—	29	2	8	5	8	3	2	1	—	—
		F	5	2	1	2	—	—	—	—	—	—	26	2	2	7	6	4	2	2	1	—
12 Cancer, malignant disease ..		M	39	—	—	—	—	—	2	21	13	3	192	—	—	—	1	2	21	86	54	28
		F	52	—	—	—	—	—	8	22	11	11	188	—	—	1	1	2	22	73	53	36
13 Rheumatic fever ..		M	1	—	—	—	—	—	1	—	—	—	12	—	—	—	5	2	4	1	—	—
		F	1	—	—	—	—	—	1	—	—	—	8	—	—	1	3	2	2	—	—	—
14 Diabetes ..		M	1	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	3	4	2	—
		F	6	—	—	—	—	—	2	1	1	2	15	—	—	—	—	—	—	5	8	2
15 Cerebral hæmorrhage, &c. ..		M	15	—	—	—	—	—	1	6	6	2	75	—	—	—	—	—	2	21	32	20
		F	21	—	—	—	—	—	1	7	7	6	88	—	—	—	—	—	1	33	33	21
16 Heart disease ..		M	50	—	—	—	—	—	4	19	12	15	261	—	—	1	1	6	30	80	82	61
		F	64	—	—	—	3	5	5	12	24	15	275	—	—	1	7	7	21	70	81	88
17 Arterio-sclerosis ..		M	35	—	—	—	—	—	—	5	18	12	53	—	—	—	—	—	—	12	14	27
		F	17	—	—	—	—	—	—	2	4	11	40	—	—	—	—	—	—	12	8	20
18 Bronchitis ..		M	23	3	—	—	—	—	1	5	10	4	109	14	—	2	—	—	6	22	34	31
		F	38	3	1	—	—	—	—	9	9	16	89	13	1	1	—	—	1	9	21	43
19 Pneumonia (all forms) ..		M	49	11	6	2	6	3	6	11	3	1	177	48	22	17	5	5	8	38	22	12
		F	29	4	5	5	3	1	1	6	2	2	135	40	10	17	4	3	3	24	14	20
20 Other respiratory diseases ..		M	1	—	—	—	—	—	—	—	—	1	14	1	1	1	1	1	2	4	3	—
		F	3	—	—	—	—	—	1	2	—	—	9	1	—	—	—	—	—	3	3	2
21 Ulcer of stomach or duodenum ..		M	7	—	—	—	—	1	2	3	—	1	28	—	—	—	—	—	10	15	2	1
		F	3	—	—	—	—	1	—	1	1	—	8	—	—	—	—	—	1	4	2	1
22 Diarrhoea, &c. ..		M	20	13	5	—	1	—	—	—	—	—	31	26	—	1	1	1	1	1	—	—
		F	8	7	—	1	—	—	—	—	—	—	26	17	2	—	—	—	3	2	—	1
23 Appendicitis and typhlitis ..		M	3	—	—	1	—	1	—	1	—	—	10	—	—	1	4	—	4	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	16	—	—	1	4	1	7	2	1	—
24 Cirrhosis of liver ..		M	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	—	1
		F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	—	5	—	—
25 Acute and chronic nephritis ..		M	15	—	—	—	—	2	1	11	1	—	47	—	—	—	—	1	6	19	12	9
		F	11	—	—	—	—	—	2	3	5	1	52	—	—	—	2	1	12	12	17	8
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	3	4	—	—	—
28 Congenital debility and malformation, premature birth ..		M	30	30	—	—	—	—	—	—	—	—	75	72	1	—	2	—	—	—	—	—
		F	35	34	—	—	1	—	—	—	—	—	66	62	—	2	1	1	—	—	—	—
29 Suicide ..		M	7	—	—	—	—	2	—	3	2	—	18	—	—	—	—	—	5	10	3	—
		F	5	—	—	—	—	—	—	3	1	1	10	—	—	—	—	1	2	5	1	1
30 Other deaths from violence ..		M	11	—	—	3	3	—	3	—	1	1	83	2	1	4	8	15	15	23	10	5
		F	12	—	—	1	3	—	1	3	1	3	36	—	4	4	6	3	—	5	5	9
31 Other defined diseases ..		M	70	8	3	3	—	3	9	15	12	17	310	25	5	4	24	18	40	68	53	73
		F	52	8	1	3	—	1	4	14	10	11	228	31	3	6	6	8	24	42	33	75
32 Causes ill-defined or unknown ..		M	3	—	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	1	—	—
		F	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	SEX.	WEST HARTLEPOOL.										WIGAN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{ M F	448 445	66 42	19 15	17 20	24 31	25 27	50 54	119 102	66 72	62 82	593 527	87 66	19 11	17 11	22 21	25 34	73 74	160 121	134 99	56 90
1 Enteric fever ..	{ M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —
2 Small-pox ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles ..	{ M F	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 Scarlet fever ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5 Whooping cough ..	{ M F	2 1	1 —	1 1	— —	— —	— —	— —	— —	— —	— —	1 4	1 —	3 —	— —	1 —	— —	— —	— —	— —	— —
6 Diphtheria ..	{ M F	5 5	1 —	3 —	1 1	4 —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
7 Influenza ..	{ M F	9 9	— —	— —	— —	1 —	3 —	2 1	5 4	1 —	— —	15 8	2 —	— —	— —	— —	1 —	5 2	7 2	— 1	1 1
8 Encephalitis lethargica ..	{ M F	— 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	2 1	— —	— —
9 Meningococcal meningitis ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
10 Tuberculosis of respiratory system ..	{ M F	30 32	— —	— —	— —	2 3	8 13	13 15	7 —	— 1	— —	46 49	— —	— —	— —	1 4	5 18	19 22	20 4	1 1	— —
11 Other tuberculous diseases ..	{ M F	18 17	1 1	4 2	3 3	7 6	2 1	1 4	— —	— —	— —	13 6	— —	1 1	2 —	5 2	2 1	2 —	1 2	— —	— —
12 Cancer, malignant disease ..	{ M F	46 46	— —	— —	— —	— —	— —	3 6	22 20	13 15	8 5	36 52	— —	— —	— —	— —	— —	4 8	22 26	9 8	1 10
13 Rheumatic fever ..	{ M F	1 4	— —	— —	— —	2 —	1 —	— 1	— 1	— —	— —	2 3	— —	— —	1 —	— 1	— 1	— —	— —	— —	— —
14 Diabetes ..	{ M F	4 4	— —	— —	— —	— —	— —	— —	4 2	— 2	— —	4 4	— —	— —	— —	— —	1 —	— —	1 4	2 —	— —
15 Cerebral hæmorrhage, &c. ..	{ M F	23 25	— —	— —	— —	— —	— —	— —	10 8	8 11	5 6	29 31	— —	— —	— —	— —	— —	1 —	8 11	15 16	5 4
16 Heart disease ..	{ M F	54 71	— —	— —	1 —	— —	1 2	4 7	24 19	13 20	12 22	78 72	— —	— —	1 1	1 2	2 13	7 21	23 22	34 22	11 12
17 Arterio-sclerosis ..	{ M F	13 6	— —	— —	— —	— —	— —	— —	1 2	5 1	7 3	20 11	— —	— —	— —	— —	— —	— —	7 1	10 3	3 7
18 Bronchitis ..	{ M F	16 22	4 2	— 2	— 1	— 1	1 —	— —	1 5	6 2	4 9	74 42	6 6	2 3	3 2	1 —	— —	3 4	22 6	27 11	10 10
19 Pneumonia (all forms) ..	{ M F	63 42	10 4	7 3	7 9	6 7	3 2	8 4	17 8	5 4	— 1	73 51	19 14	11 3	3 3	6 3	2 2	8 6	14 8	9 8	1 4
20 Other respiratory diseases ..	{ M F	9 7	— —	2 —	1 2	1 —	1 —	2 —	— —	1 —	3 3	5 2	1 1	— —	1 —	— —	— —	— —	2 1	1 —	— —
21 Ulcer of stomach or duodenum ..	{ M F	4 3	— —	— —	— —	— —	— —	3 1	1 —	— 1	— 1	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
22 Diarrhoea, &c. ..	{ M F	3 7	1 1	1 4	1 —	— —	— —	— 1	— —	— —	— —	5 12	4 10	— —	1 —	— —	— —	1 —	1 —	— —	— —
23 Appendicitis and typhlitis ..	{ M F	3 1	— —	— —	— —	1 —	— —	— 1	1 —	— —	— —	1 2	— —	— —	— —	— 1	— —	— 1	— —	— —	— —
24 Cirrhosis of liver ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	— —	— —	— —	1 1	1 —	— —
25 Acute and chronic nephritis ..	{ M F	7 14	1 —	— —	— —	— —	— 1	2 1	4 9	— 1	— 2	10 18	— —	— —	1 —	— 1	— 1	2 4	3 9	3 2	1 1
26 Puerperal sepsis ..	{ M F	— 4	— —	— —	— —	— —	— —	— 4	— —	— —	— —	— 2	— —	— —	— —	— —	1 —	— 1	— —	— —	— —
27 Other accidents and diseases of pregnancy and parturition.	{ M F	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— 8	— —	— —	— —	— —	— —	— 8	— —	— —	— —
28 Congenital debility and malformation, pre mature birth..	{ M F	37 26	37 25	— —	— —	— —	— —	— —	1 —	— —	— —	41 27	40 26	— —	1 —	— —	— —	— —	— —	— —	— —
29 Suicide ..	{ M F	1 4	— —	— —	— —	— —	— —	— 2	1 2	— —	— —	10 —	— —	— —	— —	— —	1 —	5 —	4 —	— —	— —
30 Other deaths from violence..	{ M F	24 10	2 —	1 —	2 1	1 1	3 —	7 —	5 3	1 1	2 4	29 18	— 2	— 1	1 4	4 1	5 1	9 —	6 5	3 3	1 1
31 Other defined diseases ..	{ M F	75 80	8 9	2 1	2 2	6 5	3 4	4 4	16 16	13 13	21 26	92 99	14 6	5 —	2 1	4 5	5 3	5 4	16 18	19 22	22 40
32 Causes ill-defined or unknown ..	{ M F	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	2 2	— 1	— —	— —	— —	— —	2 —	— —	1 —	— —

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex	WOLVERHAMPTON.										WORCESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	764	91	17	21	21	21	97	211	160	125	323	28	10	15	7	9	38	81	75	60
	F	675	70	15	14	19	27	75	155	135	165	368	17	15	12	5	14	23	81	77	124
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	10	2	6	2	—	—	—	—	—	—	17	3	5	8	1	—	—	—	—	—
	F	4	1	3	—	—	—	—	—	—	—	19	4	7	7	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	5	—	1	3	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
7 Influenza ..	M	15	1	—	—	—	1	6	5	—	2	2	—	—	—	—	—	1	—	—	1
	F	8	—	—	—	—	—	2	4	1	1	4	—	—	—	—	—	1	—	2	1
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	43	—	—	—	1	1	24	17	—	—	30	—	—	—	—	3	17	9	1	—
	F	34	—	—	1	1	9	20	3	—	—	14	—	—	—	—	3	7	3	1	—
11 Other tuberculous diseases ..	M	17	5	1	6	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	3	1	1	4	1	1	1	—	—	9	1	2	—	1	3	2	—	—	—
12 Cancer, malignant disease ..	M	77	—	—	—	—	—	3	32	32	10	36	—	—	—	—	—	—	18	10	8
	F	76	—	—	—	—	1	8	26	27	14	58	—	—	—	—	—	2	21	19	16
13 Rheumatic fever ..	M	4	—	—	—	3	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	—	2	5	1	—	3	—	—	—	—	—	2	1	—	—
	F	8	—	—	—	—	—	—	2	4	2	3	—	—	—	—	—	1	2	—	—
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	1	8	9	12	26	—	—	—	—	—	1	4	8	13
	F	28	—	—	—	—	—	—	6	8	14	26	—	—	—	—	—	1	8	9	8
16 Heart disease ..	M	136	—	—	—	2	4	7	43	45	35	54	—	—	—	—	—	2	16	25	11
	F	147	—	—	—	3	3	11	34	45	51	90	—	—	—	—	2	4	13	24	47
17 Arterio-sclerosis ..	M	31	—	—	—	—	—	—	12	9	10	18	—	—	—	—	—	1	1	10	6
	F	12	—	—	—	—	—	—	4	4	4	13	—	—	—	—	—	—	4	3	6
18 Bronchitis ..	M	41	3	—	2	—	1	—	10	10	15	12	—	—	—	—	—	1	2	3	6
	F	32	2	1	1	—	—	1	4	10	13	9	—	—	—	—	—	—	1	2	6
19 Pneumonia (all forms) ..	M	70	13	7	4	1	2	10	16	12	5	21	3	2	3	1	—	4	6	1	1
	F	40	7	6	2	1	2	8	8	2	4	12	2	2	—	1	—	—	1	3	3
20 Other respiratory diseases ..	M	12	1	—	—	1	—	—	7	3	—	3	1	—	1	—	—	—	—	—	1
	F	8	—	—	1	—	—	1	4	—	2	6	—	1	—	—	—	—	2	—	3
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	—	2	4	4	1	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	18	17	1	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—	1	—
	F	13	7	2	—	—	—	—	1	1	2	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	8	—	—	—	2	1	1	3	1	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	1	1	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	2	3	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	16	1	—	—	—	—	3	5	4	3	7	—	—	—	—	—	—	3	1	3
	F	30	—	—	—	1	2	4	8	12	3	5	—	—	—	—	—	—	1	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	40	38	—	—	—	1	—	1	—	—	13	13	—	—	—	—	—	—	—	—
	F	40	40	—	—	—	—	—	—	—	—	6	5	—	—	—	—	—	1	—	—
29 Suicide ..	M	14	—	—	—	—	—	7	6	1	—	5	—	—	—	—	—	1	3	1	—
	F	5	—	—	—	—	1	—	3	1	—	5	—	—	—	—	—	—	4	—	1
30 Other deaths from violence..	M	31	—	—	4	3	5	9	5	4	1	9	—	—	1	1	3	1	1	2	—
	F	15	1	—	2	3	—	1	3	—	5	10	—	—	1	—	—	2	1	1	5
31 Other defined diseases ..	M	125	8	2	2	4	3	20	30	25	31	50	5	2	1	1	3	6	13	9	10
	F	147	9	1	3	5	7	14	39	20	49	68	2	2	2	1	4	4	16	10	27
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs--1928
(Civilian population only).

CAUSES OF DEATH.		Sex	YORK.										CARDIFF.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES		M	503	60	13	10	9	19	50	153	97	92	1474	176	25	37	49	71	191	421	298	206
		F	497	34	7	7	19	21	50	112	113	134	1186	139	38	21	22	65	159	276	220	246
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	2	1	—	1	—	—	—	—	—	—	10	1	3	3	3	—	—	—	—	
		F	4	1	—	2	1	—	—	—	—	—	11	1	3	6	1	—	—	—	—	
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5	Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	14	6	3	5	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	14	9	5	—	—	—	—	—	—	
6	Diphtheria	M	1	—	—	1	—	—	—	—	—	—	8	1	—	2	5	—	—	—	—	
		F	3	—	—	1	1	—	—	—	1	—	8	1	3	3	—	1	—	—	—	
7	Influenza ..	M	11	—	—	—	1	—	3	3	3	1	22	—	—	1	—	1	4	8	4	
		F	12	—	—	—	3	1	—	—	2	6	20	2	—	—	2	5	3	4	4	
8	Encephalitis lethargica	M	1	—	1	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—	
9	Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	43	—	2	1	1	9	20	9	1	—	122	1	—	2	2	23	58	32	4	
		F	31	—	1	—	3	9	15	3	—	—	107	—	1	5	33	48	19	1	—	
11	Other tuberculous diseases ..	M	8	—	1	—	2	3	—	2	—	—	24	4	1	4	4	6	2	3	—	
		F	3	—	—	1	—	1	—	—	—	1	22	1	1	3	4	5	2	3	2	
12	Cancer, malignant disease ..	M	49	—	—	—	—	—	2	23	15	9	117	—	—	—	—	1	11	54	34	
		F	60	—	—	—	—	1	3	30	17	9	141	—	—	—	—	15	71	38	17	
13	Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	8	—	—	—	3	2	2	—	1	
		F	2	—	—	—	1	1	—	—	—	—	6	—	—	1	—	3	1	1	—	
14	Diabetes ..	M	5	—	—	—	—	—	1	1	2	1	13	—	—	1	1	—	1	1	7	
		F	6	—	—	—	—	—	1	2	2	1	14	—	—	—	—	1	1	5	3	
15	Cerebral hæmorrhage, &c.	M	33	—	—	—	—	—	—	14	12	7	40	—	—	—	—	—	2	14	14	
		F	21	—	—	—	—	—	—	9	6	6	58	—	—	—	—	1	11	21	25	
16	Heart disease	M	71	—	1	—	1	—	1	28	18	22	216	—	—	—	4	6	19	76	70	
		F	114	—	—	—	1	1	6	26	37	43	190	—	—	—	3	5	22	58	51	
17	Arterio-sclerosis	M	16	—	—	—	—	—	1	1	8	6	89	—	—	—	—	—	2	15	46	
		F	27	—	—	—	—	—	—	3	11	13	81	—	—	—	—	—	—	31	36	
18	Bronchitis	M	28	3	—	—	—	—	1	5	6	13	106	12	2	—	—	—	3	31	23	
		F	28	4	2	—	1	1	—	2	7	11	67	3	3	—	—	—	3	9	34	
19	Pneumonia (all forms) ..	M	42	4	4	4	1	1	8	12	5	3	120	26	11	4	3	4	16	37	15	
		F	22	3	4	—	1	2	3	2	3	4	70	23	10	2	1	—	7	8	10	
20	Other respiratory diseases ..	M	1	—	—	—	—	—	1	—	—	—	15	—	—	—	—	—	6	6	2	
		F	3	—	—	1	—	—	—	—	1	1	11	2	—	1	—	—	1	2	1	
21	Ulcer of stomach or duodenum	M	5	—	—	—	—	—	3	1	1	—	16	—	—	—	—	1	4	10	1	
		F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	1	1	—	—	
22	Diarrhœa, &c.	M	10	8	1	1	—	—	—	—	—	—	32	21	1	4	2	1	2	—	1	
		F	5	1	—	1	—	—	—	2	1	—	29	21	3	—	1	—	—	1	2	
23	Appendicitis and typhlitis..	M	2	—	—	—	—	—	—	1	1	—	11	—	—	—	1	2	2	6	—	
		F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	3	1	1	—	—	
24	Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	6	—	—	—	—	—	3	3	—	
		F	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	3	1	—	
25	Acute and chronic nephritis	M	16	—	—	—	—	—	—	11	3	2	73	—	—	—	2	1	7	30	18	
		F	13	—	—	—	—	—	2	5	3	3	45	1	—	—	1	5	19	12	7	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	10	—	—	—	—	3	7	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	—	—	5	—	—	14	—	—	—	—	2	12	—	—	
28	Congenital debility and malformation, premature birth..	M	25	24	—	—	—	1	—	—	—	—	64	63	—	1	—	—	—	—	—	
		F	20	19	—	—	—	1	—	—	—	—	50	49	1	—	—	—	—	—	—	
29	Suicide ..	M	6	—	—	—	—	—	1	4	1	—	24	—	—	—	—	2	3	19	—	
		F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	1	1	3	—	
30	Other deaths from violence..	M	16	—	1	1	2	4	3	5	—	—	84	2	3	6	10	11	13	20	9	
		F	15	—	—	1	1	2	—	4	3	4	19	5	—	2	2	1	2	—	5	
31	Other defined diseases ..	M	100	18	—	—	1	1	4	29	19	28	232	39	—	3	9	7	32	55	46	
		F	87	5	—	—	5	1	11	18	15	32	177	21	8	2	3	5	22	40	26	
32	Causes ill-defined or unknown	M	3	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1928
(Civilian population only).

CAUSES OF DEATH.	Sex.	MERTHYR TYDFIL.										NEWPORT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	521	67	10	13	19	36	60	133	117	66	567	70	13	8	18	36	73	171	114	64
	F	483	47	10	16	21	33	71	131	89	65	480	47	14	20	18	31	65	111	78	96
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	6	—	2	4	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	5	—	3	2	—	—	—	—	—	—	7	3	3	1	—	—	—	—	—	—
	F	5	—	3	1	1	—	—	—	—	—	9	4	1	4	—	—	—	—	—	—
6 Diphtheria ..	M	9	—	1	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	1	5	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	25	—	—	—	—	5	4	10	6	—	9	—	—	—	—	2	1	5	1	—
	F	10	1	—	—	—	1	1	6	1	—	11	—	—	—	1	—	3	4	2	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	1	—	2	2	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	34	—	—	—	—	11	16	6	1	—	57	—	—	—	4	10	25	17	1	—
	F	39	—	1	—	3	16	14	5	—	—	52	—	—	—	4	20	21	7	—	—
11 Other tuberculous diseases ..	M	4	1	—	1	—	2	—	—	—	—	4	—	1	—	1	2	—	—	—	—
	F	7	1	—	—	3	3	—	—	—	—	14	2	2	3	4	2	1	—	—	—
12 Cancer, malignant disease ..	M	47	—	—	—	—	1	6	21	16	3	66	—	—	—	1	1	3	35	20	6
	F	46	—	—	—	—	—	3	26	13	4	64	—	—	—	—	—	7	30	15	12
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	1	—	2	—	1
15 Cerebral hæmorrhage, &c. ..	M	33	—	—	—	—	—	1	9	15	8	23	—	—	—	—	—	1	9	5	8
	F	41	—	—	—	—	—	3	17	12	9	30	—	—	—	—	—	—	10	12	8
16 Heart disease ..	M	80	—	—	—	—	5	7	30	24	14	74	—	—	—	1	3	5	23	25	17
	F	80	—	—	—	1	5	13	28	18	15	79	—	—	—	1	2	7	23	17	29
17 Arterio-sclerosis ..	M	24	—	—	—	—	—	—	2	8	14	34	—	—	—	—	—	—	8	17	9
	F	17	—	—	—	—	—	—	3	6	8	20	—	—	—	—	—	—	2	9	9
18 Bronchitis ..	M	32	4	—	1	—	—	—	7	15	5	27	4	1	2	—	1	2	4	10	3
	F	30	5	—	—	—	1	—	5	7	12	26	1	3	1	1	—	1	4	5	10
19 Pneumonia (all forms) ..	M	42	7	—	1	1	3	8	11	6	5	47	16	4	1	2	1	5	10	6	2
	F	29	5	2	5	3	1	2	3	8	—	27	6	5	5	1	2	3	3	—	2
20 Other respiratory diseases ..	M	4	—	—	—	—	1	1	1	1	—	8	1	—	—	1	—	2	2	2	—
	F	3	—	1	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	1	—
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	5	3	—	—	3	—	—	—	—	—	2	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	12	8	2	2	—	—	—	—	—	—	9	5	1	—	—	—	—	1	2	—
	F	6	2	—	1	—	—	1	1	1	—	7	6	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis ..	M	2	—	—	—	1	—	1	—	—	—	7	—	—	—	1	1	3	1	—	1
	F	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	2	1	1
25 Acute and chronic nephritis ..	M	13	1	—	—	2	—	—	5	4	1	31	—	—	—	2	3	4	14	7	1
	F	14	—	—	—	1	—	3	6	2	2	10	—	—	—	1	—	2	3	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	1	9	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth..	M	32	31	—	1	—	—	—	—	—	—	34	30	1	—	2	1	—	—	—	—
	F	21	21	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	1	3	—	—	4	—	—	—	—	—	1	1	2	—
	F	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence..	M	30	—	1	—	3	7	8	8	2	1	24	—	—	1	2	6	5	8	—	2
	F	9	1	—	2	1	1	2	—	1	1	9	1	—	1	1	—	3	2	1	—
31 Other defined diseases ..	M	74	15	2	2	5	—	2	17	17	14	87	11	1	1	1	4	12	28	14	15
	F	87	10	—	—	2	—	15	28	18	14	69	7	1	2	2	3	7	14	12	21
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BEDFORD—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	705	55	12	14	21	32	82	178	169	142	446	39	7	8	13	15	29	90	101	144
	F	721	23	6	14	22	26	79	182	133	236	477	30	3	7	9	8	47	92	93	188
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	5	2	—	3	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	3	—	—	1	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	12	6	3	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	2	4	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
	F	8	1	—	4	3	—	—	—	—	—	4	—	—	—	3	—	—	1	—	—
7 Influenza ..	M	4	—	1	—	—	—	1	2	—	—	9	—	—	1	1	—	—	3	1	3
	F	14	—	—	—	1	—	3	7	1	2	8	—	—	1	—	—	1	3	1	2
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	2	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	67	—	—	—	—	18	30	17	1	1	14	—	—	—	1	3	6	4	—	—
	F	48	—	—	—	1	14	20	12	1	—	21	—	—	—	1	5	12	2	1	—
11 Other tuberculous diseases ..	M	11	—	1	1	2	3	1	3	—	—	6	—	2	1	—	1	1	1	—	—
	F	7	—	1	1	—	—	4	—	—	1	4	—	—	—	1	1	2	—	—	—
12 Cancer, malignant disease ..	M	90	—	—	—	—	—	5	28	40	17	58	—	—	—	—	—	1	24	21	12
	F	119	—	—	—	—	—	9	57	22	31	72	—	—	—	—	—	9	28	18	17
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	7	—	—	—	—	2	1	2	1	1	5	—	—	—	—	—	2	—	2	1
	F	11	—	—	—	—	—	1	5	3	2	4	—	—	—	—	—	—	2	1	1
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	2	13	9	6	24	—	—	—	—	—	1	3	9	11
	F	53	—	—	—	—	—	1	12	10	30	42	—	—	—	—	—	—	8	8	26
16 Heart disease ..	M	101	—	—	—	—	2	9	28	38	24	64	—	—	—	—	—	3	12	22	27
	F	124	—	—	—	—	2	8	33	49	32	77	—	—	—	—	—	4	19	24	30
17 Arterio-sclerosis ..	M	40	—	—	—	—	—	7	15	18	39	—	—	—	—	—	—	—	2	7	30
	F	49	—	—	—	—	—	1	9	9	30	43	—	—	—	—	—	—	6	12	25
18 Bronchitis ..	M	36	1	2	—	1	—	—	6	11	15	16	1	—	1	—	—	—	1	5	8
	F	38	2	1	1	—	1	3	5	7	19	24	1	—	—	1	—	—	2	7	13
19 Pneumonia (all forms) ..	M	36	6	5	4	2	1	2	6	3	7	22	3	2	1	—	2	2	4	5	3
	F	18	2	2	2	1	—	5	4	—	2	17	5	1	1	—	—	—	5	2	3
20 Other respiratory diseases ..	M	6	—	—	—	—	—	1	2	3	—	3	—	—	—	1	—	—	1	1	—
	F	12	—	—	1	2	—	2	2	3	2	2	—	—	—	1	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	—	3	7	1	2	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	1
22 Diarrhoea, &c. ..	M	2	1	—	—	—	—	—	1	—	—	5	4	—	—	—	—	—	—	—	1
	F	4	1	—	—	—	—	1	—	—	2	3	2	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis ..	M	11	—	—	—	2	1	1	4	3	—	1	—	—	—	1	—	—	—	—	—
	F	8	—	—	—	—	2	2	4	—	—	3	—	—	—	—	—	1	2	—	—
24 Cirrhosis of liver ..	M	7	—	—	—	—	—	—	5	2	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	19	—	—	—	—	—	3	9	4	3	12	—	—	—	—	1	1	4	5	1
	F	19	—	—	—	—	2	3	1	7	6	7	—	1	—	—	—	2	3	—	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	35	34	—	—	1	—	—	—	—	—	25	24	1	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide ..	M	7	—	—	—	—	—	6	—	1	—	4	—	—	—	—	—	1	2	—	1
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	—
30 Other deaths from violence ..	M	18	2	—	—	2	2	3	7	—	2	26	2	1	1	2	5	5	5	—	5
	F	10	—	—	1	2	—	—	1	3	3	9	1	—	—	1	—	1	2	1	—
31 Other defined diseases ..	M	134	2	—	1	5	3	9	31	37	46	96	4	—	2	3	2	3	22	21	39
	F	144	3	1	1	10	4	8	26	16	75	106	3	—	2	1	—	10	8	16	66
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	1	2	1
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
BUCKINGHAM—1928 (Civilian population only).

CAUSES OF DEATH.	Sex	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	550	45	7	7	21	28	48	141	125	128	858	70	12	14	16	28	83	198	194	243
	F	567	35	4	8	15	17	46	118	121	203	832	48	10	12	24	24	80	186	156	292
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	—	1	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	5	1	1	1	2	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	3	1	1	1	—	—	—	—	—	—	5	4	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	2	2	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	8	—	—	3	5	—	—	—	—	—	7	—	—	1	6	—	—	—	—	—
7 Influenza ..	M	15	1	—	—	—	—	5	2	3	4	11	—	—	—	—	1	1	2	3	4
	F	9	—	—	—	—	—	4	1	4	—	14	—	1	—	—	—	1	6	2	4
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	20	—	1	—	—	6	9	2	2	—	25	—	—	—	—	3	15	7	—	—
	F	17	—	—	—	—	2	11	3	1	—	36	—	—	—	1	10	19	5	1	—
11 Other tuberculous diseases ..	M	8	1	—	—	1	3	2	1	—	—	18	1	3	3	2	2	3	3	1	—
	F	9	1	—	—	2	4	2	—	—	—	7	—	1	—	—	1	1	4	—	—
12 Cancer, malignant disease ..	M	70	—	—	—	—	1	4	25	26	14	110	—	—	—	—	—	7	43	42	18
	F	79	—	—	—	—	—	3	31	22	23	121	—	—	—	—	1	6	58	31	25
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	—	—	2	4	2	9	—	—	—	—	1	—	3	4	1
	F	4	—	—	—	—	—	—	1	—	3	11	—	—	—	—	1	1	2	5	2
15 Cerebral hæmorrhage, &c. ..	M	31	—	—	—	—	1	—	13	4	13	49	—	—	—	—	—	1	6	20	22
	F	55	—	—	—	—	—	2	10	19	24	66	—	—	—	—	—	1	9	17	39
16 Heart disease ..	M	64	—	—	—	2	1	2	22	21	16	147	—	—	—	—	1	6	35	55	50
	F	86	—	—	—	2	—	4	22	26	32	161	—	—	—	1	3	12	34	38	73
17 Arterio-sclerosis ..	M	33	—	—	—	—	—	—	3	16	14	53	—	—	—	—	—	1	9	11	32
	F	31	—	—	—	—	—	—	4	10	17	44	—	—	—	—	—	—	6	11	27
18 Bronchitis ..	M	28	1	—	—	—	—	—	2	11	14	44	3	—	—	—	—	1	3	12	25
	F	30	2	—	—	—	—	—	3	4	21	28	2	—	—	—	—	2	3	2	19
19 Pneumonia (all forms) ..	M	28	1	—	1	2	—	1	15	2	6	43	8	4	1	—	2	6	14	5	3
	F	27	4	1	2	1	—	4	3	5	7	40	7	3	2	1	1	4	10	8	4
20 Other respiratory diseases ..	M	12	—	1	—	1	—	2	4	3	1	11	—	—	1	—	1	—	5	2	2
	F	8	—	—	—	—	—	2	1	2	3	8	—	—	—	—	—	3	3	—	2
21 Ulcer of stomach or duodenum ..	M	10	—	—	—	—	—	2	5	3	—	9	—	—	—	—	—	3	4	—	2
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	—	3	3	—
22 Diarrhœa, &c. ..	M	5	2	1	—	—	—	—	1	—	1	10	6	1	—	—	—	1	1	—	1
	F	4	1	1	—	—	—	—	1	—	1	8	4	—	—	—	—	—	2	—	2
23 Appendicitis and typhlitis ..	M	12	—	—	—	3	2	1	4	2	—	4	—	—	—	—	—	—	4	—	—
	F	4	—	—	—	1	1	1	1	—	—	7	—	—	1	2	1	—	2	1	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	21	—	—	—	1	2	—	9	4	5	38	—	—	—	—	3	4	12	11	8
	F	20	—	—	—	—	—	1	6	7	6	32	—	—	—	—	—	4	9	8	11
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	29	28	1	—	—	—	—	—	—	—	40	39	—	—	—	1	—	—	—	—
	F	18	17	—	—	—	1	—	—	—	—	26	25	—	1	—	—	—	—	—	—
29 Suicide ..	M	9	—	—	—	—	—	—	6	2	1	11	—	—	—	—	—	1	8	2	—
	F	2	—	—	—	—	1	—	1	—	—	5	—	—	—	—	—	1	3	1	—
30 Other deaths from violence..	M	29	2	—	1	2	6	9	5	3	1	46	—	—	3	5	8	11	8	4	7
	F	12	—	—	1	1	2	1	2	—	5	19	1	—	3	2	1	2	2	2	6
31 Other defined diseases ..	M	101	8	2	1	5	5	10	15	19	36	160	9	3	2	5	4	19	30	21	67
	F	126	9	—	1	2	3	6	24	21	60	155	5	3	3	6	3	9	23	25	78
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	1	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CAMBRIDGE—1928 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	339	22	6	4	15	14	39	74	84	81	478	46	7	4	9	24	32	102	110	144
			F	328	20	1	7	13	9	22	73	76	107	438	24	4	2	10	19	33	97	98	151
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	..	{	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	..	{	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria	..	{	M	6	1	—	—	5	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
			F	10	—	—	4	6	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
7 Influenza	{	M	5	—	—	—	—	1	1	—	2	1	6	—	—	1	—	—	—	1	3	1
			F	7	—	—	—	—	—	1	3	1	2	11	1	—	—	1	2	—	3	3	1
8 Encephalitis lethargica	..	{	M	3	—	—	1	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	29	1	1	—	—	4	13	8	2	—	26	—	1	—	—	6	8	8	3	—	—
		F	12	—	—	—	1	5	3	2	1	—	22	—	—	1	1	4	6	10	—	—	
11 Other tuberculous diseases	{	M	5	—	1	1	1	—	1	1	—	6	1	—	1	—	1	3	—	—	—	—
			F	3	—	—	—	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	{	M	51	—	—	—	—	1	2	13	25	10	72	1	—	—	1	—	2	31	25	12
			F	61	—	—	—	—	—	6	22	21	12	62	—	—	—	—	3	29	16	14	—
13 Rheumatic fever	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
14 Diabetes	{	M	4	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	—	1	1
			F	4	—	—	1	—	—	—	1	1	1	6	—	—	—	1	—	1	2	1	—
15 Cerebral hæmorrhage, &c.	..	{	M	22	—	—	—	—	—	1	5	7	9	20	—	—	—	—	—	—	2	4	14
			F	34	—	—	—	—	—	—	6	11	17	19	—	—	—	—	—	6	4	9	—
16 Heart disease	..	{	M	45	—	—	—	—	—	4	13	17	11	69	—	—	—	—	2	2	15	19	31
			F	56	—	—	—	—	—	1	16	17	22	92	—	—	—	1	3	3	13	32	40
17 Arterio-sclerosis	..	{	M	17	—	—	—	—	—	—	4	4	9	42	—	—	—	—	—	—	5	14	23
			F	11	—	—	—	—	—	—	4	4	3	34	—	—	—	—	—	2	10	22	—
18 Bronchitis	..	{	M	9	—	—	—	—	—	—	—	2	7	19	1	1	—	—	—	—	2	4	11
			F	17	1	—	—	—	—	—	2	5	9	21	1	1	—	—	—	—	1	6	12
19 Pneumonia (all forms)	..	{	M	19	2	1	—	—	—	3	3	4	6	29	7	2	1	2	—	1	6	4	6
			F	9	2	—	1	—	—	1	1	4	—	15	2	1	—	—	—	2	2	4	4
20 Other respiratory diseases	{	M	4	—	—	—	—	1	—	1	1	1	6	—	—	—	—	—	2	1	2	1
			F	4	—	—	—	—	—	—	—	2	2	2	—	—	—	—	—	—	1	1	—
21 Ulcer of stomach or duodenum	..	{	M	6	—	—	—	—	—	1	4	1	—	4	—	—	—	—	1	—	1	1	1
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhoea, &c.	..	{	M	2	—	2	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
			F	4	3	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	..	{	M	2	—	—	—	1	—	1	—	—	—	6	—	—	—	—	2	3	1	—	—
			F	2	—	—	—	1	1	—	—	—	—	5	—	—	—	1	2	1	1	—	—
24 Cirrhosis of liver	..	{	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—
			F	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	..	{	M	12	—	—	—	1	—	2	4	5	—	12	—	—	—	—	1	2	2	4	3
			F	6	—	—	—	—	—	—	2	1	3	16	—	—	—	—	1	1	4	5	5
26 Puerperal sepsis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—	—
28 Congenital debility and malformation, premature birth..	..	{	M	12	12	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
			F	12	12	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	{	M	5	—	—	—	—	1	1	2	1	—	6	—	—	—	—	—	5	1	—	—
			F	6	—	—	—	—	1	4	1	—	—	4	—	—	—	1	1	2	—	—	—
30 Other deaths from violence..	..	{	M	14	—	1	1	2	4	2	2	1	1	24	—	1	1	—	4	6	7	4	1
			F	7	—	—	—	1	—	1	2	1	2	8	—	—	—	1	—	1	—	—	6
31 Other defined diseases	{	M	64	5	—	1	4	2	6	8	12	26	88	4	1	—	3	6	3	15	17	39
			F	59	2	1	1	2	2	2	11	6	32	83	3	—	—	1	3	9	17	14	36
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
			F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	4	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CHESTER—1928 (Civilian population only).

CAUSES OF DEATH.	SEX	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	2704	268	45	59	67	100	274	766	646	479	1114	93	14	34	26	43	119	285	259	241
	F	2658	155	40	54	83	106	307	677	604	632	1044	65	13	22	22	32	119	257	210	304
1 Enteric fever .. {	M	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	20	5	7	5	2	—	—	—	1	—	7	2	2	3	—	—	—	—	—	—
	F	18	4	6	5	3	—	—	—	—	—	4	1	1	—	2	—	—	—	—	—
4 Scarlet fever .. {	M	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	5	3	—	1	—	—	—	2	—	—	1	—	—	1	—	—	—
5 Whooping cough .. {	M	15	8	2	4	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—
	F	17	6	6	4	—	1	—	—	—	—	4	3	—	1	—	—	—	—	—	—
6 Diphtheria .. {	M	16	—	—	2	12	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—
	F	13	—	2	6	5	—	—	—	—	—	3	1	—	—	1	—	1	—	—	—
7 Influenza .. {	M	76	1	—	6	2	3	21	26	12	5	34	—	—	—	2	5	7	13	5	2
	F	63	—	1	4	5	3	10	19	12	9	20	—	—	1	—	—	5	4	5	5
8 Encephalitis lethargica .. {	M	8	—	—	—	—	1	4	2	1	—	2	—	—	—	—	—	1	1	—	—
	F	13	—	—	—	1	2	6	2	2	—	5	—	—	—	1	—	3	1	—	—
9 Meningococcal meningitis .. {	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory system {	M	157	—	—	2	4	23	64	56	7	1	57	—	—	—	2	8	28	16	3	—
	F	117	—	—	1	2	34	57	20	3	—	50	—	—	—	2	12	20	15	1	—
11 Other tuberculous diseases .. {	M	43	10	9	7	1	4	7	4	1	—	14	3	1	3	2	2	2	1	—	—
	F	45	4	2	6	9	12	10	2	—	—	16	2	2	3	2	2	1	4	—	—
12 Cancer, malignant disease .. {	M	315	—	—	—	—	1	18	145	108	43	118	—	—	1	—	—	4	48	47	18
	F	345	—	1	—	2	1	38	161	95	47	161	—	—	—	1	—	16	67	46	31
13 Rheumatic fever .. {	M	11	—	—	—	1	5	2	2	1	—	1	—	—	—	1	—	—	—	—	—
	F	16	—	—	—	6	2	7	—	—	1	4	—	—	—	1	2	—	1	—	—
14 Diabetes .. {	M	25	—	—	—	—	1	2	7	13	2	15	—	—	1	—	—	1	3	7	3
	F	44	—	—	—	—	—	—	16	22	6	22	—	—	—	—	—	—	8	11	3
15 Cerebral hæmorrhage, &c. .. {	M	118	—	—	1	—	—	3	33	44	37	42	—	—	—	—	—	1	12	14	15
	F	161	—	—	—	—	—	8	46	49	58	60	—	—	—	—	—	3	12	22	23
16 Heart disease .. {	M	409	—	—	—	4	10	26	137	138	94	181	—	—	1	1	3	12	51	60	53
	F	534	—	—	1	4	12	41	166	174	136	200	—	—	1	2	—	11	52	54	80
17 Arterio-sclerosis .. {	M	231	—	—	—	—	—	2	41	101	87	91	—	—	—	—	—	—	15	35	41
	F	166	—	—	—	—	—	2	31	49	84	65	—	—	—	—	—	1	6	17	4
18 Bronchitis .. {	M	122	19	1	3	—	3	2	31	29	34	41	5	1	—	—	—	1	4	12	18
	F	129	4	3	2	1	—	2	15	35	67	43	2	—	—	—	1	1	6	5	28
19 Pneumonia (all forms) .. {	M	184	33	16	9	9	7	26	49	21	14	77	20	5	5	2	2	12	14	10	7
	F	131	16	5	10	13	7	16	19	28	17	43	3	6	6	2	—	9	6	3	8
20 Other respiratory diseases .. {	M	20	1	—	—	1	—	1	11	4	2	14	1	—	—	1	—	1	3	4	4
	F	28	4	1	1	1	1	5	6	1	8	9	1	—	—	1	2	—	2	—	3
21 Ulcer of stomach or duodenum .. {	M	36	—	—	—	—	1	10	19	4	2	13	—	—	—	—	1	2	8	1	1
	F	11	—	—	—	—	—	3	7	1	—	7	—	—	—	—	2	2	4	—	1
22 Diarrhoea, &c. .. {	M	32	23	3	—	—	1	2	1	—	2	10	3	1	2	—	—	—	3	1	—
	F	28	10	7	2	—	1	1	1	5	1	8	3	—	1	—	—	2	2	—	—
23 Appendicitis and typhlitis .. {	M	17	—	—	2	2	5	—	5	2	1	17	1	—	2	1	4	4	2	3	—
	F	13	—	—	—	2	2	2	2	4	1	3	—	—	—	1	—	1	—	—	1
24 Cirrhosis of liver .. {	M	14	—	—	—	—	—	1	10	3	—	7	—	—	—	—	—	1	5	—	1
	F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	2	—	—	—
25 Acute and chronic nephritis .. {	M	112	—	—	—	2	3	8	48	37	14	42	1	—	—	—	1	3	13	16	8
	F	100	—	—	—	2	3	16	33	29	17	36	—	—	—	—	5	15	12	4	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	4	9	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	8	14	—	—	—	14	—	—	—	—	2	12	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	127	125	—	1	—	—	1	—	—	—	37	35	—	1	1	—	—	—	—	—
	F	81	78	—	—	2	1	—	—	—	—	42	39	—	—	1	1	—	1	—	—
29 Suicide .. {	M	45	—	—	—	—	2	8	24	7	4	17	—	—	—	—	1	5	8	2	1
	F	12	—	—	—	—	2	7	3	—	—	9	—	—	—	—	—	3	5	1	—
30 Other deaths from violence.. {	M	102	2	1	7	12	13	23	18	17	9	66	1	3	6	3	6	19	18	7	3
	F	62	2	4	2	8	2	7	12	15	10	19	1	—	2	1	1	1	3	3	7
31 Other defined diseases .. {	M	437	41	5	10	12	16	40	92	93	128	203	17	1	8	9	10	15	45	32	66
	F	460	27	2	5	14	6	45	112	79	170	186	9	3	6	4	9	17	41	28	69
32 Causes ill-defined or unknown .. {	M	5	—	—	—	—	—	—	4	1	—	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CORNWALL—1928 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	M	894	55	13	7	17	42	82	213	241	224	1144	107	20	14	39	34	98	258	262	312	
		F	1009	37	10	7	24	37	86	194	241	373	1142	68	14	10	25	39	95	237	253	401	
1 Enteric fever	..	M	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	1	1	—	—	—	
		F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	..	M	2	—	1	—	—	—	1	—	—	—	13	5	3	2	2	—	1	—	—		
		F	3	—	—	1	1	1	—	—	—	—	6	—	—	2	2	—	2	—	—		
4 Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
5 Whooping cough	..	M	5	4	1	—	—	—	—	—	—	—	12	5	1	3	3	—	—	—	—		
		F	1	—	1	—	—	—	—	—	—	—	7	6	—	1	—	—	—	—	—		
6 Diphtheria	..	M	3	—	—	1	2	—	—	—	—	—	3	—	—	—	2	1	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—		
7 Influenza	..	M	12	1	—	—	—	1	3	2	4	1	21	—	—	—	2	1	4	6	6		
		F	16	—	—	—	1	—	2	5	6	2	16	—	—	—	—	2	—	9	5		
8 Encephalitis lethargica	..	M	2	—	—	—	—	1	—	1	—	—	4	—	1	—	—	—	1	1	1		
		F	3	—	—	—	2	1	—	—	—	—	6	—	—	—	1	—	4	1	—		
9 Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system	{	M	76	—	1	—	—	20	24	22	6	3	61	—	—	—	1	8	24	22	6		
		F	59	—	—	—	4	15	23	13	2	2	57	—	—	1	1	20	24	8	1		
11 Other tuberculous diseases	..	M	13	—	—	1	3	3	1	4	1	—	19	1	2	1	3	4	4	3	—		
		F	19	2	2	3	2	4	2	2	1	1	24	—	1	2	5	6	5	4	1		
12 Cancer, malignant disease	..	M	95	—	—	—	—	1	2	32	38	22	110	—	—	—	—	—	6	34	46		
		F	155	—	—	—	—	—	10	53	49	43	155	—	—	—	—	—	11	58	45		
13 Rheumatic fever	..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1		
		F	5	—	—	—	1	2	2	—	—	—	2	—	—	1	1	—	—	—	—		
14 Diabetes	..	M	11	—	—	—	—	—	1	5	4	1	12	—	—	—	—	—	2	3	6		
		F	12	—	—	—	—	—	1	1	7	3	24	—	—	—	1	3	2	7	8		
15 Cerebral hæmorrhage, &c.	..	M	46	—	—	—	—	—	2	9	18	17	65	—	—	—	—	—	11	30	24		
		F	84	—	—	—	—	—	2	17	21	44	92	—	1	—	1	—	19	33	38		
16 Heart disease	..	M	178	—	—	—	1	2	6	44	70	55	180	—	—	—	—	—	4	37	63		
		F	216	—	1	—	—	2	8	39	66	100	215	—	—	—	1	2	8	41	69		
17 Arterio-sclerosis	..	M	36	—	—	—	—	—	—	3	18	15	61	—	—	—	—	—	—	11	16		
		F	31	—	—	—	—	—	—	3	10	18	42	—	—	—	—	—	4	10	28		
18 Bronchitis	..	M	27	—	1	—	—	—	2	5	6	13	55	8	3	1	—	—	2	7	13		
		F	43	1	—	—	—	—	—	2	14	26	52	4	2	—	—	1	—	6	8		
19 Pneumonia (all forms)	..	M	45	8	3	1	—	1	6	9	12	5	45	8	6	1	4	1	3	13	6		
		F	36	4	5	2	2	1	3	7	7	5	29	8	3	—	1	2	1	6	3		
20 Other respiratory diseases	..	M	16	—	—	—	—	1	2	6	4	3	33	—	1	—	—	—	4	17	4		
		F	8	—	—	—	—	—	—	—	2	6	7	—	—	1	—	—	—	1	4		
21 Ulcer of stomach or duodenum	..	M	10	—	—	—	—	—	2	4	3	1	8	—	—	—	—	—	—	5	2		
		F	5	—	—	—	—	—	3	1	—	1	4	—	—	—	—	1	—	—	3		
22 Diarrhœa, &c.	..	M	6	1	1	1	1	—	—	2	—	—	14	7	1	1	—	1	—	1	3		
		F	8	3	1	—	—	—	1	—	2	1	4	1	1	—	—	—	—	—	—		
23 Appendicitis and typhlitis	..	M	7	—	—	—	1	2	1	2	1	—	12	—	—	1	5	1	3	2	—		
		F	7	—	—	—	5	—	1	—	—	1	6	—	—	—	2	—	1	3	—		
24 Cirrhosis of liver	..	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	1	1		
		F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	2		
25 Acute and chronic nephritis	..	M	30	—	—	—	1	—	3	12	9	5	31	1	—	1	—	—	2	11	11		
		F	34	—	—	—	—	1	3	12	10	8	34	—	—	—	—	—	7	11	7		
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	2	2	—	—	—	4	—	—	—	—	1	3	—	—		
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	2	7	—	—	—	9	—	—	—	—	—	8	1	—		
28 Congenital debility and malformation, premature birth	..	M	31	31	—	—	—	—	—	—	—	—	51	50	—	—	—	—	1	—	—		
		F	17	17	—	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—		
29 Suicide	..	M	7	—	—	—	—	1	3	1	1	1	22	—	—	—	—	1	6	12	2		
		F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	1	2	1	—		
30 Other deaths from violence	..	M	37	—	2	2	2	6	10	9	3	3	46	2	—	—	2	8	16	11	3		
		F	10	1	—	—	1	—	1	1	1	5	27	—	1	—	—	1	2	8	4		
31 Other defined diseases	..	M	192	10	3	1	5	2	12	39	41	79	252	20	2	2	11	7	14	49	40		
		F	216	9	—	1	5	5	13	36	41	106	261	5	5	2	5	2	17	50	44		
32 Causes ill-defined or unknown	..	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	1	2		
		F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of CUMBERLAND—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	759	80	19	18	31	37	89	176	175	134	569	67	13	11	16	20	44	113	148	137
	F	718	57	13	17	25	31	79	164	170	162	551	33	6	7	11	17	41	132	120	184
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	8	1	3	4	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	9	2	4	2	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	1	2	—	—	—	—	—	5	—	—	1	3	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza ..	M	20	—	1	1	1	2	4	7	3	1	16	1	—	—	2	1	3	6	1	2
	F	16	—	—	1	—	—	3	4	3	5	8	—	—	—	—	—	—	2	5	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	57	—	—	—	2	13	20	17	5	—	11	1	—	—	—	4	4	1	1	—
	F	46	—	—	—	4	15	20	5	1	1	22	—	—	—	2	5	7	7	1	—
11 Other tuberculous diseases ..	M	13	—	1	1	5	1	3	2	—	—	7	1	—	—	4	2	—	—	—	—
	F	16	1	1	4	2	4	—	1	2	1	6	—	1	—	1	1	2	1	—	—
12 Cancer, malignant disease ..	M	71	—	—	—	1	—	6	28	28	8	60	—	—	—	—	—	3	20	29	8
	F	110	—	—	—	—	—	7	51	36	16	70	—	—	—	—	1	5	36	13	15
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—
14 Diabetes ..	M	10	—	—	—	—	—	3	3	2	2	8	—	—	—	—	—	—	2	5	1
	F	11	—	—	—	—	—	2	5	3	1	7	—	—	—	—	—	1	3	1	2
15 Cerebral hæmorrhage, &c. ..	M	50	—	—	—	—	—	1	10	20	19	37	—	1	—	—	—	—	6	14	16
	F	47	—	—	—	—	—	—	11	24	12	60	—	—	—	—	—	1	23	17	19
16 Heart disease ..	M	104	—	—	—	—	2	7	32	41	22	94	—	—	—	—	—	6	28	37	23
	F	125	—	—	—	1	3	7	27	46	41	108	—	—	—	—	—	4	23	31	50
17 Arterio-sclerosis ..	M	28	—	—	—	—	—	—	2	16	10	43	—	—	—	—	—	1	3	12	27
	F	18	—	—	—	—	—	—	1	6	11	35	—	—	—	—	—	—	2	6	27
18 Bronchitis ..	M	47	13	—	1	—	1	4	5	10	13	24	3	2	—	—	1	—	4	9	5
	F	46	6	2	4	2	—	2	7	11	12	24	6	1	1	—	—	1	2	5	8
19 Pneumonia (all forms) ..	M	59	6	5	3	4	4	11	13	11	2	35	8	3	1	—	4	3	5	6	5
	F	32	4	5	2	1	3	3	8	3	3	19	1	2	—	—	—	5	3	2	6
20 Other respiratory diseases ..	M	7	—	—	—	1	—	—	3	2	1	6	—	2	—	—	—	—	3	—	1
	F	13	3	—	—	—	—	2	3	2	3	8	1	—	—	—	—	1	1	3	2
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	1	6	—	—	—	5	—	—	—	—	—	3	—	1	1
	F	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	—	2	—	1
22 Diarrhoea, &c. ..	M	10	5	2	1	—	—	1	1	—	—	9	3	1	1	—	1	—	—	1	2
	F	9	5	—	—	1	—	—	1	1	1	5	2	—	—	—	—	—	—	2	1
23 Appendicitis and typhlitis ..	M	7	—	—	—	4	1	—	1	—	1	2	—	—	—	1	—	—	1	—	—
	F	3	—	—	—	1	—	2	—	—	—	2	—	—	1	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	21	—	—	—	—	1	3	6	8	3	14	1	—	—	—	—	1	5	4	3
	F	24	—	—	—	—	—	4	10	3	7	15	—	—	1	—	—	—	5	5	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	9	1	—	—	3	—	—	—	—	2	1	—	—	—
28 Congenital debility and malformation, premature birth ..	M	42	41	—	—	—	—	1	—	—	—	32	31	—	1	—	—	—	—	—	—
	F	26	26	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide ..	M	8	—	—	—	—	—	4	4	—	—	5	—	—	—	—	1	1	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	3	1	—
30 Other deaths from violence ..	M	43	2	1	3	4	8	7	13	2	3	37	2	1	4	3	4	11	8	1	3
	F	15	—	—	3	1	1	4	—	2	4	8	1	—	1	—	1	1	1	3	—
31 Other defined diseases ..	M	136	12	6	3	6	2	8	26	24	49	111	13	3	3	3	2	7	17	23	40
	F	118	10	1	1	7	2	9	20	24	44	111	4	—	1	5	4	9	16	24	48
32 Causes ill-defined or unknown ..	M	6	—	—	—	1	—	—	2	3	—	3	—	—	—	—	—	—	—	3	—
	F	8	—	—	—	—	—	—	5	3	—	3	—	—	1	—	—	—	1	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DERBY—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1789	216	46	37	59	67	191	507	365	301	1534	195	42	43	48	72	155	356	317	306
	F	1625	139	34	34	48	88	189	406	319	368	1421	150	30	34	54	54	151	336	272	340
1 Enteric fever ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	28	5	13	7	3	—	—	—	—	—	13	2	7	2	2	—	—	—	—	—
	F	14	3	6	4	1	—	—	—	—	—	15	2	4	5	4	—	—	—	—	—
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
5 Whooping cough ..	M	9	7	2	—	—	—	—	—	—	—	6	2	2	2	—	—	—	—	—	—
	F	8	3	3	2	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
6 Diphtheria ..	M	8	—	1	3	4	—	—	—	—	—	9	1	1	5	2	—	—	—	—	—
	F	18	—	4	4	9	—	1	—	—	—	9	—	1	2	6	—	—	—	—	—
7 Influenza ..	M	31	3	—	—	—	4	6	8	6	4	31	—	—	—	—	2	5	9	9	6
	F	16	1	—	—	—	1	1	4	7	2	18	—	—	—	—	2	1	3	7	5
8 Encephalitis lethargica ..	M	6	—	1	—	—	1	1	2	1	—	5	—	—	—	1	1	1	2	—	—
	F	6	—	—	—	—	1	4	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	3	1	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	85	—	—	1	1	17	31	34	1	—	78	—	1	—	1	13	34	27	2	—
	F	95	—	—	—	5	34	36	18	2	—	63	—	2	—	4	21	29	6	—	1
11 Other tuberculous diseases ..	M	39	6	6	5	8	3	6	5	—	—	39	4	2	7	6	4	10	3	2	1
	F	24	1	4	3	3	3	9	—	1	—	29	3	5	4	5	2	5	4	1	—
12 Cancer, malignant disease ..	M	180	—	—	—	—	—	12	83	58	27	169	—	—	—	—	2	8	67	61	31
	F	221	—	1	—	—	3	20	104	54	39	173	—	1	—	1	—	18	85	39	29
13 Rheumatic fever ..	M	6	—	—	—	3	1	2	—	—	—	4	—	—	—	3	—	—	1	—	—
	F	7	—	—	—	2	3	1	1	—	—	7	—	—	—	4	2	1	—	—	—
14 Diabetes ..	M	20	—	—	—	—	1	2	9	6	2	23	—	—	—	—	1	1	9	8	4
	F	24	—	—	—	—	1	1	8	11	3	17	—	—	—	1	—	1	8	5	2
15 Cerebral hæmorrhage, &c. ..	M	97	—	—	—	—	—	6	29	38	24	63	—	—	—	—	—	—	18	20	25
	F	116	—	—	—	—	—	1	39	42	34	119	—	—	—	—	—	4	34	37	44
16 Heart disease ..	M	256	—	—	—	7	5	22	98	79	45	201	—	—	—	4	3	8	51	78	57
	F	245	—	—	1	3	4	15	73	65	84	230	—	—	—	2	1	20	77	72	58
17 Arterio-sclerosis ..	M	102	—	—	—	—	—	3	17	40	42	70	—	—	—	—	—	1	13	25	31
	F	59	—	—	—	—	—	—	11	20	28	55	—	—	—	—	—	—	13	15	27
18 Bronchitis ..	M	82	12	—	1	—	—	1	13	25	30	75	10	3	—	—	1	2	12	18	29
	F	74	8	1	1	—	2	8	11	20	23	65	14	3	1	1	—	—	6	18	22
19 Pneumonia (all forms) ..	M	125	32	13	6	6	5	17	27	13	6	100	19	13	7	3	3	11	23	13	8
	F	81	13	8	7	3	4	14	14	11	7	69	19	4	6	5	1	6	9	12	7
20 Other respiratory diseases ..	M	25	—	—	4	1	—	3	12	4	1	22	1	—	4	1	1	—	11	2	2
	F	14	—	1	—	—	1	2	6	4	—	11	1	—	—	—	2	1	3	2	2
21 Ulcer of stomach or duodenum ..	M	17	—	—	—	—	—	3	11	3	—	15	—	—	—	—	—	6	5	3	1
	F	4	—	—	—	—	—	1	2	—	1	3	—	—	—	—	—	—	2	1	—
22 Diarrhoea, &c. ..	M	21	12	4	1	1	—	1	1	—	1	24	15	1	2	—	—	2	2	1	1
	F	25	14	1	3	—	—	1	1	1	4	13	5	—	1	2	—	1	1	—	3
23 Appendicitis and typhlitis ..	M	13	—	—	—	1	1	5	5	1	—	11	—	—	1	3	1	5	1	—	—
	F	12	—	—	1	3	—	5	2	1	—	8	—	—	1	2	—	2	3	—	—
24 Cirrhosis of liver ..	M	9	—	—	—	—	—	—	4	5	—	11	—	—	—	—	—	—	8	3	—
	F	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	43	—	—	—	—	3	5	14	11	10	43	1	—	—	2	2	7	14	11	6
	F	54	—	1	1	1	3	7	20	11	10	54	—	—	—	1	7	6	19	13	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	5	9	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	4	9	—	—	—	14	—	—	—	—	1	12	1	—	—
28 Congenital debility and malformation, premature birth ..	M	95	91	1	—	—	—	2	1	—	—	105	101	2	—	—	2	—	—	—	—
	F	70	66	—	—	2	1	—	1	—	—	73	73	—	—	—	—	—	—	—	—
29 Suicide ..	M	32	—	—	—	1	2	6	16	6	1	25	—	—	—	—	—	4	18	2	1
	F	10	—	—	—	—	1	4	5	—	—	10	—	—	—	—	1	1	8	—	—
30 Other deaths from violence ..	M	97	1	—	6	9	11	30	28	8	4	97	1	2	6	8	20	31	15	3	11
	F	40	1	1	5	9	4	8	5	—	7	24	2	1	2	2	2	3	4	4	4
31 Other defined diseases ..	M	348	47	2	3	14	12	25	82	59	104	284	36	8	6	12	15	18	42	55	92
	F	346	28	2	1	6	13	32	70	68	126	321	30	5	9	12	10	35	50	42	128
32 Causes ill-defined or unknown ..	M	11	—	2	—	—	—	2	6	1	—	6	—	—	—	—	—	—	5	1	—
	F	9	—	1	1	—	—	—	6	1	—	2	1	—	—	—	—	—	—	1	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DEVON—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1327	95	14	9	26	60	123	302	323	375	1407	88	24	14	33	60	124	317	346	401
	F	1534	67	18	18	11	45	133	329	329	584	1313	63	14	17	27	46	114	284	310	438
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	10	4	3	—	2	—	—	—	—	1	13	1	3	2	4	1	1	1	—	—
	F	13	3	5	3	2	—	—	—	—	—	11	—	2	2	4	1	2	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	4	3	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	10	5	2	3	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	2	4	—	—	—	—	—	7	—	1	—	5	1	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	11	—	—	3	5	1	1	1	—	—
7 Influenza ..	M	27	—	—	—	—	3	4	7	10	3	27	—	2	1	2	—	3	7	8	4
	F	42	—	—	—	—	3	6	14	5	14	28	—	1	—	—	1	2	5	8	11
8 Encephalitis lethargica ..	M	3	—	—	—	—	—	—	1	2	—	4	—	—	—	—	—	3	1	—	—
	F	5	—	—	—	—	—	2	2	—	1	5	—	—	—	1	1	2	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	98	—	—	—	—	28	35	29	5	1	87	—	—	—	2	11	39	30	5	—
	F	81	—	—	—	—	27	27	20	3	4	61	2	1	—	2	17	26	8	5	—
11 Other tuberculous diseases ..	M	19	—	1	2	2	4	7	2	1	—	20	—	1	2	3	4	7	2	1	—
	F	23	1	1	1	3	2	7	7	—	1	21	1	2	—	3	4	2	4	3	—
12 Cancer, malignant disease ..	M	159	—	—	—	—	2	5	57	50	45	148	—	—	—	—	2	6	53	60	27
	F	227	—	—	—	1	2	15	101	58	50	184	—	—	2	—	1	10	70	48	53
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	—	1	—	1	3	—	—	—	—	1	1	1	—	—
14 Diabetes ..	M	16	—	—	—	—	1	—	5	7	3	18	—	—	—	1	2	2	4	6	3
	F	19	—	—	—	—	1	4	6	3	5	12	—	—	—	—	1	1	4	3	3
15 Cerebral hæmorrhage, &c. ..	M	63	—	—	—	—	—	—	15	22	26	82	—	—	—	—	—	1	17	26	38
	F	96	—	—	—	—	—	2	22	29	43	95	—	—	—	—	—	2	27	29	37
16 Heart disease ..	M	227	—	—	—	2	1	11	53	71	89	262	—	—	—	—	2	4	57	90	109
	F	310	—	—	—	—	—	15	54	96	145	273	—	—	—	—	2	10	62	93	106
17 Arterio-sclerosis ..	M	108	—	—	—	—	—	1	12	38	57	88	—	—	—	—	—	—	15	29	44
	F	120	—	—	—	—	—	1	9	32	78	64	—	—	—	—	—	—	4	21	39
18 Bronchitis ..	M	59	5	2	—	—	—	2	4	19	27	75	7	1	—	—	—	1	9	16	41
	F	64	2	—	2	—	—	—	3	13	44	53	2	—	—	—	—	—	4	13	34
19 Pneumonia (all forms) ..	M	59	7	2	—	1	2	12	13	14	8	67	9	5	2	2	5	9	9	17	9
	F	51	6	4	4	—	—	3	7	12	15	62	9	3	4	—	4	6	12	13	11
20 Other respiratory diseases ..	M	21	—	—	—	—	—	2	9	6	4	13	—	—	—	—	1	1	3	4	4
	F	19	—	—	1	—	—	1	2	4	11	16	1	1	—	—	1	3	2	3	5
21 Ulcer of stomach or duodenum ..	M	18	—	—	—	—	1	4	9	2	2	15	—	—	—	—	—	3	7	3	2
	F	13	—	—	—	—	—	5	3	3	2	10	—	—	—	—	—	—	4	4	2
22 Diarrhoea, &c. ..	M	13	6	1	1	—	—	—	1	2	2	8	4	1	—	—	—	1	—	—	2
	F	9	3	1	—	—	—	1	1	1	2	9	2	—	—	2	—	—	4	—	1
23 Appendicitis and typhlitis ..	M	7	—	—	—	3	—	—	3	1	—	9	1	—	—	1	2	1	2	1	1
	F	8	—	—	1	1	—	—	4	1	1	3	—	—	1	—	—	—	1	1	—
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	1	5	4	—	4	—	—	—	—	—	—	2	2	—
	F	6	—	—	—	—	—	—	3	3	—	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis ..	M	50	1	—	—	1	2	6	18	9	13	51	—	1	—	—	—	3	18	13	16
	F	40	—	—	—	—	—	5	6	12	17	45	—	—	—	—	1	2	15	16	11
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	1	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth..	M	60	57	1	—	1	—	—	—	—	—	54	51	2	—	—	1	—	—	—	—
	F	34	34	—	—	—	—	—	—	—	—	36	35	—	—	1	—	—	—	—	—
29 Suicide ..	M	11	—	—	—	—	1	1	5	3	1	29	—	—	—	—	5	7	9	5	3
	F	7	—	—	—	—	1	3	2	1	—	7	—	—	—	—	—	4	1	2	—
30 Other deaths from violence..	M	50	3	—	1	6	8	11	12	7	2	70	1	3	2	6	21	13	15	3	6
	F	24	1	2	1	1	2	—	5	3	9	23	3	1	2	3	1	1	2	5	5
31 Other defined diseases ..	M	222	8	3	1	4	5	21	40	50	90	248	14	3	3	6	2	18	53	57	92
	F	295	12	2	1	2	6	25	56	50	141	252	6	1	3	6	5	25	49	39	118
32 Causes ill-defined or unknown ..	M	4	1	—	1	—	—	—	2	—	—	4	—	—	1	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	6	1	—	—	—	—	1	1	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DORSET—1928 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All	0—	1—	2—	5—	15—	25—	45—	65—	75—	All	0—	1—	2—	5—	15—	25—	45—	65—	75—
			Ages.										Ages.									
ALL CAUSES	..	M	740	62	13	9	21	21	58	190	195	171	671	40	12	10	9	24	58	150	165	203
		F	747	43	8	11	16	15	77	153	170	254	654	36	6	9	7	21	50	145	150	230
1	Enteric fever	..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	1	1	—	1	—	—	—	—	5	1	—	2	1	1	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4	Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5	Whooping cough	M	3	2	1	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
		F	5	2	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6	Diphtheria	..	M	3	—	—	—	3	—	—	—	—	4	1	—	—	3	—	—	—	—	—
		F	4	—	—	2	2	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
7	Influenza	M	13	1	—	—	—	—	6	5	1	15	3	1	—	—	—	3	4	4	4
		F	22	—	—	—	1	1	4	7	4	5	19	—	—	—	—	6	5	1	7	7
8	Encephalitis lethargica	..	M	3	—	—	—	1	1	—	1	—	1	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—	—
9	Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	..	M	39	—	—	—	2	6	17	10	4	29	—	—	—	—	7	13	9	—	—
		F	34	—	—	—	1	3	16	12	1	1	31	—	—	—	1	8	14	7	1	—
11	Other tuberculous diseases	M	10	—	1	1	3	2	2	1	—	6	—	2	—	—	1	1	—	2	—
		F	9	—	1	1	2	—	2	1	2	—	9	—	—	2	—	2	3	2	—	—
12	Cancer, malignant disease	M	101	—	—	—	1	1	3	40	33	71	—	—	—	—	5	24	25	17	17
		F	88	—	—	1	—	—	3	32	25	27	99	—	—	—	—	3	39	33	24	24
13	Rheumatic fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14	Diabetes	M	8	—	—	—	—	1	2	5	—	7	—	—	—	—	1	1	4	1	5
		F	6	—	—	—	—	—	—	1	4	1	12	—	—	—	2	—	1	4	—	—
15	Cerebral hæmor- rhage, &c.	..	M	40	—	—	—	—	—	8	16	16	37	—	—	—	—	—	11	7	19	19
		F	61	—	—	—	—	—	—	12	19	30	57	—	—	—	—	1	12	13	31	31
16	Heart disease	..	M	115	—	—	—	—	5	22	54	34	146	—	—	—	1	—	4	33	52	56
		F	140	—	—	—	—	1	7	18	42	72	129	—	—	—	—	1	6	24	48	50
17	Arterio-sclerosis	M	40	—	—	—	—	—	10	12	18	32	—	—	—	—	—	4	15	13	13
		F	34	—	—	—	—	—	—	3	12	19	35	—	—	—	—	—	2	9	24	24
18	Bronchitis	..	M	28	1	1	—	—	—	4	11	11	29	1	3	—	—	—	3	8	14	14
		F	32	1	1	—	1	—	—	3	8	18	24	1	—	—	—	—	2	7	14	14
19	Pneumonia (all forms)	M	58	6	7	2	—	1	4	20	9	23	1	1	1	1	—	8	2	5	4
		F	35	4	3	2	1	1	5	8	7	4	25	—	2	3	—	—	1	10	4	5
20	Other respiratory diseases	M	12	—	—	—	—	1	1	4	2	9	—	—	—	—	—	1	5	1	2
		F	4	1	—	—	—	—	—	1	—	2	3	—	—	—	—	1	—	—	2	2
21	Ulcer of stomach or duodenum	..	M	8	—	—	—	—	4	3	1	—	6	—	—	—	—	—	1	2	2	1
		F	7	—	—	—	—	—	2	2	2	1	1	—	—	—	—	—	1	—	—	—
22	Diarrhœa, &c.	..	M	9	5	—	1	—	—	1	—	2	5	2	—	—	—	1	—	2	—	—
		F	6	1	1	—	—	—	1	2	—	1	4	—	2	1	—	—	—	—	—	1
23	Appendicitis and typhlitis..	..	M	4	—	—	1	1	—	1	1	—	16	—	2	—	—	5	4	5	—	—
		F	6	—	—	—	—	1	1	3	—	1	10	1	—	1	1	2	1	3	1	—
24	Cirrhosis of liver	M	6	—	—	—	—	—	2	4	—	3	—	—	—	—	—	—	2	1	1
		F	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	..	M	21	—	—	—	1	—	8	8	4	19	—	—	—	—	—	1	4	8	6
		F	29	—	—	—	—	—	1	11	7	10	16	—	—	—	—	—	1	6	3	6
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	4	—	—	—	—
27	Other accidents and dis- eases of pregnancy and parturition.	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	—	5	—	—	—	—	5	—	—	—	—
28	Congenital debility and malformation, pre- mature birth..	..	M	34	34	—	—	—	—	—	—	—	22	21	—	1	—	—	—	—	—	—
		F	33	32	—	—	—	—	—	—	1	—	28	27	1	—	—	—	—	—	—	—
29	Suicide	M	7	—	—	—	—	1	5	—	1	10	—	—	—	—	1	1	5	3	—
		F	8	—	—	—	—	1	3	3	—	1	1	—	—	—	—	—	1	—	—	—
30	Other deaths from violence..	..	M	30	2	—	—	3	4	12	7	1	36	1	—	5	2	4	10	11	1	2
		F	19	1	—	2	—	2	4	4	3	1	11	1	—	—	1	—	2	2	5	5
31	Other defined diseases	M	142	10	2	4	5	5	7	33	29	137	7	3	1	—	4	8	25	26	63
		F	141	1	—	1	3	3	18	28	32	55	121	5	1	1	2	4	3	25	24	56
32	Causes ill-defined or unknown	..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DURHAM—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	3350	500	125	112	155	194	406	825	586	447	2505	401	85	72	114	144	262	518	513	396
	F	2940	387	97	107	125	173	374	702	522	453	2147	329	78	80	100	103	273	498	359	327
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	1	—	—	2	—	—
2 Small-pox ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1
3 Measles ..	M	21	5	8	7	1	—	—	—	—	—	14	4	5	3	2	—	—	—	—	—
	F	22	3	8	8	3	—	—	—	—	—	20	3	12	4	1	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
	F	4	—	2	2	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
5 Whooping cough ..	M	38	17	13	8	—	—	—	—	—	—	22	13	6	3	—	—	—	—	—	—
	F	35	16	9	9	1	—	—	—	—	—	36	23	9	3	1	—	—	—	—	—
6 Diphtheria ..	M	25	—	4	6	14	1	—	—	—	—	15	—	—	7	7	1	—	—	—	—
	F	37	—	3	14	20	—	—	—	—	—	9	—	—	4	5	—	—	—	—	—
7 Influenza ..	M	74	2	1	—	5	4	17	21	16	8	60	4	3	3	3	4	10	15	11	7
	F	55	3	—	1	2	2	9	20	13	5	49	2	1	2	3	4	6	15	11	5
8 Encephalitis lethargica ..	M	10	—	—	—	—	1	2	6	1	—	8	—	—	—	1	1	1	4	1	—
	F	8	—	—	1	1	—	3	3	—	—	8	—	—	—	2	2	1	3	—	—
9 Meningococcal meningitis ..	M	3	1	—	—	1	1	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
10 Tuberculosis of respiratory system	M	246	1	—	4	15	61	101	60	4	—	143	—	2	1	5	43	67	23	2	—
	F	219	1	2	3	14	72	86	35	6	—	143	—	—	1	12	40	71	16	3	—
11 Other tuberculous diseases ..	M	86	9	8	11	20	14	14	6	4	—	40	3	5	10	8	7	5	1	1	—
	F	75	8	6	16	17	16	7	5	—	—	53	4	4	6	15	10	8	6	—	—
12 Cancer, malignant disease ..	M	293	—	—	1	3	—	17	146	91	35	172	—	—	—	1	2	7	79	56	27
	F	301	—	—	—	—	2	38	151	72	38	220	—	—	—	—	—	28	113	59	20
13 Rheumatic fever ..	M	8	—	—	—	3	4	—	1	—	—	5	—	—	—	3	—	1	1	—	—
	F	14	—	—	1	3	4	2	3	—	1	11	—	—	—	3	4	2	2	—	—
14 Diabetes ..	M	20	—	—	—	3	1	3	7	5	1	13	—	—	—	—	—	2	4	5	2
	F	41	—	1	—	—	2	5	22	8	3	32	—	—	—	1	—	5	16	10	—
15 Cerebral hæmorrhage, &c. ..	M	163	—	—	—	—	—	5	48	65	45	148	—	—	—	—	—	4	34	61	49
	F	190	—	—	—	1	—	5	70	67	47	138	—	1	—	—	—	3	42	52	40
16 Heart disease ..	M	381	—	—	—	2	17	35	125	127	75	328	—	—	2	9	10	31	91	111	74
	F	399	—	—	—	5	14	42	122	125	91	302	—	—	—	4	11	27	107	86	67
17 Arterio-sclerosis ..	M	227	—	—	—	—	—	—	43	82	102	180	—	—	—	—	—	1	32	74	73
	F	163	—	—	—	—	—	2	23	64	74	77	—	—	—	—	—	1	16	28	32
18 Bronchitis ..	M	183	31	14	6	5	2	7	28	44	46	153	37	4	2	3	3	6	21	43	34
	F	137	26	7	1	3	—	5	23	26	46	128	31	5	8	—	1	3	13	25	42
19 Pneumonia (all forms) ..	M	342	65	42	26	27	20	54	73	15	20	192	38	31	12	11	9	27	31	23	10
	F	238	53	38	24	16	7	33	31	21	15	127	36	28	23	5	3	8	11	6	7
20 Other respiratory diseases ..	M	49	2	3	7	2	2	6	16	8	3	38	1	4	—	6	1	1	12	9	4
	F	27	2	2	1	2	3	2	10	3	2	30	—	1	4	3	1	3	8	5	5
21 Ulcer of stomach or duodenum ..	M	36	—	—	—	—	3	14	13	6	—	21	—	—	—	—	1	7	12	1	—
	F	9	—	—	—	—	2	4	2	1	—	11	—	—	—	—	—	5	4	2	—
22 Diarrhoea, &c. ..	M	81	44	13	6	4	—	1	5	4	4	52	32	7	4	4	—	3	1	1	—
	F	58	32	6	5	4	1	3	—	5	2	39	18	4	4	3	—	1	1	2	6
23 Appendicitis and typhilitis ..	M	13	—	—	—	—	4	5	3	1	—	16	—	—	—	2	8	3	1	1	1
	F	11	—	—	—	1	4	2	4	—	—	10	—	—	2	3	1	2	2	—	—
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	1	6	1	2	11	—	—	—	—	—	1	4	5	1
	F	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	1	1	1
25 Acute and chronic nephritis ..	M	84	—	1	1	4	3	10	35	22	8	56	—	—	—	4	4	8	18	11	11
	F	79	—	—	—	—	3	18	38	16	4	52	1	—	—	2	2	11	21	11	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	4	15	—	—	—	16	—	—	—	—	2	13	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	—	—	—	—	7	26	—	—	—	24	—	—	—	—	4	20	—	—	—
28 Congenital debility and malformation, premature birth ..	M	225	222	1	—	1	1	—	—	—	—	218	214	2	1	1	—	—	—	—	—
	F	194	189	—	—	1	—	1	3	—	—	156	156	—	—	—	—	—	—	—	—
29 Suicide ..	M	43	—	—	—	—	1	12	19	7	4	35	—	—	—	—	5	9	15	5	1
	F	14	—	—	—	—	2	7	4	1	—	10	—	—	—	—	—	5	5	—	—
30 Other deaths from violence ..	M	163	4	2	10	19	30	48	41	5	4	161	—	4	11	20	31	42	38	10	5
	F	81	3	3	7	7	9	18	14	12	8	43	1	2	5	16	1	6	8	2	2
31 Other defined diseases ..	M	497	96	14	18	23	23	51	110	72	90	382	53	10	12	22	12	23	75	78	97
	F	454	51	9	14	22	19	38	109	75	117	384	54	11	12	18	15	44	80	55	95
32 Causes ill-defined or unknown ..	M	26	—	1	—	2	1	3	13	6	—	13	1	1	—	—	—	1	6	4	—
	F	18	—	1	—	2	—	1	8	6	—	6	—	—	—	—	1	—	5	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ELY, ISLE OF—1928 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	288	27	5	9	10	9	29	58	62	79	202	16	3	6	5	7	21	49	42	53
		F	248	19	8	3	8	14	25	36	59	76	173	27	3	1	4	9	13	33	32	51
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	5	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
		F	3	1	1	1	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—	
6	Diphtheria ..	M	8	—	—	3	5	—	—	—	—	—	3	—	1	1	1	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
7	Influenza ..	M	5	—	—	—	1	1	1	—	—	2	4	—	—	—	—	—	2	1	1	
		F	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	1	—	
8	Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	
9	Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	13	—	—	—	—	2	5	6	—	—	17	—	—	—	1	2	10	4	—	
		F	20	—	—	—	—	8	10	2	—	—	13	—	—	1	8	4	—	—	—	
11	Other tuberculous diseases ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	
		F	4	—	2	—	1	—	1	—	—	—	3	1	1	—	—	—	1	—	—	
12	Cancer, malignant disease ..	M	38	—	—	—	—	—	1	15	11	11	32	—	—	—	—	3	12	9	8	
		F	39	—	—	—	—	—	2	9	16	12	31	—	—	—	—	2	12	9	8	
13	Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Diabetes ..	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	1	3	1	
15	Cerebral hæmorrhage, &c. ..	M	11	—	—	—	—	—	—	3	6	2	11	—	—	—	—	—	2	4	5	
		F	14	—	—	—	—	—	—	1	6	7	7	—	—	—	—	—	2	4	1	
16	Heart disease ..	M	48	—	—	—	—	1	5	9	14	19	33	—	—	—	1	—	13	9	10	
		F	43	—	—	—	—	1	3	11	12	16	25	—	—	—	1	—	5	6	13	
17	Arterio-sclerosis ..	M	17	—	—	—	—	—	—	2	8	7	10	—	—	—	—	—	1	3	6	
		F	14	—	—	—	—	—	—	—	6	8	8	—	—	—	—	—	1	2	5	
18	Bronchitis ..	M	13	3	—	—	—	—	—	—	3	7	9	—	—	—	—	—	1	2	6	
		F	15	—	1	—	—	—	—	1	2	11	5	2	—	—	—	—	—	—	3	
19	Pneumonia (all forms) ..	M	18	2	3	1	—	—	—	2	5	5	8	1	2	1	—	—	3	1	—	
		F	15	2	2	—	1	1	3	2	4	—	9	6	—	1	—	—	1	—	1	
20	Other respiratory diseases ..	M	3	—	—	—	—	—	—	1	1	1	3	—	—	—	—	—	1	1	1	
		F	3	—	—	—	—	—	—	—	1	2	5	—	—	—	—	1	2	1	1	
21	Ulcer of stomach or duodenum ..	M	5	—	—	—	—	2	1	2	—	—	2	—	—	—	—	—	2	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
22	Diarrhoea, &c. ..	M	6	4	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	
		F	3	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
23	Appendicitis and typhlitis..	M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis ..	M	7	—	—	—	—	1	2	2	1	1	8	—	—	—	—	1	1	3	3	
		F	8	—	—	—	—	—	2	2	3	1	4	—	—	—	—	—	2	1	1	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	2	1	—	—	—	2	—	—	—	—	2	—	—	—	
28	Congenital debility and malformation, premature birth..	M	14	13	1	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	
		F	9	9	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	
29	Suicide ..	M	5	—	—	—	—	1	1	2	—	1	1	—	—	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
30	Other deaths from violence..	M	16	1	—	1	2	2	7	3	—	—	9	—	—	1	1	4	1	1	—	
		F	1	—	—	—	—	—	—	—	1	—	5	1	—	1	—	—	—	—	3	
31	Other defined diseases ..	M	45	3	—	—	—	4	10	7	21	32	32	—	—	1	1	—	5	6	6	
		F	38	5	—	1	3	2	5	6	16	31	31	3	—	1	—	2	6	5	14	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
ESSEX—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	3948	397	90	94	115	176	460	1102	771	743	1698	132	16	23	41	61	157	406	396	466
	F	3682	297	76	80	112	153	408	893	702	961	1538	88	20	18	43	51	125	294	360	539
1 Enteric fever .. {	M	7	—	—	—	—	1	2	3	1	—	9	—	—	—	—	1	3	3	1	1
	F	8	—	—	—	—	1	2	3	1	1	8	—	—	—	—	—	2	3	2	1
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	53	14	20	12	7	—	—	—	—	—	6	2	1	1	2	—	—	—	—	—
	F	39	3	17	10	9	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—
4 Scarlet fever .. {	M	6	—	—	4	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	6	—	1	1	3	—	1	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough .. {	M	16	7	5	2	2	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
	F	22	8	9	4	1	—	—	—	—	—	8	5	2	1	—	—	—	—	—	—
6 Diphtheria .. {	M	43	2	3	15	21	—	2	—	—	—	12	—	—	5	6	—	1	—	—	—
	F	37	—	4	12	17	1	3	—	—	—	14	—	—	3	9	—	1	1	—	—
7 Influenza .. {	M	51	1	2	1	—	3	10	18	13	3	24	1	—	1	—	1	4	5	6	6
	F	36	—	—	1	—	—	6	10	8	11	21	1	1	—	—	1	3	4	4	7
8 Encephalitis lethargica .. {	M	9	—	—	—	—	1	3	4	—	1	2	—	—	—	—	1	—	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	1	—	—	3	2	1	—
9 Meningococcal meningitis .. {	M	6	2	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	293	2	1	1	3	43	140	89	12	2	98	—	—	—	—	18	44	31	4	1
	F	218	—	1	—	6	57	100	45	7	2	68	—	—	—	2	22	26	15	3	—
11 Other tuberculous diseases .. {	M	58	7	6	11	9	8	10	4	2	1	19	3	4	2	3	4	—	2	1	—
	F	40	3	8	7	8	4	6	1	2	1	18	2	2	4	2	1	2	1	4	—
12 Cancer, malignant disease .. {	M	497	—	—	1	1	6	26	223	155	85	242	—	—	1	—	—	8	92	89	52
	F	562	1	—	—	2	3	63	263	127	103	204	—	—	1	—	—	12	73	69	49
13 Rheumatic fever .. {	M	13	—	—	1	4	4	1	3	—	—	3	—	—	—	2	—	—	1	—	—
	F	15	—	1	—	2	7	3	2	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes .. {	M	27	—	—	—	1	1	—	10	10	5	17	—	—	—	—	—	—	4	10	—
	F	36	—	—	—	1	2	3	11	13	6	29	—	—	—	1	—	3	5	17	—
15 Cerebral hæmorrhage, &c. .. {	M	187	—	—	—	—	—	6	52	62	67	86	—	—	—	—	—	3	24	22	37
	F	217	—	—	—	—	—	3	69	67	78	129	—	—	—	—	1	4	19	47	58
16 Heart disease .. {	M	659	—	1	—	7	12	38	208	201	192	268	—	—	—	1	2	6	68	98	93
	F	739	—	—	—	12	17	47	163	215	285	285	—	—	1	1	1	7	66	78	131
17 Arterio-sclerosis .. {	M	149	—	—	—	—	—	3	25	57	64	126	—	—	—	—	—	—	19	51	56
	F	121	—	—	—	—	—	2	23	38	58	83	—	—	—	—	—	1	10	28	44
18 Bronchitis .. {	M	163	13	7	2	1	1	5	32	39	63	72	5	—	2	2	—	1	6	16	40
	F	169	14	—	1	1	2	3	16	32	100	72	4	2	—	—	—	1	7	17	41
19 Pneumonia (all forms) .. {	M	262	57	26	13	4	5	33	76	30	18	70	7	6	4	4	4	15	16	8	6
	F	209	53	15	13	4	1	18	41	33	31	68	12	3	5	1	4	9	8	14	12
20 Other respiratory diseases .. {	M	43	—	—	2	3	2	5	14	10	7	26	1	—	—	—	—	1	8	8	8
	F	33	1	—	1	1	5	3	5	4	13	20	—	—	—	2	1	1	4	2	10
21 Ulcer of stomach or duodenum .. {	M	70	—	—	—	—	4	17	36	11	2	19	—	—	—	—	—	3	12	3	1
	F	14	—	—	—	—	1	3	7	3	—	7	—	—	—	—	—	1	4	—	2
22 Diarrhœa, &c. .. {	M	56	40	5	—	—	—	2	2	3	4	17	13	—	1	—	—	—	2	—	1
	F	54	30	5	5	2	1	2	1	3	5	10	4	2	—	—	—	—	1	—	3
23 Appendicitis and typhlitis .. {	M	34	—	—	3	3	7	9	7	4	1	10	—	—	1	—	—	6	3	—	—
	F	23	—	—	3	4	2	4	6	2	2	9	—	—	—	2	2	2	—	1	2
24 Cirrhosis of liver .. {	M	19	—	—	—	—	—	—	14	5	—	10	—	—	—	—	—	2	5	2	1
	F	15	—	—	—	1	—	—	8	5	1	4	—	—	—	—	—	1	1	2	—
25 Acute and chronic nephritis .. {	M	118	—	—	—	1	8	17	48	28	16	49	—	—	—	—	2	3	18	12	14
	F	100	1	—	2	2	7	11	35	27	15	34	—	—	1	—	1	4	9	8	11
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	6	15	—	—	—	7	—	—	—	—	—	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	32	—	—	—	—	5	27	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	188	180	1	2	2	2	1	—	—	—	69	65	2	—	1	—	—	1	—	—
	F	134	128	3	—	1	—	1	1	—	—	45	43	2	—	—	—	—	—	—	—
29 Suicide .. {	M	72	—	—	—	—	8	17	35	7	5	26	—	—	—	—	—	9	11	4	2
	F	34	—	—	—	—	2	10	19	2	1	8	—	—	—	—	—	3	3	1	1
30 Other deaths from violence.. {	M	190	14	1	6	16	37	44	48	15	9	78	3	1	2	10	21	17	13	7	4
	F	80	8	2	6	10	7	5	14	18	10	31	2	1	—	5	6	3	1	1	12
31 Other defined diseases .. {	M	658	58	12	15	28	23	68	150	106	198	328	25	2	3	10	7	29	59	53	140
	F	660	47	8	14	25	21	64	148	95	238	324	13	3	1	14	7	20	55	59	152
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	5	1	—	—	—	—	—	2	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLOUCESTER—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.											AGGREGATE OF RURAL DISTRICTS.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
		1329	99	21	16	37	46	130	320	314	346	1371	77	15	13	29	36	126	280	313	482		
ALL CAUSES ..	M	669	56	9	11	13	28	60	169	163	160	1329	99	21	16	37	46	130	320	314	346		
	F	767	38	8	11	12	20	67	151	198	262	1371	77	15	13	29	36	126	280	313	482		
1 Enteric fever ..	M	2	—	—	—	—	1	—	1	—	—	2	—	—	—	2	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..	M	9	2	2	3	2	—	—	—	—	—	9	1	3	3	2	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—		
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—		
5 Whooping cough ..	M	4	2	2	—	—	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—		
	F	5	—	3	1	1	—	—	—	—	—	8	6	—	2	—	—	—	—	—	—		
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	6	1	—	2	3	—	—	—	—	—		
	F	3	—	—	1	1	—	—	—	1	—	4	—	—	1	3	—	—	—	—	—		
7 Influenza ..	M	10	—	—	—	—	1	2	4	1	2	34	—	1	—	1	3	6	8	9	6		
	F	20	1	—	—	—	1	—	6	2	10	36	—	—	—	1	1	6	6	11	11		
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	—	1	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—		
9 Meningococcal meningitis ..	M	2	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system	M	53	—	—	1	—	15	21	16	—	—	64	—	—	—	2	13	31	16	2	—		
	F	35	—	—	—	2	8	20	4	1	—	54	—	1	—	—	17	22	10	3	1		
11 Other tuberculous diseases ..	M	6	—	—	—	1	2	2	1	—	—	15	1	1	—	3	1	5	3	1	—		
	F	10	1	—	2	2	1	1	3	—	—	21	2	4	1	3	1	7	3	—	—		
12 Cancer, malignant disease ..	M	71	—	—	—	—	—	3	33	25	10	151	1	—	—	—	1	4	67	52	26		
	F	110	—	—	1	—	1	6	38	34	30	198	—	—	—	2	—	20	69	53	54		
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	2	—	—		
	F	2	—	—	—	1	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—		
14 Diabetes ..	M	9	—	—	—	1	—	—	1	5	2	14	—	—	—	1	2	—	4	4	3		
	F	10	—	—	—	—	—	1	3	4	2	24	—	—	—	1	1	2	5	9	6		
15 Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	—	7	14	8	78	—	—	—	—	—	3	15	31	29		
	F	66	—	—	—	—	—	4	14	20	28	102	—	—	—	—	—	—	21	34	47		
16 Heart disease ..	M	121	—	—	—	—	2	8	31	36	44	230	—	—	—	3	4	9	49	74	91		
	F	166	—	—	—	—	1	6	26	61	72	295	—	—	—	1	1	11	58	88	136		
17 Arterio-sclerosis ..	M	45	—	—	—	—	—	—	9	16	20	100	—	—	—	—	—	—	14	38	48		
	F	43	—	—	—	—	—	—	6	15	22	95	—	—	—	—	—	—	12	32	51		
18 Bronchitis ..	M	25	2	1	—	—	—	2	—	8	12	60	4	2	—	—	—	—	7	16	31		
	F	28	2	—	—	—	—	—	3	9	14	49	8	—	1	—	—	1	1	6	32		
19 Pneumonia (all forms) ..	M	37	7	3	2	1	—	2	10	7	5	66	7	7	2	3	1	13	22	6	5		
	F	44	4	3	3	1	—	3	10	12	8	51	11	5	1	2	2	3	6	13	8		
20 Other respiratory diseases ..	M	7	—	—	—	—	—	2	3	—	2	19	—	—	1	—	—	2	10	5	1		
	F	9	1	—	—	—	—	—	1	1	6	9	—	—	—	—	1	2	—	3	3		
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	2	3	2	—	21	—	—	—	—	—	2	13	5	1		
	F	7	—	—	—	—	—	1	3	2	1	8	—	—	—	—	—	4	1	3	3		
22 Diarrhœa, &c. ..	M	6	5	—	—	—	—	—	—	—	1	12	5	2	—	—	1	1	—	—	3		
	F	5	—	—	—	—	—	1	1	1	2	4	1	—	—	—	—	2	1	—	—		
23 Appendicitis and typhlitis..	M	8	—	—	—	—	1	3	2	2	—	8	—	—	—	3	1	—	3	—	1		
	F	4	—	—	—	—	1	2	1	—	—	12	—	—	—	1	3	1	5	2	—		
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	—	2	3	1	5	—	—	—	—	1	1	1	3	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—		
25 Acute and chronic nephritis ..	M	32	—	—	—	—	—	2	7	14	9	56	—	1	—	1	—	8	18	15	13		
	F	22	—	—	—	—	—	2	7	5	8	51	—	—	—	1	—	7	16	13	14		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	—	7	—	—	—	—	—	7	—	—	—		
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	—	9	—	—	—	—	—	9	—	—	—		
28 Congenital debility and malformation, premature birth..	M	30	29	—	1	—	—	—	—	—	—	57	56	—	—	—	1	—	—	—	—		
	F	24	24	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—		
29 Suicide ..	M	11	—	—	—	—	1	4	5	1	—	12	—	—	—	—	—	3	5	4	—		
	F	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	1	2	—	—	2		
30 Other deaths from violence..	M	22	2	1	1	1	3	4	5	1	4	72	1	—	3	3	11	23	20	6	5		
	F	9	1	—	1	1	1	2	1	1	1	34	2	1	1	4	2	4	6	4	10		
31 Other defined diseases ..	M	114	6	—	1	5	2	3	29	28	40	217	16	3	4	8	7	18	40	39	82		
	F	131	4	1	2	3	4	11	22	26	58	242	9	2	5	7	5	20	52	38	104		
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	3	4	—		
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1	—		

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	294	18	6	4	9	13	28	64	77	75	466	25	7	7	10	26	27	83	125	156
	F	310	16	4	5	7	9	18	74	75	102	453	30	6	7	3	20	55	80	98	154
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	2	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {	M	2	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	
6 Diphtheria .. {	M	6	—	1	2	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	5	—	1	—	4	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7 Influenza .. {	M	4	—	—	—	—	—	—	2	1	1	16	—	1	—	2	—	3	6	4	
	F	13	—	—	—	2	—	3	2	3	3	16	—	—	—	—	2	5	3	5	
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
10 Tuberculosis of respiratory system {	M	16	—	—	—	2	1	8	5	—	—	16	—	1	—	3	8	3	1	—	
	F	12	—	—	—	1	2	7	2	—	—	25	—	—	—	8	14	3	—	—	
11 Other tuberculous diseases .. {	M	3	—	—	—	1	2	—	—	—	—	4	1	—	—	1	1	—	—	—	
	F	2	—	—	—	—	2	—	—	—	—	6	—	—	—						

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
HERTFORD—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1362	109	12	25	30	41	171	355	299	320	600	45	8	11	15	25	45	160	132	159
	F	1347	74	12	12	15	45	129	293	293	474	571	29	4	5	13	12	52	106	123	227
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	8	—	2	2	4	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
4 Scarlet fever ..	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	3	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	4	1	1	2	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	3	1	—	1	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	6	—	—	—	5	—	1	—	—	—	4	—	—	—	4	—	—	—	—	—
7 Influenza ..	M	21	—	—	—	—	—	6	11	4	—	8	—	—	—	—	1	1	2	2	2
	F	13	1	—	—	—	2	2	3	2	3	9	—	—	—	—	—	—	1	4	4
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	1	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	85	1	—	1	2	13	35	27	5	1	29	—	—	—	—	1	15	12	1	—
	F	64	—	—	—	—	13	28	16	4	3	17	1	—	—	—	1	11	3	1	—
11 Other tuberculous diseases ..	M	25	1	2	5	4	2	7	4	—	—	7	—	—	2	1	2	1	1	—	—
	F	15	—	3	1	2	—	3	3	3	—	5	—	—	—	1	—	2	—	2	—
12 Cancer, malignant disease ..	M	171	—	—	—	—	1	11	66	58	35	69	—	—	—	—	2	4	33	15	15
	F	222	—	—	—	—	1	21	74	63	63	78	—	—	—	—	—	7	28	23	20
13 Rheumatic fever ..	M	4	—	—	—	2	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	—	—	1	1	3	—	—	—	2	—	—	—	—	2	—	—	—	—
14 Diabetes ..	M	15	—	—	1	—	1	—	11	1	1	5	—	—	—	—	—	—	—	4	1
	F	10	—	—	—	—	—	—	1	4	5	10	—	—	—	1	1	1	2	2	3
15 Cerebral hæmorrhage, &c. ..	M	67	—	—	—	—	—	3	14	25	25	38	—	—	—	—	—	1	6	12	19
	F	102	—	—	—	—	1	1	26	28	46	41	—	—	—	—	—	1	6	9	25
16 Heart disease ..	M	229	—	—	—	1	2	14	59	67	86	110	—	—	—	—	2	4	27	35	42
	F	277	—	—	—	1	6	9	52	72	137	140	—	—	—	1	3	4	23	36	73
17 Arterio-sclerosis ..	M	85	—	—	—	—	—	1	13	27	44	38	—	—	—	—	—	—	7	14	17
	F	71	—	—	—	—	—	—	11	22	38	29	—	—	—	—	—	—	7	6	16
18 Bronchitis ..	M	61	6	—	—	1	—	2	9	21	22	35	4	—	1	—	1	—	4	6	19
	F	53	2	—	—	—	—	—	5	15	31	27	1	—	1	—	—	2	3	2	18
19 Pneumonia (all forms) ..	M	74	11	2	2	2	4	13	24	10	6	27	3	2	3	—	2	3	6	5	3
	F	74	9	3	4	—	1	6	13	18	20	18	1	1	1	1	—	3	3	6	2
20 Other respiratory diseases ..	M	16	2	—	1	—	—	4	3	4	2	5	—	—	—	—	—	—	1	—	4
	F	10	—	—	1	1	—	2	1	4	4	12	—	1	—	—	—	1	3	2	5
21 Ulcer of stomach or duodenum ..	M	18	—	—	—	—	—	4	10	2	2	8	—	—	—	—	—	—	6	2	—
	F	9	—	—	—	—	—	4	3	1	1	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c. ..	M	12	6	—	—	1	—	1	—	1	3	6	3	1	—	—	—	—	—	1	1
	F	8	4	—	—	—	1	—	1	1	1	2	—	—	—	—	—	1	—	—	1
23 Appendicitis and typhlitis ..	M	9	—	—	1	—	2	2	4	—	—	6	—	—	2	—	1	1	2	—	—
	F	5	—	—	—	1	1	1	1	—	1	5	—	—	—	—	—	2	1	1	1
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	1	3	1	1	5	—	—	—	—	—	3	1	—	1
	F	5	—	—	—	—	—	—	4	1	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	31	—	—	1	1	1	3	8	7	10	17	1	—	—	1	—	1	5	7	2
	F	47	—	—	—	—	4	5	16	9	13	15	—	—	—	1	—	2	3	2	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth ..	M	60	59	—	1	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
	F	48	48	—	—	—	—	—	—	—	—	23	21	—	1	1	—	—	—	—	—
29 Suicide ..	M	19	—	—	—	—	2	8	5	2	2	10	—	—	—	—	—	—	7	2	1
	F	11	—	—	—	—	3	3	3	2	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence ..	M	89	4	3	2	4	8	25	26	9	8	34	2	1	2	5	8	3	10	2	1
	F	26	1	—	1	—	2	4	6	5	7	10	—	—	—	—	—	2	2	1	5
31 Other defined diseases ..	M	240	16	2	5	6	5	25	54	55	72	105	7	2	1	5	5	6	24	24	31
	F	237	7	2	1	3	6	26	50	41	101	104	4	1	—	2	2	7	16	25	47
32 Causes ill-defined or unknown ..	M	4	—	1	—	—	—	1	2	—	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HUNTINGDON—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.											AGGREGATE OF RURAL DISTRICTS.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..	M	164	10	3	2	9	4	18	38	32	48	209	14	2	1	3	11	14	46	48	70		
	F	147	5	1	1	4	4	13	34	32	53	195	10	4	1	3	7	19	35	41	5		
1 Enteric fever ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—		
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—	—		
7 Influenza ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	1	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—		
	F	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system	M	10	—	—	—	—	3	4	3	—	—	11	—	—	—	—	3	3	3	2	—		
	F	6	—	—	—	2	—	3	1	—	—	12	—	—	—	—	3	5	4	—	—		
11 Other tuberculous diseases ..	M	2	—	1	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—		
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
12 Cancer, malignant disease ..	M	25	—	—	—	—	—	4	12	5	4	38	—	—	—	—	—	—	15	12	11		
	F	15	—	—	—	—	—	2	5	4	4	33	—	—	—	—	—	2	12	7	12		
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Diabetes ..	M	2	—	—	—	1	—	—	—	1	—	5	—	—	—	—	1	1	1	1	1		
	F	3	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	1	1	1		
15 Cerebral hæmorrhage, &c. ..	M	6	—	—	—	—	—	—	1	2	3	8	—	—	—	—	—	—	—	2	6		
	F	12	—	—	—	—	—	—	3	5	4	11	—	—	—	—	1	—	—	3	7		
16 Heart disease ..	M	27	—	—	—	1	—	—	4	8	14	37	—	—	—	—	—	—	12	11	14		
	F	25	—	—	—	—	1	—	5	4	15	25	—	—	—	—	1	1	6	11	6		
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	—	2	3	6	18	—	—	—	—	—	1	1	4	12		
	F	9	—	—	—	—	—	—	1	5	3	14	—	—	—	—	—	—	1	6	7		
18 Bronchitis ..	M	7	—	1	—	—	—	—	1	3	2	6	—	—	—	1	—	—	—	1	4		
	F	9	—	—	—	—	—	—	1	1	7	13	—	—	—	—	—	—	1	3	9		
19 Pneumonia (all forms) ..	M	12	1	1	1	2	1	2	2	2	—	9	1	1	—	—	1	1	1	2	2		
	F	3	1	—	—	—	—	1	1	—	—	3	—	1	—	—	—	—	—	1	1		
20 Other respiratory diseases ..	M	4	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	—	2	—		
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—		
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
23 Appendicitis and typhlitis..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
	F	2	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	1	—	—	1		
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
25 Acute and chronic nephritis ..	M	2	—	—	—	—	—	1	1	—	—	5	—	—	—	1	—	—	—	3	1		
	F	5	—	—	—	—	—	—	1	2	2	1	—	—	—	—	—	1	—	—	—		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	3	—	—	—	—		
28 Congenital debility and malformation, premature birth..	M	7	7	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—		
	F	4	4	—	—	—	—	—	—	—	—	11	10	1	—	—	—	—	—	—	—		
29 Suicide ..	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	1	1	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—		
30 Other deaths from violence..	M	10	—	—	—	2	—	2	1	3	2	14	—	1	—	1	2	4	3	—	—		
	F	3	—	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—		
31 Other defined diseases ..	M	28	2	—	—	—	—	2	5	4	15	28	—	—	—	—	2	1	4	7	1		
	F	39	—	—	—	—	1	3	13	7	15	47	—	1	—	1	2	2	6	5	3		
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of KENT—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	4510	338	69	77	147	170	458	1275	925	1051	1971	120	27	35	65	60	184	492	464	524
	F	4627	253	59	75	144	165	475	1044	934	1478	1791	106	26	32	58	68	172	372	364	593
1 Enteric fever ..	M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	2	—	1	—	—	
	F	3	—	—	—	—	—	3	—	—	—	3	—	1	—	1	—	1	—	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	25	2	10	9	4	—	—	—	—	—	12	1	2	4	4	1	—	—	—	
	F	25	5	8	6	5	1	—	—	—	—	11	—	3	2	4	—	—	2	—	
4 Scarlet fever ..	M	9	—	—	3	5	1	—	—	—	—	2	—	—	—	2	—	—	—	—	
	F	6	—	—	1	3	2	—	—	—	—	5	—	—	1	3	1	—	—	—	
5 Whooping cough ..	M	9	4	3	1	1	—	—	—	—	—	3	2	—	—	1	—	—	—	—	
	F	16	10	2	2	1	—	1	—	—	—	5	2	1	2	—	—	—	—	—	
6 Diphtheria ..	M	67	—	5	16	42	2	1	1	—	—	9	—	—	4	5	—	—	—	—	
	F	72	1	7	16	47	—	1	—	—	—	18	—	1	3	13	1	—	—	—	
7 Influenza ..	M	50	2	—	—	—	2	14	17	5	10	27	1	—	—	—	1	4	13	5	
	F	75	1	1	1	1	2	9	30	17	13	21	—	—	—	3	—	4	4	5	
8 Encephalitis lethargica ..	M	12	—	1	1	2	—	2	4	1	1	4	—	1	—	—	—	1	1	1	
	F	6	—	1	—	—	1	1	2	1	—	3	—	—	—	1	—	1	—	—	
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	—	1	—	
	F	4	—	1	1	2	—	—	—	—	—	4	3	—	—	1	—	—	—	—	
10 Tuberculosis of respiratory system	M	329	—	—	1	5	56	140	110	12	5	122	—	—	1	1	17	54	43	5	
	F	270	1	1	1	7	81	118	48	11	2	98	—	—	—	1	27	54	11	4	
11 Other tuberculous diseases ..	M	46	6	2	9	8	6	9	5	1	—	23	3	3	3	2	4	2	4	2	
	F	58	5	4	7	12	8	11	9	1	1	31	3	6	3	4	4	5	4	1	
12 Cancer, malignant disease ..	M	560	—	1	1	—	4	31	234	184	105	253	1	1	1	1	1	9	103	79	
	F	684	—	—	—	—	1	68	278	192	145	268	—	—	—	—	1	22	108	72	
13 Rheumatic fever ..	M	9	—	—	—	3	2	—	3	—	1	8	—	—	—	1	3	2	2	—	
	F	16	—	—	—	3	6	5	1	—	1	11	—	—	1	3	4	—	1	2	
14 Diabetes ..	M	42	—	—	—	—	1	5	13	14	9	26	—	—	—	—	1	2	8	11	
	F	51	—	—	—	—	3	4	15	17	12	28	—	—	—	1	—	2	11	5	
15 Cerebral hæmorrhage, &c. ..	M	183	—	—	—	—	—	4	51	69	59	96	—	—	—	—	—	—	17	38	
	F	297	—	—	—	—	—	8	62	96	131	120	—	—	—	—	—	—	23	37	
16 Heart disease ..	M	789	—	—	9	8	44	235	222	271	321	—	—	1	3	1	14	75	100	127	
	F	966	1	—	2	10	14	38	210	263	428	330	—	—	—	5	4	12	71	87	
17 Arterio-sclerosis ..	M	250	—	—	—	—	—	2	52	88	108	103	—	—	—	—	—	1	10	35	
	F	262	—	—	—	—	—	—	30	64	168	84	—	—	—	—	—	—	11	18	
18 Bronchitis ..	M	212	14	5	1	—	1	7	37	51	96	87	7	3	1	—	—	2	13	19	
	F	205	14	1	3	4	1	3	19	37	123	73	1	3	1	—	—	2	7	20	
19 Pneumonia (all forms) ..	M	261	44	24	12	9	6	36	86	24	20	100	11	5	4	4	1	14	24	25	
	F	209	35	16	12	13	3	23	34	30	43	82	17	4	3	2	1	6	22	14	
20 Other respiratory diseases ..	M	53	1	—	2	—	2	4	18	13	13	29	—	—	3	3	1	—	9	9	
	F	42	1	—	1	1	1	4	10	8	16	28	1	—	1	2	—	3	5	9	
21 Ulcer of stomach or duodenum ..	M	62	—	—	—	—	—	8	36	12	6	33	—	—	—	—	1	11	12	7	
	F	28	—	—	—	—	—	6	8	8	6	6	—	—	—	—	—	3	1	1	
22 Diarrhoea, &c. ..	M	49	36	1	3	1	1	2	2	2	1	16	8	3	—	—	—	1	1	1	
	F	43	19	1	4	1	1	—	5	3	9	13	8	1	—	—	—	1	—	—	
23 Appendicitis and typhlitis ..	M	25	—	—	2	5	4	2	7	3	2	12	—	—	—	1	—	6	2	2	
	F	36	—	—	2	7	3	5	14	4	1	15	—	—	—	1	4	3	4	2	
24 Cirrhosis of liver ..	M	39	—	—	—	—	—	1	20	12	6	14	—	—	—	—	1	—	9	4	
	F	20	—	—	—	—	—	1	7	8	4	6	—	—	—	—	—	2	1	2	
25 Acute and chronic nephritis ..	M	151	1	—	—	1	—	10	52	42	45	71	—	—	—	—	1	2	24	25	
	F	131	—	1	—	1	—	10	46	33	40	60	1	—	—	—	1	2	22	20	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	18	—	—	—	—	4	14	—	—	—	7	—	—	—	—	—	6	1	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	25	—	—	—	—	3	22	—	—	—	6	—	—	—	—	—	5	1	—	
28 Congenital debility and malformation, premature birth..	M	168	162	1	1	1	1	2	—	—	—	70	64	1	1	2	1	1	—	—	
	F	127	119	2	1	1	1	3	—	—	—	55	54	—	—	1	—	—	—	—	
29 Suicide ..	M	75	—	—	—	—	4	18	43	8	2	25	—	—	—	—	2	8	9	5	
	F	31	—	—	—	—	3	9	18	1	—	12	—	—	—	—	2	1	8	—	
30 Other deaths from violence..	M	215	5	7	10	23	30	47	56	14	23	113	3	2	4	13	17	23	34	11	
	F	87	3	3	6	4	4	12	20	10	25	46	2	2	7	3	7	8	6	3	
31 Other defined diseases ..	M	806	61	9	5	28	39	68	181	147	268	384	19	5	8	21	4	27	77	79	
	F	810	38	9	9	21	22	96	176	129	310	340	14	3	8	9	11	30	47	61	
32 Causes ill-defined or unknown ..	M	10	—	—	—	—	—	1	9	—	—	1	—	—	—	—	—	—	—	1	
	F	4	—	1	—	—	—	—	2	1	—	2	—	1	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of LANCASTER—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	9353	961	163	181	283	407	998	2883	2170	1307	1460	131	23	24	41	63	132	418	343	285
	F	9320	650	162	155	276	391	1055	2511	2253	1867	1454	85	26	23	23	59	163	387	356	332
1 Enteric fever ..	M	7	—	—	—	2	1	3	1	—	—	2	—	—	—	—	—	1	—	1	—
	F	13	—	—	—	2	1	3	6	1	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox ..	M	4	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	38	8	11	13	6	—	—	—	—	—	6	3	1	2	—	—	—	—	—	—
	F	45	10	18	14	3	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
4 Scarlet fever ..	M	11	—	—	5	3	1	2	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	12	—	—	1	8	—	3	—	—	—	2	—	1	—	1	—	—	—	—	—
5 Whooping cough ..	M	35	17	11	6	—	—	—	—	1	—	6	5	—	1	—	—	—	—	—	—
	F	48	23	17	8	—	—	—	—	—	—	7	2	4	1	—	—	—	—	—	—
6 Diphtheria ..	M	41	5	3	12	20	—	—	1	—	—	15	—	2	1	9	3	—	—	—	—
	F	47	—	2	19	21	—	3	1	1	—	6	1	—	2	3	—	—	—	—	—
7 Influenza ..	M	276	4	3	6	6	21	62	108	47	19	35	—	1	—	—	1	7	13	8	5
	F	226	4	—	3	11	22	25	74	42	45	27	—	—	1	—	—	5	8	8	5
8 Encephalitis lethargica ..	M	34	—	1	—	2	5	9	14	3	—	4	—	—	1	1	2	—	—	—	—
	F	30	1	—	3	2	5	7	10	1	1	8	—	1	—	—	1	3	3	—	—
9 Meningococcal meningitis ..	M	7	2	—	1	2	—	1	1	—	—	2	1	—	1	—	—	—	—	—	—
	F	5	—	1	—	3	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	519	1	1	1	6	106	206	166	31	1	56	—	—	—	—	11	22	17	6	—
	F	427	1	1	2	19	137	175	75	16	1	64	—	—	1	2	20	27	12	2	—
11 Other tuberculous diseases ..	M	147	16	15	19	21	29	23	17	6	1	17	1	1	5	3	3	2	2	—	—
	F	109	9	10	8	17	22	22	13	8	—	14	—	—	3	2	2	5	2	—	—
12 Cancer, malignant disease ..	M	996	1	—	2	1	6	48	505	333	100	152	—	—	1	—	—	5	80	46	20
	F	1193	1	—	1	1	5	129	540	351	165	173	—	—	1	—	—	14	75	51	32
13 Rheumatic fever ..	M	45	1	—	1	10	11	11	9	2	—	3	—	—	—	2	—	1	—	—	—
	F	39	—	—	—	13	5	11	9	1	—	6	—	—	—	1	2	2	1	—	—
14 Diabetes ..	M	95	—	1	—	1	3	7	44	33	6	16	—	—	—	1	1	2	6	3	3
	F	128	—	1	—	3	5	11	51	45	12	32	—	—	—	—	—	6	14	10	2
15 Cerebral hæmorrhage, &c. ..	M	489	—	—	—	—	—	6	171	197	115	75	—	—	—	—	1	3	20	32	19
	F	631	—	—	—	—	—	13	187	264	167	124	—	—	—	—	—	3	41	46	34
16 Heart disease ..	M	1348	—	—	1	19	30	113	497	443	245	239	—	—	1	—	5	14	70	87	62
	F	1643	—	—	5	26	37	143	512	523	397	276	—	—	1	—	4	18	79	103	71
17 Arterio-sclerosis ..	M	599	—	—	—	—	—	2	122	272	203	88	—	—	—	—	—	—	11	32	45
	F	510	—	—	—	—	—	1	102	203	204	70	—	—	—	—	—	2	11	24	33
18 Bronchitis ..	M	575	76	7	7	2	2	29	130	180	142	76	4	3	—	—	—	4	21	22	22
	F	637	46	11	6	3	3	10	123	208	227	58	4	1	—	—	—	2	4	19	28
19 Pneumonia (all forms) ..	M	787	152	62	45	34	33	122	229	79	31	102	13	6	3	6	6	13	32	17	6
	F	524	76	55	39	40	16	62	108	77	51	73	7	6	4	2	2	11	15	15	11
20 Other respiratory diseases ..	M	87	3	—	2	7	3	9	30	25	8	20	1	—	1	1	—	2	7	5	3
	F	78	3	4	6	6	4	8	19	14	14	22	—	—	1	—	—	2	6	3	10
21 Ulcer of stomach or duodenum ..	M	101	—	—	—	—	4	29	57	8	3	17	—	—	—	—	1	3	8	3	2
	F	38	—	—	—	—	—	8	18	9	3	3	—	—	—	—	—	1	1	1	—
22 Diarrhœa, &c. ..	M	113	68	6	7	6	1	8	8	4	5	19	9	2	1	—	—	—	2	3	2
	F	114	51	11	5	5	2	9	16	5	10	10	5	—	1	—	1	1	—	1	1
23 Appendicitis and typhlitis ..	M	68	—	—	9	12	17	9	19	1	1	18	—	—	1	2	6	6	3	—	—
	F	51	—	—	2	8	8	11	17	5	—	15	—	—	—	3	8	1	3	—	—
24 Cirrhosis of liver ..	M	43	—	—	—	—	—	3	29	10	1	11	—	—	—	—	—	1	9	1	—
	F	24	—	—	—	—	1	1	17	5	—	3	—	—	—	—	—	—	2	—	1
25 Acute and chronic nephritis ..	M	319	4	—	1	4	7	30	148	87	38	46	—	—	—	1	—	6	17	13	9
	F	341	—	1	1	9	17	52	146	79	36	44	—	—	—	—	4	4	9	15	12
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	47	—	—	—	—	10	37	—	—	—	9	—	—	—	—	1	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	90	—	—	—	—	15	74	1	—	—	14	—	—	—	—	2	11	1	—	—
28 Congenital debility and malformation, premature birth ..	M	441	428	4	3	4	2	—	—	—	—	71	70	—	—	1	—	—	—	—	—
	F	306	295	4	1	3	3	—	—	—	—	53	53	—	—	—	—	—	—	—	—
29 Suicide ..	M	153	—	—	—	—	8	37	77	25	6	19	—	—	—	—	—	4	11	3	1
	F	81	—	—	—	1	6	31	36	7	—	9	—	—	—	—	2	2	5	—	—
30 Other deaths from violence ..	M	426	9	14	21	55	60	96	110	39	22	84	—	2	1	7	16	13	28	9	8
	F	179	8	6	7	27	12	24	29	21	45	39	—	4	1	5	2	8	5	4	10
31 Other defined diseases ..	M	1506	162	23	18	59	57	128	370	329	360	257	24	4	4	6	7	23	60	51	78
	F	1679	119	19	24	45	54	180	388	361	489	283	12	6	6	3	8	25	88	53	82
32 Causes ill-defined or unknown ..	M	43	4	1	1	1	—	5	20	11	—	2	—	—	—	—	—	—	1	1	—
	F	24	3	1	—	—	—	2	12	6	—	4	—	1	—	—	—	1	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LEICESTER—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	641	63	14	12	11	33	79	168	140	121	909	96	12	19	26	46	78	195	200	237
	F	545	49	3	8	19	23	61	132	106	144	964	73	9	19	25	51	103	206	206	272
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	4	1	1	1	1	—	—	—	—	—	9	4	—	4	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
6 Diphtheria ..	M	4	—	—	—	4	—	—	—	—	—	7	1	1	1	3	1	—	—	—	
	F	6	—	—	2	3	—	—	1	—	—	7	—	1	—	6	—	—	—	—	
7 Influenza ..	M	9	—	—	—	—	—	4	4	—	1	17	2	—	—	1	2	1	3	3	
	F	5	—	—	—	—	—	2	2	—	1	18	1	—	—	1	—	3	5	3	
8 Encephalitis lethargica ..	M	1	—	1	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	
9 Meningococcal meningitis ..	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	M	48	—	—	—	—	6	27	13	2	—	48	1	—	—	1	15	19	12	—	
	F	30	—	—	—	2	7	17	3	1	—	77	—	—	—	4	27	30	14	2	
11 Other tuberculous diseases ..	M	15	—	2	3	1	4	2	2	1	—	13	1	1	2	2	4	2	—	1	
	F	11	—	1	3	2	1	3	1	—	—	15	3	1	2	—	4	1	1	2	
12 Cancer, malignant disease ..	M	64	—	—	—	—	1	9	20	23	11	110	—	1	—	1	2	39	36	29	
	F	66	—	—	—	—	1	7	32	10	16	115	—	—	2	2	11	47	31	22	
13 Rheumatic fever ..	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	4	—	—	—	2	—	2	—	—	—	3	—	—	—	1	—	—	—	—	
14 Diabetes ..	M	10	—	—	—	—	—	—	5	4	1	5	—	—	—	—	—	3	—	2	
	F	10	—	—	—	—	—	—	4	4	2	10	—	—	—	—	—	2	4	2	
15 Cerebral hæmorrhage, &c. ..	M	32	—	—	—	—	—	1	7	11	13	50	—	—	—	—	—	12	16	22	
	F	42	—	—	—	—	1	1	9	15	16	68	—	—	—	—	—	1	17	26	
16 Heart disease ..	M	95	—	—	—	2	1	9	30	38	15	131	—	—	—	—	2	35	48	43	
	F	104	1	—	—	3	2	4	37	33	24	168	—	—	1	2	12	42	44	67	
17 Arterio-sclerosis ..	M	35	—	—	—	—	—	—	9	11	15	62	—	—	—	—	—	7	15	40	
	F	18	—	—	—	—	—	—	6	6	6	54	—	—	—	—	—	5	13	36	
18 Bronchitis ..	M	34	5	1	—	—	2	—	4	8	14	33	3	—	—	—	—	3	9	18	
	F	32	3	—	—	—	1	1	2	6	19	44	6	2	—	—	—	1	3	23	
19 Pneumonia (all forms) ..	M	30	9	2	—	—	1	3	9	5	1	48	10	2	3	1	4	12	4	9	
	F	14	4	1	1	—	—	3	3	2	—	34	2	4	2	1	1	5	7	8	
20 Other respiratory diseases ..	M	7	—	—	—	—	—	2	3	1	1	13	—	—	—	2	—	4	1	4	
	F	5	1	—	1	1	—	—	2	—	—	12	—	—	1	—	1	2	5	3	
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	—	3	5	1	2	13	—	—	—	—	—	6	5	2	
	F	3	—	—	—	—	1	—	1	1	—	6	—	—	—	—	1	4	1	—	
22 Diarrhœa, &c. ..	M	6	5	—	1	—	—	—	—	—	—	9	6	—	—	1	—	1	—	—	
	F	3	3	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis..	M	4	—	—	—	—	1	2	1	—	—	7	—	—	1	1	2	1	2	—	
	F	2	—	—	—	2	—	—	—	—	—	6	—	—	—	2	1	1	1	—	
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	1	2	2	—	5	—	—	—	—	1	2	2	—	
	F	2	—	—	—	—	—	—	1	1	—	12	—	—	—	1	2	5	2	—	
25 Acute and chronic nephritis ..	M	19	—	—	1	—	1	3	8	5	1	26	—	1	—	1	3	7	7	7	
	F	13	—	—	2	—	2	3	3	4	2	23	—	—	1	1	1	7	8	5	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	2	2	—	—	—	8	—	—	—	4	4	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	2	2	—	—	—	8	—	—	—	—	8	—	—	—	
28 Congenital debility and malformation, premature birth..	M	32	31	—	—	—	1	—	—	—	—	40	40	—	—	—	—	—	—	—	
	F	27	26	—	1	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	
29 Suicide ..	M	6	—	—	—	—	—	1	5	—	—	11	—	—	—	1	5	3	2	—	
	F	6	—	—	—	—	—	4	2	—	—	6	—	—	—	1	—	4	—	1	
30 Other deaths from violence..	M	29	2	1	3	1	7	3	8	2	2	66	5	3	4	3	11	15	15	6	
	F	11	1	—	—	1	3	—	1	3	2	25	2	—	5	1	1	6	3	2	
31 Other defined diseases ..	M	133	9	5	2	2	7	8	30	26	44	174	20	3	4	5	3	10	30	44	
	F	119	9	1	1	—	2	11	20	20	55	194	16	1	5	4	4	15	37	42	
32 Causes ill-defined or unknown ..	M	4	—	1	—	—	—	—	3	—	—	4	—	—	—	1	—	—	1	—	
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN: PARTS OF HOLLAND—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	237	19	4	4	8	11	18	53	50	70	275	29	3	8	10	14	18	53	54	86
	F	233	10	4	3	10	8	30	54	38	76	249	27	3	6	10	7	26	46	36	88
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	5	3	—	1	1	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	3	—	1	—	2	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	1	—	—	3	—	1	9	2	—	2	—	2	1	1	1	1
	F	2	—	—	—	—	—	—	—	2	—	5	1	1	—	1	—	1	—	—	—
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	11	—	—	—	—	3	5	2	—	1	11	—	—	—	—	2	7	1	1	—
	F	13	—	—	—	1	2	5	4	1	—	10	1	—	—	—	4	5	—	—	—
11 Other tuberculous diseases ..	M	5	—	1	1	1	1	—	1	—	—	4	—	—	1	—	2	—	1	—	—
	F	3	—	—	—	1	1	—	1	—	—	6	—	—	1	2	1	1	—	—	—
12 Cancer, malignant disease ..	M	36	—	—	—	—	1	1	13	11	10	27	—	—	—	—	—	13	8	6	6
	F	36	—	—	—	—	—	6	11	9	10	40	—	—	—	—	—	3	16	8	13
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	1	—	1	2	—
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	1	1	3	—
15 Cerebral haemorrhage, &c. ..	M	18	—	—	—	—	—	—	4	5	9	23	—	—	—	—	—	2	5	16	16
	F	21	—	—	—	—	—	1	7	5	8	17	—	—	—	—	—	4	5	8	8
16 Heart disease ..	M	31	—	—	—	1	1	2	7	12	9	33	—	—	—	—	1	1	9	10	12
	F	40	—	—	—	—	—	3	11	12	13	33	—	—	—	—	—	12	5	16	16
17 Arterio-sclerosis ..	M	10	—	—	—	—	—	—	2	4	4	10	—	—	—	—	—	—	4	6	6
	F	7	—	—	—	—	—	—	2	1	4	6	—	—	—	—	—	—	1	5	5
18 Bronchitis ..	M	7	—	—	—	—	—	—	—	5	2	9	3	—	—	—	—	—	1	1	4
	F	13	1	1	—	—	—	—	1	—	10	9	—	1	—	—	—	—	1	7	7
19 Pneumonia (all forms) ..	M	13	2	3	1	1	1	1	2	2	—	19	4	1	1	1	1	5	3	2	1
	F	8	1	1	—	1	—	3	1	1	—	12	2	1	2	1	—	2	1	2	1
20 Other respiratory diseases ..	M	3	1	—	—	—	—	—	—	1	1	3	—	—	1	—	—	—	2	—	—
	F	4	—	—	—	—	—	—	—	1	3	5	—	—	—	—	1	1	1	2	2
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	3	1	—	—	—	—	1	—	—	1	4	3	—	—	—	—	—	—	—	1
	F	3	1	—	1	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	1
23 Appendicitis and typhilitis ..	M	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	1	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	1	1	2	1	7	—	1	—	—	—	1	—	2	3
	F	5	—	—	—	—	1	—	4	—	—	1	—	—	—	—	1	—	—	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	8	8	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
29 Suicide ..	M	5	—	—	—	—	—	—	3	2	—	4	—	—	—	—	—	3	1	—	—
	F	2	—	—	—	—	—	1	—	—	1	2	—	—	—	—	1	—	—	1	—
30 Other deaths from violence ..	M	5	—	—	—	1	1	2	1	—	—	10	—	—	1	2	—	1	3	2	1
	F	2	—	—	—	—	—	—	—	—	2	4	—	—	—	—	1	1	—	—	2
31 Other defined diseases ..	M	58	5	—	1	2	—	2	11	5	30	69	2	1	—	4	2	—	13	12	35
	F	49	2	—	—	1	1	6	9	5	25	62	6	—	1	2	—	5	8	8	32
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN: PARTS OF KESTEVEN—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	262	18	4	4	1	7	16	76	70	66	411	39	6	7	11	13	37	71	101	126
	F	248	26	6	7	6	5	19	56	43	80	401	34	6	6	12	17	40	78	76	132
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	2	—	—	—	—	—	—	1	1	—	11	—	—	—	—	3	4	4	—	—
	F	1	—	—	—	—	—	—	—	—	1	7	1	—	—	1	—	3	1	1	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	1	—	—	—	2	2	3	2	—	14	—	—	—	2	9	1	2	—	—
	F	12	—	—	—	—	3	6	2	—	1	22	—	—	2	7	10	3	—	—	—
11 Other tuberculous diseases ..	M	2	—	—	—	—	1	1	1	—	—	5	—	—	—	1	3	1	—	—	—
	F	3	1	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	—	—
12 Cancer, malignant disease ..	M	42	—	—	—	—	4	17	13	8	46	—	—	—	—	1	—	12	22	11	—
	F	37	—	—	—	—	2	19	8	8	57	—	—	—	1	1	3	14	16	22	22
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes ..	M	4	—	—	—	—	—	—	4	—	6	—	—	—	1	2	—	—	2	1	—
	F	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	—	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	—	1	6	8	27	—	—	—	—	1	3	12	1	—
	F	20	—	—	—	—	—	—	6	6	8	35	—	—	—	—	1	9	14	11	—
16 Heart disease ..	M	39	—	—	—	—	—	9	15	15	69	—	—	—	1	—	2	11	22	38	—
	F	39	—	—	—	—	2	6	9	22	83	—	—	—	1	—	5	12	24	41	—
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	4	8	20	—	—	—	—	—	—	—	4	16	—
	F	8	—	—	—	—	—	1	2	5	6	—	—	—	—	—	—	2	2	2	—
18 Bronchitis ..	M	17	2	—	—	—	—	7	7	1	16	2	1	1	1	—	1	—	2	8	—
	F	11	2	—	—	—	—	2	2	5	15	1	—	—	—	1	—	3	1	9	—
19 Pneumonia (all forms) ..	M	9	2	—	1	—	—	2	3	1	27	3	2	1	3	1	4	6	2	5	—
	F	10	3	2	1	1	—	1	—	2	22	5	3	1	2	1	—	5	1	4	—
20 Other respiratory diseases ..	M	4	—	—	—	—	1	—	2	—	1	8	—	—	—	—	3	1	1	3	—
	F	2	1	—	—	—	—	—	1	—	—	7	—	—	—	—	1	2	2	2	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	2	—	—	—	—	—	—	2	—	3	2	—	—	1	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	4	1	—	—	—	—	1	1	—	1	—
23 Appendicitis and typhlitis..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	4	—	—	—	1	—	—	2	—	1	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	1	—	—
25 Acute and chronic nephritis ..	M	9	—	—	—	—	—	6	1	2	16	—	—	—	—	—	1	8	4	3	—
	F	—	—	—	—	—	—	—	—	—	11	—	—	—	1	1	1	5	2	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	2	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—	—
28 Congenital debility and malformation, premature birth..	M	10	10	—	—	—	—	—	—	—	26	25	—	—	—	1	—	—	—	—	—
	F	12	12	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—	—
	F	5	—	—	—	—	2	3	—	—	2	—	—	—	—	—	1	1	—	—	—
30 Other deaths from violence..	M	9	—	1	1	1	1	2	1	1	16	1	—	3	1	3	2	2	1	3	—
	F	6	—	1	2	1	—	1	—	—	5	—	—	1	—	1	—	—	—	3	—
31 Other defined diseases ..	M	66	3	2	1	—	3	8	16	12	21	85	5	1	1	2	1	7	17	20	31
	F	65	4	2	3	3	—	5	9	13	26	73	3	2	2	—	1	10	12	10	33
32 Causes ill-defined or unknown ..	M	4	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN: PARTS OF LINDSEY—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	648	63	10	14	14	26	56	173	141	151	754	67	6	10	12	28	51	155	189	236
	F	610	49	5	11	19	34	64	134	119	175	714	45	7	4	17	24	77	134	134	272
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	—	2	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	1	3	—	—	—	—	—	4	1	—	1	—	1	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	13	—	—	—	1	—	2	5	3	2	17	—	—	—	—	—	4	4	5	4
	F	9	—	—	—	1	—	2	2	1	3	15	1	—	—	—	—	2	3	3	6
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	42	—	—	2	—	14	12	14	—	—	29	—	—	—	1	4	11	7	5	1
	F	44	—	—	—	4	11	18	9	2	—	39	—	—	1	3	9	20	5	1	—
11 Other tuberculous diseases ..	M	5	1	—	—	1	—	2	1	—	—	7	—	—	1	1	2	1	1	—	1
	F	13	2	—	1	2	3	4	—	1	—	11	—	—	1	3	3	3	1	—	—
12 Cancer, malignant disease ..	M	72	—	—	—	—	—	4	31	24	13	80	—	—	1	—	1	1	26	33	18
	F	90	—	—	1	—	—	9	41	22	17	108	—	—	—	1	1	5	35	34	32
13 Rheumatic fever ..	M	6	—	—	—	1	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	1	2	—	—	9	—	—	—	—	2	—	4	2	1
	F	7	—	—	—	—	1	—	2	1	3	11	—	—	—	—	—	1	6	2	2
15 Cerebral hæmorrhage, &c. ..	M	36	—	—	—	—	—	—	7	13	16	49	—	—	—	—	—	—	3	25	21
	F	52	—	—	—	—	—	—	13	16	23	51	—	—	—	—	—	2	12	8	29
16 Heart disease ..	M	110	—	—	—	—	1	8	33	33	35	130	—	—	—	—	—	5	25	37	63
	F	94	—	—	—	—	—	2	23	28	41	137	—	—	—	—	1	7	25	40	64
17 Arterio-sclerosis ..	M	26	—	—	—	—	—	—	3	12	11	48	—	—	—	—	—	—	4	21	23
	F	18	—	—	—	—	—	—	7	6	5	24	—	—	—	—	—	—	1	6	17
18 Bronchitis ..	M	33	3	—	1	—	—	1	3	12	13	31	4	2	1	—	1	—	4	5	14
	F	23	1	—	—	—	—	2	1	9	10	29	2	—	—	1	—	—	3	1	22
19 Pneumonia (all forms) ..	M	46	7	5	4	1	—	6	11	7	5	39	6	2	2	2	2	3	10	8	4
	F	29	5	2	2	2	2	3	4	7	2	28	2	3	1	4	2	5	3	4	4
20 Other respiratory diseases ..	M	3	—	—	—	—	—	—	1	—	2	9	—	—	—	—	—	1	1	3	4
	F	9	—	—	—	1	—	2	4	—	2	4	1	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	1	4	1	1	8	—	—	—	—	1	2	3	2	—
	F	4	—	—	—	—	—	1	2	1	—	4	—	—	—	—	1	1	2	—	—
22 Diarrhoea, &c. ..	M	5	1	1	1	—	—	—	—	1	1	6	3	1	—	—	—	—	1	1	—
	F	5	2	—	1	—	—	—	1	1	—	6	1	1	—	—	—	1	1	1	1
23 Appendicitis and typhlitis ..	M	6	—	—	—	—	—	2	3	1	—	7	—	—	—	1	2	1	2	1	—
	F	4	—	—	—	—	—	3	1	—	—	7	—	—	—	1	—	1	3	2	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	3	1	—
	F	4	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	15	—	—	—	—	—	1	5	5	4	20	—	—	—	—	—	1	9	5	5
	F	10	—	—	—	—	1	—	2	5	2	19	—	—	—	—	—	1	10	4	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	6	—	—	—	—	1	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	6	—	—	—	—	2	4	—	—	—
28 Congenital debility and malformation, premature birth..	M	34	32	—	1	1	—	—	—	—	—	33	33	—	—	—	—	—	—	—	—
	F	24	23	—	—	—	—	1	—	—	—	29	27	1	1	—	—	—	—	—	—
29 Suicide ..	M	7	—	—	—	—	1	1	4	1	—	10	—	—	—	—	1	—	6	2	1
	F	6	—	—	—	—	2	1	3	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence..	M	27	1	—	2	3	7	5	4	4	1	37	2	1	2	4	2	7	13	3	3
	F	18	3	—	2	2	1	4	—	—	6	13	1	—	—	1	—	1	—	2	8
31 Other defined diseases ..	M	141	17	3	2	3	2	9	36	22	47	170	17	—	—	3	7	12	29	29	73
	F	126	8	3	3	5	6	8	16	18	59	156	9	1	—	1	3	13	22	25	82
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MIDDLESEX*—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	6602	620	146	136	217	272	693	1911	1380	1227	362	39	6	6	10	15	34	95	77	80
	F	6721	474	100	116	213	283	754	1543	1318	1920	365	35	7	7	10	16	30	85	65	110
1 Enteric fever .. {	M	8	—	—	—	—	1	3	4	—	—	1	—	—	—	—	—	—	1	—	—
	F	6	—	—	1	—	2	2	1	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	125	19	44	38	22	2	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	81	8	29	31	13	—	—	—	—	—	8	2	3	1	2	—	—	—	—	—
4 Scarlet fever .. {	M	12	—	2	3	5	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	—	2	1	—	—	—	—	2	—	—	—	1	—	—	1	—	—
5 Whooping cough .. {	M	20	7	7	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	47	21	9	13	4	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	56	1	2	19	33	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	54	2	2	14	33	1	—	2	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza .. {	M	106	4	2	—	3	6	16	39	18	18	8	—	—	—	—	1	3	1	1	2
	F	101	2	—	1	2	1	19	32	21	23	5	1	—	—	—	—	1	2	1	—
8 Encephalitis lethargica .. {	M	14	—	—	2	1	2	4	3	2	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	1	—	2	3	7	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	16	5	5	1	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	6	—	—	1	—	1	2	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	496	2	2	—	4	87	194	189	17	1	15	—	—	—	—	3	6	5	1	—
	F	379	3	2	3	15	119	160	62	11	4	19	—	—	—	—	5	6	5	2	1
11 Other tuberculous diseases .. {	M	74	5	8	10	17	18	11	3	1	1	4	—	1	1	—	—	2	—	—	—
	F	79	3	8	9	17	10	20	5	4	3	5	—	1	—	1	2	1	—	—	—
12 Cancer, malignant disease .. {	M	784	—	2	1	3	4	29	336	279	130	47	—	—	—	—	—	—	22	15	10
	F	1007	—	—	—	2	6	102	432	260	205	52	—	—	—	—	—	2	34	9	7
13 Rheumatic fever .. {	M	18	—	—	—	8	3	4	2	—	1	1	—	—	—	—	—	1	—	—	—
	F	33	—	—	—	14	5	4	8	1	1	1	—	—	—	1	—	—	—	—	—
14 Diabetes .. {	M	59	—	—	1	5	1	2	22	20	8	3	—	—	—	—	—	—	1	1	1
	F	79	—	—	—	—	2	5	26	29	17	7	—	—	—	1	—	1	1	2	2
15 Cerebral hæmorrhage, &c. .. {	M	237	1	—	—	—	1	6	72	89	68	14	—	—	—	—	1	—	4	2	7
	F	337	—	—	—	—	—	8	86	108	135	30	—	—	—	—	—	—	9	9	12
16 Heart disease .. {	M	1032	—	—	1	11	13	65	323	301	318	54	—	—	—	1	2	1	9	24	17
	F	1304	—	—	—	14	20	78	284	360	548	65	—	—	—	—	—	3	9	23	30
17 Arterio-sclerosis .. {	M	404	—	—	—	—	—	4	99	143	158	17	—	—	—	—	—	—	6	6	5
	F	362	—	—	—	—	—	—	55	106	201	10	—	—	—	—	—	—	1	3	6
18 Bronchitis .. {	M	311	34	3	1	2	1	10	65	76	119	16	1	—	—	—	—	—	3	2	10
	F	294	18	3	2	1	1	3	40	68	158	12	—	—	1	—	—	—	—	2	9
19 Pneumonia (all forms) .. {	M	479	83	39	21	7	13	66	151	62	37	24	4	3	2	1	1	3	7	2	1
	F	388	72	29	10	17	14	39	81	58	68	28	6	1	2	—	3	3	5	1	7
20 Other respiratory diseases .. {	M	88	3	—	3	3	—	20	34	13	12	2	—	—	—	—	—	2	—	—	—
	F	72	2	1	—	2	2	10	18	15	22	2	—	—	—	—	—	—	—	—	2
21 Ulcer of stomach or duodenum .. {	M	89	—	—	—	—	2	18	54	10	5	6	—	—	—	—	—	2	1	3	—
	F	42	—	—	—	—	1	7	22	8	4	4	—	—	—	—	—	—	1	1	2
22 Diarrhoea, &c. .. {	M	62	46	4	1	1	—	1	3	3	3	3	3	—	—	—	—	—	—	—	—
	F	56	30	4	1	—	5	4	3	2	7	7	4	—	—	—	—	2	—	—	1
23 Appendicitis and typhlitis .. {	M	53	—	—	—	5	11	11	20	5	1	4	—	—	1	—	—	—	3	—	—
	F	47	—	—	1	7	6	11	13	4	5	5	—	—	—	1	2	1	1	—	—
24 Cirrhosis of liver .. {	M	38	—	—	—	—	—	3	21	11	3	2	—	—	—	—	—	1	1	—	—
	F	29	—	—	—	—	—	2	10	11	6	2	—	—	—	—	—	—	—	1	1
25 Acute and chronic nephritis .. {	M	177	—	—	—	3	6	10	77	49	32	16	—	—	—	—	1	1	3	8	3
	F	174	—	—	1	6	9	26	54	39	39	4	—	—	—	—	—	—	2	—	2
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	40	—	—	—	—	7	33	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	43	—	—	—	—	3	40	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	304	293	2	3	2	2	2	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	239	234	—	2	1	1	1	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide .. {	M	106	—	—	—	—	6	31	50	14	5	9	—	—	—	—	—	2	6	—	1
	F	58	—	—	—	1	3	23	25	6	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence.. {	M	328	15	4	12	36	54	61	76	40	30	21	3	1	—	4	4	2	4	1	2
	F	167	11	1	7	14	18	13	28	24	51	14	1	—	—	1	2	2	3	1	4
31 Other defined diseases .. {	M	1102	102	20	13	45	35	120	264	226	277	72	9	—	2	2	2	8	18	10	21
	F	1171	61	11	19	47	44	139	246	181	423	60	6	—	3	—	2	5	11	9	24
32 Causes ill-defined or unknown .. {	M	4	—	—	—	—	1	1	1	1	—	1	—	—	—	—	—	—	—	1	—
	F	4	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—

* For the Administrative County of London, see p. 239.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORFOLK—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	366	32	4	5	10	8	29	85	84	109	1640	147	24	19	52	62	109	310	400	517
	F	421	24	4	6	12	8	38	91	101	137	1462	93	12	18	29	43	134	263	347	523
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	1	—	—	—	—	—	—	—	—	5	1	2	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	3	—	—	1	—	1	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	7	4	3	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	6	2	3	—	1	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	2	2	1	—	—	—	—	8	—	—	1	6	1	—	—	—	—
	F	9	—	—	2	7	—	—	—	—	—	5	—	—	1	2	1	—	1	—	—
7 Influenza ..	M	5	—	—	—	1	—	2	2	—	—	20	1	—	—	—	—	2	6	4	7
	F	3	—	—	—	—	—	1	—	1	1	19	—	1	—	—	—	3	3	7	5
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
10 Tuberculosis of respiratory system	M	11	—	—	—	—	—	5	5	—	1	78	—	—	—	—	23	28	22	3	2
	F	15	—	—	—	1	1	11	2	—	—	72	1	—	—	4	16	33	12	4	2
11 Other tuberculous diseases ..	M	8	2	—	1	—	1	2	1	1	—	27	2	3	3	10	4	1	1	3	—
	F	9	2	1	—	—	1	2	2	1	—	16	1	2	—	—	4	5	3	1	—
12 Cancer, malignant disease ..	M	42	—	—	—	—	—	3	15	14	10	236	—	—	—	—	—	14	79	89	54
	F	65	—	—	—	—	—	3	24	24	14	226	—	—	1	—	1	11	81	75	57
13 Rheumatic fever ..	M	3	—	—	—	1	—	1	1	—	—	3	—	—	—	1	1	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	7	—	—	1	2	—	3	—	1	—
14 Diabetes ..	M	2	—	—	—	—	—	—	1	—	1	29	—	—	2	2	—	—	4	14	7
	F	7	—	—	—	—	—	—	5	2	—	24	—	—	—	1	—	1	6	13	3
15 Cerebral hæmorrhage, &c. ..	M	19	—	—	—	—	—	—	2	6	11	66	—	—	—	—	—	2	9	23	32
	F	23	—	—	—	—	—	1	3	6	13	90	—	—	—	—	—	1	19	25	45
16 Heart disease ..	M	43	—	—	—	—	—	4	13	9	17	265	—	—	—	3	3	8	50	94	107
	F	61	—	—	—	1	—	3	14	16	27	281	—	—	—	4	1	11	41	94	130
17 Arterio-sclerosis ..	M	41	—	—	—	—	—	—	3	15	23	157	—	—	—	—	—	—	16	42	99
	F	48	—	—	—	—	—	—	5	17	26	116	—	—	—	—	—	—	7	34	75
18 Bronchitis ..	M	21	2	—	—	—	—	—	2	7	10	76	11	3	—	—	—	—	4	19	39
	F	26	—	—	—	—	—	—	3	6	17	62	4	—	—	—	—	1	4	10	43
19 Pneumonia (all forms) ..	M	16	7	2	—	—	1	—	5	1	—	56	9	6	2	3	1	6	10	7	12
	F	17	2	1	1	1	—	2	5	4	1	46	12	3	2	—	—	3	6	11	9
20 Other respiratory diseases ..	M	7	—	—	—	—	—	2	1	1	3	7	—	—	1	1	1	—	—	1	3
	F	2	—	—	—	—	—	—	—	1	1	9	1	—	1	—	—	—	4	—	3
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	1	—	2	—	1	23	—	—	—	—	1	3	14	3	2
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	4	1	—	—
22 Diarrhoea, &c. ..	M	4	3	—	—	—	—	—	1	—	—	10	8	—	—	—	—	—	1	—	1
	F	3	—	1	—	—	—	—	—	1	1	13	5	1	—	—	—	2	1	1	3
23 Appendicitis and typhlitis..	M	3	—	—	1	2	—	—	—	—	—	13	—	—	1	3	3	—	4	1	1
	F	1	—	—	—	—	—	—	1	—	—	9	—	—	—	3	1	3	1	—	1
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	—	4	2	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis ..	M	4	—	—	—	—	—	—	—	2	2	46	—	2	—	—	1	4	14	11	14
	F	18	—	—	—	—	1	2	4	6	5	47	—	—	—	2	—	7	12	18	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth..	M	12	12	—	—	—	—	—	—	—	—	88	86	1	—	1	—	—	—	—	—
	F	17	17	—	—	—	—	—	—	—	—	53	53	—	—	—	—	—	—	—	—
29 Suicide ..	M	7	—	—	—	—	1	—	3	3	—	24	—	—	—	1	2	6	12	3	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence..	M	30	—	—	1	1	3	8	11	3	3	54	2	—	4	5	11	7	12	8	5
	F	8	—	—	1	—	1	1	1	1	3	29	2	—	4	3	3	1	5	4	7
31 Other defined diseases ..	M	71	3	2	—	3	—	2	15	20	26	319	20	4	4	14	9	25	47	66	130
	F	74	2	—	1	—	2	8	19	14	28	299	12	2	5	7	12	31	50	49	131
32 Causes ill-defined or unknown ..	M	3	1	—	—	—	—	—	1	1	—	11	2	—	1	—	—	—	—	6	2
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	1	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHAMPTON—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	566	37	12	9	14	16	56	159	123	140	694	47	5	4	18	30	57	146	169	218
	F	563	39	8	6	12	29	43	138	127	161	684	31	3	3	15	28	57	151	146	250
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
	F	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
6 Diphtheria .. {	M	5	—	—	3	2	—	—	—	—	—	5	—	—	1	3	—	1	—	—	
	F	6	—	—	1	4	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
7 Influenza .. {	M	17	—	—	—	1	—	5	8	2	1	10	1	—	—	—	—	3	4	2	
	F	11	—	—	—	—	1	3	3	3	1	10	—	—	—	—	2	3	2	3	
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
	F	5	1	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	40	—	—	—	1	3	23	10	3	—	32	—	—	—	3	14	14	1	—	
	F	30	—	—	—	—	12	10	8	—	—	38	—	—	—	2	13	15	6	1	
11 Other tuberculous diseases .. {	M	7	—	—	—	2	3	—	2	—	—	8	—	—	1	3	2	—	1	—	
	F	10	2	—	—	—	3	3	2	—	—	7	—	—	—	2	1	—	1	2	
12 Cancer, malignant disease .. {	M	75	—	—	—	—	2	33	19	21	—	94	—	—	—	—	4	25	40	25	
	F	76	—	—	—	—	1	3	32	21	19	100	—	—	—	1	6	40	28	25	
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
	F	3	—	—	—	1	1	1	—	—	—	3	—	—	—	—	3	—	—	—	
14 Diabetes .. {	M	11	—	—	—	—	—	—	2	9	—	6	—	—	—	1	—	1	2	2	
	F	6	—	—	—	—	—	—	3	1	2	11	—	—	—	—	—	6	4	1	
15 Cerebral hæmorrhage, &c. .. {	M	29	—	—	—	—	—	—	5	12	12	47	—	—	—	—	2	9	23	13	
	F	47	—	—	—	—	—	—	7	12	28	49	—	—	—	—	1	9	14	25	
16 Heart disease .. {	M	93	—	—	—	1	1	4	23	31	33	124	—	—	—	1	3	3	29	37	
	F	123	—	—	—	1	3	1	30	40	48	137	—	—	—	1	2	4	32	45	
17 Arterio-sclerosis .. {	M	28	—	—	—	—	—	—	3	10	15	42	—	—	—	—	—	4	13	25	
	F	20	—	—	—	—	—	—	4	8	8	21	—	—	—	—	—	6	3	12	
18 Bronchitis .. {	M	21	—	—	—	1	—	—	6	4	10	30	1	—	—	1	—	1	4	6	
	F	27	1	—	1	—	—	—	2	5	18	37	3	1	1	—	1	—	4	3	
19 Pneumonia (all forms) .. {	M	39	7	4	5	3	—	4	9	5	2	28	8	1	—	2	2	4	5	4	
	F	24	3	5	1	—	—	1	4	5	5	17	4	—	—	1	1	2	3	6	
20 Other respiratory diseases .. {	M	9	—	—	—	—	—	1	4	1	3	11	—	1	—	—	2	2	2	4	
	F	6	2	—	—	—	1	—	2	—	1	8	—	—	1	1	—	4	—	2	
21 Ulcer of stomach or duodenum .. {	M	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	2	2	1	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	
22 Diarrhoea, &c. .. {	M	5	3	—	—	—	—	—	2	—	—	4	2	1	—	—	—	—	—	1	
	F	5	1	—	—	—	—	1	3	—	—	10	2	—	—	—	1	—	3	4	
23 Appendicitis and typhlitis.. {	M	3	—	—	—	—	—	—	2	1	—	4	—	—	1	—	1	1	—	1	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	3	1	1	
	F	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	1	1	—	
25 Acute and chronic nephritis .. {	M	12	—	—	—	—	—	—	5	6	1	23	—	—	—	2	2	6	6	5	
	F	18	—	—	—	1	2	2	7	4	2	18	—	—	—	2	1	10	2	1	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	3	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. }	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	4	—	—	—	10	—	—	—	—	10	—	—	—	
28 Congenital debility and malformation, premature birth.. }	M	24	20	3	—	—	—	—	1	—	—	28	28	—	—	—	—	—	—	—	
	F	20	20	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	
29 Suicide .. {	M	12	—	—	—	—	1	3	7	1	—	10	—	—	—	1	2	5	2	—	
	F	8	—	—	—	—	1	3	3	1	—	3	—	—	—	—	1	2	—	—	
30 Other deaths from violence.. {	M	24	—	3	—	—	6	5	5	3	2	40	1	—	—	1	14	11	8	2	
	F	9	—	1	2	1	—	—	3	2	—	12	1	—	—	2	2	2	2	1	
31 Other defined diseases .. {	M	102	7	1	1	3	2	8	25	15	40	127	5	—	1	3	2	8	21	63	
	F	93	8	1	1	2	3	10	18	22	28	158	5	2	—	1	6	4	19	83	
32 Causes ill-defined or unknown .. {	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	2	1	
	F	4	—	—	—	—	—	—	2	2	—	3	—	—	—	—	—	2	1	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHUMBERLAND—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1865	274	46	50	56	111	199	466	379	284	600	50	8	13	17	17	49	143	138	165
	F	1614	146	41	41	61	81	194	390	315	345	563	31	8	6	17	18	50	148	124	161
1 Enteric fever .. {	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	1	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	3	—	1	1	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	5	—	—	3	2	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
4 Scarlet fever .. {	M	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	2	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough .. {	M	18	11	5	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	16	8	4	4	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	5	—	1	2	2	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
	F	4	—	1	—	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza .. {	M	35	—	—	1	1	3	8	13	5	4	23	1	—	1	1	—	3	9	3	5
	F	48	1	1	1	1	2	9	8	14	11	10	1	—	—	—	—	1	2	3	3
8 Encephalitis lethargica .. {	M	10	—	—	—	—	4	2	2	2	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	2	2	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis .. {	M	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	122	1	1	5	6	33	40	35	1	—	16	—	—	—	3	2	7	4	—	—
	F	118	—	2	2	13	37	48	14	2	—	21	—	—	—	—	7	10	4	—	—
11 Other tuberculous diseases .. {	M	49	3	9	6	5	10	11	4	1	—	9	—	—	1	2	—	2	2	2	—
	F	37	2	3	6	12	8	4	2	—	—	12	1	—	2	1	2	4	2	—	—
12 Cancer, malignant disease .. {	M	196	1	—	—	1	3	8	90	68	25	70	—	—	—	—	—	5	28	23	14
	F	225	—	—	2	—	—	28	108	59	28	79	—	—	—	—	—	6	32	23	18
13 Rheumatic fever .. {	M	5	—	—	—	—	2	1	2	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—
14 Diabetes .. {	M	14	—	—	—	—	2	3	5	2	2	4	—	—	—	—	—	—	—	3	1
	F	19	—	—	—	—	2	—	8	7	2	12	—	—	—	—	1	1	6	4	—
15 Cerebral hæmorrhage, &c. .. {	M	106	—	—	—	—	—	2	37	38	29	32	—	—	—	—	—	1	7	11	13
	F	106	—	—	—	—	—	3	29	37	37	50	—	—	—	—	—	—	16	17	17
16 Heart disease .. {	M	207	—	—	—	2	2	15	70	79	39	93	—	—	—	—	—	1	24	33	35
	F	215	—	—	—	2	5	22	63	71	52	99	—	—	—	—	1	7	28	29	34
17 Arterio-sclerosis .. {	M	115	—	—	—	—	—	—	21	45	49	39	—	—	—	—	—	—	5	14	20
	F	81	—	—	—	—	—	—	13	24	44	20	—	—	—	—	—	—	5	4	11
18 Bronchitis .. {	M	90	27	2	2	1	—	8	7	23	20	23	1	1	—	—	—	1	1	6	13
	F	78	18	2	—	—	—	4	6	15	33	15	—	—	—	—	—	—	—	4	11
19 Pneumonia (all forms) .. {	M	153	37	7	12	11	10	24	30	15	7	41	7	2	1	1	—	12	9	3	6
	F	93	22	12	7	2	3	10	16	10	11	18	3	1	—	2	—	2	2	5	3
20 Other respiratory diseases .. {	M	27	—	—	—	1	1	1	13	8	3	5	—	—	—	—	—	1	1	1	2
	F	8	—	—	1	1	—	1	4	—	1	8	—	—	1	—	—	—	—	4	3
21 Ulcer of stomach or duodenum .. {	M	17	—	—	—	1	—	7	3	2	4	3	—	—	—	—	—	1	2	—	—
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. .. {	M	29	17	3	2	—	—	—	3	2	2	5	2	—	2	—	—	—	1	—	—
	F	27	9	5	2	2	—	2	4	1	2	8	2	1	—	—	—	1	1	2	1
23 Appendicitis and typhlitis .. {	M	6	—	—	—	1	—	2	1	2	—	5	—	—	—	—	2	2	—	1	—
	F	6	—	—	—	4	1	1	—	—	—	2	—	—	1	1	—	—	—	—	—
24 Cirrhosis of liver .. {	M	11	—	—	—	—	—	2	6	3	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	1	—	—	1	3	—	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis .. {	M	58	—	—	—	5	3	5	18	18	9	29	—	1	—	—	3	3	7	11	4
	F	63	1	1	—	1	1	10	25	15	9	32	—	—	—	1	—	3	20	4	4
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	3	11	1	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	130	126	1	1	1	1	—	—	—	—	31	30	—	—	1	—	—	—	—	—
	F	60	60	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide .. {	M	16	—	—	—	—	3	3	8	2	—	9	—	—	—	—	1	—	7	1	—
	F	9	—	—	—	—	1	3	4	1	—	2	—	—	—	—	1	1	—	—	—
30 Other deaths from violence .. {	M	114	1	4	5	6	25	30	27	9	7	34	1	2	1	4	2	5	9	5	5
	F	37	1	3	6	5	2	2	7	7	4	16	—	1	—	4	2	2	3	—	4
31 Other defined diseases .. {	M	313	47	10	10	11	7	25	66	53	84	115	6	1	4	4	5	3	25	20	47
	F	310	24	6	6	10	10	28	68	47	111	121	5	2	1	5	3	7	23	24	51
32 Causes ill-defined or unknown .. {	M	9	1	—	—	—	1	1	5	1	—	4	—	—	—	—	—	2	1	1	—
	F	8	—	1	—	1	—	2	3	1	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NOTTINGHAM—1928 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	1407	195	40	27	47	70	142	360	308	218	891	100	14	17	30	43	96	185	195	211
		F	1254	137	32	27	28	59	141	322	238	270	840	76	15	17	27	42	95	149	157	262
1	Enteric fever	..	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	7	2	5	—	—	—	—	—	—	5	2	—	2	1	—	—	—	—	
		F	9	4	1	4	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—	
4	Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	5	2	1	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
		F	10	7	2	1	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	
6	Diphtheria	..	M	10	—	2	1	6	1	—	—	—	2	—	—	—	2	—	—	—	—	
		F	4	—	—	2	2	—	—	—	—	—	6	—	—	2	4	—	—	—	—	
7	Influenza	M	21	—	—	1	4	3	5	6	2	34	—	2	—	1	—	3	13	8	
		F	19	1	—	1	1	1	1	1	8	5	19	1	1	—	—	3	4	2	7	
8	Encephalitis lethargica	..	M	2	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
9	Meningococcal meningitis	..	M	2	1	—	—	—	—	1	—	—	2	1	—	—	1	—	—	—	—	
		F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	{	M	78	—	2	—	3	21	26	22	2	42	—	—	—	—	8	20	13	1	
		F	83	1	—	—	3	23	34	20	2	—	45	—	—	1	1	18	17	6	—	
11	Other tuberculous diseases	M	28	5	6	4	5	2	4	1	1	8	—	1	2	2	—	1	—	1	
		F	19	1	3	4	4	3	1	3	—	—	15	1	1	3	2	3	2	3	—	
12	Cancer, malignant disease	M	157	—	—	—	1	10	66	61	19	94	—	—	—	—	1	5	36	34	
		F	178	—	—	1	1	1	21	89	47	18	97	—	—	—	1	11	40	25	18	
13	Rheumatic fever	M	6	—	—	1	2	—	2	—	—	5	—	—	1	1	—	3	—	—	
		F	6	—	—	—	—	5	—	1	—	—	6	—	—	—	1	2	1	—	—	
14	Diabetes	M	16	—	—	—	—	3	6	7	—	8	—	—	—	1	1	2	3	1	
		F	19	—	—	—	—	1	3	7	7	1	12	—	—	—	1	1	4	4	2	
15	Cerebral hæmorrhage, &c.	..	M	84	—	—	—	—	1	2	21	34	26	44	—	—	—	—	—	7	15	
		F	87	—	—	—	—	—	1	1	28	33	25	57	—	—	—	—	—	11	19	
16	Heart disease	..	M	144	—	—	—	3	1	8	56	45	31	102	—	—	—	3	7	20	37	
		F	165	—	—	—	3	3	11	53	41	54	134	—	—	1	3	15	26	42	47	
17	Arterio-sclerosis	..	M	67	—	—	—	—	—	15	25	27	37	—	—	—	—	1	5	13	18	
		F	55	—	—	—	—	—	—	9	23	23	42	—	—	—	—	1	7	9	25	
18	Bronchitis	..	M	75	7	2	—	—	3	14	25	24	42	3	1	—	—	1	1	4	12	
		F	76	8	4	—	—	2	2	12	19	31	47	2	2	—	—	—	2	10	31	
19	Pneumonia (all forms)	..	M	107	26	13	5	1	5	14	27	10	6	66	14	5	1	4	3	10	14	
		F	70	12	12	7	2	4	6	9	9	9	45	12	4	4	3	—	12	2	9	
20	Other respiratory diseases	M	16	1	—	1	—	1	3	6	1	3	10	—	—	1	—	1	2	4	
		F	10	1	—	—	—	—	2	3	2	2	7	—	—	2	—	—	2	1	2	
21	Ulcer of stomach or duodenum	..	M	18	—	—	—	1	1	6	9	1	—	10	—	—	—	1	4	3	2	
		F	5	—	—	—	—	—	1	4	—	—	8	—	—	—	—	1	2	3	—	
22	Diarrhœa, &c.	..	M	21	16	2	—	—	—	1	2	—	12	5	2	—	—	1	—	—	2	
		F	22	11	2	1	—	—	1	3	1	3	5	2	—	—	—	1	1	—	1	
23	Appendicitis and typhlitis..	..	M	10	—	—	—	—	2	2	5	1	—	8	—	—	—	2	4	2	—	
		F	6	—	—	—	2	—	2	1	—	1	4	—	—	1	—	2	1	—	—	
24	Cirrhosis of liver	..	M	12	—	—	—	—	—	6	5	1	4	—	—	—	—	—	3	—	1	
		F	5	—	—	—	—	—	2	1	1	1	2	—	—	—	—	—	1	1	—	
25	Acute and chronic nephritis	..	M	29	—	—	—	1	3	5	11	8	1	23	—	—	—	1	2	13	4	
		F	30	—	—	—	1	1	1	18	2	7	29	—	—	—	4	2	2	3	2	
26	Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	—	—	3	7	—	—	—	3	—	—	—	—	1	2	—	—	
27	Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	3	9	—	—	—	8	—	—	—	—	8	—	—	—	
28	Congenital debility and malformation, premature birth..	..	M	105	104	—	1	—	—	—	—	—	57	55	—	—	2	—	—	—	—	
		F	74	73	—	—	—	1	—	—	—	—	40	39	1	—	—	—	—	—	—	
29	Suicide	M	30	—	—	—	—	11	6	12	1	20	—	—	—	—	1	3	9	5	
		F	4	—	—	—	—	2	1	1	—	—	10	—	—	—	—	1	2	6	—	
30	Other deaths from violence..	..	M	84	1	1	5	11	15	18	18	10	5	59	4	2	6	3	12	7	6	
		F	27	—	1	1	2	—	5	5	6	7	23	2	2	2	4	1	3	3	3	
31	Other defined diseases	M	255	30	4	8	12	11	22	52	49	67	184	14	1	3	10	5	10	27	
		F	241	17	6	4	6	10	29	53	33	83	164	15	2	—	4	3	11	22	39	
32	Causes ill-defined or unknown	..	M	16	—	2	—	—	1	8	3	2	7	—	—	—	—	—	—	4	3	
		F	5	—	1	—	—	—	—	1	3	—	3	—	—	—	—	—	3	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
OXFORD—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	236	7	5	4	10	11	27	60	53	59	562	39	6	7	10	20	49	127	144	160
	F	272	13	2	1	4	9	17	65	54	107	564	27	5	6	13	9	45	107	141	211
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria .. {	M	2	—	—	—	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza .. {	M	5	—	—	—	—	2	1	1	—	1	10	1	—	—	—	—	4	2	2	1
	F	—	—	—	—	—	—	—	—	—	—	13	—	—	—	—	—	3	2	4	4
8 Encephalitis lethargica .. {	M	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system {	M	14	—	—	—	—	1	5	8	—	—	16	—	—	—	1	5	8	2	—	—
	F	16	—	—	—	—	5	6	3	1	1	21	—	—	—	—	5	10	6	—	—
11 Other tuberculous diseases .. {	M	4	—	—	—	2	—	—	2	—	—	6	—	1	2	—	1	1	1	—	—
	F	4	—	1	1	1	—	1	—	—	—	4	—	—	—	2	—	1	1	—	—
12 Cancer, malignant disease .. {	M	33	—	—	—	—	—	1	12	12	8	81	—	—	—	—	—	5	30	28	18
	F	46	—	—	—	—	—	1	25	11	9	87	—	—	—	—	1	5	34	24	23
13 Rheumatic fever .. {	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes .. {	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	—	1	—
	F	5	—	—	—	—	—	—	2	1	2	9	—	—	—	—	—	—	4	3	2
15 Cerebral hæmorrhage, &c. .. {	M	10	—	—	—	—	—	—	1	2	7	33	—	—	—	—	—	1	9	10	13
	F	14	—	—	—	—	—	—	4	4	6	50	—	—	—	—	—	1	8	16	25
16 Heart disease .. {	M	37	—	—	—	1	2	6	4	17	7	102	—	—	—	—	1	3	21	43	34
	F	59	—	—	—	—	1	—	12	8	38	112	—	—	—	—	1	4	19	45	43
17 Arterio-sclerosis .. {	M	12	—	—	—	—	—	—	4	5	3	42	—	—	—	—	—	—	5	16	21
	F	20	—	—	—	—	—	—	2	7	11	17	—	—	—	—	—	—	1	4	12
18 Bronchitis .. {	M	14	—	—	—	—	—	—	1	1	12	17	1	—	—	—	—	1	3	4	8
	F	15	—	—	—	—	—	—	—	5	10	43	7	—	—	1	—	1	1	6	27
19 Pneumonia (all forms) .. {	M	14	—	3	—	—	1	2	6	1	1	39	5	2	2	—	4	3	15	5	3
	F	10	1	1	—	—	—	3	2	1	2	28	4	3	1	1	1	1	6	6	5
20 Other respiratory diseases .. {	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	1	—	3
	F	3	—	—	—	—	—	—	1	2	—	8	—	—	1	2	—	—	2	1	2
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	—	—	—	1	7	—	—	—	—	—	4	1	1	1
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	2	—
22 Diarrhoea, &c. .. {	M	2	2	—	—	—	—	—	—	—	—	5	1	—	1	—	—	—	—	3	—
	F	2	—	—	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	1
23 Appendicitis and typhlitis .. {	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
	F	4	—	—	—	—	—	1	—	3	—	3	—	1	—	—	—	—	2	—	—
24 Cirrhosis of liver .. {	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis .. {	M	14	—	—	—	—	—	1	5	3	5	14	—	—	—	—	—	1	7	3	3
	F	6	—	—	—	1	—	—	2	3	—	20	—	—	—	—	—	1	4	5	10
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	5	5	—	—	—	—	—	—	—	—	23	21	2	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	13	12	—	—	1	—	—	—	—	—
29 Suicide .. {	M	3	—	—	—	—	—	2	1	—	—	10	—	—	—	—	—	1	8	1	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence .. {	M	18	—	—	1	2	3	5	4	2	1	30	1	1	—	4	4	7	4	6	3
	F	5	2	—	—	—	—	—	1	1	1	15	2	—	—	1	—	1	3	2	6
31 Other defined diseases .. {	M	34	—	1	3	2	2	4	2	8	12	111	8	—	2	3	4	7	14	21	52
	F	47	—	—	—	—	1	3	11	6	26	101	2	—	2	3	—	9	12	22	51
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
RUTLAND—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	19	1	—	—	—	—	2	3	8	5	75	6	1	1	3	3	3	16	26	16
	F	18	1	—	1	—	2	—	5	3	6	91	4	1	1	2	4	4	22	22	31
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	2	—	—	—	—	—	—	—	1	1	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	—	2	1	1	—	—
11 Other tuberculous diseases ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease ..	M	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	—	1	8	2
	F	3	—	—	—	—	—	—	—	2	1	12	—	—	—	—	—	—	5	4	3
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
15 Cerebral hæmorrhage, &c. ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	3	1	1
	F	3	—	—	—	—	—	—	1	1	1	12	—	—	—	—	—	—	2	4	6
16 Heart disease ..	M	5	—	—	—	—	—	—	2	3	—	18	—	—	—	—	—	1	3	9	5
	F	3	—	—	—	—	—	—	2	—	1	19	—	—	—	—	—	—	5	9	5
17 Arterio-sclerosis ..	M	5	—	—	—	—	—	—	1	1	3	6	—	—	—	—	—	—	—	5	1
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	2
18 Bronchitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	2
19 Pneumonia (all forms) ..	M	1	—	—	—	—	—	—	—	1	—	4	1	1	—	1	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
20 Other respiratory diseases ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	1	1	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	1	1	—	—	—	1	1
31 Other defined diseases ..	M	2	—	—	—	—	—	—	—	1	1	11	1	—	1	—	1	—	4	1	3
	F	5	—	—	1	—	1	—	2	—	1	21	2	—	—	1	1	1	5	1	10
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SALOP—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	659	58	9	8	12	28	80	159	144	161	766	75	8	15	14	24	56	173	184	217
	F	733	50	11	16	17	23	63	147	165	241	766	56	10	15	27	16	69	156	160	257
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	1	2	—	—	—	—	—	—	—	3	1	—	—	—	1	1	—	—	—
	F	5	2	2	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	5	3	—	1	1	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	—	3	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	4	—	—	—	3	—	—	1	—	—
7 Influenza ..	M	27	—	—	1	—	1	8	9	4	4	12	—	—	—	—	1	—	6	1	4
	F	12	—	—	—	1	1	1	5	2	2	14	—	—	—	—	—	2	4	5	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	1	—	—	2	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	32	—	—	—	1	5	14	9	3	—	33	—	—	—	—	5	17	7	4	—
	F	32	—	—	1	1	9	18	3	—	—	29	1	—	—	—	5	14	7	2	—
11 Other tuberculous diseases ..	M	12	2	—	2	—	2	2	3	1	—	10	1	—	—	1	3	3	2	—	—
	F	10	—	2	1	2	2	1	2	—	—	9	—	2	—	3	3	—	1	—	—
12 Cancer, malignant disease ..	M	83	—	—	—	—	—	2	35	28	18	80	—	—	1	—	—	2	30	31	16
	F	102	—	—	—	—	2	8	42	31	19	114	—	—	—	—	7	47	37	23	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—	—
	F	3	—	—	—	—	1	1	1	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes ..	M	9	—	—	—	—	—	1	4	1	3	11	—	—	—	1	—	—	3	2	5
	F	9	—	—	—	—	—	2	3	3	1	7	—	—	—	—	—	—	1	6	—
15 Cerebral hæmorrhage, &c. ..	M	38	—	—	—	—	—	2	10	18	8	52	—	—	—	—	—	—	6	17	29
	F	65	—	—	—	—	—	3	13	25	24	54	—	—	—	—	—	—	10	13	31
16 Heart disease ..	M	119	—	—	—	—	1	8	36	36	38	141	—	—	—	—	—	4	40	57	40
	F	153	—	—	—	—	3	5	33	48	64	149	—	—	—	—	—	6	37	34	72
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	4	9	12	49	—	—	—	—	—	—	6	15	28
	F	34	—	—	—	—	—	—	4	10	20	44	—	—	—	—	—	—	5	17	22
18 Bronchitis ..	M	32	2	1	—	—	1	2	1	5	20	27	1	—	1	—	—	1	3	1	20
	F	36	2	—	1	1	—	—	3	5	24	36	5	1	1	2	—	—	2	8	17
19 Pneumonia (all forms) ..	M	34	4	5	4	—	1	6	7	4	3	39	7	5	3	2	1	3	10	2	6
	F	33	9	3	1	2	—	4	2	5	7	33	7	—	3	4	1	7	1	6	4
20 Other respiratory diseases ..	M	7	3	—	—	—	1	—	1	—	2	4	—	—	—	—	—	—	3	1	—
	F	6	—	—	—	—	—	1	2	1	2	9	—	1	1	—	—	—	3	1	3
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	1	4	1	2	—	5	—	—	—	—	—	1	1	3	—
	F	2	—	—	—	—	—	—	—	1	1	5	—	—	—	—	—	1	1	1	2
22 Diarrhoea, &c. ..	M	3	2	—	—	—	—	1	—	—	—	5	4	1	—	—	—	—	—	—	—
	F	10	3	—	1	—	1	1	1	—	3	6	1	3	1	—	—	—	—	—	1
23 Appendicitis and typhilitis ..	M	4	—	—	—	1	3	—	—	—	—	2	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	—	2	—	—	—	3	—	—	—	—	2	—	—	1	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	2	2	—	4	—	—	—	—	—	—	2	1	1
	F	4	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	29	—	—	—	—	—	1	8	12	8	26	—	—	—	—	—	2	6	11	7
	F	26	—	—	—	—	—	2	9	6	9	29	—	—	—	2	—	4	10	9	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth..	M	30	30	—	—	—	—	—	—	—	—	43	42	—	—	—	1	—	—	—	—
	F	25	25	—	—	—	—	—	—	—	—	31	29	1	—	1	—	—	—	—	—
29 Suicide ..	M	14	—	—	—	—	—	7	3	4	—	12	—	—	—	—	1	4	6	1	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	4	1	—
30 Other deaths from violence..	M	34	1	1	—	3	8	9	7	3	2	39	3	—	—	4	4	10	11	5	2
	F	14	—	1	1	2	1	—	5	1	3	20	3	—	2	5	2	3	1	2	2
31 Other defined diseases ..	M	104	11	—	1	4	4	13	16	12	43	139	14	2	4	4	4	6	21	25	59
	F	132	8	2	4	4	3	8	17	24	62	138	6	2	3	3	2	12	20	17	73
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	14	—	—	—	—	—	—	7	7	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SOMERSET—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	989	65	11	14	21	32	100	273	225	248	1376	98	16	14	39	43	117	316	342	391
	F	1069	49	15	10	16	38	74	238	269	360	1378	57	17	11	30	45	135	289	328	466
1 Enteric fever .. {	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	1	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	5	2	1	1	1	—	—	—	—	—	12	1	5	3	3	—	—	—	—	—
	F	10	3	3	3	1	—	—	—	—	—	9	2	1	4	1	—	1	—	—	—
4 Scarlet fever .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough .. {	M	3	2	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	8	5	1	1	—	—	—	—	—	1	3	2	1	—	—	—	—	—	—	—
6 Diphtheria .. {	M	4	—	—	4	—	—	—	—	—	—	9	—	—	1	8	—	—	—	—	—
	F	5	1	—	1	2	—	1	—	—	—	3	—	—	—	3	—	—	—	—	—
7 Influenza .. {	M	15	1	—	—	—	—	5	2	6	1	23	1	—	—	1	—	4	7	4	6
	F	19	—	—	1	1	1	2	3	7	4	26	—	1	—	—	—	1	6	9	9
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	1	—	—
	F	6	—	—	—	—	—	1	2	2	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	1	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	70	—	—	1	1	11	34	21	2	—	71	1	—	—	1	11	35	16	6	1
	F	50	—	—	—	—	14	22	10	2	2	68	—	—	—	2	18	30	14	2	2
11 Other tuberculous diseases .. {	M	14	2	1	1	2	—	5	3	—	—	10	—	1	1	3	2	2	1	—	—
	F	13	—	—	1	3	4	2	2	—	1	9	1	1	—	2	—	—	3	2	—
12 Cancer, malignant disease .. {	M	125	—	—	—	1	1	7	45	43	28	164	—	—	—	—	—	6	59	55	44
	F	170	—	—	—	1	—	8	69	57	35	215	—	—	—	—	1	25	78	73	38
13 Rheumatic fever .. {	M	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	—	—	—	1	6	—	—	—	2	3	—	1	—	—
14 Diabetes .. {	M	11	—	—	—	—	—	—	3	2	6	20	—	—	—	2	—	2	3	9	4
	F	8	—	—	—	—	—	—	3	5	—	22	—	—	—	1	1	1	4	8	7
15 Cerebral hæmorrhage, &c. {	M	41	—	—	—	—	—	1	6	17	17	75	—	—	—	—	—	1	18	26	30
	F	82	—	—	—	—	1	1	15	28	37	83	—	—	—	—	—	2	14	30	37
16 Heart disease .. {	M	171	—	—	—	—	2	8	45	60	56	227	—	—	—	1	—	5	57	77	87
	F	193	—	1	—	—	3	8	48	55	78	284	—	—	—	2	3	7	70	83	119
17 Arterio-sclerosis .. {	M	53	—	—	—	—	—	2	16	16	19	77	—	—	—	—	—	2	9	34	32
	F	58	—	—	—	—	—	1	8	24	25	51	—	—	—	—	—	1	—	17	33
18 Bronchitis .. {	M	38	2	—	—	1	—	2	7	10	16	62	2	1	—	—	1	4	6	20	28
	F	52	2	3	—	—	—	—	3	13	31	70	1	3	1	—	—	—	2	16	47
19 Pneumonia (all forms) .. {	M	46	6	2	2	2	4	4	13	7	6	74	12	4	1	2	3	7	19	13	13
	F	36	4	3	2	1	1	5	5	10	5	32	3	3	2	1	—	5	11	4	3
20 Other respiratory diseases .. {	M	6	—	—	—	—	—	1	2	—	3	14	1	—	—	—	—	3	2	4	4
	F	13	—	—	—	—	—	—	6	2	5	15	—	1	1	—	—	3	4	4	2
21 Ulcer of stomach or duodenum .. {	M	19	—	—	—	—	—	4	11	3	1	16	—	—	—	1	—	3	10	2	—
	F	8	—	—	—	—	—	—	1	4	3	4	—	—	—	—	—	—	2	2	—
22 Diarrhoea, &c. {	M	9	6	2	—	—	—	—	—	—	1	17	11	1	—	—	1	1	—	1	2
	F	13	6	2	—	—	—	1	1	2	1	20	9	1	—	3	—	1	1	2	3
23 Appendicitis and typhlitis.. {	M	8	—	1	2	1	—	—	2	2	—	9	—	—	1	—	3	1	2	2	—
	F	5	—	—	—	1	—	—	3	—	1	10	—	—	1	3	2	1	2	—	1
24 Cirrhosis of liver .. {	M	10	—	—	—	—	—	—	8	1	1	8	—	—	—	—	—	—	6	2	—
	F	4	—	—	—	—	—	—	4	—	—	8	—	—	—	—	—	1	5	2	—
25 Acute and chronic nephritis .. {	M	49	—	—	—	2	4	3	16	16	8	59	—	1	1	1	2	2	19	18	15
	F	46	—	—	—	—	1	2	17	13	13	57	1	—	—	—	1	6	20	18	11
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	9	—	—	—	—	3	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	8	—	—	—	—	2	6	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	28	28	—	—	—	—	—	—	—	—	52	49	—	—	1	—	2	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
29 Suicide .. {	M	14	—	—	—	—	1	1	9	3	—	21	—	—	—	—	1	6	10	2	2
	F	11	—	—	—	—	1	4	2	3	1	10	—	—	—	—	—	2	4	3	1
30 Other deaths from violence.. {	M	36	—	—	—	3	6	11	11	3	2	69	1	1	4	5	9	20	18	8	3
	F	18	1	—	—	1	1	1	5	2	7	29	1	1	1	3	1	5	2	4	11
31 Other defined diseases .. {	M	207	15	2	3	5	3	10	52	34	83	279	17	1	2	10	9	11	53	56	120
	F	207	8	2	1	5	5	8	31	39	108	298	15	3	1	3	9	31	46	48	142
32 Causes ill-defined or unknown .. {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOUTHAMPTON—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1045	94	15	18	26	54	98	282	211	247	1330	107	7	20	35	52	119	315	314	361
	F	1031	65	14	20	33	29	95	243	199	333	1173	91	14	17	21	37	111	271	235	376
1 Enteric fever .. {	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	4	1	1	1	1	—	—	—	—	—	5	—	2	2	—	1	—	—	—	—
	F	3	—	—	1	1	—	—	1	—	—	5	—	2	1	2	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	10	4	4	1	1	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	10	5	1	3	1	—	—	—	—	—
6 Diphtheria .. {	M	14	—	—	3	10	—	—	1	—	—	5	—	—	1	4	—	—	—	—	—
	F	12	—	—	2	9	—	—	1	—	—	5	1	—	3	1	—	—	—	—	—
7 Influenza .. {	M	15	—	—	—	—	—	2	7	4	2	24	1	—	—	—	2	3	10	3	5
	F	4	—	—	1	—	—	—	—	2	1	21	4	—	—	—	2	—	5	4	6
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	1	—	1	—	—	1	1
9 Meningococcal meningitis .. {	M	3	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	70	—	—	—	—	16	27	23	4	—	63	—	—	—	2	11	27	21	1	1
	F	45	—	—	—	1	11	25	8	—	—	62	—	—	—	2	11	36	10	3	—
11 Other tuberculous diseases .. {	M	9	—	—	4	—	2	1	1	1	—	14	1	—	3	5	—	2	3	—	—
	F	19	1	2	6	3	—	2	4	1	—	21	2	2	5	—	2	4	6	—	—
12 Cancer, malignant disease .. {	M	116	—	—	—	1	—	7	49	37	22	166	—	—	—	—	2	10	62	59	33
	F	165	—	1	—	—	1	15	80	33	35	185	—	1	—	—	1	10	83	51	39
13 Rheumatic fever .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	2	3	1	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes .. {	M	12	—	—	—	—	—	1	1	6	4	16	—	—	—	—	2	—	8	4	2
	F	20	—	—	—	—	—	—	3	8	9	13	—	—	—	—	1	2	7	1	2
15 Cerebral hæmorrhage, &c. .. {	M	51	1	—	—	—	1	2	18	10	19	56	—	—	—	—	1	—	10	23	22
	F	67	—	—	—	—	—	—	12	25	30	65	—	—	—	—	—	1	16	21	27
16 Heart disease .. {	M	176	—	—	—	2	—	12	57	56	49	242	—	—	1	—	3	5	67	80	86
	F	209	—	—	—	4	1	9	53	50	92	217	—	—	—	2	4	13	41	55	102
17 Arterio-sclerosis .. {	M	56	—	—	—	—	—	—	14	21	21	99	—	—	—	—	—	2	21	34	42
	F	33	—	—	—	—	—	—	4	15	14	67	—	—	—	—	—	—	9	18	40
18 Bronchitis .. {	M	47	9	2	—	—	—	4	—	10	22	55	2	—	—	1	1	2	8	9	32
	F	35	3	—	—	—	1	—	2	9	20	51	3	3	—	—	—	1	2	10	32
19 Pneumonia (all forms) .. {	M	54	10	3	3	—	4	5	14	4	11	56	8	2	2	2	1	12	6	12	11
	F	43	7	7	3	1	1	6	10	3	5	45	5	1	—	—	—	4	13	12	10
20 Other respiratory diseases .. {	M	8	—	—	—	—	—	1	2	1	4	9	—	—	1	1	1	1	2	1	2
	F	14	—	—	1	1	—	1	3	4	4	18	1	—	—	1	1	2	1	5	7
21 Ulcer of stomach or duodenum .. {	M	16	—	—	—	—	—	6	6	4	—	14	—	—	—	—	—	2	6	6	—
	F	5	—	—	—	—	—	—	3	2	—	9	—	—	—	—	—	3	4	2	—
22 Diarrhoea, &c. .. {	M	5	2	2	—	—	—	—	—	—	1	18	10	1	2	—	—	1	1	2	1
	F	11	6	1	—	—	—	1	—	1	2	12	5	2	1	—	—	—	1	1	2
23 Appendicitis and typhlitis .. {	M	7	—	—	—	—	3	3	1	—	—	10	—	—	—	2	1	2	1	3	1
	F	4	—	—	—	2	—	2	—	—	—	8	—	—	—	1	1	1	3	1	1
24 Cirrhosis of liver .. {	M	7	—	—	—	—	—	—	4	2	1	3	—	—	—	—	—	—	3	—	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	—	2	1
25 Acute and chronic nephritis .. {	M	40	2	—	—	2	—	1	16	9	10	63	—	—	—	—	2	2	16	22	21
	F	34	—	—	—	—	—	6	13	7	8	47	1	1	—	—	1	2	11	17	14
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	54	52	—	—	2	—	—	—	—	—	67	67	—	—	—	—	—	—	—	—
	F	34	34	—	—	—	—	—	—	—	—	52	51	—	—	—	1	—	—	—	—
29 Suicide .. {	M	22	—	—	—	—	2	6	9	4	1	18	—	—	—	—	2	5	8	1	2
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence .. {	M	45	—	—	3	3	13	7	11	2	6	69	—	—	6	7	14	16	14	8	4
	F	21	3	—	3	1	1	2	2	4	5	20	2	—	—	3	1	1	8	1	2
31 Other defined diseases .. {	M	199	13	2	2	2	13	12	45	36	74	248	15	1	1	10	8	25	46	46	96
	F	224	10	3	1	8	7	15	37	35	108	212	11	1	1	7	7	18	47	30	90
32 Causes ill-defined or unknown .. {	M	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of STAFFORD—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	2800	382	70	69	100	145	299	714	584	437	1165	127	15	26	43	62	111	268	233	280
	F	2486	265	68	66	100	124	269	589	461	544	1077	86	15	17	35	28	107	236	224	329
1 Enteric fever .. {	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	—	1	1	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	25	9	8	7	1	—	—	—	—	—	4	1	1	1	—	—	—	—	—	
	F	14	2	3	7	2	—	—	—	—	—	5	1	1	3	—	—	—	—	—	
4 Scarlet fever .. {	M	3	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {	M	5	3	2	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	
	F	10	4	5	1	—	—	—	—	—	—	4	—	2	2	—	—	—	—	—	
6 Diphtheria .. {	M	14	—	2	5	7	—	—	—	—	—	16	—	—	8	6	1	—	1	—	
	F	24	1	2	8	10	—	2	1	—	—	6	1	—	5	—	—	—	—	—	
7 Influenza .. {	M	51	3	1	1	1	7	17	13	7	1	13	—	—	—	—	2	1	6	1	
	F	42	3	3	2	2	6	9	9	4	4	10	—	—	—	—	1	2	3	3	
8 Encephalitis lethargica .. {	M	6	1	1	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	
	F	12	—	—	1	3	2	—	4	2	—	3	1	—	—	—	1	—	1	—	
9 Meningococcal meningitis .. {	M	6	2	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	168	—	1	—	3	33	76	47	8	—	52	—	—	2	9	19	17	5	—	
	F	154	1	1	3	7	57	57	27	1	—	49	—	—	1	4	22	9	1	1	
11 Other tuberculous diseases .. {	M	34	8	1	4	7	5	3	5	1	—	15	3	2	1	4	2	3	—	—	
	F	36	11	3	5	7	2	5	3	—	—	14	—	—	2	3	1	3	3	1	
12 Cancer, malignant disease .. {	M	294	—	—	1	1	2	13	155	93	29	130	—	—	3	—	1	9	62	31	
	F	293	—	—	—	1	2	28	150	78	34	134	—	—	—	—	9	56	38	31	
13 Rheumatic fever .. {	M	13	—	—	1	7	3	2	—	—	—	7	—	—	3	3	1	—	—	—	
	F	8	—	—	—	5	1	1	1	—	—	4	—	—	1	—	2	1	—	—	
14 Diabetes .. {	M	22	—	—	—	—	—	3	9	7	3	13	—	—	—	—	—	5	4	3	
	F	36	—	—	1	—	1	3	19	8	4	16	—	—	—	—	3	3	3	7	
15 Cerebral hæmorrhage, &c. .. {	M	138	1	—	—	—	1	2	31	64	39	52	—	—	—	—	3	7	19	23	
	F	173	—	—	—	—	1	5	49	56	62	67	—	1	—	—	1	17	22	26	
16 Heart disease .. {	M	372	—	—	—	5	8	29	139	108	83	191	—	—	—	4	—	9	49	67	
	F	420	—	—	—	11	12	23	122	128	124	256	—	—	—	4	3	7	57	87	
17 Arterio-sclerosis .. {	M	135	—	—	—	—	—	1	21	56	57	70	—	—	—	—	—	3	24	43	
	F	95	—	—	—	—	—	1	13	32	49	65	—	—	—	—	1	4	16	44	
18 Bronchitis .. {	M	160	20	3	1	—	—	9	30	55	42	69	11	1	1	1	1	10	16	27	
	F	125	9	4	1	1	—	1	21	34	54	41	4	1	1	—	—	7	12	16	
19 Pneumonia (all forms) .. {	M	269	54	25	19	9	16	34	63	34	15	76	26	4	2	4	7	6	13	10	
	F	163	48	28	19	9	6	13	26	9	5	55	9	5	2	4	2	8	11	5	
20 Other respiratory diseases .. {	M	26	1	1	5	3	2	4	3	3	4	5	—	—	1	—	2	—	—	2	
	F	31	3	—	—	1	3	5	5	6	8	8	—	—	—	—	—	2	1	5	
21 Ulcer of stomach or duodenum .. {	M	28	—	—	—	—	—	8	16	3	1	11	—	—	—	—	3	5	3	—	
	F	10	—	—	—	—	—	2	6	1	1	10	—	—	—	—	4	6	—	—	
22 Diarrhœa, &c. .. {	M	60	39	9	3	—	1	1	3	3	1	18	12	4	1	—	1	—	—	—	
	F	39	24	4	2	—	1	2	1	1	4	14	4	1	1	—	1	2	1	4	
23 Appendicitis and typhlitis.. {	M	18	—	—	—	5	6	4	3	—	—	16	—	—	1	2	5	3	2	1	
	F	18	—	—	—	—	1	10	7	—	—	3	—	—	2	1	—	—	—	—	
24 Cirrhosis of liver .. {	M	12	—	—	—	—	—	—	4	6	2	12	—	—	—	—	1	9	2	—	
	F	9	—	—	—	—	—	3	3	3	—	2	—	—	—	—	1	—	—	1	
25 Acute and chronic nephritis .. {	M	70	—	—	1	4	3	9	25	17	11	27	—	—	—	4	6	9	6	2	
	F	62	—	—	1	3	4	9	22	15	8	16	—	—	—	1	2	6	4	3	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	17	—	—	—	—	5	12	—	—	—	4	—	—	—	1	3	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	19	—	—	—	—	2	17	—	—	—	10	—	—	—	—	9	1	—	—	
28 Congenital debility and malformation, premature birth.. {	M	194	187	3	2	—	2	—	—	—	—	56	56	—	—	—	—	—	—	—	
	F	133	127	1	1	2	1	1	—	—	—	45	42	1	1	—	1	—	—	—	
29 Suicide .. {	M	33	—	—	—	—	2	6	16	8	1	21	—	—	—	4	6	6	5	—	
	F	16	—	—	—	—	—	7	7	2	—	6	—	—	—	—	1	5	—	—	
80 Other deaths from violence.. {	M	147	3	2	10	17	30	33	26	11	15	79	2	1	5	6	17	20	19	7	
	F	60	4	3	6	11	2	6	10	7	11	30	3	—	4	3	1	2	3	1	
31 Other defined diseases .. {	M	490	51	9	7	30	22	41	98	99	133	208	14	2	2	8	6	17	45	31	
	F	459	28	10	7	22	15	45	82	74	176	196	20	3	1	8	6	25	37	30	
82 Causes ill-defined or unknown .. {	M	4	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, EAST—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	477	47	7	12	16	18	43	116	108	110	642	45	7	4	12	21	47	142	158	206
	F	485	22	2	3	10	19	41	118	110	160	660	43	8	5	10	17	54	136	152	235
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	5	1	1	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough .. {	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	3	—	—	—	3	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza .. {	M	2	—	—	—	—	—	—	—	2	—	9	—	—	—	—	1	1	4	2	1
	F	2	1	—	—	—	—	—	—	1	—	13	—	1	—	—	1	2	2	4	3
8 Encephalitis lethargica .. {	M	4	—	—	1	—	2	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	32	—	—	—	1	9	16	5	1	—	35	—	—	—	—	3	18	12	2	—
	F	35	—	—	—	—	11	11	11	2	—	29	—	—	—	3	3	13	6	2	2
11 Other tuberculous diseases .. {	M	10	1	1	—	3	—	2	3	—	—	5	2	—	—	1	1	—	1	—	—
	F	5	—	—	—	2	—	1	1	—	1	3	—	—	—	—	—	2	1	—	—
12 Cancer, malignant disease .. {	M	52	—	—	—	—	—	1	21	18	12	81	—	—	—	—	1	1	30	29	20
	F	87	—	—	—	—	—	11	32	24	20	80	—	—	—	—	—	2	39	25	14
13 Rheumatic fever .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	1	—	1	—	—	—	4	—	—	—	1	—	—	—	2	1
14 Diabetes .. {	M	5	—	—	—	—	—	—	—	4	1	6	—	—	—	—	—	1	1	3	1
	F	8	—	—	—	—	—	—	4	3	1	14	—	—	—	—	1	1	6	4	2
15 Cerebral hæmorrhage, &c. .. {	M	28	—	—	—	—	—	1	7	12	8	40	—	—	—	—	—	1	6	10	23
	F	41	—	—	—	—	—	1	7	11	22	39	—	—	—	—	—	—	7	14	18
16 Heart disease .. {	M	82	—	—	—	1	2	4	16	30	29	91	—	—	—	—	1	2	17	33	38
	F	94	—	—	—	1	2	2	16	33	40	130	—	—	—	—	1	2	26	44	57
17 Arterio-sclerosis .. {	M	26	—	—	—	—	—	—	5	10	11	46	—	—	—	—	—	—	6	18	22
	F	19	—	—	—	—	—	1	6	7	5	32	—	—	—	—	—	—	3	10	19
18 Bronchitis .. {	M	19	6	—	—	—	—	1	2	—	10	36	—	—	—	—	—	—	6	7	23
	F	14	—	—	—	—	—	—	1	1	12	43	3	1	—	—	—	1	3	7	28
19 Pneumonia (all forms) .. {	M	27	11	3	1	—	1	3	3	3	2	32	2	5	1	3	1	4	9	2	5
	F	15	1	1	—	—	3	—	1	4	5	21	1	3	1	—	2	4	3	4	3
20 Other respiratory diseases .. {	M	6	—	—	1	—	—	—	2	—	3	7	1	—	—	—	1	—	3	1	1
	F	5	—	—	—	—	—	—	2	1	2	6	—	—	—	—	—	1	1	—	4
21 Ulcer of stomach or duodenum .. {	M	6	—	—	—	—	—	1	4	—	1	11	—	—	—	—	—	1	7	3	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. .. {	M	6	3	1	—	—	1	—	—	1	—	5	3	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—	1	2	1	1
23 Appendicitis and typhlitis .. {	M	6	—	—	—	1	—	2	1	2	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	1	—	—	2	—	—	2	—	—	—	—	1	1	—	—	—
24 Cirrhosis of liver .. {	M	7	—	—	—	—	—	—	6	1	—	3	—	—	—	—	—	—	—	2	1
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis .. {	M	14	—	—	—	—	—	1	7	3	3	13	—	—	—	—	1	3	1	6	2
	F	17	—	—	—	—	—	—	5	8	4	14	—	—	—	—	—	1	2	5	6
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	1	5	1	—	—
28 Congenital debility and malformation, premature birth .. {	M	20	20	—	—	—	—	—	—	—	—	28	27	—	—	1	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	30	29	—	1	—	—	—	—	—	—
29 Suicide .. {	M	3	—	—	—	—	—	2	1	—	—	13	—	—	—	—	—	3	5	4	1
	F	6	—	—	—	—	—	3	2	—	1	6	—	—	—	—	—	2	1	2	1
30 Other deaths from violence .. {	M	13	—	—	1	4	1	1	3	2	1	34	1	1	—	3	7	6	7	4	5
	F	5	—	1	—	—	—	1	1	—	2	17	2	1	1	—	1	1	3	3	5
31 Other defined diseases .. {	M	95	4	1	4	3	2	8	25	19	29	135	9	—	2	2	1	5	26	28	62
	F	93	1	—	—	2	2	6	22	15	45	148	6	2	2	3	4	10	26	24	71
32 Causes ill-defined or unknown .. {	M	3	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SUFFOLK, WEST—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	263	19	1	3	8	8	22	68	56	78	414	24	5	6	8	13	30	92	102	134
	F	283	19	2	2	—	4	28	51	71	106	390	18	1	4	2	17	33	75	88	152
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7 Influenza .. {	M	3	—	—	—	—	—	—	2	1	—	7	—	—	—	2	—	1	1	2	
	F	2	—	—	—	—	—	1	—	—	1	6	—	—	—	—	—	3	2	1	
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	14	—	—	—	—	2	7	4	1	—	21	—	—	—	3	12	5	1	—	
	F	11	—	—	—	—	1	9	—	1	—	19	—	—	—	5	8	5	1	—	
11 Other tuberculous diseases .. {	M	5	—	—	3	1	—	—	1	—	—	7	—	—	1	1	—	2	2	—	
	F	3	—	1	—	—	—	1	1	—	—	5	—	—	1	—	3	—	—	1	
12 Cancer, malignant disease .. {	M	33	—	—	—	—	1	—	14	7	11	56	—	—	—	—	2	23	18	13	
	F	37	—	—	—	—	—	2	15	14	6	67	—	—	—	—	2	29	15	21	
13 Rheumatic fever .. {	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
14 Diabetes .. {	M	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	1	1	1	2	
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	2	—	2	
15 Cerebral hæmorrhage, &c. .. {	M	11	—	—	—	—	—	—	2	3	6	25	—	—	—	—	—	5	6	14	
	F	29	—	—	—	—	—	2	5	11	11	28	—	—	—	—	1	5	8	14	
16 Heart disease .. {	M	41	—	—	—	—	1	2	10	19	9	77	—	—	—	2	2	14	31	28	
	F	47	—	—	—	—	2	1	8	17	19	91	—	—	—	—	4	11	30	46	
17 Arterio-sclerosis .. {	M	27	—	—	—	—	—	—	2	9	16	46	—	—	—	—	—	6	15	25	
	F	27	—	—	—	—	—	—	1	10	16	20	—	—	—	—	—	3	3	14	
18 Bronchitis .. {	M	7	—	—	—	—	—	—	1	—	6	20	—	1	—	—	—	2	3	14	
	F	13	—	—	—	—	—	—	1	2	10	18	—	—	1	—	—	1	3	12	
19 Pneumonia (all forms) .. {	M	8	—	1	—	—	—	3	2	1	1	13	—	2	—	1	1	4	2	2	
	F	12	2	—	1	—	—	1	4	2	2	13	1	—	—	1	1	2	2	6	
20 Other respiratory diseases .. {	M	3	—	—	—	—	—	—	—	1	2	6	—	—	—	1	—	2	—	3	
	F	3	—	—	—	—	—	—	—	—	3	4	—	—	1	—	—	—	2	1	
21 Ulcer of stomach or duodenum .. {	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	1	—	3	—	—	
	F	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
22 Diarrhoea, &c. .. {	M	1	1	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	
	F	3	—	1	—	—	—	1	—	—	1	2	1	—	—	—	—	—	1	—	
23 Appendicitis and typhlitis.. {	M	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	1	1	—	—	—	
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
25 Acute and chronic nephritis .. {	M	8	—	—	—	—	—	—	2	2	4	12	—	—	—	—	1	5	4	2	
	F	10	—	—	—	—	—	1	3	2	4	9	—	—	—	—	1	1	2	5	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—	
28 Congenital debility and malformation, premature birth.. {	M	14	14	—	—	—	—	—	—	—	—	19	18	1	—	—	—	—	—	—	
	F	13	13	—	—	—	—	—	—	—	—	13	12	—	—	1	—	—	—	—	
29 Suicide .. {	M	5	—	—	—	—	—	—	4	—	1	6	—	—	—	—	—	4	1	1	
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	2	1	—	
30 Other deaths from violence.. {	M	17	—	—	—	3	2	4	5	3	—	18	2	—	1	2	3	4	1	2	
	F	10	1	—	—	—	1	2	1	3	2	7	—	—	—	—	2	3	2	—	
31 Other defined diseases .. {	M	53	4	—	—	2	1	3	14	7	22	63	1	1	2	2	1	5	10	15	
	F	54	3	—	—	—	—	6	6	9	30	67	4	—	—	1	2	8	8	15	
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SURREY—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	3361	275	39	77	79	146	312	931	766	736	881	48	9	24	31	30	84	225	196	234
	F	3429	174	36	46	87	121	343	808	699	1115	877	60	11	4	18	37	84	198	182	283
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	4	—	—	—	2	1	—	1	—	—	2	—	—	—	—	—	1	1	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	33	4	10	15	4	—	—	—	—	—	7	—	2	4	1	—	—	—	—	
	F	24	3	8	6	7	—	—	—	—	—	8	2	2	1	2	1	—	—	—	
4 Scarlet fever ..	M	4	—	—	1	1	1	1	—	—	—	2	—	—	—	1	1	—	—	—	
	F	4	—	—	—	2	—	2	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough ..	M	14	10	3	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	19	8	6	3	1	—	—	—	1	—	3	1	2	—	—	—	—	—	—	
6 Diphtheria ..	M	22	1	—	6	13	—	2	—	—	—	6	—	2	—	4	—	—	—	—	
	F	17	—	—	5	10	—	—	2	—	—	4	1	—	1	1	—	1	—	—	
7 Influenza ..	M	54	1	—	5	—	2	10	15	14	7	20	1	—	1	1	—	2	5	3	
	F	48	—	—	2	1	2	5	13	11	14	24	—	—	—	—	1	3	9	3	
8 Encephalitis lethargica ..	M	12	—	1	2	—	1	1	4	3	—	2	—	1	—	—	—	1	1	—	
	F	5	—	—	—	1	—	2	1	1	—	2	—	—	—	—	1	1	—	—	
9 Meningococcal meningitis ..	M	4	1	—	—	2	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	
10 Tuberculosis of respiratory system	M	218	—	—	1	2	31	83	86	13	2	48	—	—	—	—	3	28	14	2	
	F	149	—	—	—	3	43	73	25	4	1	41	—	—	—	—	13	22	6	—	
11 Other tuberculous diseases ..	M	39	4	6	7	6	6	5	3	—	2	9	1	—	2	1	—	1	2	1	
	F	46	7	2	8	9	8	3	5	2	2	10	—	2	1	3	1	3	—	—	
12 Cancer, malignant disease ..	M	455	—	—	1	2	2	20	183	153	94	118	—	—	—	1	—	7	55	34	
	F	579	—	—	—	—	2	46	240	165	126	136	—	—	—	—	2	11	52	37	
13 Rheumatic fever ..	M	8	—	—	—	—	2	2	1	3	—	2	—	—	1	1	—	—	—	—	
	F	8	—	—	—	4	2	2	—	—	—	1	—	—	—	—	1	—	—	—	
14 Diabetes ..	M	35	—	—	—	2	3	—	6	10	14	12	—	—	—	—	—	3	2	4	
	F	40	—	—	—	1	2	5	11	13	8	15	—	—	—	—	1	—	3	4	
15 Cerebral hæmorrhage, &c. ..	M	135	—	—	—	—	—	2	40	53	40	34	—	—	—	—	—	1	5	16	
	F	200	—	—	1	—	—	6	46	53	94	63	—	—	—	—	—	1	12	35	
16 Heart disease ..	M	512	—	—	—	3	7	34	149	159	160	144	—	—	—	1	1	6	32	50	
	F	645	—	—	—	7	15	31	151	180	261	165	1	—	—	—	1	8	40	52	
17 Arterio-sclerosis ..	M	236	—	—	—	—	—	2	35	83	116	81	—	—	—	—	—	—	18	19	
	F	213	—	—	—	—	—	2	27	42	142	77	—	—	—	—	—	—	12	24	
18 Bronchitis ..	M	128	13	1	1	—	—	2	30	29	52	25	1	—	—	—	—	1	2	6	
	F	131	4	—	1	1	—	4	13	21	87	18	—	—	—	—	—	—	2	2	
19 Pneumonia (all forms) ..	M	227	35	14	11	2	8	31	66	40	20	59	9	3	3	3	2	7	16	8	
	F	162	22	7	5	6	3	22	30	32	35	37	8	2	—	1	2	5	7	7	
20 Other respiratory diseases ..	M	38	1	—	—	—	2	5	14	5	11	15	1	—	—	—	—	2	7	1	
	F	38	2	—	2	1	—	5	6	11	11	8	1	—	—	1	—	—	—	2	
21 Ulcer of stomach or duodenum ..	M	55	—	—	—	—	—	9	32	12	2	16	—	—	—	—	—	3	10	3	
	F	12	—	—	—	—	—	—	6	4	2	6	—	—	—	—	1	—	3	2	
22 Diarrhoea, &c. ..	M	30	22	—	1	—	—	1	1	2	3	4	3	—	1	—	—	—	—	—	
	F	27	14	1	2	—	—	3	1	3	3	7	3	1	—	—	1	1	1	—	
23 Appendicitis and typhlitis..	M	31	—	—	3	4	7	3	12	2	—	6	—	—	1	—	1	—	1	3	
	F	22	—	—	—	5	2	3	9	1	2	1	—	—	—	1	—	—	—	—	
24 Cirrhosis of liver ..	M	29	—	—	—	—	—	1	14	13	1	3	—	—	—	—	1	—	2	—	
	F	15	—	—	—	—	—	4	5	5	1	4	—	—	—	—	—	—	—	1	
25 Acute and chronic nephritis ..	M	108	—	—	1	1	5	7	44	29	21	28	—	—	—	—	1	2	10	6	
	F	111	1	—	—	1	1	11	43	25	29	25	—	—	—	1	1	3	9	6	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	20	—	—	—	—	4	16	—	—	—	4	—	—	—	—	1	3	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	30	—	—	—	—	5	25	—	—	—	5	—	—	—	—	2	3	—	—	
28 Congenital debility and malformation, premature birth..	M	134	130	—	4	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	
	F	84	79	—	1	—	2	—	1	1	—	37	34	—	—	2	—	1	—	—	
29 Suicide ..	M	53	—	—	—	—	2	13	26	8	4	14	—	—	—	—	—	2	8	3	
	F	24	—	—	—	—	2	7	14	1	—	6	—	—	—	—	—	2	2	—	
30 Other deaths from violence..	M	171	4	—	7	10	45	32	36	20	17	56	1	—	6	8	11	9	9	7	
	F	109	6	5	3	4	9	13	15	14	40	22	2	—	—	2	2	3	4	4	
31 Other defined diseases ..	M	574	48	4	10	27	20	46	134	115	170	142	6	1	5	9	8	9	25	30	
	F	641	28	6	7	21	17	53	143	109	257	144	7	2	1	6	3	13	32	24	
32 Causes ill-defined or unknown ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, EAST—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
		805	41	9	11	13	22	67	204	224	214	804	42	6	11	16	27	79	176	213	234
ALL CAUSES ..	M	951	44	8	7	13	16	70	220	213	360	689	36	9	11	11	21	63	137	157	244
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	7	1	1	1	4	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	5	1	1	—	3	—	—	—	—	—	5	—	1	1	2	—	1	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	3	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	7	4	2	1	—	—	—	—	—	—	6	3	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
	F	3	—	—	1	—	1	—	1	—	—	7	—	—	4	2	1	—	—	—	—
7 Influenza ..	M	10	—	—	—	—	—	1	1	3	5	11	—	—	—	1	4	3	2	1	5
	F	12	—	—	—	—	—	1	4	2	5	17	—	—	—	1	3	2	6	—	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	53	—	1	—	—	5	25	18	4	—	29	—	—	—	1	14	14	—	—	—
	F	39	—	—	—	1	5	18	14	—	1	35	—	—	—	11	13	7	2	2	—
11 Other tuberculous diseases ..	M	12	2	1	4	1	1	1	—	—	1	10	1	2	3	—	2	1	1	—	—
	F	15	—	1	2	5	3	—	3	—	1	13	1	—	1	1	4	3	2	—	—
12 Cancer, malignant disease ..	M	121	—	1	—	—	1	6	43	45	25	106	—	—	—	—	1	1	36	43	25
	F	169	—	—	—	—	1	11	62	56	39	104	—	—	—	—	1	8	35	30	30
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
14 Diabetes ..	M	12	—	—	—	—	—	—	3	7	2	8	—	—	—	—	—	2	5	1	—
	F	14	—	—	—	1	—	—	2	5	6	13	—	—	—	—	2	4	4	3	—
15 Cerebral hæmorrhage, &c. ..	M	38	—	—	—	—	—	—	11	12	15	39	—	—	—	—	—	7	18	14	25
	F	61	—	—	—	—	—	—	12	18	31	49	—	—	—	—	—	10	14	—	—
16 Heart disease ..	M	165	—	—	—	—	2	4	34	58	67	173	—	—	—	3	10	31	57	72	—
	F	198	1	—	—	—	1	4	32	54	106	131	—	—	—	1	4	20	47	59	—
17 Arterio-sclerosis ..	M	60	—	—	—	—	—	—	14	19	27	51	—	—	—	—	—	6	18	27	—
	F	58	—	—	—	—	—	—	9	12	37	43	—	—	—	—	—	8	10	25	—
18 Bronchitis ..	M	29	2	—	1	—	—	3	4	7	12	22	2	—	—	—	—	2	4	14	—
	F	33	3	—	—	—	—	—	3	6	21	29	2	—	—	—	—	2	6	19	—
19 Pneumonia (all forms) ..	M	49	3	2	2	1	3	3	18	10	7	37	8	1	1	1	5	8	8	5	—
	F	42	4	2	1	2	—	3	7	10	13	36	9	3	1	1	2	6	6	7	—
20 Other respiratory diseases ..	M	7	—	—	—	—	1	—	2	3	1	10	—	—	1	—	—	1	4	4	—
	F	9	—	—	—	—	—	2	1	2	4	6	—	—	—	1	1	2	1	1	—
21 Ulcer of stomach or duodenum ..	M	14	—	—	—	—	3	7	3	—	1	6	—	—	—	—	2	3	1	—	—
	F	6	—	—	—	—	1	5	—	—	—	4	—	—	—	1	1	1	2	—	—
22 Diarrhoea, &c. ..	M	4	3	—	—	—	—	—	—	—	1	4	2	—	—	—	1	—	—	—	—
	F	10	3	—	1	—	—	2	3	—	1	2	—	—	1	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	—	1	2	—	—	6	—	—	—	—	3	3	—	—	—
	F	7	—	—	—	—	—	1	6	—	—	4	—	—	2	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	—	—	1
	F	6	—	—	—	—	—	1	2	2	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	21	—	—	—	—	—	1	3	12	5	29	—	—	1	1	3	7	10	7	—
	F	27	—	—	—	—	—	3	7	8	9	17	—	—	—	2	3	4	3	5	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	2	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	3	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	22	21	—	—	1	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	24	24	—	—	—	—	—	—	—	—	16	15	1	—	—	—	—	—	—	—
29 Suicide ..	M	11	—	—	—	—	—	3	3	3	2	17	—	—	—	—	4	9	3	1	—
	F	7	—	—	—	—	—	1	4	2	—	5	—	—	—	—	3	2	—	—	—
30 Other deaths from violence ..	M	25	—	—	1	1	5	7	3	3	5	49	2	1	1	1	11	13	3	1	—
	F	12	—	—	—	—	1	2	5	—	4	19	1	1	1	1	4	4	1	5	—
31 Other defined diseases ..	M	134	6	3	1	3	4	9	35	35	38	159	7	—	4	8	4	26	36	61	—
	F	177	4	2	1	1	3	11	38	36	81	122	5	2	1	—	1	9	26	22	56
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	612	33	15	4	10	26	47	156	144	177	596	43	5	9	12	15	44	133	145	190
	F	696	29	7	10	14	13	39	157	173	254	573	17	1	5	13	13	50	123	136	215
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox .. {	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	4	—	2	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	9	—	4	2	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	2	—	—	—	2	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
	F	6	—	—	3	3	—	—	—	—	—	5	—	—	—	1	1	1	1	1	—
7 Influenza .. {	M	2	—	—	—	—	1	—	1	—	—	6	—	—	—	—	—	2	2	2	2
	F	3	—	—	—	—	1	—	1	—	1	9	—	—	1	—	—	3	3	1	1
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	35	—	—	—	—	5	15	11	3	1	31	—	1	—	—	5	13	11	1	—
	F	28	—	—	—	—	4	7	12	4	1	26	—	—	—	1	5	13	3	3	1
11 Other tuberculous diseases .. {	M	6	1	2	—	1	—	1	—	1	—	6	—	—	1	1	—	1	2	1	—
	F	3	—	—	—	2	—	—	—	1	—	6	—	1	—	—	—	2	2	1	—
12 Cancer, malignant disease .. {	M	93	—	—	—	—	—	1	36	35	21	80	—	—	—	—	—	1	30	27	22
	F	103	—	—	—	—	—	7	45	26	25	80	—	—	—	—	1	7	26	29	17
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes .. {	M	6	—	—	—	—	—	—	4	1	1	7	—	—	—	—	—	—	2	3	2
	F	12	—	—	—	—	—	—	6	3	3	8	—	—	—	—	—	—	2	2	4
15 Cerebral hæmorrhage, &c. .. {	M	31	—	—	—	—	—	—	7	16	8	31	—	—	—	—	—	—	8	10	13
	F	62	—	—	—	—	—	2	11	16	33	51	—	—	—	—	—	—	11	15	25
16 Heart disease .. {	M	106	—	—	—	1	—	5	26	29	45	113	—	—	—	—	—	1	27	41	44
	F	137	—	—	—	1	1	4	20	55	56	139	—	—	—	—	—	2	35	49	53
17 Arterio-sclerosis .. {	M	46	—	—	—	—	—	1	8	15	22	41	—	—	—	—	—	—	5	10	26
	F	55	—	—	—	—	—	—	8	19	28	27	—	—	—	—	—	1	5	2	19
18 Bronchitis .. {	M	28	—	1	—	—	1	2	2	6	16	26	1	—	—	—	—	—	2	9	14
	F	32	2	—	—	—	—	1	2	4	23	24	—	—	—	—	—	—	—	2	22
19 Pneumonia (all forms) .. {	M	43	7	3	2	1	3	3	8	6	10	26	3	2	3	1	—	1	7	7	2
	F	26	2	1	2	—	—	—	4	9	8	16	2	—	—	4	—	2	1	4	3
20 Other respiratory diseases .. {	M	9	—	1	—	—	1	—	3	2	2	8	1	—	—	—	—	1	—	5	1
	F	8	1	—	—	—	—	1	—	3	3	6	—	—	—	—	—	—	1	2	3
21 Ulcer of stomach or duodenum .. {	M	4	—	—	—	—	—	—	2	1	1	8	—	—	—	—	—	2	3	2	1
	F	6	—	—	—	—	—	1	1	1	3	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. .. {	M	5	3	2	—	—	—	—	—	—	—	4	3	—	—	—	—	1	—	—	—
	F	4	1	—	—	—	—	—	2	—	1	2	1	—	—	1	—	—	—	—	—
23 Appendicitis and typhlitis.. {	M	7	—	—	1	—	1	1	4	—	—	4	—	—	—	1	—	1	1	1	—
	F	8	—	—	—	1	1	2	3	—	1	7	—	—	—	1	—	3	2	—	1
24 Cirrhosis of liver .. {	M	3	—	—	—	—	—	1	—	2	—	4	—	—	—	—	—	1	1	2	—
	F	5	—	—	—	—	—	—	3	2	—	4	—	—	—	—	—	1	1	—	2
25 Acute and chronic nephritis .. {	M	13	—	—	—	—	1	—	5	2	5	12	1	—	—	—	—	1	3	5	2
	F	21	—	—	—	—	—	1	12	3	5	16	—	—	—	—	—	1	3	7	5
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition. }	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	3	3	—	—	—
28 Congenital debility and malformation, premature birth.. }	M	19	19	—	—	—	—	—	—	—	—	26	25	—	—	1	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	8	7	—	—	—	1	—	—	—	—
29 Suicide .. {	M	11	—	—	—	—	1	—	4	3	3	7	—	—	—	—	—	4	3	—	—
	F	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence.. }	M	23	—	1	—	2	8	4	4	2	2	28	1	—	2	1	2	8	7	2	5
	F	9	—	1	1	—	—	1	—	3	3	14	—	—	1	2	—	2	4	1	4
31 Other defined diseases .. }	M	114	3	2	—	2	4	13	31	20	39	115	7	1	—	4	8	6	17	17	55
	F	128	4	—	1	3	3	8	26	23	60	111	6	—	2	2	2	7	20	17	55
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WARWICK—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	801	77	14	16	21	29	83	229	164	168	1007	109	19	21	41	50	106	239	226	196
	F	904	66	12	15	18	29	103	211	189	261	956	86	21	19	24	35	115	200	168	288
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
3 Measles .. {	M	1	—	1	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	
	F	2	—	2	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	
4 Scarlet fever .. {	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	
5 Whooping cough .. {	M	4	2	2	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
	F	3	1	1	1	—	—	—	—	—	—	5	2	1	2	—	—	—	—	—	
6 Diphtheria .. {	M	6	—	—	2	4	—	—	—	—	—	11	—	—	2	9	—	—	—	—	
	F	6	—	—	3	2	—	—	1	—	—	2	1	—	1	—	—	—	—	—	
7 Influenza .. {	M	20	—	—	—	1	—	5	6	5	3	19	1	—	—	—	2	1	4	10	
	F	10	—	—	—	—	—	2	2	5	1	20	1	1	—	—	—	4	5	6	
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	6	—	1	2	1	1	—	1	—	
	F	3	—	—	—	—	—	1	2	—	—	6	—	1	—	2	1	—	2	—	
9 Meningococcal meningitis .. {	M	1	—	—	—	—	1	—	—	—	—	3	2	—	—	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	49	1	—	—	—	8	23	15	2	—	53	—	—	—	—	8	29	15	1	
	F	51	—	—	—	2	12	19	15	3	—	48	—	—	—	—	10	29	6	2	
11 Other tuberculous diseases .. {	M	13	1	—	1	3	2	2	3	1	—	19	2	1	4	5	3	3	1	—	
	F	6	1	—	1	—	—	4	—	—	—	18	—	1	4	1	3	5	4	—	
12 Cancer, malignant disease .. {	M	92	—	—	—	—	2	4	45	25	16	115	—	—	—	—	—	9	45	39	
	F	132	—	—	—	—	—	10	52	40	30	134	—	—	1	1	—	11	52	43	
13 Rheumatic fever .. {	M	2	—	—	—	1	—	1	—	—	—	3	—	—	—	2	—	—	1	—	
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	3	—	—	
14 Diabetes ... {	M	12	—	—	—	—	1	1	4	4	2	10	—	—	—	1	—	1	3	3	
	F	16	—	—	—	2	—	—	2	5	7	14	—	—	—	—	2	8	4	—	
15 Cerebral hæmorrhage, &c. .. {	M	43	—	—	—	—	—	1	11	14	17	44	—	—	—	—	—	1	9	18	
	F	57	—	—	—	—	—	—	22	14	21	73	—	—	1	—	—	1	16	17	
16 Heart disease .. {	M	116	—	—	—	2	3	3	37	35	36	138	—	—	—	1	4	8	43	46	
	F	167	—	—	1	1	2	13	41	46	63	172	—	—	—	1	4	11	48	43	
17 Arterio-sclerosis .. {	M	51	—	—	—	—	—	—	9	20	22	47	—	—	—	—	—	—	4	23	
	F	40	—	—	—	—	—	—	2	15	23	41	—	—	—	—	—	—	9	13	
18 Bronchitis .. {	M	25	1	2	—	—	1	1	7	3	10	48	9	2	—	—	—	—	7	12	
	F	31	5	—	—	—	—	1	3	6	16	34	4	1	—	—	—	1	—	8	
19 Pneumonia (all forms) .. {	M	62	6	4	2	3	3	11	13	7	13	73	16	5	5	—	7	10	11	10	
	F	46	11	6	4	1	1	6	2	7	8	43	8	8	4	2	2	5	4	6	
20 Other respiratory diseases .. {	M	8	—	—	1	—	—	1	5	—	1	12	1	—	—	—	1	3	3	3	
	F	11	—	—	—	—	—	2	2	1	6	13	1	1	—	—	—	2	2	4	
21 Ulcer of stomach or duodenum .. {	M	5	—	—	—	—	—	1	4	—	—	18	—	—	—	—	—	7	7	4	
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	1	—	
22 Diarrhœa, &c. .. {	M	8	3	1	1	—	—	1	1	1	—	12	6	2	1	1	—	—	1	—	
	F	11	5	2	—	1	1	—	1	1	—	7	3	3	—	—	—	—	—	1	
23 Appendicitis and typhlitis.. {	M	5	—	—	—	—	2	2	1	—	—	8	—	—	—	—	4	1	2	1	
	F	14	—	—	1	—	1	3	5	2	2	4	—	—	—	1	—	1	1	—	
24 Cirrhosis of liver .. {	M	11	—	—	—	—	—	—	9	1	1	7	—	—	—	—	—	1	4	1	
	F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	1	—	—	1	—	
25 Acute and chronic nephritis .. {	M	32	—	—	1	1	1	5	12	9	3	25	—	—	—	—	—	1	11	8	
	F	45	—	—	1	2	1	8	12	10	11	24	1	—	1	1	2	3	5	6	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	1	4	—	—	—	8	—	—	—	—	1	7	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	8	—	—	—	—	3	5	—	—	—	7	—	—	—	—	—	7	—	—	
28 Congenital debility and malformation, premature birth.. {	M	43	40	1	—	1	—	1	—	—	—	52	50	—	—	1	—	—	—	—	
	F	37	37	—	—	—	—	—	—	—	—	51	50	—	—	—	1	—	—	—	
29 Suicide .. {	M	5	—	—	—	—	—	—	5	—	—	15	—	—	—	—	1	3	9	2	
	F	7	—	—	—	—	1	2	3	1	—	4	—	—	—	—	—	1	3	—	
30 Other deaths from violence.. {	M	36	2	—	2	3	2	13	8	3	3	75	—	1	3	11	13	16	24	7	
	F	20	2	—	—	1	—	2	2	5	8	25	—	—	1	4	2	2	4	3	
31 Other defined diseases .. {	M	147	21	3	5	1	3	7	33	33	41	184	20	6	2	6	4	11	33	37	
	F	168	4	1	3	6	5	20	37	27	65	187	15	4	2	6	8	20	28	16	
32 Causes ill-defined or unknown .. {	M	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WESTMORLAND—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	165	8	1	1	4	7	28	44	32	40	220	20	1	5	8	6	15	48	52	65
	F	186	10	2	4	2	9	20	43	45	51	241	11	1	1	2	2	24	54	69	77
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza .. {	M	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	1	1	—	—	
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	1	—	—	1	
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	7	—	—	—	—	2	3	1	1	—	4	—	—	—	—	1	3	—	—	
	F	9	—	—	—	4	4	1	—	—	—	13	—	—	1	1	5	5	1	—	
11 Other tuberculous diseases .. {	M	5	—	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
12 Cancer, malignant disease .. {	M	19	—	—	—	—	—	2	8	6	3	24	—	—	—	—	3	12	8	1	
	F	20	—	—	—	—	—	2	5	5	8	45	—	—	—	—	2	17	17	9	
13 Rheumatic fever .. {	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes .. {	M	2	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	1	1	—	
	F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
15 Cerebral hæmorrhage, &c. .. {	M	15	—	—	—	—	—	—	4	6	5	11	—	—	—	—	—	3	3	5	
	F	26	—	—	—	—	—	—	7	10	9	26	—	—	—	—	—	6	11	9	
16 Heart disease .. {	M	31	—	—	—	—	—	2	10	8	11	44	—	—	1	1	—	6	10	26	
	F	33	—	—	—	—	—	1	10	11	11	45	—	—	—	—	1	8	20	16	
17 Arterio-sclerosis .. {	M	11	—	—	—	—	—	—	2	2	7	13	—	—	—	—	—	1	4	8	
	F	9	—	—	—	—	—	—	1	2	6	8	—	—	—	—	—	—	3	5	
18 Bronchitis .. {	M	4	—	—	—	—	—	—	1	—	3	5	1	—	—	—	—	1	—	3	
	F	9	2	1	—	—	—	—	—	4	2	11	—	1	—	—	—	—	2	8	
19 Pneumonia (all forms) .. {	M	10	1	—	—	—	—	4	2	3	—	17	2	—	—	2	1	1	4	3	
	F	12	—	—	2	—	—	—	3	4	3	7	—	—	—	1	1	1	3	1	
20 Other respiratory diseases .. {	M	2	—	—	—	—	—	1	—	—	1	4	—	1	—	—	—	2	—	1	
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	—	2	
21 Ulcer of stomach or duodenum .. {	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Diarrhoea, &c. .. {	M	2	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	1	—	—	—	—	—	—	—	1	—	5	1	—	1	—	—	2	—	1	
23 Appendicitis and typhlitis.. {	M	1	—	—	—	—	—	1	—	—	—	3	—	—	1	—	1	—	1	—	
	F	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	1	—	—	—	
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	1	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
25 Acute and chronic nephritis .. {	M	5	—	—	—	—	—	1	3	—	1	15	—	—	—	—	1	2	9	3	
	F	8	—	—	—	—	1	2	2	—	3	10	—	—	—	—	2	5	1	2	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—	
28 Congenital debility and malformation, premature birth.. {	M	4	3	—	—	—	1	—	—	—	—	16	16	—	—	—	—	—	—	—	
	F	4	4	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	
29 Suicide .. {	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
30 Other deaths from violence.. {	M	8	—	—	—	1	1	4	2	—	—	18	—	—	2	3	4	5	2	2	
	F	4	—	—	1	—	1	2	—	—	—	2	—	—	—	—	—	1	—	1	
31 Other defined diseases .. {	M	30	2	1	—	1	2	6	5	5	8	34	1	—	1	1	2	5	12	11	
	F	32	4	—	—	—	1	5	7	7	8	50	2	—	—	1	7	8	10	22	
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WIGHT, ISLE OF—1928 (CIVILIAN POPULATION ONLY).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	326	19	9	4	6	8	26	78	71	105	180	14	2	3	1	5	18	50	31	56
		F	421	23	10	5	7	10	28	90	82	166	155	7	4	2	1	2	10	31	45	53
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	6	1	2	1	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
		F	5	—	3	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	1	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
6	Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	Influenza ..	M	9	—	—	—	—	—	2	2	2	3	2	—	1	—	1	—	—	—	—	
		F	15	—	1	—	—	—	2	2	3	7	4	—	—	—	—	—	1	1	1	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	14	—	—	1	—	2	4	7	—	—	9	—	—	—	2	6	1	—	—	
		F	16	—	—	—	2	5	7	1	1	—	9	—	—	—	2	6	1	—	—	
11	Other tuberculous diseases ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
		F	3	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
12	Cancer, malignant disease ..	M	46	—	—	—	—	—	5	19	13	9	23	—	—	—	—	—	8	6	9	
		F	62	—	—	—	—	—	3	27	13	19	23	—	—	—	—	1	6	11	5	
13	Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Diabetes ..	M	4	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	1	
		F	7	—	—	—	—	—	1	3	1	2	2	—	—	—	—	—	1	1	—	
15	Cerebral hæmorrhage, &c. ..	M	22	—	—	—	—	—	1	6	7	8	9	—	—	—	—	—	2	1	6	
		F	25	—	—	—	—	—	—	5	3	17	13	—	—	—	—	—	3	3	7	
16	Heart disease ..	M	51	—	—	—	1	—	2	11	17	20	31	—	—	—	—	1	12	9	9	
		F	97	—	—	—	—	—	—	17	28	52	34	—	—	1	—	—	7	14	12	
17	Arterio-sclerosis ..	M	13	—	—	—	—	—	—	2	4	7	6	—	—	—	—	—	2	2	2	
		F	8	—	—	—	—	—	—	—	4	4	7	—	—	—	—	—	6	1	—	
18	Bronchitis ..	M	17	1	—	—	—	—	—	1	3	12	8	1	—	—	—	—	—	—	7	
		F	19	1	—	1	—	—	—	1	4	12	7	—	—	1	—	—	—	—	6	
19	Pneumonia (all forms) ..	M	13	—	2	1	—	1	2	1	1	5	10	3	—	—	—	2	1	—	4	
		F	9	—	3	—	—	1	1	—	2	2	6	—	—	1	—	—	2	—	3	
20	Other respiratory diseases ..	M	6	—	1	—	—	—	—	—	1	4	1	—	—	—	—	—	1	—	—	
		F	4	1	—	1	—	—	—	—	1	1	2	—	—	—	—	—	1	—	1	
21	Ulcer of stomach or duodenum ..	M	9	—	—	—	—	1	1	5	2	—	1	—	—	—	—	—	1	—	—	
		F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	
22	Diarrhoea, &c. ..	M	5	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	6	3	—	—	—	—	—	2	1	—	1	1	—	—	—	—	—	—	—	
23	Appendicitis and typhlitis..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
24	Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	
		F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis ..	M	14	—	—	—	—	—	1	4	4	5	7	—	—	—	1	2	3	—	1	
		F	9	—	—	—	—	—	2	2	2	3	7	—	—	—	—	—	2	4	1	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	6	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—	
28	Congenital debility and malformation, premature birth..	M	9	9	—	—	—	—	—	—	—	—	10	9	—	—	—	1	—	—	—	
		F	11	11	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	
29	Suicide ..	M	6	—	—	—	—	—	3	1	2	—	1	—	—	—	—	—	1	—	—	
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
30	Other deaths from violence..	M	10	—	—	1	1	2	—	2	1	3	8	1	—	1	—	1	2	2	—	
		F	11	—	—	1	1	1	1	1	1	5	2	—	—	—	—	—	—	—	2	
31	Other defined diseases ..	M	63	3	—	—	1	2	4	12	13	28	50	—	1	1	—	1	16	10	17	
		F	91	5	2	—	—	—	5	20	17	42	30	3	2	—	—	1	6	4	14	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WILTS—1928 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	788	61	12	9	15	24	75	213	186	193	878	76	15	11	17	25	56	187	225	266
		F	751	40	12	20	12	26	75	151	164	251	851	48	9	9	17	26	84	171	206	281
1	Enteric fever ..	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	8	2	3	1	2	—	—	—	—	—	4	—	2	1	—	1	—	—	—	
		F	8	2	2	4	—	—	—	—	—	—	4	1	1	—	1	—	1	—	—	
4	Scarlet fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	2	—	1	—	—	—	
5	Whooping cough ..	M	3	1	1	1	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	
		F	9	5	1	3	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—	
6	Diphtheria ..	M	6	—	—	1	5	—	—	—	—	—	4	2	—	—	2	—	—	—	—	
		F	2	—	—	—	2	—	—	—	—	—	3	—	—	2	—	1	—	—	—	
7	Influenza ..	M	14	2	—	—	—	—	4	3	4	1	21	2	—	—	—	1	1	7	6	
		F	9	—	—	1	—	—	2	2	3	1	16	—	—	—	—	2	3	3	8	
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	
		F	2	—	—	—	1	—	1	—	—	—	4	—	—	—	1	1	1	1	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	1	—	—	—	
		F	2	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	42	—	—	—	1	11	19	9	2	—	32	—	—	—	1	1	13	14	3	
		F	34	—	—	—	1	10	16	3	4	—	36	—	—	1	1	6	22	4	2	
11	Other tuberculous diseases ..	M	13	2	—	—	3	1	4	—	2	1	12	3	1	—	2	1	2	3	—	
		F	6	—	—	1	—	1	2	—	2	—	9	—	1	—	—	3	3	—	2	
12	Cancer, malignant disease ..	M	121	—	—	1	—	—	3	47	44	26	119	—	—	—	—	3	41	48	27	
		F	128	—	—	—	—	1	11	42	40	34	128	—	—	—	—	10	49	35	34	
13	Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—	
14	Diabetes ..	M	9	—	—	—	1	1	1	1	3	2	13	—	—	—	—	2	1	1	4	
		F	13	—	—	—	1	2	1	3	3	3	6	—	—	—	1	—	1	2	5	
15	Cerebral hæmorrhage, &c. ..	M	45	—	—	—	—	—	1	12	11	21	39	—	—	—	—	1	2	13	23	
		F	56	—	—	—	—	—	1	8	20	27	77	—	—	—	—	—	18	20	39	
16	Heart disease ..	M	129	—	—	—	—	—	10	41	39	39	175	—	—	—	1	1	5	37	69	
		F	140	—	—	—	1	2	6	25	44	62	162	—	—	—	—	10	38	50	64	
17	Arterio-sclerosis ..	M	55	—	—	—	—	—	—	10	21	24	61	—	—	—	—	—	11	18	32	
		F	44	—	—	—	—	—	—	7	11	26	52	—	—	—	—	—	4	19	29	
18	Bronchitis ..	M	27	1	—	—	—	—	—	2	9	15	33	4	—	—	—	—	3	6	20	
		F	29	3	3	1	—	—	—	1	5	16	33	1	—	—	—	1	3	12	16	
19	Pneumonia (all forms) ..	M	46	7	6	1	1	—	8	13	7	3	40	14	1	1	—	1	6	6	7	
		F	29	4	3	3	2	—	4	5	5	3	35	4	—	1	3	1	4	11	7	
20	Other respiratory diseases ..	M	14	—	—	—	—	—	1	4	6	3	16	—	3	—	—	—	1	4	2	
		F	12	—	—	—	2	—	1	1	4	4	9	1	—	—	—	1	4	—	3	
21	Ulcer of stomach or duodenum ..	M	10	—	—	—	—	1	1	7	—	1	4	—	—	—	—	—	3	1	—	
		F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	2	—	—	
22	Diarrhœa, &c. ..	M	4	3	—	1	—	—	—	—	—	—	6	3	1	1	—	—	—	—	1	
		F	6	1	1	—	—	1	—	—	1	1	7	3	1	—	—	—	—	1	2	
23	Appendicitis and typhlitis..	M	9	—	—	1	—	1	2	3	2	—	7	—	—	—	3	—	1	2	—	
		F	6	—	—	—	1	1	3	—	—	1	5	—	—	1	2	2	—	—	—	
24	Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	1	—	
25	Acute and chronic nephritis ..	M	26	1	—	—	—	—	—	10	7	8	29	—	—	—	—	1	2	9	10	
		F	21	—	—	1	—	—	1	7	3	9	22	1	—	—	2	1	1	7	3	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	2	—	—	—	
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	7	—	—	—	—	—	7	—	—	—	8	—	—	—	1	1	6	—	—	
28	Congenital debility and malformation, premature birth..	M	34	33	—	—	—	1	—	—	—	—	36	35	—	1	—	—	—	—	—	
		F	16	15	—	—	—	—	—	1	—	—	30	26	2	—	—	—	1	1	—	
29	Suicide ..	M	4	—	—	—	—	—	2	2	—	—	9	—	—	—	—	3	3	2	1	
		F	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—	
30	Other deaths from violence..	M	29	—	1	1	—	3	9	13	1	1	45	1	1	3	2	8	9	12	6	
		F	14	2	1	—	—	—	3	2	1	5	28	1	1	1	3	3	1	6	8	
31	Other defined diseases ..	M	130	9	1	1	1	3	8	32	27	48	159	9	4	1	5	4	6	28	33	
		F	150	8	1	4	1	8	13	39	17	59	157	8	1	1	2	4	17	22	36	
32	Causes ill-defined or unknown ..	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WORCESTER—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1164	125	25	21	37	38	129	276	257	256	692	66	6	9	15	33	63	151	148	201
	F	1171	101	23	22	31	39	129	234	255	337	640	33	4	5	12	21	51	120	139	255
1 Enteric fever .. {	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
3 Measles .. {	M	4	3	1	—	—	—	—	—	—	—	4	1	1	1	—	—	1	—	—	—
	F	7	3	2	1	1	—	—	—	—	—	4	—	—	2	1	1	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough .. {	M	5	5	—	—	—	—	—	—	—	—	6	4	1	—	1	—	—	—	—	—
	F	12	9	2	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	9	1	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	1	—	3	4	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza .. {	M	21	—	—	—	—	3	2	6	10	—	11	1	—	—	—	1	—	5	3	1
	F	21	—	—	—	1	—	7	5	5	3	10	—	—	—	—	—	—	5	3	2
8 Encephalitis lethargica .. {	M	5	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	8	—	—	—	2	1	3	—	2	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	83	1	—	—	2	14	42	22	1	1	33	—	1	—	—	5	15	9	3	—
	F	62	1	—	1	2	21	26	10	1	—	31	—	—	—	1	8	15	6	1	—
11 Other tuberculous diseases .. {	M	17	2	2	4	1	3	4	—	1	—	6	—	—	—	1	—	3	2	—	—
	F	16	2	4	1	—	4	1	2	1	1	4	—	—	—	1	1	—	2	—	—
12 Cancer, malignant disease .. {	M	133	—	—	—	1	—	8	59	41	24	74	1	—	—	1	—	4	27	26	15
	F	168	1	—	—	—	—	14	71	42	40	93	1	—	—	1	—	7	28	34	22
13 Rheumatic fever .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	—	1	2	1	1	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes ... {	M	8	—	—	—	1	—	1	2	3	1	2	—	—	—	—	1	1	—	—	—
	F	17	—	—	1	—	—	—	6	9	1	9	1	—	—	—	1	—	4	3	—
15 Cerebral hæmorrhage, &c. .. {	M	56	—	—	—	—	1	—	11	17	27	46	—	—	—	—	—	1	10	17	18
	F	75	—	—	—	—	—	2	15	24	34	51	—	—	—	—	—	2	4	15	30
16 Heart disease .. {	M	190	—	—	—	5	2	12	39	64	68	126	—	—	—	2	—	5	31	36	52
	F	218	—	—	—	2	4	19	45	74	74	110	—	—	—	1	2	2	17	32	56
17 Arterio-sclerosis .. {	M	71	—	—	—	—	—	2	11	22	36	33	—	—	—	—	—	—	5	12	16
	F	44	—	—	—	—	—	—	3	16	25	38	—	—	—	—	—	—	6	6	26
18 Bronchitis .. {	M	69	8	3	—	—	3	3	9	20	23	37	3	—	1	—	1	—	5	5	22
	F	72	6	3	—	1	—	—	7	19	36	33	2	—	1	—	—	1	1	7	21
19 Pneumonia (all forms) .. {	M	82	14	11	4	3	—	11	23	9	7	41	7	2	3	1	4	3	7	9	5
	F	68	16	8	4	4	—	11	7	9	9	26	4	2	—	1	—	1	4	8	6
20 Other respiratory diseases .. {	M	17	2	—	—	—	—	2	4	7	2	12	—	—	—	1	—	2	4	2	3
	F	13	—	—	—	1	—	1	6	3	2	6	—	—	—	—	—	1	2	1	2
21 Ulcer of stomach or duodenum .. {	M	14	—	—	—	—	—	4	6	3	1	7	—	—	—	—	—	2	3	2	—
	F	5	—	—	—	—	1	1	1	2	—	5	—	—	—	—	—	1	2	2	—
22 Diarrhoea, &c. .. {	M	18	12	1	—	—	—	2	1	1	1	3	3	—	—	—	—	—	—	—	—
	F	14	6	1	1	1	—	1	—	2	2	5	1	1	—	—	—	—	—	—	3
23 Appendicitis and typhlitis .. {	M	10	—	—	—	2	2	3	2	1	—	6	—	—	—	1	1	2	1	1	—
	F	4	—	—	—	3	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver .. {	M	3	—	—	—	1	—	—	1	—	1	3	—	—	—	—	—	—	1	2	—
	F	6	—	—	—	—	—	—	5	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis .. {	M	27	—	—	—	—	1	—	12	11	3	21	—	—	—	1	1	2	8	5	4
	F	25	—	—	—	1	—	1	12	5	6	11	—	—	—	—	—	—	2	5	4
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	1	8	—	—	—	6	—	—	—	—	3	3	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	57	57	—	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
	F	47	46	—	—	—	1	—	—	—	—	17	17	—	—	—	—	—	—	—	—
29 Suicide .. {	M	12	—	—	—	—	—	3	6	3	—	15	—	—	—	—	1	5	7	1	1
	F	5	—	—	—	—	—	4	1	—	—	2	—	—	—	—	1	—	1	—	—
30 Other deaths from violence .. {	M	59	4	1	3	9	7	11	10	5	9	35	2	1	2	3	12	4	6	2	3
	F	32	1	—	4	2	2	3	3	7	10	17	1	—	1	—	1	2	4	1	7
31 Other defined diseases .. {	M	190	16	5	6	7	2	16	48	38	52	132	8	—	2	2	6	12	20	21	61
	F	205	8	3	4	3	2	25	34	32	94	148	4	1	1	2	2	11	30	21	76
32 Causes ill-defined or unknown .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, EAST RIDING—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	455	33	2	8	12	16	47	114	107	116	610	57	11	10	13	24	40	129	139	187
	F	451	30	3	8	10	13	41	116	88	142	541	27	5	11	13	22	59	109	120	175
1 Enteric fever .. {	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	1	1	—	—	—	—	—	—	—	—	5	2	2	—	1	—	—	—	—	—
	F	4	1	1	2	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria .. {	M	3	—	—	1	2	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza .. {	M	10	—	—	—	—	2	1	4	3	—	17	1	—	—	1	—	3	4	2	6
	F	9	—	—	—	—	—	2	3	2	2	15	—	—	—	—	—	4	2	3	6
8 Encephalitis lethargica .. {	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	35	—	—	1	—	2	20	10	2	—	27	—	—	1	—	5	11	9	1	—
	F	13	—	—	—	—	4	7	1	1	—	24	—	—	—	3	7	9	4	1	—
11 Other tuberculous diseases .. {	M	8	—	—	2	2	3	1	—	—	—	7	—	1	1	2	2	1	—	—	—
	F	8	1	—	—	3	1	1	2	—	—	5	—	—	2	1	—	1	—	1	—
12 Cancer, malignant disease .. {	M	49	—	—	—	—	1	3	15	14	16	72	—	—	—	—	1	1	25	26	19
	F	70	—	—	—	—	1	8	31	18	12	75	—	—	—	—	4	29	24	18	—
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	2	1	—	1	—	—	3	—	—	—	—	3	—	—	—	—
14 Diabetes .. {	M	7	—	—	—	—	—	—	4	2	1	6	—	—	—	—	1	2	1	2	—
	F	4	—	—	—	—	1	—	1	2	—	13	—	—	—	—	1	5	5	2	—
15 Cerebral hæmorrhage, &c. .. {	M	35	—	—	—	—	—	—	7	14	14	47	—	—	—	—	—	8	15	22	—
	F	26	—	—	—	—	—	—	8	10	8	39	—	—	—	—	—	7	17	15	—
16 Heart disease .. {	M	68	—	—	—	—	—	3	17	26	22	104	—	—	—	2	2	28	32	40	—
	F	86	—	—	—	—	1	3	19	22	41	95	—	—	1	1	4	20	28	41	—
17 Arterio-sclerosis .. {	M	25	—	—	—	—	—	—	4	6	15	46	—	—	—	—	—	3	16	27	—
	F	28	—	—	—	—	—	—	7	4	17	27	—	—	—	—	—	—	8	19	—
18 Bronchitis .. {	M	17	—	—	—	—	—	—	4	7	6	29	3	1	1	—	1	2	4	3	14
	F	17	3	—	—	—	—	1	2	1	10	24	3	1	—	—	—	1	3	16	—
19 Pneumonia (all forms) .. {	M	22	5	2	—	3	—	3	4	2	3	26	4	2	—	2	2	5	6	3	2
	F	28	7	—	2	—	—	4	8	4	3	19	4	1	1	1	1	3	3	2	—
20 Other respiratory diseases .. {	M	9	—	—	—	—	1	1	4	2	1	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	5	—	—	2	1	—	—	1	1	—
21 Ulcer of stomach or duodenum .. {	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	1	—	—	—
22 Diarrhœa, &c. .. {	M	2	1	—	—	—	—	—	—	—	1	10	6	2	—	—	—	—	1	1	—
	F	6	2	1	1	1	—	—	1	—	—	6	1	—	1	—	2	1	—	1	—
23 Appendicitis and typhlitis.. {	M	3	—	—	1	1	—	—	1	—	—	3	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	3	—	—	—	—
24 Cirrhosis of liver .. {	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis .. {	M	9	—	—	—	—	—	—	2	5	2	13	—	—	—	1	2	4	3	3	—
	F	17	—	—	1	1	3	6	4	4	2	14	—	—	1	—	4	4	4	1	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	8	—	—	—	4	4	—	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	20	19	—	—	—	—	—	1	—	—	23	23	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	15	13	1	1	—	—	—	—	—	—
29 Suicide .. {	M	10	—	—	—	—	1	3	4	1	1	12	—	—	—	1	1	8	1	1	—
	F	3	—	—	—	—	—	—	3	—	—	4	—	—	—	1	1	1	1	—	—
30 Other deaths from violence.. {	M	21	—	—	2	1	2	5	5	2	4	31	1	1	1	2	4	6	9	4	3
	F	8	1	—	—	—	—	2	3	1	1	14	1	1	1	1	1	5	—	—	3
31 Other defined diseases .. {	M	92	7	—	1	1	3	7	23	20	30	113	16	2	4	—	3	3	14	27	44
	F	101	6	1	2	2	3	7	16	19	45	119	4	—	2	4	4	11	24	21	49
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
YORK, NORTH RIDING—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1115	131	26	24	42	38	125	288	213	228	807	64	7	9	18	27	85	174	198	225
	F	1105	97	29	36	28	42	133	254	215	271	800	61	9	9	17	23	79	165	196	241
1 Enteric fever ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	7	2	2	3	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	8	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	2	—	—	—	1	—	—	1	—	—
5 Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	2	3	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	29	—	—	1	—	—	6	9	10	3	22	—	—	—	1	—	3	4	8	6
	F	18	1	—	—	—	1	2	4	2	8	19	1	—	—	1	—	4	6	4	3
8 Encephalitis lethargica ..	M	5	—	1	—	1	—	1	2	—	—	4	—	—	1	—	—	1	2	—	—
	F	5	—	—	2	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	76	—	1	1	—	15	28	26	5	—	25	—	—	—	—	4	15	4	2	—
	F	67	—	2	1	3	17	32	11	1	—	34	—	—	—	—	10	15	8	1	—
11 Other tuberculous diseases ..	M	19	—	2	4	6	1	2	3	1	—	14	—	—	1	—	4	4	4	—	1
	F	24	—	—	5	3	5	7	3	1	—	7	1	—	1	2	2	—	—	—	1
12 Cancer, malignant disease ..	M	114	—	—	1	—	—	7	56	24	26	89	—	—	—	—	—	5	33	31	20
	F	129	—	—	1	—	—	12	58	30	28	103	—	—	—	—	—	6	45	33	19
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	4	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	—	3	4	1	—	14	—	—	1	1	1	2	5	3	1
	F	8	—	—	—	—	—	—	3	2	3	12	—	—	—	—	—	1	2	6	3
15 Cerebral hæmorrhage, &c. ..	M	65	—	—	1	—	1	—	16	27	20	59	—	—	—	—	—	—	9	24	26
	F	74	—	—	—	—	2	1	18	28	25	73	—	—	—	—	—	3	19	18	33
16 Heart disease ..	M	156	—	—	—	—	2	13	39	49	53	135	—	—	—	2	—	9	24	46	54
	F	177	—	—	1	1	4	12	49	47	63	148	—	—	—	3	1	8	31	51	54
17 Arterio-sclerosis ..	M	61	—	—	—	—	—	1	8	21	31	58	—	—	—	—	—	—	9	17	32
	F	50	—	—	—	—	—	—	9	17	24	54	—	—	—	—	—	1	2	18	33
18 Bronchitis ..	M	50	6	—	—	2	—	—	14	11	17	30	3	—	—	—	—	—	5	7	15
	F	64	8	2	—	—	—	2	9	10	33	21	4	—	—	—	—	—	2	5	10
19 Pneumonia (all forms) ..	M	118	23	13	6	9	4	22	23	7	11	54	6	2	1	2	1	8	15	11	8
	F	69	13	9	5	—	3	5	12	10	12	43	4	3	2	1	1	4	11	10	7
20 Other respiratory diseases ..	M	9	1	—	—	1	—	—	4	2	1	9	—	2	—	—	—	—	2	4	1
	F	13	—	1	2	—	—	1	3	3	3	12	—	2	1	—	—	—	—	5	4
21 Ulcer of stomach or duodenum ..	M	17	—	—	—	—	1	5	8	3	—	6	—	—	—	—	1	2	2	—	1
	F	4	—	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhoea, &c. ..	M	11	7	—	1	—	—	1	—	1	1	9	6	—	—	1	—	1	—	1	—
	F	10	2	2	1	1	—	1	—	2	1	8	3	1	—	1	—	—	—	2	1
23 Appendicitis and typhlitis ..	M	5	—	—	—	3	—	—	1	—	1	2	—	—	—	—	1	—	1	—	—
	F	5	—	—	1	2	—	2	—	—	—	2	—	—	—	—	—	—	1	1	—
24 Cirrhosis of liver ..	M	7	—	—	—	—	—	1	2	4	—	8	—	—	—	—	—	—	5	2	1
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	—	2
25 Acute and chronic nephritis ..	M	30	—	—	—	1	1	1	7	15	5	23	—	—	—	—	1	3	11	2	6
	F	52	—	—	2	—	1	8	19	12	10	23	—	—	—	1	—	7	3	9	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	3	17	—	—	—	6	—	—	—	—	1	4	1	—	—
28 Congenital debility and malformation, premature birth..	M	61	61	—	—	—	—	—	—	—	—	37	36	1	—	—	—	—	—	—	—
	F	52	51	—	—	1	—	—	—	—	—	37	35	—	—	—	1	1	—	—	—
29 Suicide ..	M	16	—	—	—	—	—	5	10	1	—	10	—	—	—	—	—	6	2	1	1
	F	4	—	—	—	—	1	2	1	—	—	6	—	—	—	—	—	1	5	—	—
30 Other deaths from violence..	M	60	2	—	3	8	7	8	20	4	8	39	1	—	1	4	7	13	7	3	3
	F	19	1	—	4	4	—	1	4	2	3	25	3	2	—	1	3	5	3	—	8
31 Other defined diseases ..	M	179	26	6	2	8	5	20	34	27	51	151	11	1	3	4	7	10	30	36	49
	F	205	15	7	5	6	4	23	42	45	58	154	10	1	4	5	4	15	22	33	60
32 Causes ill-defined or unknown ..	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE, in the ADMINISTRATIVE COUNTY of YORK, WEST RIDING—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	6595	647	114	170	202	293	736	1877	1472	1084	2292	325	66	54	89	89	226	546	481	416
	F	6483	501	122	127	196	281	726	1643	1442	1445	2160	209	57	57	83	111	260	464	430	489
1 Enteric fever .. {	M	12	—	—	—	1	1	6	3	—	—	2	—	—	—	1	—	1	—	—	—
	F	8	—	—	—	—	—	6	2	—	—	4	—	—	—	—	2	2	—	—	—
2 Small-pox .. {	M	6	—	—	—	—	—	—	1	3	2	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	28	5	10	11	2	—	—	—	—	—	14	5	3	3	3	—	—	—	—	—
	F	19	4	7	6	2	—	—	—	—	—	9	1	4	2	2	—	—	—	—	—
4 Scarlet fever .. {	M	6	—	—	4	—	—	2	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	13	1	1	4	5	—	2	—	—	—	5	—	—	2	1	1	1	—	—	—
5 Whooping cough .. {	M	15	7	3	3	2	—	—	—	—	—	10	6	1	2	1	—	—	—	—	—
	F	33	14	12	7	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—
6 Diphtheria .. {	M	32	1	3	12	14	2	—	—	—	—	8	—	—	3	5	—	—	—	—	—
	F	35	1	4	13	13	—	2	2	—	—	13	—	1	5	6	—	1	—	—	—
7 Influenza .. {	M	114	4	1	6	4	4	22	45	18	10	56	3	2	2	2	2	11	17	10	7
	F	118	2	1	2	6	7	12	31	33	24	48	—	—	—	4	3	11	9	13	8
8 Encephalitis lethargica .. {	M	18	—	1	2	2	2	4	6	1	—	3	—	—	—	—	—	—	1	2	—
	F	16	—	—	1	2	4	3	5	1	—	5	—	—	1	1	—	—	3	—	—
9 Meningococcal meningitis .. {	M	10	1	2	—	4	1	1	1	—	—	3	1	1	—	—	—	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—	—
10 Tuberculosis of respiratory system {	M	391	1	4	4	14	58	157	136	15	2	105	—	1	—	3	22	40	34	5	—
	F	315	—	—	2	21	104	125	49	14	—	115	—	1	3	12	43	37	15	2	12
11 Other tuberculous diseases .. {	M	133	14	12	28	23	22	18	10	4	2	49	12	6	6	6	4	8	6	1	—
	F	113	13	12	10	22	19	25	11	1	—	47	6	8	6	11	6	7	2	1	—
12 Cancer, malignant disease .. {	M	665	—	—	1	2	3	40	311	216	92	223	—	1	1	1	1	10	98	80	31
	F	811	1	—	2	2	5	79	360	219	143	260	—	—	—	5	1	29	125	67	33
13 Rheumatic fever .. {	M	12	—	—	1	6	1	—	4	—	—	6	—	—	—	3	—	3	—	—	—
	F	25	—	—	—	7	7	4	4	3	—	12	—	—	—	4	3	3	2	—	—
14 Diabetes .. {	M	72	—	—	—	1	1	7	26	29	8	27	—	—	—	1	1	2	7	13	3
	F	112	—	—	—	1	2	9	49	40	11	42	—	—	—	1	2	5	13	13	8
15 Cerebral hæmorrhage, &c. .. {	M	394	—	—	—	—	1	5	118	157	113	118	—	—	—	—	—	2	26	54	36
	F	497	—	—	—	—	—	9	148	173	167	145	—	—	—	—	1	5	41	42	56
16 Heart disease .. {	M	996	—	—	1	11	24	49	350	325	236	291	—	—	—	7	5	12	77	114	76
	F	1235	—	—	—	19	28	98	364	370	356	378	—	—	1	6	11	35	89	125	111
17 Arterio-sclerosis .. {	M	484	—	—	—	—	—	2	96	197	189	166	—	—	—	—	—	—	26	62	78
	F	338	—	—	—	—	—	1	51	117	169	99	—	—	—	—	—	3	8	29	59
18 Bronchitis .. {	M	334	33	5	6	3	1	14	83	97	92	106	10	6	2	2	—	2	19	23	42
	F	314	21	7	2	4	1	13	44	92	130	89	6	3	1	3	—	1	11	26	38
19 Pneumonia (all forms) .. {	M	526	98	40	36	28	32	84	116	63	29	203	39	24	10	12	6	32	55	19	6
	F	377	91	41	35	19	13	41	57	49	31	121	23	21	16	7	3	13	14	11	13
20 Other respiratory diseases .. {	M	72	2	3	2	4	5	9	30	9	8	20	1	1	4	1	—	3	5	2	3
	F	54	3	2	4	4	2	6	9	12	12	14	2	1	2	1	—	4	2	2	2
21 Ulcer of stomach or duodenum .. {	M	70	—	—	—	—	2	23	38	7	—	25	—	—	—	1	2	3	14	3	2
	F	24	—	—	—	—	1	6	13	3	1	9	—	—	—	—	1	3	3	2	—
22 Diarrhœa, &c. .. {	M	74	55	4	6	1	—	—	1	4	3	34	23	3	1	2	—	1	2	1	1
	F	72	37	9	8	—	—	4	5	4	5	24	12	6	1	—	—	1	—	2	2
23 Appendicitis and typhlitis .. {	M	46	—	—	2	3	12	11	10	6	2	19	—	1	3	3	1	8	2	1	—
	F	40	—	—	—	8	4	10	14	3	1	10	—	—	—	2	1	4	1	2	—
24 Cirrhosis of liver .. {	M	34	—	—	1	—	—	3	16	12	2	7	—	—	—	—	—	—	3	3	1
	F	12	—	—	—	—	—	1	6	3	2	6	—	—	—	—	—	2	1	1	2
25 Acute and chronic nephritis .. {	M	250	1	1	5	6	7	36	97	69	28	61	2	—	—	3	—	6	23	21	6
	F	269	—	1	2	1	7	35	113	73	37	73	—	—	—	1	4	10	23	23	12
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	48	—	—	—	—	13	35	—	—	—	9	—	—	—	—	2	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	68	—	—	—	—	14	52	2	—	—	22	—	—	—	—	1	21	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	309	306	—	—	1	2	—	—	—	—	159	156	1	1	1	—	—	—	—	—
	F	245	238	3	3	1	—	—	—	—	—	114	113	—	—	1	—	—	—	—	—
29 Suicide .. {	M	103	—	—	—	—	8	31	50	11	3	27	—	—	—	—	2	6	13	4	2
	F	47	—	—	—	—	6	9	27	4	1	15	—	—	—	—	2	8	4	1	—
30 Other deaths from violence .. {	M	364	7	7	20	37	61	88	86	35	23	167	4	4	8	7	30	41	55	10	8
	F	121	5	3	10	15	13	12	23	17	23	51	1	4	4	7	7	6	7	7	8
31 Other defined diseases .. {	M	1018	112	17	19	33	43	123	238	193	240	373	62	10	6	23	13	33	59	53	114
	F	1095	69	16	16	44	31	126	252	209	332	410	42	6	11	7	17	43	89	60	135
32 Causes ill-defined or unknown .. {	M	7	—	—	—	—	—	1	5	1	—	6	1	1	—	—	—	1	3	—	—
	F	7	1	2	—	—	—	1	2	1	—	3	—	2	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
ANGLESEY—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	127	5	1	4	3	5	13	35	31	30	239	22	4	4	7	10	18	53	52	69
	F	135	7	1	1	5	3	12	32	27	47	227	20	3	1	5	8	21	55	50	64
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	5	—	1	1	2	—	—	1	—	—
	F	3	—	—	—	2	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—
7 Influenza ..	M	4	—	—	—	—	—	—	—	—	4	11	1	—	1	—	—	3	2	1	3
	F	3	—	—	—	1	—	—	—	—	2	8	—	—	—	—	—	2	3	2	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	1	—	2	5	1	1	—	16	—	—	—	1	6	4	4	1	—
	F	8	—	—	—	—	1	3	3	1	—	12	1	—	—	—	4	5	2	—	—
11 Other tuberculous diseases ..	M	3	1	—	—	—	1	—	1	—	—	3	—	—	—	1	1	—	—	1	—
	F	3	—	—	1	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
12 Cancer, malignant disease ..	M	23	—	—	—	—	—	3	9	6	5	27	—	—	—	—	1	2	12	6	6
	F	15	—	—	—	—	—	2	5	4	4	36	—	—	—	—	—	1	17	9	9
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	1	—	—	1	—	—	—	—	—	—	4	—	—	—	—	1	—	3	—	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	7	—	—	—	—	—	—	1	4	2	24	—	—	—	—	—	—	8	5	11
	F	13	—	—	—	—	—	—	1	5	7	21	—	—	—	—	—	—	3	10	8
16 Heart disease ..	M	18	—	—	1	—	—	—	4	9	4	27	—	—	—	—	—	—	6	10	11
	F	27	—	—	—	—	—	1	8	7	11	43	—	—	—	—	1	2	9	13	18
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	2	5	5	12	—	—	—	—	—	—	3	6	3
	F	7	—	—	—	—	—	—	1	3	3	7	—	—	—	—	—	—	—	3	4
18 Bronchitis ..	M	3	—	—	—	—	—	—	1	1	1	9	—	1	—	—	—	—	—	2	6
	F	3	—	—	—	—	—	—	—	1	2	8	2	1	—	—	—	—	1	—	4
19 Pneumonia (all forms) ..	M	3	1	—	—	—	—	—	2	—	—	7	1	—	—	—	—	2	1	2	1
	F	6	1	1	—	—	—	—	2	2	—	7	—	1	—	—	—	1	3	1	1
20 Other respiratory diseases ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2
	F	1	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. ..	M	—	—	—	—	—	—	—	—	—	—	5	4	—	—	—	—	—	—	1	—
	F	1	1	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	2
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	1	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	1	—	1	1	2	12	—	—	—	—	1	—	3	5	3
	F	6	—	—	—	—	—	1	2	—	3	12	—	—	—	—	—	1	8	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	1	1	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	2	—	—	—	1	—	—	1	—	—	8	—	1	—	1	—	1	2	—	3
	F	3	—	—	—	—	—	—	—	1	2	7	1	1	—	1	—	1	2	—	1
31 Other defined diseases ..	M	26	1	1	—	—	—	3	10	4	7	48	6	—	1	1	—	3	6	11	20
	F	22	—	—	—	—	—	1	7	2	12	36	2	—	—	—	1	2	6	8	16
32 Causes ill-defined or unknown ..	M	2	1	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BRECKNOCK—1928 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	.. {	M	109	13	2	3	1	2	8	34	22	24	257	27	3	4	4	11	26	64	57	61
		F	112	13	2	4	2	7	5	26	24	29	248	25	5	6	9	8	29	58	51	57
1 Enteric fever	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
4 Scarlet fever	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
5 Whooping cough	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
7 Influenza {	M	4	—	—	—	—	—	—	1	1	2	3	—	—	—	—	1	—	1	1	
		F	4	—	—	1	—	—	—	1	—	2	9	—	—	—	1	—	3	3	2	
8 Encephalitis lethargica	.. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
9 Meningococcal meningitis	.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	{	M	3	—	—	—	—	—	1	2	—	—	12	—	—	—	—	3	5	4	—	
		F	7	—	—	—	1	2	1	3	—	—	20	—	—	—	—	5	9	5	1	
11 Other tuberculous diseases {	M	2	—	—	—	—	—	2	—	—	—	4	—	—	—	1	—	2	—	1	
		F	1	—	—	—	—	—	—	1	—	—	7	2	—	—	1	—	1	—	—	
12 Cancer, malignant disease {	M	12	—	—	—	—	—	—	5	4	3	28	—	—	1	—	—	2	12	6	
		F	19	—	—	—	—	—	—	7	6	6	28	—	—	—	—	—	4	13	8	
13 Rheumatic fever ..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes {	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	
15 Cerebral hæmorrhage, &c.	.. {	M	9	—	—	—	—	—	—	6	1	2	21	—	—	—	—	—	4	8	9	
		F	7	—	—	—	—	—	—	—	4	3	23	—	—	—	—	—	8	7	8	
16 Heart disease	.. {	M	23	—	—	—	—	—	1	7	6	9	32	—	—	—	—	1	1	9	12	
		F	17	—	—	—	—	1	1	4	7	4	40	—	—	—	3	—	2	9	15	
17 Arterio-sclerosis ..	{	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	—	2	2	
		F	5	—	—	—	—	—	—	—	1	4	4	—	—	—	—	—	1	1	2	
18 Bronchitis	.. {	M	6	3	—	—	—	—	—	1	1	1	16	1	1	—	—	—	—	3	7	
		F	6	—	—	—	—	—	—	3	1	2	12	2	—	—	—	—	2	1	7	
19 Pneumonia (all forms) ..	(all) .. {	M	6	1	1	—	—	—	—	4	—	—	14	3	—	—	1	—	2	3	2	
		F	4	2	1	—	—	—	—	—	—	1	11	2	3	2	1	—	—	1	1	
20 Other respiratory diseases {	M	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	2	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
21 Ulcer of stomach or duodenum	.. {	M	2	—	—	—	—	1	—	—	—	1	3	—	—	—	—	—	—	1	1	
		F	2	—	—	—	—	1	—	1	—	—	5	—	—	—	—	—	2	2	—	
22 Diarrhoea, &c.	.. {	M	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis..	.. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
24 Cirrhosis of liver ..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
25 Acute and chronic nephritis	.. {	M	2	—	—	1	—	—	—	—	1	—	14	—	—	—	—	1	2	5	1	
		F	5	—	—	1	—	—	—	2	2	—	9	—	—	—	1	—	2	4	1	
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth..	.. {	M	7	6	—	1	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	
		F	9	9	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	
29 Suicide {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence..	.. {	M	6	—	1	—	—	—	1	2	—	1	20	1	—	—	1	2	6	5	2	
		F	1	—	—	—	—	—	—	—	—	1	5	1	—	—	2	—	—	1	1	
31 Other defined diseases {	M	22	2	—	1	—	—	1	3	2	8	57	7	2	1	—	3	3	12	14	
		F	19	1	—	1	—	—	1	3	4	3	43	1	1	—	—	1	3	6	10	
32 Causes ill-defined or unknown	.. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CAERNARVON—1928 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	454	35	5	7	9	22	49	116	118	93	444	32	2	4	5	27	36	118	112	108
			F	461	25	4	3	5	23	45	109	123	124	485	29	5	6	11	20	47	122	114	131
1 Enteric fever	..	{	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	5	1	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	..	{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	{	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
			F	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria	..	{	M	5	1	—	2	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
			F	5	1	1	1	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	{	M	11	—	—	—	—	1	1	4	2	3	8	—	—	—	—	—	—	4	2	2
			F	4	—	—	—	—	—	—	3	—	1	7	1	—	—	1	—	—	3	2	—
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
			F	3	—	—	—	—	—	1	2	—	—	2	—	1	—	—	—	1	—	—	—
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	48	—	1	—	—	8	20	17	2	—	51	—	—	—	—	13	14	20	4	—	—
		F	35	1	—	—	—	9	15	9	1	—	40	—	1	—	2	11	19	7	—	—	
11 Other tuberculous diseases	{	M	9	—	—	1	1	2	3	2	—	8	—	—	1	—	3	3	1	—	—	
			F	1	—	—	—	—	—	1	—	—	10	—	—	2	—	4	3	1	—	—	
12 Cancer, malignant disease	{	M	59	—	—	—	—	1	23	24	11	51	—	—	—	—	—	3	19	17	12	
			F	67	—	—	—	—	1	29	28	9	70	—	—	—	—	—	4	28	28	10	
13 Rheumatic fever	..	{	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—	
			F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes	{	M	2	—	—	—	1	—	—	1	—	3	—	—	—	—	—	—	1	2	—	
			F	7	—	—	—	—	3	3	—	1	5	—	—	—	—	—	—	3	1	1	
15 Cerebral hæmorrhage, &c.	..	{	M	17	—	—	—	—	—	4	7	6	16	—	—	—	—	—	—	4	10	2	
			F	37	—	—	—	—	—	4	18	15	28	—	—	—	—	—	—	10	10	8	
16 Heart disease	..	{	M	75	—	—	—	—	3	20	31	21	57	—	—	—	—	1	2	16	19	19	
			F	85	—	—	—	1	2	19	34	29	77	—	—	—	2	5	24	23	23	23	
17 Arterio-sclerosis	..	{	M	22	—	—	—	—	—	2	11	9	43	—	—	—	—	—	—	10	16	17	
			F	32	—	—	—	—	—	3	11	18	31	—	—	—	—	—	—	4	13	14	
18 Bronchitis	..	{	M	13	—	—	—	—	—	4	5	4	24	3	—	—	—	1	1	4	3	12	
			F	15	—	—	—	1	—	2	6	6	19	3	—	—	—	—	—	—	1	5	
19 Pneumonia (all forms)	..	{	M	31	3	2	1	—	5	11	6	3	25	4	2	—	2	2	5	8	2	—	
			F	20	4	1	1	—	3	4	2	5	22	1	4	1	1	—	2	4	3	6	
20 Other respiratory diseases	..	{	M	8	—	—	—	—	1	2	3	2	4	—	—	—	—	1	—	—	—	3	
			F	5	—	—	—	—	—	3	1	1	5	2	—	—	—	1	1	1	—	—	
21 Ulcer of stomach or duodenum	..	{	M	4	—	—	—	—	2	1	1	—	1	—	—	—	—	—	—	—	1	—	
			F	2	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	1	—	
22 Diarrhœa, &c.	..	{	M	4	1	—	—	—	—	1	1	1	4	4	—	—	—	—	—	—	—	—	
			F	5	2	1	—	—	—	—	2	—	7	4	—	2	—	—	—	—	1	—	
23 Appendicitis and typhlitis..	..	{	M	3	—	—	—	2	—	—	1	—	2	—	—	—	—	—	1	1	—	—	
			F	5	—	—	1	1	2	1	—	—	4	—	—	1	1	2	—	—	—	—	
24 Cirrhosis of liver	..	{	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	
25 Acute and chronic nephritis	..	{	M	19	—	—	—	—	2	5	8	4	33	—	—	1	—	1	—	6	15	10	
			F	27	—	—	—	4	1	6	7	9	45	—	—	—	1	2	12	15	15	15	
26 Puerperal sepsis	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	{	M	—	—	—	—	—	—	2	1	—	—	—	3	—	—	—	—	2	1	—	—	
			F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth..	..	{	M	21	20	—	—	—	—	1	—	—	12	12	—	—	—	—	—	—	—	—	
			F	13	12	1	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—	
29 Suicide	..	{	M	5	—	—	—	1	2	2	—	—	6	—	—	—	—	1	3	1	1	—	
			F	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence..	..	{	M	14	1	—	1	—	4	4	3	—	1	20	—	—	1	2	5	3	7	1	
			F	8	1	—	—	—	2	3	—	2	4	—	—	—	2	—	—	1	—	1	
31 Other defined diseases	..	{	M	76	8	1	2	3	2	4	13	15	28	65	8	—	1	—	3	9	15	29	
			F	74	2	—	—	1	6	9	16	13	27	103	10	—	—	1	2	6	21	48	
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARMARTHEN—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	467	43	8	11	9	34	47	137	109	69	665	84	7	10	19	27	74	187	129	128
	F	403	36	5	4	16	24	54	91	72	101	640	58	7	17	20	39	85	134	111	169
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough .. {	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	5	3	1	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	10	1	2	3	4	—	—	—	—	—
7 Influenza .. {	M	5	—	—	—	—	—	1	1	2	1	18	1	1	1	—	2	3	5	3	2
	F	4	—	—	—	—	—	—	3	—	1	20	1	—	1	—	1	6	5	3	3
8 Encephalitis lethargica .. {	M	—	—	—	—	—	1	1	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	27	—	—	—	—	10	8	9	—	—	37	—	—	—	—	5	16	14	—	2
	F	32	—	1	1	2	9	16	2	1	—	39	—	—	—	2	7	19	8	2	1
11 Other tuberculous diseases .. {	M	11	2	1	1	1	3	1	2	—	—	9	2	1	—	—	1	3	2	—	—
	F	7	1	—	—	3	—	1	2	—	—	15	1	1	1	1	4	6	—	—	1
12 Cancer, malignant disease .. {	M	50	—	—	—	1	—	3	21	17	8	63	—	—	—	—	1	1	37	11	13
	F	45	—	—	—	—	1	5	22	9	8	61	—	—	1	—	—	7	29	10	14
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—	—
	F	6	—	—	—	3	3	—	—	—	—	3	—	—	—	2	—	1	—	—	—
14 Diabetes .. {	M	5	—	—	1	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—	1
	F	10	—	—	—	—	1	—	3	6	—	4	—	—	—	—	—	1	2	1	—
15 Cerebral hæmorrhage, &c. {	M	19	—	—	—	—	—	—	4	10	5	31	—	—	—	1	—	2	5	11	12
	F	24	—	—	—	—	—	1	4	10	9	44	—	—	—	—	—	—	10	17	17
16 Heart disease .. {	M	72	—	—	—	1	4	7	26	24	10	100	—	—	—	4	4	7	29	31	25
	F	70	—	—	—	2	3	9	19	17	20	118	—	—	—	4	7	12	32	31	32
17 Arterio-sclerosis .. {	M	25	—	—	—	—	—	—	4	10	11	35	—	—	—	—	—	1	3	11	20
	F	18	—	—	—	—	—	—	6	6	6	29	—	—	—	—	—	—	2	8	19
18 Bronchitis .. {	M	19	4	1	—	—	—	2	3	3	6	34	4	—	—	—	—	3	10	6	11
	F	20	—	—	—	—	—	—	2	3	15	31	4	—	—	—	—	2	2	5	18
19 Pneumonia (all forms) .. {	M	33	6	3	2	1	2	7	4	5	3	54	12	2	3	2	4	3	14	10	4
	F	13	2	3	1	—	—	1	2	2	2	33	4	—	1	—	2	3	4	6	13
20 Other respiratory diseases .. {	M	10	—	—	—	—	1	—	4	4	1	11	—	1	1	—	—	1	3	4	1
	F	3	—	—	—	1	—	—	—	1	1	8	1	—	—	—	1	1	—	—	5
21 Ulcer of stomach or duodenum .. {	M	4	—	—	—	—	—	2	2	—	—	6	—	—	—	—	—	3	1	1	1
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. .. {	M	5	2	—	1	—	1	—	1	—	—	11	8	1	—	—	—	—	1	—	1
	F	8	4	—	—	—	—	1	1	1	1	10	4	—	2	—	—	1	—	2	1
23 Appendicitis and typhlitis .. {	M	2	—	—	—	1	1	—	—	—	—	3	—	—	—	2	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	2	—	—	—	—
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	—	—	4	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
25 Acute and chronic nephritis .. {	M	21	—	—	—	—	1	1	7	11	1	39	—	—	—	—	1	6	10	11	11
	F	23	—	—	—	1	1	2	11	4	4	27	—	—	—	—	3	4	8	7	5
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	17	17	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
29 Suicide .. {	M	2	—	—	—	—	—	—	2	—	—	10	—	—	—	—	—	2	7	—	1
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence .. {	M	33	—	—	5	2	6	5	13	1	1	35	1	—	3	4	4	9	10	2	2
	F	3	—	—	—	—	—	2	—	—	1	19	1	1	4	2	3	1	2	3	2
31 Other defined diseases .. {	M	91	11	2	—	1	4	8	26	17	22	109	21	1	2	2	2	12	23	26	20
	F	74	7	—	—	1	3	10	9	11	33	112	15	1	3	4	5	8	23	15	38
32 Causes ill-defined or unknown .. {	M	7	—	—	—	—	—	1	4	2	—	8	—	—	—	—	2	—	4	2	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	1	—	—	—	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DENBIGH—1928 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	383	42	9	9	5	13	41	105	100	59	636	86	16	13	16	32	68	122	130	153
	F	398	21	7	6	11	10	38	101	95	109	579	70	10	9	15	28	62	114	126	145
1 Enteric fever .. {	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	1	—	—	—	1	—	—	—	—	—	7	1	5	—	—	1	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever .. {	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough .. {	M	4	4	—	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
	F	6	4	1	1	—	—	—	—	—	—	8	4	1	1	2	—	—	—	—	—
6 Diphtheria .. {	M	2	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza .. {	M	13	1	—	—	—	—	3	5	3	1	13	—	—	—	—	3	6	1	2	1
	F	8	—	—	—	—	—	2	2	3	1	9	1	—	—	—	1	1	2	2	2
8 Encephalitis lethargica .. {	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	—	1	2	—	—	5	—	1	1	—	1	2	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	19	—	—	—	—	1	9	8	1	—	37	—	—	—	1	4	17	11	3	1
	F	20	—	—	—	3	4	6	4	3	—	28	—	—	—	1	10	11	6	—	—
11 Other tuberculous diseases .. {	M	7	—	2	3	—	—	—	1	—	1	4	1	—	—	2	1	—	—	—	—
	F	3	—	—	—	—	1	—	1	—	1	5	—	—	—	1	2	1	1	—	—
12 Cancer, malignant disease .. {	M	41	—	—	—	—	—	1	17	21	2	60	—	—	—	—	—	6	23	20	11
	F	66	—	—	—	—	—	6	25	20	15	76	—	—	—	—	—	6	34	25	11
13 Rheumatic fever .. {	M	2	—	—	—	—	2	—	—	—	—	3	—	—	—	2	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes .. {	M	6	—	—	—	—	—	2	2	2	—	9	—	—	1	1	1	—	5	—	1
	F	5	—	—	—	1	—	—	3	1	—	5	—	—	—	—	—	2	2	1	—
15 Cerebral hæmorrhage, &c. ... {	M	16	—	—	—	—	—	—	5	7	4	47	—	—	—	—	—	1	8	18	20
	F	38	—	—	—	—	—	—	9	14	15	54	—	—	—	—	—	—	13	18	23
16 Heart disease {	M	61	—	—	—	—	2	—	19	25	15	114	—	—	—	2	3	6	20	39	44
	F	63	—	—	—	—	—	2	13	19	29	105	—	—	—	—	4	7	17	38	39
17 Arterio-sclerosis {	M	18	—	—	—	—	—	1	3	8	6	47	—	—	—	—	—	—	4	19	24
	F	27	—	—	—	—	—	—	5	9	13	23	—	—	—	—	—	—	3	5	15
18 Bronchitis .. {	M	14	1	—	—	—	—	1	5	2	5	36	10	—	—	—	—	—	2	7	17
	F	13	—	1	—	—	—	—	4	4	4	45	7	—	—	—	—	1	2	9	26
19 Pneumonia (all forms) .. {	M	36	7	5	2	—	—	9	5	6	2	46	11	5	5	1	6	3	7	3	5
	F	21	3	3	1	1	1	3	5	1	3	29	10	5	1	—	2	4	6	1	—
20 Other respiratory diseases .. {	M	9	1	—	—	1	—	—	3	2	2	12	2	—	1	—	1	1	3	1	3
	F	9	—	—	2	—	—	1	2	1	3	8	2	—	—	—	—	1	1	1	3
21 Ulcer of stomach or duodenum .. {	M	5	—	—	—	—	—	2	1	2	—	4	—	—	—	—	—	1	3	—	—
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	2	—
22 Diarrhoea, &c. .. {	M	2	2	—	—	—	—	—	—	—	—	11	8	—	1	—	—	—	—	—	2
	F	7	4	—	—	1	—	—	1	1	—	9	8	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis .. {	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	1	2	1	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	1	1	1	—	1	—	—
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	9	1	—	—	—	—	—	5	3	—	16	—	1	—	1	—	1	5	4	4
	F	15	—	—	—	—	—	1	8	4	2	11	—	—	—	—	1	1	2	7	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	—	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	20	20	—	—	—	—	—	—	—	—	39	38	1	—	—	—	—	—	—	—
	F	7	6	1	—	—	—	—	—	—	—	32	29	1	—	2	—	—	—	—	—
29 Suicide .. {	M	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	3	2	—	—
	F	3	—	—	—	—	—	1	1	1	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence.. {	M	19	—	1	2	1	2	4	3	4	2	32	1	1	2	1	6	9	9	2	1
	F	7	—	—	1	—	2	1	—	—	3	5	—	—	1	—	1	—	1	2	—
31 Other defined diseases .. {	M	63	5	1	1	1	4	7	14	11	19	80	11	2	1	3	4	12	17	11	19
	F	61	4	—	1	—	1	8	14	13	20	85	9	—	3	3	3	10	18	14	25
32 Causes ill-defined or unknown .. {	M	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	1	—	—	—	—	4	—	1

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
FLINT—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	262	28	6	15	8	8	32	59	60	46	430	47	7	9	15	16	44	107	93	92
	F	280	22	6	12	5	8	30	70	56	71	384	22	8	11	6	14	46	92	95	90
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	6	2	2	2	—	—	—	—	—	—	6	1	2	1	1	—	—	1	—	—
	F	5	—	—	4	1	—	—	—	—	—	5	1	1	3	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
7 Influenza .. {	M	4	—	—	—	—	—	2	—	2	—	14	—	—	1	1	—	—	5	4	3
	F	2	—	—	—	—	—	1	1	—	—	7	1	—	1	—	—	2	1	2	—
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	1	—	—	—	1	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system {	M	18	—	1	1	1	2	9	4	—	—	23	1	—	—	—	2	7	9	4	—
	F	15	—	—	—	1	3	8	2	1	—	22	—	—	—	—	5	8	8	1	—
11 Other tuberculous diseases .. {	M	6	1	—	2	1	1	1	—	—	—	5	1	—	—	2	—	1	1	—	—
	F	3	—	—	2	—	1	—	—	—	—	5	—	—	2	—	1	1	1	—	—
12 Cancer, malignant disease .. {	M	33	—	—	—	—	—	1	15	10	7	47	—	—	—	—	—	2	15	18	12
	F	37	—	—	—	—	—	4	18	9	6	47	—	—	—	—	1	4	19	14	9
13 Rheumatic fever .. {	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes .. {	M	4	—	—	1	—	—	1	1	1	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	3	1	1
15 Cerebral hæmorrhage, &c. .. {	M	15	—	—	—	—	—	—	4	5	6	22	—	—	—	—	—	—	8	9	5
	F	24	—	—	—	—	—	—	11	8	5	39	—	—	—	—	—	2	9	18	10
16 Heart disease .. {	M	34	—	—	—	2	1	1	9	15	6	57	—	—	—	1	—	6	14	17	19
	F	41	—	—	—	—	—	1	12	15	13	61	—	—	—	—	—	5	16	22	18
17 Arterio-sclerosis .. {	M	3	—	—	—	—	—	—	2	1	—	19	—	—	—	—	—	—	5	7	7
	F	5	—	—	—	—	—	—	2	2	1	16	—	—	—	—	—	—	3	7	6
18 Bronchitis .. {	M	25	4	1	2	—	1	—	3	9	5	20	1	1	—	—	—	—	2	4	12
	F	14	1	—	—	—	—	—	3	4	6	14	2	—	—	—	—	—	1	2	9
19 Pneumonia (all forms) .. {	M	17	2	1	2	—	—	4	3	1	4	37	13	1	—	3	2	8	5	3	2
	F	14	4	4	—	2	1	2	—	1	—	20	2	—	3	1	—	3	6	4	1
20 Other respiratory diseases .. {	M	5	—	—	—	—	—	1	2	1	1	7	—	—	—	—	2	—	3	—	2
	F	3	—	—	—	—	—	—	2	—	1	4	—	1	—	—	—	—	—	—	3
21 Ulcer of stomach or duodenum .. {	M	5	—	—	—	—	—	1	3	1	—	5	—	—	—	—	1	1	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	—	—	—
22 Diarrhœa, &c. .. {	M	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	1	—	—
	F	5	3	1	1	—	—	—	—	—	—	3	2	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis .. {	M	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis .. {	M	9	—	—	—	—	—	3	2	4	—	16	—	—	1	1	—	—	4	6	4
	F	10	—	—	—	—	—	—	3	4	3	10	—	—	1	—	1	1	5	2	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	1	4	1	—	—
28 Congenital debility and malformation, premature birth .. {	M	10	10	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
	F	8	7	—	1	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide .. {	M	2	—	—	—	—	—	1	1	—	—	12	—	—	—	—	1	4	6	1	—
	F	3	—	—	—	—	1	1	1	—	—	1	—	—	—	—	1	—	—	—	—
30 Other deaths from violence .. {	M	14	2	—	4	—	2	1	3	1	1	29	—	1	2	2	3	11	8	2	—
	F	5	—	—	2	—	—	—	1	—	2	9	—	2	1	1	—	1	—	1	3
31 Other defined diseases .. {	M	44	7	1	—	2	1	3	5	9	16	73	8	1	3	4	3	1	11	16	26
	F	67	6	—	—	—	—	9	9	10	33	74	2	2	—	1	1	9	11	18	30
32 Causes ill-defined or unknown .. {	M	2	—	—	—	—	—	1	1	—	—	7	1	—	—	—	—	1	5	—	—
	F	5	—	1	—	—	1	—	1	2	—	4	1	—	—	—	—	—	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLAMORGAN—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	3702	509	109	114	152	194	437	1047	706	434	1149	141	26	33	33	72	150	320	202	172
	F	3178	367	94	125	139	209	443	813	541	447	929	91	14	27	43	60	130	232	138	194
1 Enteric fever .. {	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	41	19	9	11	2	—	—	—	—	—	6	3	2	1	—	—	—	—	—	
	F	40	7	13	17	3	—	—	—	—	—	6	2	—	2	2	—	—	—	—	
4 Scarlet fever .. {	M	4	—	—	1	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	4	—	1	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough .. {	M	32	17	10	3	2	—	—	—	—	—	4	2	2	—	—	—	—	—	—	
	F	35	14	10	10	1	—	—	—	—	—	7	5	—	2	—	—	—	—	—	
6 Diphtheria .. {	M	46	1	4	18	20	1	—	2	—	—	14	—	1	6	7	—	—	—	—	
	F	49	1	4	23	19	—	2	—	—	—	13	—	—	4	8	—	1	—	—	
7 Influenza .. {	M	104	2	1	2	8	7	24	38	18	4	30	1	—	—	—	1	6	10	9	
	F	82	1	1	3	8	7	20	18	14	10	21	—	—	1	1	4	3	8	2	
8 Encephalitis lethargica .. {	M	10	—	—	—	1	3	5	1	—	—	1	—	—	—	—	—	—	1	—	
	F	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {	M	4	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	6	1	2	1	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	239	—	1	—	7	57	99	68	7	—	84	—	1	—	1	29	37	14	1	
	F	254	—	—	1	14	110	98	28	3	—	73	—	—	—	6	30	27	8	1	
11 Other tuberculous diseases .. {	M	62	6	5	6	21	9	7	5	2	1	28	2	5	1	5	6	4	5	—	
	F	55	—	5	5	10	17	10	6	1	1	27	2	2	2	4	4	8	5	—	
12 Cancer, malignant disease .. {	M	290	—	—	—	1	6	15	153	80	35	117	—	—	—	—	4	9	58	31	
	F	309	—	—	—	1	1	34	164	67	42	115	—	—	—	—	—	15	56	30	
13 Rheumatic fever .. {	M	22	—	—	—	7	8	2	2	3	—	—	—	—	—	—	—	—	—	—	
	F	16	—	—	—	5	1	5	5	—	—	6	—	—	—	4	1	—	1	—	
14 Diabetes .. {	M	26	—	—	—	1	3	5	7	9	1	11	—	—	—	—	1	2	2	3	
	F	46	—	—	—	2	5	3	19	14	3	11	—	—	—	—	—	2	5	3	
15 Cerebral hæmorrhage, &c. .. {	M	153	—	—	—	—	—	3	50	64	36	46	—	—	—	—	—	1	20	11	
	F	179	—	—	—	—	—	5	71	68	35	50	—	—	—	—	—	1	21	12	
16 Heart disease .. {	M	547	—	—	1	11	8	49	202	191	85	155	—	—	—	2	4	15	55	51	
	F	516	—	—	1	9	18	50	185	149	104	156	—	—	—	5	7	13	57	38	
17 Arterio-sclerosis .. {	M	156	—	—	—	—	—	1	48	60	47	73	—	—	—	—	—	1	20	26	
	F	90	—	—	—	—	—	—	23	34	33	49	—	—	—	—	—	1	5	13	
18 Bronchitis .. {	M	268	44	6	5	3	1	12	60	80	57	59	8	—	2	1	—	3	11	18	
	F	189	25	6	7	4	1	3	40	47	56	40	4	5	1	—	1	1	3	9	
19 Pneumonia (all forms) .. {	M	253	57	39	20	10	12	29	57	15	14	64	20	8	6	1	2	8	11	1	
	F	181	61	26	16	11	5	20	22	11	9	36	11	4	5	1	—	4	5	4	
20 Other respiratory diseases .. {	M	51	1	2	2	2	4	4	22	7	7	13	—	—	—	2	—	1	7	—	
	F	40	3	1	4	4	1	6	10	7	4	11	—	—	2	—	—	1	5	—	
21 Ulcer of stomach or duodenum .. {	M	39	—	—	—	—	—	23	15	1	—	8	—	—	—	—	—	2	6	—	
	F	12	—	—	—	—	1	5	5	1	—	3	—	—	—	—	—	1	2	—	
22 Diarrhœa, &c. .. {	M	53	29	6	7	3	—	—	3	3	2	14	9	1	2	—	—	—	1	1	
	F	50	24	4	7	—	—	4	4	4	3	12	5	2	2	—	—	—	2	—	
23 Appendicitis and typhlitis.. {	M	19	—	—	1	5	2	5	4	2	—	12	—	—	1	2	2	—	6	—	
	F	16	—	—	1	7	—	5	3	—	—	7	—	—	1	2	1	1	1	2	
24 Cirrhosis of liver .. {	M	18	—	—	—	—	—	3	11	3	1	3	—	—	—	—	—	1	—	1	
	F	6	—	—	—	—	—	2	3	1	—	1	—	—	—	—	—	—	1	—	
25 Acute and chronic nephritis .. {	M	120	—	—	—	7	5	15	55	25	13	38	—	—	—	1	—	7	15	7	
	F	119	1	2	3	1	5	24	52	26	5	33	—	—	—	1	2	6	13	7	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	27	—	—	—	—	7	20	—	—	—	2	—	—	—	—	—	2	—	—	
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	46	—	—	—	—	7	38	1	—	—	16	—	—	—	—	2	13	1	—	
28 Congenital debility and malformation, premature birth.. {	M	244	239	2	1	—	1	1	—	—	—	67	66	1	—	—	—	—	—	—	
	F	163	160	1	—	1	—	1	—	—	—	40	40	—	—	—	—	—	—	—	
29 Suicide .. {	M	33	—	—	—	—	1	14	15	2	1	10	—	—	—	—	—	3	5	2	
	F	18	—	—	—	—	1	4	10	3	—	5	—	—	—	—	—	2	3	—	
30 Other deaths from violence.. {	M	251	6	9	25	13	46	57	76	12	7	90	—	3	7	4	10	36	24	5	
	F	59	5	2	9	12	4	5	6	5	11	17	3	—	4	2	1	1	4	—	
31 Other defined diseases .. {	M	612	86	15	10	24	20	62	150	122	123	199	29	2	6	7	13	13	49	35	
	F	561	63	16	15	24	17	75	135	85	131	170	19	—	2	7	6	27	27	16	
32 Causes ill-defined or unknown .. {	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	—	
	F	6	—	—	—	—	—	2	3	1	—	—	1	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MERIONETH—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	161	23	3	1	5	3	15	44	33	34	169	15	2	2	2	9	17	40	39	43
	F	162	13	2	1	2	3	10	44	42	45	171	19	1	6	2	4	12	32	47	48
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	4	—	1	—	2	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza .. {	M	4	1	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	2	—	—
	F	12	1	—	—	—	—	—	3	4	4	3	—	—	—	—	—	—	—	2	1
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	12	—	—	—	—	1	2	7	—	2	13	—	—	—	1	3	4	4	1	—
	F	9	—	—	—	—	2	3	2	1	1	8	—	—	—	—	1	3	2	2	—
11 Other tuberculous diseases .. {	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
12 Cancer, malignant disease .. {	M	15	—	—	—	—	—	—	9	3	3	15	—	—	—	—	1	1	2	5	6
	F	27	—	—	—	—	—	1	13	7	6	26	—	—	—	—	—	1	12	9	4
13 Rheumatic fever .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	3	—	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
15 Cerebral hæmorrhage, &c. .. {	M	7	—	—	—	—	—	—	—	5	2	6	—	—	—	—	—	1	3	2	—
	F	10	—	—	—	—	—	—	1	5	4	5	—	—	—	—	—	—	1	1	4
16 Heart disease .. {	M	23	—	—	—	—	—	—	11	10	2	29	—	—	—	—	1	12	10	6	—
	F	33	—	—	—	—	—	1	12	9	11	37	—	—	—	—	2	6	16	13	—
17 Arterio-sclerosis .. {	M	16	—	—	—	—	—	—	1	3	12	16	—	—	—	—	—	—	3	5	8
	F	11	—	—	—	—	—	—	1	4	6	14	—	—	—	—	—	—	2	5	7
18 Bronchitis .. {	M	5	2	—	—	—	—	—	1	2	—	11	3	1	—	—	—	—	—	1	6
	F	5	—	—	—	—	—	—	1	2	2	5	1	—	—	—	—	—	—	—	4
19 Pneumonia (all forms) .. {	M	11	5	—	—	—	1	2	1	1	1	12	2	1	—	—	—	2	4	2	1
	F	9	4	2	—	—	—	—	1	—	2	16	6	—	2	—	—	1	2	1	4
20 Other respiratory diseases .. {	M	5	—	—	—	1	—	—	4	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	1	—	1	—	—	—	—
21 Ulcer of stomach or duodenum .. {	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. .. {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	4	3	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver .. {	M	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	10	—	1	—	—	—	2	—	2	5	13	1	—	—	—	—	—	3	6	3
	F	4	—	—	—	—	—	—	1	2	1	12	—	—	1	1	1	—	3	5	1
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	11	11	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
29 Suicide .. {	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	1	1	2	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
30 Other deaths from violence.. {	M	4	—	—	1	—	—	2	—	1	—	9	—	—	—	—	4	4	—	—	1
	F	3	—	—	—	—	—	2	1	—	—	4	2	—	1	—	—	—	1	—	—
31 Other defined diseases .. {	M	22	2	1	—	1	—	3	4	4	7	24	5	—	—	—	3	1	2	6	7
	F	21	—	—	—	—	—	1	4	8	8	23	3	—	—	1	—	1	4	5	9
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
MONMOUTH—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1863	241	62	45	75	101	220	501	354	264	313	25	3	5	8	8	31	85	65	83
	F	1495	184	53	57	59	105	186	352	243	256	283	28	3	9	9	14	33	45	59	83
1 Enteric fever .. {	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	20	6	8	4	2	—	—	—	—	—	4	1	—	2	1	—	—	—	—	—
	F	19	1	6	10	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	16	6	6	3	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
	F	20	10	8	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
6 Diphtheria .. {	M	11	—	—	6	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	2	6	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza .. {	M	50	1	1	1	2	3	10	20	9	3	7	—	—	—	—	—	1	3	1	2
	F	37	1	—	2	2	4	3	10	6	9	5	—	—	—	—	1	2	1	1	—
8 Encephalitis lethargica .. {	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	3	5	1	2	1	—	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis .. {	M	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	112	—	—	—	3	29	48	29	2	1	20	—	—	—	—	3	8	7	2	—
	F	114	1	—	—	6	38	52	13	3	1	20	—	—	—	1	8	9	—	2	—
11 Other tuberculous diseases .. {	M	28	2	2	1	5	11	5	2	—	—	5	—	1	—	2	—	2	—	—	—
	F	28	1	2	4	4	6	7	3	1	—	4	1	—	1	1	—	1	—	—	—
12 Cancer, malignant disease .. {	M	141	—	—	1	—	1	13	74	41	11	35	—	—	—	—	—	1	20	9	5
	F	141	—	—	1	—	1	12	83	27	17	28	—	—	—	—	1	3	11	7	6
13 Rheumatic fever .. {	M	5	—	—	1	—	2	2	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	—	—	2	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes .. {	M	11	—	—	—	—	1	1	4	3	2	3	—	—	—	—	1	—	1	—	1
	F	26	—	—	—	—	1	2	12	8	3	2	—	—	—	—	—	—	1	—	1
15 Cerebral hæmorrhage, &c. .. {	M	90	—	—	—	—	—	2	16	44	28	10	—	—	—	—	—	—	2	4	4
	F	85	—	—	—	—	—	1	34	23	27	21	—	—	—	—	—	1	4	5	11
16 Heart disease .. {	M	311	—	—	—	5	10	25	114	97	60	65	—	—	—	1	1	2	17	24	20
	F	260	—	—	—	5	16	29	72	65	73	56	—	—	—	2	—	1	10	20	23
17 Arterio-sclerosis .. {	M	62	—	—	—	—	—	—	17	21	24	22	—	—	—	—	—	—	1	7	14
	F	34	—	—	—	—	—	1	5	18	10	11	—	—	—	—	—	—	1	4	6
18 Bronchitis .. {	M	147	15	2	3	2	—	6	32	43	44	18	3	—	—	—	—	—	2	4	9
	F	85	9	8	2	1	1	—	12	22	30	6	1	—	—	—	—	—	—	1	4
19 Pneumonia (all forms) .. {	M	174	51	28	8	8	4	21	36	7	11	12	1	—	2	—	—	4	2	1	2
	F	95	28	20	18	6	2	5	8	7	1	16	5	2	1	—	—	2	1	2	3
20 Other respiratory diseases .. {	M	32	1	1	2	—	3	6	7	9	3	3	—	—	—	—	—	2	1	—	—
	F	19	2	2	2	—	—	4	6	—	3	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum .. {	M	19	—	—	—	1	—	5	11	2	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhoea, &c. .. {	M	24	13	5	2	—	—	—	3	—	1	2	2	—	—	—	—	—	—	—	—
	F	23	11	2	3	—	—	2	3	1	1	4	2	—	—	1	—	—	—	1	—
23 Appendicitis and typhlitis .. {	M	11	—	—	—	3	—	3	5	—	—	1	—	—	—	—	—	—	1	—	—
	F	10	—	—	1	2	1	4	—	2	—	5	—	—	1	1	1	—	—	2	—
24 Cirrhosis of liver .. {	M	11	—	—	—	1	—	—	8	2	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	52	—	—	1	3	4	6	20	14	4	16	—	—	—	—	—	—	7	3	6
	F	48	—	—	—	3	5	8	16	15	1	11	—	—	—	2	—	1	3	4	1
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	5	9	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	5	12	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	105	103	—	1	1	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	83	82	—	—	—	1	—	—	—	—	16	15	—	1	—	—	—	—	—	—
29 Suicide .. {	M	20	—	—	—	—	—	3	13	2	2	4	—	—	—	—	—	1	3	—	—
	F	7	—	—	—	—	1	1	2	3	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence .. {	M	131	3	2	8	17	23	42	29	3	4	21	—	1	1	1	2	4	9	2	1
	F	33	4	—	3	8	1	2	4	6	5	6	1	1	—	—	—	2	—	2	—
31 Other defined diseases .. {	M	273	39	7	3	14	8	22	60	54	66	42	—	—	—	1	1	5	8	8	19
	F	264	34	5	4	8	14	27	62	35	75	53	2	—	2	1	—	4	10	7	27
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of MONTGOMERY—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	135	6	3	2	5	5	13	37	30	34	230	19	1	4	6	13	20	49	53	65
	F	113	4	3	—	4	5	5	32	26	34	221	16	3	7	3	8	26	37	49	72
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	—	2	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	—	1	1	1	—	2	5	1	—	—	—	—	—	2	1	1
	F	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	—	3	1
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	2	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	8	—	—	—	—	1	5	2	—	—	14	—	—	—	—	2	7	4	1	—
	F	10	—	—	—	—	3	2	5	—	—	15	—	—	—	1	2	10	2	—	—
11 Other tuberculous diseases ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	3	—	—	—	—	2	1	—	—	—
12 Cancer, malignant disease ..	M	16	—	—	—	—	—	—	7	5	4	19	—	—	—	1	—	2	5	8	3
	F	15	—	—	—	—	—	—	6	7	2	23	—	—	—	—	—	1	11	6	5
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	1	—	—	—	1	1	2	—	—	—	—	—	—	1	1	—
	F	4	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	12	—	—	—	—	—	—	3	2	7	13	—	—	—	—	—	1	2	5	5
	F	13	—	—	—	—	—	—	4	7	2	23	—	—	—	—	—	—	1	8	14
16 Heart disease ..	M	18	—	—	—	—	—	—	10	4	4	50	—	—	—	—	2	—	14	13	21
	F	18	—	—	—	2	—	—	4	5	7	37	—	—	—	—	—	—	5	12	20
17 Arterio-sclerosis ..	M	4	—	—	—	—	—	—	—	1	3	9	—	—	—	—	—	—	1	4	4
	F	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	3	1	1
18 Bronchitis ..	M	5	—	—	—	—	1	—	—	2	2	8	1	—	1	—	—	—	1	1	4
	F	9	—	—	—	—	—	—	2	1	6	3	—	—	—	—	—	—	—	1	2
19 Pneumonia (all forms) ..	M	5	—	—	—	—	1	2	—	1	1	16	1	—	—	—	1	4	4	2	4
	F	—	—	—	—	—	—	—	—	—	—	11	3	—	1	—	1	3	—	3	—
20 Other respiratory diseases ..	M	3	—	—	—	—	—	1	1	—	1	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	1	—	—	1	3	—	1	—	—	—	—	—	—	2
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhoea, &c. ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	2	2	1	3	10	—	—	—	—	—	—	1	6	3
	F	2	—	—	—	—	1	—	1	—	—	14	—	—	—	—	—	1	3	3	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth..	M	5	5	—	—	—	—	—	—	—	—	12	11	—	—	—	1	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	—	2	2	—	3	—	—	—	—	—	2	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	3	—	—	—	2	—	1	—	—	—	10	1	—	—	—	4	2	1	—	2
	F	3	—	—	—	—	—	—	2	1	—	6	1	—	—	—	1	—	3	—	1
31 Other defined diseases..	M	23	1	1	1	1	—	—	4	9	6	43	3	—	2	—	1	—	9	10	18
	F	22	—	—	—	1	—	1	7	1	12	51	3	1	3	1	1	7	7	9	19
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PEMBROKE—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	256	15	5	2	3	13	30	64	66	58	307	27	5	5	7	16	22	50	80	92
	F	220	15	3	1	5	9	27	45	45	70	306	13	3	5	7	12	29	74	78	88
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
7 Influenza .. {	M	4	—	—	—	—	—	—	1	2	1	5	—	—	—	—	—	1	2	2	—
	F	9	—	—	—	—	—	3	2	1	3	7	—	—	—	—	—	2	3	1	1
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	17	—	—	—	—	4	7	5	1	—	9	—	—	—	—	3	3	3	—	—
	F	15	—	—	—	—	4	8	2	—	1	25	—	—	—	2	6	8	7	2	—
11 Other tuberculous diseases .. {	M	8	1	2	—	—	2	2	1	—	—	4	—	—	—	1	—	2	—	1	—
	F	3	—	—	—	—	—	1	2	—	—	2	—	1	—	—	—	—	—	1	—
12 Cancer, malignant disease .. {	M	24	—	—	—	—	—	1	9	8	6	40	—	—	—	—	—	13	19	8	—
	F	28	—	—	—	—	—	2	10	9	7	35	—	—	—	—	5	11	12	7	—
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes .. {	M	3	—	—	—	—	1	—	—	1	1	3	—	—	—	—	—	—	—	2	—
	F	3	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	3	—	—	—
15 Cerebral hæmorrhage, &c. .. {	M	7	—	—	—	—	—	—	1	4	2	13	—	—	—	—	—	1	6	6	—
	F	13	—	—	—	—	—	—	7	3	3	23	—	—	—	1	—	5	7	10	—
16 Heart disease .. {	M	49	—	—	—	—	1	5	16	20	7	51	—	—	—	1	5	11	12	22	—
	F	41	—	—	—	—	1	1	8	10	21	65	—	—	1	—	4	12	26	22	—
17 Arterio-sclerosis .. {	M	17	—	—	—	—	—	—	5	7	5	11	—	—	—	—	—	—	5	6	—
	F	13	—	—	—	—	—	—	1	4	8	8	—	—	—	—	—	4	2	2	—
18 Bronchitis .. {	M	8	2	—	—	—	—	—	1	1	4	15	1	—	—	—	—	—	6	8	—
	F	7	—	1	—	—	—	—	2	2	2	15	—	—	—	—	—	2	4	9	—
19 Pneumonia (all forms) .. {	M	12	2	1	—	1	1	—	4	1	2	22	7	3	—	—	1	—	7	4	—
	F	6	1	2	—	1	—	—	—	1	1	15	2	1	2	—	2	2	4	2	—
20 Other respiratory diseases .. {	M	5	—	—	—	—	—	—	2	1	2	6	—	—	—	—	—	3	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	—	1	—
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
22 Diarrhoea, &c. .. {	M	2	—	—	—	—	—	—	—	1	1	3	3	—	—	—	—	—	—	—	—
	F	4	3	—	—	—	—	1	—	—	—	2	—	—	1	1	—	—	—	—	—
23 Appendicitis and typhlitis.. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	2	—	—	—
	F	5	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	12	—	—	1	—	—	1	3	2	5	16	—	—	—	2	1	3	5	5	—
	F	14	—	—	—	—	—	2	6	3	3	10	—	—	—	—	—	2	4	4	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	5	—	—	—	1	4	—	—	—	—
28 Congenital debility and malformation, premature birth.. {	M	6	6	—	—	—	—	—	—	—	—	9	8	—	1	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
29 Suicide .. {	M	2	—	—	—	—	1	—	—	1	—	6	—	—	—	—	3	1	2	—	—
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	1	—	—
30 Other deaths from violence.. {	M	9	2	—	—	—	—	4	2	1	—	14	1	—	1	1	7	3	—	1	—
	F	3	—	—	—	2	1	—	—	—	—	2	—	—	—	—	—	2	—	—	—
31 Other defined diseases .. {	M	69	2	2	1	2	3	9	14	14	22	66	3	1	2	3	2	3	9	10	33
	F	38	1	—	—	2	2	4	2	8	19	64	2	—	2	2	3	1	14	13	27
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
RADNOR—1928 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	38	4	1	—	—	2	2	10	5	14	117	8	1	4	2	3	6	25	27	41
	F	43	4	—	—	1	1	3	6	10	18	86	11	1	2	3	3	7	11	21	27
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	2	1	1
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	1	2	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	4	—	—	—	—	1	2	1	—	—	7	1	—	—	—	1	3	2	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	2	1	—	—	—
11 Other tuberculous diseases ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
12 Cancer, malignant disease ..	M	5	—	—	—	—	—	—	1	1	3	17	—	—	—	—	—	—	7	4	6
	F	10	—	—	—	—	—	—	4	2	4	6	—	—	—	—	—	—	4	1	1
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
15 Cerebral hæmorrhage, &c. ..	M	2	—	—	—	—	—	—	—	1	1	8	—	—	—	1	—	—	1	2	4
	F	1	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	—	2	5	2
16 Heart disease ..	M	8	—	—	—	—	—	—	3	2	3	18	—	—	—	—	—	—	1	8	9
	F	7	—	—	—	—	—	—	—	4	3	15	—	—	—	—	—	1	1	4	9
17 Arterio-sclerosis ..	M	2	—	—	—	—	—	—	—	—	2	5	—	—	—	—	—	—	1	1	3
	F	5	—	—	—	—	—	—	1	—	4	4	—	—	—	—	—	—	—	2	2
18 Bronchitis ..	M	1	—	—	—	—	—	—	—	—	1	10	—	1	—	—	—	—	2	6	1
	F	1	—	—	—	—	—	—	—	—	1	4	—	1	—	—	—	—	—	—	3
19 Pneumonia (all forms) ..	M	1	—	—	—	—	—	—	1	—	—	2	2	—	—	2	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
20 Other respiratory diseases ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	—	1
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	1	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth..	M	2	2	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence..	M	1	1	—	—	—	—	—	—	—	—	6	1	—	2	—	1	1	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	1	—	—	—
31 Other defined diseases ..	M	7	1	1	—	—	—	—	—	1	4	27	1	—	2	1	—	—	4	4	15
	F	9	2	—	—	1	—	1	1	1	3	16	—	—	—	—	—	3	1	5	7
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only).

NOTE.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts which, as now constituted, had civilian populations exceeding 10,000 at the Census of 1921. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

BEDFORDSHIRE.

Causes of Death.	Bedford M.B.		Luton M.B.		Ampt-hill. R.D.		Bedford R.D.		Biggles-wade R.D.									
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.								
All Causes	234	218	288	300	107	139	105	127	117	107								
1 Enteric fever	—	—	—	—	—	—	—	—	—	—								1
2 Small-pox	—	—	—	—	—	—	—	—	—	—								2
3 Measles	2	1	—	2	—	—	1	1	1	—								3
4 Scarlet fever	1	—	1	1	—	—	1	—	—	—								4
5 Whooping cough	9	—	3	1	—	1	1	2	—	—								5
6 Diphtheria	—	1	4	7	—	—	1	1	—	—								6
7 Influenza	2	6	—	4	3	2	5	2	1	3								7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—								8
9 Meningococcal meningitis	—	—	2	—	1	1	—	—	—	—								9
10 Tuberculosis of respiratory sys. ..	20	11	33	26	4	3	4	8	3	2								10
11 Other tuberculous diseases	1	1	6	4	—	—	2	3	3	—								11
12 Cancer, malignant disease	29	41	41	53	21	19	10	14	15	20								12
13 Rheumatic fever	—	—	1	2	1	—	1	—	—	—								13
14 Diabetes	3	3	2	4	2	—	2	2	—	1								14
15 Cerebral hæmorrhage, &c.	5	12	14	21	5	13	4	14	6	5								15
16 Heart disease	33	29	42	59	16	27	15	20	16	24								16
17 Arterio-sclerosis	25	36	6	3	5	9	10	17	19	13								17
18 Bronchitis	10	11	17	13	3	11	3	5	2	2								18
19 Pneumonia (all forms)	14	2	18	9	2	3	2	4	10	7								19
20 Other respiratory diseases	2	8	1	2	—	—	—	1	—	—								20
21 Ulcer of stomach or duodenum	3	—	6	1	1	—	—	1	—	—								21
22 Diarrhoea, &c. (under 2 years)	—	—	—	1	2	—	—	—	—	—								22
23 Appendicitis and typhlitis	2	2	4	3	—	1	1	2	—	—								23
24 Cirrhosis of liver	2	—	3	—	1	—	—	—	—	—								24
25 Acute and chronic nephritis	10	8	7	7	4	4	—	—	3	3								25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—								26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	2	—	1								27
28 Congenital debility and malformation, premature birth	12	2	13	10	10	3	9	3	4	6								28
29 Suicide	2	1	3	—	—	1	2	—	1	—								29
30 Other deaths from violence	6	4	9	3	3	3	8	2	8	1								30
31 Other defined diseases	41	36	52	61	20	36	22	23	25	19								31
32 Causes ill-defined or unknown	—	1	—	1	3	1	1	—	—	—								32

BERKSHIRE.

Causes of Death.	Maiden-head M.B.		Newbury M.B.		New Windsor M.B.		Abingdon R.D.		Bradfield R.D.		Cookham R.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	109	80	82	84	97	128	56	63	59	86	85	78						
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—						2
3 Measles	2	—	—	—	—	—	—	—	—	—	—	—						3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	1	—						4
5 Whooping cough	—	1	—	—	—	—	—	—	—	1	—	—						5
6 Diphtheria	1	1	—	—	—	1	—	—	—	—	—	1						6
7 Influenza	—	1	1	—	—	3	—	—	—	1	—	—						7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—						8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	2	—						9
10 Tuberculosis of respiratory sys. ..	6	7	2	—	13	10	1	2	2	—	7	3						10
11 Other tuberculous diseases	1	3	1	1	1	2	—	—	1	1	—	1						11
12 Cancer, malignant disease	15	13	16	12	15	16	7	9	7	18	11	12						12
13 Rheumatic fever	1	—	1	—	—	—	—	—	—	—	1	—						13
14 Diabetes	2	2	—	1	1	1	—	—	—	1	—	—						14
15 Cerebral hæmorrhage, &c.	8	5	7	4	5	6	2	4	4	5	5	4						15
16 Heart disease	17	18	10	15	15	19	5	13	6	16	17	17						16
17 Arterio-sclerosis	4	3	7	12	9	13	4	1	7	10	10	10						17
18 Bronchitis	6	3	3	6	4	13	2	5	1	—	4	1						18
19 Pneumonia (all forms)	7	6	10	5	6	7	3	4	1	4	5	4						19
20 Other respiratory diseases	1	—	—	—	—	2	1	1	2	2	—	—						20
21 Ulcer of stomach or duodenum	1	—	1	1	1	—	1	—	1	—	2	—						21
22 Diarrhoea, &c. (under 2 years)	—	2	—	—	—	—	1	—	—	—	—	—						22
23 Appendicitis and typhlitis	1	—	2	—	—	—	1	—	2	1	1	—						23
24 Cirrhosis of liver	2	1	1	—	—	—	1	—	2	1	—	1						24
25 Acute and chronic nephritis	3	2	2	2	—	5	2	1	1	5	2	—						25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	1						26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	1	—	—						27
28 Congenital debility and malformation, premature birth	3	—	3	2	5	5	1	—	1	4	2	3						28
29 Suicide	1	—	1	2	—	—	2	—	1	—	—	—						29
30 Other deaths from violence	6	3	4	—	3	4	4	—	4	2	3	4						30
31 Other defined diseases	20	9	10	19	18	19	15	18	16	13	12	16						31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	1	—	—	—	—						32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

BERKSHIRE—cont.

Causes of Death.	East hamp- stead R.D.		Faring- don * (pt.) R.D.		New- bury R.D.		Wan- tage R.D.		Woking- ham R.D.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Causes	128	94	65	62	86	54	71	59	88	91				
1 Enteric fever	—	—	—	—	—	—	—	—	—	—				1
2 Small-pox	—	—	—	—	—	—	—	—	—	—				2
3 Measles	—	1	2	—	—	—	—	—	1	—				3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—				4
5 Whooping cough	1	—	1	2	—	—	—	—	—	—				5
6 Diphtheria	2	1	—	—	1	—	—	—	—	1				6
7 Influenza	2	1	—	—	—	—	—	—	1	3				7
8 Encephalitis lethargica	—	—	—	1	1	—	—	—	—	—				8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—				9
10 Tuberculosis of respiratory sys. ..	5	4	3	3	1	—	7	3	8	4				10
11 Other tuberculous diseases	—	—	—	—	4	—	—	2	1	1				11
12 Cancer, malignant disease	13	13	7	9	13	4	7	6	11	12				12
13 Rheumatic fever	1	—	—	—	1	—	—	—	—	—				13
14 Diabetes	—	—	—	1	3	5	—	—	1	4				14
15 Cerebral hæmorrhage, &c.	8	8	3	8	6	6	5	4	4	3				15
16 Heart disease	17	13	15	12	12	13	10	15	7	17				16
17 Arterio-sclerosis	11	6	4	2	12	5	4	2	7	7				17
18 Bronchitis	4	4	4	5	4	1	4	6	3	2				18
19 Pneumonia (all forms)	13	3	2	4	3	4	3	1	3	2				19
20 Other respiratory diseases	1	1	1	1	1	—	1	1	2	—				20
21 Ulcer of stomach or duodenum	2	2	—	—	2	—	1	—	3	1				21
22 Diarrhoea, &c. (under 2 years)	1	—	—	—	—	—	—	—	1	—				22
23 Appendicitis and typhlitis	1	—	—	1	1	1	2	1	3	1				23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—				24
25 Acute and chronic nephritis	3	5	—	2	2	2	3	1	5	9				25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2				26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	—				27
28 Congenital debility and mal- formation, premature birth	2	1	2	2	—	3	3	3	2	2				28
29 Suicide	2	—	1	1	2	—	1	—	4	2				29
30 Other deaths from violence	4	6	8	1	6	3	7	1	3	4				30
31 Other defined diseases	35	24	12	5	10	7	12	12	17	14				31
32 Causes ill-defined or unknown	—	—	—	1	1	—	1	1	—	—				32

BUCKINGHAMSHIRE.

Causes of Death.	Aylesbury M.B.		Chepping Wycombe M.B.		Slough U.D.		Wolverton U.D.		Aylesham R.D.		Aylesbury R.D.		Eton R.D.		Newport Pagnell R.D.		Wycombe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	62	71	128	115	87	88	72	76	128	136	116	119	183	172	91	94	170	163	1
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	3	—	—	—	—	—	—	—	2	3	1	—	—	1	2	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	5
5 Whooping cough	1	—	1	1	1	—	—	—	2	—	1	—	—	1	—	1	—	1	4
6 Diphtheria	—	—	2	3	1	3	—	1	—	—	—	—	1	4	—	1	1	1	6
7 Influenza	—	—	9	2	—	1	—	—	3	2	1	—	1	2	3	2	1	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	1	2	6	4	5	2	3	1	4	4	6	5	5	10	4	6	3	7	10
11 Other tuberculous diseases	—	1	3	4	3	2	—	—	2	2	—	—	7	3	2	1	7	1	11
12 Cancer, malignant disease	6	11	18	13	10	16	11	10	18	21	24	16	22	20	10	16	15	21	12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—	—	—	13
14 Diabetes	1	—	2	—	1	1	2	1	1	3	1	2	2	1	—	1	4	1	14
15 Cerebral hæmorrhage, &c.	1	4	4	13	5	9	7	10	7	12	3	8	5	14	6	6	12	9	15
16 Heart disease	7	15	25	17	6	10	4	10	30	34	16	27	29	31	13	11	27	35	16
17 Arterio-sclerosis	4	4	6	6	6	1	4	5	4	6	15	10	7	8	9	6	9	6	17
18 Bronchitis	2	5	3	3	2	3	4	8	6	2	—	3	12	4	2	4	15	8	18
19 Pneumonia (all forms)	5	7	12	7	1	1	3	—	8	10	4	6	11	5	4	5	12	10	19
20 Other respiratory diseases	4	2	1	1	3	2	2	1	1	1	4	2	2	4	1	—	3	1	20
21 Ulcer of stomach or duodenum	2	—	1	—	3	—	—	—	3	2	—	—	1	1	2	—	—	2	21
22 Diarrhoea, &c. (under 2 years)	—	—	1	2	—	—	—	—	1	1	—	1	4	1	—	1	2	—	22
23 Appendicitis and typhlitis	4	—	2	—	3	1	1	—	1	1	—	2	1	3	—	—	—	—	23
24 Cirrhosis of liver	—	—	2	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	2	2	4	3	1	5	5	3	3	9	7	11	5	2	5	8	5	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	—	1	—	3	—	4	—	—	—	—	27
28 Congenital debility and malformation, premature birth	3	3	6	1	6	5	2	2	5	5	6	2	11	8	4	—	7	6	28
29 Suicide	—	—	2	1	—	—	3	—	1	3	3	—	—	1	4	1	3	—	29
30 Other deaths from violence	7	—	7	3	4	3	4	2	5	2	4	6	11	5	6	2	11	3	30
31 Other defined diseases	12	14	14	25	23	23	14	18	23	21	18	16	33	33	18	24	28	35	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	2	32

* The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

CAMBRIDGESHIRE.

Causes of Death.	Cambridge M.B.		Chester-ton R.D.		New-market R.D.						
	M.	F.	M.	F.	M.	F.					
All Causes	339	328	142	147	129	117					
1 Enteric fever	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—					3
4 Scarlet fever	1	—	—	—	1	—					4
5 Whooping cough	1	—	—	1	1	1					5
6 Diphtheria	6	10	1	3	—	—					6
7 Influenza	5	7	2	6	2	4					7
8 Encephalitis lethargica ..	3	—	—	—	1	—					8
9 Meningococcal meningitis ..	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	29	12	3	6	8	4					10
11 Other tuberculous diseases ..	5	3	4	—	1	—					11
12 Cancer, malignant disease ..	51	61	22	14	22	15					12
13 Rheumatic fever	—	—	1	—	—	—					13
14 Diabetes	4	4	1	2	1	1					14
15 Cerebral hæmorrhage, &c. ..	22	34	6	6	5	5					15
16 Heart disease	46	56	26	32	15	30					16
17 Arterio-sclerosis	17	11	9	8	10	5					17
18 Bronchitis	9	17	8	7	1	7					18
19 Pneumonia (all forms)	19	9	11	3	11	4					19
20 Other respiratory diseases ..	4	4	—	1	2	—					20
21 Ulcer of stomach or duodenum	6	—	3	—	1	—					21
22 Diarrhœa, &c. (under 2 years)	2	3	—	—	2	—					22
23 Appendicitis and typhlitis ..	2	2	—	5	4	—					23
24 Cirrhosis of liver	1	2	2	—	—	—					24
25 Acute and chronic nephritis ..	12	6	3	4	4	9					25
26 Puerperal sepsis	—	2	—	1	—	1					26
27 Other accidents and diseases of pregnancy and parturition..	—	—	—	2	—	1					27
28 Congenital debility and malformation, premature birth	12	12	5	8	8	5					28
29 Suicide	5	6	2	2	1	1					29
30 Other deaths from violence ..	14	7	9	6	2	1					30
31 Other defined diseases	63	60	23	28	26	22					31
32 Causes ill-defined or unknown	—	—	1	2	—	1					32

CHESHIRE.

Causes of Death.				Altrincham U.D.		Bebington & Bromborough U.D.		Cheadle & Gatley U.D.		Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port & Whitby U.D.		Hazel Grove & Bramhall U.D.		Hoylake & West Kirby U.D.		
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes				138	139	110	102	59	80	89	97	294	241	110	125	76	73	79	62	98	90	
1	Enteric fever	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3	Measles	4	3	—	—	1	—	2	1	—	—	1	—	1	—	—	—	—	3	
4	Scarlet fever	1	—	—	3	—	—	—	—	1	1	—	—	2	—	1	—	—	4	
5	Whooping cough	1	2	1	1	—	—	—	1	2	4	—	2	—	1	—	—	—	5	
6	Diphtheria	2	—	4	—	—	—	1	1	1	5	—	1	—	—	—	—	1	6	
7	Influenza	2	5	3	2	—	—	2	5	16	14	2	3	—	—	1	1	2	7	
8	Encephalitis lethargica	—	—	2	1	—	—	—	—	—	2	—	2	—	—	—	—	—	8	
9	Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9	
10	Tuberculosis of respiratory sys.	8	5	10	6	3	—	4	4	25	17	7	2	4	4	3	2	5	10	
11	Other tuberculous diseases	5	3	1	3	—	2	—	3	5	5	2	4	2	2	3	1	3	11	
12	Cancer, malignant disease	15	18	13	8	10	11	13	14	33	31	12	17	13	3	10	8	15	12	
13	Rheumatic fever	—	2	3	1	—	—	—	1	2	2	—	2	—	2	—	—	—	13	
14	Diabetes	—	—	1	1	—	—	1	4	2	3	1	1	—	4	1	—	—	14	
15	Cerebral hæmorrhage, &c.	4	12	5	9	1	2	1	1	18	12	3	7	1	2	5	5	4	15	
16	Heart disease	21	29	16	19	11	18	8	19	47	42	18	32	11	7	13	10	15	16	
17	Arterio-sclerosis	5	4	6	5	5	13	7	7	20	3	11	3	4	2	7	4	14	17	
18	Bronchitis	7	8	5	4	2	3	6	10	12	9	4	7	8	3	3	3	2	18	
19	Pneumonia (all forms)	5	8	5	7	5	5	4	3	17	11	14	8	7	4	6	3	6	19	
20	Other respiratory diseases	—	2	—	1	—	—	—	—	4	5	—	2	—	—	—	—	2	20	
21	Ulcer of stomach or duodenum	1	1	3	1	1	—	2	—	3	2	2	—	—	1	1	—	3	21	
22	Diarrhoea, &c. (under 2 years)	—	1	2	3	1	1	3	—	2	—	2	1	2	3	—	—	—	22	
23	Appendicitis and typhlitis	4	—	—	—	1	1	1	—	1	1	—	—	—	—	—	—	—	23	
24	Cirrhosis of liver	1	—	—	—	1	—	—	—	3	—	1	—	—	—	—	—	—	24	
25	Acute and chronic nephritis	6	6	3	3	2	1	6	2	8	7	6	5	2	5	3	2	3	25	
26	Puerperal sepsis	—	1	—	—	—	2	—	1	—	—	—	2	—	—	—	—	—	26	
27	Other accidents and diseases of pregnancy and parturition..	—	2	—	1	—	—	—	2	—	2	—	2	—	4	—	—	—	27	
28	Congenital debility and malformation, premature birth	5	1	7	2	3	3	3	3	16	10	5	6	2	7	6	1	1	28	
29	Suicide	3	1	1	—	2	—	1	1	3	1	2	—	—	2	1	—	1	29	
30	Other deaths from violence	5	6	5	3	3	4	2	—	9	5	—	2	6	2	2	—	4	30	
31	Other defined diseases	33	19	14	17	7	13	22	14	44	46	16	14	13	13	13	21	17	31	
32	Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*CHESHIRE—*cont.*

Causes of Death.	Hyde M.B.		Maccles- field. M.B.		North- wich U.D.		Run- corn U.D.		Sale U.D.		Staly- bridge M.B.		Wins- ford U.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	214	237	214	265	111	97	122	79	107	106	166	179	57	61			
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	3	3	—	1	2	1	2	1	—	2	2	—	—	—			3
4 Scarlet fever	—	1	1	—	—	—	—	—	—	—	—	1	—	—			4
5 Whooping cough	1	—	2	1	—	3	—	—	3	—	2	1	—	—			5
6 Diphtheria	1	1	1	—	1	—	1	1	1	1	1	—	—	—			6
7 Influenza	8	5	3	3	2	1	5	4	2	2	2	1	—	2			7
8 Encephalitis lethargica	—	1	—	4	2	1	—	1	1	—	—	—	1	—			8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—			9
10 Tuberculosis of respiratory sys.	10	11	12	13	7	1	6	1	12	6	9	10	3	4			10
11 Other tuberculous diseases	1	2	8	4	—	2	1	1	1	1	1	3	—	1			11
12 Cancer, malignant disease	29	30	22	39	12	14	17	12	11	19	11	22	5	7			12
13 Rheumatic fever	1	1	—	—	1	—	—	1	—	—	2	—	1	1			13
14 Diabetes	3	7	4	4	—	1	—	—	1	2	3	1	1	—			14
15 Cerebral hæmorrhage, &c.	12	15	7	13	8	10	8	5	4	2	6	22	4	1			15
16 Heart disease	32	51	34	47	19	24	15	14	10	14	25	45	8	10			16
17 Arterio-sclerosis	24	15	16	21	6	2	15	6	13	13	6	6	3	3			17
18 Bronchitis	12	12	8	16	4	1	5	2	6	5	11	9	2	2			18
19 Pneumonia (all forms)	14	8	10	14	7	6	9	3	7	7	19	9	7	4			19
20 Other respiratory diseases	—	1	3	2	—	—	1	4	1	3	2	2	—	—			20
21 Ulcer of stomach or duodenum	3	—	3	2	1	—	3	1	2	—	2	—	1	—			21
22 Diarrhœa, &c. (under 2 years)	2	—	—	2	1	3	2	—	1	—	2	—	—	1			22
23 Appendicitis and typhlitis	1	1	2	—	1	—	—	1	—	—	—	—	—	2			23
24 Cirrhosis of liver	1	—	2	1	—	—	1	1	—	—	—	—	—	—			24
25 Acute and chronic nephritis	9	15	7	9	1	3	4	1	7	6	14	3	2	7			25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	2	—	2	—	1			26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	2	—	1	—	—	—	1	—	1	—	—			27
28 Congenital debility and malformation, premature birth	9	5	13	3	6	5	4	3	6	2	6	4	3	3			28
29 Suicide	3	2	2	1	2	—	3	—	1	—	4	—	2	—			29
30 Other deaths from violence	7	7	8	7	5	2	6	—	1	2	8	4	2	—			30
31 Other defined diseases	28	40	46	56	20	15	14	16	15	16	27	33	12	12			31
32 Causes ill-defined or unknown	—	—	—	—	2	—	1	—	—	—	—	—	—	—			32

CHESHIRE—*cont.*

Causes of Death.	Buck- low R.D.		Ches- ter R.D.		Congle- ton R.D.		Maccles- field R.D.		Nant- wich R.D.		North- wich R.D.		Run- corn R.D.		Tar- vin R.D.		Wir- ral R.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	124	127	65	68	68	68	103	98	133	155	152	145	180	129	85	78	132	128			
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	1	—	—	—	—	—	1	—	—	—	3	1	—	1	1	1	1	—			3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—			4
5 Whooping cough	1	1	1	—	—	—	—	—	—	1	2	—	—	1	1	—	—	1			5
6 Diphtheria	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—			6
7 Influenza	4	2	1	1	1	1	2	1	5	4	8	2	9	2	1	1	3	5			7
8 Encephalitis lethargica	—	—	—	—	1	—	3	—	1	—	1	—	—	—	—	—	1	—			8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			9
10 Tuberculosis of respiratory sys.	1	6	2	3	6	2	6	7	6	3	8	9	10	9	2	2	14	7			10
11 Other tuberculous diseases	2	1	—	1	1	2	—	—	2	—	2	3	2	4	2	3	1	2			11
12 Cancer, malignant disease	14	19	8	11	9	7	9	23	12	30	12	19	22	23	10	9	16	13			12
13 Rheumatic fever	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2			13
14 Diabetes	3	2	—	—	—	4	2	4	3	2	4	1	1	5	1	1	1	3			14
15 Cerebral hæmorrhage, &c.	2	3	4	5	1	7	6	5	7	12	4	7	4	8	3	2	3	9			15
16 Heart disease	22	22	8	6	11	9	12	19	22	39	24	23	29	20	22	18	22	33			16
17 Arterio-sclerosis	15	8	4	9	1	3	11	4	6	6	12	11	19	13	6	5	9	5			17
18 Bronchitis	7	6	2	8	4	4	2	—	7	6	5	6	6	5	1	1	5	6			18
19 Pneumonia (all forms)	7	1	13	2	3	—	11	2	9	6	10	8	10	8	2	5	9	7			19
20 Other respiratory diseases	1	2	1	—	—	—	2	—	2	2	1	3	3	—	1	1	2	1			20
21 Ulcer of stomach or duodenum	—	1	1	—	—	—	3	2	2	2	4	1	3	—	2	—	1	—			21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	—	1	1	—	—	—	1	—	—	—	—	1	1			22
23 Appendicitis and typhlitis	2	2	2	—	1	—	1	1	3	—	3	—	4	—	1	—	—	—			23
24 Cirrhosis of liver	2	—	—	—	—	—	1	—	1	—	—	—	2	—	—	1	—	1			24
25 Acute and chronic nephritis	7	7	3	2	2	3	5	3	4	4	6	5	4	5	3	1	4	3			25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	1	—	—	—	2	—	2	—	2	—	1	—	1			27
28 Congenital debility and malformation, premature birth	6	6	2	3	2	6	3	1	5	5	5	3	5	4	3	7	4	3			28
29 Suicide	4	5	—	—	1	—	1	2	2	—	2	—	4	—	1	—	1	2			29
30 Other deaths from violence	8	5	3	—	5	1	5	1	5	—	9	4	9	3	5	1	12	3			30
31 Other defined diseases	15	21	8	16	18	18	22	17	30	27	26	30	33	16	17	18	22	19			31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—			32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***CORNWALL.**

Causes of Death.	Cam- borne U.D.		Fal- mouth M.B.		Pen- zance M.B.		Truro M.B.			Bod- min R.D.		Hel- ston R.D.		Lis- keard R.D.		Red- ruth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	82	102	88	84	76	103	65	71		71	52	99	120	97	92	127	133	1
1 Enteric fever	—	—	—	—	—	1	—	—		—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—		2	—	—	—	2	—	3	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—		1	—	—	—	—	—	1	—	5
5 Whooping cough	1	—	—	1	—	—	—	—		1	—	1	—	—	—	5	2	6
6 Diphtheria	1	—	—	—	—	—	—	—		—	—	1	—	—	2	1	—	7
7 Influenza	1	1	2	4	1	3	—	—		2	—	3	1	2	1	—	—	8
8 Encephalitis lethargica	—	—	—	—	1	1	—	—		—	—	1	—	1	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	9	3	8	1	7	7	6	9		3	4	4	8	3	3	14	7	11
11 Other tuberculous diseases	1	2	—	2	2	3	—	—		—	—	3	1	2	7	3	2	12
12 Cancer, malignant disease	10	13	9	13	11	18	11	8		9	9	13	21	10	9	7	16	13
13 Rheumatic fever	—	—	—	1	—	—	—	—		—	—	—	—	—	—	1	—	14
14 Diabetes	1	2	1	1	—	—	1	—		—	3	2	7	1	—	1	2	15
15 Cerebral hæmorrhage, &c.	4	12	8	10	5	7	3	5		7	5	6	11	6	6	5	12	16
16 Heart disease	13	25	19	14	12	19	10	15		8	9	24	16	16	21	18	31	17
17 Arterio-sclerosis	1	1	4	2	2	3	5	1		3	3	3	6	11	10	1	2	18
18 Bronchitis	3	7	1	4	4	2	1	3		2	1	3	4	3	5	4	7	19
19 Pneumonia (all forms)	4	6	2	4	6	3	6	3		6	2	5	4	3	2	7	5	20
20 Other respiratory diseases	2	—	1	—	1	2	—	—		—	—	1	2	6	1	7	—	21
21 Ulcer of stomach or duodenum	1	—	2	—	—	2	1	—		1	—	—	1	1	—	1	1	22
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—	—	23
23 Appendicitis and typhlitis	—	—	1	1	1	2	—	—		2	—	1	—	1	2	1	—	24
24 Cirrhosis of liver	—	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	25
25 Acute and chronic nephritis	3	—	4	2	2	1	1	2		5	3	1	3	2	2	3	4	26
26 Puerperal sepsis	—	—	—	—	—	—	—	1		—	—	—	—	1	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	28
28 Congenital debility and mal-formation, premature birth	4	5	3	2	—	1	1	—		4	1	1	5	4	1	6	6	29
29 Suicide	—	—	—	—	—	1	1	—		2	—	3	1	1	—	1	—	30
30 Other deaths from violence	4	1	4	2	5	—	4	1		1	1	5	3	4	3	5	4	31
31 Other defined diseases	19	24	19	19	15	27	14	22		12	11	20	24	19	17	30	28	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—		—	—	—	—	—	—	1	1	

CORNWALL—*cont.*

Causes of Death.	St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Truro R.D.		West Penwith R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	191	152	74	65	78	76	120	158	55	91					
1 Enteric fever	—	—	—	—	—	—	1	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—					2
3 Measles	5	1	—	1	1	2	—	—	—	—					3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—					4
5 Whooping cough	—	1	2	—	—	—	3	1	—	—					5
6 Diphtheria	—	—	—	1	—	1	—	—	—	1					6
7 Influenza	4	3	1	2	5	3	—	—	1	—					7
8 Encephalitis lethargica	1	2	—	—	—	—	2	1	1	—					8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	8	5	2	2	5	5	12	6	3	6					10
11 Other tuberculous diseases	2	1	1	—	1	4	—	4	2	—					11
12 Cancer, malignant disease	18	17	3	9	12	8	10	27	8	10					12
13 Rheumatic fever	—	—	—	2	—	—	—	—	—	—					13
14 Diabetes	4	2	1	2	—	1	1	4	2	—					14
15 Cerebral hæmorrhage, &c.	11	19	5	3	4	5	7	14	3	4					15
16 Heart disease	28	30	8	9	8	10	21	24	7	27					16
17 Arterio-sclerosis	8	4	12	2	7	5	3	3	4	5					17
18 Bronchitis	18	11	1	5	5	1	8	9	4	1					18
19 Pneumonia (all forms)	5	1	2	2	1	3	8	3	2	2					19
20 Other respiratory diseases	4	1	1	—	2	1	2	—	2	—					20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	2	2	—	—					21
22 Diarrhœa, &c. (under 2 years)	3	1	1	—	1	—	—	—	1	—					22
23 Appendicitis and typhlitis	—	1	1	1	—	—	—	—	2	1					23
24 Cirrhosis of liver	1	1	—	—	—	—	1	—	—	1					24
25 Acute and chronic nephritis	9	5	2	4	2	2	—	3	2	1					25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	1	—	2					27
28 Congenital debility and mal-formation, premature birth	9	5	3	—	5	3	1	5	2	3					28
29 Suicide	3	—	1	1	1	—	3	1	1	—					29
30 Other deaths from violence	6	5	8	1	2	1	3	3	1	3					30
31 Other defined diseases	43	34	16	17	15	18	32	45	7	23					31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	2	—	—					32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***CUMBERLAND.**

Causes of Death.	Maryport U.D.		Whitehaven M.B.		Workington M.B.		Carlisle R.D.		Cockermouth R.D.		Penrith R.D.		Whitehaven R.D.		Wigton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	74	140	113	170	130	71	89	122	105	66	74	90	70	63	72	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	2	—	5	7	—	—	1	—	—	—	—	—	—	—	6
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	7
7 Influenza	3	—	5	3	5	4	2	1	—	—	—	—	1	1	—	—	8
8 Encephalitis lethargica	—	—	—	—	—	—	1	1	—	—	1	1	6	2	2	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	1	6	18	6	14	9	1	3	2	9	3	3	2	2	—	2	11
11 Other tuberculous diseases	—	2	1	1	5	3	1	1	—	1	3	—	1	3	2	—	12
12 Cancer, malignant disease	10	10	9	15	17	18	10	8	10	11	8	11	6	10	5	11	13
13 Rheumatic fever	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	1	14
14 Diabetes	2	2	2	2	1	3	—	1	2	4	2	1	2	1	—	—	15
15 Cerebral hæmorrhage, &c.	3	6	7	5	12	5	4	13	4	6	5	4	3	10	6	10	16
16 Heart disease	14	18	29	22	12	19	12	26	21	13	8	14	10	9	7	16	17
17 Arterio-sclerosis	1	—	4	—	3	1	7	4	8	5	6	5	5	8	7	3	18
18 Bronchitis	3	3	11	8	10	5	1	1	9	6	2	2	3	2	2	5	19
19 Pneumonia (all forms)	6	2	6	6	14	6	4	5	11	6	2	1	4	1	5	1	20
20 Other respiratory diseases	—	1	—	1	3	1	—	—	1	4	1	2	2	—	—	—	21
21 Ulcer of stomach or duodenum	1	—	1	2	5	—	—	—	—	—	—	3	—	—	—	—	22
22 Diarrhœa, &c. (under 2 years)	1	—	2	1	2	1	2	—	1	1	—	—	2	1	—	—	23
23 Appendicitis and typhlitis	1	—	2	1	1	1	—	—	1	1	—	—	1	—	—	—	24
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Acute and chronic nephritis	2	2	1	6	4	5	1	1	4	—	2	2	2	1	1	3	26
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	4	—	—	—	2	—	—	—	—	—	1	28
28 Congenital debility and malformation, premature birth	5	4	8	9	13	5	4	4	5	2	5	7	4	1	4	1	29
29 Suicide	1	—	1	—	2	—	—	1	1	2	1	1	2	—	—	—	30
30 Other deaths from violence	4	—	11	4	9	5	6	—	10	3	3	1	5	2	4	1	31
31 Other defined diseases	16	15	18	17	32	23	13	18	25	29	14	11	27	14	17	16	32
32 Causes ill-defined or unknown	1	—	1	2	—	4	2	—	—	—	—	—	—	1	—	—	

DERBYSHIRE.

Causes of Death.	Alfreton U.D.		Belper U.D.		Bolsover U.D.		Buxton M.B.		Chesterfield M.B.		Glossop M.B.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	110	91	77	78	68	55	92	92	346	321	121	136	111	97	192	143	116	107	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	1	2	—	1	1	—	1	3	1	—	—	2	2	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	—	—	1	—	1	—	—	—	1	—	—	1	—	1	—	—	—	6
6 Diphtheria	—	1	1	—	—	—	—	2	3	4	—	1	—	1	2	—	—	1	7
7 Influenza	4	—	—	—	—	—	—	3	11	3	5	2	—	3	2	—	—	—	8
8 Encephalitis lethargica	—	—	1	1	—	—	—	1	2	2	1	—	—	1	—	1	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	7	2	4	7	3	2	3	3	16	22	3	1	6	6	8	10	9	7	11
11 Other tuberculous diseases	4	—	3	—	4	3	3	—	11	8	1	1	—	—	4	—	1	3	12
12 Cancer, malignant disease	9	12	13	5	2	6	13	19	48	45	15	21	8	13	10	22	15	15	13
13 Rheumatic fever	—	1	1	—	—	1	—	—	1	—	—	—	2	—	—	2	—	—	14
14 Diabetes	2	1	1	2	2	1	1	1	4	2	2	3	1	1	—	1	4	1	15
15 Cerebral hæmorrhage, &c.	5	6	—	1	3	2	7	8	21	21	6	10	2	5	7	18	7	5	16
16 Heart disease	9	12	9	20	8	6	12	5	56	56	20	31	14	9	32	19	18	9	17
17 Arterio-sclerosis	9	4	4	7	3	3	5	9	11	9	9	3	9	2	12	4	7	1	18
18 Bronchitis	2	2	5	6	3	4	4	1	15	20	2	6	9	8	19	8	3	4	19
19 Pneumonia (all forms)	8	5	6	4	9	3	10	4	30	22	6	5	9	4	15	7	2	5	20
20 Other respiratory diseases	1	—	—	—	1	1	2	—	4	2	3	2	1	1	2	1	2	2	21
21 Ulcer of stomach or duodenum	2	—	—	2	—	2	—	—	3	1	—	—	2	—	1	—	1	1	22
22 Diarrhœa, &c. (under 2 years)	1	2	—	2	—	—	—	—	4	4	1	—	1	—	3	—	—	—	23
23 Appendicitis and typhlitis	—	1	1	—	1	—	3	2	2	2	—	1	—	—	1	1	2	3	24
24 Cirrhosis of liver	—	—	2	1	1	—	1	—	1	1	—	1	—	—	—	—	—	—	25
25 Acute and chronic nephritis	—	5	2	2	1	1	2	7	3	8	2	3	2	3	8	8	5	3	26
26 Puerperal sepsis	—	1	—	—	—	2	—	—	—	2	—	1	—	1	—	2	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	1	—	1	—	1	—	1	—	3	—	1	28
28 Congenital debility and malformation, premature birth	8	2	7	4	5	2	4	3	21	15	8	3	9	7	8	3	3	5	29
29 Suicide	2	—	2	—	2	1	1	—	4	2	2	2	2	—	2	1	3	—	30
30 Other deaths from violence	4	4	1	3	4	—	7	3	21	6	8	1	7	5	15	3	5	3	31
31 Other defined diseases	28	29	12	11	10	12	11	20	50	54	25	36	22	22	39	25	29	37	32
32 Causes ill-defined or unknown	1	—	—	—	1	1	—	—	1	5	2	1	—	—	1	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***DERBYSHIRE—*cont.***

Causes of Death.	Ripley U.D.		Swad- lincote District U.D.		The Mat- locks U.D.		Ash- bourne R.D.		Bake- well R.D.		Belper R.D.		Black- well R.D.		Chapel- en-le- Frith R.D.		Chester- field R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	62	113	108	54	59	55	63	105	113	117	108	228	200	76	76	465	383	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	9	2	—	—	1	—	—	—	1	1	—	2	—	—	4	5	4
4 Scarlet fever	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	5
5 Whooping cough	—	1	2	—	—	—	1	—	—	—	1	—	—	2	—	—	—	1	6
6 Diphtheria	—	—	2	7	—	—	—	—	—	—	1	—	—	—	—	—	6	6	7
7 Influenza	1	—	—	—	—	—	1	1	2	5	1	2	5	—	5	—	10	6	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	3	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	1	1	10
10 Tuberculosis of respiratory sys.	4	5	6	7	2	4	1	1	1	4	5	6	22	17	1	4	21	15	11
11 Other tuberculous diseases	—	—	2	3	—	1	1	1	1	—	2	1	5	8	—	—	15	14	12
12 Cancer, malignant disease	6	10	10	12	5	9	4	3	16	12	13	12	22	21	14	10	43	47	13
13 Rheumatic fever	2	—	—	—	—	—	—	—	1	—	—	—	1	3	—	—	—	2	14
14 Diabetes	—	—	1	—	—	1	3	1	—	—	3	5	4	3	1	—	4	5	15
15 Cerebral hæmorrhage, &c.	6	9	4	6	7	4	4	4	7	4	4	8	8	14	7	7	12	33	16
16 Heart disease	8	8	21	21	10	11	6	14	18	32	21	16	26	29	6	10	56	48	17
17 Arterio-sclerosis	7	3	1	2	6	5	3	4	7	4	6	4	9	7	3	3	21	15	18
18 Bronchitis	3	2	2	3	3	2	1	2	9	3	3	7	10	9	—	2	29	17	19
19 Pneumonia (all forms)	4	2	3	2	2	6	4	1	9	4	11	6	13	5	2	4	36	29	20
20 Other respiratory diseases	1	—	2	—	1	1	—	—	1	3	2	—	3	1	3	2	5	2	21
21 Ulcer of stomach or duodenum	—	—	2	1	—	1	—	—	1	—	1	1	—	—	—	—	5	1	22
22 Diarrhœa, &c. (under 2 years)	—	1	2	—	—	—	—	—	—	—	1	—	8	3	—	—	3	1	23
23 Appendicitis and typhlitis	—	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	6	6	24
24 Cirrhosis of liver	—	—	1	—	1	1	—	—	—	—	1	—	2	—	1	—	3	—	25
25 Acute and chronic nephritis	2	2	2	4	1	2	1	4	5	4	6	4	2	6	1	1	14	15	26
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	2	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	1	—	—	—	6	—	1	—	4	—	28
28 Congenital debility and mal-formation, premature birth	5	1	5	9	—	2	5	1	3	1	8	5	22	20	2	—	48	26	29
29 Suicide	1	2	3	—	2	—	—	—	3	—	2	1	5	—	3	1	6	3	30
30 Other deaths from violence	4	3	6	3	1	—	4	—	3	3	8	3	15	1	5	2	32	3	31
31 Other defined diseases	19	11	26	23	12	9	15	26	19	29	16	24	40	38	21	28	79	74	32
32 Causes ill-defined or unknown	—	—	—	1	1	—	—	—	1	—	—	—	3	2	—	—	2	—	

DERBYSHIRE—*cont.***DEVONSHIRE.**

Causes of Death.	Clowne R.D.		Repton R.D.		Shard- low R.D.		Barn- staple M.B.		Ex- mouth U.D.		Ilfra- combe U.D.		New- ton Abbot U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	79	80	86	175	157	86	97	97	110	52	60	93	79	1
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	3	—	—	—	1	—	—	—	3
3 Measles	1	2	4	1	1	—	—	—	—	—	2	2	—	1	4
4 Scarlet fever	—	—	—	—	1	—	—	1	—	—	—	—	—	—	5
5 Whooping cough	2	—	1	—	1	—	—	—	2	—	—	—	—	—	6
6 Diphtheria	—	—	2	—	—	2	1	1	—	—	—	—	1	—	7
7 Influenza	1	—	1	1	2	1	1	1	5	3	—	—	2	5	8
8 Encephalitis lethargica	—	—	—	1	—	—	—	1	—	—	1	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	5	3	7	3	12	8	10	4	2	4	3	3	4	9	11
11 Other tuberculous diseases	2	2	2	—	8	1	—	3	—	—	1	2	—	—	12
12 Cancer, malignant disease	9	8	10	14	14	21	12	16	10	19	8	12	12	9	13
13 Rheumatic fever	—	—	—	1	2	—	—	—	1	—	—	—	—	1	14
14 Diabetes	—	1	—	—	3	—	—	—	—	—	—	—	1	—	15
15 Cerebral hæmorrhage, &c.	6	11	5	9	3	10	5	3	9	5	1	—	3	5	16
16 Heart disease	7	9	12	21	27	25	10	22	26	19	7	16	11	8	17
17 Arterio-sclerosis	6	3	4	—	4	7	5	4	8	12	6	4	8	13	18
18 Bronchitis	4	6	5	4	7	6	3	3	3	1	2	2	10	2	19
19 Pneumonia (all forms)	5	6	2	2	8	7	4	2	4	6	1	2	4	3	20
20 Other respiratory diseases	2	2	3	—	1	1	2	2	—	2	—	1	—	2	21
21 Ulcer of stomach or duodenum	1	—	—	—	2	1	5	1	2	1	1	—	2	1	22
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	1	—	—	—	—	—	—	—	1	—	23
23 Appendicitis and typhlitis	2	—	—	—	1	1	—	1	2	—	—	—	1	—	24
24 Cirrhosis of liver	—	1	1	—	3	—	1	—	—	—	1	—	—	—	25
25 Acute and chronic nephritis	2	1	1	5	6	8	4	6	4	3	2	1	2	1	26
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	—	—	1	—	1	28
28 Congenital debility and mal-formation, premature birth	2	2	2	4	12	8	4	5	8	3	2	1	5	2	29
29 Suicide	3	2	—	2	—	—	—	2	—	1	1	—	1	—	30
30 Other deaths from violence	6	—	5	1	13	7	2	—	3	1	2	—	1	5	31
31 Other defined diseases	18	18	12	17	43	42	12	18	15	25	7	12	19	15	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	1	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

DEVONSHIRE—*cont.*

Causes of Death.	Paignton U.D.		Teignmouth U.D.		Torquay M.B.		Barnstaple R.D.		Crediton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		Okehampton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	96	121	57	81	252	295	122	118	63	64	70	72	152	133	89	83	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	—	1	—	—	1	—	1	—	—	1	—	1	2	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5
5 Whooping cough	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	6
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	1	6	2	6	4	3	1	1	—	—	—	2	1	4	3	1	8
8 Encephalitis lethargica	1	—	—	2	—	—	—	—	—	—	—	—	—	2	—	2	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	6	8	1	22	19	4	7	5	3	7	2	11	4	6	5	11
11 Other tuberculous diseases	1	2	1	1	3	5	1	3	2	1	1	—	—	2	1	2	12
12 Cancer, malignant disease	10	21	7	12	24	43	10	20	6	5	9	10	22	24	12	12	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	14
14 Diabetes	—	2	—	2	4	4	1	1	—	—	2	1	2	2	2	1	15
15 Cerebral hæmorrhage, &c.	3	9	5	5	11	13	8	7	6	8	5	3	11	10	4	10	16
16 Heart disease	22	29	8	16	44	65	26	20	14	19	14	20	27	20	16	20	17
17 Arterio-sclerosis	10	9	4	7	30	34	15	12	4	1	1	1	10	11	9	6	18
18 Bronchitis	4	1	3	3	14	10	1	4	6	5	2	3	10	3	4	1	19
19 Pneumonia (all forms)	4	2	2	4	9	7	4	4	1	5	3	4	9	8	2	1	20
20 Other respiratory diseases	1	2	2	—	4	2	—	1	1	1	—	—	2	—	1	—	21
21 Ulcer of stomach or duodenum	—	1	—	2	5	2	2	—	—	—	—	1	—	—	—	4	22
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	2	—	1	—	—	—	—	—	—	—	1	1	23
23 Appendicitis and typhlitis	1	1	—	2	2	—	1	—	—	—	—	—	3	1	2	—	24
24 Cirrhosis of liver	—	1	—	—	2	1	—	—	—	—	—	1	3	—	—	—	25
25 Acute and chronic nephritis	2	5	3	2	9	7	5	7	2	2	2	1	5	3	3	1	26
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	1	—	1	—	1	—	2	—	—	28
28 Congenital debility and malformation, premature birth	7	3	1	3	10	7	9	1	6	1	2	1	4	2	2	5	29
29 Suicide	2	—	—	—	—	2	1	—	—	1	3	—	2	1	1	—	30
30 Other deaths from violence	1	3	3	—	8	6	6	2	4	—	2	6	6	1	1	2	31
31 Other defined diseases	18	17	7	13	45	60	25	24	6	10	15	16	20	30	15	8	32
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	

DEVONSHIRE—*cont.*

Causes of Death.	Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Totnes R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	143	126	155	148	57	67	107	85	88	83	78	65	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	1	—	1	2	—	3	—	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	3	1	—	2	—	—	1	1	3	—	—	—	6
7 Influenza	3	3	4	2	1	5	1	—	3	5	5	2	7
8 Encephalitis lethargica	1	1	1	1	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	13	1	11	8	3	5	2	5	4	7	3	2	10
11 Other tuberculous diseases	3	1	2	4	2	2	2	1	1	—	1	2	11
12 Cancer, malignant disease	14	22	18	25	3	3	14	9	13	8	7	11	12
13 Rheumatic fever	—	1	—	—	—	—	—	1	—	—	—	—	13
14 Diabetes	2	1	3	2	2	1	—	—	1	—	1	1	14
15 Cerebral hæmorrhage, &c.	4	5	11	11	3	8	10	8	—	3	3	4	15
16 Heart disease	22	26	21	24	10	10	21	21	18	16	15	10	16
17 Arterio-sclerosis	15	6	10	12	4	4	2	—	3	2	4	3	17
18 Bronchitis	3	5	10	8	2	2	7	4	4	4	7	4	18
19 Pneumonia (all forms)	7	6	10	7	2	5	3	1	5	6	6	1	19
20 Other respiratory diseases	1	—	—	2	1	2	2	3	—	—	1	2	20
21 Ulcer of stomach or duodenum	3	1	1	—	1	—	1	—	2	2	1	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	1	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	1	1	—	—	1	1	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	7	3	2	8	4	4	1	4	6	4	3	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	2	7	4	4	3	1	3	1	1	5	7	—	28
29 Suicide	6	2	3	—	3	—	3	1	1	—	1	1	29
30 Other deaths from violence	7	3	11	4	—	—	7	—	3	3	4	1	30
31 Other defined diseases	21	26	31	21	11	12	24	22	21	14	8	16	31
32 Causes ill-defined or unknown	—	2	1	1	—	—	—	—	1	—	1	2	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

DORSETSHIRE.

DURHAM.

Causes of Death.	Poole M.B.		Portland U.D.		Wey- mouth & Melcombe Regis M.B.		Ware- ham & Purbeck R.D.		Wim- borne & Cran- borne R.D.		Annfield Plain U.D.		Bishop Auck- land U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	308	309	66	56	132	116	74	74	115	98	104	88	71	73
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	1	—	—	—	1	—	—	1	—	1	—	—	—
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—
5 Whooping cough	3	3	—	—	—	2	—	—	1	1	2	—	—	—
6 Diphtheria	—	1	—	—	—	—	1	—	—	—	—	—	—	—
7 Influenza	3	10	7	4	1	—	3	4	2	2	1	2	1	7
8 Encephalitis lethargica	—	1	3	1	—	1	—	—	1	—	1	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory sys.	15	17	3	2	6	5	3	4	1	2	7	9	3	2
11 Other tuberculous diseases	6	3	2	—	—	3	—	1	2	2	1	1	1	3
12 Cancer, malignant disease	41	38	11	9	21	10	8	8	12	13	5	10	8	14
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—
14 Diabetes	6	3	—	—	1	—	—	1	1	4	1	1	2	1
15 Cerebral hæmorrhage, &c.	14	21	2	1	9	13	3	7	3	8	4	5	5	—
16 Heart disease	50	64	8	4	21	24	15	22	23	16	14	12	9	12
17 Arterio-sclerosis	21	14	4	5	6	3	1	—	5	6	14	8	7	4
18 Bronchitis	8	9	2	3	6	8	2	1	5	5	10	4	3	4
19 Pneumonia (all forms)	23	12	6	6	10	3	4	2	5	4	8	8	5	5
20 Other respiratory diseases	6	2	3	—	—	1	1	1	1	—	1	1	1	—
21 Ulcer of stomach or duodenum	5	6	—	—	1	1	1	—	2	—	1	—	1	—
22 Diarrhoea, &c. (under 2 years)	2	1	—	—	2	—	—	—	—	—	1	—	3	—
23 Appendicitis and typhlitis	1	4	—	—	1	—	2	1	6	1	—	—	1	1
24 Cirrhosis of liver	2	2	1	1	2	1	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	12	15	—	4	2	1	6	—	—	1	2	—	2	1
26 Puerperal sepsis	—	2	—	—	—	1	—	1	—	—	—	1	—	1
27 Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	14	15	2	5	3	—	3	6	3	8	5	2	2	4
29 Suicide	3	5	—	—	2	—	1	—	—	—	1	—	—	1
30 Other deaths from violence	17	12	5	—	2	3	6	—	10	2	3	1	5	2
31 Other defined diseases	54	42	7	11	36	35	13	15	32	20	19	20	10	17
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	1	2	—	—

DURHAM—*cont.*

Causes of Death.	Blay- don U.D.		Brandon & By- shottles U.D.		Ches- ter le- Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartle- pool M.B.		Hebburn U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	168	165	94	91	112	105	94	74	79	70	114	110	177	157	146	137	174	137
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	2	—	—	—	2	—	—	—	—	1	2	1	3	1	2	—	—
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
5 Whooping cough	2	2	2	—	1	2	1	—	—	2	1	6	4	—	—	—	4	3
6 Diphtheria	3	1	—	3	—	1	3	1	—	1	—	—	—	—	—	—	—	1
7 Influenza	1	2	2	1	2	1	4	2	2	2	2	1	4	6	5	4	2	—
8 Encephalitis lethargica	—	1	2	—	2	—	—	—	—	—	—	—	1	2	1	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory sys.	11	10	3	8	8	6	6	6	9	6	7	3	15	24	6	14	20	12
11 Other tuberculous diseases	1	1	2	4	2	—	1	3	1	—	3	1	5	—	8	5	4	6
12 Cancer, malignant disease	16	20	7	11	7	19	8	9	6	8	13	12	16	19	11	12	18	15
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
14 Diabetes	—	3	—	1	—	—	1	—	—	—	—	—	2	2	1	1	—	3
15 Cerebral hæmorrhage, &c.	17	20	6	12	8	3	3	4	1	3	7	8	10	10	3	3	5	9
16 Heart disease	18	19	11	12	10	17	15	12	7	14	19	9	23	15	17	19	10	23
17 Arterio-sclerosis	7	6	5	—	10	8	3	3	12	12	9	3	1	6	1	—	9	5
18 Bronchitis	7	13	5	1	6	5	1	5	5	3	4	5	17	11	11	10	3	2
19 Pneumonia (all forms)	19	18	11	7	13	6	15	7	6	3	8	6	13	8	22	19	15	11
20 Other respiratory diseases	2	—	2	—	2	2	—	3	2	1	1	1	2	—	4	2	2	1
21 Ulcer of stomach or duodenum	3	—	—	—	3	—	1	—	—	—	—	—	1	2	—	—	—	—
22 Diarrhoea, &c. (under 2 years)	8	3	—	1	2	3	—	—	1	2	—	3	4	2	3	4	6	4
23 Appendicitis and typhlitis	1	—	—	1	—	—	1	—	—	—	—	1	1	—	1	—	—	—
24 Cirrhosis of liver	—	—	1	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
25 Acute and chronic nephritis	3	3	3	2	3	3	6	3	3	2	2	2	5	6	4	4	3	4
26 Puerperal sepsis	—	1	—	—	—	2	—	2	—	—	—	2	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	3	—	—	—	1	—	—	—	1	—	1	—	1
28 Congenital debility and malformation, premature birth	10	4	9	6	8	4	6	3	6	1	4	11	14	7	15	9	13	14
29 Suicide	4	2	—	—	1	—	2	—	2	1	1	1	3	2	1	—	3	—
30 Other deaths from violence	5	8	3	2	8	1	4	—	2	—	8	6	8	3	7	5	7	—
31 Other defined diseases	26	23	19	16	14	17	13	9	11	9	20	29	24	20	21	19	46	19
32 Causes ill-defined or unknown	1	—	1	2	2	—	—	1	1	1	2	2	—	3	—	1	2	2

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death	Hetton U.D.		Hough- ton-le- Spring U.D.		Jarrow M.B.		Ryton U.D.		Seaham Harbour U.D.		Shil- don U.D.		Spenny- moor U.D.		Stanley U.D.		Stock- ton-on- Tees M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	107	116	70	57	257	197	82	64	117	99	80	66	119	110	143	121	477	388	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	10	7	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	1	3	—	3	4	—	1	2	4	—	1	—	1	—	2	1	5	5
6 Diphtheria	—	1	1	1	1	4	—	1	—	3	—	3	2	2	5	2	5	6	6
7 Influenza	1	2	2	3	5	1	—	—	1	2	3	1	5	1	2	3	14	15	7
8 Encephalitis lethargica	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	3	3	6	25	18	2	1	7	3	6	6	18	12	9	6	35	24	10
11 Other tuberculous diseases	4	3	—	—	7	5	1	1	5	6	4	—	1	3	9	4	12	13	11
12 Cancer, malignant disease	8	9	5	13	27	18	10	4	9	8	7	7	8	11	13	7	42	30	12
13 Rheumatic fever	—	1	—	—	2	1	—	—	2	—	—	—	—	—	—	—	1	3	13
14 Diabetes	3	2	1	1	—	4	3	2	—	2	—	3	—	—	1	3	1	3	14
15 Cerebral hæmorrhage, &c.	7	10	4	1	9	8	2	3	5	6	5	12	6	9	6	6	26	26	15
16 Heart disease	13	13	5	7	19	22	9	11	12	11	6	8	17	19	18	13	78	75	16
17 Arterio-sclerosis	1	2	4	3	24	14	6	9	12	2	9	4	3	4	11	8	27	13	17
18 Bronchitis	6	3	7	1	17	6	6	2	6	5	3	1	4	5	5	5	16	16	18
19 Pneumonia (all forms)	12	11	8	3	26	21	10	3	14	9	4	1	10	7	22	13	57	37	19
20 Other respiratory diseases	1	3	1	1	4	—	—	2	2	1	2	2	—	—	3	—	9	2	20
21 Ulcer of stomach or duodenum	2	—	2	—	1	2	2	—	1	—	—	—	—	—	3	1	5	3	21
22 Diarrhoea, &c. (under 2 years)	—	—	3	—	7	3	—	1	6	1	1	—	1	1	2	—	5	4	22
23 Appendicitis and typhlitis	—	—	—	1	1	—	—	2	—	1	—	—	—	—	1	—	2	2	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	3	2	1	5	7	—	1	2	5	3	—	4	4	—	4	9	8	25
26 Puerperal sepsis	—	1	—	2	—	1	—	—	—	2	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	2	—	—	—	—	—	1	—	3	27
28 Congenital debility and mal-formation, premature birth	8	11	6	3	20	17	8	8	14	6	5	6	12	9	7	15	24	19	28
29 Suicide	—	1	1	—	4	2	—	—	—	—	2	—	3	1	3	—	5	—	29
30 Other deaths from violence	9	14	3	2	8	2	8	2	6	—	5	3	4	2	8	2	19	10	30
31 Other defined diseases	20	20	9	8	39	32	11	9	11	18	14	8	17	15	13	25	74	63	31
32 Causes ill-defined or unknown	—	—	—	—	2	2	1	—	1	—	—	—	1	—	2	—	1	1	32

DURHAM—*cont.*

Causes of Death.	Tan- field U.D.		Wash- ington. U.D.		Whick- ham U.D.		Auck- land R.D.		Bar- nard Castle R.D.		Chester- le- Street R.D.		Durham R.D.		Easing- ton R.D.		Hough- ton-le- Spring R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	49	50	92	102	106	113	348	307	85	65	324	288	203	165	489	424	173	127	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	1	—	5	8	1	—	2	6	—	—	—	—	—	—	3
4 Scarlet fever	1	—	—	1	—	—	1	1	—	—	—	—	—	—	1	1	—	—	4
5 Whooping cough	1	1	1	—	1	2	3	8	1	—	4	9	1	3	6	4	—	3	5
6 Diphtheria	1	—	—	1	—	—	3	4	1	—	3	—	1	1	2	—	—	—	6
7 Influenza	2	—	3	2	2	2	12	4	1	3	5	2	—	4	12	7	7	5	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	3	1	2	1	1	—	—	3	1	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	1	6	9	9	11	9	18	18	7	6	20	26	11	12	26	25	12	9	10
11 Other tuberculous diseases	1	3	3	3	2	4	5	9	1	—	5	9	5	2	9	8	4	2	11
12 Cancer, malignant disease	4	5	5	7	10	9	19	20	5	10	21	30	16	15	29	46	19	12	12
13 Rheumatic fever	—	—	—	2	—	—	1	2	—	—	—	—	1	—	1	—	—	1	13
14 Diabetes	—	1	2	4	—	3	2	6	2	1	1	7	2	2	1	2	1	—	14
15 Cerebral hæmorrhage, &c.	2	3	3	6	4	9	21	27	4	4	17	13	15	11	25	29	16	6	15
16 Heart disease	3	9	7	5	9	10	54	40	16	5	41	37	34	29	41	47	18	13	16
17 Arterio-sclerosis	5	3	8	4	11	13	28	14	7	6	27	10	12	4	34	17	8	3	17
18 Bronchitis	2	2	12	13	5	6	24	15	2	2	17	13	19	13	35	38	7	10	18
19 Pneumonia (all forms)	3	1	7	9	8	9	18	19	3	1	23	18	13	11	37	31	15	4	19
20 Other respiratory diseases	—	—	2	3	2	—	6	4	3	—	10	6	1	2	4	6	5	—	20
21 Ulcer of stomach or duodenum	4	—	1	1	1	—	5	2	—	—	3	—	1	2	6	3	1	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	1	—	—	1	6	5	1	—	3	6	5	2	11	4	2	3	22
23 Appendicitis and typhlitis	—	2	—	—	—	—	1	1	—	—	3	—	1	1	5	3	—	1	23
24 Cirrhosis of liver	—	—	—	1	1	—	1	1	2	1	1	—	1	—	2	—	—	—	24
25 Acute and chronic nephritis	4	2	4	3	2	4	8	5	1	1	7	8	3	2	9	14	3	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	4	—	—	3	—	3	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	1	—	5	—	—	—	1	—	3	—	8	—	—	27
28 Congenital debility and mal-formation, premature birth	1	1	6	10	5	7	19	17	6	2	40	23	13	8	54	34	21	13	28
29 Suicide	2	—	1	1	1	1	13	1	1	—	3	1	3	—	9	2	1	1	29
30 Other deaths from violence	2	2	3	2	3	3	20	8	3	2	19	10	10	—	39	8	8	3	30
31 Other defined diseases	9	6	11	12	23	18	53	59	16	17	45	46	31	31	84	79	23	34	31
32 Causes ill-defined or unknown	1	—	3	—	3	1	—	1	—	1	2	1	4	1	2	1	1	—	32

Causes of Death.	Lan- chester R.D.		Sedgefield R.D.		South Shields R.D.		Sunder- land R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	217	177	215	182	110	114	152	128
1 Enteric fever	—	1	1	—	1	—	—	—
2 Small-pox	—	—	—	—	—	2	—	—
3 Measles	—	1	1	—	—	2	—	1
4 Scarlet fever	1	—	—	—	—	—	—	—
5 Whooping cough	2	2	4	4	—	1	1	2
6 Diphtheria	3	2	1	1	—	1	—	—
7 Influenza	6	4	3	6	4	3	4	4
8 Encephalitis lethargica	1	—	1	—	—	—	—	—
9 Meningococcal meningitis	1	1	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	13	9	15	13	4	13	9	10
11 Other tuberculous diseases	2	2	3	4	3	8	3	3
12 Cancer, malignant disease	18	21	17	25	11	8	4	12
13 Rheumatic fever	1	1	—	1	—	—	1	2
14 Diabetes	1	3	2	7	—	—	—	2
15 Cerebral hæmorrhage, &c.	18	4	13	10	4	10	9	10
16 Heart disease	32	34	29	25	15	10	18	23
17 Arterio-sclerosis	17	7	6	2	11	3	13	1
18 Bronchitis	10	6	13	12	6	4	14	11
19 Pneumonia (all forms)	14	12	22	13	10	7	13	6
20 Other respiratory diseases	2	4	—	2	2	2	2	1
21 Ulcer of stomach or duodenum	—	3	2	—	—	—	1	—
22 Diarrhoea, &c. (under 2 years)	—	—	3	2	1	—	7	—
23 Appendicitis and typhlitis	2	—	3	1	1	1	—	—
24 Cirrhosis of liver	2	—	1	—	—	1	—	—
25 Acute and chronic nephritis	7	6	6	5	1	1	7	3
26 Puerperal sepsis	—	3	—	—	—	1	—	2
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	1
28 Congenital debility and mal-formation, premature birth	20	15	15	12	6	7	15	15
29 Suicide	1	2	1	—	—	1	1	1
30 Other deaths from violence	6	1	23	4	8	5	13	1
31 Other defined diseases	34	31	30	32	22	22	17	17
32 Causes ill-defined or unknown	3	—	—	—	—	—	—	—

ESSEX.

Causes of Death.	Wisbech M.B.		Ely R.D.		Wisbech R.D.		Barking Town U.D.		Chelmsford M.B.		Clacton U.D.		Colchester M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	88	82	76	80	77	60	230	184	111	115	60	79	231	239
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	2	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	10	3	1	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	1	3	—	4	2	2	2	4	—	—	—	—	—	1
6 Diphtheria	2	—	3	1	—	—	—	—	—	2	—	1	—	1
7 Influenza	2	1	2	1	—	—	5	2	1	—	—	3	4	1
8 Encephalitis lethargica	—	1	—	1	1	—	—	—	—	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	5	11	7	5	7	5	27	19	8	6	5	2	21	8
11 Other tuberculous diseases	—	—	1	2	1	1	2	—	5	3	—	1	2	—
12 Cancer, malignant disease	11	10	13	15	9	10	24	21	14	12	9	13	36	44
13 Rheumatic fever	—	—	—	—	—	—	—	2	—	—	—	—	2	1
14 Diabetes	—	—	—	2	—	2	—	4	—	—	1	1	1	2
15 Cerebral hæmorrhage, &c.	3	4	8	5	3	1	14	8	5	11	4	4	13	18
16 Heart disease	12	10	9	9	14	9	44	50	17	22	9	11	33	43
17 Arterio-sclerosis	11	7	5	2	2	4	5	4	6	—	3	6	12	17
18 Bronchitis	4	4	5	4	3	1	11	5	5	12	2	1	7	6
19 Pneumonia (all forms)	8	4	2	1	5	8	9	14	3	2	3	5	7	13
20 Other respiratory diseases	2	2	1	2	2	2	4	—	2	1	1	1	1	—
21 Ulcer of stomach or duodenum	3	—	—	—	2	—	4	2	1	—	1	—	8	1
22 Diarrhœa, &c. (under 2 years)	2	1	—	—	1	—	4	2	—	—	—	—	—	—
23 Appendicitis and typhlitis	1	—	—	—	—	—	3	1	1	2	—	1	2	2
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	—	—	—
25 Acute and chronic nephritis	1	3	2	2	3	2	11	5	4	2	1	2	12	11
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	2	—	1	—	1
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	2	—	2	—	1	—	1
28 Congenital debility and malformation, premature birth	2	3	3	3	7	6	9	14	5	7	2	2	10	8
29 Suicide	4	—	—	1	1	—	3	1	1	—	1	3	4	4
30 Other deaths from violence	2	—	2	3	2	—	11	3	5	1	3	5	12	3
31 Other defined diseases	12	17	13	17	12	5	28	18	26	28	15	14	41	49
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	1	1

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*ESSEX—*cont.*

Causes of Death.	Grays Thur- rock U.D.		Har- wich M.B.		Horn- church U.D.		Ilford M.B.		Leyton M.B.		Romford U.D.		Wal- tham- stow U.D.		Wan- stead U.D.		Wood- ford U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	97	88	77	53	64	68	462	462	668	622	174	130	649	620	83	86	108	104
1 Enteric fever	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	2	1	2	4	7	10	3	1	9	9	—	1	1	—
4 Scarlet fever	—	—	—	—	—	—	—	2	1	1	—	—	2	1	—	—	—	—
5 Whooping cough	—	—	—	2	—	—	4	3	1	1	—	1	2	3	—	1	—	2
6 Diphtheria	2	4	—	—	—	1	4	4	10	8	2	—	4	4	—	1	—	1
7 Influenza	1	—	—	1	1	—	5	3	8	6	3	2	5	4	4	1	4	1
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—	—	1	4	—	—	2	—	—
9 Meningococcal meningitis	—	—	1	—	—	—	1	1	—	2	—	—	2	—	1	—	—	—
10 Tuberculosis of respiratory sys.	9	8	4	2	3	5	32	27	39	43	17	2	59	34	5	4	11	3
11 Other tuberculous diseases	1	—	—	2	3	—	7	6	9	6	1	1	11	8	—	2	1	—
12 Cancer, malignant disease	11	9	14	13	9	7	65	78	73	98	27	17	86	85	14	16	15	18
13 Rheumatic fever	—	—	1	—	—	—	1	2	1	4	1	—	—	4	1	—	1	—
14 Diabetes	1	—	1	1	1	—	4	6	5	7	2	1	4	2	2	1	—	3
15 Cerebral hæmorrhage, &c.	6	4	6	2	2	8	14	22	40	37	9	15	28	39	3	5	6	4
16 Heart disease	12	11	7	10	12	14	94	93	126	140	29	31	106	125	19	17	13	20
17 Arterio-sclerosis	3	4	2	—	2	1	20	18	16	13	3	2	30	16	4	2	4	4
18 Bronchitis	7	7	3	4	3	6	14	20	35	25	7	4	27	34	3	2	8	5
19 Pneumonia (all forms)	3	2	3	1	3	2	34	25	55	29	5	7	51	49	3	5	4	6
20 Other respiratory diseases	—	3	2	2	1	1	6	11	7	2	—	—	8	2	—	—	2	1
21 Ulcer of stomach or duodenum	—	—	—	—	—	1	9	—	13	3	4	1	9	1	3	1	1	2
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	1	8	2	5	6	3	2	4	9	—	—	—	1
23 Appendicitis and typhlitis	—	—	1	—	2	1	3	3	6	6	1	—	6	2	2	—	1	—
24 Cirrhosis of liver	3	—	—	—	1	—	2	4	3	4	3	—	4	4	—	—	—	—
25 Acute and chronic nephritis	2	5	1	1	2	1	7	8	18	12	5	2	28	25	2	6	1	3
26 Puerperal sepsis	—	—	—	1	—	—	—	2	—	4	—	2	—	2	—	—	—	2
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	5	—	6	—	2	—	3	—	—	—	2
28 Congenital debility and mal-formation, premature birth	4	4	4	3	3	1	31	15	25	19	13	6	18	16	1	3	2	4
29 Suicide	1	1	4	—	2	—	8	9	17	5	4	1	10	5	1	—	2	1
30 Other deaths from violence	5	—	5	—	4	1	18	13	30	14	11	4	40	10	2	2	3	3
31 Other defined diseases	26	23	16	7	7	15	69	76	117	110	21	25	92	124	13	16	26	15
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ESSEX—*cont.*

Causes of Death.	Billeri- cay R.D.		Brain- tree R.D.		Chelms- ford R.D.		Dunmow R.D.		Epping R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	191	155	111	123	164	134	110	101	97	93	139	95	84	84	64	44	145	105
1 Enteric fever	1	—	—	—	1	1	2	—	—	—	—	—	1	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5 Whooping cough	—	1	—	1	2	—	2	—	—	—	—	—	1	—	—	—	1	2
6 Diphtheria	—	—	—	—	—	—	—	—	—	2	1	—	—	1	1	1	6	8
7 Influenza	5	4	1	—	3	4	2	1	1	—	—	1	1	1	—	1	1	1
8 Encephalitis lethargica	—	1	—	—	1	3	—	2	1	1	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	15	8	9	4	13	3	5	1	5	5	8	6	4	6	2	—	11	6
11 Other tuberculous diseases	3	2	—	1	5	2	—	1	1	—	2	3	—	1	1	1	1	—
12 Cancer, malignant disease	22	22	16	11	18	14	18	17	12	14	24	8	19	9	10	3	18	14
13 Rheumatic fever	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
14 Diabetes	1	1	1	1	1	2	1	1	3	1	1	4	1	1	—	2	1	4
15 Cerebral hæmorrhage, &c.	6	10	6	13	14	13	10	19	3	6	2	8	2	9	6	4	5	5
16 Heart disease	21	19	18	27	18	24	12	18	19	15	21	28	18	19	12	5	32	16
17 Arterio-sclerosis	13	9	9	11	11	4	9	2	13	10	11	4	3	4	—	1	5	2
18 Bronchitis	6	3	4	9	3	9	6	4	2	6	8	2	4	4	4	4	1	3
19 Pneumonia (all forms)	13	10	5	4	8	4	5	3	7	7	1	—	3	1	2	—	6	7
20 Other respiratory diseases	6	4	1	1	2	1	1	1	2	1	1	2	1	—	2	1	2	1
21 Ulcer of stomach or duodenum	1	1	2	—	5	—	—	1	1	—	3	—	—	1	1	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	2	1	—	—	—	—	—	1	—	—	—	—	—	2	2
23 Appendicitis and typhlitis	2	1	2	2	—	3	—	—	—	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver	1	—	1	—	—	—	1	—	3	—	—	—	—	1	—	—	1	—
25 Acute and chronic nephritis	7	2	1	5	2	4	3	3	1	3	7	2	1	2	1	—	2	2
26 Puerperal sepsis	—	1	—	1	—	1	—	—	—	1	—	2	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	1	—	—	—	1	—	2	—	1	—	1	—	—
28 Congenital debility and mal-formation, premature birth	11	4	3	3	7	1	6	2	3	2	4	3	6	2	2	3	12	3
29 Suicide	3	3	5	2	5	—	2	—	—	—	2	1	2	—	—	—	2	—
30 Other deaths from violence	13	4	4	2	9	4	3	3	6	1	4	1	4	1	2	1	8	2
31 Other defined diseases	41	43	20	19	32	35	22	18	14	16	33	17	12	17	18	14	26	26
32 Causes ill-defined or unknown	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*ESSEX—*cont.*

GLOUCESTERSHIRE.

Causes of Death.	Rochford R.D.		Saffron Walden R.D.		Tend- ring R.D.		Chelten- ham M.B.		Kings- wood U.D.		Mangots- field U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	149	182	80	62	140	134	311	400	73	60	54	42
1 Enteric fever	—	—	—	—	—	1	1	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	1	—	—	—	—	4	1	1	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—
5 Whooping cough	—	2	—	—	—	1	2	3	—	—	—	—
6 Diphtheria	—	—	—	—	—	—	—	1	—	—	—	1
7 Influenza	2	5	2	—	2	—	6	15	1	—	—	—
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	11	8	2	4	7	7	27	20	6	1	7	7
11 Other tuberculous diseases	2	1	—	1	2	2	4	5	1	1	1	1
12 Cancer, malignant disease	14	33	13	9	22	18	32	67	7	9	2	1
13 Rheumatic fever	—	1	—	—	1	—	—	—	—	—	—	1
14 Diabetes	4	5	—	—	—	2	5	6	1	1	—	—
15 Cerebral hæmorrhage, &c.	9	14	4	4	2	12	14	28	4	4	3	3
16 Heart disease	28	38	12	10	25	23	38	82	15	15	14	5
17 Arterio-sclerosis	9	3	13	8	11	11	24	22	5	2	3	4
18 Bronchitis	7	6	6	4	8	6	7	12	2	3	4	2
19 Pneumonia (all forms)	5	11	4	2	5	7	20	25	4	6	3	1
20 Other respiratory diseases	1	2	—	2	4	—	2	5	1	1	2	—
21 Ulcer of stomach or duodenum	2	1	1	—	1	—	2	4	2	—	—	—
22 Diarrhœa, &c. (under 2 years)	4	1	1	—	—	1	2	—	1	—	—	—
23 Appendicitis and typhlitis	2	1	—	1	—	—	4	1	—	—	—	—
24 Cirrhosis of liver	1	—	—	—	1	2	2	—	—	—	1	—
25 Acute and chronic nephritis	5	5	1	—	4	3	23	11	1	1	1	2
26 Puerperal sepsis	—	—	—	—	—	—	—	2	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	1	—	—
28 Congenital debility and malformation, premature birth	4	14	1	2	3	3	12	16	9	4	1	—
29 Suicide	2	—	—	1	3	—	7	2	1	—	1	—
30 Other deaths from violence	9	4	2	2	6	2	11	1	1	2	4	—
31 Other defined diseases	25	26	18	10	32	32	61	70	9	8	5	14
32 Causes ill-defined or unknown	—	—	—	1	1	—	—	—	—	—	—	—

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Chipping Sodbury R.D.		Ciren- cester R.D.		Durs- ley R.D.		East Dean & United Parishes R.D.		Faring- don (Part of)* R.D.		Glou- cester R.D.		Stroud R.D.		Thorn- bury R.D.		West Dean R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	136	136	82	81	69	65	121	132	8	7	73	84	170	209	113	114	84	75
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	4	2	—	—	2	—	—	—	—	—	—	—	1	—	—	1	—	—
4 Scarlet fever	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	1	—	—	2	—	—	—	—	—	—	1	—	—	1	1	1	—
6 Diphtheria	1	—	—	—	—	—	2	—	—	—	—	1	1	—	2	2	—	—
7 Influenza	4	5	3	2	1	2	2	4	—	—	1	—	10	4	—	3	2	1
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory sys.	5	5	—	3	3	—	6	4	—	—	5	4	13	8	3	3	6	6
11 Other tuberculous diseases	2	2	1	1	2	—	2	2	—	—	—	2	1	4	—	1	1	1
12 Cancer, malignant disease	15	16	11	11	5	7	14	20	1	—	6	17	18	33	17	15	8	12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—
14 Diabetes	1	3	—	2	1	3	1	1	—	—	3	—	2	2	—	—	—	3
15 Cerebral hæmorrhage, &c.	5	14	3	3	4	8	6	11	—	1	8	8	8	20	9	7	3	15
16 Heart disease	25	32	18	13	12	15	28	32	—	1	11	11	26	56	15	19	12	15
17 Arterio-sclerosis	4	5	10	9	8	6	6	4	2	—	6	5	11	18	11	4	7	4
18 Bronchitis	8	2	2	3	5	—	8	6	1	—	5	4	9	3	2	5	5	3
19 Pneumonia (all forms)	9	4	6	5	1	2	7	6	—	—	5	7	7	5	5	4	4	7
20 Other respiratory diseases	6	2	1	1	—	—	4	1	—	—	—	1	—	2	3	1	—	—
21 Ulcer of stomach or duodenum	3	2	3	1	1	—	1	1	—	—	—	—	4	1	—	—	—	—
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	—	2	—	—	—	—	—	1	2	—	—	—
23 Appendicitis and typhlitis	1	2	—	—	—	1	—	1	—	—	1	—	—	1	2	—	1	1
24 Cirrhosis of liver	1	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—
25 Acute and chronic nephritis	7	9	2	—	3	6	4	3	—	—	4	3	4	5	7	6	6	2
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—	1
28 Congenital debility and malformation, premature birth	3	3	2	—	4	1	5	7	—	1	3	3	7	7	4	3	4	—
29 Suicide	2	1	1	—	—	—	1	3	—	—	—	1	1	1	1	—	—	1
30 Other deaths from violence	11	6	5	2	4	—	7	5	—	—	4	1	9	6	3	5	7	3
31 Other defined diseases	19	19	12	21	9	11	12	22	4	4	11	16	33	25	24	31	13	14
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	3	2	—	—	2	—

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

HEREFORDSHIRE.

Causes of Death.	Hereford M.B.			Hereford R.D.		Ross R.D.									
	M.	F.		M.	F.	M.	F.								
All Causes	171	163		71	75	74	61								
1 Enteric fever	—	—		—	—	—	—								1
2 Small-pox	—	—		—	—	—	—								2
3 Measles	—	—		—	—	—	—								3
4 Scarlet fever	—	—		—	—	—	—								4
5 Whooping cough	—	—		—	—	—	—								5
6 Diphtheria	5	4		—	—	—	—								6
7 Influenza	2	7		1	2	1	3								7
8 Encephalitis lethargica	—	—		—	—	—	—								8
9 Meningococcal meningitis	—	1		—	—	—	—								9
10 Tuberculosis of respiratory sys.	8	7		1	8	1	2								10
11 Other tuberculous diseases	3	2		1	—	—	—								11
12 Cancer, malignant disease	13	21		5	9	10	10								12
13 Rheumatic fever	—	—		—	—	—	—								13
14 Diabetes	3	2		1	—	1	—								14
15 Cerebral hæmorrhage, &c.	17	13		2	6	5	1								15
16 Heart disease	35	31		14	13	21	20								16
17 Arterio-sclerosis	10	8		7	2	5	4								17
18 Bronchitis	5	7		5	1	4	4								18
19 Pneumonia (all forms)	8	5		6	4	2	—								19
20 Other respiratory diseases	—	3		—	1	2	—								20
21 Ulcer of stomach or duodenum	1	1		1	1	2	—								21
22 Diarrhoea, &c. (under 2 years)	1	2		—	1	—	—								22
23 Appendicitis and typhlitis	2	1		—	2	—	—								23
24 Cirrhosis of liver	1	—		—	—	1	—								24
25 Acute and chronic nephritis	8	5		2	—	4	1								25
26 Puerperal sepsis	—	—		—	1	—	—								26
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	1		—	—	—	1								27
28 Congenital debility and mal-formation, premature birth	4	2		4	2	1	—								28
29 Suicide	2	4		3	1	—	—								29
30 Other deaths from violence	8	1		4	1	5	—								30
31 Other defined diseases	35	35		14	20	9	15								31
32 Causes ill-defined or unknown	—	—		—	—	—	—								32

HERTFORDSHIRE.

Causes of Death.				Barnet U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Hemel Hemp- stead M.B.		Hert- ford M.B.		Hitchin U.D.		Letch- worth U.D.		St. Albans M.B.		Watford M.B.		
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes				65	83	82	81	85	91	89	80	78	58	86	85	44	45	135	148	254	257	
1	Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	1	—	—	2	—	—	—	1	—	—	—	—	—	—	2	2	3	
4	Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	4	
5	Whooping cough	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	5	
6	Diphtheria	—	—	—	1	—	—	—	—	2	—	—	—	—	2	2	—	2	6	
7	Influenza	3	1	—	—	—	—	1	3	—	3	1	—	3	1	—	6	2	7	
8	Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	8	
9	Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9	
10	Tuberculosis of respiratory sys.	5	4	5	6	5	3	8	2	5	5	4	1	4	4	10	6	16	13	
11	Other tuberculous diseases	1	1	1	1	—	—	4	—	—	—	3	—	—	1	2	2	4	4	
12	Cancer, malignant disease	6	21	5	9	12	21	10	8	8	12	16	9	8	4	19	32	30	46	
13	Rheumatic fever	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	1	2	1	
14	Diabetes	—	—	—	2	—	—	1	1	2	—	1	—	—	—	1	2	4	3	
15	Cerebral hæmorrhage, &c.	1	6	3	3	3	3	3	3	5	5	10	12	—	2	8	6	13	25	
16	Heart disease	13	15	23	19	14	19	18	29	7	8	10	17	3	10	34	49	35	41	
17	Arterio-sclerosis	5	4	5	5	7	3	3	1	6	5	4	2	6	7	6	5	8	5	
18	Bronchitis	4	2	2	4	4	6	4	5	4	2	2	9	1	—	4	1	18	8	
19	Pneumonia (all forms)	2	2	4	5	4	14	4	4	4	2	4	7	5	1	3	8	17	7	
20	Other respiratory diseases	—	—	—	2	—	—	—	—	—	—	1	—	—	1	3	1	3	1	
21	Ulcer of stomach or duodenum	1	1	—	2	—	1	1	1	2	1	—	1	1	—	2	—	5	1	
22	Diarrhœa, &c. (under 2 years)	—	1	1	—	1	—	—	—	—	—	—	—	—	—	2	—	2	1	
23	Appendicitis and typhlitis	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	1	1	1	
24	Cirrhosis of liver	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	2	
25	Acute and chronic nephritis	1	3	3	5	2	1	3	3	3	2	2	3	1	4	4	2	3	9	
26	Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	3	
27	Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	2	—	—	
28	Congenital debility and malformation, premature birth	6	4	3	1	6	2	3	5	4	1	5	2	1	1	5	2	11	15	
29	Suicide	1	—	1	—	2	—	—	1	—	1	1	1	1	1	2	1	5	—	
30	Other deaths from violence	4	—	5	1	3	2	8	2	8	—	7	2	3	—	8	2	17	4	
31	Other defined diseases	10	16	19	12	17	12	14	11	13	10	15	17	5	8	19	19	50	59	
32	Causes ill-defined or unknown	—	—	—	1	1	—	—	—	3	—	—	—	—	—	—	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE ARREAS, 1928
(Civilian population only)—*cont.*HERTFORDSHIRE—*cont.*

HUNTS.

Causes of Death.	Hitchin R.D.		St. Albans R.D.		Ware R.D.		Wat- ford R.D.		Thrap- ston (part of) R.D.*		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	82	72	73	58	75	61	73	70	4	3	
1 Enteric fever	1	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	1	1	1	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	—	—	—	5
6 Diphtheria	1	1	—	—	—	3	—	—	—	—	6
7 Influenza	3	1	—	—	2	—	1	—	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	4	3	2	1	5	3	8	7	—	—	10
11 Other tuberculous diseases	1	—	2	1	—	1	1	—	—	—	11
12 Cancer, malignant disease	8	7	6	4	8	14	9	6	1	—	12
13 Rheumatic fever	—	—	1	—	—	1	—	1	—	—	13
14 Diabetes	—	—	—	1	1	1	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	6	6	5	2	5	4	4	2	—	—	15
16 Heart disease	15	19	15	13	16	12	12	15	—	1	16
17 Arterio-sclerosis	3	1	1	2	9	3	5	5	—	—	17
18 Bronchitis	6	1	6	5	2	1	3	5	1	—	18
19 Pneumonia (all forms)	3	—	2	2	4	2	5	6	1	—	19
20 Other respiratory diseases	1	3	—	—	—	1	1	2	—	—	20
21 Ulcer of stomach or duodenum	2	—	—	2	—	—	—	1	—	—	21
22 Diarrhoea, &c. (under 2 years)	1	—	1	—	1	—	1	—	—	—	22
23 Appendicitis and typhlitis	1	—	1	1	1	—	—	—	—	—	23
24 Cirrhosis of liver	—	1	1	—	—	—	2	—	—	—	24
25 Acute and chronic nephritis	1	1	4	2	2	3	1	2	—	—	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	5	5	6	1	—	2	3	—	—	28
29 Suicide	2	—	2	1	—	—	—	1	—	—	29
30 Other deaths from violence	6	2	9	1	2	1	5	3	—	—	30
31 Other defined diseases	13	19	10	11	13	10	11	9	1	1	31
32 Causes ill-defined or unknown	—	—	—	—	3	—	—	—	—	—	32

KENT.

Causes of Death.	Ashford U.D.		Becken- ham U.D.		Bexley U.D.		Broad- stairs & St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cray- ford U.D.		Dartford U.D.		Deal M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	99	209	230	138	114	64	61	209	232	268	221	65	45	134	125	77	76	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	1	1	—	—	—	3	2	2	1	—	1	1	—	—	—	3
4 Scarlet fever	—	—	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	1	—	—	2	—	1	1	—	—	1	2	—	—	5
6 Diphtheria	—	—	2	7	4	1	—	—	1	4	14	16	1	1	—	4	—	—	6
7 Influenza	1	3	4	3	2	—	1	5	1	5	3	3	—	—	3	1	—	2	7
8 Encephalitis lethargica	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	9	18	13	11	9	5	3	10	19	17	11	3	4	10	13	2	4	10
11 Other tuberculous diseases	—	2	3	2	2	2	1	—	1	5	2	3	1	1	—	2	2	—	11
12 Cancer, malignant disease	12	9	31	32	10	8	12	15	26	42	23	30	6	4	16	14	9	16	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	1	—	—	13
14 Diabetes	1	4	1	1	1	—	1	1	2	4	1	1	1	—	1	—	—	2	14
15 Cerebral hæmorrhage, &c.	6	9	12	17	6	7	2	1	11	19	6	1	1	5	7	11	2	3	15
16 Heart disease	14	12	38	49	20	31	11	16	40	45	49	50	13	5	27	28	10	6	16
17 Arterio-sclerosis	6	8	12	26	8	7	1	2	11	7	21	23	4	2	6	2	7	6	17
18 Bronchitis	4	3	9	11	8	2	—	—	8	11	10	10	4	4	6	10	1	3	18
19 Pneumonia (all forms)	6	5	10	8	7	9	2	5	8	15	24	8	5	2	13	4	3	2	19
20 Other respiratory diseases	—	—	2	2	3	—	—	—	5	1	5	2	—	—	1	1	—	—	20
21 Ulcer of stomach or duodenum	1	—	4	—	5	1	2	—	2	1	2	1	2	1	1	—	2	—	21
22 Diarrhoea, &c. (under 2 years)	—	—	2	2	1	—	—	—	2	—	2	1	3	—	4	1	1	—	22
23 Appendicitis and typhlitis	1	2	1	2	—	1	—	—	3	4	—	4	1	—	—	2	3	—	23
24 Cirrhosis of liver	2	—	3	—	—	—	2	—	2	—	1	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	2	3	4	4	2	5	3	4	10	4	5	3	2	—	1	2	6	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	3	—	2	—	2	—	1	—	1	27
28 Congenital debility and malformation, premature birth	4	7	4	6	11	4	3	—	10	9	13	8	3	2	2	3	4	—	28
29 Suicide	—	—	1	1	2	1	1	1	5	1	7	3	3	—	1	—	—	—	29
30 Other deaths from violence	4	2	9	3	5	3	5	1	11	3	14	6	1	—	8	1	—	4	30
31 Other defined diseases	15	20	32	38	28	20	12	7	34	27	45	32	11	9	23	23	23	22	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only).—*cont.***KENT**—*cont.*

Causes of Death.	Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.*		Gilling- ham M.B.		Graves- end M.B.		Herne Bay U.D.		Maid- stone M.B.		Margate M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	232	244	166	145	62	66	201	234	256	277	217	167	63	70	219	207	145	173	1
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	2	1	—	—	—	—	1	4	1	—	—	—	1	—	—	1	4
4 Scarlet fever	—	—	2	—	—	—	—	—	1	1	—	1	—	—	2	1	—	2	5
5 Whooping cough	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	6
6 Diphtheria	5	2	1	5	—	—	—	—	5	5	11	8	—	—	1	—	1	—	7
7 Influenza	6	6	1	—	—	1	—	3	2	4	3	2	3	2	1	4	3	1	8
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	20	14	18	8	4	5	17	12	24	16	15	7	6	4	14	10	14	7	11
11 Other tuberculous diseases	1	4	2	4	—	—	3	—	3	3	6	6	—	1	4	3	1	1	12
12 Cancer, malignant disease	23	39	20	24	9	8	24	44	34	43	26	26	5	6	32	34	25	33	13
13 Rheumatic fever	—	1	—	—	—	—	—	1	—	2	1	—	—	—	1	1	1	—	14
14 Diabetes	2	2	1	2	—	—	3	4	1	6	2	1	1	—	4	2	2	2	15
15 Cerebral hæmorrhage, &c.	20	26	3	8	3	6	11	20	10	8	14	12	1	1	6	14	6	8	16
16 Heart disease	39	44	36	31	13	10	30	62	46	66	21	21	18	18	54	57	28	40	17
17 Arterio-sclerosis	6	4	6	3	1	2	10	10	11	15	6	3	6	11	8	5	6	15	18
18 Bronchitis	16	17	5	6	5	4	14	14	13	12	20	13	1	—	10	9	4	2	19
19 Pneumonia (all forms)	16	13	16	11	1	3	11	4	17	18	18	8	4	2	3	8	4	4	20
20 Other respiratory diseases	1	3	1	1	—	1	4	1	1	4	4	2	—	1	2	1	1	3	21
21 Ulcer of stomach or duodenum	2	2	3	—	—	1	7	2	6	1	3	2	1	—	—	—	1	—	22
22 Diarrhoea, &c. (under 2 years)	2	2	—	—	—	—	—	—	4	1	6	1	—	—	—	1	1	—	23
23 Appendicitis and typhlitis	—	—	2	2	—	—	1	2	1	1	—	3	—	—	—	2	—	1	24
24 Cirrhosis of liver	3	1	—	1	—	—	4	1	2	—	1	1	—	2	3	3	—	—	25
25 Acute and chronic nephritis	5	5	8	5	3	2	9	5	7	4	4	—	1	5	9	5	8	10	26
26 Puerperal sepsis	—	2	—	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	3	—	1	—	2	—	—	—	1	—	—	28
28 Congenital debility and malformation, premature birth	10	12	7	1	1	2	3	5	6	10	5	6	1	1	15	4	6	2	29
29 Suicide	2	—	1	1	2	2	—	—	7	2	1	1	—	—	5	1	3	5	30
30 Other deaths from violence	13	5	4	5	1	3	11	2	12	4	13	4	2	2	8	1	2	1	31
31 Other defined diseases	39	36	26	23	19	13	37	37	42	44	36	32	13	14	35	39	27	33	32
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	

KENT—*cont.*

Causes of Death.	North- fleet U.D.		Penge U.D.		Ramsgate M.B.		Rochester M.B.		Royal Tun- bridge Wells M.B.		Sheerness U.D.		Ton- bridge U.D.		Bridge R.D.		Bromley R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	105	91	181	169	205	202	181	184	211	311	85	93	100	106	72	57	146	153	1
1 Enteric fever	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	5	4	4	1	—	—	—	—	—	1	—	—	1	—	1	2	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	—	1	1	—	—	1	—	1	3	—	—	—	—	1	—	6
6 Diphtheria	1	2	3	3	—	3	3	4	—	—	3	2	2	1	—	—	1	3	7
7 Influenza	—	2	1	2	3	3	4	1	3	9	—	1	—	1	4	1	5	1	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1	9
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	1	1	10
10 Tuberculosis of respiratory sys.	15	6	14	9	15	14	10	9	10	12	2	7	2	7	3	2	9	11	11
11 Other tuberculous diseases	2	1	1	4	—	1	3	—	3	3	—	1	1	2	1	—	1	3	12
12 Cancer, malignant disease	9	10	20	25	33	23	19	25	29	48	13	12	13	14	10	9	17	20	13
13 Rheumatic fever	—	1	—	3	—	2	1	3	—	—	—	—	—	—	—	—	—	—	14
14 Diabetes	—	1	4	2	1	4	1	2	4	2	1	—	1	1	1	—	3	5	15
15 Cerebral hæmorrhage, &c.	2	5	5	12	7	13	3	8	5	29	3	5	3	8	1	4	7	11	16
16 Heart disease	23	26	19	27	31	29	36	48	39	62	9	19	19	15	15	13	23	31	17
17 Arterio-sclerosis	1	—	13	9	7	8	16	15	20	19	3	4	7	10	6	4	7	8	18
18 Bronchitis	5	3	12	7	10	8	10	12	9	11	4	4	—	6	3	3	7	5	19
19 Pneumonia (all forms)	9	5	10	8	11	11	9	12	14	12	3	4	4	2	1	1	6	8	20
20 Other respiratory diseases	—	1	2	3	3	1	3	—	3	3	1	3	1	—	—	—	1	3	21
21 Ulcer of stomach or duodenum	—	—	2	2	1	3	1	1	4	2	3	1	2	1	1	—	5	—	22
22 Diarrhoea, &c. (under 2 years)	2	1	3	—	—	1	1	3	—	3	—	1	1	—	—	—	—	2	23
23 Appendicitis and typhlitis	2	—	1	—	3	2	—	—	2	3	—	—	—	—	1	—	—	1	24
24 Cirrhosis of liver	1	1	1	—	2	1	—	—	4	2	—	—	1	—	—	—	1	1	25
25 Acute and chronic nephritis	5	1	5	5	9	9	10	7	8	14	1	2	3	4	2	2	2	4	26
26 Puerperal sepsis	—	—	—	1	—	4	—	1	—	2	—	—	—	—	—	—	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	28
28 Congenital debility and malformation, premature birth	3	5	11	4	5	5	7	2	3	7	4	1	5	4	2	2	9	5	29
29 Suicide	1	1	3	2	2	1	3	—	2	2	6	1	4	2	—	—	2	—	30
30 Other deaths from violence	6	1	14	2	7	2	5	3	7	7	9	1	6	2	3	2	8	3	31
31 Other defined diseases	17	12	32	35	48	48	36	27	37	59	15	20	23	25	18	12	27	25	32
32 Causes ill-defined or unknown	1	—	—	—	4	1	—	—	1	—	1	—	—	—	—	—	—	—	

* Excluding the civil parish of Folkestone next Sandgate.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***KENT—*cont.***

Causes of Death.	Cranbrook R.D.		Dartford R.D.		East Ashford R.D.		Eastry R.D.		Faversham R.D.		Hollingbourne R.D.		Isle of Thanet R.D.		Maidstone R.D.		Malling R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	90	83	168	133	87	99	104	76	87	87	75	60	73	58	115	87	176	153	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2
3 Measles	—	—	1	2	—	—	—	—	—	—	1	—	1	—	—	—	2	2	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	1	—	1	5
6 Diphtheria	—	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	1	2	6
7 Influenza	—	—	4	1	—	—	1	1	1	2	—	—	1	1	1	—	1	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	5	12	9	5	5	2	6	4	2	5	3	6	3	9	6	14	10	10
11 Other tuberculous diseases	1	2	1	3	2	3	—	1	—	—	—	1	1	2	2	4	3	5	11
12 Cancer, malignant disease	13	14	12	20	12	15	13	13	7	9	7	9	13	9	17	16	29	24	12
13 Rheumatic fever	1	1	1	1	—	—	1	—	—	1	—	2	1	1	1	—	—	1	13
14 Diabetes	1	—	1	1	1	3	2	—	1	1	—	—	2	1	1	3	3	3	14
15 Cerebral hæmorrhage, &c.	6	1	13	8	1	7	5	4	9	9	4	6	3	2	2	3	11	11	15
16 Heart disease	17	21	36	32	20	10	15	14	17	25	15	9	8	9	16	18	24	26	16
17 Arterio-sclerosis	9	2	8	4	8	11	1	2	5	1	8	7	5	3	16	2	10	7	17
18 Bronchitis	3	2	8	6	5	3	7	6	7	7	2	4	1	3	2	3	8	4	18
19 Pneumonia (all forms)	8	7	9	8	1	4	8	1	3	3	7	1	—	2	3	4	6	8	19
20 Other respiratory diseases	—	1	2	—	2	3	1	2	1	1	1	1	3	—	3	1	2	2	20
21 Ulcer of stomach or duodenum	3	—	2	—	1	—	—	—	1	—	2	—	1	—	—	—	3	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	3	—	—	—	—	—	—	—	—	1	—	1	—	3	1	22
23 Appendicitis and typhlitis	1	1	—	1	—	1	1	—	1	—	—	—	1	1	—	2	2	2	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	1	1	—	1	1	1	—	—	—	24
25 Acute and chronic nephritis	1	2	5	6	4	2	2	1	3	4	1	2	5	5	3	—	11	7	25
26 Puerperal sepsis	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	1	6	5	—	6	3	2	6	—	3	3	2	2	3	3	4	6	28
29 Suicide	—	1	5	1	—	1	3	—	1	1	1	—	1	1	1	1	3	1	29
30 Other deaths from violence	3	2	7	2	2	4	11	3	4	1	4	1	7	2	5	4	9	4	30
31 Other defined diseases	14	18	28	15	22	19	28	19	16	17	12	8	10	10	22	16	25	23	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	32

KENT—*cont.***LANCASHIRE.**

Causes of Death.	Milton R.D.		Seven-oaks R.D.		Strood R.D.		Ton-bridge R.D.		Accrington M.B.		Ashton-in-Makerfield U.D.		Ashton-under-Lyne M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	89	99	152	143	107	104	105	103	272	283	137	118	336	386	
1 Enteric fever	—	—	—	—	1	1	—	—	—	—	—	—	1	3	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	2	—	—	—	1	1	—	—	—	—	—	1	4	3
4 Scarlet fever	—	—	—	—	—	3	—	—	—	1	—	—	1	—	4
5 Whooping cough	—	—	1	—	—	—	—	—	—	1	1	5	—	1	5
6 Diphtheria	1	4	—	—	1	—	2	5	—	1	—	1	2	4	6
7 Influenza	2	2	4	2	1	1	1	1	8	6	5	5	6	6	7
8 Encephalitis lethargica	—	—	—	—	1	—	1	1	—	1	1	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	1	—	1	—	—	—	1	—	—	1	9
10 Tuberculosis of respiratory sys.	10	11	9	5	8	7	4	2	20	11	2	7	30	25	10
11 Other tuberculous diseases	1	2	4	1	1	—	2	1	4	4	6	1	2	5	11
12 Cancer, malignant disease	12	13	16	27	15	11	16	15	29	38	10	14	29	39	12
13 Rheumatic fever	1	—	1	—	2	—	—	—	—	—	—	—	—	2	13
14 Diabetes	—	—	2	5	2	—	3	—	2	3	1	1	5	6	14
15 Cerebral hæmorrhage, &c.	2	7	9	9	3	5	6	9	14	20	10	10	15	27	15
16 Heart disease	8	17	21	22	19	14	25	18	42	66	18	15	59	75	16
17 Arterio-sclerosis	3	4	6	4	1	4	3	5	4	8	3	—	24	12	17
18 Bronchitis	2	2	7	5	7	4	6	4	16	13	7	6	18	32	18
19 Pneumonia (all forms)	6	3	11	10	4	7	5	5	24	12	18	13	28	21	19
20 Other respiratory diseases	2	1	2	5	2	2	4	1	1	1	2	1	1	1	20
21 Ulcer of stomach or duodenum	3	1	2	2	2	1	1	—	3	1	1	1	1	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	1	—	—	2	1	4	—	—	1	6	22
23 Appendicitis and typhlitis	1	—	1	1	1	1	2	1	2	1	—	—	2	—	23
24 Cirrhosis of liver	1	1	3	1	—	—	1	1	1	1	—	—	1	—	24
25 Acute and chronic nephritis	3	3	8	3	4	5	2	2	8	6	3	3	11	10	25
26 Puerperal sepsis	—	—	1	—	—	—	—	—	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	1	—	3	—	—	—	—	3	—	3	—	6	27
28 Congenital debility and malformation, premature birth	3	6	8	4	1	3	3	1	13	10	11	8	16	9	28
29 Suicide	2	1	2	—	—	—	—	—	5	2	1	—	6	5	29
30 Other deaths from violence	3	1	6	2	11	4	7	—	8	6	13	1	12	6	30
31 Other defined diseases	20	18	36	29	19	25	12	26	63	62	19	23	63	74	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	4	1	4	—	—	2	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*LANCASHIRE—*cont.*

Causes of Death.	Atherton U.D.		Bacup M.B.		Chadder- ton U.D.		Chorley M.B.		Clith- eroe M.B.		Colne M.B.		Crompton U.D.		Dalton- in- Furness U.D.		Darwen M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	99	107	129	161	183	175	189	207	80	73	131	169	88	84	69	72	241	251	1
1 Enteric fever	—	—	1	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	—	1	5	—	—	—	1	1	—	—	—	—	—	6
6 Diphtheria	1	—	1	1	1	3	1	1	1	—	1	—	—	1	—	—	—	—	7
7 Influenza	5	4	5	6	9	2	7	8	—	2	2	3	6	4	—	—	4	7	8
8 Encephalitis lethargica	—	1	2	—	1	—	—	1	—	—	—	—	—	—	2	—	1	2	9
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	10	4	4	3	13	8	10	9	3	1	6	5	8	3	8	3	7	12	11
11 Other tuberculous diseases	1	2	1	—	2	2	3	2	1	2	5	3	1	2	3	4	4	—	12
12 Cancer, malignant disease	7	12	7	13	25	20	17	23	8	15	20	16	11	11	5	9	31	39	13
13 Rheumatic fever	1	1	2	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—	14
14 Diabetes	—	2	—	—	1	6	—	2	1	2	1	2	1	—	1	3	3	3	15
15 Cerebral hæmorrhage, &c.	1	5	12	19	12	14	10	16	7	2	9	15	1	5	4	7	13	14	16
16 Heart disease	15	11	20	26	21	37	22	36	14	17	28	32	12	15	11	17	29	39	17
17 Arterio-sclerosis	8	14	3	2	11	7	18	15	5	4	13	15	6	7	1	—	26	17	18
18 Bronchitis	3	2	12	19	14	22	8	14	6	6	9	7	6	7	5	3	11	18	19
19 Pneumonia (all forms)	14	12	7	8	12	1	18	6	12	2	7	12	3	2	2	2	24	18	20
20 Other respiratory diseases	1	—	1	1	—	4	2	1	1	—	—	1	1	—	—	1	1	2	21
21 Ulcer of stomach or duodenum	2	1	1	—	—	1	3	—	1	—	—	—	1	2	—	—	7	4	22
22 Diarrhoea, &c. (under 2 years)	1	—	—	1	—	—	4	4	2	—	—	2	2	—	1	2	—	1	23
23 Appendicitis and typhlitis	—	1	1	—	1	—	3	—	2	—	1	—	1	—	—	—	2	—	24
24 Cirrhosis of liver	1	—	2	—	1	—	1	2	—	—	1	—	—	—	—	—	1	—	25
25 Acute and chronic nephritis	1	11	1	2	8	7	5	4	2	3	2	6	3	4	—	2	12	7	26
26 Puerperal sepsis	—	2	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	3	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	4	—	3	—	3	—	—	—	2	—	1	—	1	—	3	28
28 Congenital debility and malformation, premature birth	3	5	8	7	6	5	11	11	2	—	3	5	5	3	3	5	9	4	29
29 Suicide	2	—	4	2	1	3	5	1	2	1	2	2	1	—	1	2	6	5	30
30 Other deaths from violence	8	1	2	3	6	4	12	3	4	3	5	2	2	—	5	1	13	4	31
31 Other defined diseases	12	15	30	38	36	25	25	38	6	10	15	37	14	16	14	7	30	49	32
32 Causes ill-defined or unknown	—	—	2	2	1	—	—	—	—	—	2	—	—	—	—	—	6	—	

LANCASHIRE—*cont.*

Causes of Death.	Denton U.D.		Droyles- den U.D.		Eccles M.B.		Fails- worth U.D.		Farn- worth U.D.		Fleet- wood U.D.		Great Crosby U.D.		Great Har- wood U.D.		Has- lingden M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	97	111	78	69	248	251	111	97	161	178	123	129	77	92	90	74	107	99	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3
3 Measles	—	—	—	1	3	3	3	1	—	1	1	—	—	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	2	—	1	—	—	1	1	—	—	—	1	—	—	6
6 Diphtheria	—	1	1	—	1	1	2	—	2	1	—	1	—	1	—	2	2	—	7
7 Influenza	4	—	—	1	8	3	3	3	9	1	—	2	6	3	4	2	2	5	8
8 Encephalitis lethargica	—	1	—	—	1	—	2	—	—	—	—	—	—	1	2	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	7	3	3	4	14	8	4	4	8	8	7	7	3	4	—	3	4	1	11
11 Other tuberculous diseases	2	1	—	1	7	2	2	1	3	3	2	4	—	—	1	1	1	—	12
12 Cancer, malignant disease	9	16	15	7	23	41	15	11	13	23	6	23	10	12	12	10	8	6	13
13 Rheumatic fever	—	1	—	1	2	—	1	—	4	1	2	1	—	1	1	—	—	—	14
14 Diabetes	2	1	3	—	4	5	3	—	1	6	—	4	—	1	1	2	1	2	15
15 Cerebral hæmorrhage, &c.	6	7	1	5	12	18	1	7	6	7	15	9	6	5	8	6	9	10	16
16 Heart disease	8	24	12	18	35	37	7	15	24	38	18	19	11	14	18	10	24	21	17
17 Arterio-sclerosis	8	6	4	5	5	11	3	2	14	7	—	—	6	2	3	—	4	4	18
18 Bronchitis	7	3	5	5	20	17	11	11	12	3	14	8	2	6	7	9	2	6	19
19 Pneumonia (all forms)	6	6	10	3	15	15	14	4	17	14	9	6	6	8	4	5	8	5	20
20 Other respiratory diseases	—	1	1	—	2	—	4	1	1	3	2	—	2	1	1	—	2	4	21
21 Ulcer of stomach or duodenum	—	1	2	—	4	2	1	—	—	1	2	—	1	1	2	—	3	1	22
22 Diarrhoea, &c. (under 2 years)	1	—	1	—	2	4	3	2	—	1	2	1	—	—	1	—	1	—	23
23 Appendicitis and typhlitis	—	1	1	1	—	2	—	—	1	2	—	1	—	1	—	1	2	—	24
24 Cirrhosis of liver	1	1	1	1	1	1	—	1	—	—	3	1	—	—	—	—	—	—	25
25 Acute and chronic nephritis	3	3	2	3	9	9	4	7	5	8	3	4	3	3	4	1	8	5	26
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—	1	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	2	—	2	—	2	—	2	—	—	—	—	—	—	28
28 Congenital debility and malformation, premature birth	4	1	2	2	14	8	3	6	9	7	6	9	2	3	4	3	6	2	29
29 Suicide	1	2	2	—	4	2	1	—	—	1	1	—	—	2	1	—	3	—	30
30 Other deaths from violence	7	1	8	—	17	2	2	3	6	4	6	2	3	4	3	1	13	2	31
31 Other defined diseases	21	26	4	11	45	53	21	14	26	35	23	21	15	18	14	14	22	30	32
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***LANCASHIRE—*cont.***

Causes of Death.	Haydock U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		Ince in Makerfield U.D.		Lancaster M.B.		Leigh M.B.		Litherland U.D.		Littleboro' U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	57	48	162	206	130	142	91	100	145	139	258	230	312	284	92	89	68	84
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
3 Measles	2	2	2	4	—	1	—	—	—	—	—	—	6	9	3	—	—	—
4 Scarlet fever	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—	1	—	3	2	—	1	4	6	2	3	—	—
6 Diphtheria	—	—	2	—	—	—	—	2	—	—	—	—	1	—	—	2	1	—
7 Influenza	4	1	3	5	3	3	1	3	3	5	6	7	10	9	2	2	4	4
8 Encephalitis lethargica	1	—	—	2	—	—	1	—	2	2	—	1	3	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory sys.	—	4	10	5	13	6	4	6	6	6	16	14	20	15	8	7	2	1
11 Other tuberculous diseases	—	—	1	3	5	1	1	1	2	2	1	5	5	2	3	—	1	1
12 Cancer, malignant disease	3	6	21	33	14	18	10	19	6	11	42	40	26	46	7	7	6	13
13 Rheumatic fever	—	—	—	—	1	1	—	—	2	1	—	—	—	3	—	1	—	—
14 Diabetes	—	1	—	3	—	1	1	—	1	—	1	2	1	3	1	4	1	—
15 Cerebral hæmorrhage, &c.	1	2	6	10	2	6	4	8	8	12	15	16	17	20	3	6	3	7
16 Heart disease	8	11	28	41	17	21	17	19	20	10	37	46	31	28	5	10	8	12
17 Arterio-sclerosis	3	3	10	13	8	6	10	4	8	5	14	3	26	20	4	5	9	4
18 Bronchitis	8	1	16	14	10	13	3	4	11	16	15	13	23	27	4	4	6	15
19 Pneumonia (all forms)	4	2	11	16	11	17	6	5	22	22	18	13	29	19	12	3	3	4
20 Other respiratory diseases	2	3	1	3	1	1	1	1	—	—	4	4	5	1	—	3	2	—
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	2	1	1	2	—	—	3	1	1	—	2	1
22 Diarrhœa, &c. (under 2 years)	3	1	1	1	—	3	2	—	3	1	3	2	5	5	2	2	—	—
23 Appendicitis and typhlitis	1	—	—	—	2	1	1	2	1	1	4	1	—	2	—	1	—	1
24 Cirrhosis of liver	—	—	—	1	—	—	2	—	—	—	1	—	1	1	—	—	—	—
25 Acute and chronic nephritis	—	—	7	7	—	1	—	4	3	2	10	2	13	8	7	2	2	2
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	1	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	—	1	—	1	—	3	—	3	—	—	27
28 Congenital debility and malformation, premature birth	6	2	9	11	12	6	6	6	8	8	13	9	19	7	3	5	6	—
29 Suicide	1	2	4	3	5	1	3	2	1	—	1	2	3	4	1	2	—	—
30 Other deaths from violence	7	1	4	4	7	3	3	1	14	—	8	5	13	4	6	4	5	1
31 Other defined diseases	3	5	25	25	15	27	12	12	19	31	46	40	45	38	18	12	7	16
32 Causes ill-defined or unknown	—	—	—	—	2	1	—	—	1	—	—	1	1	1	—	1	—	—

LANCASHIRE—*cont.*

Causes of Death.	Lytham St. Anne's M.B.		Middleton M.B.		Morecambe & Heysham M.B.		Mossley M.B.		Nelson M.B.		Newton in Makerfield U.D.		Oswaldtwistle U.D.		Padiham U.D.		Prestwich U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	163	140	176	149	162	170	90	90	258	230	99	96	93	109	93	84	99	100
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5 Whooping cough	—	1	—	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—
6 Diphtheria	—	—	—	1	—	—	—	1	2	—	—	1	—	1	2	1	—	—
7 Influenza	3	4	4	4	6	4	2	5	5	3	4	4	5	4	4	3	4	2
8 Encephalitis lethargica	—	—	2	—	—	—	—	—	—	2	1	—	2	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
10 Tuberculosis of respiratory sys.	11	5	14	5	6	6	—	3	9	10	6	5	8	1	3	1	5	7
11 Other tuberculous diseases	2	2	3	—	2	4	1	—	3	—	1	—	1	1	3	—	1	—
12 Cancer, malignant disease	25	24	16	18	13	25	8	10	33	35	10	11	14	15	7	8	14	5
13 Rheumatic fever	—	—	1	1	1	—	—	—	2	1	—	—	—	2	—	1	2	—
14 Diabetes	3	1	—	2	1	2	1	1	1	2	1	1	1	2	—	—	2	2
15 Cerebral hæmorrhage, &c.	7	12	5	9	8	14	6	4	12	19	6	10	5	5	1	2	5	6
16 Heart disease	33	23	27	31	31	34	11	11	36	46	14	14	5	20	23	24	11	19
17 Arterio-sclerosis	21	14	9	8	20	13	7	6	12	12	5	4	8	8	5	3	9	7
18 Bronchitis	5	8	15	9	11	13	7	6	25	17	5	1	1	7	6	4	7	7
19 Pneumonia (all forms)	3	5	9	9	11	1	6	2	14	9	14	2	6	7	6	3	5	9
20 Other respiratory diseases	2	1	4	—	2	3	—	—	1	1	1	—	1	—	—	—	—	—
21 Ulcer of stomach or duodenum	2	4	3	1	7	1	—	—	2	—	1	—	1	—	—	1	2	—
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	—	2	—	2	2	2	1	—	—	2	1	1	—
23 Appendicitis and typhlitis	1	—	2	1	1	2	1	—	2	2	—	—	—	—	1	—	1	—
24 Cirrhosis of liver	—	1	—	1	3	—	—	—	3	—	1	1	1	—	—	—	—	—
25 Acute and chronic nephritis	18	7	6	11	3	4	8	11	9	13	1	7	1	4	2	3	3	4
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	—	—	4	—	—	—	1	—	—	1	27
28 Congenital debility and malformation, premature birth	—	3	8	2	7	3	2	3	9	2	8	4	6	5	4	1	4	3
29 Suicide	5	—	4	3	—	—	1	1	7	1	2	—	2	—	2	—	1	1
30 Other deaths from violence	5	3	7	5	3	5	5	1	6	5	1	1	3	1	4	—	5	2
31 Other defined diseases	16	20	37	26	26	35	20	24	61	43	14	25	18	23	17	25	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	2	1	—	1	1	—	1	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Radcliffe U.D.		Rams- bottom U.D.		Rawten- stall M.B.		Royton U.D.		Stretford U.D.		Swinton & Pen- debury U.D.		Turton U.D.		Tydes- ley with Shaker- ley U.D.		Ulver- ston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	184	167	75	88	185	202	135	113	319	287	174	186	79	87	111	85	63	71	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	3	3	4	—	—	—	1	—	—	3
4 Scarlet fever	3	—	—	—	—	—	—	—	1	—	2	—	—	1	—	—	—	—	4
5 Whooping cough	—	—	2	1	—	—	—	—	1	1	—	1	—	1	—	—	—	1	5
6 Diphtheria	1	1	—	—	2	1	2	—	1	1	—	1	—	—	1	1	—	—	6
7 Influenza	5	2	1	1	1	4	—	1	13	5	11	5	3	2	10	1	1	1	7
8 Encephalitis lethargica	—	1	—	—	1	1	—	—	1	3	2	2	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	9	4	4	9	3	13	10	23	18	7	10	3	4	2	4	2	2	10
11 Other tuberculous diseases	3	1	1	—	3	3	3	2	3	3	3	—	—	—	4	—	3	2	11
12 Cancer, malignant disease	24	17	8	17	19	22	17	14	48	42	14	26	11	15	16	6	10	13	12
13 Rheumatic fever	3	1	—	—	1	2	1	2	—	1	1	—	1	—	—	1	—	—	13
14 Diabetes	1	2	1	1	3	—	—	3	6	2	4	4	1	2	1	3	1	1	14
15 Cerebral hæmorrhage, &c.	4	16	4	6	11	14	6	5	15	18	11	16	6	2	5	2	7	12	15
16 Heart disease	32	29	16	20	28	46	28	19	37	48	15	18	11	18	11	16	17	14	16
17 Arterio-sclerosis	14	10	11	6	14	17	6	8	17	14	9	9	9	7	7	8	1	2	17
18 Bronchitis	6	15	8	9	12	12	10	10	19	11	17	18	1	4	9	4	2	4	18
19 Pneumonia (all forms)	15	10	2	2	13	13	8	10	28	17	14	9	10	—	16	8	4	1	19
20 Other respiratory diseases	2	2	—	—	3	2	—	1	2	3	—	3	—	1	—	—	—	1	20
21 Ulcer of stomach or duodenum	2	—	2	—	2	—	1	1	2	1	1	2	1	—	1	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	1	—	2	—	3	1	—	—	—	1	1	—	1	1	22
23 Appendicitis and typhlitis	1	—	2	—	—	2	—	—	1	3	1	—	—	—	—	1	1	—	23
24 Cirrhosis of liver	—	—	1	—	1	2	2	—	—	2	1	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	7	9	2	1	9	14	2	3	9	15	10	8	1	5	5	6	1	1	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	27
28 Congenital debility and mal-formation, premature birth	8	4	1	2	10	4	4	5	22	9	13	8	3	2	6	2	2	—	28
29 Suicide	7	3	—	—	6	3	2	—	3	—	2	—	5	—	1	—	—	—	29
30 Other deaths from violence	6	3	3	1	7	4	3	1	12	5	6	4	4	3	4	2	3	3	30
31 Other defined diseases	29	27	6	17	30	31	25	18	50	60	27	36	9	18	10	17	10	9	31
32 Causes ill-defined or unknown	1	2	—	—	2	1	—	—	1	—	—	—	—	—	—	—	2	—	32

LANCASHIRE—cont.

Causes of Death.	Walton-le-Dale U.D.		Waterloo with Seaforth U.D.		West-houghton U.D.		Widnes M.B.		Worsley U.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	68	79	193	194	84	96	263	205	100	86						
1 Enteric fever	—	—	—	1	—	1	—	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—						2
3 Measles	—	—	1	4	—	—	4	3	—	—						3
4 Scarlet fever	—	—	—	1	—	—	—	2	—	—						4
5 Whooping cough	—	—	4	—	—	—	4	2	—	—						5
6 Diphtheria	—	—	1	1	—	2	—	—	—	—						6
7 Influenza	—	1	1	4	4	3	10	4	5	1						7
8 Encephalitis lethargica	—	1	—	—	1	1	—	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—						9
10 Tuberculosis of respiratory sys.	4	6	19	16	4	5	19	10	3	5						10
11 Other tuberculous diseases	—	1	4	4	1	—	8	4	1	1						11
12 Cancer, malignant disease	10	10	23	26	7	3	19	22	14	15						12
13 Rheumatic fever	1	—	1	—	1	1	—	2	—	—						13
14 Diabetes	3	1	2	3	1	2	2	3	1	1						14
15 Cerebral hæmorrhage, &c.	5	5	11	12	3	8	16	10	11	7						15
16 Heart disease	8	7	19	34	10	17	38	35	26	12						16
17 Arterio-sclerosis	1	5	12	10	9	8	11	9	5	4						17
18 Bronchitis	3	8	8	10	2	7	11	18	5	12						18
19 Pneumonia (all forms)	6	7	16	11	13	5	31	19	4	5						19
20 Other respiratory diseases	1	1	1	1	1	2	2	1	1	—						20
21 Ulcer of stomach or duodenum	3	—	—	—	1	1	2	—	—	—						21
22 Diarrhœa, &c. (under 2 years)	1	—	2	—	—	—	4	5	—	—						22
23 Appendicitis and typhlitis	—	—	2	2	—	—	4	2	—	1						23
24 Cirrhosis of liver	1	—	2	—	—	—	1	1	—	—						24
25 Acute and chronic nephritis	5	2	8	9	1	2	2	2	2	1						25
26 Puerperal sepsis	—	—	—	3	—	—	—	1	—	1						26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	—						27
28 Congenital debility and malformation, premature birth	7	6	3	6	1	3	16	10	3	3						28
29 Suicide	—	—	3	2	2	2	2	2	1	1						29
30 Other deaths from violence	2	1	13	5	4	2	16	5	6	—						30
31 Other defined diseases	7	16	37	28	17	19	39	32	12	16						31
32 Causes ill-defined or unknown	—	—	—	1	—	1	2	—	—	—						32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***LANCASHIRE—*cont.***

Causes of Death.	Barton upon Irwell R.D.		Burnley R.D.		Chorley R.D.		Fylde R.D.		Garstang R.D.		Leigh R.D.		Preston R.D.		Ulverston R.D.		Warrington R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	80	70	113	132	123	117	73	80	74	62	53	72	155	145	116	106	82	77
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	1	—	—	1	—	—	2	—	—	—	—	—	1	1
4 Scarlet fever	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	2
6 Diphtheria	—	—	3	1	3	—	—	—	—	—	—	—	2	—	1	1	1	2
7 Influenza	3	1	2	—	2	—	1	3	6	1	2	—	4	2	2	3	5	4
8 Encephalitis lethargica	—	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory sys.	6	3	4	6	1	8	2	2	3	—	2	4	7	3	8	7	6	4
11 Other tuberculous diseases	—	1	1	3	1	—	—	—	—	—	—	1	3	—	1	1	—	1
12 Cancer, malignant disease	4	8	10	10	18	15	8	10	4	5	5	8	18	16	16	11	9	8
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
14 Diabetes	1	2	—	3	2	2	2	1	1	—	—	1	3	4	1	4	1	1
15 Cerebral hæmorrhage, &c.	8	3	7	8	3	1	4	8	1	5	3	5	5	17	10	16	4	5
16 Heart disease	10	12	18	29	27	24	10	15	19	17	4	16	20	29	28	28	10	8
17 Arterio-sclerosis	3	4	6	10	5	8	5	5	6	7	7	3	8	5	2	7	3	4
18 Bronchitis	4	4	5	11	5	5	4	2	3	1	5	5	5	4	10	3	4	4
19 Pneumonia (all forms)	6	—	6	5	11	10	4	3	4	4	3	6	17	8	3	5	3	7
20 Other respiratory diseases	2	2	2	—	1	1	2	2	—	1	1	—	3	2	1	—	1	3
21 Ulcer of stomach or duodenum	1	—	2	1	—	—	1	—	1	—	—	—	6	—	—	—	—	—
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	1	2
23 Appendicitis and typhlitis	1	—	3	1	—	1	3	1	4	3	—	2	2	4	—	—	—	—
24 Cirrhosis of liver	—	—	2	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—
25 Acute and chronic nephritis	1	—	4	6	5	4	1	2	2	1	1	4	11	5	3	1	3	1
26 Puerperal sepsis	—	1	—	—	—	1	—	1	—	1	—	1	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	2	—	—	—	—	—	3	—	2	—	1
28 Congenital debility and malformation, premature birth	12	3	5	5	7	5	6	5	1	2	2	—	5	6	4	5	4	3
29 Suicide	2	—	4	—	—	—	—	—	2	—	—	1	2	1	—	—	1	—
30 Other deaths from violence	3	2	6	2	9	7	6	1	5	—	6	—	10	9	7	1	3	1
31 Other defined diseases	12	20	22	30	20	24	14	14	9	13	9	15	23	25	17	11	19	13
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

LANCASHIRE—*cont.***LEICESTERSHIRE.**

Causes of Death.	West Lancashire R.D.		Whiston R.D.		Coalville U.D.		Hinckley U.D.		Loughborough M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	134	129	98	95	104	93	81	62	161	130
1 Enteric fever	—	—	—	1	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	2	1	1	—	—	—	—	—
4 Scarlet fever	—	—	1	1	—	—	—	—	—	—
5 Whooping cough	1	—	1	1	—	—	—	—	—	—
6 Diphtheria	2	—	1	1	1	3	1	1	1	—
7 Influenza	1	2	1	2	1	1	1	1	2	1
8 Encephalitis lethargica	—	1	1	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	1	—	1	—	—	—	—	—
10 Tuberculosis of respiratory sys.	3	4	7	4	7	5	5	4	7	9
11 Other tuberculous diseases	3	2	4	1	—	—	5	2	3	3
12 Cancer, malignant disease	12	27	12	13	5	13	3	5	20	12
13 Rheumatic fever	1	1	—	—	—	—	—	—	2	2
14 Diabetes	1	7	2	1	2	2	2	3	2	—
15 Cerebral hæmorrhage, &c.	10	7	5	9	4	10	2	7	10	8
16 Heart disease	23	21	10	17	21	19	17	10	19	25
17 Arterio-sclerosis	11	2	8	4	5	2	3	—	12	4
18 Bronchitis	8	3	4	6	7	5	6	5	9	9
19 Pneumonia (all forms)	8	4	3	5	4	1	3	4	4	2
20 Other respiratory diseases	1	1	—	—	1	2	1	—	3	—
21 Ulcer of stomach or duodenum	—	1	1	—	2	—	1	—	4	—
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	2	2	1	—	—	1
23 Appendicitis and typhlitis	1	2	2	—	1	1	—	—	2	—
24 Cirrhosis of liver	—	1	1	—	—	—	2	—	2	1
25 Acute and chronic nephritis	4	5	2	2	1	1	5	2	8	3
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	—	—	1
28 Congenital debility and malformation, premature birth	4	4	4	5	5	5	1	4	7	6
29 Suicide	1	—	1	—	3	2	—	—	—	2
30 Other deaths from violence	9	3	3	3	3	—	4	1	8	2
31 Other defined diseases	29	28	21	16	27	17	16	14	35	37
32 Causes ill-defined or unknown	—	1	—	—	—	1	2	—	1	1

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***LEICESTERSHIRE—*cont.***

Causes of Death.	Ashby-de-la-Zouch R.D.		Barrow-upon-Soar R.D.		Blaby R.D.		Hinckley R.D.		Lutterworth R.D.		Market Bosworth R.D.		Melton Mowbray R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	78	121	156	160	125	119	61	85	58	63	153	139	79	81	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	—	—	—	—	—	1	—	—	1	3
4 Scarlet fever	—	—	1	—	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	—	—	—	—	—	—	—	1	—	—	—	5
6 Diphtheria	1	2	—	—	1	—	2	—	—	1	1	2	—	—	6
7 Influenza	1	3	3	4	2	3	1	—	1	—	3	2	1	3	7
8 Encephalitis lethargica	—	1	—	—	1	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	1	10	14	14	9	15	1	8	3	6	4	10	3	2	10
11 Other tuberculous diseases	2	4	—	1	3	1	2	—	1	2	3	3	—	1	11
12 Cancer, malignant disease	10	9	12	19	18	14	9	7	11	8	17	13	8	10	12
13 Rheumatic fever	—	—	—	—	1	—	—	1	—	—	—	1	—	1	13
14 Diabetes	—	1	—	1	2	1	—	2	—	—	—	2	1	—	14
15 Cerebral hæmorrhage, &c.	3	8	12	7	5	11	1	8	1	6	12	10	7	6	15
16 Heart disease	13	24	24	39	13	10	10	16	8	8	24	18	12	25	16
17 Arterio-sclerosis	4	7	12	6	2	3	3	1	8	5	12	14	6	6	17
18 Bronchitis	4	6	4	5	6	7	1	3	4	1	6	7	2	1	18
19 Pneumonia (all forms)	4	4	10	5	9	—	4	5	1	1	6	7	6	3	19
20 Other respiratory diseases	1	—	3	2	1	1	1	1	—	2	1	2	1	1	20
21 Ulcer of stomach or duodenum	1	—	1	—	1	2	1	2	2	—	5	1	—	—	21
22 Diarrhoea, &c. (under 2 years)	1	—	—	2	4	1	—	—	—	—	1	1	—	1	22
23 Appendicitis and typhlitis	—	—	2	2	3	1	—	1	—	—	—	2	1	—	23
24 Cirrhosis of liver	—	—	1	2	—	2	1	3	—	1	1	—	1	—	24
25 Acute and chronic nephritis	2	2	5	8	1	2	2	2	2	2	5	3	2	1	25
26 Puerperal sepsis	—	1	—	2	—	1	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	1	—	3	—	—	27
28 Congenital debility and malformation, premature birth	4	6	3	3	6	5	3	1	2	7	11	7	2	2	28
29 Suicide	2	1	5	1	—	1	—	1	—	—	3	2	1	—	29
30 Other deaths from violence	9	6	12	9	9	4	3	1	3	—	9	3	7	1	30
31 Other defined diseases	14	25	30	27	27	32	13	21	10	11	26	25	18	15	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	1	—	1	—	1	1	—	—	32

LINCOLNSHIRE : PARTS OF HOLLAND**LINCOLNSHIRE : PARTS OF KESTEVEN**

Causes of Death.	Boston M.B.		Spalding U.D.		Boston R.D.		Spalding (part of) R.D.*		Grantham M.B.		Bourne R.D.		Branston R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	88	111	71	68	125	113	75	69	135	123	86	92	85	68	
1 Enteric fever	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	—	1	—	—	—	1	1	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	1	—	—	—	—	1	—	—	—	4
5 Whooping cough	1	2	—	—	—	1	—	—	—	—	—	—	—	—	5
6 Diphtheria	1	1	1	2	3	1	—	1	1	—	—	—	1	—	6
7 Influenza	—	—	1	1	2	1	2	—	1	—	—	—	6	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	8	2	2	4	7	4	—	7	7	1	2	5	6	10
11 Other tuberculous diseases	3	2	—	1	3	1	1	2	2	3	1	1	1	—	11
12 Cancer, malignant disease	12	13	11	13	10	15	11	14	25	23	13	12	6	13	12
13 Rheumatic fever	—	1	—	2	—	—	1	—	—	—	—	—	—	—	13
14 Diabetes	—	1	—	1	1	4	—	1	1	—	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	11	11	3	6	10	11	3	2	6	10	8	8	6	4	15
16 Heart disease	14	23	10	6	18	16	5	10	14	14	17	20	16	14	16
17 Arterio-sclerosis	3	—	4	6	4	3	4	—	9	5	2	3	—	—	17
18 Bronchitis	1	7	3	4	1	4	3	3	9	5	4	3	4	2	18
19 Pneumonia (all forms)	9	6	1	—	10	6	3	2	5	4	4	9	10	3	19
20 Other respiratory diseases	3	1	—	1	2	3	—	1	2	1	2	2	2	1	20
21 Ulcer of stomach or duodenum	—	1	1	1	—	—	—	—	1	—	1	—	—	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	—	—	—	1	2	—	—	2	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	—	—	1	1	—	—	1	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	3	—	1	—	—	1	—	—	1	—	24
25 Acute and chronic nephritis	2	2	1	2	1	1	6	—	5	—	4	1	4	3	25
26 Puerperal sepsis	—	—	—	2	—	2	—	—	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	2	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	—	3	2	2	7	5	5	4	5	6	4	3	6	3	28
29 Suicide	2	1	2	1	4	1	—	1	—	2	2	1	—	—	29
30 Other deaths from violence	—	3	3	1	7	2	1	2	7	5	4	1	1	—	30
31 Other defined diseases	16	24	24	13	32	26	21	23	31	33	17	21	16	15	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	3	—	1	1	—	—	32

* The remainder of Spalding R.D. is in Lincolnshire: Parts of Kesteven.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***LINCOLNSHIRE : PARTS OF
KESTEVEN—*cont.*****LINCOLNSHIRE : PARTS OF
LINDSEY**

Causes of Death.	Gran- tham R.D.		Sleaford R.D.		Spalding (part of) R.D.*		Cleethorpes U.D.		Gains- borough U.D.		Scun- thorpe & Frod- ingham U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	72	78	108	106	4	2	136	136	112	99	130	108	1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	3	—	—	—	1	5
5 Whooping cough	1	1	1	2	—	—	2	—	1	—	1	1	6
6 Diphtheria	—	—	—	—	—	—	1	—	8	2	3	3	7
7 Influenza	1	2	2	3	1	—	—	1	—	—	1	—	8
8 Encephalitis lethargica	1	—	—	1	—	—	—	1	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	4	4	3	5	—	—	10	12	12	10	8	7	11
11 Other tuberculous diseases	1	1	—	—	—	—	2	4	1	2	1	3	12
12 Cancer, malignant disease	8	7	12	21	—	—	13	26	9	17	14	10	13
13 Rheumatic fever	—	1	—	1	—	—	2	1	1	—	2	1	14
14 Diabetes	2	1	2	3	—	—	—	—	—	—	1	3	15
15 Cerebral hæmorrhage, &c.	—	9	11	9	—	1	9	10	9	13	9	7	16
16 Heart disease	12	22	13	17	2	1	23	16	19	19	24	13	17
17 Arterio-sclerosis	9	—	5	2	—	—	2	4	5	—	6	6	18
18 Bronchitis	4	3	3	4	—	—	6	7	2	1	6	2	19
19 Pneumonia (all forms)	3	4	6	3	1	—	9	6	10	10	5	1	20
20 Other respiratory diseases	1	—	—	3	—	—	1	1	—	—	1	3	21
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	1	—	5	1	—	1	22
22 Diarrhœa, &c. (under 2 years)	1	1	1	—	—	—	—	1	—	—	1	—	23
23 Appendicitis and typhlitis	—	—	—	2	—	—	1	1	1	1	3	2	24
24 Cirrhosis of liver	—	—	1	1	—	—	1	2	—	—	—	—	25
25 Acute and chronic nephritis	1	—	5	5	—	—	2	—	1	1	4	1	26
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	—	—	1	—	2	28
28 Congenital debility and malformation, premature birth	2	5	11	6	—	—	9	7	4	1	7	10	29
29 Suicide	1	—	—	—	—	—	1	2	—	—	2	3	30
30 Other deaths from violence	2	1	7	1	—	—	5	5	1	4	11	1	31
31 Other defined diseases	16	13	24	16	—	—	34	26	22	16	20	25	32
32 Causes ill-defined or unknown	—	—	1	—	—	—	1	—	1	—	—	—	

**LINCOLNSHIRE : PARTS OF
LINDSEY—*cont.***

Causes of Death.	Cais- tor R.D.		Gains- borough R.D.		Glanford Brigg R.D.		Horn- castle R.D.		Louth R.D.		Spilsby R.D.		Welton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	83	60	83	72	127	129	70	82	100	82	112	129	62	64	1
1 Enteric fever	1	—	1	—	1	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	1	—	—	—	1	—	1	1	2	—	1	—	6
6 Diphtheria	—	—	—	—	1	—	—	—	—	—	—	1	—	—	7
7 Influenza	3	—	2	5	3	7	1	1	3	1	1	1	—	—	8
8 Encephalitis lethargica	—	—	—	1	—	1	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	1	1	—	2	6	2	3	7	5	6	9	12	2	2	11
11 Other tuberculous diseases	—	—	2	1	1	3	—	—	1	2	2	1	—	3	12
12 Cancer, malignant disease	10	7	6	10	14	12	8	16	10	16	12	19	10	17	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Diabetes	2	1	1	1	—	—	—	3	1	1	1	2	1	—	15
15 Cerebral hæmorrhage, &c.	6	3	5	5	2	6	6	5	8	4	11	14	6	6	16
16 Heart disease	13	13	13	15	18	24	9	14	20	18	28	23	5	10	17
17 Arterio-sclerosis	5	2	4	1	16	9	4	3	7	2	5	3	2	1	18
18 Bronchitis	2	4	9	4	3	6	4	2	1	2	3	4	4	2	19
19 Pneumonia (all forms)	4	2	4	3	7	2	3	4	11	4	1	7	4	2	20
20 Other respiratory diseases	1	1	1	1	—	1	1	—	—	—	4	1	1	—	21
21 Ulcer of stomach or duodenum	—	1	1	—	—	—	1	—	1	—	1	1	—	2	22
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	2	1	—	—	—	1	—	—	—	23
23 Appendicitis and typhlitis	—	1	3	—	—	2	1	—	1	1	—	—	1	—	24
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	—	—	—	1	—	25
25 Acute and chronic nephritis	1	1	4	4	4	7	3	1	—	2	3	1	3	2	26
26 Puerperal sepsis	—	1	—	1	—	1	—	1	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	1	—	—	—	1	—	28
28 Congenital debility and malformation, premature birth	5	2	4	2	6	6	3	1	2	5	1	4	3	3	29
29 Suicide	1	—	2	—	2	—	—	2	—	—	1	—	1	1	30
30 Other deaths from violence	3	2	1	1	5	2	1	2	4	1	9	1	4	—	31
31 Other defined diseases	25	16	18	15	36	30	20	21	22	15	17	34	13	11	32
32 Causes ill-defined or unknown	—	—	—	—	1	2	—	—	—	—	—	—	—	—	

* The remainder of Spalding R.D. is in Lincolnshire: Parts of Holland.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

MIDDLESEX.

Causes of Death.				Acton M.B.		Brent ford and Chiswick U.D.		Ealing M.B.		Edmon- ton U.D.		Enfield U.D.		Finchley U.D.		Friern Barnet U.D.		
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes				349	350	338	337	463	571	365	358	326	315	251	260	75	81	
1	Enteric fever	—	—	1	—	3	1	—	2	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	8	3	6	8	2	2	13	10	3	3	9	1	3	1	3
4	Scarlet fever	—	—	1	—	—	—	1	1	—	1	—	—	1	—	4
5	Whooping cough	2	2	1	5	2	2	—	3	—	2	4	3	—	1	5
6	Diphtheria	3	4	5	3	2	5	4	2	—	2	1	3	—	—	6
7	Influenza	8	3	2	2	5	4	5	4	4	7	4	7	1	2	7
8	Encephalitis lethargica	—	—	2	1	1	2	—	—	1	—	1	—	—	—	8
9	Meningococcal meningitis	—	—	—	2	—	1	2	1	—	—	2	—	—	—	9
10	Tuberculosis of respiratory sys.	22	17	30	19	37	25	24	33	29	22	7	10	7	3	10
11	Other tuberculous diseases	5	7	4	6	6	8	3	3	4	2	7	2	—	1	11
12	Cancer, malignant disease	41	67	38	39	49	98	40	49	51	49	27	46	8	9	12
13	Rheumatic fever	3	—	—	1	1	3	1	3	—	4	1	1	—	—	13
14	Diabetes	—	2	3	10	3	10	3	1	2	4	1	2	2	—	14
15	Cerebral hæmorrhage, &c.	18	14	16	14	17	29	8	12	18	13	4	10	1	6	15
16	Heart disease	54	60	47	59	78	111	56	81	47	49	54	53	10	20	16
17	Arterio-sclerosis	19	23	20	25	32	26	16	20	27	20	14	15	5	4	17
18	Bronchitis	21	19	20	22	30	30	17	10	7	10	4	9	2	5	18
19	Pneumonia (all forms)	23	24	30	19	29	18	38	25	22	13	19	14	4	3	19
20	Other respiratory diseases	7	4	7	2	6	6	3	3	5	3	4	3	1	1	20
21	Ulcer of stomach or duodenum	4	7	4	2	7	2	3	4	5	1	7	1	—	1	21
22	Diarrhœa, &c. (under 2 years)	2	6	1	—	3	1	6	2	8	4	2	—	—	—	22
23	Appendicitis and typhlitis	3	1	1	2	4	3	2	—	1	2	5	4	2	—	23
24	Cirrhosis of liver	5	3	4	2	1	3	—	2	—	1	1	—	—	—	24
25	Acute and chronic nephritis	7	7	6	11	14	18	14	6	8	5	11	8	1	3	25
26	Puerperal sepsis	—	1	—	2	—	2	—	2	—	2	—	1	—	—	26
27	Other accidents and diseases of pregnancy and parturition..	—	3	—	1	—	6	—	2	—	1	—	2	—	1	27
28	Congenital debility and mal-formation, premature birth	15	8	15	10	16	17	22	18	17	14	8	9	10	1	28
29	Suicide	2	2	7	2	9	7	8	5	2	1	5	4	2	2	29
30	Other deaths from violence	12	8	12	13	24	12	25	7	13	7	14	6	2	2	30
31	Other defined diseases	65	55	55	55	81	117	52	47	52	73	35	46	13	15	31
32	Causes ill-defined or unknown	—	—	—	—	1	2	—	—	—	—	—	—	—	—	32

MIDDLESEX—cont.

Causes of Death.				Hamp- ton U.D.		Harrow- on-the- Hill U.D.		Hen- don U.D.		Heston & Isle- worth U.D.		Hornsey M.B.		Southall Norwood U.D.		South- gate U.D.		Teddington U.D.		
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes				68	69	90	104	326	317	338	286	477	523	177	138	202	203	99	140	
1	Enteric fever	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	2	10	5	1	1	6	1	4	2	1	2	—	1	3
4	Scarlet fever	—	—	—	—	3	—	—	—	1	1	—	—	—	—	—	—	4
5	Whooping cough	—	—	2	—	—	—	—	—	1	1	2	—	—	—	—	4	5
6	Diphtheria	4	1	—	—	2	—	3	4	3	3	1	2	1	—	—	2	6
7	Influenza	4	2	2	2	3	7	4	3	11	5	1	3	8	4	1	4	7
8	Encephalitis lethargica	—	—	1	1	—	1	—	2	1	2	—	1	—	—	—	1	8
9	Meningococcal meningitis	—	—	—	—	1	—	2	—	1	1	—	1	—	—	—	1	9
10	Tuberculosis of respiratory sys.	3	2	8	7	28	22	18	11	33	27	18	11	10	9	6	4	10
11	Other tuberculous diseases	—	—	2	1	5	6	2	4	4	8	—	1	2	—	1	—	11
12	Cancer, malignant disease	7	13	9	15	40	44	33	34	63	71	18	27	26	41	16	16	12
13	Rheumatic fever	—	—	—	1	—	3	3	1	1	3	—	1	1	—	—	1	13
14	Diabetes	1	—	3	—	4	5	4	5	2	7	1	2	3	2	—	3	14
15	Cerebral hæmorrhage, &c.	1	3	2	5	11	19	11	21	22	27	6	10	6	13	3	9	15
16	Heart disease	7	16	15	20	46	65	50	40	84	104	23	16	29	40	15	29	16
17	Arterio-sclerosis	4	2	9	8	18	16	23	10	40	33	10	9	21	15	5	8	17
18	Bronchitis	7	4	7	4	9	6	26	14	20	28	13	9	4	11	8	1	18
19	Pneumonia (all forms)	2	5	4	5	18	11	26	17	26	32	14	9	17	5	7	17	19
20	Other respiratory diseases	—	3	—	1	1	3	5	2	5	5	2	1	1	1	1	3	20
21	Ulcer of stomach or duodenum	—	—	2	—	4	2	4	—	10	3	4	—	1	—	1	—	21
22	Diarrhœa, &c. (under 2 years)	1	—	2	1	—	1	4	2	—	2	3	—	—	2	—	1	22
23	Appendicitis and typhlitis	—	1	—	—	4	1	5	4	3	6	4	1	2	3	2	—	23
24	Cirrhosis of liver	—	—	—	—	2	3	2	—	3	1	—	—	3	1	1	3	24
25	Acute and chronic nephritis	4	—	1	3	13	12	7	12	17	14	5	5	4	8	3	1	25
26	Puerperal sepsis	—	1	—	—	—	4	—	3	—	2	—	2	—	3	—	—	26
27	Other accidents and diseases of pregnancy and parturition..	—	—	—	—	—	5	—	2	—	1	—	—	—	1	—	2	27
28	Congenital debility and mal-formation, premature birth	3	3	3	3	14	8	15	13	18	24	12	7	7	2	6	3	28
29	Suicide	1	1	1	1	6	4	2	3	6	4	—	—	1	3	2	—	29
30	Other deaths from violence	6	1	2	3	22	9	19	11	18	12	9	1	17	6	6	2	30
31	Other defined diseases	13	11	15	21	62	55	67	66	78	95	27	18	36	31	15	24	31
32	Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***MIDDLESEX—*cont.***

Causes of Death.	Totten- ham U.D.		Twicken- ham M.B.		Ux- bridge U.D.		Weald- stone U.D.		Wemb- ley U.D.		Willes- den U.D.		Wood Green U.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	789	762	212	196	66	77	94	69	125	141	842	893	243	235			
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	28	20	2	2	3	—	1	1	—	1	16	10	3	1			3
4 Scarlet fever	2	—	—	—	—	—	1	1	—	—	1	—	—	—			4
5 Whooping cough	1	3	1	4	—	2	—	—	—	4	3	8	1	1			5
6 Diphtheria	9	9	4	2	1	1	—	—	1	1	9	8	—	—			6
7 Influenza	11	15	4	1	1	1	1	1	—	2	19	16	2	3			7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	4	—	1	2			8
9 Meningococcal meningitis	2	2	—	—	—	—	—	—	—	—	2	2	2	—			9
10 Tuberculosis of respiratory sys.	74	58	15	7	6	4	15	6	9	6	59	48	23	10			10
11 Other tuberculous diseases	14	6	—	6	—	2	1	1	1	1	8	10	1	1			11
12 Cancer, malignant disease	71	86	37	32	12	7	7	17	21	29	107	134	33	41			12
13 Rheumatic fever	3	1	1	—	—	1	—	—	—	1	2	6	—	—			13
14 Diabetes	9	9	1	2	1	3	1	—	1	—	10	11	—	—			14
15 Cerebral hæmorrhage, &c.	25	27	3	10	1	5	4	3	5	3	37	57	9	12			15
16 Heart disease	141	189	30	39	6	18	17	12	18	21	111	165	49	53			16
17 Arterio-sclerosis	40	41	15	9	5	3	4	4	8	19	41	22	10	22			17
18 Bronchitis	31	37	11	7	3	3	6	1	2	8	33	35	19	8			18
19 Pneumonia (all forms)	66	69	15	7	7	4	6	2	12	3	65	60	11	10			19
20 Other respiratory diseases	7	8	4	—	—	1	2	—	4	3	17	13	1	5			20
21 Ulcer of stomach or duodenum	9	6	2	2	1	—	—	—	2	2	13	5	3	2			21
22 Diarrhœa, &c. (under 2 years)	5	1	—	1	—	—	—	—	1	1	5	6	2	2			22
23 Appendicitis and typhlitis	2	4	2	4	—	2	1	—	1	—	5	6	2	2			23
24 Cirrhosis of liver	5	2	2	2	—	—	1	—	2	—	6	2	1	—			24
25 Acute and chronic nephritis	14	18	7	5	3	2	1	—	1	4	23	18	11	5			25
26 Puerperal sepsis	—	3	—	—	—	—	4	—	—	1	—	4	—	2			26
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	4	—	1	—	—	1	—	2	—	6	—	1	—			27
28 Congenital debility and mal- formation, premature birth	40	24	8	5	4	3	7	5	9	8	33	33	8	9			28
29 Suicide	15	6	2	3	—	—	3	2	4	3	12	2	12	2			29
30 Other deaths from violence	41	13	7	5	1	1	2	—	6	1	44	24	6	9			30
31 Other defined diseases	124	100	38	40	11	14	14	7	19	15	156	182	33	31			31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	1	—	—	1			32

MIDDLESEX—*cont.***NORFOLK.**

Causes of Death.	Hen- don R.D.		Staines R.D.		King's Lynn M.B.		Aylsham R.D.		Blofield R.D.		Dep- wade R.D.		Docking R.D.		Down- ham R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	121	114	142	150	139	151	112	106	62	64	128	109	95	97	87	104	
1 Enteric fever	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	
2 Small-pox	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	—	1	1	5	—	—	—	—	—	—	—	—	1	—	1	—	
4 Scarlet fever	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
5 Whooping cough	—	—	—	2	1	3	1	—	—	—	—	—	—	1	4	3	
6 Diphtheria	—	—	1	1	5	7	1	—	1	—	1	1	—	1	1	—	
7 Influenza	3	1	3	3	2	1	2	2	1	—	1	2	1	—	1	2	
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	
10 Tuberculosis of respiratory sys.	8	6	6	8	3	9	7	5	3	4	5	4	6	6	3	6	
11 Other tuberculous diseases	1	1	3	3	3	1	4	1	—	1	3	3	—	—	—	2	
12 Cancer, malignant disease	19	17	18	14	11	23	22	13	10	11	14	11	13	12	10	12	
13 Rheumatic fever	—	—	—	1	2	2	—	—	1	—	1	—	—	—	—	—	
14 Diabetes	3	3	—	2	1	5	4	1	2	1	1	5	—	3	1	1	
15 Cerebral hæmorrhage, &c.	2	8	9	15	6	4	3	8	4	3	4	8	2	4	7	4	
16 Heart disease	23	21	18	28	16	25	8	15	11	16	26	23	11	17	14	19	
17 Arterio-sclerosis	7	3	5	4	15	19	11	8	1	3	10	5	13	13	6	11	
18 Bronchitis	6	5	8	7	8	11	7	6	4	1	7	6	7	4	8	3	
19 Pneumonia (all forms)	6	7	12	12	8	4	1	2	2	2	3	2	4	6	3	2	
20 Other respiratory diseases	2	1	—	1	3	—	—	1	—	—	—	4	—	—	—	—	
21 Ulcer of stomach or duodenum	2	—	—	1	—	1	1	1	1	—	3	—	4	—	1	1	
22 Diarrhœa, &c. (under 2 years)	1	—	2	3	1	—	1	1	—	—	1	1	1	1	1	—	
23 Appendicitis and typhlitis	2	2	2	1	2	1	1	—	1	1	1	—	2	—	—	2	
24 Cirrhosis of liver	1	—	1	1	—	—	—	—	—	—	1	1	—	—	2	—	
25 Acute and chronic nephritis	5	—	4	2	—	9	2	2	3	2	1	1	2	4	2	4	
26 Puerperal sepsis	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	
28 Congenital debility and mal- formation, premature birth	3	8	10	2	4	3	8	2	2	1	10	2	5	4	4	3	
29 Suicide	3	—	6	—	4	—	2	—	—	—	4	1	2	—	1	—	
30 Other deaths from violence	3	5	11	4	21	5	2	4	3	1	7	5	2	1	1	7	
31 Other defined diseases	20	23	21	26	21	14	23	32	12	16	21	22	18	18	14	22	
32 Causes ill-defined or unknown	—	—	1	—	—	1	1	—	—	—	4	—	1	1	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

NORFOLK—*cont.*

Causes of Death.	East & West Flegg R.D.		Erping-ham R.D.		Forehoe R.D.		Free-bridge Lynn R.D.		Loddon & Claver-ing R.D.		Marsh-land R.D.		Mitford & Laun-ditch R.D.		St. Faith's R.D.		Small-burgh R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	47	51	122	103	71	58	90	64	69	75	79	65	110	103	72	61	96	69	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	6
6 Diphtheria	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	1	—	—	7
7 Influenza	—	—	2	2	1	1	—	—	—	—	2	—	4	5	1	—	—	—	8
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	10
10 Tuberculosis of respiratory sys.	1	2	7	8	3	4	7	1	4	3	4	5	2	1	1	5	7	3	11
11 Other tuberculous diseases	1	—	1	2	1	1	4	2	4	—	1	2	1	—	1	—	2	—	12
12 Cancer, malignant disease	8	8	16	22	8	12	11	17	8	7	15	10	15	20	14	9	15	10	13
13 Rheumatic fever	—	—	—	—	—	—	1	—	—	2	—	2	—	—	—	—	—	1	14
14 Diabetes	2	—	1	4	2	1	2	—	2	3	—	—	2	1	2	1	3	—	15
15 Cerebral hæmorrhage, &c.	1	3	5	8	2	4	4	3	2	3	4	5	3	10	—	—	4	9	16
16 Heart disease	5	18	31	15	8	12	19	12	9	14	10	5	29	16	18	10	7	11	17
17 Arterio-sclerosis	5	4	6	3	9	6	4	4	15	10	5	1	13	7	10	10	6	2	18
18 Bronchitis	3	2	4	3	1	—	2	6	2	3	10	4	1	1	1	1	2	7	19
19 Pneumonia (all forms)	2	1	5	2	3	4	4	3	3	2	3	3	5	5	3	4	4	2	20
20 Other respiratory diseases	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	1	—	—	21
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	1	1	—	—	2	—	—	—	—	—	—	—	22
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	1	—	23
23 Appendicitis and typhlitis	—	—	—	1	2	—	2	—	1	—	—	—	—	—	—	—	2	1	24
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	25
25 Acute and chronic nephritis	2	3	1	1	3	2	1	1	2	1	1	5	2	4	2	2	10	—	26
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	28
28 Congenital debility and mal-formation, premature birth	1	—	6	5	5	2	4	2	6	4	1	4	6	2	3	2	4	2	29
29 Suicide	—	1	—	1	3	—	—	—	1	—	1	—	1	—	—	—	2	—	30
30 Other deaths from violence	2	1	4	—	3	—	1	1	2	2	5	1	2	2	5	1	2	—	31
31 Other defined diseases	14	8	29	22	14	7	20	11	9	21	12	16	21	24	10	12	24	20	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	

NORFOLK—*cont.*

NORTHAMPTONSHIRE.

Causes of Death.	Walsing-ham R.D.		Way-land R.D.				Ketter-ing U.D.		Rushden U.D.		Welling-borough U.D.						
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.					
All Causes	93	89	105	98			181	144	71	75	131	143					1
1 Enteric fever	—	—	—	1			—	—	—	—	—	—					2
2 Small-pox	—	—	—	—			—	—	—	—	—	—					3
3 Measles	—	—	—	—			—	—	—	—	1	3					4
4 Scarlet fever	—	—	—	1			—	—	—	—	—	—					5
5 Whooping cough	—	—	—	—			—	—	—	—	—	—					6
6 Diphtheria	—	—	—	—			2	1	—	—	1	1					7
7 Influenza	2	1	—	—			8	—	—	1	5	6					8
8 Encephalitis lethargica	—	—	1	—			—	3	1	—	—	—					9
9 Meningococcal meningitis	—	—	—	—			—	—	—	—	—	—					10
10 Tuberculosis of respiratory sys.	5	4	2	3			9	9	8	4	11	8					11
11 Other tuberculous diseases	1	1	1	—			4	3	—	1	1	4					12
12 Cancer, malignant disease	12	24	17	12			30	18	8	10	17	16					13
13 Rheumatic fever	—	—	—	—			—	2	—	—	—	—					14
14 Diabetes	—	—	3	1			3	1	2	—	1	2					15
15 Cerebral hæmorrhage, &c.	5	2	5	4			10	11	1	10	9	13					16
16 Heart disease	12	20	15	29			29	28	11	15	25	28					17
17 Arterio-sclerosis	11	4	17	16			5	5	5	2	8	6					18
18 Bronchitis	4	5	4	1			3	9	2	1	8	8					19
19 Pneumonia (all forms)	3	1	2	3			17	8	3	2	6	6					20
20 Other respiratory diseases	3	1	—	1			1	3	2	1	1	1					21
21 Ulcer of stomach or duodenum	2	1	1	—			—	—	—	—	1	—					22
22 Diarrhoea, &c. (under 2 years)	1	1	1	—			2	—	—	—	—	—					23
23 Appendicitis and typhlitis	—	2	1	1			3	—	—	—	—	—					24
24 Cirrhosis of liver	—	—	—	—			2	2	—	1	—	—					25
25 Acute and chronic nephritis	2	2	5	6			3	2	1	1	2	3					26
26 Puerperal sepsis	—	—	—	—			—	—	—	—	—	—					27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—			—	2	—	—	—	2					28
28 Congenital debility and mal-formation, premature birth	8	—	7	5			11	5	3	3	1	4					29
29 Suicide	—	—	3	—			4	2	1	2	3	2					30
30 Other deaths from violence	2	1	4	—			4	2	5	1	7	2					31
31 Other defined diseases	19	19	16	14			30	26	18	18	22	28					32
32 Causes ill-defined or unknown	1	—	—	—			1	2	—	2	1	—					

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

NORTHAMPTONSHIRE—*cont.*

NORTHUMBERLAND.

Causes of Death.	Brixworth R.D.		Daven-try R.D.		Thrap-ston (part of) R.D.*		Welling-borough R.D.				Ashing-ton U.D.		Bedling-tonshire U.D.		Berwick upon Tweed M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	
All Causes	89	66	74	80	66	72	63	73			163	140	192	142	90	86	1
1 Enteric fever	—	—	—	—	—	—	—	1			1	1	—	—	1	—	2
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	—	—	—			—	—	1	—	—	3	4
4 Scarlet fever	—	—	—	—	—	—	—	1			1	2	2	—	—	1	5
5 Whooping cough	—	—	—	—	—	—	—	—			—	—	1	2	—	—	6
6 Diphtheria	—	—	2	—	—	—	—	—			—	—	1	2	—	—	7
7 Influenza	3	—	—	1	—	—	—	2			3	4	1	5	—	2	8
8 Encephalitis lethargica	—	—	—	—	1	—	—	—			1	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	1	—	—	—	—	—			—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	2	2	4	2	5	3	7			15	14	5	10	5	6	11
11 Other tuberculous diseases	4	—	2	1	—	1	1	—			4	3	4	6	1	2	12
12 Cancer, malignant disease	8	9	7	9	8	12	6	12			16	17	15	15	16	13	13
13 Rheumatic fever	—	—	—	1	—	—	—	—			—	—	—	—	—	—	14
14 Diabetes	2	1	—	1	—	2	1	—			2	1	1	5	1	—	15
15 Cerebral hæmorrhage, &c.	5	2	5	10	4	9	3	2			4	9	5	2	3	8	16
16 Heart disease	14	21	17	10	20	20	13	16			11	14	31	18	6	10	17
17 Arterio-sclerosis	7	2	4	—	4	1	4	4			11	3	22	13	12	4	18
18 Bronchitis	4	1	1	6	1	1	2	7			7	10	10	5	5	2	19
19 Pneumonia (all forms)	4	1	3	3	6	3	3	1			18	9	21	11	7	4	20
20 Other respiratory diseases	—	—	2	1	1	1	1	—			—	1	4	—	2	2	21
21 Ulcer of stomach or duodenum	—	—	—	—	—	—	2	—			1	—	3	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	—	—	—			9	5	1	—	—	—	23
23 Appendicitis and typhlitis	—	—	—	—	1	—	1	—			—	1	—	2	—	—	24
24 Cirrhosis of liver	—	—	—	—	—	—	1	1			1	1	—	—	1	1	25
25 Acute and chronic nephritis	2	3	4	3	3	2	1	—			4	5	7	7	2	2	26
26 Puerperal sepsis	—	—	—	1	—	—	—	1			—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	2			—	—	—	—	—	1	28
28 Congenital debility and mal-formation, premature birth	6	1	1	6	3	—	1	1			14	6	12	7	3	1	29
29 Suicide	1	—	3	—	1	—	1	—			2	1	1	1	1	—	30
30 Other deaths from violence	4	—	5	—	3	—	5	2			9	—	13	4	2	3	31
31 Other defined diseases	18	22	14	20	7	13	14	13			27	30	29	28	21	—	32
32 Causes ill-defined or unknown	1	—	—	1	1	1	—	—			2	2	3	1	—	—	

NORTHUMBERLAND—*cont.*

Causes of Death.	Blyth M.B.		Ears-don U.D.		Gos-forth U.D.		Long-benton U.D.		Newburn U.D.		Wallsend M.B.		Whitley & Monks-eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	202	169	85	56	88	59	55	98	151	90	307	244	115	124	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	2	—	—	—	5
5 Whooping cough	1	3	1	—	—	—	1	1	5	1	3	5	—	—	6
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	1	—	1	—	7
7 Influenza	5	4	7	2	3	2	2	4	4	6	4	5	1	1	8
8 Encephalitis lethargica	4	—	—	—	—	—	—	1	1	—	—	2	1	—	9
9 Meningococcal meningitis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	16	15	8	2	4	2	1	8	4	3	36	28	6	5	11
11 Other tuberculous diseases	6	6	1	2	1	1	—	—	3	1	12	6	2	3	12
12 Cancer, malignant disease	20	22	6	10	13	14	7	16	8	13	29	31	24	21	13
13 Rheumatic fever	1	—	—	—	—	—	—	1	—	—	—	1	—	—	14
14 Diabetes	1	3	—	—	1	1	1	2	—	—	—	2	—	2	15
15 Cerebral hæmorrhage, &c.	5	8	7	6	5	5	3	7	18	10	20	12	5	7	16
16 Heart disease	22	15	4	11	8	7	8	11	17	10	32	33	16	19	17
17 Arterio-sclerosis	13	9	5	2	6	7	3	2	4	2	11	8	11	16	18
18 Bronchitis	9	14	5	1	3	1	2	6	10	8	23	10	3	2	19
19 Pneumonia (all forms)	16	12	10	6	5	3	5	3	14	4	19	9	4	6	20
20 Other respiratory diseases	6	3	—	—	3	—	1	1	—	—	5	1	1	—	21
21 Ulcer of stomach or duodenum	—	—	1	—	2	—	—	—	2	—	3	2	—	—	22
22 Diarrhœa, &c. (under 2 years)	1	4	—	2	—	—	—	—	2	—	4	1	2	1	23
23 Appendicitis and typhlitis	—	—	—	—	2	—	—	—	—	—	1	1	—	1	24
24 Cirrhosis of liver	1	—	1	—	2	—	—	—	1	—	2	2	—	—	25
25 Acute and chronic nephritis	5	7	4	2	2	—	3	4	1	3	10	13	4	3	26
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	3	—	3	—	1	—	1	28
28 Congenital debility and mal-formation, premature birth	14	6	7	2	6	1	2	2	11	6	26	12	7	3	29
29 Suicide	1	1	1	—	—	—	—	2	1	2	2	2	3	—	30
30 Other deaths from violence	12	5	8	1	7	1	7	2	10	2	22	9	4	5	31
31 Other defined diseases	43	30	8	6	13	14	9	23	32	15	41	43	18	26	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	1	2	1	2	—	—	

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

NORTHUMBERLAND—*cont.*

NOTTINGHAMSHIRE.

Causes of Death.	Alnwick R.D.		Castle Ward R.D.		Hexham R.D.		Morpeth R.D.		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	80	57	42	123	110	91	83	76	61	85	69	96	109	70	103	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	—	1	—	—	—	1	2	—	—	—	—	—	6
6 Diphtheria	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	7
7 Influenza	—	1	1	—	4	5	5	1	—	1	—	—	—	—	1	2	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	1	5	3	2	3	3	3	2	5	1	3	5	11	8	4	8	11
11 Other tuberculous diseases	3	3	—	2	2	—	1	4	2	—	2	2	3	2	2	1	12
12 Cancer, malignant disease	11	10	4	11	14	18	12	15	7	9	12	8	10	21	6	12	13
13 Rheumatic fever	—	1	1	—	1	—	—	—	—	—	2	—	1	—	—	—	14
14 Diabetes	1	—	—	—	—	4	1	1	2	1	1	3	—	2	—	2	15
15 Cerebral hæmorrhage, &c.	5	7	4	2	4	3	4	8	4	1	6	11	3	10	1	5	16
16 Heart disease	13	14	6	5	26	21	9	10	6	13	4	2	11	19	6	12	17
17 Arterio-sclerosis	—	1	4	—	14	5	9	3	5	3	7	3	2	—	5	5	18
18 Bronchitis	3	2	2	1	3	4	7	3	8	5	5	8	4	6	4	5	19
19 Pneumonia (all forms)	6	4	6	2	6	3	7	4	7	3	11	7	11	7	3	7	20
20 Other respiratory diseases	3	—	—	—	—	1	—	2	2	2	1	—	3	—	2	3	21
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	2	1	2	1	1	—	1	—	—	—	22
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	1	—	—	—	—	—	3	1	—	1	1	23
23 Appendicitis and typhlitis	—	1	—	—	—	1	3	—	—	—	—	—	—	1	—	1	24
24 Cirrhosis of liver	—	—	—	1	1	—	—	—	1	—	1	—	1	—	—	—	25
25 Acute and chronic nephritis	1	3	2	1	9	6	4	7	2	4	—	1	2	—	—	5	26
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	28
28 Congenital debility and malformation, premature birth	8	—	5	2	6	2	2	4	6	—	6	4	8	8	7	5	29
29 Suicide	1	—	1	1	2	1	—	—	1	1	1	—	4	—	—	—	30
30 Other deaths from violence	4	2	5	—	9	2	7	6	5	1	3	1	5	4	5	—	31
31 Other defined diseases	20	24	12	11	17	27	14	12	9	10	13	6	14	18	17	27	32
32 Causes ill-defined or unknown	1	—	—	—	—	—	1	—	1	—	4	—	1	—	—	—	

NOTTINGHAMSHIRE—*cont.*

Causes of Death.	Huck- nall U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		West Bridg- ford U.D.		Work- sop U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	106	77	86	87	247	210	75	67	98	74	147	120	70	76	144	116	1
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	1	3	1	3	3	—	—	—	3	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	1	1	—	—	1	—	2	4	—	—	—	2	6
6 Diphtheria	2	—	1	—	1	—	1	—	1	—	—	—	1	—	—	2	7
7 Influenza	1	1	3	1	—	4	1	1	2	—	4	2	3	—	4	5	8
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	3	11	5	2	13	17	6	5	3	4	13	6	3	2	5	8	11
11 Other tuberculous diseases	1	2	1	1	5	3	—	1	1	2	3	1	—	2	2	2	12
12 Cancer, malignant disease	14	14	8	14	19	39	9	8	17	7	21	11	9	11	15	11	13
13 Rheumatic fever	—	—	3	—	1	—	1	—	—	1	1	2	—	—	—	—	14
14 Diabetes	2	3	1	1	5	2	—	—	—	—	—	2	—	1	1	2	15
15 Cerebral hæmorrhage, &c.	2	4	6	5	21	12	2	3	3	4	10	13	6	3	14	10	16
16 Heart disease	9	10	12	12	26	23	4	3	17	17	3	20	8	8	22	14	17
17 Arterio-sclerosis	11	4	5	5	6	4	3	2	6	9	5	3	3	11	7	3	18
18 Bronchitis	10	3	4	6	10	12	4	5	2	5	7	8	1	5	8	6	19
19 Pneumonia (all forms)	7	3	6	3	23	12	7	4	5	4	6	11	1	—	12	4	20
20 Other respiratory diseases	1	—	—	—	2	3	—	—	—	—	2	—	2	1	—	1	21
21 Ulcer of stomach or duodenum	2	—	1	—	3	—	1	1	1	—	3	1	2	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	—	—	1	2	6	1	3	2	—	—	3	2	—	—	1	2	23
23 Appendicitis and typhlitis	1	—	1	—	2	2	1	—	—	—	1	—	2	—	1	2	24
24 Cirrhosis of liver	—	—	1	1	—	1	—	—	1	—	1	1	1	—	5	—	25
25 Acute and chronic nephritis	5	3	2	3	3	1	—	1	3	2	2	1	5	3	4	4	26
26 Puerperal sepsis	—	—	—	1	—	3	—	—	—	—	—	1	—	—	—	1	
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	1	—	1	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	10	1	3	4	23	12	8	8	5	4	13	8	4	2	7	8	28
29 Suicide	4	—	1	—	6	—	—	—	3	—	2	2	2	1	—	—	29
30 Other deaths from violence	2	2	7	6	22	5	5	2	2	1	12	—	4	3	6	2	30
31 Other defined diseases	19	14	12	18	43	48	14	16	25	11	31	17	10	22	29	26	31
32 Causes ill-defined or unknown	—	1	1	—	2	2	1	—	—	—	2	—	3	1	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

NOTTINGHAMSHIRE—*cont.*

OXFORDSHIRE.

Causes of Death.	Basford R.D.		Bingham R.D.		East Retford R.D.		Southwell R.D.		Staple- ford R.D.		Banbury M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	260	233	69	86	83	84	170	153	61	54	68	77
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	1	—	—	—	—	5	1	—	—	—	—
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	2	2	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	2	3	—	—	—	2	—	1	—	—	—	—
7 Influenza	8	1	3	5	5	1	10	4	—	—	1	—
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	16	12	3	2	1	4	9	5	2	5	3	6
11 Other tuberculous diseases	2	5	2	2	1	1	—	1	—	3	2	1
12 Cancer, malignant disease	32	25	12	10	8	16	14	19	8	6	13	16
13 Rheumatic fever	1	4	—	—	—	—	1	—	—	1	—	—
14 Diabetes	2	4	—	1	2	1	2	1	—	1	—	1
15 Cerebral hæmorrhage, &c.	17	12	1	7	5	9	6	12	4	7	6	10
16 Heart disease	33	33	6	20	12	13	17	26	10	10	11	12
17 Arterio-sclerosis	7	9	5	7	5	6	12	10	1	1	—	4
18 Bronchitis	14	12	4	2	2	3	6	10	5	7	6	5
19 Pneumonia (all forms)	21	14	3	—	4	1	7	7	3	2	4	4
20 Other respiratory diseases	3	2	—	1	—	—	4	2	—	—	1	—
21 Ulcer of stomach or duodenum	4	1	—	—	—	—	3	4	1	1	—	—
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	3	—	1	1	—	—
23 Appendicitis and typhlitis	1	3	—	—	—	—	2	—	1	—	—	2
24 Cirrhosis of liver	2	1	—	—	—	—	2	1	—	—	—	1
25 Acute and chronic nephritis	7	9	2	3	3	4	6	1	—	1	5	1
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	2	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	8	8	6	1	6	1	11	12	5	1	2	3
29 Suicide	9	4	2	2	1	1	2	2	2	—	—	1
30 Other deaths from violence	19	9	5	3	4	1	10	5	4	1	6	2
31 Other defined diseases	44	57	14	16	23	18	37	27	14	6	8	8
32 Causes ill-defined or unknown	3	—	—	1	1	—	1	—	—	—	—	—

OXFORDSHIRE—cont.

PETERBOROUGH. SOKE OF.

Causes of Death.	Banbury R.D.	Chipping Norton R.D.	Henley R.D.	Witney R.D.	Wood- stock R.D.		Peter- borough M.B.
All Causes	M. F. 72 78	M. F. 67 46	M. F. 70 54	M. F. 93 122	M. F. 58 64		M. F. 213 236
1 Enteric fever	— —	— —	— —	— —	— 1		— —
2 Small-pox	— —	— —	— —	— —	— —		— —
3 Measles	— —	— —	— —	2	1		2 —
4 Scarlet fever	— —	— —	— —	— —	— —		— —
5 Whooping cough	— 1	— —	— —	— —	— —		— 2
6 Diphtheria	— —	1 —	— —	1 —	— —		4 2
7 Influenza	— 1	1 —	— —	5 6	2 1		1 6
8 Encephalitis lethargica	— —	— —	— —	— —	— —		— —
9 Meningococcal meningitis	— —	— —	— —	1 —	— —		1 —
10 Tuberculosis of respiratory sys.	2 5	1 2	4 4	4 1	1 1		10 10
11 Other tuberculous diseases	— —	2 1	1 1	1 1	1 —		1 2
12 Cancer, malignant disease	12 14	6 10	11 12	8 18	11 9		30 32
13 Rheumatic fever	— —	— —	2 —	— —	— —		— —
14 Diabetes	1 —	— —	— —	1 4	— 1		5 2
15 Cerebral hæmorrhage, &c.	5 10	6 7	6 2	10 10	2 4		12 20
16 Heart disease	14 12	11 11	13 10	14 22	11 12		32 32
17 Arterio-sclerosis	4 1	8 3	2 2	4 1	5 2		15 21
18 Bronchitis	1 3	4 5	3 8	3 7	2 4		9 13
19 Pneumonia (all forms)	6 2	1 —	5 3	7 10	2 4		15 4
20 Other respiratory diseases	— 2	1 —	1 1	1 1	1 3		2 1
21 Ulcer of stomach or duodenum	1 —	3 1	— —	— —	1 —		4 —
22 Diarrhoea, &c. (under 2 years)	— —	— —	1 —	— 1	— —		— 1
23 Appendicitis and typhlitis	— —	2 1	— —	— —	1 —		— 2
24 Cirrhosis of liver	— —	— —	— —	1 —	— —		— 2
25 Acute and chronic nephritis	— 2	2 —	2 2	1 2	1 4		6 6
26 Puerperal sepsis	— 1	— —	— —	— 1	— —		— 1
27 Other accidents and diseases of pregnancy and parturition.. .. .	— —	— —	1 —	— —	— —		— 1
28 Congenital debility and malformation, premature birth	3 3	3 —	4 —	6 5	— 2		5 10
29 Suicide	2 —	1 —	3 —	2 —	1 1		1 1
30 Other deaths from violence	2 2	— 1	3 2	4 6	8 1		12 5
31 Other defined diseases	19 19	14 4	11 6	20 23	8 12		41 61
32 Causes ill-defined or unknown	— —	— —	— —	— —	— 1		1 —

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

SHROPSHIRE.

Causes of Death.	Oaken-gates U.D.		Shrews-bury M.B.		Wen-lock M.B.		Atcham R.D.		Oswes-try R.D.		Welling-ton R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	62	59	176	216	92	92	120	132	97	106	65	76					1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—					2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					3
3 Measles	—	—	—	1	1	2	1	1	—	—	—	—					4
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—					5
5 Whooping cough	—	—	—	2	2	1	1	—	2	2	1	2					6
6 Diphtheria	—	—	2	—	—	—	1	—	1	1	—	1					7
7 Influenza	7	—	8	3	3	3	2	2	2	2	3	2					8
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—					9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—					10
10 Tuberculosis of respiratory sys.	2	2	10	12	2	1	4	3	6	5	1	3					11
11 Other tuberculous diseases	3	2	2	1	1	3	1	2	1	—	3	2					12
12 Cancer, malignant disease	9	4	23	25	8	13	12	25	9	20	8	12					13
13 Rheumatic fever	—	—	—	—	—	1	1	1	—	—	—	—					14
14 Diabetes	1	1	3	6	—	1	2	2	2	1	2	—					15
15 Cerebral hæmorrhage, &c.	3	8	4	15	8	8	11	9	5	1	4	4					16
16 Heart disease	10	7	36	60	17	23	20	23	16	27	9	12					17
17 Arterio-sclerosis	1	3	8	11	5	5	5	7	8	9	4	9					18
18 Bronchitis	1	4	6	8	6	3	2	5	2	3	—	1					19
19 Pneumonia (all forms)	3	5	9	11	6	4	12	6	8	6	5	4					20
20 Other respiratory diseases	1	—	1	2	—	—	—	1	1	—	—	1					21
21 Ulcer of stomach or duodenum	—	—	2	—	2	—	1	—	—	1	—	—					22
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	1	1	1	1	1	2	1	—					23
23 Appendicitis and typhlitis	—	—	—	2	—	—	—	—	—	—	—	1					24
24 Cirrhosis of liver	—	—	2	1	—	—	2	—	—	—	—	—					25
25 Acute and chronic nephritis	—	—	7	8	3	4	4	7	4	3	2	3					26
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	1					27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	1	—	1					28
28 Congenital debility and mal-formation, premature birth	4	2	9	8	5	4	9	6	4	3	3	3					29
29 Suicide	2	—	3	—	2	—	3	1	—	—	—	1					30
30 Other deaths from violence	4	2	13	3	7	2	6	9	9	—	7	3					31
31 Other defined diseases	11	16	27	35	13	12	16	21	15	18	9	10					32
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	1	—	3	—					

SOMERSETSHIRE.

Causes of Death.	Bridg-water M.B.		Frome U.D.		Taunton M.B.		Weston-super-Mare U.D.		Yeovil M.B.		Axbridge R.D.		Bath R.D.		Bridg-water R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	99	104	81	77	149	159	156	171	76	98	160	143	68	78	133	117	1
1 Enteric fever	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	1	2	1	—	1	3	—	1	1	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	5
5 Whooping cough	—	—	—	—	1	2	—	—	1	2	—	—	—	—	1	—	6
6 Diphtheria	—	1	—	—	1	—	2	1	—	—	—	1	1	—	1	—	7
7 Influenza	—	—	—	1	4	4	—	2	—	4	5	1	—	1	2	—	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	3	—	—	—	—	1	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	10
10 Tuberculosis of respiratory sys.	9	8	3	5	11	8	16	9	5	4	10	6	2	4	10	3	11
11 Other tuberculous diseases	1	1	—	1	2	4	2	2	1	3	1	—	1	—	1	1	12
12 Cancer, malignant disease	9	17	17	9	25	29	16	25	3	10	10	25	5	10	16	18	13
13 Rheumatic fever	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—	14
14 Diabetes	1	1	1	1	2	3	1	—	1	—	2	2	2	2	1	—	15
15 Cerebral hæmorrhage, &c.	1	7	2	4	3	12	14	12	6	12	8	9	2	5	7	7	16
16 Heart disease	16	23	17	22	11	19	21	32	20	19	25	24	15	19	22	31	17
17 Arterio-sclerosis	7	3	4	2	13	8	3	12	3	5	10	8	7	4	13	3	18
18 Bronchitis	6	6	1	2	6	11	5	4	2	5	3	6	4	8	4	6	19
19 Pneumonia (all forms)	7	8	4	8	4	4	6	5	4	1	7	4	5	1	4	4	20
20 Other respiratory diseases	1	2	—	2	—	4	1	1	—	—	—	1	2	—	2	—	21
21 Ulcer of stomach or duodenum	2	1	2	—	3	2	3	1	5	1	1	1	1	—	3	—	22
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	3	2	1	1	—	—	6	2	—	1	—	1	23
23 Appendicitis and typhlitis	2	—	—	—	1	—	5	3	—	—	—	1	—	—	1	2	24
24 Cirrhosis of liver	2	—	—	—	—	1	1	3	4	—	2	1	—	—	1	1	25
25 Acute and chronic nephritis	5	3	5	2	8	10	12	6	—	1	7	9	3	5	4	3	26
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2	—	2	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—	1	28
28 Congenital debility and mal-formation, premature birth	4	—	1	2	7	3	1	2	4	1	6	—	1	2	7	1	29
29 Suicide	2	—	1	1	1	1	1	1	1	2	1	—	—	1	3	2	30
30 Other deaths from violence	1	2	1	—	8	2	6	3	1	2	7	4	5	—	10	1	31
31 Other defined diseases	22	21	22	13	35	27	34	42	12	17	48	32	12	12	19	25	32
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

SOMERSETSHIRE—*cont.*

Causes of Death.	Chard R.D.		Clutton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Taunton R.D.		Wells R.D.		Williton R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	65	65	88	90	64	66	67	60	90	90	92	102	94	97	54	55	78	81
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	1	1	1	1	1	—	1	—	—	4	1	—	1	—	2	1
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1
6 Diphtheria	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—
7 Influenza	5	1	—	1	—	3	1	1	1	2	—	1	—	4	2	2	—	—
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	2	5	2	5	1	2	1	1	7	7	5	5	9	2	3	4	6	8
11 Other tuberculous diseases	—	—	—	—	—	—	1	3	—	—	—	1	2	—	—	—	2	—
12 Cancer, malignant disease	6	8	13	14	9	8	6	14	10	14	14	17	17	15	5	8	10	12
13 Rheumatic fever	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1
14 Diabetes	2	1	1	2	1	2	1	1	3	2	3	1	—	—	—	—	1	1
15 Cerebral hæmorrhage, &c.	1	5	5	6	1	5	8	2	9	5	3	5	8	8	1	2	5	7
16 Heart disease	14	14	13	19	10	12	14	9	13	18	6	16	8	25	15	12	18	13
17 Arterio-sclerosis	—	3	6	6	3	—	5	—	—	—	5	7	3	1	6	6	3	3
18 Bronchitis	1	5	6	7	2	1	3	1	3	4	3	3	2	5	—	3	5	5
19 Pneumonia (all forms)	3	—	9	2	6	—	4	4	6	5	6	2	7	1	2	4	3	1
20 Other respiratory diseases	1	1	—	2	1	—	—	1	1	—	1	4	2	2	—	1	—	1
21 Ulcer of stomach or duodenum	—	—	2	—	—	1	—	—	1	—	2	—	1	—	—	—	—	1
22 Diarrhœa, &c. (under 2 years)	1	1	1	—	1	—	—	1	—	—	—	—	—	—	1	—	1	—
23 Appendicitis and typhlitis	—	—	2	—	1	1	1	2	1	1	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	1	—	—	1	—	—	—	—	—	—	1	2	1	—	—	—	1	—
25 Acute and chronic nephritis	4	1	2	2	2	2	2	5	11	6	5	6	7	3	1	—	3	2
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1
28 Congenital debility and malformation, premature birth	3	2	2	2	4	1	2	2	1	—	3	2	3	3	4	—	2	2
29 Suicide	1	—	1	1	1	1	1	—	1	1	4	—	1	—	—	1	—	—
30 Other deaths from violence	4	2	8	2	2	2	4	2	6	—	5	6	3	2	3	—	1	1
31 Other defined diseases	15	13	14	16	18	22	9	11	15	23	23	17	17	23	10	11	14	17
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

SOMERSETSHIRE—*cont.*

SOUTHAMPTON.

Causes of Death.	Wincan- ton R.D.		Yeovil R.D.		Aldershot M.B.		Basing- stoke M.B.		East- leigh & Bishop- stoke U.D.		Fareham U.D.		Farn- borough U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	108	82	96	127			139	132	63	83	87	80	72	62	48	55
1 Enteric fever	—	—	—	—			—	—	—	—	—	1	—	—	—	—
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—
3 Measles	3	—	—	—			—	1	—	—	—	—	—	—	1	—
4 Scarlet fever	—	—	—	—			—	1	—	—	—	—	—	—	—	—
5 Whooping cough	—	1	—	—			2	1	1	—	—	—	3	—	—	—
6 Diphtheria	2	—	2	—			6	6	—	—	—	1	—	—	3	4
7 Influenza	2	1	—	2			3	—	1	—	2	1	2	—	—	1
8 Encephalitis lethargica	—	—	1	—			—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—			—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	3	4	5	6			15	8	2	5	8	3	8	3	3	2
11 Other tuberculous diseases	1	1	1	—			2	5	—	—	1	3	—	—	1	1
12 Cancer, malignant disease	12	7	16	20			11	19	6	11	13	15	9	12	3	10
13 Rheumatic fever	—	—	—	1			—	3	—	1	—	—	—	—	—	—
14 Diabetes	2	2	1	5			—	1	2	4	1	2	1	2	1	—
15 Cerebral hæmorrhage, &c.	7	3	2	9			3	5	2	5	1	4	7	4	—	—
16 Heart disease	13	14	16	28			28	17	7	18	23	22	10	12	5	13
17 Arterio-sclerosis	9	4	1	2			3	3	4	4	3	3	2	2	2	—
18 Bronchitis	8	8	6	6			6	4	6	3	3	1	5	2	2	1
19 Pneumonia (all forms)	5	1	—	1			8	4	2	4	3	7	4	2	1	2
20 Other respiratory diseases	—	—	2	1			1	1	—	2	—	—	—	—	1	3
21 Ulcer of stomach or duodenum	1	—	3	1			2	1	2	—	3	—	—	—	—	—
22 Diarrhoea, &c. (under 2 years)	—	—	—	—			—	4	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	—	1	—	—			2	—	1	—	2	—	—	—	—	—
24 Cirrhosis of liver	1	1	—	—			1	—	—	—	1	—	—	1	—	—
25 Acute and chronic nephritis	5	4	1	6			7	1	4	3	5	7	2	—	2	2
26 Puerperal sepsis	—	1	—	1			—	1	—	—	—	—	—	2	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1			—	1	—	2	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	5	3	5	2			6	11	4	3	2	—	2	—	5	—
29 Suicide	2	1	2	—			4	—	—	—	—	—	1	1	3	—
30 Other deaths from violence	6	2	2	2			5	5	3	1	3	1	4	2	1	2
31 Other defined diseases	21	23	30	33			24	29	16	17	13	8	12	16	13	13
32 Causes ill-defined or unknown	—	—	—	—			—	—	—	—	—	—	—	—	1	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

SOUTHAMPTON—*cont.*

Causes of Death.	Gosport M.B.		Win- chester M.B.			Alton R.D.		And- over R.D.		Basing- stoke R.D.		Droxford R.D.		Fareham R.D.		Hartley Wintney R.D.		
	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	174	168	114	141		93	72	60	39	70	57	87	85	67	78	114	101	
1 Enteric fever	1	—	—	—		—	—	—	—	—	—	1	—	—	—	—	2	1
2 Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	1	—	—		—	2	—	—	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—		—	—	1	—	—	—	3	1	3	—	1	—	5
6 Diphtheria	2	1	—	—		—	1	—	3	1	1	1	—	—	—	—	—	6
7 Influenza	2	—	2	—		—	—	1	—	—	4	—	—	2	1	1	—	7
8 Encephalitis lethargica	—	—	—	—		—	1	—	—	—	1	2	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—		—	—	—	—	—	1	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	7	5	4		4	9	7	1	1	4	9	2	4	5	7	4	10
11 Other tuberculous diseases	2	2	—	2		4	2	—	—	—	2	—	1	1	1	—	1	11
12 Cancer, malignant disease	19	25	13	25		11	7	5	6	7	7	12	11	13	16	14	18	12
13 Rheumatic fever	1	1	—	—		—	1	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	3	3	3		1	—	2	1	1	—	1	1	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	12	14	6	13		4	7	2	2	4	5	4	5	3	4	3	1	15
16 Heart disease	22	20	19	34		14	8	10	8	9	11	14	18	10	12	32	30	16
17 Arterio-sclerosis	12	2	5	3		9	7	3	3	7	—	6	4	4	2	8	8	17
18 Bronchitis	8	10	6	6		6	2	3	3	2	2	4	6	1	4	7	2	18
19 Pneumonia (all forms)	9	12	7	5		6	1	2	1	6	3	3	3	3	4	1	1	19
20 Other respiratory diseases	3	3	2	2		—	1	—	1	—	1	—	1	1	1	—	—	20
21 Ulcer of stomach or duodenum	4	1	2	—		1	—	2	—	—	—	—	2	—	—	1	3	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—		1	—	1	—	—	—	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	2	1	—	2		—	—	—	—	—	—	1	—	—	1	—	2	23
24 Cirrhosis of liver	1	1	1	—		—	—	—	—	—	—	1	—	—	1	—	—	24
25 Acute and chronic nephritis	6	8	1	3		2	—	—	2	3	4	6	1	3	1	3	2	25
26 Puerperal sepsis	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1		—	—	—	1	—	—	—	—	—	—	—	1	27
28 Congenital debility and mal-formation, premature birth	10	5	7	5		7	7	4	1	4	2	4	3	1	3	6	4	28
29 Suicide	1	—	3	—		1	—	—	—	2	—	1	—	2	—	1	—	29
30 Other deaths from violence	5	4	4	1		5	2	2	1	7	—	3	1	3	1	7	1	30
31 Other defined diseases	33	44	28	32		17	14	15	8	14	15	11	18	16	16	18	17	31
32 Causes ill-defined or unknown	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	1	32

SOUTHAMPTON—*cont.*

STAFFORDSHIRE.

Causes of Death.	New Forest R.D.		Peters- field R.D.		South Stonham R.D.		Win- chester R.D.							Audley U.D.		Bilston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.						M.	F.	M.	F.	
All Causes	115	95	73	57	67	80	66	51						71	72	197	156	
1 Enteric fever	—	—	—	—	—	—	—	—						—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—						—	—	—	—	2
3 Measles	—	—	—	1	1	—	—	—						—	—	6	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—						—	—	—	—	4
5 Whooping cough	—	—	1	—	—	—	—	—						1	2	1	2	5
6 Diphtheria	—	—	—	—	1	—	—	—						6	5	5	7	6
7 Influenza	3	1	—	—	2	4	—	2						—	—	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—						—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—						—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	11	6	2	—	4	1	3						2	5	12	5	10
11 Other tuberculous diseases	1	1	3	1	1	1	—	1						—	1	2	2	11
12 Cancer, malignant disease	11	11	8	11	7	13	9	5						8	10	14	14	12
13 Rheumatic fever	—	—	—	—	—	—	—	—						1	—	1	1	13
14 Diabetes	2	3	1	—	1	—	—	—						—	3	—	—	14
15 Cerebral hæmorrhage, &c.	4	7	8	3	4	5	3	4						—	1	5	8	15
16 Heart disease	11	10	13	12	11	15	13	9						8	9	15	21	16
17 Arterio-sclerosis	10	6	7	3	4	3	2	1						11	2	1	—	17
18 Bronchitis	5	4	1	1	—	3	2	5						2	2	19	14	18
19 Pneumonia (all forms)	2	4	—	2	8	3	5	2						6	—	27	18	19
20 Other respiratory diseases	1	1	1	3	—	—	1	—						—	1	3	—	20
21 Ulcer of stomach or duodenum	2	1	—	1	1	—	1	—						—	1	3	1	21
22 Diarrhœa, &c. (under 2 years)	2	1	—	1	2	—	—	1						1	—	4	7	22
23 Appendicitis and typhlitis	3	—	—	—	—	—	1	—						—	1	1	2	23
24 Cirrhosis of liver	—	—	—	—	—	2	1	—						—	—	—	2	24
25 Acute and chronic nephritis	9	7	2	—	8	7	3	2						1	4	3	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—						—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1						—	1	—	—	27
28 Congenital debility and mal-formation, premature birth	3	5	4	3	3	4	4	4						4	3	22	8	28
29 Suicide	3	—	—	1	2	1	—	—						—	—	2	3	29
30 Other deaths from violence	9	3	6	2	1	—	4	2						5	1	9	3	30
31 Other defined diseases	27	17	12	9	10	14	16	9						15	17	41	32	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—						—	—	1	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Brierley Hill U.D.		Brown-hills U.D.		Can-nock U.D.		Cose-ley U.D.		Dar-laston U.D.		Leek U.D.		New-castle under Lyme M.B.		Rowley Regis U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	80	63	104	96	174	163	156	129	114	117	110	129	143	132	222	185		
1 Enteric fever	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	1	1	—	—	—	1	—	—	—	—	1	2	—	—	—	—		
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—		
6 Diphtheria	—	3	—	1	2	1	1	4	1	—	—	—	1	1	1	2		
7 Influenza	1	1	4	1	3	2	2	2	1	1	1	2	1	2	4	4		
8 Encephalitis lethargica	—	—	2	—	—	—	—	1	—	—	—	—	1	3	—	1		
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—		
10 Tuberculosis of respiratory sys.	7	2	3	6	9	7	7	11	13	8	2	8	10	13	14	13		
11 Other tuberculous diseases	—	1	—	3	2	2	2	—	3	2	1	6	2	2	3	2		
12 Cancer, malignant disease	13	7	8	9	19	20	13	8	16	16	16	23	12	17	21	24		
13 Rheumatic fever	—	—	—	1	—	—	1	1	—	1	—	—	1	—	1	1		
14 Diabetes	2	4	—	—	2	2	—	3	—	2	2	2	3	2	3	1		
15 Cerebral hæmorrhage, &c.	3	5	5	11	7	10	15	10	6	6	1	5	6	10	14	14		
16 Heart disease	8	9	15	13	24	15	20	22	13	12	30	25	25	32	26	38		
17 Arterio-sclerosis	3	—	3	3	14	15	2	5	2	5	8	12	3	5	16	7		
18 Bronchitis	7	9	12	6	6	6	3	11	10	7	3	2	6	5	12	7		
19 Pneumonia (all forms)	4	1	1	5	15	17	22	11	10	6	5	7	15	7	27	13		
20 Other respiratory diseases	—	—	1	2	2	3	3	3	—	2	—	—	4	—	1	—		
21 Ulcer of stomach or duodenum	1	—	—	—	—	4	1	—	1	—	1	—	2	—	1	1		
22 Diarrhœa, &c. (under 2 years)	3	1	1	3	2	1	2	3	1	1	—	—	2	—	2	1		
23 Appendicitis and typhlitis	1	—	—	1	1	2	1	—	—	—	—	1	1	1	1	3		
24 Cirrhosis of liver	—	—	—	—	—	—	—	1	1	—	3	—	—	—	1	3		
25 Acute and chronic nephritis	3	4	4	4	6	8	4	—	2	3	1	2	4	4	5	5		
26 Puerperal sepsis	—	—	—	—	—	2	—	2	—	—	—	1	—	—	—	2		
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	2	—	1	—	—	—	—	—	1	—	1	—	—		
28 Congenital debility and mal-formation, premature birth	4	1	8	5	11	16	16	5	9	11	11	9	6	7	14	6		
29 Suicide	1	—	1	—	2	2	1	1	1	—	—	—	3	1	4	2		
30 Other deaths from violence	7	3	13	5	13	5	11	1	4	2	6	2	8	4	5	4		
31 Other defined diseases	11	11	22	15	34	20	29	24	20	31	15	18	26	15	45	31		
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		

STAFFORDSHIRE—*cont.*

Causes of Death.	Sedg-ley U.D.		Stafford M.B.		Tipton U.D.		Wednes-bury M.B.		Willen-hall U.D.		Wol-stanton United U.D.						Can-nock R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.
All Causes	112	105	157	137	221	174	184	158	121	100	171	150					112	110
1 Enteric fever	—	—	—	—	2	1	—	1	—	—	—	—					—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					—	—
3 Measles	4	4	—	—	3	1	1	3	3	1	—	—					1	—
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	2					—	—
5 Whooping cough	—	—	—	—	1	1	—	—	—	—	—	1					—	—
6 Diphtheria	1	1	2	—	—	1	—	1	1	1	2	1					—	2
7 Influenza	—	2	3	1	2	5	7	2	4	—	2	2					—	—
8 Encephalitis lethargica	—	—	—	1	—	—	—	1	—	—	1	1					—	—
9 Meningococcal meningitis	—	—	1	—	2	—	1	—	1	—	—	—					—	—
10 Tuberculosis of respiratory sys.	2	10	15	9	12	15	7	9	8	4	18	4					2	2
11 Other tuberculous diseases	2	1	4	2	3	3	1	1	1	1	2	4					—	3
12 Cancer, malignant disease	7	8	24	14	22	14	22	19	16	18	10	21					12	13
13 Rheumatic fever	—	—	1	—	3	—	2	2	—	—	—	1					2	—
14 Diabetes	1	1	2	2	1	1	4	3	—	1	—	4					1	2
15 Cerebral hæmorrhage, &c.	9	5	12	13	13	14	2	11	7	6	10	15					3	8
16 Heart disease	16	18	27	29	19	25	22	25	8	9	20	31					21	27
17 Arterio-sclerosis	6	1	3	4	2	—	9	5	5	4	9	7					4	5
18 Bronchitis	9	5	7	9	16	6	11	11	7	—	13	12					12	6
19 Pneumonia (all forms)	14	7	7	7	24	14	20	9	12	11	21	8					7	6
20 Other respiratory diseases	1	1	3	6	—	4	2	—	2	1	—	3					1	—
21 Ulcer of stomach or duodenum	—	—	2	1	5	—	1	—	1	1	4	1					—	1
22 Diarrhœa, &c. (under 2 years)	6	3	1	1	3	3	6	3	5	1	3	—					1	—
23 Appendicitis and typhlitis	1	—	2	—	2	—	2	1	2	1	—	1					—	—
24 Cirrhosis of liver	—	—	1	1	2	—	—	1	—	—	—	—					—	—
25 Acute and chronic nephritis	1	1	1	3	4	2	3	3	7	2	6	2					—	2
26 Puerperal sepsis	—	—	—	2	—	—	—	2	—	1	—	—					—	1
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	2	—	—	—	1	—	2	—	2	—	2					—	1
28 Congenital debility and mal-formation, premature birth	7	7	10	—	21	9	9	7	7	11	11	7					5	6
29 Suicide	2	—	1	2	4	—	3	4	2	1	1	—					3	—
30 Other deaths from violence	4	7	2	3	14	4	8	1	2	1	10	3					14	3
31 Other defined diseases	19	21	26	27	40	49	40	31	20	22	28	17					23	22
32 Causes ill-defined or unknown	—	—	—	—	—	1	1	—	—	—	—	—					—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***STAFFORDSHIRE—*cont.***

Causes of Death.	Cheadle R.D.		Kings- winford R.D.		Leek R.D.		Lich- field R.D.		Seisdon R.D.		Staff- ford R.D.		Stone R.D.		Tam- worth (part of) R.D.*		Wal- sall R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	145	118	119	111	89	67	148	165	98	97	53	57	63	71	27	21	84	73	
1 Enteric fever	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	2	—	—	2	1	—	—	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	5
6 Diphtheria	—	—	6	1	1	—	2	—	—	1	3	1	—	—	—	—	2	—	6
7 Influenza	—	2	1	2	1	—	5	1	—	—	—	—	1	—	—	—	1	—	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	9	6	9	4	2	4	3	9	6	5	4	3	3	3	1	1	2	5	10
11 Other tuberculous diseases	4	1	—	2	1	—	2	—	—	—	1	—	—	2	1	1	5	2	11
12 Cancer, malignant disease	14	15	8	10	9	10	23	18	12	12	9	3	8	14	2	2	6	9	12
13 Rheumatic fever	2	1	1	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	13
14 Diabetes	1	—	3	2	1	1	1	2	1	2	1	3	—	—	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	6	4	5	12	3	4	8	3	7	6	2	7	2	7	3	2	2	6	15
16 Heart disease	27	23	17	21	21	23	18	35	16	20	8	14	6	18	3	4	11	20	16
17 Arterio-sclerosis	17	10	6	2	4	5	12	20	11	8	2	1	1	5	1	1	1	2	17
18 Bronchitis	4	5	6	7	6	2	10	8	6	2	2	—	3	1	1	—	4	4	18
19 Pneumonia (all forms)	9	4	10	8	12	1	8	14	2	5	2	4	7	2	1	1	8	4	19
20 Other respiratory diseases	1	—	2	2	—	1	1	—	—	2	—	1	—	2	—	—	—	—	20
21 Ulcer of stomach or duodenum	—	1	—	—	1	—	—	—	—	2	4	—	1	2	—	—	2	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	3	1	1	—	3	3	3	—	—	—	1	—	1	—	—	—	22
23 Appendicitis and typhlitis	3	1	3	—	—	1	2	—	2	1	—	—	—	—	1	—	—	—	23
24 Cirrhosis of liver	1	1	3	—	—	1	1	1	1	—	1	—	1	—	1	—	—	—	24
25 Acute and chronic nephritis	1	4	3	—	1	2	6	3	3	—	—	—	4	—	1	1	2	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	4	—	1	—	—	—	—	—	1	—	—	27
28 Congenital debility and mal-formation, premature birth	13	6	6	5	2	2	7	9	4	6	—	2	5	—	—	1	5	4	28
29 Suicide	1	1	3	—	1	—	—	2	2	1	2	—	3	—	—	—	2	1	29
30 Other deaths from violence	9	2	6	1	5	—	12	7	4	5	4	2	3	—	2	1	7	1	30
31 Other defined diseases	23	28	17	20	16	11	21	22	18	16	8	15	15	14	6	5	21	12	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

SUFFOLK, EAST.

Causes of Death.	Felix- stowe U.D.		Lowes- toft M.B.								Blyth- ing R.D.		Bosmere & Claydon R.D.		Hartis- mere R.D.		Mutford & Lothing- land R.D.		Plomes- gate R.D.		
	M.	F.	M.	F.							M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	50	51	246	230							93	116	86	82	66	64	58	68	88	76	
1 Enteric fever	—	—	—	1							—	—	—	1	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—							—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	4	2							—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—							—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	1							—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	1	3	3							1	—	—	—	—	2	—	—	1	—	6
7 Influenza	—	—	2	1							3	—	1	2	1	1	3	2	3	—	7
8 Encephalitis lethargica	—	1	4	1							—	—	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—							—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	1	4	20	22							5	4	7	—	1	4	5	5	5	3	10
11 Other tuberculous diseases	—	—	8	4							—	—	1	—	—	—	2	1	1	—	11
12 Cancer, malignant disease	7	9	17	39							13	18	11	9	7	12	4	4	18	8	12
13 Rheumatic fever	—	1	1	1							—	—	—	1	—	—	—	—	1	—	13
14 Diabetes	1	—	2	4							1	3	—	4	1	1	1	2	1	—	14
15 Cerebral hæmorrhage, &c.	5	4	9	24							8	6	5	10	6	3	3	1	6	8	15
16 Heart disease	12	14	36	40							11	27	14	14	10	10	9	20	11	16	16
17 Arterio-sclerosis	4	1	10	9							8	6	8	2	2	4	3	4	4	—	17
18 Bronchitis	1	1	9	8							7	5	4	8	4	5	2	2	3	4	18
19 Pneumonia (all forms)	2	2	22	7							5	3	4	—	2	3	3	3	5	4	19
20 Other respiratory diseases	—	—	3	2							1	2	2	—	—	1	1	—	1	—	20
21 Ulcer of stomach or duodenum	1	—	3	1							1	—	—	—	2	—	—	—	—	—	21
22 Diarrhoea, &c. (under 2 years)	1	—	2	—							1	1	1	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	5	1							—	—	—	—	2	—	—	—	—	—	23
24 Cirrhosis of liver	2	—	—	—							—	1	—	—	3	1	—	—	—	—	24
25 Acute and chronic nephritis	1	2	9	4							3	6	2	1	1	—	4	1	—	1	25
26 Puerperal sepsis	—	—	—	—							—	—	—	3	—	—	—	—	1	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1							—	—	—	1	—	1	—	—	1	—	27
28 Congenital debility and mal-formation, premature birth	2	1	12	9							3	4	5	3	3	4	1	1	8	2	28
29 Suicide	—	2	—	—							3	—	2	2	3	—	—	1	1	—	29
30 Other deaths from violence	—	1	8	2							2	2	5	2	4	1	2	2	4	2	30
31 Other defined diseases	10	7	55	43							21	23	15	20	11	11	17	16	16	19	31
32 Causes ill-defined or unknown	—	—	—	—							—	1	—	—	1	—	—	—	—	1	32

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*SUFFOLK, EAST—*cont.*

SUFFOLK, WEST.

Causes of Death.	Samford R.D.		Wood-bridge R.D.		Bury St. Edmunds M.B.		Cosford R.D.		Melford R.D.		Thingoe R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	62	70	89	82	109	113	52	63	67	77	80	70
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	—	—	—	1	1	—	—	—	—
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	1	—	—	—	—	1	—	—	—	—	—
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	—	—	2	2	—	1	1	1	2	—	1	1
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	1	3	6	5	8	7	1	5	3	1	3	5
11 Other tuberculous diseases	1	—	1	—	2	3	—	1	1	2	2	—
12 Cancer, malignant disease	9	7	10	10	15	13	6	8	13	16	12	9
13 Rheumatic fever	—	—	1	1	1	—	—	—	—	—	—	—
14 Diabetes	—	1	—	—	—	—	—	1	1	1	1	—
15 Cerebral hæmorrhage, &c.	5	1	2	3	—	10	2	5	4	5	6	5
16 Heart disease	12	16	11	17	22	18	11	12	13	21	15	16
17 Arterio-sclerosis	8	8	4	2	16	11	4	—	6	2	15	6
18 Bronchitis	4	5	7	6	2	4	6	4	5	2	1	5
19 Pneumonia (all forms)	—	1	8	5	2	5	1	—	1	4	3	3
20 Other respiratory diseases	1	1	1	—	1	3	1	1	—	—	1	1
21 Ulcer of stomach or duodenum	1	—	1	1	2	1	1	—	2	—	1	—
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	1	1	—	1	—	—	—	—
23 Appendicitis and typhlitis	—	—	—	—	—	1	—	1	—	1	—	—
24 Cirrhosis of liver	—	—	—	—	—	—	—	1	—	—	—	—
25 Acute and chronic nephritis	1	1	1	2	3	3	2	3	1	3	3	1
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	2	5	1	5	7	6	3	3	2	4	2	2
29 Suicide	—	1	2	—	1	—	—	2	1	1	3	2
30 Other deaths from violence	4	1	6	4	7	4	4	1	2	1	1	—
31 Other defined diseases	11	16	24	17	19	21	9	9	9	13	10	14
32 Causes ill-defined or unknown	1	—	1	—	—	—	—	—	—	—	—	—

SURREY.

Causes of Death.	Barnes U.D.		Bedding-ton & Wal-lington U.D.		Car-shalton U.D.		Caterham U.D.		Chertsey U.D.		Coulson & Purley U.D.		Egham U.D.		Epsom U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	213	239	84	99	91	106	47	52	101	89	93	115	87	75	125	91
1 Enteric fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	3	—	1	4	—	1	—	—	—	2	—	—	—	1	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5 Whooping cough	—	—	—	—	—	1	1	—	1	—	—	—	1	—	1	—
6 Diphtheria	2	—	—	1	2	4	—	1	1	—	—	—	—	—	2	—
7 Influenza	1	2	4	—	1	1	—	—	2	1	2	—	1	1	—	—
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	15	12	7	3	7	1	3	2	3	1	4	4	5	6	13	5
11 Other tuberculous diseases	3	4	—	2	—	3	—	2	3	1	2	1	1	—	2	2
12 Cancer, malignant disease	29	45	16	18	7	15	2	6	17	17	13	27	15	12	16	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—
14 Diabetes	1	1	4	1	—	—	—	1	3	—	1	4	—	1	—	—
15 Cerebral hæmorrhage, &c.	8	18	3	6	2	7	1	2	2	9	7	6	4	8	7	4
16 Heart disease	35	44	10	17	17	19	8	14	18	22	14	19	19	13	15	14
17 Arterio-sclerosis	20	12	2	2	6	5	7	2	4	3	12	10	5	1	8	13
18 Bronchitis	13	15	1	1	3	2	1	5	4	2	2	2	4	6	6	4
19 Pneumonia (all forms)	9	10	2	6	9	6	3	1	6	3	2	3	4	3	8	3
20 Other respiratory diseases	2	4	2	1	—	—	—	—	3	3	—	—	—	—	3	2
21 Ulcer of stomach or duodenum	5	1	4	2	2	—	—	—	2	—	1	—	1	—	2	—
22 Diarrhoea, &c. (under 2 years)	3	1	—	—	1	3	—	—	2	1	—	—	2	—	1	2
23 Appendicitis and typhlitis	3	—	2	1	1	1	1	1	3	—	—	—	1	—	2	—
24 Cirrhosis of liver	3	1	1	—	1	1	—	—	1	—	—	—	—	—	—	—
25 Acute and chronic nephritis	6	7	5	6	3	6	—	3	3	5	3	8	2	3	5	1
26 Puerperal sepsis	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—	1
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	3	—	—	—	1	—	1	—	2	—	1
28 Congenital debility and malformation, premature birth	6	2	2	2	4	4	9	2	2	3	5	1	5	3	6	3
29 Suicide	3	—	2	2	2	—	1	—	1	—	3	3	—	—	2	—
30 Other deaths from violence	10	8	2	4	5	—	2	4	6	2	5	1	3	3	7	2
31 Other defined diseases	33	45	15	22	14	22	6	10	12	12	16	20	15	10	19	16
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***SURREY—*cont.***

Causes of Death.	Esher and The Dittons U.D.		Farnham U.D.		Frimley U.D.		Guildford M.B.		Kingston-on-Thames M.B.		Merton & Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	82	73	107	97	62	67	158	175	233	242	117	107	202	207	169	195	210	233	1
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	1	—	—	2	2	—	3	1	2	1	8	3	1	1	2	3	4
4 Scarlet fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	—	—	—	—	1	—	—	2	1	—	—	1	2	4	3	—	1	6
6 Diphtheria	1	—	—	—	—	—	—	—	3	4	—	—	3	1	—	—	—	—	7
7 Influenza	—	1	2	2	1	—	6	8	1	4	1	6	1	—	1	—	—	1	8
8 Encephalitis lethargica	—	1	—	—	2	1	3	—	1	—	—	—	—	1	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	4	5	6	5	1	8	8	14	13	9	5	11	18	14	2	15	7	11
11 Other tuberculous diseases	—	1	2	2	—	1	3	3	3	3	—	1	2	5	1	2	2	1	12
12 Cancer, malignant disease	11	8	15	10	8	7	27	25	18	45	16	21	21	37	13	37	41	38	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	—	1	14
14 Diabetes	—	2	1	2	—	—	1	1	5	5	—	—	5	3	2	3	1	1	15
15 Cerebral hæmorrhage, &c.	5	—	4	4	1	2	12	14	12	20	4	6	8	10	12	20	8	13	16
16 Heart disease	10	7	26	22	16	14	18	34	35	49	20	18	26	36	19	27	26	44	17
17 Arterio-sclerosis	4	10	10	6	4	5	7	7	6	7	6	1	9	6	12	13	25	27	18
18 Bronchitis	1	4	1	6	2	2	6	3	11	5	1	7	8	9	11	9	8	11	19
19 Pneumonia (all forms)	4	4	10	2	—	3	7	9	26	15	10	4	17	11	10	7	13	13	20
20 Other respiratory diseases	—	2	1	2	1	1	3	4	—	2	—	2	4	1	—	2	2	2	21
21 Ulcer of stomach or duodenum	2	1	1	1	2	—	2	—	—	—	—	—	3	—	3	1	—	—	22
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	1	1	1	2	1	1	—	5	1	—	—	—	—	23
23 Appendicitis and typhlitis	1	—	1	—	1	1	—	1	4	1	—	2	2	2	1	—	2	1	24
24 Cirrhosis of liver	—	—	1	—	—	—	3	2	3	2	1	—	1	—	—	1	1	1	25
25 Acute and chronic nephritis	3	1	4	4	1	1	5	4	7	2	2	8	2	4	3	5	8	3	26
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—	2	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	2	—	4	—	—	—	2	—	1	—	3	28
28 Congenital debility and malformation, premature birth	4	3	2	6	1	3	6	4	10	7	5	3	19	6	4	4	7	3	29
29 Suicide	2	—	2	—	1	1	2	3	1	2	1	—	3	2	3	—	3	3	30
30 Other deaths from violence	7	3	4	7	4	3	7	2	16	8	3	7	8	7	7	12	10	30	31
31 Other defined diseases	19	18	14	15	12	13	28	39	45	40	28	19	35	37	48	47	30	38	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

SURREY—*cont.*

Causes of Death.	Surbiton U.D.		Sutton & Cheam U.D.		The Maldens & Coombe U.D.		Walton upon Thames U.D.		Wimbledon M.B.		Woking U.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	124	137	158	167	77	66	87	78	317	317	125	121							1
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—							2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—							3
3 Measles	—	—	1	—	—	—	—	—	5	3	—	—							4
4 Scarlet fever	2	1	1	—	—	—	—	—	—	—	5	1							5
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	1	—							6
6 Diphtheria	—	—	1	—	1	1	—	—	3	3	1	—							7
7 Influenza	6	2	2	3	2	—	2	1	5	3	5	2							8
8 Encephalitis lethargica	2	—	—	1	1	—	—	—	1	—	1	—							9
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	1	—	—							10
10 Tuberculosis of respiratory sys.	5	3	13	8	4	4	8	—	19	16	13	4							11
11 Other tuberculous diseases	—	1	1	3	2	1	1	—	4	6	—	—							12
12 Cancer, malignant disease	24	22	22	31	9	14	15	18	33	51	15	23							13
13 Rheumatic fever	—	—	1	1	—	—	—	—	1	—	—	2							14
14 Diabetes	3	3	—	4	2	—	—	—	4	2	—	1							15
15 Cerebral hæmorrhage, &c.	3	3	5	3	1	5	5	5	9	16	6	7							16
16 Heart disease	19	27	26	42	12	13	10	17	58	54	22	24							17
17 Arterio-sclerosis	9	17	13	9	6	1	6	6	25	17	5	3							18
18 Bronchitis	3	5	3	4	4	2	6	4	16	13	2	3							19
19 Pneumonia (all forms)	11	9	9	4	5	1	6	4	22	24	14	4							20
20 Other respiratory diseases	2	3	2	—	—	—	—	—	5	1	3	2							21
21 Ulcer of stomach or duodenum	1	1	1	1	—	—	4	—	6	3	1	1							22
22 Diarrhœa, &c. (under 2 years)	—	—	2	2	1	—	—	—	—	2	—	—							23
23 Appendicitis and typhlitis	1	1	—	1	—	1	—	1	5	3	1	1							24
24 Cirrhosis of liver	3	—	1	—	1	—	—	—	4	3	—	—							25
25 Acute and chronic nephritis	—	3	8	5	6	4	3	—	5	13	9	5							26
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	1	—	1							27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	1	—	2							28
28 Congenital debility and malformation, premature birth	2	—	9	3	5	2	—	3	12	6	4	2							29
29 Suicide	2	3	3	—	1	2	2	—	4	1	2	1							30
30 Other deaths from violence	4	4	8	6	5	2	8	3	14	9	3	—							31
31 Other defined diseases	22	28	25	35	9	13	10	15	57	60	17	32							32
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	—	—	—	—							32

Causes of Death.	Chertsey R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambleton R.D.		Reigate R.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	68	46	46	65	143	166	76	68	153	156	138	116	130	122	127	138		
1 Enteric fever	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	1	1	—	—	—	—	1	2	—	2	3	1	2	2	—	—		3
4 Scarlet fever	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—		4
5 Whooping cough	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	2		5
6 Diphtheria	1	1	—	2	2	—	—	—	1	—	2	—	—	—	—	1		6
7 Influenza	1	—	1	2	2	6	1	2	3	3	6	2	1	2	5	7		7
8 Encephalitis lethargica ..	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	1		8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1		9
10 Tuberculosis of respiratory sys.	3	3	1	1	13	5	5	3	6	13	8	2	7	5	5	9		10
11 Other tuberculous diseases ..	1	—	—	1	2	1	—	1	—	2	2	1	3	2	1	2		11
12 Cancer, malignant disease ..	8	2	3	14	18	33	9	7	26	31	19	17	17	14	18	18		12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—		13
14 Diabetes	1	1	—	1	—	2	1	—	4	4	2	1	2	3	2	3		14
15 Cerebral hæmorrhage, &c. ..	1	10	1	4	7	5	2	6	5	10	5	10	8	11	5	7		15
16 Heart disease	14	11	4	12	18	24	12	19	33	27	19	22	27	26	17	24		16
17 Arterio-sclerosis	3	1	9	7	17	18	8	6	17	15	10	8	13	13	4	9		17
18 Bronchitis	2	2	3	1	5	5	1	1	4	2	2	2	5	4	3	1		18
19 Pneumonia (all forms) ..	7	3	4	4	5	7	3	2	7	6	12	9	9	5	12	1		19
20 Other respiratory diseases ..	2	—	1	1	3	3	1	1	1	—	1	2	2	—	4	1		20
21 Ulcer of stomach or duodenum ..	—	—	3	—	4	2	1	1	2	2	3	—	1	—	2	1		21
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	—	1	1	1	—	—	—	1	1	—	1	1		22
23 Appendicitis and typhlitis ..	1	—	—	—	—	—	2	1	2	—	—	—	1	—	—	—		23
24 Cirrhosis of liver	—	1	—	—	1	—	—	—	1	—	1	1	—	2	—	—		24
25 Acute and chronic nephritis ..	3	2	1	2	5	4	5	—	3	7	3	3	4	4	4	3		25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2		26
27 Other accidents and diseases of pregnancy and parturition ..	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	1		27
28 Congenital debility and malformation, premature birth	1	3	6	—	4	11	2	4	2	6	—	4	2	3	8	6		28
29 Suicide	—	—	—	1	4	1	1	—	4	—	—	—	1	2	4	2		29
30 Other deaths from violence ..</																		

Causes of Death.	Bexhill M.B.		Hove M.B.		Lewes M.B.		Chailey R.D.		Cuck- field R.D.		East Grinstead R.D.		Hailsham R.D.		Ticehurst R.D.		Uckfield R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	128	124	324	442	62	90	57	64	107	91	79	73	111	96	97	71	161	137
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	5	5	—	—	1	—	1	—	1	1	—	—	1	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	—	2	1	3	—	—	—	—	—	1	1	1	—	2	1	2	1	2
6 Diphtheria	—	—	—	1	—	—	—	—	—	1	1	1	—	2	1	—	1	1
7 Influenza	2	2	5	6	—	1	—	1	1	4	1	2	2	2	1	1	3	1
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	13	2	18	17	3	4	1	6	2	4	1	2	6	5	6	5	8	6
11 Other tuberculous diseases	2	—	4	3	1	4	2	3	1	3	1	—	—	2	—	1	4	1
12 Cancer, malignant disease	17	25	48	82	9	16	7	10	16	8	9	15	12	14	14	7	23	24
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
14 Diabetes	1	1	7	8	—	3	1	—	—	2	2	1	1	2	1	3	—	3
15 Cerebral hæmorrhage, &c.	5	5	12	30	5	2	—	5	4	7	4	6	9	9	2	6	13	7
16 Heart disease	29	22	60	83	14	21	15	11	23	18	12	16	25	12	14	19	35	28
17 Arterio-sclerosis	9	10	28	26	2	7	6	8	7	5	8	2	4	5	10	5	2	9
18 Bronchitis	5	2	12	20	—	1	—	5	6	2	1	3	2	5	4	1	4	6
19 Pneumonia (all forms)	13	6	18	19	1	3	2	3	4	5	4	4	9	3	4	1	6	9
20 Other respiratory diseases	2	2	2	4	1	1	1	1	3	—	—	—	2	1	1	—	1	2
21 Ulcer of stomach or duodenum	2	2	4	3	4	—	—	—	2	—	1	2	1	1	2	1	—	—
22 Diarrhœa, &c. (under 2 years)	1	1	2	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—
23 Appendicitis and typhlitis	1	3	2	4	—	—	1	—	1	—	2	—	1	1	1	1	—	—
24 Cirrhosis of liver	—	1	1	4	—	—	—	—	1	—	1	—	—	—	—	—	—	—
25 Acute and chronic nephritis	3	3	13	19	—	1	2	—	3	2	4	1	1	7	2	4	8	3
26 Puerperal sepsis	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1
28 Congenital debility and mal-formation, premature birth	3	3	8	7	4	2	—	1	4	3	1	1	3	4	—	2	5	—
29 Suicide	—	2	6	4														

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

SUSSEX, WEST.

Causes of Death.	Bognor U.D.		Chiches- ter M.B.		Horsham U.D.		Little- hampton U.D.		Worthing M.B.											
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.										
All Causes	66	71	96	94	67	89	48	51	236	312										
1 Enteric fever	—	—	—	—	—	—	—	—	—	—										1
2 Small-pox	—	—	—	—	—	—	—	—	1	—										2
3 Measles	—	—	—	—	1	2	1	—	2	4										3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—										4
5 Whooping cough	—	—	—	—	1	—	—	—	—	—										5
6 Diphtheria	1	1	—	1	—	1	—	—	—	2										6
7 Influenza	1	—	—	—	—	—	—	—	1	2										7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	1										8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—										9
10 Tuberculosis of respiratory sys.	9	6	6	4	2	1	5	2	11	9										10
11 Other tuberculous diseases	1	1	—	—	—	—	—	—	4	2										11
12 Cancer, malignant disease	8	9	11	8	16	14	5	5	35	52										12
13 Rheumatic fever	—	—	—	—	—	1	—	1	—	1										13
14 Diabetes	1	1	1	2	—	2	1	4	1	2										14
15 Cerebral hæmorrhage, &c.	3	9	4	13	1	8	5	4	15	22										15
16 Heart disease	10	10	8	11	15	23	5	16	51	66										16
17 Arterio-sclerosis	11	6	10	7	3	4	4	2	16	32										17
18 Bronchitis	2	2	6	5	3	3	2	3	11	17										18
19 Pneumonia (all forms)	5	3	13	6	6	2	3	2	10	11										19
20 Other respiratory diseases	—	1	—	—	1	—	—	—	8	4										20
21 Ulcer of stomach or duodenum	—	—	2	2	—	1	—	—	1	3										21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	1	—	—	—	2	1										22
23 Appendicitis and typhlitis	1	—	—	3	—	2	1	—	2	2										23
24 Cirrhosis of liver	—	1	—	3	—	—	1	—	2	—										24
25 Acute and chronic nephritis	—	6	2	5	2	2	—	—	4	5										25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1										26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	1										27
28 Congenital debility and mal-formation, premature birth	2	3	5	4	1	7	3	—	6	4										28
29 Suicide	—	—	—	—	2	—	1	—	4	1										29
30 Other deaths from violence	2	—	5	2	4	1	4	—	4	6										30
31 Other defined diseases	8	12	22	17	8	13	7	10	45	61										31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—										32

SUSSEX, WEST—*cont.*

WARWICKSHIRE.

Causes of Death.	Horsham R.D.		Midhurst R.D.		Steyning West R.D.		West- hamp- nett R.D.		Bed- worth U.D.*		Nuneaton M.B.		Royal Leam- ington Spa M.B.		Rugby U.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	114	103	74	88	68	55	114	125	14	16	192	201	175	234	111	118						
1 Enteric fever	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—						2
3 Measles	—	1	1	—	1	1	—	—	—	—	1	1	—	1	—	—						3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—						4
5 Whooping cough	—	1	—	—	—	—	1	—	1	—	—	1	—	—	—	—						5
6 Diphtheria	—	1	—	—	—	1	1	—	1	—	3	1	—	2	1	—						6
7 Influenza	—	—	—	3	—	1	1	2	—	1	5	—	4	4	1	1						7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—						9
10 Tuberculosis of respiratory sys.	8	4	3	3	2	4	8	5	—	1	10	15	13	10	8	4						10
11 Other tuberculous diseases	3	1	2	—	—	1	1	2	—	—	6	3	1	1	1	—						11
12 Cancer, malignant disease	18	15	7	10	8	8	16	19	—	3	18	24	24	35	7	19						12
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—						13
14 Diabetes	—	—	1	1	1	1	4	2	—	1	2	1	3	4	5	2						14
15 Cerebral hæmorrhage, &c.	11	11	—	10	4	4	3	7	3	—	13	9	7	13	5	7						15
16 Heart disease	30	27	15	16	10	14	20	37	—	2	25	44	29	53	14	21						16
17 Arterio-sclerosis	6	2	7	5	5	3	9	7	—	1	13	7	13	15	6	4						17
18 Bronchitis	3	3	4	7	5	1	9	4	—	1	5	6	7	9	1	6						18
19 Pneumonia (all forms)	3	5	5	—	3	3	3	5	1	—	17	17	12	11	8	2						19
20 Other respiratory diseases	1	—	2	1	—	—	1	1	—	1	2	2	1	—	1	1						20
21 Ulcer of stomach or duodenum	1	—	1	1	2	—	2	—	—	—	3	—	1	—	1	1						21
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	1	—	—	—	—	—	4	5	—	—	—	1						22
23 Appendicitis and typhlitis	2	1	—	—	1	—	1	3	—	—	1	1	—	4	1	2						23
24 Cirrhosis of liver	—	—	—	1	—	—	2	1	—	—	—	2	1	—	2	1						24
25 Acute and chronic nephritis	3	3	1	2	3	3	3	3	1	—	6	5	4	16	8	5						25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	3	—	—	—	—						26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—						27
28 Congenital debility and mal-formation, premature birth	5	1	1	3	3	—	5	3	3	4	12	14	9	5	7	5						28
29 Suicide	3	—	—	—	—	—	3	1	—	—	1	—	1	2	1	2						29
30 Other deaths from violence	3	4	2	2	7	1	2	3	—	—	12	4	9	8	4	2						30
31 Other defined diseases	13	20	20	23	12	8	19	18	3	—	30	32	34	39	29	32						31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—						32

* Created 1st October, 1928.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

WARWICKSHIRE—*cont.*

Causes of Death.	Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.		Alcester R.D.		Atherstone R.D.		Foleshill R.D.		Meriden R.D.		Rugby R.D.		Solihull R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	56	74	126	151	75	69	70	70	111	121	130	113	98	94	102	108	136	116	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	5
5 Whooping cough	2	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	2	1	6
6 Diphtheria	1	1	—	2	—	—	—	—	—	—	7	—	1	—	—	1	—	1	7
7 Influenza	3	—	6	3	1	—	1	2	—	—	3	1	3	—	—	—	3	6	8
8 Encephalitis lethargica	—	1	—	—	—	1	—	—	1	2	2	2	—	—	1	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	3	1	7	7	4	7	5	3	4	9	9	6	3	4	8	8	8	7	11
11 Other tuberculous diseases	2	—	1	—	2	2	—	1	4	1	3	5	4	1	1	3	—	2	12
12 Cancer, malignant disease	5	9	17	27	13	9	10	10	16	20	13	10	9	15	9	15	18	19	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	14
14 Diabetes	—	5	2	2	—	—	—	—	2	—	2	3	1	1	1	3	4	1	15
15 Cerebral hæmorrhage, &c.	3	1	8	17	3	4	2	11	5	8	5	5	3	6	6	7	3	6	16
16 Heart disease	6	12	16	21	10	12	10	11	12	21	14	28	8	12	18	23	23	21	17
17 Arterio-sclerosis	2	1	10	8	4	3	8	2	2	5	5	4	9	4	3	5	5	6	18
18 Bronchitis	2	3	4	4	4	2	1	3	6	2	9	5	9	4	5	5	4	6	19
19 Pneumonia (all forms)	4	4	13	5	5	3	7	—	8	6	8	4	5	8	7	4	10	6	20
20 Other respiratory diseases	1	1	1	3	1	1	1	1	3	1	2	2	2	2	1	1	1	1	21
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	1	—	2	—	4	—	—	—	—	—	3	—	22
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	1	2	1	—	3	2	—	1	—	23
23 Appendicitis and typhlitis	—	2	1	4	—	1	1	—	1	1	3	—	2	2	—	—	—	1	24
24 Cirrhosis of liver	1	1	5	—	2	—	—	1	1	1	1	—	1	—	1	—	1	—	25
25 Acute and chronic nephritis	2	5	5	9	6	4	2	6	2	2	1	1	2	4	6	1	3	2	26
26 Puerperal sepsis	—	—	—	—	—	2	—	—	3	—	—	1	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	1	—	1	—	1	—	1	—	—	—	—	28
28 Congenital debility and malformation, premature birth	2	2	3	5	3	2	2	1	9	7	7	9	3	3	8	5	6	5	29
29 Suicide	—	—	2	2	—	1	2	—	2	—	2	—	—	—	—	—	4	2	30
30 Other deaths from violence	1	1	6	3	1	1	3	3	11	5	8	3	6	4	9	3	10	2	31
31 Other defined diseases	16	24	18	25	16	12	12	14	18	20	16	19	21	16	13	20	27	21	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

WARWICKSHIRE—*cont.*

WESTMORLAND.

Causes of Death.	Southam R.D.		Tamworth (part of) R.D.*		Warwick R.D.		Kendal M.B.		East Westmorland R.D.		South Westmorland R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	43	77	76	74	65	47	93	87	82	78	108	128	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	1	—	—	1	—	—	2	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria	1	—	2	—	—	—	—	—	—	—	—	—	7
7 Influenza	1	1	1	2	2	—	1	1	1	1	1	1	8
8 Encephalitis lethargica	—	—	—	—	1	1	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	10
10 Tuberculosis of respiratory sys.	1	3	10	6	1	1	4	3	—	3	3	7	11
11 Other tuberculous diseases	1	—	2	—	2	4	1	1	—	—	—	—	12
12 Cancer, malignant disease	4	10	9	10	10	5	10	7	9	12	11	28	13
13 Rheumatic fever	—	—	—	2	—	—	—	—	—	—	—	—	14
14 Diabetes	—	1	1	1	1	1	—	2	1	—	1	—	15
15 Cerebral hæmorrhage, &c.	6	10	4	7	—	5	8	16	3	10	8	10	16
16 Heart disease	2	13	11	13	12	9	19	15	13	11	25	25	17
17 Arterio-sclerosis	—	2	4	2	2	1	5	5	4	2	6	5	18
18 Bronchitis	3	2	4	—	1	2	2	5	2	6	2	4	19
19 Pneumonia (all forms)	1	1	9	3	5	2	6	5	7	—	7	6	20
20 Other respiratory diseases	1	2	—	1	—	—	—	1	2	—	1	3	21
21 Ulcer of stomach or duodenum	—	—	1	1	—	—	1	—	1	—	1	—	22
22 Diarrhoea, &c. (under 2 years)	1	—	—	—	—	—	1	—	—	1	—	—	23
23 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	1	1	2	—	24
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	1	1	2	—	25
25 Acute and chronic nephritis	1	6	3	—	1	—	3	3	8	3	6	5	26
26 Puerperal sepsis	—	3	—	—	—	—	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	2	28
28 Congenital debility and malformation, premature birth	1	3	1	7	1	2	3	2	5	1	11	2	29
29 Suicide	—	1	—	1	2	—	2	—	—	—	—	1	30
30 Other deaths from violence	8	1	5	1	8	1	5	2	9	—	6	2	31
31 Other defined diseases	11	17	8	16	15	12	21	14	13	23	15	26	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	—	—	

* The remainder of Tamworth R.D. is in Staffordshire.

WILTSHIRE.

Causes of Death.	Cowes. U.D.		Newport M.B.		Ryde M.B.		I. of Wight R.D.					Salis- bury M.B.		Swin- don M.B.		Trow- bridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.				M.	F.	M.	F.	M.	F.	
All Causes	66	63	71	70	51	109	180	155				148	156	306	272	73	81	1
1 Enteric fever	—	—	—	—	—	—	—	—				—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—				—	—	—	—	—	—	3
3 Measles	1	1	1	—	2	1	1	1				1	4	3	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—				—	—	—	—	—	—	5
5 Whooping cough	2	—	—	—	1	1	—	1				1	—	1	6	—	—	6
6 Diphtheria	—	—	—	—	—	—	—	—				2	1	2	—	—	—	7
7 Influenza	1	2	3	5	—	2	2	4				2	1	7	5	—	1	8
8 Encephalitis lethargica	—	1	—	—	—	—	1	—				—	—	—	1	—	—	9
9 Meningococcal meningitis	—	—	—	1	—	—	—	—				—	1	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	2	1	6	1	2	9	9				5	2	21	19	1	2	11
11 Other tuberculous diseases	—	—	1	—	—	—	1	—				1	3	7	1	1	—	12
12 Cancer, malignant disease	14	9	9	9	10	12	23	23				16	23	47	44	12	15	13
13 Rheumatic fever	—	—	—	—	1	—	—	—				—	—	1	1	—	—	14
14 Diabetes	1	1	1	—	1	2	1	2				—	1	4	6	1	2	15
15 Cerebral hæmorrhage, &c.	4	3	6	5	4	9	9	13				16	17	12	20	4	7	16
16 Heart disease	6	12	10	10	11	28	31	34				19	32	60	47	14	9	17
17 Arterio-sclerosis	—	4	3	—	1	2	6	7				9	11	22	10	6	7	18
18 Bronchitis	3	2	3	4	4	9	8	7				3	5	9	10	6	4	19
19 Pneumonia (all forms)	4	2	3	1	—	3	10	6				9	11	24	13	3	1	20
20 Other respiratory diseases	—	—	3	1	—	1	1	2				5	3	4	5	4	1	21
21 Ulcer of stomach or duodenum	2	—	2	2	1	1	1	1				4	—	3	—	1	1	22
22 Diarrhœa, &c. (under 2 years)	—	1	—	1	—	—	—	1				—	—	2	2	1	—	23
23 Appendicitis and typhlitis	—	—	—	—	—	1	—	—				2	1	2	2	—	1	24
24 Cirrhosis of liver	—	—	—	1	—	1	—	1				1	—	—	—	—	—	25
25 Acute and chronic nephritis	2	2	4	2	1	2	7	7				4	—	9	7	2	7	26
26 Puerperal sepsis	—	—	—	—	—	—	—	1				—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	2	—	—				—	2	—	3	—	1	28
28 Congenital debility and mal-formation, premature birth	4	—	2	2	1	2	10	3				11	4	10	2	1	4	29
29 Suicide	1	—	—	—	3	2	1	—				—	—	2	1	1	—	30
30 Other deaths from violence	—	2	3	1	1	2	8	2				8	3	4	4	3	2	31
31 Other defined diseases	15	17	16	18	8	24	50	30				28	31	49	61	11	16	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—				1	—	1	—	1	—	33

[illegible]

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.***WORCESTERSHIRE.**

Causes of Death.	Hales- owen U.D.		Kidder- minster M.B.		Lye & Wolles- cote U.D.		Malvern U.D.		Oldbury U.D.		Red- ditch U.D.		Stour- bridge M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	147	159	186	198	75	71	106	119	219	188	86	85	120	109	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	1	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	5	—	1	—	1	—	—	1	3	—	—	2	—	5
6 Diphtheria	1	2	2	—	—	—	1	—	1	—	—	—	1	4	6
7 Influenza	—	2	6	4	—	1	3	1	5	2	2	4	2	2	7
8 Encephalitis lethargica	1	—	—	2	1	—	—	1	2	3	—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	9	14	11	7	6	6	1	15	14	5	6	12	4	10
11 Other tuberculous diseases	3	2	2	4	—	1	2	—	4	3	—	2	1	—	11
12 Cancer, malignant disease	18	26	24	30	9	11	11	20	25	17	7	14	12	19	12
13 Rheumatic fever	—	1	—	1	—	—	—	—	—	1	—	—	—	—	13
14 Diabetes	2	2	1	1	1	1	—	4	1	3	—	—	1	2	14
15 Cerebral hæmorrhage, &c.	5	7	13	17	6	3	3	9	14	12	2	6	6	7	15
16 Heart disease	22	34	35	37	9	14	26	35	28	33	20	7	19	20	16
17 Arterio-sclerosis	10	9	7	4	9	2	8	5	17	4	5	5	4	3	17
18 Bronchitis	6	12	21	15	3	2	5	4	7	8	6	8	5	5	18
19 Pneumonia (all forms)	10	10	14	15	7	5	4	6	22	16	2	7	10	3	19
20 Other respiratory diseases	2	—	1	4	1	—	2	5	4	2	1	—	3	—	20
21 Ulcer of stomach or duodenum	2	2	4	1	—	—	—	—	3	2	1	—	2	—	21
22 Diarrhoea, &c. (under 2 years)	3	—	2	1	1	—	1	1	2	3	1	—	—	—	22
23 Appendicitis and typhlitis	3	1	2	1	—	1	2	—	1	—	1	—	—	—	23
24 Cirrhosis of liver	—	1	—	1	1	1	—	—	—	1	—	1	—	—	24
25 Acute and chronic nephritis	5	1	3	9	—	2	3	1	6	4	1	—	1	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	3	—	1	—	1	27
28 Congenital debility and malformation, premature birth	9	8	6	4	5	5	1	—	15	10	4	5	7	3	28
29 Suicide	2	—	—	1	1	—	—	—	2	1	1	1	4	1	29
30 Other deaths from violence	10	2	6	4	3	4	7	2	16	10	5	1	1	3	30
31 Other defined diseases	24	21	23	28	10	9	20	23	28	31	22	16	26	26	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	1	—	—	—	—	32

WORCESTERSHIRE—*cont.*

Causes of Death.	Broms- grove R.D.		Droit- wich R.D.		Martley R.D.		Pershore R.D.		Upton on Severn R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	102	97	79	72	74	66	72	96	86	79	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	1	—	—	—	—	—	—	2
3 Measles	—	—	1	1	1	2	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	—	—	1	2	—	—	—	1	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	2	1	1	2	1	—	—	2	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	3	5	3	2	5	4	3	2	3	10
11 Other tuberculous diseases	1	1	—	—	1	1	—	—	2	1	11
12 Cancer, malignant disease	15	10	12	8	6	12	3	12	8	15	12
13 Rheumatic fever	—	—	—	—	—	—	—	1	1	—	13
14 Diabetes	—	2	—	—	2	1	—	—	—	2	14
15 Cerebral hæmorrhage, &c.	8	10	2	3	4	4	7	12	11	9	15
16 Heart disease	20	14	12	15	12	14	14	21	19	10	16
17 Arterio-sclerosis	7	9	2	1	3	7	—	2	5	5	17
18 Bronchitis	5	5	5	5	5	—	6	8	4	1	18
19 Pneumonia (all forms)	5	9	7	1	3	3	5	1	5	2	19
20 Other respiratory diseases	3	5	3	1	—	—	2	—	1	—	20
21 Ulcer of stomach or duodenum	1	1	1	1	2	—	2	—	—	—	21
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	2	1	—	1	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	—	—	—	—	—	23
24 Cirrhosis of liver	—	1	1	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	2	2	1	2	2	2	2	2	—	25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	4	1	6	1	5	4	3	1	3	5	28
29 Suicide	2	1	1	—	—	—	1	—	1	—	29
30 Other deaths from violence	3	3	5	2	8	—	6	4	2	3	30
31 Other defined diseases	13	17	12	22	12	10	17	24	16	21	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

YORKSHIRE, EAST RIDING.

[illegible]

YORKSHIRE, NORTH RIDING.

Causes of Death.	Eston U.D.		Redcar M.B.		Scar- borough M.B.		Skelton & Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.				Stokes- ley R.D.		Thirsk R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	222	176	86	73	275	302	88	73	141	138	65	74			69	70	86	77	
1 Enteric fever	—	—	—	—	1	—	—	—	1	2	—	—			—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3 Measles	2	1	—	—	—	—	—	1	5	5	—	—			—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	1			—	—	—	—	4
5 Whooping cough	1	1	—	—	2	—	—	1	—	4	—	2			—	—	—	—	5
6 Diphtheria	1	—	1	—	—	—	—	—	—	1	—	—			1	—	—	—	6
7 Influenza	3	2	2	—	11	3	5	2	3	2	1	2			2	1	1	2	7
8 Encephalitis lethargica	—	—	1	—	3	3	—	—	—	2	—	—			—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	1	—	—	—			—	—	1	—	9
10 Tuberculosis of respiratory sys.	22	14	4	5	19	11	5	3	10	9	5	5			2	3	2	3	10
11 Other tuberculous diseases	3	5	2	2	4	4	3	2	—	3	1	2			—	—	2	—	11
12 Cancer, malignant disease	20	16	10	7	33	50	4	9	10	12	9	9			4	6	5	6	12
13 Rheumatic fever	—	1	—	1	—	1	—	—	—	—	—	—			—	—	—	—	13
14 Diabetes	—	—	—	—	6	2	1	—	—	4	—	1			2	—	1	2	14
15 Cerebral hæmorrhage, &c.	13	7	3	4	19	22	3	3	2	6	8	10			3	6	3	12	15
16 Heart disease	20	22	12	14	45	56	9	12	15	12	12	10			15	8	17	9	16
17 Arterio-sclerosis	11	4	4	4	19	21	5	—	5	9	2	—			10	10	7	4	17
18 Bronchitis	8	13	4	5	12	22	9	3	1	4	2	1			5	2	2	3	18
19 Pneumonia (all forms)	26	15	13	3	22	14	3	2	32	14	7	8			8	2	9	5	19
20 Other respiratory diseases	1	3	2	1	1	2	1	4	—	2	—	—			—	2	2	2	20
21 Ulcer of stomach or duodenum	2	—	1	—	5	2	2	—	4	—	1	—			—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	1	1	—	—	3	2	—	1			—	3	—	—	22
23 Appendicitis and typhlitis	3	1	—	—	—	1	1	1	—	—	—	—			—	—	—	—	23
24 Cirrhosis of liver	2	1	—	—	2	—	1	—	—	—	—	—			—	1	1	1	24
25 Acute and chronic nephritis	4	7	1	6	6	10	4	10	6	5	1	2			—	3	—	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	2	—	1			—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	2	—	2	—	5	—	1			—	2	—	1	27
28 Congenital debility and mal- formation, premature birth	19	20	2	5	7	8	6	2	10	9	3	1			3	2	7	6	28
29 Suicide	8	—	1	1	1	—	3	—	—	—	—	—			—	—	—	1	29
30 Other deaths from violence	15	3	7	1	10	6	6	1	9	2	—	1			3	—	2	—	30
31 Other defined diseases	36	31	16	13	46	60	16	14	24	22	13	16			11	19	24	18	31
32 Causes ill-defined or unknown	1	3	—	—	—	—	1	1	—	—	—	—			—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING.

Causes of Death.				Adwick-le-Street U.D.		Barnoldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Bolton upon Dearne U.D.		
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes				88	70	86	60	210	224	68	64	126	142	83	69	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	1	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	4
5	Whooping cough	—	2	—	—	3	2	—	2	—	2	1	—	5
6	Diphtheria	2	—	—	—	—	—	2	1	—	—	—	—	6
7	Influenza	3	2	—	—	6	3	—	—	1	3	1	—	7
8	Encephalitis lethargica	—	—	—	—	1	—	—	—	1	2	—	2	8
9	Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1	9
10	Tuberculosis of respiratory sys.	8	6	7	1	9	4	5	4	2	7	12	9	10
11	Other tuberculous diseases	2	3	4	1	3	5	1	1	2	1	3	—	11
12	Cancer, malignant disease	6	3	8	12	27	28	4	5	10	27	9	9	12
13	Rheumatic fever	1	1	—	1	—	1	—	—	—	—	—	—	13
14	Diabetes	1	3	—	1	1	5	—	1	1	2	—	1	14
15	Cerebral hæmorrhage, &c.	4	3	8	1	5	23	2	2	10	12	1	1	15
16	Heart disease	4	7	13	16	27	47	15	13	16	27	7	6	16
17	Arterio-sclerosis	—	—	11	4	17	15	2	3	15	7	7	2	17
18	Bronchitis	7	4	6	2	16	13	1	3	12	7	5	2	18
19	Pneumonia (all forms)	8	9	6	2	15	15	8	1	9	5	11	11	19
20	Other respiratory diseases	—	—	1	1	—	—	—	1	1	1	—	1	20
21	Ulcer of stomach or duodenum	—	—	—	—	1	—	1	—	1	1	2	—	21
22	Diarrhœa, &c. (under 2 years)	3	3	—	—	2	2	1	—	1	—	1	1	22
23	Appendicitis and typhlitis	—	—	—	—	1	1	—	—	2	—	2	1	23
24	Cirrhosis of liver	—	—	—	—	1	—	—	—	1	—	—	—	24
25	Acute and chronic nephritis	1	—	5	2	10	8	1	4	3	4	2	3	25
26	Puerperal sepsis	—	2	—	—	—	1	—	2	—	1	—	2	26
27	Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	1	—	1	—	1	—	3	27
28	Congenital debility and malformation, premature birth	7	10	—	2	9	9	4	3	4	1	4	4	28
29	Suicide	2	—	3	1	6	—	1	1	2	1	1	—	29
30	Other deaths from violence	10	—	2	2	16	6	11	2	3	1	6	2	30
31	Other defined diseases	16	10	12	9	34	34	9	14	28	29	7	8	31
32	Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	1	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Brig-house M.B.		Castle-ford U.D.		Conis-brough U.D.		Darton U.D.		Elland U.D.		Feather-stone U.D.		Golcar U.D.		Goole U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	106	137	158	132	102	93	70	64	75	82	95	64	63	75	131	118		
1 Enteric fever	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—		
2 Small-pox	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
3 Measles	—	—	—	—	5	5	—	—	—	—	—	—	—	1	3	1		
4 Scarlet fever	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—		
5 Whooping cough	—	—	—	—	1	—	—	3	—	1	2	—	—	—	—	—		
6 Diphtheria	—	1	—	—	—	—	1	—	—	—	—	—	1	—	2	1		
7 Influenza	3	3	1	—	3	2	3	3	2	1	—	—	1	1	2	2		
8 Encephalitis lethargica	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—		
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—		
10 Tuberculosis of respiratory sys.	3	14	11	16	12	5	6	2	2	3	7	3	1	6	7	6		
11 Other tuberculous diseases	—	4	3	1	4	2	5	—	3	1	6	2	2	2	4	—		
12 Cancer, malignant disease	6	14	11	16	2	8	11	7	8	17	7	7	10	8	15	13		
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1		
14 Diabetes	2	4	1	3	—	—	—	—	1	1	2	—	1	3	—	1		
15 Cerebral hæmorrhage, &c.	4	14	13	8	2	4	1	4	4	9	9	2	7	6	3	12		
16 Heart disease	24	27	35	21	14	14	7	9	14	15	10	11	10	16	26	33		
17 Arterio-sclerosis	9	9	9	6	2	—	3	—	8	1	6	1	3	3	4	7		
18 Bronchitis	4	7	5	8	7	5	3	2	2	4	10	5	1	1	3	2		
19 Pneumonia (all forms)	11	4	19	14	14	11	7	11	4	3	10	11	3	6	8	3		
20 Other respiratory diseases	1	3	1	2	—	—	1	2	1	1	1	—	—	—	—	1		
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	—	1	—	2	2	2	—		
22 Diarrhoea, &c. (under 2 years)	1	—	2	2	7	5	1	—	1	—	—	—	1	—	2	2		
23 Appendicitis and typhlitis	1	1	1	—	—	—	1	—	—	—	—	1	—	—	—	1		
24 Cirrhosis of liver	—	1	1	—	—	—	—	3	—	1	—	—	1	—	—	—		
25 Acute and chronic nephritis	2	3	11	8	—	3	—	3	4	2	2	1	1	—	4	5		
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	2		
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	1	—	1	—	—	—	1	—	—		
28 Congenital debility and mal-formation, premature birth	5	2	5	6	8	6	2	4	1	2	6	3	3	4	7	2		
29 Suicide	2	—	2	—	1	1	1	—	1	1	1	1	—	1	1	3		
30 Other deaths from violence	5	3	7	1	6	3	7	1	8	2	6	1	2	1	8	2		
31 Other defined diseases	22	22	18	16	11	16	5	11	10	14	9	14	12	13	28	18		
32 Causes ill-defined or unknown	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Harrogate M.B.		Hemsworth U.D.		Holmfirth U.D.		Hoyland Nether U.D.		Keighley M.B.		Mexborough U.D.		Mirfield U.D.		Morley M.B.		Normanton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	199	267	82	57	66	74	104	88	292	278	86	65	81	74	158	133	98	75	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	2	2	1	—	—	2	1	—	—	—	—	—	—	1	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	3	6
6 Diphtheria	1	1	1	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	7
7 Influenza	1	4	2	2	—	2	9	2	6	7	2	1	3	—	1	7	—	—	8
8 Encephalitis lethargica	—	1	—	—	—	1	—	—	—	—	1	1	—	—	—	2	—	1	9
9 Meningococcal meningitis	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	10
10 Tuberculosis of respiratory sys.	15	10	10	4	7	2	4	3	16	11	5	3	3	4	7	4	6	4	11
11 Other tuberculous diseases	4	1	3	3	—	1	3	2	6	3	2	2	—	1	3	3	3	3	12
12 Cancer, malignant disease	23	46	5	3	15	4	9	7	29	44	7	8	11	18	18	15	9	6	13
13 Rheumatic fever	1	2	—	—	—	—	—	1	2	—	—	—	—	—	—	1	—	—	14
14 Diabetes	4	2	—	—	1	1	—	1	2	7	2	—	1	1	4	5	—	—	15
15 Cerebral hæmorrhage, &c.	11	20	1	4	1	3	2	3	19	23	1	7	14	4	10	9	6	7	16
16 Heart disease	28	48	7	3	8	15	10	12	56	50	11	9	16	11	15	31	11	15	17
17 Arterio-sclerosis	17	18	—	1	16	13	2	5	20	12	8	8	2	7	25	11	6	4	18
18 Bronchitis	6	13	4	3	1	—	9	6	18	18	8	2	6	1	6	5	5	—	19
19 Pneumonia (all forms)	14	5	3	5	2	5	18	9	30	13	3	3	4	6	15	5	9	10	20
20 Other respiratory diseases	2	4	—	—	1	—	1	—	4	3	1	1	1	—	2	2	2	1	21
21 Ulcer of stomach or duodenum	2	—	3	—	1	—	—	—	2	2	1	1	2	—	1	—	—	—	22
22 Diarrhœa, &c. (under 2 years)	1	1	—	1	—	—	1	—	2	3	1	—	—	—	1	—	1	2	23
23 Appendicitis and typhlitis	2	—	1	3	—	1	—	—	1	2	3	1	—	1	1	2	1	—	24
24 Cirrhosis of liver	1	2	—	1	—	—	—	—	1	1	3	—	—	—	—	—	—	—	25
25 Acute and chronic nephritis	12	14	2	3	2	3	2	5	19	26	—	1	3	4	10	6	7	3	26
26 Puerperal sepsis	—	4	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	1	—	—	—	4	—	—	—	1	—	—	—	1	28
28 Congenital debility and malformation, premature birth	7	12	9	3	3	2	7	2	8	7	4	2	—	1	8	3	4	2	29
29 Suicide	6	—	2	—	—	1	1	1	5	—	2	2	—	—	1	—	2	2	30
30 Other deaths from violence	8	3	5	1	3	3	5	1	12	6	6	2	5	1	10	3	5	2	31
31 Other defined diseases	32	51	21	11	5	14	15	22	33	34	15	10	10	11	17	18	21	9	32
32 Causes ill-defined or unknown	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Ossett M.B.		Ponte- fract M.B.		Pud- sey M.B.		Raw- marsh U.D.		Roth- well U.D.		Saddle- worth U.D.		Shipley U.D.		Skipton U.D.		Sowerby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	113	96	125	96	91	107	106	89	87	93	72	79	171	178	74	69	91	94	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	2
2 Small-pox	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	5
5 Whooping cough	1	—	1	—	—	—	1	1	—	1	—	—	2	3	2	1	—	1	6
6 Diphtheria	—	—	1	1	—	—	1	1	—	1	—	—	2	3	2	1	—	1	7
7 Influenza	3	—	3	3	2	1	1	1	—	1	—	1	2	2	1	3	2	4	8
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	9
9 Meningococcal meningitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys. ..	7	5	15	10	4	5	6	5	4	9	1	—	14	8	7	5	5	5	11
11 Other tuberculous diseases	2	1	3	3	5	3	1	2	4	1	1	3	2	3	—	1	1	2	12
12 Cancer, malignant disease	15	13	6	10	9	15	6	9	11	8	14	14	21	8	10	8	16	13	13
13 Rheumatic fever	—	—	—	—	1	1	—	1	1	1	—	—	—	—	1	—	—	—	14
14 Diabetes	3	5	1	1	2	2	—	—	2	1	—	3	2	2	2	1	4	3	15
15 Cerebral hæmorrhage, &c.	7	2	7	8	7	6	5	9	6	10	1	4	7	7	8	3	10	3	16
16 Heart disease	10	31	20	11	11	32	15	10	10	18	12	21	28	36	11	10	17	20	17
17 Arterio-sclerosis	11	3	9	4	13	8	2	—	6	2	8	5	17	15	5	6	3	4	18
18 Bronchitis	3	4	8	6	3	7	9	2	4	7	5	4	7	13	3	3	8	3	19
19 Pneumonia (all forms)	5	—	11	6	3	2	17	8	10	5	6	1	8	16	6	3	5	8	20
20 Other respiratory diseases	1	1	—	1	—	—	1	—	1	—	—	—	2	1	—	1	1	—	21
21 Ulcer of stomach or duodenum	—	1	—	1	2	1	4	—	—	—	1	—	2	1	—	—	2	—	22
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	—	—	1	—	1	—	—	—	1	2	2	—	1	2	23
23 Appendicitis and typhlitis	1	1	1	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	24
24 Cirrhosis of liver	2	—	—	—	1	—	—	—	—	—	1	—	1	1	1	—	—	—	25
25 Acute and chronic nephritis	7	8	2	1	4	4	5	1	—	3	3	6	11	8	1	1	3	1	26
26 Puerperal sepsis	—	1	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	3	—	1	—	1	—	—	—	—	1	—	1	—	1	28
28 Congenital debility and mal-formation, premature birth	6	5	11	6	4	2	6	5	8	2	2	1	8	6	3	6	2	1	29
29 Suicide	2	—	1	—	2	—	—	1	2	1	3	—	5	—	1	—	3	1	30
30 Other deaths from violence	9	—	5	—	3	3	7	3	3	2	4	2	5	5	3	1	8	2	31
31 Other defined diseases	17	13	18	20	15	12	17	28	15	17	15	14	30	21	9	12	6	16	32
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Spen- borough U.D.		Stanley U.D.		Swin- ton U.D.		Tod- morden M.B.		Wath- upon- Dearne U.D.		Womb- well U.D.		Wors- boro- ugh U.D.		Don- caster R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	182	178	83	83	65	71	148	175	88	59	96	96	69	58	216	153	
1 Enteric fever	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1
2 Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	—	—	1	—	1	2	2	—	—	3	—	3
4 Scarlet fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	—	—	—	—	2	—	—	—	1	1	1	—	2	1	5
6 Diphtheria	—	—	1	1	1	—	—	1	—	—	1	1	1	1	1	1	6
7 Influenza	2	3	—	—	5	1	1	1	2	—	1	2	—	1	11	5	7
8 Encephalitis lethargica	1	—	—	—	—	—	1	—	3	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	3	6	5	3	3	3	5	5	5	7	10	2	1	11	5	10
11 Other tuberculous diseases	1	4	2	2	—	—	3	1	1	1	2	1	1	1	7	5	11
12 Cancer, malignant disease	27	22	9	8	4	5	8	14	11	3	10	9	9	8	14	27	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14 Diabetes	2	5	2	1	—	—	4	2	—	1	4	3	—	1	2	1	14
15 Cerebral hæmorrhage, &c.	14	25	8	15	3	3	18	23	8	4	2	7	2	5	5	4	15
16 Heart disease	26	42	15	18	13	17	18	31	8	13	14	13	7	11	17	28	16
17 Arterio-sclerosis	10	4	2	1	6	4	14	11	5	1	2	1	3	—	14	5	17
18 Bronchitis	11	11	4	4	2	7	6	13	2	1	4	7	6	5	7	6	18
19 Pneumonia (all forms)	12	7	10	2	3	4	9	8	14	11	8	10	2	1	15	5	19
20 Other respiratory diseases	1	—	1	—	1	—	1	1	—	—	1	2	3	—	1	1	20
21 Ulcer of stomach or duodenum	2	1	—	1	—	—	2	2	—	—	—	—	—	—	2	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	1	1	1	—	—	—	—	—	3	—	1	1	10	2	22
23 Appendicitis and typhlitis	—	2	—	—	1	—	1	1	1	—	1	1	—	—	—	1	23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25 Acute and chronic nephritis	9	8	2	2	1	6	13	10	2	—	2	2	5	2	5	—	25
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	2	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	3	—	3	—	1	—	—	—	2	27
28 Congenital debility and mal-formation, premature birth	12	6	4	6	2	4	4	2	9	2	6	3	7	4	18	18	28
29 Suicide	4	1	1	—	—	1	5	4	—	—	1	1	—	—	2	1	29
30 Other deaths from violence	5	3	2	3	5	1	12	3	6	—	10	2	6	3	32	3	30
31 Other defined diseases	33	27	12	11	13	13	28	34	10	11	13	16	13	11	35	30	31
32 Causes ill-defined or unknown	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Great Ouse- burn R.D.		Hems- worth R.D.		Kiveton Park R.D.		Ponte- fract R.D.		Rother- ham R.D.		Settle R.D.		Skipton R.D.		Tad- caster R.D.		Thorne R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	59	82	243	198	72	68	112	123	205	183	86	84	136	111	157	154	149	142	
1 Enteric fever	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	3	—	—	—	2	5	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	3	1	5
6 Diphtheria	—	—	1	—	—	2	1	3	4	1	—	1	—	—	—	—	1	—	6
7 Influenza	1	1	8	2	2	—	3	3	6	2	2	1	—	4	4	3	4	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	4	3	14	17	2	3	5	9	8	10	1	2	4	3	6	17	9	13	10
11 Other tuberculous diseases	1	1	6	4	2	3	1	3	6	1	1	1	1	—	4	2	8	8	11
12 Cancer, malignant disease	4	8	23	22	7	8	5	11	21	19	12	8	19	15	17	12	9	10	12
13 Rheumatic fever	1	1	1	2	1	1	—	—	1	1	—	—	—	—	1	3	—	2	13
14 Diabetes	1	2	1	6	—	1	1	—	2	2	1	2	2	—	1	1	—	4	14
15 Cerebral hæmorrhage, &c.	1	3	13	9	1	2	4	11	10	9	5	7	18	13	5	9	5	10	15
16 Heart disease	11	17	13	24	9	10	25	17	15	20	16	17	22	31	21	28	15	19	16
17 Arterio-sclerosis	6	6	13	4	2	2	7	3	12	8	9	11	11	6	13	4	6	1	17
18 Bronchitis	—	4	19	6	2	—	9	1	14	8	—	2	3	4	11	9	4	5	18
19 Pneumonia (all forms)	3	3	31	23	5	8	13	12	27	20	1	2	9	4	12	3	14	6	19
20 Other respiratory diseases	—	—	1	2	—	—	2	1	1	1	3	—	—	—	2	3	2	1	20
21 Ulcer of stomach or duodenum	—	1	—	1	1	—	1	1	1	—	1	—	4	—	2	2	—	2	21
22 Diarrhoea, &c. (under 2 years)	1	—	4	4	—	—	2	1	2	3	1	—	—	—	—	1	—	5	22
23 Appendicitis and typhlitis	—	—	6	—	1	—	2	1	2	2	—	—	—	—	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	24
25 Acute and chronic nephritis	5	4	8	8	1	3	1	11	1	3	1	4	4	4	6	8	4	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	3	—	4	—	—	—	—	—	—	—	3	27
28 Congenital debility and mal-formation, premature birth	2	3	18	16	9	6	6	6	15	14	7	1	7	1	9	6	20	10	28
29 Suicide	1	2	1	1	—	—	1	2	1	1	2	—	4	—	1	—	2	2	29
30 Other deaths from violence	8	4	26	8	4	2	4	2	17	8	6	4	6	2	9	4	12	3	30
31 Other defined diseases	9	16	36	38	18	12	17	21	34	39	15	20	21	19	30	36	29	26	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	1	2	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

ANGLESEY.

Causes of Death.	Wake-field R.D.		Wether-by R.D.		Wortley R.D.		Holy-head U.D.		Valley R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	95	81	85	105	180	144	67	72	80	91	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	3	4	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	1	1	—	—	1	—	—	—	—	5
6 Diphtheria	—	—	—	—	—	1	—	—	—	—	6
7 Influenza	2	2	3	5	4	6	1	2	3	—	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	1	5	3	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	2	—	9
10 Tuberculosis of respiratory sys.	9	6	6	5	8	6	4	6	3	2	10
11 Other tuberculous diseases	—	—	2	2	4	3	3	2	2	—	11
12 Cancer, malignant disease	12	9	9	13	23	14	14	7	9	15	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	1	—	2	2	4	1	1	2	1	14
15 Cerebral hæmorrhage, &c.	6	5	4	7	8	12	1	6	8	11	15
16 Heart disease	10	13	6	21	34	29	14	17	14	12	16
17 Arterio-sclerosis	5	1	12	13	13	10	9	3	2	3	17
18 Bronchitis	5	5	6	5	8	8	1	1	3	2	18
19 Pneumonia (all forms)	13	5	6	5	16	4	1	4	1	5	19
20 Other respiratory diseases	1	—	—	1	4	1	—	—	1	1	20
21 Ulcer of stomach or duodenum	1	—	1	—	3	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—	—	1	1	1	22
23 Appendicitis and typhlitis	—	1	—	—	2	1	1	2	1	—	23
24 Cirrhosis of liver	—	—	1	—	3	2	—	—	—	—	24
25 Acute and chronic nephritis	2	2	3	2	7	7	4	3	8	8	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	—	—	2	—	1	—	2	27
28 Congenital debility and mal-formation, premature birth	13	6	7	7	5	3	1	3	2	4	28
29 Suicide	—	—	2	—	2	3	—	—	—	—	29
30 Other deaths from violence	4	1	5	—	7	1	1	1	3	6	30
31 Other defined diseases	10	20	11	17	23	21	10	11	10	14	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	32

BRECKNOCKSHIRE.

CAERNARVONSHIRE.

Causes of Death.	Ystrad-gynlais R.D.		Bangor M.B.		Llan-dudno U.D.		Gwyrfai R.D.		Lleyn R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	76	69	76	92	84	89	218	229	112	131	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	1	1	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	1	2	5
6 Diphtheria	—	1	—	—	1	1	—	1	—	—	6
7 Influenza	—	1	1	—	2	1	4	3	—	2	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	6	4	8	12	5	33	27	6	6	10
11 Other tuberculous diseases	2	1	—	—	1	—	2	5	4	2	11
12 Cancer, malignant disease	11	9	10	12	6	12	24	42	14	15	12
13 Rheumatic fever	1	—	1	1	—	1	1	—	1	—	13
14 Diabetes	1	—	—	2	1	2	—	1	2	2	14
15 Cerebral hæmorrhage, &c.	5	4	4	8	4	3	4	8	7	7	15
16 Heart disease	7	10	14	18	18	22	29	41	8	17	16
17 Arterio-sclerosis	—	1	2	1	5	7	27	18	11	9	17
18 Bronchitis	3	4	4	7	—	2	15	4	6	4	18
19 Pneumonia (all forms)	6	2	4	7	7	6	12	6	5	9	19
20 Other respiratory diseases	—	2	3	2	3	2	1	5	2	—	20
21 Ulcer of stomach or duodenum	—	2	—	—	—	1	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	3	2	—	2	22
23 Appendicitis and typhlitis	—	1	—	1	—	1	2	1	—	2	23
24 Cirrhosis of liver	—	1	—	—	—	—	3	—	1	1	24
25 Acute and chronic nephritis	6	1	4	2	2	7	13	17	14	17	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	1	—	1	27
28 Congenital debility and mal-formation, premature birth	5	6	—	3	6	—	7	3	2	—	28
29 Suicide	—	—	1	1	1	1	1	—	3	—	29
30 Other deaths from violence	10	1	2	—	—	4	10	1	6	3	30
31 Other defined diseases	15	13	21	17	14	10	27	41	16	28	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	—	1	1	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

CARDIGANSHIRE.

CARMARTHENSHIRE.

Causes of Death.	Aberyst- wyth M.B.		Aberyst- wyth North R.D.		Aberyst- wyth South R.D.		Carmar- then M.B.		Llanelly M.B.		Carmar- then R.D.		Llandilo Fawr R.D.		Llanelly R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	43	55	45	59	40	41	72	68	228	194	145	162	132	138	243	183	1
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	2	1	2	—	2	—	—	1	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	—	3	1	2	—	3	1	4	6
6 Diphtheria	—	—	—	—	—	—	—	1	3	2	3	3	5	7	5	7	7
7 Influenza	—	—	1	—	3	—	—	1	—	—	—	—	—	—	1	—	8
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	6	4	4	4	5	4	6	15	17	7	6	10	13	13	9	11
11 Other tuberculous diseases	—	1	2	1	—	3	2	1	6	1	—	2	1	7	7	3	12
12 Cancer, malignant disease	4	7	2	9	3	6	11	10	28	21	18	18	11	8	18	14	13
13 Rheumatic fever	—	—	—	—	—	—	—	1	—	4	—	—	1	1	2	2	14
14 Diabetes	—	—	—	—	—	1	—	—	3	5	1	1	—	—	—	1	15
15 Cerebral hæmorrhage, &c.	1	2	4	3	2	1	3	6	5	9	6	12	5	10	13	7	16
16 Heart disease	9	11	4	11	8	8	10	13	33	33	17	26	21	26	38	43	17
17 Arterio-sclerosis	6	1	2	1	4	3	7	4	11	7	7	8	6	6	10	6	18
18 Bronchitis	2	6	3	5	1	6	4	3	11	12	11	12	5	1	16	14	19
19 Pneumonia (all forms)	1	2	3	2	1	1	7	3	15	3	16	8	12	6	13	7	20
20 Other respiratory diseases	—	—	1	2	—	—	3	1	4	1	4	1	3	1	3	4	21
21 Ulcer of stomach or duodenum	—	1	1	—	—	—	—	—	4	2	1	—	—	—	4	—	22
22 Diarrhoea, &c. (under 2 years)	1	—	—	1	—	—	1	1	1	1	2	1	—	2	6	1	23
23 Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	2	24
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	2	—	2	—	—	—	—	1	25
25 Acute and chronic nephritis	3	5	6	3	4	2	4	6	7	9	5	12	10	9	14	3	26
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	1	—	1	—	1	—	2	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	4	—	—	—	1	—	2	—	4	—	3	—	2	28
28 Congenital debility and malformation, premature birth	2	—	2	3	2	1	—	2	8	8	4	7	3	7	26	7	29
29 Suicide	—	1	—	—	1	—	—	—	1	1	1	—	4	1	4	—	30
30 Other deaths from violence	—	1	2	—	—	—	3	1	19	2	8	3	11	1	12	11	31
31 Other defined diseases	6	9	7	10	7	4	10	3	44	46	27	31	24	23	31	33	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	6	1	2	1	—	1	4	—	

DENBIGHSHIRE.

Causes of Death.	Colwyn Bay U.D.		Wrex- ham M.B.		Wrex- ham R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	120	146	117	120	411	363	1
1 Enteric fever	1	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	3
3 Measles	—	1	1	1	5	2	4
4 Scarlet fever	—	—	1	—	1	—	5
5 Whooping cough	—	—	3	3	4	5	6
6 Diphtheria	1	—	—	—	1	1	7
7 Influenza	7	5	1	—	9	3	8
8 Encephalitis lethargica	1	2	—	1	—	5	9
9 Meningococcal meningitis	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	8	4	7	8	16	12	11
11 Other tuberculous diseases	3	2	2	—	3	3	12
12 Cancer, malignant disease	16	29	12	24	32	48	13
13 Rheumatic fever	2	—	1	1	1	—	14
14 Diabetes	1	3	—	1	8	2	15
15 Cerebral hæmorrhage, &c.	7	14	2	5	29	33	16
16 Heart disease	15	33	20	19	78	63	17
17 Arterio-sclerosis	5	8	7	8	21	13	18
18 Bronchitis	3	1	2	4	28	33	19
19 Pneumonia (all forms)	8	3	10	8	28	23	20
20 Other respiratory diseases	2	2	4	1	8	5	21
21 Ulcer of stomach or duodenum	2	1	2	—	2	—	22
22 Diarrhoea, &c. (under 2 years)	1	2	1	1	7	7	23
23 Appendicitis and typhlitis	1	—	—	1	5	1	24
24 Cirrhosis of liver	4	—	—	—	1	—	25
25 Acute and chronic nephritis	2	4	3	7	11	8	26
26 Puerperal sepsis	—	—	—	1	—	4	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	4	—	5	28
28 Congenital debility and malformation, premature birth	6	5	8	1	32	19	29
29 Suicide	1	1	2	1	4	1	30
30 Other deaths from violence	4	3	10	3	26	2	31
31 Other defined diseases	19	22	14	15	51	63	32
32 Causes ill-defined or unknown	—	—	4	1	—	2	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

FLINTSHIRE.

Causes of Death.	Rhyl U.D.		Hawarden R.D.		Holywell R.D.	
	M.	F.	M.	F.	M.	F.
All Causes	77	101	151	140	193	163
1 Enteric fever	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—
3 Measles	—	—	2	1	4	4
4 Scarlet fever	—	—	—	—	—	—
5 Whooping cough	—	—	1	3	—	1
6 Diphtheria	—	—	1	—	1	2
7 Influenza	2	2	3	4	9	1
8 Encephalitis lethargica	—	1	2	1	1	1
9 Meningococcal meningitis	—	—	—	1	—	—
10 Tuberculosis of respiratory sys.	9	4	7	6	8	9
11 Other tuberculous diseases	1	1	—	3	4	2
12 Cancer, malignant disease	18	18	14	21	18	18
13 Rheumatic fever	—	—	—	—	—	—
14 Diabetes	3	1	2	1	—	2
15 Cerebral haemorrhage, &c.	3	11	8	15	10	14
16 Heart disease	6	15	17	24	30	28
17 Arterio-sclerosis	2	—	3	6	9	4
18 Bronchitis	8	8	11	5	8	7
19 Pneumonia (all forms)	5	1	14	6	17	11
20 Other respiratory diseases	1	1	2	2	4	1
21 Ulcer of stomach or duodenum	—	1	3	2	2	—
22 Diarrhoea, &c. (under 2 years)	—	1	2	1	—	—
23 Appendicitis and typhlitis	2	—	1	1	—	1
24 Cirrhosis of liver	—	—	—	2	—	2
25 Acute and chronic nephritis	3	4	6	2	9	4
26 Erysipelas	—	—	—	2	—	1
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	2
28 Congenital debility and malformation, premature birth	—	2	3	5	13	2
29 Suicide	1	1	8	1	3	—
30 Other deaths from violence	2	2	12	2	12	3
31 Other defined diseases	10	23	24	17	30	43
32 Causes ill-defined or unknown	1	3	5	3	1	—

GLAMORGANSHIRE.

Causes of Death.	Aberdare U.D.		Barry U.D.		Caerphilly U.D.		Gelligaer U.D.		Glyn-corrwg U.D.		Maesteg U.D.		Mountain Ash U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	340	305	254	190	218	208	278	236	59	56	176	140	258	220	1
1 Enteric fever	—	1	—	—	—	—	1	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	4	3	3	2	2	10	5	5	4	4	7	1	1	4
4 Scarlet fever	—	—	1	—	—	—	—	1	—	—	—	2	—	—	5
5 Whooping cough	1	1	—	3	10	8	2	5	—	—	—	—	1	2	6
6 Diphtheria	9	6	5	1	4	2	1	1	—	2	2	5	3	2	7
7 Influenza	15	9	2	5	5	9	9	8	3	4	4	—	4	5	8
8 Encephalitis lethargica	4	—	2	—	—	—	—	—	—	—	—	—	—	—	9
9 Meningeal meningitis	—	—	1	1	—	—	—	1	—	—	—	1	—	—	10
10 Tuberculosis of respiratory sys.	12	13	21	18	19	27	15	25	8	4	9	8	25	16	11
11 Other tuberculous diseases	4	9	8	3	3	1	4	5	—	1	4	2	9	9	12
12 Cancer, malignant disease	30	33	21	22	12	20	27	21	2	3	10	6	16	22	13
13 Rheumatic fever	3	1	—	—	1	1	1	1	—	—	—	1	1	—	14
14 Diabetes	4	6	1	3	3	1	3	3	—	1	—	5	—	2	15
15 Cerebral haemorrhage, &c.	21	36	10	6	6	3	6	10	4	2	5	14	12	12	16
16 Heart disease	44	37	36	38	26	35	26	27	7	2	26	19	32	46	17
17 Arterio-sclerosis	11	4	15	5	—	2	16	6	3	—	4	4	14	10	18
18 Bronchitis	34	32	13	8	15	3	14	14	4	3	17	10	16	11	19
19 Pneumonia (all forms)	23	11	16	7	18	12	32	11	2	9	17	10	28	20	20
20 Other respiratory diseases	8	5	5	1	2	4	4	5	—	1	3	1	4	—	21
21 Ulcer of stomach or duodenum	3	1	2	1	1	—	3	1	—	—	3	2	3	1	22
22 Diarrhoea, &c. (under 2 years)	—	1	3	2	2	2	2	2	4	—	2	—	2	—	23
23 Appendicitis and typhlitis	—	1	—	—	2	1	1	—	1	—	—	2	1	2	24
24 Cirrhosis of liver	1	—	3	1	1	1	2	2	—	—	—	—	1	1	25
25 Acute and chronic nephritis	8	14	8	7	5	12	8	15	2	1	6	6	4	6	26
26 Puerperal sepsis	—	1	—	2	—	1	—	4	—	—	—	—	—	3	27
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	4	—	2	—	1	—	1	—	4	28
28 Congenital debility and malformation, premature birth	14	12	19	6	29	12	27	12	2	4	9	7	14	6	29
29 Suicide	3	1	3	4	2	1	2	2	—	1	1	—	1	1	30
30 Other deaths from violence	22	3	17	2	17	6	19	4	4	1	13	2	17	4	31
31 Other defined diseases	63	59	39	40	32	38	42	43	8	12	37	25	49	32	32
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	—	2	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

GLAMORGANSHIRE—cont.

Causes of Death.	Neath M.B.		Ogmore & Garw U.D.		Pen-arth U.D.		Pon-typridd U.D.		Port Talbot M.B.		Rhondda U.D.				Cardiff R.D.		Llantrisant & Llantwiffardre R.D.		Neath R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	194	181	171	177	89	92	292	230	269	225	1002	823			128	117	149	132	228	176	1
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	3	4	—	—	—	—	4	5	5	4	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	—	7	6	—	1	1	1	3	1	4	5	—	2	—	1	2	2	2	5	6
6 Diphtheria	1	2	3	3	—	—	1	1	3	9	14	15	1	—	2	1	2	5	6	7	7
7 Influenza	2	4	1	5	3	1	8	6	5	6	41	18	4	3	1	2	5	2	7	8	8
8 Encephalitis lethargica	—	1	—	1	—	—	1	—	—	—	3	1	1	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	1	2	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	8
10 Tuberculosis of respiratory sys.	9	12	12	10	9	7	22	19	18	20	56	74	11	11	11	13	17	15	10	10	10
11 Other tuberculous diseases	3	2	4	3	—	—	2	3	4	4	16	13	2	6	5	4	7	5	11	11	11
12 Cancer, malignant disease	20	18	12	17	12	11	20	23	29	14	66	86	16	17	14	18	27	18	12	13	12
13 Rheumatic fever	2	2	1	2	1	—	2	1	3	3	5	3	—	—	—	—	—	—	2	13	13
14 Diabetes	2	—	1	4	1	2	2	7	—	3	6	8	2	—	1	—	4	3	14	14	14
15 Cerebral hæmorrhage, &c.	6	9	11	18	2	8	8	5	6	8	48	43	2	5	3	4	5	11	15	15	15
16 Heart disease	33	38	26	20	9	15	45	38	37	38	184	143	10	19	22	20	32	26	16	16	16
17 Arterio-sclerosis	7	5	8	3	6	5	9	3	13	10	48	29	12	4	12	7	20	21	17	17	17
18 Bronchitis	8	4	17	9	4	6	28	10	16	19	78	57	7	5	7	4	12	10	18	18	18
19 Pneumonia (all forms)	18	12	11	8	1	1	15	16	15	10	51	50	4	3	5	10	14	10	19	19	19
20 Other respiratory diseases	4	6	1	1	1	—	1	1	5	3	12	11	1	2	1	1	2	6	20	20	20
21 Ulcer of stomach or duodenum	4	—	3	2	2	2	1	—	6	1	5	1	—	1	—	1	2	—	21	21	21
22 Diarrhoea, &c. (under 2 years)	2	1	1	4	1	1	2	1	5	3	9	10	1	—	4	1	3	2	22	22	22
23 Appendicitis and typhlitis	—	4	2	—	2	—	1	—	1	—	7	5	3	3	3	—	1	1	23	23	23
24 Cirrhosis of liver	2	—	—	—	1	—	2	—	1	—	4	1	1	—	—	—	—	—	24	24	24
25 Acute and chronic nephritis	8	5	4	6	3	1	7	7	18	9	35	25	7	5	4	7	5	6	25	25	25
26 Puerperal sepsis	—	2	—	1	—	1	—	2	—	2	—	8	—	1	—	—	—	—	26	26	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	2	—	4	—	3	—	14	—	2	—	6	—	—	27	27	27
28 Congenital debility and malformation, premature birth	14	12	9	10	8	6	20	14	10	13	62	46	12	3	10	6	8	2	28	28	28
29 Suicide	1	—	5	2	2	1	3	—	—	2	7	3	—	2	2	1	2	1	29	29	29
30 Other deaths from violence	8	2	11	5	1	3	18	4	18	5	84	14	3	2	19	6	15	—	30	30	30
31 Other defined diseases	37	34	17	31	19	18	71	63	48	34	150	132	28	21	23	19	42	28	31	31	31
32 Causes ill-defined or unknown	—	—	—	1	—	—	1	1	—	—	—	2	—	—	—	—	1	—	32	32	32

GLAMORGANSHIRE—cont.

MONMOUTHSHIRE.

Causes of Death.	Peny-bont R.D.		Pon-tar-dawe R.D.		Swan-sea R.D.		Aber-carn U.D.		Aber-sychan U.D.		Aber-tillery U.D.		Bed-welly U.D.		Blaen-avon U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	153	129	219	154	152	125	111	76	167	126	195	137	197	143	74	67	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	5	4	1	1	—	1	—	—	3	5	—	1	—	3	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	1	—	—	—	—	1	—	1	—	2	—	—	—	—	5
6 Diphtheria	1	2	4	4	4	—	1	—	1	3	—	—	1	1	1	—	6
7 Influenza	7	7	5	4	5	2	7	3	2	2	5	6	4	4	—	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	1	2	—	2	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	11	7	15	11	10	8	8	3	8	7	13	14	18	14	—	1	10
11 Other tuberculous diseases	1	6	9	1	2	4	1	—	4	3	3	1	1	2	—	1	11
12 Cancer, malignant disease	12	12	22	22	11	16	7	9	13	14	18	12	9	9	6	5	12
13 Rheumatic fever	—	1	—	1	—	2	—	1	2	1	—	—	—	—	1	2	13
14 Diabetes	2	2	1	1	—	4	1	1	—	1	1	2	2	1	1	1	14
15 Cerebral hæmorrhage, &c.	3	8	17	11	7	9	7	8	10	6	6	6	11	7	7	8	15
16 Heart disease	25	20	31	23	21	22	19	7	28	26	37	28	28	14	16	5	16
17 Arterio-sclerosis	2	3	7	3	14	4	2	1	4	—	3	8	8	1	1	—	17
18 Bronchitis	8	1	16	12	3	3	4	1	22	11	16	7	19	8	9	13	18
19 Pneumonia (all forms)	10	2	17	4	9	6	8	5	14	4	27	5	27	14	2	2	19
20 Other respiratory diseases	2	2	3	—	4	—	2	2	—	3	3	2	3	1	4	2	20
21 Ulcer of stomach or duodenum	2	—	3	1	1	—	1	—	2	—	1	—	3	—	1	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	—	1	1	2	2	—	2	2	1	—	1	3	—	—	22
23 Appendicitis and typhlitis	1	1	2	2	2	—	1	—	2	1	1	2	—	—	—	—	23
24 Cirrhosis of liver	—	1	1	—	1	—	—	—	—	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	4	6	6	6	8	2	1	6	3	2	4	2	6	6	4	6	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	1	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition. ..	—	2	—	3	—	2	—	1	—	2	—	2	—	3	—	1	27
28 Congenital debility and mal-formation, premature birth ..	8	11	6	5	16	7	9	5	8	7	9	13	13	10	1	5	28
29 Suicide	3	—	3	—	—	1	1	1	4	—	2	—	3	1	—	—	29
30 Other deaths from violence	21	2	14	5	8	2	14	3	9	—	17	4	18	3	3	—	30
31 Other defined diseases	23	25	35	32	24	23	15	17	25	23	28	17	27	35	17	14	31
32 Causes ill-defined or unknown ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1928
(Civilian population only)—*cont.*

MONMOUTHSHIRE—*cont.*

Causes of Death.	Ebbw Vale U.D.		Mynyddislwyn U.D.		Nant-y-glo & Blaina U.D.		Panteg U.D.		Rhymer-y-nedd U.D.		Risca U.D.		Tredegar U.D.		St. Melons R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	241	183	78	64	81	70	68	57	79	71	90	73	148	125	77	79
1 Enteric fever	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	1	1	—	2	1	1	—	4	—	—	—	3	2	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	8	7	1	—	1	—	1	1	—	—	1	1	—	—	3	5
6 Diphtheria	2	1	—	—	1	—	1	—	1	1	1	2	—	—	—	6
7 Influenza	5	4	1	3	2	5	1	—	3	—	3	—	7	3	3	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	1	2	—	1	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	16	14	7	5	2	4	1	3	5	6	4	3	12	13	6	9
11 Other tuberculous diseases	4	5	3	1	1	—	—	1	—	1	3	—	6	4	1	10
12 Cancer, malignant disease	19	8	6	8	8	6	7	2	7	10	9	4	7	10	9	11
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	6	12
14 Diabetes	1	5	—	—	—	3	2	1	2	—	—	—	—	—	—	13
15 Cerebral hæmorrhage, &c.	10	7	1	5	3	5	3	6	2	1	2	6	4	7	2	14
16 Heart disease	35	34	8	12	24	23	16	6	6	8	13	14	28	27	1	15
17 Arterio-sclerosis	8	2	2	—	—	—	3	3	8	5	4	1	10	8	15	16
18 Bronchitis	16	3	2	2	10	4	2	1	2	5	10	10	12	8	4	17
19 Pneumonia (all forms)	24	22	5	4	4	1	5	7	16	8	6	5	9	5	2	18
20 Other respiratory diseases	4	—	2	—	1	1	1	1	1	—	1	—	4	1	3	19
21 Ulcer of stomach or duodenum	2	—	—	—	—	—	—	—	1	—	2	—	1	—	—	20
22 Diarrhœa, &c. (under 2 years)	—	1	2	2	—	1	1	—	2	1	3	1	—	2	1	21
23 Appendicitis and typhlitis	1	3	—	1	—	—	1	—	—	1	—	—	—	—	—	22
24 Cirrhosis of liver	1	—	1	1	—	—	—	—	—	—	2	—	—	1	—	23
25 Acute and chronic nephritis	5	2	3	2	5	3	—	1	3	2	2	4	4	4	—	24
26 Puerperal sepsis	—	3	—	3	—	—	—	—	—	1	—	2	—	—	2	25
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	3	—	—	—	—	—	26
28 Congenital debility and malformation, premature birth	10	7	7	3	4	3	7	2	3	4	4	3	10	3	—	27
29 Suicide	1	2	1	—	—	1	1	1	—	—	—	—	2	—	1	28
30 Other deaths from violence	20	4	10	2	4	4	4	1	2	1	3	—	17	1	6	29
31 Other defined diseases	46	44	13	8	9	5	10	19	9	13	16	13	12	18	12	30
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	31

MONTGOMERYSHIRE.

PEMBROKESHIRE.

Causes of Death.	Llan- fyllin R.D.		New- town & Llan- idloes R.D.				Pem- broke M.B.				Haver- ford- west R.D.		Nar- berth R.D.			
	M.	F.	M.	F.			M.	F.			M.	F.	M.	F.		
All Causes	81	89	73	65			86	82			96	112	76	73		
Enteric fever	—	—	—	—			—	—			1	—	—	—		1
Small-pox	—	—	—	—			—	—			—	—	—	—		2
Measles	1	2	1	—			—	—			1	—	—	—		3
Scarlet fever	—	—	—	—			—	—			—	1	—	—		4
Whooping cough	1	2	—	—			—	—			1	—	—	—		5
Diphtheria	—	—	—	—			—	—			—	2	—	—		6
Influenza	4	4	—	—			2	5			2	4	1	1		7
Encephalitis lethargica	1	—	1	—			—	—			—	—	1	1		8
Meningococcal meningitis	—	—	—	1			—	—			—	—	—	—		9
Tuberculosis of respiratory sys.	4	6	2	4			5	3			3	9	2	8		10
Other tuberculous diseases	—	2	—	—			1	—			1	1	1	—		11
Cancer, malignant disease	10	8	4	8			7	9			11	7	10	12		12
Rheumatic fever	1	—	1	—			—	—			1	1	—	—		13
Diabetes	1	1	—	—			—	2			1	1	1	—		14
Cerebral hæmorrhage, &c.	7	10	2	8			4	4			3	6	1	5		15
Heart disease	16	8	20	18			19	17			16	28	13	10		16
Arterio-sclerosis	4	2	2	—			6	5			2	3	8	2		17
Bronchitis	—	2	6	—			4	4			4	5	2	5		18
Pneumonia (all forms)	4	7	5	1			4	2			13	2	3	4		19
Other respiratory diseases	1	—	1	—			1	—			1	1	1	2		20
Ulcer of stomach or duodenum	1	1	—	—			—	—			—	1	—	—		21
Diarrhoea, &c. (under 2 years)	1	—	—	—			—	1			2	—	—	—		22
Appendicitis and typhlitis	2	—	—	—			—	1			1	—	1	—		23
Cirrhosis of liver	—	—	—	1			—	1			—	—	1	—		24
Acute and chronic nephritis	3	10	4	1			4	5			3	4	3	2		25
Puerperal sepsis	—	1	—	—			—	—			—	1	—	—		26
Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	1			—	2			—	2	—	2		27
Congenital debility and malformation, premature birth	3	1	7	5			3	2			4	4	2	2		28
Suicide	3	1	—	—			1	1			1	—	1	1		29
Other deaths from violence	4	2	3	4			4	1			5	2	3	—		30
Other defined diseases	9	19	14	13			21	17			19	27	21	16		31
Causes ill-defined or unknown	—	—	—	—			—	—			—	—	—	—		32

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928.

The deaths in this table include those of non-civilians and have been classified to the several forms of violence, (e.g., suicide, accident, etc.,) in accordance with the information furnished by H.M. Coroners.

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	{ M. 14678 F. 6635	351	839	698	420	910	1160	1673	1777	2203	2204	1482	961
165-174	Suicide	{ M. 3409 F. 1473	—	—	—	2	81	134	334	551	836	853	462	156
	{ Murder	{ M. 39 F. 68	15	7	4	—	—	—	3	1	3	4	1	1
	{ Manslaughter	{ M. 54 F. 30	2	1	1	4	3	5	9	14	7	5	3	—
197-199	{ "Infanticide"	{ M. 6 F. 9	6	—	—	—	—	—	—	—	—	—	—	—
	{ Justifiable Homicide	{ M. 1 F. 1	—	—	—	—	—	—	—	1	—	—	—	—
190	Wounds of War .. .	{ M. 76 F. —	—	—	—	—	—	—	28	33	15	—	—	—
202 pt	Execution	{ M. 21 F. —	—	—	—	—	—	4	9	5	3	—	—	—
	Accident	{ M. 10234 F. 4741	293	819	674	403	805	980	1204	1053	1145	1156	932	770
	"Open Verdicts"*	{ M. 789 F. 289	30	10	18	8	19	34	79	112	184	179	83	33
	Others†	{ M. 49 F. 24	5	2	1	3	2	3	7	7	10	7	1	1
165-174	Suicide :—													
165 & 166	By Solid or Liquid Poisons and Corrosive Substances { M. 380 F. 285	—	—	—	—	9	17	56	76	85	100	25	12	
	Hydrochloric acid { M. 39 F. 21	—	—	—	—	2	2	5	6	8	12	3	1	
	Potassium cyanide { M. 20 F. 2	—	—	—	—	2	1	4	7	3	1	2	—	
	Prussic acid, hydrocyanic acid { M. 31 F. 1	—	—	—	—	—	—	4	3	7	12	5	—	
	Oxalic acid { M. 11 F. 17	—	—	—	—	—	1	2	2	2	3	—	1	
	Carbolic acid { M. 28 F. 24	—	—	—	—	—	1	6	8	7	3	2	1	
	Opium, laudanum, morphia { M. 6 F. 2	—	—	—	—	—	—	1	1	1	1	1	—	
	Ammonia { M. 17 F. 16	—	—	—	—	—	2	4	2	5	3	1	—	
	Lysol { M. 137 F. 150	—	—	—	—	5	7	16	27	37	36	5	4	
	Strychnine { M. 9 F. 2	—	—	—	—	—	1	1	3	—	4	—	—	
	Corrosive (not stated) .. { M. 5 F. 1	—	—	—	—	—	—	1	1	2	1	—	—	

* These deaths (*i.e.* those which cannot be definitely classified as suicidal, homicidal, or accidental in causation) are included under "Accident" in the detailed tables as follows :—International List No. 175, 2 M., 1 F.; No. 177, 26 M., 15 F.; No. 179, 1 M., 2 F.; No. 180, 22 M., 19 F.; No. 181, 16 M., 21 F.; No. 182, 563 M., 169 F.; No. 183, 12 M., 1 F.; No. 184, 4 M., 1 F.; No. 185, 23 M., 20 F.; No. 186, 5 M.; No. 187, 1 M.; No. 188, 58 M., 10 F.; No. 196, 2 M., No. 201, 23 M., 2 F.; No. 202, 15 M., 23 F.; No. 203, 16 M., 5 F.

† Inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act 1926 concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary. These deaths are included under the headings of the International List as follows :—No. 180, 1 M.; No. 181, 1 F.; No. 182, 1 F.; No. 183, 2 M., 2 F.; No. 184, 10 M., 8 F.; No. 188, 19 M., 5 F.; No. 201, 3 M., 1 F.; No. 202, 14 M., 6 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter-national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide— <i>cont.</i>													
165 & 166 — <i>cont.</i>	Other solid or liquid poisons { M. (or kind not stated)* .. F.	77 49	— —	— —	— —	— —	— —	2 6	12 6	16 13	13 8	24 10	6 6	4 —
167	By poisonous gas { M. F.	667 421	— —	— —	— —	— —	20 4	31 23	74 39	115 84	174 128	141 98	82 38	30 7
	Coal gas { M. F.	666 420	— —	— —	— —	— —	20 4	31 23	74 39	114 84	174 128	141 97	82 38	30 7
	Others† { M. F.	1 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —
168	Hanging or strangulation .. { M. F.	697 166	— —	— —	— —	2 —	17 2	25 3	59 10	96 30	172 44	191 47	102 22	33 8
169	Drowning { M. F.	609 350	— —	— —	— —	— 2	14 23	25 26	57 46	79 61	150 93	166 60	91 33	27 6
170	Firearms { M. F.	226 11	— —	— —	— —	— —	9 1	12 1	24 5	45 1	46 1	46 1	35 1	9 —
171	Cutting or piercing instruments { M. F.	567 111	— —	— —	— —	— —	1 —	6 2	36 14	87 21	155 33	151 24	99 13	32 4
172	Jumping from high places .. { M. F.	83 59	— —	— —	— —	— —	1 3	5 5	7 10	10 10	18 10	22 10	14 5	6 6
173	Crushing { M. F.	173 36	— —	— —	— —	— —	10 —	13 4	21 7	40 8	36 7	34 8	12 2	7 —
	On railway { M. F.	164 36	— —	— —	— —	— —	10 —	13 4	19 7	35 8	35 7	33 8	12 2	7 —
	Other motor vehicles .. { M. F.	9 —	— —	— —	— —	— —	— —	— —	2 —	5 —	1 —	1 —	— —	— —
174	Suicide by other means .. { M. F.	7 34	— —	— —	— —	— —	— —	— 3	— 14	3 10	— 4	2 2	2 1	— —
	Setting fire to clothing .. { M. F.	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —
	Burns (not stated) .. { M. F.	1 6	— —	— —	— —	— —	— —	— —	— —	— 1	— 4	— 1	1 —	— —
	Abortion :—													
	By operation F.	14	—	—	—	—	—	2	6	6	—	—	—	—
	„ drugs F.	4	—	—	—	—	—	—	3	1	—	—	—	—
	Others (or not stated).. F.	5	—	—	—	—	—	1	4	—	—	—	—	—
	Others (or not stated)§ .. { M. F.	6 4	— —	— —	— —	— —	— —	— —	— 1	3 1	— 1	2 1	1 1	— —
	Accident :—													
175	Food poisoning { M. F.	21 15	— —	1 1	3 4	1 —	— —	— —	4 3	2 2	3 2	5 2	2 1	— —
	“ Ptomaine poisoning ” .. { M. F.	8 3	— —	1 —	2 1	1 —	— —	— —	1 1	1 1	— —	1 —	1 —	— —
	“ Food poisoning ” .. { M. F.	9 6	— —	— —	1 —	— —	— —	— —	3 1	1 1	1 1	3 2	— 1	— —
	Others { M. F.	4 6	— —	— 1	— 3	— —	— —	— —	— 1	— —	2 1	1 —	1 —	— —

* Arsenious acid, 1 M.; copper arsenite, 1 F.; sheep dip (arsenic), 4 M., 2 F.; weed-killer (arsenic), 3 M., 1 F.; chloride of mercury, 2 M., 1 F.; oxide of mercury, 1 F.; mercurial poisoning N.S., 1 F.; zinc chloride, 1 M.; phosphorus (rat poison), 3 M., 4 F.; copper sulphate, 1 M., 1 F.; bichromate of potash, 1 M.; iodine, 1 M., 1 F.; nitric acid, 1 M., 1 F.; sulphuric acid, 2 M.; salicylic acid, 2 F.; chloroform, 2 M., 1 F.; cyanide (not stated), 2 M.; carbolic acid and hydrochloric acid, 1 M.; creosote, 1 M.; creosol, 3 M.; cresol, 1 M., 2 F.; cresoline, 1 M.; cresolis, 1 F.; disinfectant (coal tar), 2 M., 1 F.; disinfectant of phenol group, 1 F.; turpentine, 2 M.; flux, 1 M.; kerosine, 1 M.; chlorodyne, 2 F.; nicotine, 4 M., 1 F.; medinal, 1 M., 4 F.; dial, 1 M., 1 F.; sulphonal, 1 M.; veronal, 1 F.; luminal, 2 M.; allonal, 1 F.; aspirin, 5 M., 2 F.; narcotic (not stated), 1 M.; camphorated oil, 2 M.; liniment (aconite), 1 F.; liniment (camphor and menthol), 1 M.; liniment (oil of winter green), 2 F.; liniment (A.B.C.), 3 M.; liniment (not stated), 3 M.; belladonna, 1 F.; Jeyes fluid, 3 M., 4 F.; “Izal”, 2 M., 1 F.; “Tonol”, 1 M.; “Sanobolic”, 1 F.; “Lythol”, 1 F.; “Sanatol”, 1 F.; weed killer, 3 M.; Bentley’s Earthworm destroyer, 1 M.; kill-germ fluid, 1 F.; poison (not stated), 6 M., 2 F.

† Including fumes from motor car, 1 M.;

§ Including exploding detonator, 1 M.; exploding gelignite, 1 M.; swallowing foreign bodies, 1 M., 3 F.; blows by hammer, 1 M.; suffocation by pocket handkerchief, 1 F.

|| Fish, 3 M., 2 F.; ham, 1 M.; brawn, 2 F.; mushrooms, 1 F.; decayed vegetable matter, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter-national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
176	Accident— <i>cont.</i>													
	Poisoning by venomous animals {M. 18 2 3 — — 2 2 2 1 2 — 3 1	F. 15 1 1 — — 3 1 1 3 2 2 — 1												
	“Insect” {M. 11 1 3 — — 1 1 2 1 1 — 1 —	F. 6 — — — — 2 — 1 3 — — — —												
	Others* {M. 7 1 — — — 1 1 — — 1 — 2 1	F. 9 1 1 — — 1 1 — — 2 2 — 1												
177	Other acute accidental poisonings {M. 75 2 11 1 — 2 1 9 11 13 17 6 2	F. 64 1 11 2 1 2 4 8 10 14 7 2 2												
	Carbolic acid {M. 6 — 1 1 — — — 2 — 1 1 — —	F. 3 — — — — — — — — 1 — — 2												
	Lysol {M. 5 1 — — — — — 1 1 — 2 — —	F. 5 — 1 — — — — 1 — 3 — — —												
	Hydrochloric acid {M. 2 — 1 — — — — — — 1 — — —	F. 3 — — — — — — — 2 — 1 — — —												
	Opium, laudanum, morphia .. {M. 4 — — — — — 1 1 — 1 — 1 —	F. 2 — — — — — — 1 — 1 — — —												
	Belladonna {M. 1 — — — — — — — — 1 — — —	F. 2 — — 1 — 1 — — — — — —												
	Others (or kind not stated)† .. {M. 57 1 9 — — 2 — 5 10 10 13 5 2	F. 49 1 10 1 1 1 4 4 10 8 7 2 —												
178	Conflagration {M. 32 1 4 3 3 5 1 1 5 1 3 3 2	F. 25 — 2 3 1 2 4 4 2 1 — 2 4												
179	Accidental burns (Conflagra- tion excepted) {M. 642 51 358 29 5 10 16 23 21 19 30 32 48	F. 824 38 244 81 22 43 30 43 35 34 59 85 110												
	1. Burns {M. 256 23 58 14 4 9 12 19 12 13 24 27 41	F. 565 16 68 69 20 40 29 43 33 28 49 76 94												
	By flannelette clothes‡ .. {M. — — — — — — — — — — — —	F. 8 — 1 1 1 — — — 1 1 1 1 1												
	„ clothes (other or not described)§ {M. 57 5 14 4 2 3 2 2 1 3 6 5 10	F. 261 6 22 43 10 22 14 23 18 9 22 37 35												
	„ molten metal {M. 5 — — — — 1 1 1 — — 1 — 1	F. — — — — — — — — — — — —												
	„ playing with fire, &c .. {M. 4 — 4 — — — — — — — — —	F. 5 — 3 2 — — — — — — — —												
	„ falling into fire .. {M. 29 2 8 — 1 — — 1 — — 1 6 10	F. 23 1 2 1 — — 1 2 1 — 2 6 7												
	„ bedding {M. 5 1 — — — — — 1 — — — 1 2	F. 4 — — — — — — — — — — 2 2												
	„ lamp accident .. {M. 2 — — — — — — — — — — 2 —	F. 2 — — — — — 1 — — 1 — — —												
	Otherwise (or not stated how):—													
	Ships, docks, &c. .. {M. 2 — — — — — 1 — — — 1 — —	F. — — — — — — — — — — — —												

* Gnat bite, 4 M., 3 F.; mosquito bite, 2 M., 1 F.; wasp sting, 1 M., 5 F.

† Weed killer (arsenic), 1 M.; arsenic, 1 M.; barium sulphide, 1 F.; chloride of mercury, 1 M.; thallium acetate, 1 F.; zinc, 2 F.; ammonia, 2 M., 3 F.; permanganate of potash, 1 M.; caustic potash, 1 M.; caustic soda, 1 F.; borax, 1 M.; iodine, 1 M., 1 F.; acetic acid, 1 M.; nitric acid, 1 F.; oxalic acid, 1 F.; benzene, 1 M.; “atophan,” 3 F.; hydrocyanic acid, 3 M.; potassium cyanide, 6 M.; sodium cyanide, 1 M.; creosote, 1 F.; cresol, 1 M.; cresoline, 2 F.; “adalin,” 1 M.; chloral hydrate, 1 M.; bromo chloral, 1 F.; chlorodyne, 1 M.; Dialacetine tablets, 1 F.; “Dial,” 1 M.; Dial and medinal, 1 F.; luminal, 1 M.; sulphonal, 1 F.; medinal, 2 M., 2 F.; paraldehyde, 2 M.; bromide, N.S., 1 F.; veronal, 3 M., 4 F.; aspirin, 5 M., 5 F.; nerve tonic, 1 M.; “Somnifaine,” 1 F.; heroin, 1 F.; hypnotic drug (not stated), 2 M., 2 F.; liniment (ammonia), 1 M.; liniment (aconite, atropine, chloroform), 1 M.; liniment (aconite and belladonna), 1 M.; liniment (winter green oil), 1 M., 1 F.; liniment (methyl salicylate and belladonna), 1 M.; methyl salicylate, 1 M.; hemlock, 1 F.; aconite, 1 M.; yew, 1 F.; Easton’s syrup tablets, 3 M., 4 F.; Friar’s balsam, 1 M.; strychnine, 2 F.; “Izal,” 1 M.; sanitary fluid, 1 F.; soldering fluid, 1 M.; hyoscyamus (laxative tablets), 1 F.; poison (not stated), 2 M., 1 F.

‡ Including unprotected fire, 1 F.; gas fire, 1 F.

§ Including playing with matches, 2 M., 3 F.; candle, 2 M., 11 F.; unguarded fire, 1 M., 3 F.; gas stove, ring, &c., 1 M., 12 F.; paraffin lamp, 1 M.; spirit lamp, 2 F.; blow lamp, 1 M.; petrol, 1 M., 5 F.; oil stove, 2 F.; electric stove, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident— <i>cont.</i>													
	1. Burns— <i>cont.</i>													
	Others* {M. F.	152 262	15 9	32 40	10 22	1 9	5 18	8 13	14 18	11 13	10 17	15 24	13 30	18 49
	2 Scalds {M. F.	377 255	28 22	300 176	15 12	1 2	1 2	2 —	2 —	7 2	5 5	5 9	5 9	6 16
	By steam {M. F.	2 1	— —	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
	By drinking hot liquids .. {M. F.	7 —	— —	7 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	In ships, docks, &c. .. {M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	Otherwise (or not stated how) {M. F.	367 254	28 22	292 175	15 12	1 2	1 2	2 —	2 —	6 2	4 5	5 9	5 9	6 16
	3. Explosions† {M. F.	9 4	— —	— —	— —	— —	2 1	2 1	2 —	1 —	1 1	— —	— —	1 —
	In ships, docks, &c. .. {M. F.	2 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —
	Other (or not stated)‡ .. {M. F.	7 4	— —	— —	— —	— —	2 1	1 —	2 —	1 —	— 1	— 1	— —	1 —
180	Accidental mechanical suffoca- tion {M. F.	302 242	224 204	17 7	1 4	2 3	3 1	3 1	5 2	10 2	12 7	11 1	11 4	3 6
	In bed {M. F.	167 160	158 155	3 —	— 1	— 1	— —	— —	2 —	2 —	— 1	1 —	1 —	— 2
	„ cot, cradle, &c. .. {M. F.	25 15	24 14	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Falling on face {M. F.	3 3	— —	— —	— —	— —	— —	— —	— —	1 1	1 —	— —	2 —	1 1
	Heavy substance on .. {M. F.	10 —	— —	— —	— —	1 —	2 —	1 —	1 —	2 —	3 —	— —	— —	— —
	Food, &c. {M. F.	69 39	24 14	13 6	— 3	1 2	— 1	1 —	2 2	4 1	7 3	8 1	7 3	2 3
	Others§ {M. F.	28 25	18 21	— —	1 —	— —	1 —	1 —	— —	2 —	2 2	2 —	1 1	— —
181	Accidental absorption of irrespir- able or poisonous gas {M. F.	100 81	— —	— 3	4 1	1 1	3 3	4 5	13 9	17 11	21 10	16 13	12 11	9 17
	Coal gas {M. F.	66 70	— —	— —	2 1	1 1	2 2	3 3	7 8	5 8	14 9	14 12	10 11	8 15
	Carbon monoxide ¶ .. {M. F.	12 7	— —	— 1	2 —	— —	1 1	— 1	2 —	4 2	1 1	1 1	1 —	— —
	Carbon dioxide {M. F.	3 —	— —	— —	— —	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —
	Others (or not stated):—													
	Ships, docks, &c. .. {M. F.	4 —	— —	— —	— —	— —	— —	— —	1 —	3 —	— —	— —	— —	— —
	Others** {M. F.	15 7	— —	— 2	— —	— —	— —	— 1	3 1	4 1	5 —	1 —	1 —	1 2

* Including aeroplane, 3 M., 2 F.; motor cycle, 6 M.; motor bus, 2 F.; motor car, 7 M.; motor lorry, 2 M., 1 F.; petrol, 3 M., 5 F.; "suji muji," 1 M.; sunlight treatment, 1 F.; caustic soda, 2 M.; carbolic acid, 1 F.; sulphuric acid, 1 M., 1 F.; "Lysol," 1 M.; ignition of hydrogen, 2 M.; hot water bottle, 3 F.; celluloid toy, 1 M.; candle, 2 F.; unguarded fire, 3 M.; kitchen fire, 4 M., 7 F.; oil stove, 6 F.; throwing paraffin oil on fire, 3 F.

† For other deaths caused by explosions but not resulting from burns or scalds see No. 202.

‡ Including petrol, 3 M.; water gas, 1 M.; steam waggon boiler, 1 M.; fireworks, 1 F.; oil stove 1 F.

§ Including suffocated whilst intoxicated, 1 M., 2 F.; at mother's breast, 2 F.; by cat, 1 F.

¶ Smouldering fire, 1 M., 1 F.; coal fire, 1 M.; geyser, 2 M., 5 F.; sinking well, 1 M., motor garage, 4 M.; petrol engine, 1 M.; coke fire, 1 M.; in iron works, 1 M.; gas boiler, 1 F.

** Including benzole fumes, 1 M.; petrol fumes, 1 F.; fumes from motor car engine, 2 M.; fumes from burning bed clothes, 1 M., 1 F.; fumes from smouldering furniture, 3 F.; sulphuretted hydrogen, 3 M.; ammonia fumes, 1 M.; sulphur fumes, 1 M.; cyanogen, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter-national List N	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
182	Accident— <i>Cont.</i>													
	Accidental Drowning {M. 1304 8 107 136 84 140 112 112 127 178 182 86 32													
		F. 313 17 34 18 13 17 27 35 34 49 42 19 8												
	Bathing {M. 146 — — 4 26 63 32 14 3 3 1 — —													
		F. 21 — — 1 3 4 2 7 4 — — — —												
	Pleasure craft.. .. {M. 36 — — 2 2 11 10 4 5 1 1 — —													
		F. 2 — — — — — — 1 — — — —												
	Other ships and boats .. {M. 65 — — — — 4 11 15 17 8 7 2 1													
		F. 2 — — — — 1 — — — — — — —												
	Docks, &c. {M. 12 — — — — 1 2 3 — 2 2 2 —													
		F. — — — — — — — — — — — —												
	Whilst attempting rescue .. {M. 8 — — 1 1 1 — 2 2 1 — — —													
		F. — — — — — — — — — — — —												
	Otherwise (or not stated how)* {M. 474 1 97 113 49 50 39 22 24 23 28 18 10													
		F. 119 4 33 17 8 6 11 7 6 12 6 5 4												
	“ Found ” (open verdict) .. {M. 563 7 10 16 6 10 18 52 76 140 143 64 21													
		F. 169 13 1 — 1 7 14 19 24 36 36 14 4												
183	Accidental injury by firearms .. {M. 74 — 1 2 5 14 10 12 14 10 3 2 1													
		F. 7 — 1 — — 1 1 2 1 — 1 — —												
184	Accidental injury by cutting or piercing instruments {M. 19 3 1 1 2 — 2 1 3 1 3 1 1													
		F. 12 — 2 2 — — — 1 1 1 2 2 1												
185	Accidental injury by fall .. {M. 1734 14 46 37 35 53 53 126 143 204 252 349 422													
		F. 1788 5 28 11 6 11 8 22 33 86 169 415 994												
	In ships, docks, &c.:— .. {M. 93 — — — 3 8 12 14 15 21 14 6 —													
		F. 1 — — — — — — — 1 — — — —												
	Down hold {M. 49 — — — 3 4 8 9 8 10 5 2 —													
		F. — — — — — — — — — — — —												
	Into dock {M. 6 — — — — — — 1 1 2 — 2 —													
		F. — — — — — — — — — — — —												
	Others (or not stated how) † {M. 38 — — — — 4 4 4 6 9 9 2 —													
		F. 1 — — — — — — — 1 — — — —												
	In building operations .. {M. 205 — — — 1 10 16 37 34 47 33 26 1													
		F. — — — — — — — — — — — —												
	Downstairs {M. 271 2 8 1 1 2 1 8 15 32 53 74 74													
		F. 390 — 5 — 1 1 1 9 11 31 57 122 152												
	From window.. .. {M. 67 1 7 1 1 2 — 7 8 9 11 9 11													
		F. 54 2 3 — — 1 1 4 5 8 9 9 12												
	In house, room, &c. .. {M. 169 1 5 1 2 3 — 2 4 9 17 41 84													
		F. 417 1 10 1 — 3 1 — 6 9 28 83 275												
	Out of bed {M. 17 2 1 — — — — — — 1 2 11													
		F. 53 1 1 — — — — — — 3 9 39												
	In street.. .. {M. 154 1 1 2 1 — — 2 10 12 20 52 53													
		F. 133 — — 3 1 1 — — 2 8 20 37 61												
	Diving {M. 6 — — — — 3 1 1 1 — — —													
		F. 1 — — — — — — — — — — —												
	Down area {M. 1 — — — — — — — 1 — — —													
		F. 2 — — — — — — — — — 2 — — —												
	Down lift well {M. 15 — — — 1 1 — 2 1 3 6 1 —													
		F. 3 — — — — — — 1 — — 2 — — —												
	From horse {M. 26 — 1 — 2 — 3 4 6 3 3 2 2													
		F. 2 — — — — 1 — 1 — — — — —												
	From cliff {M. 29 — 1 4 3 5 1 3 5 3 2 — 2													
		F. 7 — 1 — — — 3 1 1 — 1 — —												
	From ladder {M. 67 — 1 — — 3 2 4 7 16 12 12 10													
		F. 10 — — — — — — — 2 4 1 3												
	Otherwise (or not stated how) ‡ {M. 614 7 21 28 20 16 17 42 36 49 80 124 174													
		F. 715 1 8 7 4 4 2 6 7 28 42 154 452												

* Including Thames overflow, 2 M., 12 F.; skating, sliding, 13 M., 3 F.; motor car in water, 1 M., 1 F.

† Including from staging, 10 M.

‡ Including 55 M., 170 F., age 65 years and upwards, from fracture of leg; from tree, 17 M.; from bridge, 10 M.; from hay-wagon, 15 M.; from hayrick, 5 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186	Accidental injury in mining and quarrying. M.	958	—	—	—	14	102	97	188	200	183	132	41	1
	1. Coal mining M.	885	—	—	—	14	100	84	176	188	163	119	40	1
	Fall of coal, stone, &c. M.	503	—	—	—	1	32	43	111	127	109	61	19	—
	Crushing M.	11	—	—	—	—	3	—	3	2	3	—	—	—
	Fall down shaft M.	10	—	—	—	—	2	—	1	2	3	2	—	—
	Fall (not otherwise de- scribed). M.	11	—	—	—	—	1	—	3	1	1	4	1	—
	Machinery M.	40	—	—	—	1	7	3	9	9	5	6	—	—
	Trams M.	113	—	—	—	1	9	11	16	26	19	25	5	1
	Tubs M.	120	—	—	—	9	37	22	11	8	15	10	8	—
	Electric shock M.	6	—	—	—	—	—	1	5	—	—	—	—	—
	Explosion of gas M.	7	—	—	—	—	1	—	2	3	—	1	—	—
	" Others (or not stated).* M.	5	—	—	—	—	—	—	3	—	—	1	1	—
	Shot firing M.	8	—	—	—	—	—	2	2	—	3	1	—	—
	Blow (not otherwise de- fined). M.	17	—	—	—	1	3	2	3	2	2	4	—	—
	Otherwise (or not stated how).† M.	34	—	—	—	1	5	—	7	8	3	4	6	—
	2. Other mining M.	16	—	—	—	—	1	—	3	2	8	2	—	—
	Fall of stone, &c. .. M.	9	—	—	—	—	—	—	—	2	6	1	—	—
	Others‡ M.	7	—	—	—	—	1	—	3	—	2	1	—	—
	3. Quarrying M.	57	—	—	—	—	1	13	9	10	12	11	1	—
	Fall of stone, &c. .. M.	41	—	—	—	—	—	13	6	5	8	9	—	—
	Fall (not otherwise de- scribed). M.	8	—	—	—	—	—	—	2	3	2	—	1	—
	Machinery M.	4	—	—	—	—	1	—	—	2	—	1	—	—
	Otherwise § M.	4	—	—	—	—	—	—	1	—	2	1	—	—
187	Accidental injury by machinery {M. 218	—	1	1	5	19	20	31	46	49	35	8	3	
	{F. 4	—	—	—	—	—	2	—	1	—	—	1	—	
	In ships, docks, &c. .. {M. 17	—	—	—	—	1	1	3	5	2	5	—	—	
	{F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	In metal works {M. 24	—	—	—	—	4	4	4	4	5	2	1	—	
	{F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	In textile factories .. {M. 19	—	—	—	1	—	1	—	7	5	4	1	—	
	{F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	In other factories .. {M. 26	—	—	1	1	—	2	7	5	6	4	—	—	
	{F. 1	—	—	—	—	—	1	—	—	—	—	—	—	
	Agricultural machinery {M. 23	—	—	—	2	2	1	3	2	4	6	2	1	
	{F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	Lift {M. 16	—	—	—	1	1	1	5	2	2	3	—	1	
	{F. 2	—	—	—	—	—	—	—	1	—	—	1	—	
	Crane {M. 34	—	—	—	—	2	2	5	6	13	6	—	—	
	{F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	Circular saw {M. 4	—	—	—	—	—	—	2	1	1	—	—	—	
	{F. —	—	—	—	—	—	—	—	—	—	—	—	—	
	Other machinery .. {M. 55	—	1	—	—	9	8	2	14	11	5	4	1	
	{F. 1	—	—	—	—	—	1	—	—	—	—	—	—	
188	Accidental injury by other forms {M. 5100	6	250	455	229	430	657	709	528	586	582	415	253	
	of crushing {F. 1521	4	144	240	56	78	95	100	116	147	195	210	136	
	1. Railways {M. 442	—	7	7	11	12	34	67	75	82	94	43	10	
	{F. 63	—	3	2	1	4	6	7	13	14	8	4	1	
	Run over on line .. {M. 305	—	7	5	6	7	26	41	48	60	63	33	9	
	{F. 30	—	3	1	—	1	5	1	5	7	4	3	—	
	Collision {M. 11	—	—	—	1	1	—	2	3	2	2	—	—	
	{F. 20	—	—	—	—	—	1	6	6	5	2	—	—	

* Including gun powder, 1 M.

† Including suffocation by choke damp, 3 M.; suffocation by marsh gas, 1 M.; horse, 2 M.; drowned in colliery, 2 M.

‡ down shaft, 2 M.; shot firing, 4 M.; machinery, 1 M.

§ blasting operations, 2 M.; wagon, truck, etc., 2 M.

|| Including building operations, 6 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 — <i>cont.</i>	Accidental injury by other forms of crushing— <i>cont.</i>													
	1. Railways— <i>cont.</i>													
	Fall from carriage or engine { M. F.	39 10	— —	— —	1 —	2 1	1 2	3 —	4 —	10 2	5 2	9 2	4 1	— —
	Fall (not otherwise de- scribed) { M. F.	9 1	— —	— —	— —	— —	— —	— —	2 —	— —	2 —	4 —	1 —	— 1
	Crushing by carriage or engine { M. F.	50 —	— —	— —	1 —	1 —	1 —	4 —	11 —	12 —	7 —	8 —	4 —	1 —
	Striking bridge .. { M. F.	4 —	— —	— —	— —	— —	1 —	— —	2 —	1 —	— —	— —	— —	— —
	Blow (not otherwise de- scribed) { M. F.	8 2	— —	— —	— 1	— —	1 1	— —	— —	1 —	3 —	3 —	— —	— —
	Otherwise (or not stated how)* { M. F.	16 —	— —	— —	— —	1 —	— —	1 —	5 —	— —	3 —	5 —	1 —	— —
	2. Other vehicles mechanically propelled. { M. F.	3914 1337	5 4	215 122	413 226	187 48	347 70	569 85	551 84	362 93	371 129	378 172	307 186	209 118
	Motor car { M. F.	1003 547	2 1	79 49	175 91	47 17	39 12	49 19	72 21	66 42	121 62	127 86	141 91	85 56
	Motor van, lorry, &c. .. { M. F.	686 252	1 —	76 32	129 75	79 12	56 19	43 12	58 12	57 7	48 17	63 21	44 24	32 21
	Electric tramcar .. { M. F.	77 24	— —	— —	2 2	— 1	3 —	2 1	3 —	8 2	8 2	14 2	14 6	23 8
	Motor cab { M. F.	36 32	— —	4 1	5 4	1 2	— —	2 1	1 1	3 4	5 3	4 6	6 9	5 1
	Motor omnibus .. { M. F.	362 195	— —	37 23	68 45	26 8	41 12	17 10	35 8	29 19	30 23	36 18	25 21	18 8
	Motor char-a-banc, coach, &c. { M. F.	37 12	— —	4 2	5 2	2 —	2 —	3 1	6 2	3 2	3 —	8 —	1 2	— 1
	Motor cycle { M. F.	860 183	1 3	15 15	20 5	9 4	93 12	224 20	181 19	81 8	66 14	79 37	53 25	38 21
	Aeroplane, airship .. { M. F.	54 1	— —	— —	1 —	— —	1 —	22 1	25 —	5 —	— —	— —	— —	— —
	Motor vehicles (others or undefined)† { M. F.	27 10	— —	— —	3 1	1 2	2 —	6 2	2 —	2 —	4 1	5 —	1 3	1 1
	Collisions‡:— .. { M. F.	772 81	1 —	— —	5 1	22 2	110 15	201 18	168 21	108 9	86 7	42 2	22 5	7 1
	Motor car and motor cycle { M. F.	240 39	— —	— —	— 1	1 —	24 4	76 11	64 13	42 5	24 5	4 —	2 —	3 —
	Motor car and cycle (not stated) { M. F.	54 4	— —	— —	— —	5 —	4 2	4 —	3 2	5 —	11 —	13 —	7 —	2 —
	Motor van, &c., and motor cycle { M. F.	132 2	— —	— —	— —	1 —	21 1	55 —	31 —	16 1	7 —	1 —	— —	— —
	Motor van, &c., and cycle (not stated) { M. F.	27 1	— —	— —	1 —	2 —	8 1	2 —	5 —	5 —	2 —	1 —	1 —	— —
	Motor cycle and cycle (pedal or not stated) { M. F.	44 4	— —	— —	1 —	— 1	8 1	11 1	11 1	2 —	7 —	3 —	1 —	— —
	Motor bus and motor cycle { M. F.	52 6	— —	— —	1 —	— —	7 1	16 2	17 3	4 —	6 —	1 —	— —	— —

* Including derailment of train, 1 M.

† Including motor tractor, 9 M., 1 F.; motor ambulance, 4 M., 2 F.; steam roller, 2 M.; motor fire engine, 1 M., 1 F.; armoured car, 1 F.; tank, 1 F.

‡ The collisions in these cases are those in which the information recorded in the Death register did not show which vehicle caused death.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 — <i>cont.</i>	Accidental injury by other forms of crushing—(<i>cont.</i>)													
	Collisions— <i>cont.</i>													
	Motor bus and cycle {M. (not stated) F.	14 —	— —	— —	— —	1 —	5 —	— —	1 —	4 —	3 —	— —	— —	— —
	Others* {M. F.	209 25	1 —	— —	2 —	12 1	33 5	37 4	36 2	30 3	26 2	19 2	11 5	2 1
	3. Horse drawn vehicles and {M. horses. F.	211 27	— —	17 8	15 2	9 1	14 —	11 1	17 —	21 —	34 1	34 2	24 9	15 3
	Dogcart, trap {M. F.	12 6	— —	— —	— —	— —	1 —	1 —	1 —	1 —	2 —	2 —	3 5	1 1
	Cart {M. F.	81 11	— —	3 5	5 1	7 1	4 —	3 —	7 —	9 —	13 1	14 1	7 1	9 1
	Van, waggon {M. F.	75 8	— —	13 1	6 1	2 —	6 —	2 1	6 —	7 —	12 —	10 1	8 3	3 1
	Dray {M. F.	6 1	— —	— 1	1 —	— —	1 —	1 —	— —	— —	— —	2 —	1 —	— —
	Collision† {M. F.	3 —	— —	— —	— —	— —	2 —	— —	— —	1 —	— —	— —	— —	— —
	Others (or kind not {M. stated)‡ F.	13 1	— —	1 1	— —	— —	— —	1 —	2 —	— —	2 —	2 —	3 —	2 —
	Horses {M. F.	21 —	— —	— —	3 —	— —	— —	3 —	1 —	3 —	5 —	4 —	2 —	— —
	4. Other and undefined {M. vehicles. F.	259 61	1 —	1 2	9 2	15 3	45 4	20 3	20 7	27 6	40 3	39 8	25 10	17 13
	Truck {M. F.	3 2	— —	— —	— —	1 1	— —	— —	— —	— —	1 —	1 —	— 1	— —
	Van, waggon {M. F.	22 3	— —	— 2	2 1	— —	1 —	— —	2 —	5 —	5 —	5 —	2 —	— —
	Dray {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Pedal bicycle {M. F.	101 26	— —	— —	3 —	4 —	23 1	9 —	5 4	8 3	16 3	15 3	6 6	12 6
	Bicycle, tricycle (not {M. stated) F.	123 30	— —	1 —	2 1	10 2	19 3	10 3	13 3	14 3	16 —	16 5	17 3	5 7
	Others (or kind not {M. stated)§ F.	10 —	1 —	— —	2 —	— —	2 —	1 —	— —	— —	2 —	2 —	— —	— —
	5. Other crushing {M. F.	274 33	— —	10 9	11 8	7 3	12 —	23 —	54 2	43 4	59 —	37 5	16 1	2 1
	Fall of heavy substance :—													
	In ships, docks, &c. {M. F.	45 —	— —	— —	— —	— —	1 —	2 —	8 —	15 —	8 —	9 —	2 —	— —
	In building operations {M. F.	26 —	— —	— —	— —	— —	— —	4 —	11 —	3 —	6 —	2 —	— —	— —
	In excavations .. {M. F.	4 —	— —	— —	— —	— —	1 —	— —	— —	2 —	1 —	— —	— —	— —
	Trees {M. F.	29 7	— —	— 1	— —	1 1	3 —	3 —	5 1	3 2	5 —	5 1	3 1	1 —

* Including motor car and :—pedal cycle, 50 M., 4 F.; tram car, 7 M., 1 F.; motor bus, 12 M., 4 F.; motor van, 21 M., 3 F.; char-a-banc, 2 M., 2 F.; taxi-cab, 1 M.; horse vehicles, 7 M., 1 F.; lorry N.S., 3 M. Motor lorry and :—train, 2 M.; pedal cycle, 23 M., 1 F.; motor bus, 3 M.; tram car, 2 M.; horse vehicles, 7 M.; lorry N.S., 2 M.; motor vehicle N.S., 2 M. Electric tram and :—motor cycle, 6 M., 1 F.; cycle (pedal or not stated), 4 M.; motor bus, 1 M., 1 F. Motor bus and :—pedal cycle, 8 M., 3 F.; taxi-cab, 1 M.; horse vehicles, 1 M.; lorry N.S., 1 M. Motor cycle and :—char-a-banc, 14 M., 2 F.; train, 1 M.; motor ambulance, 2 M.; taxi-cab, 1 M., 1 F.; horse vehicles, 15 M.; timber carriage, 2 M.; sledge, 1 M. Motor char-a-banc and :—pedal cycle, 3 M.; taxi-cab, 1 M.; taxi-cab and pedal cycle, 1 M. Motor fire engine and milk float, 1 M.

† Horse van and pedal cycle, 3 M.

‡ Including gun limber, 2 M.; horse hayrake, 3 M.; timber carriage, 1 F.; carriage, 1 M.

§ Including roller, 2 M.; perambulator, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188— <i>cont.</i>	Accidental injury by other forms of crushing— <i>cont.</i>													
	5.—Other crushing— <i>cont.</i>													
	Fall of heavy substance— <i>cont.</i>													
	Others (or not stated how) {M. F.	149 25	— —	9 7	9 8	5 2	5 —	11 —	27 1	18 2	36 —	18 4	11 —	— 1
	Other crushings (or not stated how):—													
	In ships, docks, &c. {M. F.	14 1	— —	— 1	— —	1 —	1 —	2 —	3 —	1 —	3 —	2 —	— —	1 —
	Others {M. F.	7 —	— —	1 —	2 —	— —	1 —	1 —	— —	1 —	— —	1 —	— —	— —
189	Injury by animals (poisoning by venomous animals excepted) {M. F.	48 3	— —	4 —	4 —	1 —	5 —	2 —	2 1	7 —	5 —	11 —	4 2	3 —
	Horse {M. F.	32 —	— —	4 —	3 —	1 —	3 —	1 —	1 —	6 —	2 —	7 —	4 —	— —
	Bull or cow, &c. {M. F.	16 3	— —	— —	1 —	— —	2 —	1 —	1 1	1 —	3 —	4 —	— 2	3 —
190	Wounds of war {M. F.	76 —	— —	— —	— —	— —	— —	— —	28 —	33 —	15 —	— —	— —	— —
192	Hunger or thirst {M. F.	14 9	2 —	1 —	— —	— —	— —	— —	1 1	1 2	1 1	5 1	2 3	1 1
193	Excessive cold {M. F.	40 9	2 —	— —	— —	— —	— —	1 —	3 1	1 —	5 4	11 3	9 —	8 1
194	Excessive heat {M. F.	52 22	— —	7 2	3 2	3 —	2 —	3 1	3 2	2 2	6 2	10 3	10 2	3 6
195	Lightning.. .. . {M. F.	4 —	— —	— —	— —	— —	— —	2 —	— —	1 —	— —	— —	1 —	— —
196	Electricity (lightning excepted) {M. F.	47 4	— —	1 —	1 1	3 1	10 —	7 —	10 —	5 1	7 1	2 —	— —	1 —
	Railways {M. F.	9 1	— —	1 —	1 1	1 —	— —	1 —	1 —	— —	3 —	1 —	— —	— —
	Others.. .. . {M. F.	38 3	— —	— —	— —	2 1	10 —	6 —	9 —	5 1	4 1	1 —	— —	1 —
197	Homicide by firearms {M. F.	7 10	— —	— —	— 1	— —	— 1	— 2	— 1	2 2	2 2	2 1	— —	— —
	Murder {M. F.	4 9	— —	— —	— 1	— —	— 1	— 2	— —	1 2	2 2	1 1	— —	— —
	Manslaughter {M. F.	3 1	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	— —
	Justifiable homicide {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
198	Homicide by cutting or piercing instruments {M. F.	13 25	— 4	5 —	1 2	— 2	— 1	— 3	4 5	1 3	1 2	1 2	— 1	— —
	Murder {M. F.	10 23	— 3	5 —	1 2	— 2	— 1	— 3	2 5	— 3	1 1	1 2	— 1	— —
	Manslaughter {M. F.	3 2	— 1	— —	— —	— —	— —	— —	2 —	1 —	— 1	— —	— —	— —
	Justifiable homicide {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
199	Homicide by other means .. {M. F.	80 73	23 27	3 3	4 6	3 —	3 3	5 5	8 13	13 6	7 6	6 3	4 1	1 —
	Murder {M. F.	25 36	15 17	2 3	3 3	— —	— 2	— 1	1 6	— —	— 2	2 2	1 —	1 —
	By drowning {M. F.	8 3	3 —	2 —	3 2	— —	— 1	— —	— —	— —	— —	— —	— —	— —

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
199	Homicide by other means— <i>cont.</i>													
	Murder— <i>cont.</i>													
	By strangulation { M. F.	7 16	7 11	— 2	— —	— —	— —	— 1	— 2	— —	— —	— —	— —	— —
	Abortion:—													
	By operation F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	„ drugs F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) .. F.	2	—	—	—	—	—	—	2	—	—	—	—	—
	Others (or not stated how)* { M. F.	10 14	5 6	— 1	— 1	— —	— 1	— —	1 1	— —	— 2	2 2	1 —	1 —
	Manslaughter { M. F.	54 36	8 10	1 —	1 3	3 —	3 1	5 4	7 7	12 5	7 4	4 1	3 1	— —
	By motor car { M. F.	23 8	— —	— —	— 3	2 —	3 —	4 —	3 2	6 2	1 —	1 —	3 1	— —
	„ blow { M. F.	2 2	— 1	— —	— —	— —	— —	— —	1 —	— 1	1 —	— —	— —	— —
	Abortion:—													
	By operation F.	8	—	—	—	—	1	3	4	—	—	—	—	—
	„ drugs F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) .. F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)† { M. F.	29 18	8 9	1 —	1 —	1 —	— 1	1 1	3 1	6 2	5 4	3 1	— —	— —
	Justifiable Homicide.. { M. F.	1 1	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —
201	Fracture (cause not specified) .. { M. F.	36 4	2 —	1 1	1 —	1 —	1 —	3 —	2 —	3 —	4 —	10 1	5 —	3 2
202	Other and unstated forms of { M. accidental violence; execution { F.	239 84	11 7	17 9	11 3	20 —	25 1	23 8	42 20	26 13	25 7	20 9	13 6	6 1
	Swallowing foreign body .. { M. F.	31 23	2 2	8 5	2 1	2 —	— —	— 1	4 —	4 4	2 2	3 5	3 2	1 1
	Blow:—													
	In ships, docks, &c. .. { M. F.	3 —	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	— —	— —	— —
	Others { M. F.	30 3	1 —	— —	6 —	4 —	— —	4 —	1 1	1 1	3 —	7 —	3 1	— —
	Football, cricket, &c. .. { M. F.	21 —	— —	1 —	— —	3 —	5 —	5 —	5 —	— —	1 —	1 —	— —	— —
	Strangulation { M. F.	36 6	6 3	6 2	— —	6 —	9 —	— —	3 —	2 1	2 —	— —	2 —	— —
	Explosions‡:—													
	In ships, docks, &c. .. { M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	Others§ { M. F.	26 3	— —	— —	— —	1 —	2 —	1 2	11 —	3 —	4 —	3 —	1 1	— —
	Abortion:—													
	Verdict of misadventure or accident													
	By operation F.	6	—	—	—	—	—	1	4	1	—	—	—	—
	„ drugs F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Others (or not stated) .. F.	2	—	—	—	—	—	—	1	1	—	—	—	—
	Open verdict													
	By operation F.	11	—	—	—	—	1	2	6	2	—	—	—	—
	„ drugs F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Others (or not stated) .. F.	2	—	—	—	—	—	—	1	1	—	—	—	—

* Including suffocation, 2 M., 2 F.; blow, 2 M., 5 F.; coal gas, 1 M., 1 F.; motor car, 1 M.; poisoning by tarry disinfectant, 1 F.; neglect, 1 F.

† Including fight, 3 M.; suffocation, 2 F.; strangulation, 6 M., 3 F.; passenger train, 7 M., 6 F.; motor cycle, 3 M.; motor bus, 1 M.; motor van, 1 M.; drowning, 1 M., 1 F.; compressed air pipe, 1 M.; neglect, 2 M., 1 F.; exposure, 1 M.; starvation, 1 F.

‡ For other deaths from explosions but resulting from burns or scalds see No. 179.

§ Including coal gas, 4 M.; domestic boiler, 1 F.; acetylene gas, 2 M.; powder factories, 8 M., 2 F.; distillery, 3 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1928—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
202 — <i>cont.</i>	Other accidents (otherwise or not stated how) :—													
	In ships, docks, &c. .. { M. F.	4 —	— —	— —	— —	— —	— —	2 —	— —	1 —	1 —	— —	— —	— —
	Others* { M. F.	66 26	2 2	2 2	3 2	4 —	9 —	6 1	7 6	9 2	9 5	6 4	4 2	5 —
	Execution { M. F.	21 —	— —	— —	— —	— —	— —	4 —	9 —	5 —	3 —	— —	— —	— —
	Violent deaths of unknown causation { M. F.	16 5	— 2	— —	— —	— —	— —	2 1	— —	3 1	7 1	2 —	1 —	1 —
Summarized headings :—														
Ships, docks, &c. .. { M. F.		263 4	— —	— 1	— —	4 1	16 —	34 —	50 1	59 1	45 —	41 —	12 —	2 —
Building operations .. { M. F.		237 —	— —	— —	— —	1 —	10 —	20 —	49 —	39 —	55 —	35 —	27 —	1 —
Criminal abortion F.		57	— —	— —	— —	— —	2 —	10 —	33 —	12 —	— —	— —	— —	— —

* Including boxing, 4 M.; wrestling, 1 M.; fight, 12 M.; strain, 9 M.; exposure, 5 M., 2 F.; amusement machines, 8 M., 3 F.; Wounds :—spiked railings, 5 M., 1 F.; injury to uterus, &c. (open verdict), 6 F.; other wounds, 9 M., 5 F.

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1918—1928.
ENGLAND AND WALES AND CERTAIN AGGREGATES (EXCLUDING CASES AMONG NON-CIVILIANS).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Smallpox ..	1918	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	1919	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.04	0.01	0.00	0.00	—
	1920	0.01	0.01	0.00	0.00	0.01	0.00	0.01	—	0.01	0.00	0.02	0.00
	1921	0.01	0.01	—	0.00	0.01	—	0.01	—	0.01	—	0.00	—
	1922	0.03	0.03	0.00	0.01	0.03	0.00	0.03	0.00	0.04	0.00	0.02	0.00
	1923	0.06	0.07	0.01	0.00	0.08	0.01	0.07	0.01	0.08	0.01	0.08	0.00
	1924	0.10	0.10	—	0.00	0.15	—	0.06	—	0.18	—	0.11	—
	1925	0.14	0.15	0.00	0.00	0.17	—	0.18	0.00	0.21	—	0.09	—
	1926	0.26	0.28	0.00	0.00	0.42	0.00	0.16	—	0.45	0.00	0.37	0.00
	1927	0.38	0.34	0.88	0.00	0.46	1.11	0.27	0.03	0.47	1.80	0.45	0.01
Scarlet Fever ..	1928	0.32	0.28	0.83	0.07	0.28	0.99	0.35	0.24	0.34	1.62	0.18	0.02
	1918	1.44	1.44	1.44	1.72	1.18	1.35	1.72	1.84	1.21	1.27	1.14	1.48
	1919	2.29	2.23	3.11	2.97	1.91	2.45	2.43	5.66	2.04	2.58	1.68	2.25
	1920	3.19	3.10	4.35	5.01	2.45	4.15	3.38	5.11	2.64	4.70	2.11	3.27
	1921	3.64	3.61	3.84	7.25	2.80	3.80	3.49	3.96	3.25	4.78	2.03	2.31
	1922	2.85	2.85	2.75	3.80	2.40	2.92	3.18	2.10	2.68	3.55	1.92	1.94
	1923	2.24	2.26	1.93	2.21	2.00	1.96	2.67	1.81	2.12	2.27	1.80	1.46
	1924	2.16	2.18	1.83	2.51	1.91	1.89	2.47	1.61	2.03	2.03	1.73	1.67
	1925	2.36	2.40	1.76	2.67	2.15	1.82	2.69	1.53	2.25	1.90	1.99	1.68
	1926	2.10	2.14	1.54	2.68	1.93	1.63	2.26	1.22	2.01	1.65	1.80	1.58
Diphtheria ..	1927	2.16	2.22	1.30	2.92	1.99	1.36	2.32	1.10	2.13	1.53	1.75	1.09
	1928	2.61	2.70	1.42	3.44	2.34	1.50	2.98	1.15	2.47	1.80	2.12	1.04
	1918	1.31	1.33	0.97	2.07	1.18	0.94	1.29	1.08	1.29	0.90	1.00	0.99
	1919	1.50	1.52	1.21	2.18	1.38	1.10	1.47	1.63	1.48	1.12	1.22	1.07
	1920	1.86	1.85	1.94	3.05	1.63	1.83	1.72	2.37	1.78	1.68	1.38	2.06
	1921	1.76	1.75	1.89	3.62	1.46	1.90	1.50	1.87	1.63	1.82	1.16	2.02
	1922	1.37	1.38	1.25	3.37	1.05	1.22	1.14	1.38	1.20	1.22	0.78	1.22
	1923	1.05	1.04	1.13	2.27	0.74	1.10	1.04	1.26	0.81	1.24	0.61	0.88
	1924	1.07	1.06	1.21	2.31	0.73	1.19	1.11	1.28	0.81	1.30	0.59	1.00
	1925	1.23	1.23	1.24	2.73	0.79	1.26	1.34	1.14	0.88	1.45	0.64	0.96

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1918—1928.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Enteric Fever	1918	0·13	0·13	0·12	0·09	0·15	0·13	0·10	0·07	0·17	0·14	0·13	0·13
	1919	0·10	0·09	0·11	0·08	0·10	0·13	0·08	0·06	0·11	0·13	0·09	0·12
	1920	0·08	0·08	0·06	0·09	0·09	0·07	0·07	0·03	0·09	0·08	0·09	0·05
	1921	0·10	0·10	0·10	0·07	0·12	0·11	0·08	0·07	0·14	0·12	0·09	0·09
	1922	0·06	0·06	0·05	0·06	0·07	0·05	0·05	0·03	0·08	0·05	0·06	0·05
	1923	0·08	0·08	0·07	0·07	0·10	0·08	0·07	0·02	0·09	0·08	0·10	0·08
	1924	0·11	0·10	0·09	0·09	0·12	0·10	0·09	0·04	0·13	0·10	0·10	0·11
	1925	0·07	0·07	0·08	0·09	0·07	0·08	0·06	0·08	0·07	0·08	0·07	0·08
	1926	0·07	0·07	0·05	0·07	0·08	0·05	0·06	0·04	0·08	0·06	0·07	0·03
	1927	0·09	0·09	0·04	0·07	0·12	0·05	0·06	0·02	0·12	0·05	0·11	0·04
Puerperal Fever	1928	0·09	0·09	0·05	0·13	0·10	0·05	0·06	0·03	0·10	0·05	0·10	0·05
	1918	0·04	0·04	0·03	0·03	0·03	0·03	0·05	0·04	0·03	0·03	0·02	0·03
	1919	0·06	0·06	0·05	0·07	0·04	0·04	0·07	0·07	0·04	0·04	0·04	0·04
	1920	0·08	0·08	0·05	0·10	0·06	0·05	0·10	0·07	0·06	0·05	0·05	0·04
	1921	0·06	0·06	0·04	0·08	0·04	0·05	0·08	0·04	0·05	0·05	0·03	0·04
	1922	0·06	0·06	0·05	0·07	0·04	0·04	0·08	0·08	0·04	0·04	0·03	0·04
	1923	0·06	0·06	0·06	0·08	0·04	0·04	0·08	0·10	0·04	0·05	0·04	0·04
	1924	0·06	0·06	0·05	0·06	0·04	0·04	0·08	0·07	0·05	0·04	0·03	0·04
	1925	0·06	0·06	0·06	0·07	0·04	0·05	0·09	0·09	0·05	0·05	0·04	0·04
	1926	0·07	0·07	0·07	0·07	0·05	0·05	0·09	0·12	0·05	0·06	0·05	0·05
Erysipelas	1927	0·05	0·05	0·04	0·06	0·04	0·04	0·07	0·07	0·03	0·04	0·04	0·03
	1928	0·06	0·06	0·07	0·07	0·05	0·05	0·08	0·15	0·05	0·05	0·04	0·05
	1918	0·37	0·38	0·23	0·31	0·32	0·21	0·43	0·33	0·35	0·24	0·28	0·16
	1919	0·44	0·45	0·29	0·65	0·37	0·27	0·49	0·40	0·42	0·31	0·29	0·20
	1920	0·43	0·44	0·32	0·57	0·38	0·31	0·48	0·37	0·41	0·36	0·32	0·21
	1921	0·35	0·36	0·23	0·47	0·30	0·22	0·41	0·26	0·34	0·25	0·23	0·18
	1922	0·35	0·36	0·22	0·43	0·29	0·21	0·43	0·26	0·32	0·23	0·24	0·17
	1923	0·32	0·33	0·24	0·40	0·27	0·20	0·39	0·36	0·31	0·24	0·21	0·14
	1924	0·33	0·34	0·19	0·41	0·28	0·18	0·40	0·25	0·31	0·21	0·23	0·14
	1925	0·39	0·40	0·28	0·42	0·33	0·25	0·48	0·36	0·37	0·29	0·28	0·20

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1918—1928.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Cerebro-spinal Fever	1918	0.02	0.02	0.01	0.05	0.02	0.01	0.02	0.01	0.02	0.01	0.02	0.01
	1919	0.02	0.02	0.01	0.04	0.02	0.01	0.02	0.01	0.02	0.02	0.02	0.01
	1920	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.00
	1921	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1922	0.01	0.01	0.00	0.02	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.00
	1923	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.00
	1924	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00
	1925	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.00
	1926	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1927	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
Poliomyelitis	1928	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1918	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.01	0.00
	1919	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01
	1920	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.00
	1921	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01
	1922	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00
	1923	0.02	0.01	0.03	0.02	0.01	0.01	0.01	0.13	0.01	0.01	0.01	—
	1924	0.02	0.02	0.02	0.03	0.02	0.01	0.02	0.06	0.02	0.02	0.02	0.01
	1925	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1926	0.03	0.03	0.02	0.02	0.04	0.02	0.03	0.03	0.03	0.01	0.04	0.02
	1927	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1928	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES.
ENGLAND AND WALES, 1928 (EXCLUDING CASES AMONG NON-CIVILIANS).

(1928) Week ended				Scarlet Fever.	Diph- theria.	Enteric Fever.	Cerebro- spinal Fever.	Polio- myelitis.	Enceph- alitis Lethar- gica.
Jan.	7	87	117	76	139	92	111
"	14	88	112	71	101	81	99
"	21	102	126	64	63	69	119
"	28	100	139	83	114	161	103
Feb.	4	98	138	92	177	138	131
"	11	93	132	70	126	127	151
"	18	95	125	79	164	92	99
"	25	91	118	95	88	104	127
March	3	87	125	45	164	69	127
"	10	86	112	58	152	69	115
"	17	82	103	46	126	115	91
"	24	92	112	67	152	81	135
"	31	87	109	79	139	35	99
April	7	83	92	45	76	92	127
"	14	84	95	82	101	12	127
"	21	69	89	76	51	46	123
"	28	85	90	95	101	115	139
May	5	81	93	94	152	104	115
"	12	81	94	83	139	81	83
"	19	87	85	77	51	58	80
"	26	80	89	76	63	23	107
June	2	81	76	88	101	35	111
"	9	79	76	89	88	92	103
"	16	86	76	104	114	46	103
"	23	87	82	80	126	104	123
"	30	83	82	49	114	46	80
July	7	87	78	77	164	138	123
"	14	86	78	57	88	138	64
"	21	77	76	89	88	58	87
"	28	83	78	125	101	92	107
Aug.	4	74	75	409	76	23	111
"	11	68	67	324	152	115	48
"	18	67	69	250	76	150	76
"	25	72	69	225	76	173	87
Sept.	1	70	72	185	38	58	103
"	8	91	79	161	38	184	107
"	15	101	87	176	76	207	52
"	22	107	96	138	63	138	99
"	29	118	104	109	76	150	68
Oct.	6	131	105	134	101	150	87
"	13	152	112	109	126	242	80
"	20	152	105	73	76	173	107
"	27	157	115	95	38	150	99
Nov.	3	156	115	42	51	104	99
"	10	150	112	48	101	127	64
"	17	152	122	88	114	138	80
"	24	140	118	58	38	150	99
Dec.	1	140	121	52	139	92	91
"	8	146	116	60	152	81	76
"	15	127	123	57	88	35	99
"	22	124	116	45	25	35	95
"	29	117	105	54	63	23	56
				100	100	100	100	100	100
Average weekly number of cases notified ..				1,973	1,176	67	8	9	25

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

TABLE 25.—NOTIFICATIONS OF TUBERCULOSIS, 1919-1928.
(Excluding cases among non-civilians.)

Tuberculosis of Respiratory System.																				
	1919.		1920.		1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	65,229	1·81	61,655	1·65	59,299	1·57	55,798	1·47	57,007	1·49	57,737	1·47	58,545	1·51	56,212	1·45	54,048	1·38	53,047	1·35
England (excluding London)	49,514	1·70	47,893	1·58	46,503	1·52	43,528	1·41	45,133	1·46	46,172	1·45	46,668	1·49	44,844	1·42	43,439	1·36	42,645	1·33
London	12,386	2·84	10,653	2·35	9,731	2·16	8,721	1·92	8,165	1·79	7,941	1·71	8,071	1·75	7,454	1·62	7,043	1·55	6,896	1·55
Wales (including Monmouth) ..	3,208	1·26	2,922	1·10	2,897	1·09	3,415	1·27	3,504	1·30	3,390	1·22	3,560	1·30	3,682	1·35	3,336	1·23	3,296	1·23
Other Tuberculosis.																				
	1919.		1920.		1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	16,821	0·47	15,851	0·42	15,653	0·42	16,178	0·43	18,494	0·48	18,711	0·48	19,228	0·50	18,608	0·48	17,697	0·45	17,977	0·46
England (excluding London)	12,721	0·44	12,458	0·41	12,644	0·41	12,909	0·42	15,022	0·49	15,212	0·48	15,894	0·51	15,254	0·48	14,727	0·46	14,972	0·47
London	3,233	0·74	2,511	0·55	2,267	0·50	2,235	0·49	2,298	0·50	2,330	0·50	2,150	0·47	2,164	0·47	1,872	0·41	1,798	0·40
Wales (including Monmouth) ..	850	0·33	874	0·33	732	0·28	1,020	0·38	1,154	0·43	1,156	0·42	1,160	0·42	1,169	0·43	1,085	0·40	1,185	0·44

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGH: 52 WEEKS ENDED 29TH DECEMBER, 1928.

(Excluding cases among non-civilians.)

Note.—Cases notified in Port Sanitary Districts are included only in the figures for England and Wales as a whole.

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Pollo-myelitis Cases.	ENCEPHALITIS LETHARGICA Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND AND WALES	102,611	2·61	61,134	1·55	3,495	0·09	2,380	0·06	5,499	0·14	16,359	0·42	12,420	3	25	412	452	1,308	5,609	53,047	17,977
ENGLAND	98,747	2·70	56,909	1·55	3,271	0·09	2,193	0·06	5,188	0·14	15,659	0·43	10,179	3	24	394	427	1,224	5,339	49,541	16,770
ENGLAND AND WALES, Administrative Counties, excluding London	48,928	2·26	26,196	1·21	2,067	0·10	986	0·05	2,581	0·12	7,537	0·35	7,560	1	4	166	250	664	1,914	23,620	9,615
ENGLAND, Administrative Counties, excluding London	45,750	2·34	23,242	1·19	1,959	0·10	883	0·05	2,375	0·12	6,992	0·36	5,458	1	4	155	233	593	1,732	21,124	8,698
* ALL AREAS:																					
England and Wales	102,611	2·61	61,134	1·55	3,495	0·09	2,380	0·06	5,499	0·14	16,359	0·42	12,420	3	25	412	452	1,308	5,609	53,047	17,977
North	37,391	2·85	15,821	1·21	818	0·06	885	0·07	1,814	0·14	6,968	0·53	6,771	—	5	147	117	549	2,236	20,254	8,230
Midlands	32,656	2·56	20,057	1·57	1,078	0·08	723	0·06	1,716	0·13	4,787	0·38	2,965	—	1	121	152	363	1,816	15,190	4,616
South†	28,700	2·67	21,031	1·95	1,375	0·13	585	0·05	1,658	0·15	3,904	0·36	443	3	18	126	158	312	1,287	14,097	3,924
Wales	3,825	1·42	4,200	1·56	127	0·05	187	0·07	310	0·12	690	0·26	2,239	—	—	18	25	83	270	3,296	1,185
Port Sanitary Districts.	39	?	25	?	97	?	—	—	1	?	10	?	2	—	1	—	—	1	—	210	22
LONDON	15,354	3·44	12,239	2·75	595	0·13	295	0·07	773	0·17	2,161	0·48	296	2	15	75	46	102	735	6,896	1,798
COUNTY BOROUGH:																					
England and Wales	38,290	2·90	22,674	1·72	736	0·06	1,099	0·08	2,144	0·16	6,651	0·50	4,562	—	5	171	156	541	2,960	22,321	6,542
North	23,149	3·31	9,998	1·43	351	0·05	604	0·09	1,061	0·15	4,162	0·59	3,043	—	4	106	63	342	1,605	12,980	4,278
Midlands	11,736	2·80	8,434	2·01	225	0·05	328	0·08	721	0·17	1,890	0·45	1,345	—	—	50	49	136	1,104	6,295	1,478
South	2,758	1·92	2,996	2·08	141	0·10	83	0·06	258	0·18	454	0·32	37	—	1	8	36	51	163	2,246	518
Wales	647	1·15	1,246	2·21	19	0·03	84	0·15	104	0·18	145	0·26	137	—	—	7	8	12	88	800	268

* For the constitution of the several areas, North, Midlands, South, and Wales, see the footnote to Table 14.

† Including London.

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Pollo-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, Administrative Counties, excluding London— <i>cont.</i>																					
Lincolnshire—																					
Holland	251	2·82	161	1·81	9	0·10	1	0·01	10	0·11	24	0·27	26	—	—	1	2	2	13	136	39
Kesteven	191	1·77	95	0·88	9	0·08	8	0·07	10	0·09	31	0·29	22	—	—	1	2	5	8	114	19
Lindsey	797	3·08	298	1·15	21	0·08	8	0·03	25	0·10	111	0·43	1	—	—	1	1	5	31	293	126
Middlesex ..	4,146	2·93	2,500	1·76	128	0·09	63	0·04	180	0·13	525	0·37	30	—	—	22	14	35	124	1,478	341
Norfolk ..	602	1·87	408	1·27	38	0·12	12	0·04	26	0·08	64	0·20	42	—	—	4	13	14	10	271	129
Northamptonshire	375	1·74	245	1·14	17	0·08	18	0·08	28	0·13	127	0·59	20	—	—	1	3	9	20	189	65
Northumberland..	706	1·73	184	0·45	37	0·09	17	0·04	63	0·15	187	0·46	230	—	—	1	6	16	40	780	347
Nottinghamshire..	856	2·03	259	0·61	38	0·09	14	0·03	56	0·13	168	0·40	314	—	—	5	4	4	54	419	118
Oxfordshire ..	194	1·42	57	0·42	10	0·07	7	0·05	15	0·11	43	0·31	3	—	—	—	2	5	15	110	22
Peterborough, Soke of	90	1·77	38	0·75	1	0·02	2	0·04	4	0·08	21	0·41	55	—	—	1	—	1	2	40	9
Rutlandshire ..	15	0·84	8	0·45	3	0·17	1	0·06	1	0·06	2	0·11	—	—	—	—	1	—	—	10	4
Shropshire ..	474	1·94	177	0·73	14	0·06	12	0·05	46	0·19	67	0·27	4	—	—	—	6	6	28	219	128
Somersetshire ..	879	2·17	331	0·82	41	0·10	26	0·06	69	0·17	104	0·26	6	—	—	5	8	11	32	565	175
Southampton ..	900	2·11	427	1·00	53	0·12	13	0·03	57	0·13	94	0·22	8	—	—	4	21	12	72	388	91
Staffordshire ..	1,231	1·73	973	1·37	52	0·07	31	0·04	96	0·13	313	0·44	150	—	—	4	4	16	83	891	342
Suffolk—East	432	2·06	271	1·29	26	0·12	19	0·09	27	0·13	48	0·23	8	—	—	—	1	4	14	185	85
Suffolk—West	135	1·25	20	0·18	1	0·01	2	0·02	7	0·06	19	0·18	2	—	—	—	1	—	3	97	45
Surrey ..	1,982	2·37	980	1·17	277	0·33	44	0·05	125	0·15	236	0·28	31	—	1	10	13	33	63	657	199
Sussex—East	482	1·79	190	0·71	31	0·12	6	0·02	21	0·08	77	0·29	1	—	—	2	2	3	3	260	83
Sussex—West	359	1·71	213	1·01	14	0·07	7	0·03	38	0·18	43	0·20	20	—	—	—	1	6	17	170	59
Warwickshire ..	668	1·85	365	1·01	49	0·14	25	0·07	43	0·12	134	0·37	124	—	—	4	3	18	34	281	107
Westmorland ..	215	3·42	30	0·48	—	—	1	0·02	2	0·03	20	0·32	—	—	—	1	—	2	3	35	9

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County	37,643	2.98	21,428	1.70	717	0.06	1,015	0.08	2,040	0.16	6,506	0.51	4,425	—	5	164	148	529	2,872	21,521	6,274
Boroughs																					
Barnsley	182	2.56	145	2.04	5	0.07	4	0.06	20	0.28	40	0.56	11	—	—	—	1	7	8	117	63
Barrow in Furness	182	2.76	35	0.53	2	0.03	1	0.02	2	0.03	40	0.61	1	—	—	—	—	2	3	87	38
Bath, City of ..	167	2.38	64	0.91	33	0.47	3	0.04	13	0.18	25	0.36	—	—	—	—	1	2	7	53	15
Birkenhead ..	595	3.77	142	0.90	9	0.06	12	0.08	31	0.20	79	0.50	—	—	—	—	2	13	23	234	131
Birmingham, City of	1,577	1.63	2,109	2.18	20	0.02	85	0.09	131	0.14	465	0.48	54	—	—	12	6	42	517	1,354	243
Blackburn ..	117	0.94	121	0.97	1	0.01	10	0.08	9	0.07	42	0.34	10	—	—	—	—	7	17	105	35
Blackpool ..	202	2.06	37	0.38	2	0.02	5	0.05	7	0.07	24	0.24	4	—	—	—	1	2	14	80	12
Bolton ..	839	4.63	111	0.61	5	0.03	2	0.01	17	0.09	77	0.42	1	—	—	2	1	12	22	126	69
Bootle ..	299	3.66	156	1.91	6	0.07	2	0.02	11	0.13	41	0.50	—	—	—	4	1	2	15	198	55
Bournemouth ..	163	1.69	80	0.83	3	0.03	1	0.01	8	0.08	18	0.19	—	—	—	—	6	7	5	171	23
Bradford, City of	1,547	5.36	281	0.97	13	0.05	30	0.10	45	0.16	169	0.59	131	—	—	6	1	12	37	397	127
Brighton ..	190	1.29	263	1.79	13	0.09	12	0.08	59	0.40	54	0.37	2	—	—	2	2	7	22	212	62
Bristol, City of ..	1,211	3.10	599	1.53	44	0.11	26	0.07	51	0.13	119	0.30	51	—	—	6	3	19	37	672	156
Burnley ..	142	1.41	93	0.92	5	0.05	4	0.04	28	0.28	86	0.85	180	—	—	1	—	4	6	131	60
Burton upon Trent	184	3.76	172	3.51	—	—	2	0.04	2	0.04	22	0.45	1	—	—	2	—	4	14	45	36
Bury ..	89	1.56	94	1.65	3	0.05	3	0.05	3	0.05	25	0.44	51	—	—	1	—	—	7	60	21
Canterbury, City of	28	1.23	42	1.85	2	0.09	3	0.13	3	0.13	20	0.88	—	—	—	1	—	2	2	40	8
Carlisle, City of ..	71	1.26	70	1.25	—	—	2	0.04	9	0.16	31	0.55	—	—	—	—	—	3	14	70	10
Chester, City of ..	40	0.98	46	1.13	2	0.05	3	0.07	4	0.10	15	0.37	1	—	—	—	—	2	2	49	8
Coventry, City of	560	3.64	250	1.62	3	0.02	6	0.04	20	0.13	66	0.43	116	—	—	—	3	8	23	197	46
Croydon ..	569	2.63	484	2.23	16	0.07	10	0.05	21	0.10	46	0.21	2	—	1	—	1	3	7	270	71
Darlington ..	324	4.53	152	2.12	5	0.07	4	0.06	6	0.08	26	0.36	86	—	—	—	—	1	15	95	56
Derby ..	284	2.04	394	2.84	8	0.06	21	0.15	61	0.44	52	0.37	212	—	—	1	2	3	18	166	40
Dewsbury ..	80	1.51	42	0.79	5	0.09	1	0.02	3	0.06	17	0.32	16	—	—	1	—	3	10	44	16
Doncaster ..	118	1.99	61	1.03	3	0.05	4	0.07	6	0.10	28	0.47	10	—	—	1	—	3	5	107	39
Dudley ..	24	0.41	36	0.61	—	—	5	0.09	10	0.17	21	0.36	—	—	—	—	—	3	4	86	24
Eastbourne ..	106	1.81	117	2.00	8	0.14	2	0.03	7	0.12	18	0.31	—	—	—	—	—	2	1	59	14
East Ham ..	837	5.76	679	4.67	6	0.04	5	0.03	13	0.09	59	0.41	16	—	—	1	—	2	12	240	52
Exeter, City of ..	32	0.52	59	0.96	8	0.13	3	0.05	13	0.21	20	0.32	—	—	—	—	—	2	13	99	35
Gateshead ..	134	1.09	120	0.97	—	—	9	0.07	11	0.09	83	0.67	424	—	—	—	1	1	20	330	159

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County																					
Boroughs— <i>cont.</i>																					
Southampton ..	324	1·91	329	1·94	19	0·11	10	0·06	42	0·25	68	0·40	2	—	—	1	3	9	35	340	65
Southend on Sea..	309	2·78	75	0·67	8	0·07	6	0·05	16	0·14	36	0·32	—	—	—	—	2	1	25	213	72
Southport ..	121	1·53	73	0·92	6	0·08	—	—	6	0·08	29	0·37	—	—	—	1	1	2	3	85	26
South Shields ..	174	1·43	49	0·40	2	0·02	5	0·04	8	0·07	47	0·39	889	—	1	—	3	2	13	264	182
Stockport ..	270	2·12	191	1·50	8	0·06	11	0·09	21	0·16	59	0·46	11	—	—	—	—	9	26	144	66
Stoke on Trent,																					
City of ..	585	2·09	311	1·11	11	0·04	26	0·09	59	0·21	133	0·48	133	—	—	8	6	11	165	502	119
Sunderland ..	175	0·98	185	1·04	14	0·08	12	0·07	33	0·19	110	0·62	41	—	1	1	1	10	51	271	212
Tynemouth ..	128	1·94	122	1·85	11	0·17	1	0·02	18	0·27	46	0·70	194	—	—	1	—	4	16	121	115
Wakefield ..	104	1·84	43	0·76	5	0·09	4	0·07	11	0·19	16	0·28	11	—	—	1	—	—	17	62	17
Wallasey ..	139	1·40	92	0·93	6	0·06	1	0·01	12	0·12	30	0·30	—	—	—	—	8	7	7	117	45
Walsall ..	107	1·07	399	3·98	2	0·02	6	0·06	25	0·25	52	0·52	229	—	—	—	1	4	16	187	43
Warrington ..	183	2·29	70	0·88	1	0·01	7	0·09	18	0·23	38	0·48	9	—	1	—	1	5	3	104	61
West Bromwich ..	48	0·60	52	0·65	3	0·04	2	0·02	14	0·17	52	0·65	3	—	—	—	—	1	1	85	43
West Ham ..	1,513	4·93	1,049	3·42	20	0·07	27	0·09	94	0·31	200	0·65	64	—	—	3	1	3	33	535	119
West Hartlepool..	136	1·95	108	1·55	1	0·01	4	0·06	19	0·27	31	0·44	1	—	—	—	1	1	22	78	54
Wigan ..	175	1·99	19	0·22	7	0·08	3	0·03	9	0·10	47	0·53	13	—	—	—	—	1	6	143	64
Wolverhampton ..	281	2·10	55	0·41	2	0·01	19	0·14	27	0·20	42	0·31	7	—	—	2	1	2	80	169	30
Worcester, City of	90	1·71	47	0·89	10	0·19	1	0·02	9	0·17	29	0·55	6	—	—	—	—	—	3	49	22
York, City of ..	182	2·13	75	0·88	13	0·15	7	0·08	13	0·15	20	0·23	13	—	—	2	1	3	6	113	59
WALES, including																					
Monmouth, County																					
Boroughs ..	647	1·15	1,246	2·21	19	0·03	84	0·15	104	0·18	145	0·26	137	—	—	7	8	12	88	800	268
Cardiff, City of ..	279	1·23	562	2·48	2	0·01	32	0·14	53	0·23	62	0·27	12	—	—	6	5	6	57	288	87
Merthyr Tydfil ..	58	0·73	262	3·30	2	0·03	4	0·05	8	0·10	18	0·23	93	—	—	—	3	2	1	105	35
Newport (Mon.) ..	103	1·06	35	0·36	9	0·09	20	0·21	17	0·18	22	0·23	4	—	—	1	—	4	6	165	78
Swansea ..	207	1·28	387	2·39	6	0·04	28	0·17	26	0·16	43	0·27	28	—	—	—	—	—	24	242	68

TABLE 27.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1918-1928. ENGLAND AND WALES.

(a) Civilians (excluding cases in Port Sanitary Districts).

Diseases.	Cases Notified.										
	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
Cerebro-spinal Fever	798	843	581	411	344	300	397	402	384	469	412
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	22	39	30	37	15	21	36	22	21	17	24
Diphtheria (including Membranous Croup)	43,678	53,843	69,407	66,452	52,072	39,953	41,948	47,684	51,034	51,973	61,109
Dysentery.. .. .	—	1,638	1,169	1,193	757	458	356	293	486	405	651
§Encephalitis Lethargica (Acute) ..	—	541	889	1,470	451	1,023	5,036	2,634	2,267	1,612	1,307
Enteric Fever	4,232	3,308	2,994	3,776	2,365	3,139	4,051	2,703	2,665	3,469	3,398
Erysipelas.. .. .	12,455	15,752	16,029	13,220	13,157	12,321	12,868	14,989	14,581	14,695	16,349
Malaria (contracted in England and Wales)	—	93	32	10	6	3	4	3	—	2	4
Ophthalmia Neonatorum	6,532	8,648	10,302	8,312	7,106	6,592	6,267	5,748	5,896	5,891	5,609
Plague	2	1	1	—	—	—	—	—	2	—	—
Pneumonia (Acute Primary and Acute Influenzal)	—	45,063	38,685	33,744	52,435	44,543	60,723	55,876	50,926	67,670	60,206
§Polio-encephalitis (Acute)	—	62	36	51	31	57	83	51	138	94	89
Polio-myelitis (Acute)	228	553	293	488	355	587	777	371	1,158	801	452
Puerperal Fever	1,206	2,016	2,898	2,211	2,134	2,190	2,183	2,396	2,611	1,989	2,380
*Puerperal Pyrexia	—	—	—	—	—	—	—	—	1,823	5,507	5,498
Relapsing Fever	2	4	7	1	—	2	—	1	—	—	—
Scarlet Fever	48,170	82,358	119,445	137,012	108,199	85,582	84,621	91,311	81,641	84,406	102,572
Small-pox	51	262	243	311	967	2,477	3,757	5,359	10,141	14,764	12,418
Trench Fever	—	99	39	15	6	3	3	4	2	2	†
Tuberculosis of Respiratory System ..	72,675	65,108	61,468	59,131	55,664	56,802	57,503	58,299	55,980	53,818	52,837
Tuberculosis (other forms)	19,373	16,804	15,843	15,643	16,164	18,474	18,698	19,204	18,587	17,684	17,955
Typhus Fever	8	2	—	3	13	—	8	—	1	1	3

§ Notifiable since 1st January, 1919.

|| Notifiable since 1st March, 1919.

* Notifiable since 1st October, 1926.

† Not notifiable after 31st December, 1927.

TABLE 27—continued.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1918-1928. ENGLAND AND WALES.

(b) Non-Civilians (including cases in Port Sanitary Districts).
The figures for the Years 1920-1925 are not available.

Diseases.	Cases Notified.				
	1918.	1919.*	1926.	1927.	1928.
Cerebro-spinal Fever	578	106	9	2	1
Continued Fever	1	—	—	—	—
Diphtheria (including Membranous Croup) ..	1,618	677	52	183	88
Dysentery	—	†	35	25	45
Encephalitis Lethargica (Acute)	—	11	4	4	1
Enteric Fever	425	467	18	13	46
Erysipelas	384	99	8	4	5
Pneumonia (Acute Primary and Acute Influenzal) ..	—	†	40	58	59
Polio-myelitis (Acute)	8	1	1	2	4
Relapsing Fever	—	—	—	1	—
Scarlet Fever	1,457	402	38	102	33
Small-pox	2	67	—	—	—
Tuberculosis of Respiratory System ..	4,124	1,338	—	—	—
Tuberculosis (other forms)	149	99	154	120	163
Typhus Fever	1	151	—	—	—

* The figures for 1919 include the following convalescent cases:—Cerebro-spinal Fever, 1; Diphtheria, 8; Enteric Fever, 64; Scarlet Fever, 1; Small-pox, 50; and Typhus Fever, 149. Three convalescent cases of Cholera were also notified.
† The figures for 1919 are not available.

TABLE 27—*continued*.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1918-1928. ENGLAND AND WALES.
(c) Civilians in Port Sanitary Districts.

Diseases.	Cases Notified.										
	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.
Cerebro-spinal Fever	—	5	2	—	—	1	—	—	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	2	—	5	8	3	4	1	1	4	1	1
Diphtheria (including Membranous Croup)	35	75	74	54	81	56	32	36	35	38	25
Dysentery	—	19	84	30	32	26	32	52	44	35	32
Encephalitis Lethargica (Acute)	—	—	1	—	3	2	3	1	—	3	1
Enteric Fever	74	139	115	59	49	72	70	76	74	64	97
Erysipelas	8	11	22	11	14	14	11	14	16	13	10
Ophthalmia Neonatorum	—	—	2	1	1	—	—	—	—	—	—
Plague	5	11	2	—	—	—	—	—	—	—	—
Pneumonia (Acute Primary and Acute Influenzal)	—	197	174	86	78	81	71	84	84	87	92
Polio-encephalitis (Acute)	—	—	—	—	—	—	—	—	—	1	—
Poliomylitis (Acute)	—	—	—	—	—	—	—	—	1	—	—
Puerperal Fever	—	—	—	—	—	1	—	—	—	—	—
Puerperal Pyrexia	—	—	—	—	—	—	—	—	—	1	1
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	10	40	45	61	43	1	33	51	31	44	39
Small-pox	12	32	20	4	6	21	8	6	5	3	2
Tuberculosis of Respiratory System	66	121	187	168	134	205	234	246	232	230	210
Tuberculosis (other forms)	18	17	8	10	14	20	13	24	21	13	22
Typhus Fever	—	1	2	—	—	1	—	—	—	1	—

See footnotes to page 451.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population.

(Excluding cases among non-civilians)

Cases of Membranous Croup are included under the heading of Diphtheria.

For the populations of the several areas see Table 14.

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BEDFORD* ..	83	0·39	672	3·17	447	2·11	23	0·11	6	0·03	17	0·08	51	0·24
AGGREGATE OF U.Ds.§	82	0·61	457	3·42	325	2·43	5	0·04	4	0·03	10	0·07	30	0·22
AGGREGATE OF R.Ds.§	1	0·01	215	2·74	122	1·56	18	0·23	2	0·03	7	0·09	21	0·27
URBAN DISTRICTS :														
Amptill ..	—	—	7	3·14	—	—	—	—	—	—	1	0·45	—	—
Bedford M.B. ..	67	1·60	141	3·37	28	0·67	2	0·05	1	0·02	1	0·02	7	0·17
Biggleswade ..	—	—	2	0·33	—	—	—	—	—	—	1	0·16	—	—
Dunstable M.B. ..	—	—	38	4·34	67	7·65	—	—	1	0·11	—	—	3	0·34
Kempston ..	—	—	24	4·77	4	0·80	—	—	—	—	—	—	3	0·60
Leighton Buzzard	—	—	28	4·38	17	2·66	—	—	—	—	1	0·16	1	0·16
Luton M.B.§ ..	15	0·25	208	3·45	209	3·47	2	0·03	—	—	6	0·10	16	0·27
Sandy ..	—	—	9	2·83	—	—	1	0·31	2	0·03	—	—	—	—
RURAL DISTRICTS :														
Amptill ..	—	—	48	2·49	6	0·31	—	—	—	—	1	0·05	5	0·26
Bedford ..	—	—	68	3·32	19	0·93	—	—	—	—	1	0·05	2	0·10
Biggleswade ..	—	—	53	2·80	11	0·58	14	0·74	2	0·11	3	0·16	9	0·48
Eaton Bray ..	—	—	4	1·06	8	2·12	1	0·26	—	—	1	0·26	—	—
Eaton Socon ..	—	—	2	0·62	6	1·85	—	—	—	—	1	0·31	3	0·93
Luton§ ..	1	0·08	40	3·15	72	5·68	3	0·24	—	—	—	—	2	0·16
BERKS† ..	10	0·03	512	1·64	290	0·93	33	0·11	13	0·04	21	0·07	55	0·18
READING C.B. ..	2	0·02	147	1·52	136	1·40	13	0·13	3	0·03	4	0·04	19	0·20
AGGREGATE OF U.Ds.	7	0·10	122	1·71	63	0·88	10	0·14	4	0·06	4	0·06	14	0·20
AGGREGATE OF R.Ds.	1	0·01	243	1·70	91	0·64	10	0·07	6	0·04	13	0·09	22	0·15
URBAN DISTRICTS :														
Abingdon M.B. ..	—	—	8	1·08	3	0·41	—	—	—	—	—	—	2	0·27
Maidenhead M.B. ..	7	0·40	48	2·74	22	1·25	—	—	—	—	3	0·17	3	0·17
Newbury M.B. ..	—	—	8	0·58	3	0·22	—	—	—	—	—	—	1	0·07
New Windsor M.B. ..	—	—	45	2·39	19	1·01	9	0·48	2	0·11	—	—	5	0·27
Wallingford M.B. ..	—	—	1	0·35	1	0·35	—	—	—	—	1	0·35	1	0·35
Wantage ..	—	—	1	0·25	—	—	—	—	1	0·25	—	—	—	—
Wokingham M.B. ..	—	—	11	1·55	15	2·12	1	0·14	1	0·14	—	—	2	0·28
RURAL DISTRICTS :														
Abingdon ..	—	—	12	0·99	—	—	1	0·08	—	—	3	0·25	2	0·16
Bradfield ..	1	0·07	16	1·11	1	0·07	1	0·07	1	0·07	1	0·07	7	0·48
Cookham ..	—	—	40	2·63	31	2·04	—	—	—	—	3	0·20	—	—
Easthampstead ..	—	—	28	1·51	10	0·54	—	—	—	—	—	—	—	—
Faringdon (part of)† ..	—	—	6	0·59	1	0·10	—	—	1	0·10	1	0·10	—	—
Hungerford ..	—	—	1	0·11	1	0·11	—	—	1	0·11	—	—	—	—
Newbury ..	—	—	4	0·34	7	0·60	3	0·26	1	0·09	—	—	—	—
Wallingford ..	—	—	20	2·12	2	0·21	—	—	—	—	1	0·11	3	0·32
Wantage ..	—	—	25	2·01	2	0·16	—	—	—	—	2	0·16	3	0·24
Windsor ..	—	—	37	3·55	16	1·53	3	0·29	—	—	2	0·19	3	0·29
Wokingham ..	—	—	54	2·81	20	1·04	2	0·10	2	0·10	—	—	4	0·21

* Administrative County.

† Administrative County with associated County Borough.

‡ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are :—

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BUCKINGHAM* ..	16	0·06	567	2·23	533	2·10	17	0·07	4	0·02	21	0·08	49	0·19
AGGREGATE OF U.Ds.†	14	0·13	244	2·28	306	2·86	9	0·08	2	0·02	12	0·11	24	0·22
AGGREGATE OF R.Ds.†	2	0·01	323	2·19	227	1·54	8	0·05	2	0·01	9	0·06	25	0·17
URBAN DISTRICTS:														
Aylesbury M.B.	12	0·92	57	4·35	1	0·08	—	—	—	—	1	0·08	—	—
Beaconsfield ..	—	—	38	8·81	7	1·62	3	0·70	—	—	—	—	—	—
Bletchley ..	1	0·16	9	1·47	34	5·54	—	—	—	—	—	—	6	0·98
Buckingham M.B.	1	0·34	1	0·34	—	—	—	—	—	—	—	—	2	0·68
Chipping Wycombe M.B.‡	—	—	53	2·09	64	2·52	—	—	1	0·04	2	0·08	5	0·20
Chesham ..	—	—	15	1·69	5	0·56	—	—	—	—	2	0·23	—	—
Eton ..	—	—	4	1·16	1	0·29	3	0·87	—	—	—	—	—	—
Linslade ..	—	—	13	5·70	1	0·44	—	—	—	—	—	—	—	—
Marlow ..	—	—	8	1·53	55	10·48	1	0·19	—	—	2	0·38	2	0·38
Newport Pagnell	—	—	—	—	—	—	—	—	—	—	1	0·25	—	—
Slough ..	—	—	28	1·57	84	4·71	—	—	1	0·06	2	0·11	4	0·22
Wolverton ..	—	—	18	1·33	54	3·98	2	0·15	—	—	2	0·15	5	0·37
RURAL DISTRICTS:														
Amersham ..	1	0·04	61	2·25	46	1·70	2	0·07	2	0·07	1	0·04	3	0·11
Aylesbury ..	—	—	37	2·01	8	0·43	—	—	—	—	1	0·05	4	0·22
Buckingham ..	—	—	3	0·39	5	0·66	—	—	—	—	—	—	1	0·13
Eton ..	—	—	42	1·17	58	1·62	5	0·14	—	—	2	0·06	2	0·06
Hambleton ..	—	—	9	4·65	—	—	—	—	—	—	—	—	—	—
Long Crendon ..	—	—	3	0·79	5	1·32	—	—	—	—	1	0·26	2	0·53
Newport Pagnell	1	0·07	23	1·62	2	0·14	—	—	—	—	3	0·21	5	0·35
Wing ..	—	—	90	16·79	5	0·93	—	—	—	—	—	—	3	0·56
Winslow ..	—	—	8	1·29	—	—	—	—	—	—	1	0·16	—	—
Wycombe‡	—	—	47	1·75	98	3·65	1	0·04	—	—	—	—	5	0·19
CAMBRIDGE* ..	1	00·1	350	2·63	198	1·49	13	0·10	5	0·04	19	0·14	40	0·30
URBAN DISTRICT ..	1	0·02	193	3·17	141	2·32	5	0·08	—	—	10	0·16	18	0·30
AGGREGATE OF R.Ds.	—	—	157	2·17	57	0·79	8	0·11	5	0·07	9	0·12	22	0·30
URBAN DISTRICT:														
Cambridge M.B.	1	0·02	193	3·17	141	2·32	5	0·08	—	—	10	0·16	18	0·30
RURAL DISTRICTS:														
Caxton and Arrington ..	—	—	17	2·25	11	1·46	4	0·53	—	—	2	0·26	—	—
Chesterton ..	—	—	51	1·98	25	0·97	1	0·04	2	0·08	3	0·12	11	0·43
Linton ..	—	—	12	1·26	11	1·16	—	—	—	—	1	0·11	2	0·21
Melbourn ..	—	—	2	0·25	6	0·74	1	0·12	—	—	—	—	1	0·12
Newmarket ..	—	—	68	3·58	4	0·21	2	0·11	2	0·11	3	0·16	8	0·42
Swavesey ..	—	—	7	2·73	—	—	—	—	1	0·39	—	—	—	—
CHESTER † ..	112	0·10	2,485	2·28	1,111	1·02	64	0·06	52	0·05	151	0·14	421	0·39
BIRKENHEAD C.B.‡	—	—	595	3·77	142	0·90	9	0·06	12	0·08	31	0·20	79	0·50
CHESTER C.B. ..	1	0·02	40	0·98	46	1·13	2	0·05	3	0·07	4	0·10	15	0·37
STOCKPORT C.B. ..	11	0·09	270	2·12	191	1·50	8	0·06	11	0·09	21	0·16	59	0·46
WALLASEY C.B.‡	—	—	139	1·40	92	0·93	6	0·06	1	0·01	12	0·12	30	0·30
AGGREGATE OF U.Ds.	95	0·21	997	2·18	460	1·01	28	0·06	19	0·04	64	0·14	164	0·36
AGGREGATE OF R.Ds.†	5	0·02	444	2·12	180	0·86	11	0·05	6	0·03	19	0·09	74	0·35
URBAN DISTRICTS:														
Alderley Edge ..	—	—	5	1·63	—	—	—	—	—	—	—	—	1	0·33
Alsager ..	—	—	7	2·46	2	0·70	—	—	—	—	1	0·35	1	0·35
Altrincham ..	—	—	49	2·25	7	0·32	—	—	1	0·05	2	0·09	8	0·37
Ashton upon Mersey ..	—	—	10	1·23	5	0·61	—	—	—	—	—	—	4	0·49
Bebington and Bromborough..	—	—	81	3·41	46	1·94	—	—	1	0·04	5	0·21	13	0·55

* Administrative County.

† Administrative County with associated County Boroughs.

‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CHESTER—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Bollington ..	-	-	1	0·19	3	0·56	1	0·19	-	-	-	-	4	0·75
Bowdon ..	-	-	2	0·67	-	-	-	-	-	-	1	0·34	-	-
Bredbury and Romiley ..	-	-	26	2·59	33	3·29	-	-	-	-	-	-	4	0·40
Buglawton ..	-	-	4	2·14	4	2·14	-	-	-	-	2	1·07	1	0·53
Cheadle and Gatley ..	-	-	42	2·83	3	0·20	-	-	-	-	4	0·27	6	0·40
Compstall ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congleton M.B. ..	3	0·25	13	1·08	21	1·75	1	0·08	2	0·17	4	0·33	6	0·50
Crewe M.B. ..	-	-	65	1·37	92	1·93	2	0·04	2	0·04	5	0·11	8	0·17
Dukinfield M.B. ..	2	0·10	18	0·93	12	0·62	7	0·36	1	0·05	7	0·36	12	0·62
Ellesmere Port and Whitby ..	85	4·84	159	9·04	15	0·85	-	-	-	-	3	0·17	3	0·17
Hale ..	-	-	24	2·42	7	0·71	-	-	-	-	1	0·10	3	0·30
Handforth ..	-	-	1	0·91	-	-	-	-	-	-	-	-	1	0·91
Hazel Grove and Bramhall ..	-	-	24	2·02	12	1·01	1	0·08	1	0·08	-	-	4	0·34
Hollingworth ..	-	-	-	-	1	0·43	-	-	-	-	-	-	-	-
Hoole ..	-	-	8	1·39	3	0·52	-	-	2	0·35	1	0·17	2	0·35
Hoylake and West Kirby ..	-	-	30	1·69	35	1·97	1	0·06	-	-	2	0·11	7	0·39
Hyde M.B. ..	-	-	54	1·66	26	0·80	-	-	-	-	3	0·09	9	0·28
Knutsford ..	-	-	13	2·63	4	0·81	-	-	-	-	1	0·20	1	0·20
Lymm ..	-	-	44	7·60	-	-	-	-	-	-	1	0·17	3	0·52
Macclesfield M.B. ..	4	0·11	20	0·57	17	0·49	14	0·40	1	0·03	4	0·11	17	0·49
Marple ..	-	-	6	0·86	-	-	-	-	-	-	1	0·14	-	-
Middlewich ..	-	-	20	3·54	11	1·95	-	-	-	-	1	0·18	1	0·18
Mottram in Longdendale ..	-	-	4	1·44	4	1·44	-	-	1	0·36	-	-	-	-
Nantwich ..	-	-	25	3·50	15	2·10	-	-	-	-	3	0·42	1	0·14
Neston and Parkgate ..	-	-	4	0·73	3	0·55	-	-	-	-	3	0·55	-	-
Northwich ..	-	-	38	2·01	22	1·17	1	0·05	1	0·05	2	0·11	2	0·11
Runcorn ..	-	-	33	1·76	15	0·80	-	-	1	0·05	2	0·11	10	0·53
Sale ..	-	-	20	1·22	11	0·67	-	-	-	-	-	-	3	0·18
Sandbach ..	1	0·16	3	0·49	2	0·33	-	-	-	-	-	-	1	0·16
Stalybridge M.B. ..	-	-	80	3·25	7	0·28	-	-	4	0·16	3	0·12	12	0·49
Tarporley ..	-	-	5	2·06	-	-	-	-	-	-	-	-	-	-
Wilmslow ..	-	-	26	2·76	4	0·42	-	-	-	-	-	-	2	0·21
Winsford ..	-	-	28	2·48	17	1·50	-	-	1	0·09	2	0·18	14	1·24
Yearsley cum Whaley ..	-	-	5	3·09	1	0·62	-	-	-	-	-	-	-	-
RURAL DISTRICTS :														
Bucklow ..	-	-	45	1·82	20	0·81	-	-	-	-	1	0·04	9	0·36
Chester ..	-	-	37	2·37	6	0·38	1	0·06	-	-	-	-	9	0·58
Congleton ..	4	0·30	22	1·66	3	0·23	-	-	1	0·08	5	0·38	8	0·60
Disley ..	-	-	11	3·56	2	0·65	-	-	-	-	-	-	2	0·65
Macclesfield ..	-	-	58	3·00	5	0·26	-	-	1	0·05	1	0·05	1	0·05
Malpas ..	-	-	1	0·23	4	0·90	-	-	-	-	-	-	1	0·23
Nantwich ..	-	-	46	1·74	48	1·82	2	0·08	-	-	1	0·04	6	0·23
Northwich ..	-	-	83	3·16	28	1·07	6	0·23	4	0·15	5	0·19	11	0·42
Runcorn ..	1	0·03	58	1·90	23	0·75	-	-	-	-	4	0·13	18	0·59
Tarvin ..	-	-	8	0·59	10	0·74	-	-	-	-	1	0·07	1	0·07
Tintwistle ..	-	-	11	5·35	-	-	-	-	-	-	-	-	1	0·49
Wirral† ..	-	-	64	2·09	31	1·01	2	0·07	-	-	1	0·03	7	0·23
CORNWALL* ..	1	0·00	389	1·22	155	0·49	20	0·06	9	0·03	30	0·09	46	0·14
AGGREGATE OF U.Ds.	1	0·01	124	0·87	85	0·60	16	0·11	8	0·06	13	0·09	25	0·18
AGGREGATE OF R.Ds.	-	-	265	1·51	70	0·40	4	0·02	1	0·01	17	0·10	21	0·12
URBAN DISTRICTS :														
Bodmin M.B. ..	-	-	-	-	-	-	7	1·39	-	-	1	0·20	-	-
Callington ..	-	-	5	2·68	-	-	-	-	-	-	-	-	-	-
Camborne ..	-	-	11	0·76	16	1·10	-	-	1	0·07	1	0·07	3	0·21
Falmouth M.B. ..	-	-	9	0·66	4	0·29	1	0·07	1	0·07	2	0·15	-	-
Powey M.B. ..	-	-	2	0·95	-	-	1	0·47	-	-	-	-	-	-

* Administrative County.

† Rates adjusted to allow for change in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CORNWALL—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Hayle	-	-	-	-	1	1·05	-	-	-	-	-	-	-	-
Helston M.B. ..	-	-	14	5·34	-	-	-	-	-	-	-	-	-	-
Launceston M.B. ..	-	-	11	2·77	1	0·25	-	-	1	0·25	1	0·25	1	0·25
Liskeard M.B. ..	-	-	4	0·96	1	0·24	1	0·24	-	-	-	-	3	0·72
Looe	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lostwithiel M.B. ..	-	-	6	4·59	-	-	-	-	-	-	-	-	-	-
Ludgvan	-	-	3	1·62	-	-	-	-	-	-	-	-	1	0·54
Madron	-	-	11	3·18	-	-	1	0·29	-	-	-	-	-	-
Newquay	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Padstow	-	-	-	-	1	0·59	-	-	-	-	-	-	-	-
Paul	-	-	2	0·37	4	0·73	1	0·18	1	0·18	-	-	-	-
Penryn M.B. ..	-	-	1	0·32	15	4·79	1	0·32	-	-	1	0·32	-	-
Penzance M.B. ..	1	0·09	7	0·61	11	0·96	3	0·26	-	-	-	-	-	-
Phillack	-	-	7	2·18	1	0·31	-	-	-	-	-	-	1	0·31
Redruth	-	-	1	0·11	13	1·47	-	-	1	0·11	3	0·34	8	0·91
St. Austell	-	-	2	0·24	-	-	-	-	-	-	2	0·24	-	-
St. Ives M.B. ..	-	-	2	0·30	1	0·15	-	-	-	-	-	-	1	0·15
St. Just	-	-	6	1·17	-	-	-	-	1	0·20	1	0·20	1	0·20
Saltash M.B. ..	-	-	1	0·29	-	-	-	-	-	-	-	-	1	0·29
Stratton and Bude ..	-	-	15	4·23	-	-	-	-	-	-	1	0·28	-	-
Torpoint	-	-	2	0·48	2	0·48	-	-	-	-	-	-	-	-
Truro M.B. ..	-	-	2	0·19	14	1·33	-	-	1	0·10	-	-	-	-
Wadebridge	-	-	-	-	-	-	-	-	1	0·41	-	-	5	2·07
RURAL DISTRICTS:														
Bodmin	-	-	10	0·97	1	0·10	-	-	-	-	1	0·10	1	0·10
Calstock	-	-	3	0·66	8	1·76	-	-	-	-	1	0·22	2	0·44
Camelford	-	-	6	0·77	3	0·38	-	-	-	-	-	-	-	-
East Kerrier	-	-	12	1·30	2	0·22	1	0·11	-	-	-	-	1	0·11
Helston	-	-	1	0·06	4	0·24	-	-	-	-	-	-	1	0·06
Holsworthy (part of)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Launceston	-	-	72	10·18	-	-	-	-	-	-	1	0·14	1	0·14
Liskeard	-	-	14	0·95	3	0·20	1	0·07	-	-	4	0·27	2	0·14
Redruth	-	-	16	0·92	25	1·43	-	-	-	-	1	0·06	-	-
St. Austell	-	-	50	1·87	-	-	-	-	-	-	3	0·11	3	0·11
St. Columb Major ..	-	-	10	0·81	5	0·41	1	0·08	-	-	-	-	1	0·08
St. Germans	-	-	3	0·26	8	0·70	-	-	-	-	3	0·26	3	0·26
Scilly, Isles of ..	-	-	-	-	-	-	-	-	-	-	-	-	2	1·11
Stratton	-	-	40	7·72	-	-	-	-	-	-	-	-	1	0·19
Truro	-	-	5	0·26	7	0·36	1	0·05	-	-	1	0·05	3	0·15
West Penwith	-	-	23	2·18	4	0·38	-	-	1	0·09	2	0·19	-	-
CUMBERLAND† ..														
CARLISLE C.B. ..	-	-	71	1·26	70	1·25	-	-	2	0·04	9	0·16	31	0·55
AGGREGATE OF U.Ds.														
AGGREGATE OF R.Ds.	-	-	76	0·65	122	1·04	3	0·03	5	0·04	16	0·14	51	0·44
AGGREGATE OF R.Ds.	-	-	109	1·16	57	0·61	9	0·10	-	-	14	0·15	30	0·32
URBAN DISTRICTS:														
Arlecdon and Frizington	-	-	3	0·63	12	2·51	-	-	-	-	1	0·21	2	0·42
Aspatria	-	-	4	1·13	-	-	-	-	-	-	1	0·28	6	1·70
Cleator Moor	-	-	3	0·41	14	1·89	-	-	-	-	-	-	1	0·14
Cockermouth	-	-	5	1·07	-	-	1	0·21	2	0·43	-	-	-	-
Egremont	-	-	6	0·96	48	7·68	-	-	-	-	-	-	2	0·32
Harrington	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holme Cultram	-	-	2	0·40	-	-	-	-	-	-	-	-	3	0·60
Keswick	-	-	-	-	7	1·72	-	-	-	-	1	0·25	3	0·74
Maryport	-	-	5	0·46	1	0·09	1	0·09	-	-	2	0·18	2	0·18
Millom	-	-	12	1·61	14	1·88	-	-	-	-	-	-	10	1·34
Penrith	-	-	8	1·00	14	1·75	-	-	-	-	1	0·12	2	0·25
Whitehaven M.B. ..	-	-	13	0·61	8	0·38	-	-	2	0·09	6	0·28	8	0·38
Wigton	-	-	1	0·27	1	0·27	-	-	1	0·27	-	-	2	0·55
Workington M.B. ..	-	-	14	0·54	3	0·12	1	0·04	-	-	4	0·16	10	0·39

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.

† Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CUMBERLAND — <i>cont.</i>														
RURAL DISTRICTS:														
Alston with Garrigill	—	—	—	—	—	—	—	—	—	—	—	—	1	0·37
Bootle	—	—	11	1·90	4	0·69	—	—	—	—	1	0·17	2	0·34
Brampton	—	—	22	2·85	—	—	—	—	—	—	—	—	2	0·26
Carlisle	—	—	16	1·36	14	1·19	—	—	—	—	—	—	2	0·17
Cockermouth	—	—	17	0·77	2	0·09	6	0·27	—	—	2	0·09	7	0·32
Longtown	—	—	12	1·97	9	1·48	—	—	—	—	—	—	7	1·15
Penrith	—	—	9	0·77	10	0·85	3	0·26	—	—	3	0·26	1	0·09
Whitehaven	—	—	12	0·81	12	0·81	—	—	—	—	6	0·40	3	0·20
Wigton	—	—	10	0·91	6	0·55	—	—	—	—	2	0·18	5	0·45
DERBY*	821	1·08	1,517	1·99	1,103	1·45	31	0·04	47	0·06	137	0·18	271	0·36
DERBY C.B.†	212	1·53	284	2·04	394	2·84	8	0·06	21	0·15	61	0·44	52	0·37
AGGREGATE OF U.Ds.†	355	1·10	509	1·58	377	1·17	15	0·05	13	0·04	40	0·12	99	0·31
AGGREGATE OF R.Ds.†	254	0·84	724	2·40	332	1·10	8	0·03	13	0·04	36	0·12	120	0·40
URBAN DISTRICTS:														
Alfreton	130	5·99	28	1·29	13	0·60	1	0·05	2	0·09	—	—	5	0·23
Alvaston and Boulton†	4	1·74	6	2·61	3	1·30	—	—	—	—	1	0·43	—	—
Ashbourne	1	0·22	1	0·22	—	—	—	—	—	—	2	0·44	1	0·22
Bakewell	—	—	8	2·53	—	—	—	—	—	—	2	0·63	—	—
Baslow and Bubenell	—	—	3	3·48	—	—	1	1·16	—	—	—	—	—	—
Belper	36	2·75	21	1·60	3	0·23	—	—	—	—	2	0·15	4	0·31
Bolsover	78	6·08	29	2·26	14	1·09	—	—	1	0·08	3	0·23	6	0·47
Bonsall	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brampton and Walton	—	—	2	0·89	2	0·89	—	—	—	—	1	0·45	—	—
Buxton M.B.	—	—	22	1·26	10	0·57	1	0·06	—	—	1	0·06	1	0·06
Chesterfield M.B. ..	11	0·17	106	1·62	143	2·18	2	0·03	4	0·06	9	0·14	18	0·27
Clay Cross	1	0·11	19	2·16	14	1·59	1	0·11	1	0·11	3	0·34	1	0·11
Dronfield	—	—	12	2·67	1	0·22	1	0·22	—	—	2	0·45	1	0·22
Glossop M.B.	—	—	25	1·27	6	0·31	—	—	2	0·10	2	0·10	5	0·25
Heage	2	0·45	2	0·45	3	0·67	—	—	—	—	—	—	1	0·22
Heanor	40	1·76	59	2·59	38	1·67	6	0·26	—	—	3	0·13	15	0·66
Ilkeston M.B.	34	1·03	45	1·36	8	0·24	1	0·03	2	0·06	5	0·15	11	0·33
Long Eaton	2	0·09	35	1·62	27	1·25	—	—	—	—	—	—	7	0·32
New Mills	—	—	17	1·90	11	1·23	—	—	—	—	—	—	7	0·78
North Darley	—	—	11	2·69	5	1·22	—	—	—	—	—	—	—	—
Ripley	15	1·07	32	2·29	5	0·36	—	—	—	—	3	0·21	9	0·64
South Darley	—	—	4	6·05	1	1·51	—	—	—	—	—	—	—	—
Swadlincote District	—	—	14	0·66	63	2·95	—	—	1	0·05	1	0·05	6	0·28
The Matlocks	—	—	5	0·51	6	0·61	—	—	—	—	—	—	1	0·10
Wirksworth	1	0·25	3	0·76	1	0·25	1	0·25	—	—	—	—	—	—
RURAL DISTRICTS:														
Ashbourne	—	—	29	2·74	3	0·28	1	0·09	—	—	1	0·09	2	0·19
Bakewell	—	—	33	1·75	4	0·21	1	0·05	—	—	5	0·27	4	0·21
Belper†	18	0·72	25	1·00	7	0·28	—	—	—	—	4	0·16	14	0·56
Blackwell	101	2·26	117	2·62	52	1·16	1	0·02	2	0·04	11	0·25	26	0·58
Chapel en le Frith ..	—	—	56	3·40	23	1·39	—	—	—	—	—	—	2	0·12
Chesterfield	101	1·19	171	2·01	143	1·68	2	0·02	6	0·07	7	0·08	25	0·29
Clowne	—	—	40	2·13	7	0·37	1	0·05	2	0·11	3	0·16	9	0·48
Glossop Dale	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hartshorn and Seals	—	—	24	2·73	41	4·66	—	—	1	0·11	1	0·11	12	1·36
Hayfield	—	—	7	1·61	1	0·23	—	—	—	—	2	0·46	2	0·46

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DERBY—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Norton	—	—	16	3·03	—	—	1	0·19	—	—	—	—	—	—
Repton	—	—	29	1·58	10	0·54	1	0·05	1	0·05	—	—	3	0·16
Shardlow§ ..	34	0·92	169	4·56	38	1·03	—	—	1	0·03	2	0·05	19	0·51
Sudbury	—	—	3	1·17	1	0·39	—	—	—	—	—	—	1	0·39
Codnor Park and Shipley (parishes) *	—	—	5	2·81	2	1·12	—	—	—	—	—	—	1	0·56
DEVON†	32	0·05	714	1·02	826	1·19	62	0·09	29	0·04	112	0·16	213	0·31
EXETER C.B. ..	—	—	32	0·52	59	0·96	8	0·13	3	0·05	13	0·21	20	0·32
PLYMOUTH C.B. ..	28	0·14	167	0·86	423	2·17	6	0·03	9	0·05	49	0·25	67	0·34
AGGREGATE OF U.Ds.§	4	0·02	261	1·21	104	0·48	37	0·17	5	0·02	32	0·15	68	0·31
AGGREGATE OF R.Ds.§	—	—	254	1·13	240	1·07	11	0·05	12	0·05	18	0·08	58	0·26
URBAN DISTRICTS:														
Ashburton	—	—	8	3·27	—	—	—	—	1	0·41	1	0·41	3	1·23
Axminster	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bampton	—	—	1	0·69	—	—	1	0·69	—	—	—	—	—	—
Barnstaple M.B. ..	4	0·28	45	3·16	17	1·19	13	0·91	—	—	4	0·28	7	0·49
Bideford M.B. ..	—	—	2	0·22	4	0·44	—	—	—	—	—	—	2	0·22
Brixham	—	—	3	0·37	19	2·37	3	0·37	—	—	—	—	5	0·62
Buckfastleigh ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Budleigh Salterton ..	—	—	2	0·70	—	—	6	2·09	—	—	—	—	—	—
Crediton	—	—	1	0·29	—	—	—	—	—	—	4	1·15	2	0·57
Dartmouth M.B. ..	—	—	36	5·52	—	—	—	—	—	—	—	—	2	0·31
Dawlish	—	—	2	0·45	—	—	—	—	—	—	—	—	—	—
Exmouth	—	—	10	0·70	5	0·35	1	0·07	1	0·07	4	0·28	5	0·35
Great Torrington M.B. ..	—	—	—	—	—	—	1	0·33	—	—	—	—	—	—
Holsworthy	—	—	2	1·40	—	—	—	—	—	—	1	0·70	1	0·70
Honiton M.B. ..	—	—	4	1·29	—	—	1	0·32	—	—	—	—	2	0·65
Ilfracombe	—	—	3	0·33	6	0·66	2	0·22	1	0·11	—	—	1	0·11
Ivybridge	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingsbridge	—	—	2	0·71	2	0·71	—	—	1	0·35	—	—	3	1·06
Lynton	—	—	—	—	2	1·22	1	0·61	—	—	—	—	1	0·61
Newton Abbot ..	—	—	17	1·16	17	1·16	—	—	—	—	2	0·14	1	0·07
Northam	—	—	11	1·88	—	—	—	—	—	—	—	—	4	0·68
Okehampton M.B. ..	—	—	1	0·30	—	—	—	—	—	—	2	0·60	1	0·30
Ottery St. Mary ..	—	—	4	1·12	—	—	—	—	1	0·28	1	0·28	7	1·96
Paignton	—	—	12	0·72	1	0·06	1	0·06	—	—	—	—	7	0·42
Salcombe	—	—	—	—	—	—	2	0·92	—	—	—	—	—	—
Seaton	—	—	2	1·01	1	0·50	—	—	—	—	—	—	—	—
Sidmouth	—	—	6	1·10	—	—	—	—	—	—	—	—	—	—
South Molton M.B. ..	—	—	1	0·38	—	—	—	—	—	—	1	0·38	—	—
Tavistock	—	—	10	2·30	—	—	—	—	—	—	1	0·23	—	—
Teignmouth	—	—	5	0·51	1	0·10	—	—	—	—	1	0·10	2	0·20
Tiverton M.B. ..	—	—	9	0·98	20	2·18	1	0·11	—	—	3	0·33	5	0·55
Torquay M.B.§ ..	—	—	58	1·52	7	0·18	4	0·10	—	—	6	0·16	7	0·18
Totnes M.B. ..	—	—	4	0·98	2	0·49	—	—	—	—	1	0·24	—	—
RURAL DISTRICTS:														
Axminster	—	—	2	0·19	4	0·38	1	0·10	—	—	—	—	3	0·29
Barnstaple	—	—	23	1·25	20	1·08	—	—	2	0·11	2	0·11	3	0·16
Bideford	—	—	3	0·51	2	0·34	2	0·34	—	—	—	—	1	0·17
Broadwood Widger ..	—	—	2	0·92	1	0·46	—	—	—	—	—	—	1	0·46
Crediton	—	—	1	0·10	1	0·10	—	—	1	0·10	—	—	4	0·39
Culmstock	—	—	—	—	12	3·75	—	—	—	—	—	—	—	—
Holsworthy (part of)†	—	—	8	1·17	15	2·20	—	—	1	0·15	2	0·29	1	0·15
Honiton	—	—	17	1·83	2	0·22	—	—	—	—	—	—	1	0·11
Kingsbridge	—	—	8	0·71	17	1·50	3	0·27	1	0·09	2	0·18	2	0·18
Newton Abbot§..	—	—	32	1·50	7	0·33	1	0·05	—	—	1	0·05	5	0·23

* These Parishes are administered by the Rural District Council of Basford (Notts).

† Administrative County with associated County Boroughs.

‡ The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures or the entire District are:—

U - | - || 8 | 1·11 || 15 | 2·09 || - | - || 1 | 0·14 || 2 | 0·28 || 1 | 0·14
 § Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DEVON—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Okehampton ..	-	-	16	1·19	2	0·15	1	0·07	-	-	2	0·15	5	0·37
Plympton St. Mary ..	-	-	30	1·21	69	2·78	1	0·04	1	0·04	3	0·12	11	0·44
St. Thomas ..	-	-	29	1·06	38	1·39	-	-	3	0·11	2	0·07	13	0·48
South Molton ..	-	-	5	0·50	-	-	1	0·10	-	-	-	-	4	0·40
Tavistock ..	-	-	9	0·58	5	0·32	-	-	2	0·13	1	0·06	1	0·06
Tiverton ..	-	-	18	1·27	41	2·89	-	-	-	-	3	0·21	3	0·21
Torrington ..	-	-	40	4·77	1	0·12	-	-	1	0·12	-	-	-	-
Totnes ..	-	-	11	0·91	3	0·25	1	0·08	-	-	-	-	-	-
DORSET*														
AGGREGATE OF U.Ds.														
AGGREGATE OF R.Ds.														
URBAN DISTRICTS:														
Blandford Forum M.B. ..	1	0·33	2	0·66	-	-	1	0·33	1	0·33	3	0·99	2	0·66
Bridport M.B. ..	-	-	1	0·17	1	0·17	-	-	-	-	-	-	2	0·35
Dorchester M.B. ..	-	-	33	3·43	98	10·18	-	-	1	0·10	-	-	3	0·31
Lyme Regis M.B. ..	-	-	-	-	2	0·84	-	-	-	-	1	0·42	-	-
Poole M.B. ..	1	0·02	73	1·38	45	0·85	-	-	-	-	6	0·11	17	0·32
Portland ..	1	0·10	29	2·87	-	-	-	-	-	-	1	0·10	1	0·10
Shaftesbury M.B. ..	-	-	2	0·78	2	0·78	-	-	-	-	-	-	-	-
Sherborne ..	-	-	16	2·45	1	0·15	-	-	-	-	1	0·15	4	0·61
Swanage ..	-	-	16	2·78	2	0·35	-	-	-	-	1	0·17	3	0·52
Wareham M.B. ..	-	-	-	-	-	-	-	-	-	-	-	-	1	0·47
Weymouth and Melcombe Regis M.B. ..	-	-	9	0·43	-	-	2	0·10	-	-	2	0·10	3	0·14
Wimborne Minster ..	-	-	2	0·54	-	-	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Beaminster ..	-	-	10	1·20	1	0·12	-	-	1	0·12	-	-	2	0·24
Blandford ..	-	-	13	1·66	10	1·28	1	0·13	2	0·26	2	0·26	3	0·38
Bridport ..	-	-	2	0·28	4	0·57	-	-	1	0·14	-	-	-	-
Cerne ..	-	-	7	1·63	13	3·03	-	-	-	-	1	0·23	1	0·23
Dorchester ..	-	-	30	3·43	14	1·60	-	-	-	-	1	0·11	1	0·11
Poole ..	-	-	12	1·07	-	-	-	-	-	-	-	-	3	0·27
Shaftesbury ..	-	-	14	1·47	5	0·53	1	0·11	-	-	3	0·32	4	0·42
Sherborne ..	-	-	7	1·32	2	0·38	-	-	-	-	1	0·19	3	0·56
Sturminster ..	-	-	13	1·65	5	0·63	-	-	-	-	-	-	2	0·25
Wareham and Purbeck ..	-	-	15	1·15	14	1·07	-	-	1	0·08	-	-	1	0·08
Weymouth ..	-	-	8	0·79	2	0·20	-	-	-	-	2	0·20	2	0·20
Wimborne and Cranborne ..	-	-	25	1·56	3	0·19	2	0·13	-	-	2	0·13	1	0·06

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DURHAM*.. ..	2,564	1·69	2,427	1·60	2,260	1·49	65	0·04	94	0·06	211	0·14	803	0·53
DARLINGTON C.B. ..	86	1·20	324	4·53	152	2·12	5	0·07	4	0·06	6	0·08	26	0·36
GATESHEAD C.B. ..	424	3·44	134	1·09	120	0·97	—	—	9	0·07	11	0·09	83	0·67
SOUTH SHIELDS C.B. ..	889	7·30	174	1·43	49	0·40	2	0·02	5	0·04	8	0·07	47	0·39
SUNDERLAND C.B.†	41	0·23	175	0·98	185	1·04	14	0·08	12	0·07	33	0·19	110	0·62
WEST HARTLEPOOL C.B. ..	1	0·01	136	1·95	108	1·55	1	0·01	4	0·06	19	0·27	31	0·44
AGGREGATE OF U.Ds.†	787	1·48	848	1·60	1,080	2·04	15	0·03	24	0·05	83	0·16	310	0·58
AGGREGATE OF R.Ds.†	336	0·80	636	1·52	566	1·35	28	0·07	36	0·09	51	0·12	196	0·47
URBAN DISTRICTS:														
Annfield Plain ..	218	13·98	24	1·54	37	2·37	2	0·13	1	0·06	5	0·32	17	1·09
Barnard Castle ..	—	—	6	1·25	3	0·63	—	—	1	0·21	1	0·21	2	0·42
Benfieldside ..	3	0·34	24	2·76	26	2·99	—	—	1	0·11	7	0·80	8	0·92
Billingham ..	—	—	27	2·31	48	4·11	1	0·09	2	0·17	9	0·77	1	0·09
Bishop Auckland	2	0·16	16	1·24	7	0·54	1	0·08	1	0·08	2	0·16	3	0·23
Blaydon ..	21	0·65	28	0·86	36	1·11	—	—	1	0·03	4	0·12	19	0·59
Brandon and By-	4	0·22	42	2·36	36	2·02	2	0·11	—	—	3	0·17	12	0·67
shotles ..	—	—	21	1·26	11	0·66	—	—	—	—	3	0·18	16	0·96
Chesterle Street..	1	0·06	31	2·42	38	2·97	—	—	1	0·08	1	0·08	8	0·62
Consett ..	—	—	31	2·47	34	2·71	—	—	—	—	2	0·16	3	0·24
Crook ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Durham M.B. ..	6	0·35	19	1·12	20	1·17	—	—	1	0·06	6	0·35	11	0·65
Felling ..	42	1·50	45	1·61	11	0·39	—	—	—	—	—	—	16	0·57
Hartlepool M.B.	—	—	6	0·29	17	0·81	—	—	1	0·05	—	—	4	0·19
Hebburn ..	69	2·81	25	1·02	32	1·30	2	0·08	1	0·04	4	0·16	22	0·90
Hetton ..	1	0·06	55	3·04	29	1·60	1	0·06	2	0·11	1	0·06	15	0·83
Houghton le Spring	2	0·18	7	0·64	3	0·28	—	—	—	—	2	0·18	8	0·73
Jarrow M.B. ..	214	6·55	37	1·13	25	0·77	—	—	1	0·03	2	0·06	24	0·74
Leadgate.. ..	3	0·48	6	0·96	10	1·59	—	—	—	—	—	—	3	0·48
Ryton ..	—	—	21	1·41	6	0·40	—	—	—	—	3	0·20	2	0·13
Seaham Harbour	74	3·90	26	1·37	11	0·58	1	0·05	2	0·11	6	0·32	9	0·47
Shildon ..	5	0·37	20	1·47	132	9·69	2	0·15	—	—	2	0·15	6	0·44
Southwick on	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wear†† ..	1	0·27	7	1·89	—	—	—	—	—	—	—	—	1	0·27
Spennymoor ..	34	1·96	14	0·81	54	3·11	—	—	2	0·12	—	—	11	0·63
Stanhope ..	—	—	4	2·07	2	1·04	—	—	—	—	—	—	—	—
Stanley ..	53	2·04	23	0·88	159	6·11	—	—	—	—	—	—	15	0·58
Stockton on Tees	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ..	13	0·19	182	2·71	138	2·05	2	0·03	3	0·04	11	0·16	36	0·54
Tanfield ..	11	1·13	30	3·10	23	2·37	—	—	—	—	3	0·31	10	1·03
Tow Law ..	—	—	1	0·26	9	2·32	—	—	—	—	—	—	—	—
Washington ..	1	0·06	15	0·87	11	0·64	—	—	1	0·06	1	0·06	5	0·29
Whickham ..	2	0·09	23	1·08	37	1·73	1	0·05	2	0·09	2	0·09	16	0·75
Willington ..	7	0·70	32	3·22	75	7·55	—	—	—	—	3	0·30	7	0·70
RURAL DISTRICTS:														
Auckland ..	6	0·10	125	2·18	128	2·23	3	0·05	4	0·07	8	0·14	21	0·37
Barnard Castle ..	—	—	41	3·67	7	0·63	—	—	—	—	—	—	3	0·27
Chesterle Street..	34	0·64	35	0·66	34	0·64	2	0·04	5	0·09	7	0·13	16	0·30
Darlington ..	1	0·09	20	1·78	20	1·78	—	—	—	—	—	—	2	0·18
Durham ..	12	0·37	37	1·13	20	0·61	3	0·09	3	0·09	6	0·18	10	0·31
Easington ..	36	0·41	110	1·26	72	0·83	1	0·01	11	0·13	10	0·11	46	0·53
Hartlepool ..	1	0·23	8	1·82	6	1·37	—	—	5	1·14	1	0·23	2	0·46
Houghton le Spring†	6	0·21	35	1·21	11	0·38	1	0·03	1	0·03	2	0·07	20	0·69
Lanchester ..	23	0·65	44	1·24	126	3·54	2	0·06	3	0·08	6	0·17	19	0·53
Sedgefield ..	102	2·83	26	0·72	64	1·78	13	0·36	—	—	1	0·03	14	0·39
South Shields ..	103	4·97	32	1·54	17	0·82	—	—	2	0·10	1	0·05	19	0·92
Stockton ..	—	—	9	1·45	4	0·64	—	—	—	—	2	0·32	—	—
Sunderland† ..	11	0·43	36	1·42	47	1·85	1	0·04	2	0·08	5	0·20	23	0·91
Weardale ..	1	0·11	78	8·35	10	1·07	2	0·21	—	—	2	0·21	1	0·11

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year

‡ Abolished 1st April, 1928.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ELY, ISLE OF* ..	11	0·14	117	1·50	254	3·27	16	0·21	3	0·04	9	0·12	20	0·26
AGGREGATE OF U.Ds.	2	0·05	43	1·00	201	4·69	5	0·12	2	0·05	3	0·07	10	0·23
AGGREGATE OF R.Ds.	9	0·26	74	2·12	53	1·52	11	0·32	1	0·03	6	0·17	10	0·29
URBAN DISTRICTS:														
Chatteris ..	—	—	4	0·78	2	0·39	2	0·39	—	—	—	—	—	—
Ely ..	1	0·13	14	1·80	19	2·44	—	—	—	—	2	0·26	6	0·77
March ..	—	—	5	0·49	3	0·29	—	—	1	0·10	1	0·10	—	—
Whittlesey ..	—	—	—	—	135	16·92	—	—	1	0·13	—	—	—	—
Wisbech M.B. ..	1	0·08	20	1·70	42	3·57	3	0·25	—	—	—	—	4	0·34
RURAL DISTRICTS:														
Ely ..	—	—	29	2·17	43	3·22	5	0·37	—	—	3	0·22	6	0·45
North Witchford ..	9	1·77	11	2·17	—	—	1	0·20	1	0·20	1	0·20	2	0·39
Thorney ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wisbech ..	—	—	34	2·46	10	0·72	5	0·36	—	—	2	0·14	2	0·14
ESSEX† ..	97	0·06	6,596	4·00	3,846	2·33	225	0·14	106	0·06	228	0·14	653	0·40
EAST HAM C.B. ..	16	0·11	837	5·76	679	4·67	6	0·04	5	0·03	13	0·09	59	0·41
SOUTHEND ON SEA C.B. ..	—	—	309	2·78	75	0·67	8	0·07	6	0·05	16	0·14	36	0·32
WEST HAM C.B. ..	64	0·21	1,513	4·93	1,049	3·42	20	0·07	27	0·09	94	0·31	200	0·65
AGGREGATE OF U.Ds.	16	0·02	3,196	4·02	1,698	2·13	155	0·19	58	0·07	87	0·11	293	0·37
AGGREGATE OF R. Ds.	1	0·00	741	2·57	345	1·20	36	0·12	10	0·03	18	0·06	65	0·23
URBAN DISTRICTS:														
Barking Town ..	5	0·12	246	6·02	104	2·54	4	0·10	2	0·05	6	0·15	26	0·64
Braintree ..	—	—	14	1·69	2	0·24	—	—	—	—	—	—	4	0·48
Brentwood ..	—	—	30	3·93	17	2·23	2	0·26	1	0·13	1	0·13	4	0·52
Brightlingsea ..	—	—	4	0·93	2	0·46	—	—	—	—	—	—	1	0·23
Buckhurst Hill ..	—	—	16	2·91	9	1·64	—	—	—	—	1	0·18	4	0·73
Burnham on Crouch ..	—	—	8	2·21	5	1·38	—	—	1	0·28	5	1·38	—	—
Canvey Island ..	—	—	9	1·38	—	—	—	—	—	—	2	0·31	1	0·15
Chelmsford M.B. ..	—	—	54	2·28	48	2·03	9	0·38	4	0·17	5	0·21	4	0·17
Chingford ..	—	—	73	4·96	7	0·48	2	0·14	—	—	3	0·20	10	0·68
Clacton ..	—	—	26	1·70	6	0·39	2	0·13	1	0·07	6	0·39	12	0·79
Colchester M.B. ..	—	—	48	1·07	10	0·22	88	1·96	2	0·04	5	0·11	29	0·65
Dagenham ..	—	—	340	5·04	213	3·16	2	0·03	13	0·19	10	0·15	15	0·22
Epping ..	1	0·19	22	4·10	11	2·05	—	—	—	—	—	—	—	—
Frinton on Sea ..	—	—	6	2·77	—	—	—	—	—	—	—	—	—	—
Grays Thurrock ..	—	—	43	2·38	117	6·47	1	0·06	—	—	1	0·06	8	0·44
Halstead ..	—	—	18	3·06	4	0·68	—	—	—	—	1	0·17	1	0·17
Harwich M.B. ..	—	—	12	1·04	11	0·95	—	—	3	0·26	1	0·09	2	0·17
Hornchurch ..	—	—	41	2·62	17	1·09	1	0·06	1	0·06	2	0·13	5	0·32
Ilford M.B. ..	1	0·01	499	4·40	259	2·28	30	0·26	7	0·06	10	0·09	31	0·27
Leyton M.B. ..	7	0·05	582	4·47	338	2·59	5	0·04	8	0·06	12	0·09	47	0·36
Loughton ..	—	—	9	1·33	1	0·15	—	—	—	—	—	—	1	0·15
Maldon M.B. ..	—	—	42	6·30	6	0·90	1	0·15	—	—	1	0·15	4	0·60
Romford ..	1	0·04	67	2·51	37	1·39	1	0·04	5	0·19	2	0·07	8	0·30
Saffron Walden M.B. ..	—	—	20	3·53	19	3·36	—	—	—	—	—	—	—	—
Shoeburyness ..	—	—	6	1·08	12	2·16	—	—	—	—	—	—	1	0·18
Tilbury ..	—	—	39	2·15	112	6·19	4	0·22	2	0·11	2	0·11	7	0·39
Waltham Holy Cross ..	—	—	20	2·82	4	0·56	—	—	1	0·14	—	—	4	0·56
Walthamstow ..	—	—	750	6·13	276	2·25	1	0·01	5	0·04	7	0·06	47	0·38
Walton on the Naze ..	—	—	9	2·96	—	—	—	—	—	—	—	—	—	—
Wanstead ..	1	0·06	65	3·73	9	0·52	1	0·06	1	0·06	1	0·06	8	0·46
West Mersea ..	—	—	1	0·45	—	—	—	—	—	—	—	—	1	0·45
Witham ..	—	—	9	2·07	6	1·38	—	—	—	—	1	0·23	3	0·69
Wivenhoe ..	—	—	4	1·75	—	—	—	—	—	—	—	—	1	0·44
Woodford ..	—	—	64	2·90	36	1·63	1	0·05	1	0·05	2	0·09	4	0·18

* Administrative County.

† Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small- pox.		Scarlet fever.		Diph- theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery- sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ESSEX—cont.														
RURAL DISTRICTS:														
Belchamp ..	-	-	2	0·48	-	-	-	-	-	-	-	-	-	-
Billericay ..	-	-	82	2·35	18	0·52	3	0·09	2	0·06	3	0·09	7	0·20
Braintree ..	-	-	87	4·32	5	0·25	-	-	1	0·05	2	0·10	5	0·25
Bumpstead ..	-	-	5	2·19	-	-	1	0·44	-	-	-	-	-	-
Chelmsford ..	-	-	56	1·99	47	1·67	1	0·04	1	0·04	1	0·04	4	0·14
Dunmow ..	-	-	45	2·93	1	0·07	1	0·07	-	-	1	0·07	6	0·39
Epping ..	-	-	43	2·60	27	1·63	3	0·18	-	-	1	0·06	10	0·60
Halstead ..	-	-	40	4·04	12	1·21	-	-	-	-	-	-	-	-
Lexden and Wins- tree ..	1	0·05	22	1·21	6	0·33	1	0·05	1	0·05	2	0·11	4	0·22
Maldon ..	-	-	31	1·87	6	0·36	4	0·24	1	0·06	-	-	4	0·24
Ongar ..	-	-	45	4·35	14	1·35	-	-	-	-	1	0·10	4	0·39
Orsett ..	-	-	71	2·66	118	4·42	4	0·15	-	-	1	0·04	4	0·15
Rochford ..	-	-	50	1·60	19	0·61	11	0·35	3	0·10	2	0·06	6	0·19
Romford ..	-	-	66	4·82	51	3·73	5	0·37	1	0·07	2	0·15	2	0·15
Saffron Walden ..	-	-	20	2·08	7	0·73	-	-	-	-	-	-	1	0·10
Stansted ..	-	-	29	4·24	9	1·32	-	-	-	-	2	0·29	2	0·29
Tendring ..	-	-	47	2·00	5	0·21	2	0·09	-	-	-	-	6	0·26
GLOUCESTER* ..	63	0·08	2,050	2·62	849	1·09	76	0·10	45	0·06	106	0·14	210	0·27
BRISTOL C.B. ..	51	0·13	1,211	3·10	599	1·53	44	0·11	26	0·07	51	0·13	119	0·30
GLOUCESTER C.B. ..	2	0·04	174	3·33	54	1·03	-	-	4	0·08	20	0·38	19	0·36
AGGREGATE OF U.Ds.	6	0·05	300	2·63	78	0·68	7	0·06	8	0·07	12	0·11	24	0·21
AGGREGATE OF R.Ds.	4	0·02	365	1·63	118	0·53	25	0·11	7	0·03	23	0·10	48	0·21
URBAN DISTRICTS:														
Awre ..	-	-	7	5·76	1	0·82	-	-	-	-	-	-	-	-
Charlton Kings ..	-	-	6	1·31	2	0·44	-	-	2	0·44	2	0·44	-	-
Cheltenham M.B.	-	-	112	2·21	44	0·87	4	0·08	4	0·08	7	0·14	12	0·24
Cirencester ..	-	-	4	0·55	2	0·27	1	0·14	-	-	-	-	-	-
Coleford ..	-	-	9	3·28	1	0·36	-	-	-	-	1	0·36	1	0·36
Kingswood ..	4	0·29	74	5·36	6	0·43	-	-	-	-	1	0·07	3	0·22
Mangotsfield ..	2	0·18	48	4·32	11	0·99	-	-	1	0·09	-	-	1	0·09
Nailsworth ..	-	-	6	1·77	3	0·88	-	-	-	-	-	-	2	0·59
Newnham ..	-	-	2	1·68	-	-	-	-	-	-	1	0·84	1	0·84
Stow on the Wold ..	-	-	1	0·85	-	-	-	-	-	-	-	-	-	-
Stroud ..	-	-	11	1·37	7	0·87	-	-	1	0·12	-	-	4	0·50
Tetbury ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tewkesbury M.B.	-	-	20	4·33	-	-	1	0·22	-	-	-	-	-	-
Westbury on Severn	-	-	-	-	1	0·53	1	0·53	-	-	-	-	-	-
RURAL DISTRICTS:														
Campden ..	-	-	6	1·12	6	1·12	-	-	-	-	1	0·19	-	-
Cheltenham ..	-	-	9	1·53	3	0·51	1	0·17	-	-	-	-	1	0·17
Chipping Sodbury	1	0·04	74	3·10	5	0·21	-	-	2	0·08	-	-	5	0·21
Cirencester ..	-	-	3	0·25	2	0·17	3	0·25	-	-	1	0·08	3	0·25
Dursley ..	-	-	4	0·31	1	0·08	-	-	-	-	1	0·08	4	0·31
East Dean and United Parishes	3	0·14	25	1·20	19	0·91	3	0·14	-	-	5	0·24	4	0·19
Faringdon(part of)†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gloucester ..	-	-	34	2·34	5	0·34	2	0·14	1	0·07	2	0·14	3	0·21
Lydney ..	-	-	7	0·70	6	0·60	3	0·30	1	0·10	4	0·40	2	0·20
Marston Sicca ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
GLOUCESTER—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Newent	—	—	23	3·57	1	0·16	1	0·16	1	0·16	—	—	—	—
Northleach ..	—	—	8	1·10	4	0·55	—	—	—	—	—	—	—	—
Pebworth	—	—	3	0·90	—	—	—	—	—	—	—	—	—	—
Stow on the Wold (part of)*	—	—	2	0·34	—	—	—	—	—	—	—	—	3	0·51
Stroud	—	—	38	1·34	16	0·57	2	0·07	—	—	2	0·07	4	0·14
Tetbury (part of)*	—	—	6	2·08	1	0·35	5	1·74	—	—	1	0·35	3	1·04
Tewkesbury (part of)*	—	—	14	3·11	—	—	3	0·67	—	—	—	—	1	0·22
Thornbury	—	—	28	1·48	21	1·11	1	0·05	1	0·05	2	0·11	4	0·21
Warmley	—	—	24	2·67	6	0·67	—	—	—	—	—	—	3	0·33
West Dean	—	—	27	1·79	3	0·20	—	—	—	—	4	0·27	4	0·27
Wheatenhurst ..	—	—	5	0·80	13	2·09	—	—	—	—	—	—	1	0·16
Winchcomb (part of)*	—	—	25	2·92	6	0·70	1	0·12	1	0·12	—	—	3	0·35
HEREFORD† ..	2	0·02	258	2·30	133	1·19	4	0·04	8	0·07	19	0·17	28	0·25
AGGREGATE OF U.Ds.	—	—	154	3·81	91	2·25	1	0·02	6	0·15	7	0·17	12	0·30
AGGREGATE OF R.Ds.	2	0·03	104	1·45	42	0·59	3	0·04	2	0·03	12	0·17	16	0·22
URBAN DISTRICTS :														
Bromyard	—	—	8	5·12	1	0·64	—	—	1	0·64	—	—	2	1·28
Hereford M.B. ..	—	—	119	5·00	63	2·64	1	0·04	3	0·13	2	0·08	7	0·29
Kington	—	—	1	0·60	—	—	—	—	—	—	—	—	—	—
Ledbury	—	—	11	3·48	2	0·63	—	—	1	0·32	—	—	2	0·63
Leominster M.B.	—	—	11	1·98	6	1·08	—	—	1	0·18	3	0·54	1	0·18
Ross	—	—	4	0·86	19	4·10	—	—	—	—	2	0·43	—	—
RURAL DISTRICTS :														
Bredwardine ..	—	—	—	—	2	1·00	—	—	—	—	—	—	—	—
Bromyard	1	0·13	22	2·91	5	0·66	—	—	1	0·13	—	—	1	0·13
Dore	—	—	15	2·48	—	—	—	—	—	—	3	0·50	5	0·83
Hereford	—	—	36	2·70	2	0·15	—	—	—	—	2	0·15	1	0·08
Kington	—	—	—	—	3	0·64	—	—	—	—	—	—	2	0·42
Ledbury	1	0·11	6	0·66	11	1·21	—	—	—	—	2	0·22	1	0·11
Leominster	—	—	1	0·13	8	1·06	—	—	1	0·13	3	0·40	3	0·40
Ross	—	—	3	0·30	8	0·81	2	0·20	—	—	1	0·10	—	—
Weobley	—	—	17	2·73	2	0·32	1	0·16	—	—	—	—	1	0·16
Whitchurch ..	—	—	2	1·09	1	0·55	—	—	—	—	—	—	—	—
Wigmore	—	—	2	0·58	—	—	—	—	—	—	1	0·29	2	0·58
HERTFORD† ..	33	0·09	848	2·24	466	1·23	59	0·16	15	0·04	30	0·08	116	0·31
AGGREGATE OF U.Ds.†	31	0·12	593	2·24	350	1·32	30	0·11	13	0·05	21	0·08	79	0·30
AGGREGATE OF R.Ds.†	2	0·02	255	2·25	116	1·02	29	0·26	2	0·02	9	0·08	37	0·33
URBAN DISTRICTS :														
Baldock†	—	—	2	0·68	8	2·70	—	—	—	—	—	—	1	0·34
Barnet	14	1·00	42	3·01	25	1·79	—	—	2	0·14	6	0·43	13	0·93
Bishop's Stortford	9	0·94	12	1·25	12	1·25	—	—	—	—	3	0·31	2	0·21
Bushey	—	—	22	2·20	5	0·50	—	—	2	0·20	—	—	2	0·20
Cheshunt	—	—	51	3·54	19	1·32	—	—	1	0·07	1	0·07	3	0·21

* The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury is in the Administrative County of Wilts. The figures for the entire Districts are:—

Stow on the Wold	—	—	4	0·65	—	—	—	—	—	—	—	—	3	0·49
Tetbury	—	—	6	1·86	1	0·31	6	1·86	—	—	1	0·31	3	0·93
Tewkesbury ..	—	—	17	2·58	—	—	3	0·45	—	—	—	—	1	0·15
Winchcomb ..	—	—	25	2·88	6	0·69	1	0·12	1	0·12	—	—	3	0·35

† Rates adjusted to allow for changes in boundary during the year.

‡ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
HERTFORD—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Chorleywood ..	-	-	1	0·32	-	-	-	-	-	-	-	-	1	0·32
East Barnet Valley	-	-	18	1·15	9	0·57	2	0·13	-	-	-	-	2	0·13
Great Berkhamstead ..	-	-	44	5·80	13	1·71	2	0·26	-	-	-	-	3	0·40
Harpenden ..	-	-	5	0·66	10	1·31	1	0·13	-	-	-	-	1	0·13
Hemel Hempstead M.B. ..	-	-	9	0·60	35	2·34	3	0·20	-	-	3	0·20	2	0·13
Hertford M.B. ..	-	-	14	1·23	31	2·73	3	0·26	1	0·09	-	-	1	0·09
Hitchin ..	1	0·07	11	0·81	3	0·22	-	-	-	-	-	-	3	0·22
Hoddesdon ..	-	-	4	0·74	22	4·09	-	-	-	-	-	-	-	-
Letchworth ..	-	-	37	2·86	4	0·31	-	-	-	-	2	0·15	1	0·08
Rickmansworth	-	-	33	3·53	2	0·21	1	0·11	-	-	-	-	1	0·11
Royston ..	-	-	4	1·04	33	8·62	-	-	-	-	1	0·26	-	-
St. Albans M.B. ..	-	-	20	0·73	35	1·28	7	0·26	2	0·07	-	-	12	0·44
Sawbridgeworth	-	-	3	1·18	1	0·39	-	-	-	-	-	-	-	-
Stevenage ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tring ..	-	-	38	9·15	-	-	-	-	-	-	-	-	2	0·48
Ware ..	2	0·32	24	3·86	33	5·31	-	-	-	-	-	-	2	0·32
Watford M.B. ..	5	0·09	183	3·36	43	0·79	9	0·17	5	0·09	4	0·07	27	0·50
Welwyn Garden City ..	-	-	16	2·06	7	0·90	2	0·26	-	-	1	0·13	-	-
RURAL DISTRICTS:														
Ashwell ..	-	-	10	2·87	-	-	1	0·29	-	-	-	-	2	0·57
Barnet ..	-	-	22	4·15	6	1·13	-	-	-	-	-	-	2	0·38
Berkhamstead	-	-	25	4·92	-	-	1	0·20	-	-	1	0·20	3	0·59
Buntingford ..	1	0·21	2	0·42	2	0·42	-	-	-	-	-	-	2	0·42
Hadham ..	-	-	12	2·25	1	0·19	1	0·19	-	-	1	0·19	2	0·37
Hatfield ..	1	0·10	26	2·63	5	0·51	1	0·10	1	0·10	1	0·10	1	0·10
Hemel Hempstead	-	-	18	2·26	5	0·63	1	0·13	-	-	-	-	-	-
Hertford ..	-	-	3	0·40	6	0·80	2	0·27	-	-	-	-	3	0·40
Hitchin* ..	-	-	46	3·24	4	0·28	-	-	-	-	3	0·21	3	0·21
St. Albans ..	-	-	11	0·61	9	0·50	14	0·78	-	-	1	0·06	2	0·11
Ware ..	-	-	20	1·74	58	5·04	-	-	-	-	1	0·09	7	0·61
Watford ..	-	-	57	3·33	18	1·05	7	0·41	1	0·06	-	-	9	0·53
Welwyn ..	-	-	3	0·90	2	0·60	1	0·30	-	-	1	0·30	1	0·30
HUNTINGDON† ..														
	10	0·18	89	1·58	130	2·31	27	0·48	-	-	9	0·16	35	0·62
AGGREGATE OF U.Ds.														
	9	0·36	53	2·09	76	3·00	17	0·67	-	-	5	0·20	23	0·91
AGGREGATE OF R.Ds.														
	1	0·03	36	1·16	54	1·74	10	0·32	-	-	4	0·13	12	0·39
URBAN DISTRICTS:														
Godmanchester M.B. ..	-	-	-	-	22	10·54	-	-	-	-	-	-	2	0·96
Huntingdon M.B. ..	-	-	5	1·26	52	13·12	1	0·25	-	-	-	-	7	1·77
Old Fletton ..	9	1·27	27	3·82	2	0·28	-	-	-	-	-	-	7	0·99
Ramsey ..	-	-	19	3·66	-	-	-	-	-	-	3	0·58	1	0·19
St. Ives M.B. ..	-	-	2	0·73	-	-	16	5·87	-	-	1	0·37	-	-
St. Neots ..	-	-	-	-	-	-	-	-	-	-	1	0·23	6	1·41
RURAL DISTRICTS:														
Huntingdon ..	-	-	9	1·40	14	2·18	1	0·16	-	-	-	-	-	-
Norman Cross ..	1	0·17	3	0·51	8	1·37	-	-	-	-	-	-	2	0·34
Oundle (part of)†	-	-	1	1·02	1	1·02	-	-	-	-	-	-	-	-
St. Ives ..	-	-	5	0·51	24	2·44	9	0·92	-	-	1	0·10	6	0·61
St. Neots ..	-	-	17	2·54	7	1·04	-	-	-	-	3	0·45	4	0·60
Thrapston(part of)‡	-	-	1	1·26	-	-	-	-	-	-	-	-	-	-
Sibson cum Stibington (parish)§	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Rates adjusted to allow for change in boundary during the year.

† Administrative County.

‡ The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.

§ This Parish is administered by the Rural District Council of Barnack (Soke of Peterborough).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
KENT*	12	0·01	3,321	2·88	2,496	2·17	95	0·08	54	0·05	123	0·11	400	0·35
CANTERBURY C.B.	—	—	28	1·23	42	1·85	2	0·09	3	0·13	3	0·13	20	0·88
AGGREGATE OF U.Ds.	1	0·00	2,357	2·97	1,970	2·49	60	0·08	32	0·04	94	0·12	266	0·34
AGGREGATE OF R.Ds.	11	0·03	936	2·78	484	1·44	33	0·10	19	0·06	26	0·08	114	0·34
URBAN DISTRICTS :														
Ashford	—	—	12	0·92	3	0·23	—	—	1	0·08	1	0·08	5	0·38
Beckenham	—	—	90	2·47	78	2·14	5	0·14	1	0·03	8	0·22	22	0·60
Bexley	—	—	92	3·45	42	1·58	11	0·41	—	—	—	—	10	0·38
Broadstairs and St. Peter's ..	—	—	45	3·66	14	1·14	3	0·24	—	—	2	0·16	9	0·73
Bromley M.B. ..	—	—	43	1·05	68	1·67	1	0·02	1	0·02	5	0·12	11	0·27
Chatham M.B. ..	—	—	222	5·36	440	10·63	—	—	2	0·05	7	0·17	11	0·27
Cheriton	—	—	19	3·19	—	—	—	—	—	—	—	—	—	—
Chislehurst	—	—	7	0·75	13	1·39	1	0·11	—	—	2	0·21	4	0·43
Crayford	—	—	33	2·49	18	1·36	4	0·30	—	—	4	0·30	3	0·23
Dartford	—	—	101	3·68	89	3·25	6	0·22	1	0·04	—	—	15	0·55
Deal M.B.	—	—	18	1·48	2	0·16	2	0·16	—	—	3	0·25	5	0·41
Dover M.B.	—	—	110	2·78	75	1·89	—	—	2	0·05	7	0·18	14	0·35
Erith	—	—	102	3·08	47	1·42	2	0·06	4	0·12	8	0·24	14	0·42
Faversham M.B.	—	—	25	2·45	44	4·32	1	0·10	—	—	—	—	1	0·10
Folkestone M.B.	—	—	110	3·06	17	0·47	3	0·08	4	0·11	4	0·11	8	0·22
Gillingham M.B.	—	—	302	6·27	210	4·36	—	—	1	0·02	3	0·06	10	0·21
Gravesend M.B. .	—	—	69	2·07	154	4·61	3	0·09	—	—	3	0·09	5	0·15
Herne Bay † ..	—	—	20	1·65	4	0·33	1	0·08	—	—	2	0·17	7	0·58
Hythe M.B.	—	—	7	0·85	3	0·36	—	—	—	—	—	—	2	0·24
Lydd M.B.	—	—	23	9·62	8	3·35	—	—	—	—	—	—	—	—
Maidstone M.B.	—	—	157	3·86	14	0·34	1	0·02	1	0·02	11	0·27	8	0·20
Margate M.B. ..	—	—	119	4·07	35	1·20	1	0·03	—	—	2	0·07	8	0·27
Milton Regis ..	—	—	19	2·36	101	12·54	—	—	—	—	1	0·12	2	0·25
New Romney M.B.	—	—	2	1·23	1	0·61	—	—	—	—	1	0·61	1	0·61
Northfleet	—	—	31	1·81	44	2·57	—	—	—	—	1	0·06	7	0·41
Penge	—	—	95	3·48	57	2·09	—	—	3	0·11	3	0·11	15	0·55
Queenborough M.B.	—	—	8	2·56	1	0·32	—	—	—	—	—	—	2	0·64
Ramsgate M.B. .	1	0·03	75	2·47	35	1·15	3	0·10	8	0·26	2	0·07	13	0·43
Rochester M.B. .	—	—	75	2·40	134	4·28	1	0·03	—	—	3	0·10	9	0·29
Royal Tunbridge Wells M.B. ..	—	—	80	2·30	45	1·29	3	0·09	—	—	6	0·17	19	0·55
Sandgate	—	—	4	1·63	—	—	—	—	—	—	—	—	—	—
Sandwich M.B. ..	—	—	1	0·29	—	—	1	0·29	—	—	—	—	1	0·29
Sevenoaks	—	—	15	1·50	1	0·10	1	0·10	2	0·20	—	—	—	—
Sheerness	—	—	38	2·27	27	1·61	—	—	—	—	1	0·06	5	0·30
Sidcup	—	—	33	3·26	43	4·25	3	0·30	—	—	—	—	7	0·69
Sittingbourne ..	—	—	15	1·67	29	3·22	—	—	—	—	—	—	2	0·22
Southborough ..	—	—	12	1·74	5	0·72	—	—	—	—	—	—	2	0·29
Swanscombe	—	—	19	2·03	10	1·07	—	—	—	—	—	—	2	0·21
Tenterden M.B.	—	—	4	1·21	2	0·61	1	0·30	—	—	—	—	1	0·30
Tonbridge	—	—	68	4·20	26	1·60	—	—	—	—	2	0·12	4	0·25
Walmer	—	—	2	0·46	1	0·23	—	—	—	—	2	0·46	—	—
Whitstable	—	—	26	2·48	24	2·29	1	0·10	1	0·10	—	—	2	0·19
Wrotham	—	—	9	2·03	6	1·36	1	0·23	—	—	—	—	—	—
RURAL DISTRICTS :														
Blean	1	0·10	19	1·91	39	3·92	—	—	—	—	3	0·30	3	0·30
Bridge	—	—	10	0·84	7	0·59	—	—	—	—	1	0·08	8	0·67
Bromley	3	0·10	56	1·83	65	2·12	3	0·10	1	0·03	1	0·03	20	0·65
Cranbrook	—	—	17	1·29	7	0·53	1	0·08	—	—	2	0·15	2	0·15
Dartford	—	—	160	4·89	45	1·38	4	0·12	3	0·09	2	0·06	13	0·40
Dover	—	—	19	2·20	18	2·09	—	—	—	—	1	0·12	3	0·35
East Ashford ..	—	—	10	0·64	2	0·13	—	—	2	0·13	—	—	1	0·06
Eastry	—	—	28	1·81	31	2·01	2	0·13	2	0·13	—	—	4	0·26
Elham	—	—	6	0·71	2	0·24	1	0·12	1	0·12	—	—	—	—
Faversham	—	—	54	3·84	16	1·14	—	—	2	0·14	2	0·14	3	0·21

* Administrative County with associated County Borough.

† One case of typhus fever was notified.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
KENT—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Hollingbourne ..	—	—	58	4·15	5	0·36	3	0·21	1	0·07	2	0·14	4	0·29
Hoo ..	—	—	13	2·69	1	0·21	—	—	—	—	—	—	—	—
Isle of Thanet ..	—	—	46	3·45	7	0·53	2	0·15	—	—	1	0·08	7	0·53
Maidstone ..	2	0·12	93	5·39	13	0·75	5	0·29	1	0·06	4	0·23	4	0·23
Malling ..	4	0·15	108	4·15	31	1·19	4	0·15	2	0·08	2	0·08	9	0·35
Milton ..	—	—	52	3·27	63	3·96	1	0·06	2	0·13	1	0·06	6	0·38
Romney Marsh ..	—	—	6	1·84	1	0·31	—	—	—	—	—	—	—	—
Sevenoaks ..	—	—	23	0·87	7	0·27	2	0·08	—	—	2	0·08	13	0·49
Sheppey ..	—	—	8	1·44	1	0·18	1	0·18	—	—	—	—	4	0·72
Stroud ..	—	—	68	4·09	51	3·07	—	—	—	—	—	—	2	0·12
Tenterden ..	—	—	11	1·80	15	2·46	1	0·16	—	—	—	—	1	0·16
Tonbridge ..	1	0·05	64	3·40	54	2·87	3	0·16	2	0·11	2	0·11	6	0·32
West Ashford ..	—	—	7	0·87	3	0·37	—	—	—	—	—	—	1	0·12
LANCASTER*														
LANCASTER* ..	939	0·18	14,499	2·84	6,590	1·29	244	0·05	352	0·07	589	0·12	2,739	0·54
BARROW IN FURNESS C.B.														
BARROW IN FURNESS C.B. ..	1	0·02	182	2·76	35	0·53	2	0·03	1	0·02	2	0·03	40	0·61
BLACKBURN C.B. ..	10	0·08	117	0·94	121	0·97	1	0·01	10	0·08	9	0·07	42	0·34
BLACKPOOL C.B. ..	4	0·04	202	2·06	37	0·38	2	0·02	5	0·05	7	0·07	24	0·24
BOLTON C.B. ..	1	0·01	839	4·63	111	0·61	5	0·03	2	0·01	17	0·09	77	0·42
BOOTLE C.B. ..	—	—	299	3·66	156	1·91	6	0·07	2	0·02	11	0·13	41	0·50
BURNLEY C.B.														
BURNLEY C.B. ..	180	1·79	142	1·41	93	0·92	5	0·05	4	0·04	28	0·28	86	0·85
BURY C.B. ..	51	0·90	89	1·56	94	1·65	3	0·05	3	0·05	3	0·05	25	0·44
LIVERPOOL C.B.† ..	2	0·00	2,180	2·51	1,896	2·18	31	0·04	51	0·06	140	0·16	619	0·71
MANCHESTER C.B. ..	68	0·09	2,168	2·87	1,196	1·58	37	0·05	126	0·17	64	0·08	457	0·60
OLDHAM C.B. ..	31	0·22	279	1·95	288	2·01	1	0·01	20	0·14	11	0·08	86	0·60
PRESTON C.B.														
PRESTON C.B. ..	—	—	658	5·18	158	1·24	3	0·02	4	0·03	19	0·15	52	0·41
ROCHDALE C.B. ..	1	0·01	177	1·95	107	1·18	2	0·02	5	0·06	13	0·14	35	0·39
ST. HELENS C.B. ..	2	0·02	1,111	10·05	153	1·38	1	0·01	11	0·10	20	0·18	80	0·72
SALFORD C.B. ..	5	0·02	816	3·38	419	1·73	18	0·07	18	0·07	29	0·12	138	0·57
SOUTHPORT C.B. ..	—	—	121	1·53	73	0·92	6	0·08	—	—	6	0·08	29	0·37
WARRINGTON C.B.														
WARRINGTON C.B. ..	9	0·11	183	2·29	70	0·88	1	0·01	7	0·09	18	0·23	38	0·48
WIGAN C.B. ..	13	0·15	175	1·99	19	0·22	7	0·08	3	0·03	9	0·10	47	0·53
AGGREGATE OF U.Ds.														
AGGREGATE OF U.Ds. ..	546	0·35	4,077	2·64	1,333	0·86	99	0·06	71	0·05	161	0·10	742	0·48
AGGREGATE OF R.Ds.†														
AGGREGATE OF R.Ds.† ..	15	0·06	684	2·57	231	0·87	14	0·05	9	0·03	22	0·08	81	0·30
URBAN DISTRICTS:														
Abram ..	—	—	30	4·28	3	0·43	—	—	1	0·14	—	—	3	0·43
Accrington M.B. ..	18	0·42	76	1·77	9	0·21	—	—	—	—	2	0·05	21	0·49
Adlington ..	—	—	21	4·84	2	0·46	—	—	—	—	—	—	—	—
Ashton in Makerfield ..	—	—	34	1·49	14	0·61	1	0·04	—	—	2	0·09	8	0·35
Ashton under Lyne M.B. ..	12	0·23	80	1·54	27	0·52	4	0·08	7	0·13	2	0·04	21	0·40
Aspull ..	7	0·92	4	0·52	3	0·39	—	—	—	—	1	0·13	13	1·71
Atherton ..	13	0·65	98	4·87	40	1·99	—	—	2	0·10	7	0·35	10	0·50
Audenshaw ..	2	0·23	5	0·59	1	0·12	—	—	—	—	—	—	3	0·35
Bacup M.B. ..	—	—	8	0·39	15	0·73	5	0·24	—	—	3	0·15	19	0·92
Barrowford ..	1	0·18	2	0·37	2	0·37	—	—	—	—	1	0·18	1	0·18
Billinge and Winstanley														
Billinge and Winstanley ..	—	—	4	0·77	1	0·19	—	—	—	—	—	—	—	—
Blackrod ..	—	—	5	1·30	1	0·26	—	—	—	—	—	—	4	1·04
Brierfield ..	—	—	18	2·23	5	0·62	—	—	—	—	—	—	3	0·37
Carnforth ..	—	—	9	2·89	—	—	1	0·32	—	—	—	—	—	—
Chadderton ..	3	0·11	78	2·78	46	1·64	2	0·07	—	—	4	0·14	13	0·46

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Chorley M.B. ..	—	—	77	2·44	9	0·28	1	0·03	1	0·03	2	0·06	26	0·82
Church ..	4	0·61	59	8·97	4	0·61	—	—	—	—	1	0·15	4	0·61
Clayton le Moors	2	0·24	1	0·12	2	0·24	—	—	1	0·12	—	—	1	0·12
Clitheroe M.B. ..	4	0·33	2	0·17	19	1·57	—	—	—	—	1	0·08	1	0·08
Colne M.B. ..	23	0·93	16	0·65	11	0·44	2	0·08	—	—	1	0·04	22	0·89
Crompton ..	1	0·07	13	0·87	5	0·33	—	—	1	0·07	2	0·13	7	0·47
Croston ..	—	—	3	1·49	—	—	—	—	—	—	2	0·99	—	—
Dalton in Furness	—	—	16	1·52	6	0·57	—	—	—	—	—	—	8	0·76
Darwen M.B. ..	—	—	19	0·50	2	0·05	1	0·03	4	0·10	4	0·10	11	0·29
Denton ..	—	—	31	1·76	22	1·25	1	0·06	1	0·06	—	—	14	0·80
Droylsden ..	—	—	29	2·12	14	1·02	1	0·07	1	0·07	1	0·07	6	0·44
Eccles M.B. ..	1	0·02	179	3·96	45	1·00	—	—	1	0·02	3	0·07	19	0·42
Failsforth ..	—	—	21	1·25	52	3·09	4	0·24	6	0·36	2	0·12	10	0·59
Farnworth ..	1	0·03	127	4·31	23	0·78	—	—	4	0·14	7	0·24	42	1·42
Fleetwood ..	4	0·18	60	2·67	3	0·13	1	0·04	2	0·09	3	0·13	9	0·40
Formby ..	—	—	16	2·14	3	0·40	—	—	—	—	—	—	1	0·13
Fulwood ..	—	—	29	4·28	12	1·77	1	0·15	1	0·15	6	0·88	8	1·18
Golborne ..	—	—	11	1·47	2	0·27	2	0·27	—	—	1	0·13	3	0·40
Grange ..	—	—	9	3·86	1	0·43	—	—	—	—	—	—	—	—
Great Crosby ..	—	—	22	1·34	23	1·40	16	0·97	—	—	3	0·18	2	0·12
Great Harwood ..	—	—	1	0·07	29	2·07	—	—	—	—	2	0·14	—	—
Haslingden M.B.	2	0·12	19	1·11	6	0·35	1	0·06	1	0·06	—	—	5	0·29
Haydock ..	—	—	60	5·54	5	0·46	—	—	—	—	1	0·09	3	0·28
Heywood M.B. ..	—	—	192	7·36	39	1·50	—	—	4	0·15	2	0·08	12	0·46
Hindley ..	5	0·21	160	6·62	5	0·21	—	—	1	0·04	—	—	14	0·58
Horwich ..	—	—	11	0·65	25	1·48	—	—	—	—	1	0·06	4	0·24
Huyton with Roby	—	—	5	0·98	—	—	—	—	—	—	—	—	10	0·42
Ince in Makerfield	16	0·67	46	1·92	4	0·17	—	—	—	—	1	0·04	10	0·42
Irlam ..	—	—	23	1·88	13	1·06	—	—	2	0·16	2	0·16	6	0·49
Kearsley ..	—	—	60	5·78	8	0·77	—	—	—	—	1	0·10	3	0·29
Kirkham ..	—	—	12	2·91	—	—	1	0·24	1	0·24	—	—	—	—
Lancaster M.B. ..	—	—	78	1·89	17	0·41	11	0·27	—	—	6	0·15	29	0·70
Lathom and Burscough ..	—	—	21	2·64	7	0·88	1	0·13	—	—	1	0·13	5	0·63
Lees ..	—	—	7	1·42	6	1·21	—	—	1	0·20	1	0·20	5	1·01
Leigh M.B. ..	59	1·26	277	5·93	51	1·09	—	—	1	0·02	5	0·11	35	0·75
Leyland ..	—	—	27	2·63	—	—	—	—	—	—	—	—	3	0·29
Litherland ..	—	—	29	1·77	29	1·77	2	0·12	1	0·06	5	0·30	5	0·30
Littleborough ..	1	0·09	22	1·91	14	1·22	—	—	—	—	—	—	5	0·43
Little Crosby ..	—	—	—	—	1	0·86	1	0·86	—	—	—	—	—	—
Little Hulton ..	—	—	22	2·78	8	1·01	—	—	—	—	1	0·13	2	0·25
Little Lever ..	—	—	8	1·56	2	0·39	1	0·19	1	0·19	1	0·19	2	0·39
Longridge ..	—	—	19	4·55	—	—	—	—	—	—	—	—	—	—
Lytham St. Anne's M.B. ..	—	—	35	1·35	17	0·66	4	0·15	—	—	1	0·04	1	0·04
Middleton M.B. ..	—	—	64	2·21	26	0·90	—	—	—	—	2	0·07	11	0·38
Milnrow ..	—	—	16	1·82	8	0·91	—	—	1	0·11	—	—	1	0·11
Morecambe and Heysham M.B.*	—	—	42	1·89	6	0·27	1	0·05	2	0·09	—	—	5	0·23
Mossley M.B. ..	54	4·49	7	0·58	7	0·58	—	—	—	—	2	0·17	1	0·08
Nelson M.B. ..	19	0·48	34	0·86	11	0·28	3	0·08	—	—	3	0·08	9	0·23
Newton in Makerfield ..	—	—	62	3·14	17	0·86	—	—	1	0·05	7	0·35	10	0·51
Norden ..	—	—	6	1·36	2	0·45	—	—	—	—	—	—	3	0·68
Ormskirk ..	2	0·27	23	3·10	28	3·78	—	—	—	—	1	0·13	1	0·13
Orrell ..	—	—	5	0·69	—	—	—	—	—	—	1	0·14	6	0·83
Oswaldtwistle ..	58	3·91	25	1·68	17	1·14	1	0·07	—	—	3	0·20	12	0·81
Padiham ..	156	13·14	69	5·81	53	4·47	2	0·17	1	0·08	5	0·42	10	0·84
Poulton le Fylde	—	—	9	2·98	3	0·99	—	—	—	—	—	—	—	—

* On 1st October, 1928, the Municipal Borough of Morecambe and the Urban District of Heysham were united and became the Municipal Borough of Morecambe and Heysham. The figures relate to the combined districts for the whole year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Preesall	—	—	6	2·93	1	0·49	—	—	—	—	1	0·49	2	0·98
Prescot	—	—	46	4·55	12	1·19	—	—	1	0·10	1	0·10	7	0·69
Prestwich	—	—	43	1·98	16	0·74	5	0·23	1	0·05	3	0·14	3	0·14
Radcliffe	—	—	112	4·41	65	2·56	—	—	1	0·04	2	0·08	14	0·55
Rainford	—	—	12	3·14	1	0·26	—	—	—	—	—	—	5	1·31
Ramsbottom ..	1	0·07	18	1·26	10	0·70	—	—	3	0·21	1	0·07	9	0·63
Rawtenstall M.B.	35	1·21	22	0·76	11	0·38	1	0·03	—	—	1	0·03	21	0·72
Rishton	5	0·72	1	0·14	4	0·57	—	—	—	—	—	—	2	0·29
Royton	2	0·12	5	0·29	12	0·69	—	—	—	—	—	—	9	0·52
Skelmersdale ..	—	—	3	0·44	2	0·29	—	—	1	0·15	—	—	2	0·29
Standish with Langtree ..	—	—	15	2·02	9	1·21	1	0·13	—	—	—	—	9	1·21
Stretford	—	—	228	4·38	31	0·59	1	0·02	3	0·06	8	0·15	16	0·31
Swinton and Pendlebury ..	6	0·18	160	4·70	12	0·35	1	0·03	—	—	4	0·12	19	0·56
Thornton Cleveleys ..	—	—	22	2·43	9	1·00	—	—	—	—	—	—	2	0·22
Tottington	4	0·60	30	4·52	15	2·26	—	—	2	0·30	2	0·30	5	0·75
Trawden	1	0·37	6	2·21	3	1·11	1	0·37	—	—	—	—	—	—
Turton	—	—	35	2·82	4	0·32	—	—	—	—	1	0·08	4	0·32
Tyldesley with Shakerley ..	6	0·39	124	7·97	38	2·44	1	0·06	—	—	1	0·06	7	0·45
Ulverston	—	—	38	4·17	4	0·44	3	0·33	—	—	—	—	6	0·66
Upholland	—	—	2	0·34	2	0·34	1	0·17	—	—	—	—	9	1·53
Urmston	—	—	60	7·48	3	0·37	1	0·12	—	—	—	—	—	—
Walton le Dale ..	—	—	62	4·98	6	0·48	—	—	1	0·08	2	0·16	2	0·16
Wardle	17	3·64	13	2·78	9	1·93	—	—	2	0·43	—	—	1	0·21
Waterloo with Seaforth ..	—	—	81	2·56	40	1·27	9	0·28	—	—	3	0·09	11	0·35
Westhoughton ..	1	0·06	43	2·46	6	0·34	1	0·06	1	0·06	2	0·11	12	0·69
Whitefield	—	—	15	1·94	16	2·07	—	—	1	0·13	—	—	4	0·52
Whitworth	—	—	7	0·82	—	—	—	—	—	—	1	0·12	7	0·82
Widnes M.B. ..	—	—	108	2·63	94	2·29	—	—	1	0·02	11	0·27	17	0·41
Withnell	—	—	2	0·59	3	0·88	—	—	—	—	—	—	1	0·29
Worsley	—	—	50	3·40	4	0·27	1	0·07	2	0·14	1	0·07	5	0·34
RURAL DISTRICTS—														
Barton upon Irwell ..	—	—	44	3·43	12	0·94	—	—	—	—	2	0·16	8	0·62
Blackburn	—	—	4	0·36	3	0·27	1	0·09	1	0·09	—	—	1	0·09
Burnley	12	0·63	42	2·19	22	1·15	1	0·05	—	—	2	0·10	6	0·31
Bury	—	—	26	2·77	10	1·07	—	—	—	—	—	—	1	0·11
Chorley	—	—	61	2·74	13	0·58	1	0·04	1	0·04	6	0·27	5	0·22
Clitheroe	—	—	4	0·45	—	—	1	0·11	—	—	2	0·22	7	0·78
Fylde	—	—	49	3·03	9	0·56	1	0·06	—	—	—	—	1	0·06
Garstang	—	—	18	1·56	1	0·09	1	0·09	—	—	1	0·09	5	0·43
Lancaster	—	—	16	1·72	1	0·11	1	0·11	—	—	—	—	1	0·11
Leigh	2	0·17	72	6·11	29	2·46	—	—	—	—	2	0·17	9	0·76
Limehurst	1	0·11	4	0·44	11	1·22	—	—	3	0·33	1	0·11	2	0·22
Lunesdale	—	—	17	2·69	1	0·16	1	0·16	—	—	—	—	1	0·16
Preston	—	—	64	2·28	16	0·57	1	0·04	2	0·07	4	0·14	3	0·11
Sefton*	—	—	24	4·37	6	1·09	—	—	—	—	—	—	3	0·55
Ulverston	—	—	50	3·03	15	0·91	2	0·12	—	—	1	0·06	2	0·12
Warrington	—	—	41	2·56	13	0·81	1	0·06	—	—	—	—	9	0·56
West Lancashire ..	—	—	61	2·67	36	1·57	—	—	1	0·04	1	0·04	9	0·39
Whiston	—	—	74	3·27	28	1·24	2	0·09	1	0·04	—	—	7	0·31
Wigan	—	—	13	2·02	5	0·78	—	—	—	—	—	—	1	0·16

* Rates adjusted to allow for change in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LEICESTER* ..	112	0·21	3289	6·12	858	1·60	20	0·04	21	0·04	71	0·13	259	0·48
LEICESTER C.B. ..	87	0·35	1963	7·98	463	1·88	6	0·02	10	0·04	44	0·18	141	0·57
AGGREGATE OF U.Ds.§	16	0·13	560	4·67	170	1·42	1	0·01	6	0·05	12	0·10	51	0·43
AGGREGATE OF R.Ds.§	9	0·05	766	4·46	225	1·31	13	0·08	5	0·03	15	0·09	67	0·39
URBAN DISTRICTS :														
Ashby de la Zouch ..	—	—	8	1·52	6	1·14	—	—	—	—	—	—	4	0·76
Ashby Woulds ..	—	—	15	4·23	3	0·85	—	—	—	—	—	—	—	—
Coalville ..	—	—	274	11·93	85	3·70	—	—	—	—	3	0·13	18	0·78
Hinckley ..	14	0·91	11	0·71	9	0·58	—	—	1	0·06	—	—	5	0·32
Loughborough M.B.	—	—	87	3·35	20	0·77	—	—	2	0·08	1	0·04	7	0·27
Market Harborough	1	0·11	22	2·44	1	0·11	—	—	—	—	1	0·11	—	—
Melton Mowbray	1	0·09	39	3·70	10	0·95	—	—	—	—	3	0·28	8	0·76
Oadby ..	—	—	11	2·59	12	2·83	—	—	—	—	—	—	1	0·24
Quorndon ..	—	—	2	0·76	5	1·91	—	—	—	—	—	—	—	—
Shepshed ..	—	—	10	1·69	—	—	—	—	1	0·17	1	0·17	2	0·34
Thurmaston ..	—	—	40	10·70	6	1·60	—	—	1	0·27	—	—	1	0·27
Wigston Magna§	—	—	41	3·83	13	1·21	1	0·09	1	0·09	3	0·28	5	0·47
RURAL DISTRICTS :														
Ashby de la Zouch ..	—	—	64	3·61	47	2·65	—	—	2	0·11	4	0·23	8	0·45
Barrow upon Soar ..	1	0·03	131	4·47	8	0·27	—	—	1	0·03	—	—	9	0·31
Belvoir ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Billesdon ..	—	—	51	4·97	11	1·07	—	—	—	—	2	0·19	2	0·19
Blaby§ ..	4	0·16	134	5·33	36	1·43	3	0·12	1	0·04	1	0·04	13	0·52
Castle Donington	—	—	61	9·33	2	0·31	—	—	—	—	1	0·15	1	0·15
Hallaton ..	—	—	1	0·58	—	—	—	—	—	—	—	—	—	—
Hinckley ..	2	0·12	104	6·30	37	2·24	3	0·18	—	—	2	0·12	10	0·61
Loughborough ..	—	—	9	1·89	11	2·30	—	—	—	—	—	—	2	0·42
Lutterworth ..	—	—	23	2·23	11	1·06	4	0·39	—	—	1	0·10	1	0·10
Market Bosworth	2	0·08	146	6·05	47	1·95	1	0·04	1	0·04	—	—	13	0·54
Market Harborough	—	—	20	2·68	8	1·07	—	—	—	—	2	0·27	2	0·27
Melton Mowbray	—	—	22	1·49	7	0·48	2	0·14	—	—	2	0·14	6	0·41
LINCOLN, PARTS OF HOLLAND†..	26	0·29	251	2·82	161	1·81	9	0·10	1	0·01	10	0·11	24	0·27
AGGREGATE OF U.Ds.	25	0·64	84	2·15	103	2·64	8	0·21	—	—	3	0·08	14	0·36
AGGREGATE OF R.Ds.	1	0·02	167	3·35	58	1·16	1	0·02	1	0·02	7	0·14	10	0·20
URBAN DISTRICTS :														
Boston M.B. ..	12	0·76	54	3·41	49	3·09	8	0·50	—	—	2	0·13	5	0·32
Holbeach ..	—	—	14	2·36	2	0·34	—	—	—	—	—	—	3	0·50
Long Sutton ..	—	—	—	—	2	0·64	—	—	—	—	—	—	—	—
Spalding ..	13	1·11	16	1·37	48	4·10	—	—	—	—	1	0·09	6	0·51
Sutton Bridge ..	—	—	—	—	2	0·84	—	—	—	—	—	—	—	—
RURAL DISTRICTS :														
Boston ..	—	—	68	2·98	45	1·97	1	0·04	1	0·04	5	0·22	3	0·13
Crowland ..	—	—	4	1·45	—	—	—	—	—	—	—	—	1	0·36
East Elloe ..	1	0·10	19	1·83	7	0·67	—	—	—	—	—	—	3	0·29
Spalding (part of)‡	—	—	76	5·48	6	0·43	—	—	—	—	2	0·14	3	0·22

* Administrative County with associated County Borough.

† Administrative County.

‡ The remaining part of the Rural District of Spalding is in the Administrative County of Lincoln, Parts of Kesteven. The figures for the entire District are :—

|| — | — || 81 | 5·57 || 7 | 0·48 || 1 | 0·07 || — | — || 2 | 0·14 || 4 | 0·28.

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerpera pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LINCOLN, PARTS OF KESTEVEN*	22	0.20	191	1.77	95	0.88	9	0.08	8	0.07	10	0.09	31	0.29
AGGREGATE OF U.Ds.	18	0.43	68	1.62	52	1.24	4	0.10	6	0.14	4	0.10	12	0.29
AGGREGATE OF R.Ds.	4	0.06	123	1.86	43	0.65	5	0.08	2	0.03	6	0.09	19	0.29
URBAN DISTRICTS:														
Bourne ..	10	2.26	10	2.26	15	3.40	—	—	—	—	—	—	1	0.23
Grantham M.B. ..	5	0.26	19	1.00	29	1.53	—	—	3	0.16	1	0.05	4	0.21
Ruskington ..	1	0.87	—	—	—	—	—	—	—	—	—	—	—	—
Sleaford ..	1	0.14	29	3.97	2	0.27	—	—	—	—	1	0.14	7	0.96
Stamford M.B. ..	1	0.10	10	0.99	6	0.60	4	0.40	3	0.30	2	0.20	—	—
RURAL DISTRICTS:														
Bourne ..	—	—	18	1.44	7	0.56	1	0.08	—	—	2	0.16	2	0.16
Branston ..	3	0.21	21	1.45	19	1.31	—	—	—	—	2	0.14	7	0.48
Claypole ..	—	—	11	1.40	2	0.25	1	0.13	—	—	1	0.13	1	0.13
Grantham ..	—	—	33	2.79	5	0.42	1	0.08	—	—	—	—	1	0.08
Sleaford ..	1	0.06	32	1.85	9	0.52	1	0.06	2	0.12	1	0.06	7	0.40
Spalding (part of)†	—	—	5	7.61	1	1.52	1	1.52	—	—	—	—	1	1.52
Uffington ..	—	—	3	2.22	—	—	—	—	—	—	—	—	—	—
LINCOLN, PARTS OF LINDSEY† ..	112	0.27	1122	2.70	537	1.29	30	0.07	17	0.04	45	0.11	166	0.40
GRIMSBY C.B.§ ..	4	0.04	94	1.04	107	1.19	3	0.03	4	0.04	16	0.18	29	0.32
LINCOLN C.B. ..	107	1.63	231	3.52	132	2.01	6	0.09	5	0.08	4	0.06	26	0.40
AGGREGATE OF U.Ds.	1	0.01	464	3.73	217	1.74	6	0.05	5	0.04	10	0.08	81	0.65
AGGREGATE OF R.Ds.§	—	—	333	2.47	81	0.60	15	0.11	3	0.02	15	0.11	30	0.22
URBAN DISTRICTS:														
Alford ..	—	—	—	—	—	—	—	—	—	—	—	—	3	1.36
Barton upon Humber ..	—	—	6	0.94	35	5.49	—	—	1	0.16	—	—	2	0.31
Brigg ..	—	—	49	13.55	2	0.55	1	0.28	—	—	—	—	1	0.28
Cleethorpes ..	1	0.04	93	3.26	39	1.37	1	0.04	—	—	4	0.14	11	0.39
Crowle ..	—	—	3	1.08	1	0.36	1	0.36	—	—	—	—	—	—
Gainsborough ..	—	—	26	1.39	51	2.72	—	—	—	—	2	0.11	15	0.80
Horncastle ..	—	—	8	2.37	—	—	1	0.30	1	0.30	1	0.30	—	—
Louth M.B. ..	—	—	43	4.59	—	—	—	—	—	—	1	0.11	8	0.85
Mablethorpe and Sutton ..	—	—	4	0.80	3	0.60	1	0.20	—	—	—	—	—	—
Market Rasen ..	—	—	2	0.98	9	4.42	—	—	—	—	—	—	1	0.49
Roxby cum Risby	—	—	3	5.03	5	8.39	—	—	—	—	—	—	—	—
Scunthorpe and Frodingham ..	—	—	213	6.73	46	1.45	1	0.03	3	0.09	2	0.06	38	1.20
Skegness ..	—	—	6	0.88	5	0.73	—	—	—	—	—	—	1	0.15
Winterton ..	—	—	1	0.53	3	1.58	—	—	—	—	—	—	—	—
Woodhall Spa ..	—	—	7	4.85	18	12.47	—	—	—	—	—	—	1	0.69
RURAL DISTRICTS:														
Caistor ..	—	—	56	4.39	7	0.55	3	0.24	—	—	2	0.16	3	0.24
Gainsborough ..	—	—	27	1.91	7	0.50	3	0.21	1	0.07	2	0.14	6	0.42
Glanford Brigg ..	—	—	76	2.64	30	1.04	1	0.03	—	—	—	—	8	0.28
Grimsby §. ..	—	—	29	2.59	8	0.71	3	0.27	2	0.18	4	0.36	—	—
Horncastle ..	—	—	19	1.60	1	0.08	—	—	—	—	1	0.08	1	0.08
Isle of Axholme..	—	—	3	0.46	—	—	4	0.61	—	—	—	—	4	0.61
Louth ..	—	—	20	1.21	7	0.42	—	—	—	—	4	0.24	3	0.18
Sibsey ..	—	—	6	2.03	—	—	—	—	—	—	1	0.34	—	—
Spilsby ..	—	—	84	4.47	9	0.48	1	0.05	—	—	—	—	3	0.16
Welton ..	—	—	13	1.16	12	1.08	—	—	—	—	1	0.09	2	0.18

* Administrative County.

† Administrative County with associated County Boroughs.

‡ The remaining part of the Rural District of Spalding is in the Administrative County of Lincoln Parts of Holland.

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LONDON*	296	0·07	15,354	3·44	12,239	2·75	595	0·13	295	0·07	773	0·17	2,161	0·48
CITY OF LONDON ..	-	-	24	2·10	24	2·10	-	-	-	-	-	-	3	0·26
Inner and Middle Temples ..	-	-	-	-	1	3·57	-	-	-	-	-	-	-	-
METROPOLITAN BOROUGHs:														
Battersea ..	1	0·01	539	3·28	724	4·41	12	0·07	8	0·05	30	0·18	85	0·52
Bermondsey ..	1	0·01	493	4·28	603	5·23	2	0·02	7	0·06	20	0·17	43	0·37
Bethnal Green ..	4	0·04	628	5·60	384	3·42	7	0·06	11	0·10	11	0·10	94	0·84
Camberwell ..	2	0·01	898	3·45	740	2·84	15	0·06	8	0·03	47	0·18	136	0·52
Chelsea ..	1	0·02	118	1·85	155	2·44	13	0·20	3	0·05	11	0·17	34	0·53
Deptford ..	-	-	446	3·97	466	4·15	9	0·08	10	0·09	13	0·12	76	0·68
Finsbury ..	1	0·01	235	3·26	243	3·37	7	0·10	9	0·12	9	0·12	50	0·69
Fulham ..	1	0·01	416	2·68	359	2·31	41	0·26	16	0·10	51	0·33	82	0·53
Greenwich ..	-	-	376	3·75	468	4·67	12	0·12	4	0·04	4	0·04	72	0·72
Hackney ..	1	0·00	948	4·36	740	3·41	17	0·08	10	0·05	44	0·20	41	0·19
Hammersmith ..	-	-	328	2·41	368	2·70	8	0·06	7	0·05	18	0·13	52	0·38
Hampstead ..	-	-	201	2·34	103	1·20	13	0·15	1	0·01	12	0·14	37	0·43
Holborn ..	1	0·03	122	3·11	74	1·88	12	0·31	3	0·08	7	0·18	25	0·64
Islington ..	4	0·01	1,305	4·02	760	2·34	19	0·06	38	0·12	76	0·23	135	0·42
Kensington ..	-	-	407	2·28	321	1·80	80	0·45	7	0·04	32	0·18	59	0·33
Lambeth ..	52	0·17	974	3·27	814	2·73	35	0·12	31	0·10	49	0·16	138	0·46
Lewisham ..	-	-	509	2·55	328	1·65	41	0·21	9	0·05	39	0·20	62	0·31
Paddington ..	5	0·03	519	3·57	314	2·16	27	0·19	5	0·03	32	0·22	91	0·63
Poplar ..	68	0·42	717	4·43	557	3·44	6	0·04	5	0·03	10	0·06	90	0·56
St. Marylebone ..	30	0·29	225	2·16	179	1·72	24	0·23	5	0·05	30	0·29	69	0·66
St. Pancras ..	3	0·01	613	2·98	409	1·99	17	0·08	20	0·10	40	0·19	99	0·48
Shoreditch ..	3	0·03	535	5·29	452	4·47	10	0·10	7	0·07	24	0·24	49	0·48
Southwark ..	21	0·12	673	3·71	671	3·70	7	0·04	10	0·06	58	0·32	90	0·50
Stepney§ ..	4	0·02	1,432	5·87	782	3·20	54	0·22	13	0·05	15	0·06	153	0·63
Stoke Newington ..	-	-	151	2·98	88	1·74	4	0·08	8	0·16	5	0·10	14	0·28
Wandsworth ..	88	0·25	774	2·23	611	1·76	60	0·17	17	0·05	32	0·09	145	0·42
Westminster, City of ..	2	0·02	213	1·64	205	1·58	27	0·21	6	0·05	21	0·16	48	0·37
Woolwich ..	3	0·02	535	3·79	296	2·10	16	0·11	17	0·12	33	0·23	89	0·63
MIDDLESEX† ..	30	0·02	4,146	2·93	2,500	1·76	128	0·09	63	0·04	180	0·13	525	0·37
AGGREGATE OF U.Ds.‡	27	0·02	3,931	2·94	2,402	1·80	116	0·09	61	0·05	170	0·13	498	0·37
AGGREGATE OF R.Ds.‡	3	0·04	215	2·73	98	1·24	12	0·15	2	0·03	10	0·13	27	0·34
URBAN DISTRICTS:														
Acton M.B. ..	4	0·06	242	3·73	75	1·16	3	0·05	4	0·06	9	0·14	28	0·43
Brentford and Chiswick ..	-	-	90	1·54	91	1·56	14	0·24	1	0·02	3	0·05	17	0·29
Ealing M.B.† ..	1	0·01	309	3·13	67	0·68	12	0·12	1	0·01	16	0·16	28	0·28
Edmonton ..	1	0·01	148	1·99	151	2·03	3	0·04	1	0·01	5	0·07	35	0·47
Enfield ..	-	-	109	1·68	211	3·25	-	-	2	0·03	3	0·05	22	0·34
Feltham ..	-	-	14	1·89	5	0·68	8	1·08	-	-	5	0·68	-	-
Finchley ..	-	-	124	2·33	76	1·43	2	0·04	1	0·02	3	0·06	14	0·26
Friern Barne ..	-	-	63	2·96	33	1·55	3	0·14	-	-	3	0·14	9	0·42
Hampton ..	-	-	38	3·16	61	5·07	2	0·17	-	-	2	0·17	4	0·33
Hampton Wick ..	-	-	8	2·60	5	1·62	-	-	-	-	2	0·65	1	0·32
Harrow on the Hill†	-	-	71	3·08	7	0·30	7	0·30	-	-	4	0·17	10	0·43
Hayes ..	-	-	40	3·19	4	0·32	2	0·16	-	-	2	0·16	2	0·16
Hendon ..	1	0·01	299	3·75	111	1·39	9	0·11	5	0·06	11	0·14	25	0·31
Heston and Isleworth ..	19	0·32	122	2·07	99	1·68	7	0·12	12	0·20	9	0·15	41	0·70
Hornsey M.B. ..	-	-	326	3·74	100	1·15	4	0·05	4	0·05	21	0·24	23	0·26

* Administrative County, City and Inner and Middle Temples.

† Administrative County.

‡ Rates adjusted to allow for changes in boundary during the year.

§ Two cases of typhus fever were notified.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MIDDLESEX— <i>cont.</i>														
URBAN DISTRICTS— <i>cont.</i>														
Kingsbury ..	—	—	6	1·13	5	0·94	—	—	—	—	2	0·38	1	0·19
Ruislip Northwood ..	—	—	30	2·30	7	0·54	9	0·69	1	0·08	1	0·08	3	0·23
Southall Norwood ..	—	—	94	2·66	28	0·79	2	0·06	1	0·03	5	0·14	9	0·25
Southgate ..	—	—	105	2·23	32	0·68	6	0·13	2	0·04	8	0·17	15	0·32
Staines ..	—	—	73	9·25	61	7·73	1	0·13	—	—	1	0·13	3	0·38
Sunbury on Thames ..	—	—	17	2·42	9	1·28	2	0·28	—	—	—	—	7	1·00
Teddington ..	—	—	66	3·00	117	5·32	2	0·09	—	—	1	0·05	9	0·41
Tottenham ..	—	—	593	3·86	331	2·15	1	0·01	9	0·06	9	0·06	58	0·38
Twickenham M.B. ..	—	—	71	2·02	117	3·34	3	0·09	3	0·09	2	0·06	17	0·48
Uxbridge ..	—	—	27	2·19	16	1·30	1	0·08	—	—	—	—	4	0·32
Wealdstone ..	—	—	94	4·69	7	0·35	1	0·05	2	0·10	3	0·15	3	0·15
Wembley ..	1	0·03	58	1·77	42	1·28	2	0·06	1	0·03	4	0·12	13	0·40
Willesden ..	—	—	541	3·23	457	2·73	6	0·04	6	0·04	30	0·18	82	0·49
Wood Green ..	—	—	141	2·67	42	0·80	4	0·08	5	0·09	5	0·09	12	0·23
Viewsley ..	—	—	12	2·01	35	5·85	—	—	—	—	1	0·17	3	0·50
RURAL DISTRICTS :														
Hendon ..	—	—	110	3·85	28	0·98	1	0·03	1	0·03	4	0·14	9	0·31
South Mimms ..	—	—	6	1·39	8	1·86	—	—	—	—	1	0·23	2	0·46
Staines ..	2	0·07	55	1·94	45	1·59	4	0·14	—	—	3	0·11	8	0·28
Uxbridge† ..	1	0·06	44	2·51	17	0·97	7	0·40	1	0·06	2	0·11	8	0·46
NORFOLK* ..	64	0·13	1,003	1·98	615	1·22	68	0·13	23	0·05	54	0·11	143	0·28
GREAT YARMOUTH C.B. ..	—	—	89	1·52	45	0·77	12	0·21	1	0·02	1	0·02	24	0·41
NORWICH C.B. ..	22	0·18	312	2·50	162	1·30	18	0·14	10	0·08	27	0·22	55	0·44
AGGREGATE OF U.Ds.†	41	0·67	97	1·58	245	4·00	6	0·10	2	0·03	6	0·10	14	0·23
AGGREGATE OF R.Ds.†	1	0·00	505	1·93	163	0·62	32	0·12	10	0·04	20	0·08	50	0·19
URBAN DISTRICTS :														
Cromer ..	—	—	6	1·39	—	—	—	—	1	0·23	1	0·23	—	—
Diss ..	—	—	13	3·80	—	—	—	—	—	—	—	—	—	—
Downham Market ..	—	—	—	—	—	—	—	—	—	—	—	—	1	0·41
East Dereham ..	—	—	10	1·84	8	1·47	—	—	—	—	1	0·18	1	0·18
King's Lynn M.B. ..	41	2·04	4	0·20	219	10·90	5	0·25	—	—	3	0·15	5	0·25
New Hunstanton†	—	—	3	0·81	4	1·07	—	—	1	0·27	1	0·27	2	0·54
North Walsham ..	—	—	42	9·80	—	—	—	—	—	—	—	—	1	0·23
Sheringham ..	—	—	6	1·50	—	—	—	—	—	—	—	—	2	0·50
Swaffham ..	—	—	1	0·38	—	—	—	—	—	—	—	—	1	0·38
Thetford M.B. ..	—	—	—	—	—	—	1	0·23	—	—	—	—	—	—
Walsoken ..	—	—	7	1·86	14	3·71	—	—	—	—	—	—	1	0·27
Wells ..	—	—	5	1·82	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS :														
Aylsham ..	—	—	42	2·57	3	0·18	1	0·06	—	—	1	0·06	2	0·12
Blofield ..	—	—	8	0·57	6	0·43	11	0·79	1	0·07	—	—	2	0·14
Depwade ..	—	—	24	1·31	18	0·98	—	—	—	—	—	—	4	0·22
Docking† ..	—	—	41	2·49	10	0·61	1	0·06	1	0·06	1	0·06	1	0·06
Downham ..	1	0·07	4	0·27	22	1·47	2	0·13	—	—	—	—	6	0·40
East and West Flegg ..	—	—	11	1·06	1	0·10	—	—	—	—	—	—	1	0·10
Erpingham ..	—	—	69	3·86	3	0·17	1	0·06	3	0·17	—	—	2	0·11
Forehoe ..	—	—	25	2·00	4	0·32	—	—	1	0·08	—	—	4	0·32
Freebridge Lynn ..	—	—	15	1·25	24	2·00	4	0·33	—	—	1	0·08	2	0·17
Henstead ..	—	—	19	1·81	2	0·19	2	0·19	1	0·10	1	0·10	6	0·57

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORFOLK— <i>cont.</i>														
RURAL DISTRICTS— <i>cont.</i>														
King's Lynn ..	-	-	-	-	9	10.06	-	-	-	-	-	-	-	-
Loddon and Claver-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ing ..	-	-	30	2.47	1	0.08	1	0.08	1	0.08	-	-	5	0.41
Marshland ..	-	-	31	2.13	6	0.41	1	0.07	-	-	1	0.07	2	0.14
Mitford and Laun-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ditch ..	-	-	52	2.96	14	0.80	2	0.11	1	0.06	1	0.06	3	0.17
St. Faith's ..	-	-	26	1.96	3	0.23	2	0.15	-	-	2	0.15	2	0.15
Smallburgh ..	-	-	40	2.84	4	0.28	-	-	1	0.07	2	0.14	1	0.07
Swaffham ..	-	-	11	1.59	4	0.58	-	-	-	-	1	0.14	3	0.43
Thetford ..	-	-	23	2.51	19	2.07	1	0.11	-	-	2	0.22	1	0.11
Walsingham ..	-	-	17	1.07	6	0.38	1	0.06	-	-	1	0.06	-	-
Wayland ..	-	-	17	1.30	4	0.31	2	0.15	-	-	4	0.31	3	0.23
NORTHAMPTON*..														
	102	0.33	604	1.95	326	1.05	19	0.06	25	0.08	41	0.13	180	0.58
NORTHAMPTON C.B.														
	82	0.87	229	2.43	81	0.86	2	0.02	7	0.07	13	0.14	53	0.56
AGGREGATE OF U.Ds.														
	18	0.18	157	1.55	118	1.16	3	0.03	10	0.10	17	0.17	91	0.90
AGGREGATE OF R.Ds.														
	2	0.02	218	1.92	127	1.12	14	0.12	8	0.07	11	0.10	36	0.32
URBAN DISTRICTS:														
Brackley M.B. ..	-	-	1	0.45	-	-	-	-	-	-	-	-	-	-
Burton Latimer..	-	-	2	0.58	-	-	-	-	-	-	-	-	3	0.87
Daventry M.B. ..	1	0.28	4	1.14	5	1.42	-	-	-	-	-	-	3	0.85
Desborough ..	-	-	3	0.67	56	12.56	-	-	1	0.22	-	-	9	2.02
Finedon ..	-	-	6	1.48	3	0.74	-	-	1	0.25	4	0.99	6	1.48
Higham Ferrers	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.B. ..	-	-	-	-	1	0.33	-	-	-	-	-	-	-	-
Irthlingborough	-	-	7	1.43	3	0.61	-	-	1	0.20	-	-	4	0.82
Kettering ..	2	0.06	95	3.08	31	1.01	-	-	5	0.16	7	0.23	38	1.23
Oundle ..	1	0.40	-	-	1	0.40	-	-	-	-	-	-	-	-
Raunds ..	-	-	6	1.62	-	-	-	-	-	-	-	-	2	0.54
Rothwell ..	-	-	3	0.64	7	1.49	1	0.21	2	0.43	-	-	1	0.21
Rushden ..	-	-	11	0.81	4	0.29	1	0.07	-	-	1	0.07	12	0.88
Wellingborough..	14	0.68	19	0.92	7	0.34	1	0.05	-	-	5	0.24	13	0.63
RURAL DISTRICTS:														
Brackley ..	-	-	6	0.95	-	-	-	-	-	-	-	-	4	0.64
Brixworth ..	-	-	57	4.86	5	0.43	-	-	2	0.17	-	-	1	0.09
Crick ..	-	-	2	0.83	35	14.50	2	0.83	-	-	-	-	-	-
Daventry ..	1	0.07	31	2.30	14	1.04	1	0.07	-	-	-	-	7	0.52
Easton on the Hill	-	-	5	3.56	1	0.71	-	-	-	-	-	-	-	-
Gretton ..	-	-	-	-	2	1.45	-	-	-	-	-	-	-	-
Hardingstone ..	-	-	18	2.42	2	0.27	-	-	-	-	-	-	1	0.13
Kettering ..	-	-	9	0.96	47	4.99	-	-	-	-	1	0.11	3	0.32
Middleton Cheney	-	-	1	0.42	-	-	1	0.42	-	-	1	0.42	-	-
Northampton ..	1	0.09	28	2.63	8	0.75	5	0.47	-	-	1	0.09	5	0.47
Oundle (part of)†	-	-	5	0.79	4	0.63	1	0.16	-	-	1	0.16	-	-
Oxendon ..	-	-	4	1.05	-	-	-	-	-	-	-	-	-	-
Potterspury ..	-	-	2	0.43	6	1.28	1	0.21	-	-	2	0.43	5	1.07
Thrapston (part	-	-	-	-	-	-	-	-	-	-	-	-	-	-
of)† ..	-	-	7	0.69	-	-	2	0.20	2	0.20	-	-	3	0.30
Towcester ..	-	-	34	3.58	1	0.11	-	-	1	0.11	2	0.21	1	0.11
Wellingborough	-	-	9	0.72	2	0.16	1	0.08	3	0.24	3	0.24	6	0.48

* Administrative County with associated County Borough.

† The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

Oundle ..	-	-	6	0.82	5	0.68	1	0.14	-	-	1	0.14	-	-
Thrapston ..	-	-	8	0.73	-	-	2	0.18	2	0.18	-	-	3	0.27

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORTHUMBERLAND*	507	0·67	1,348	1·79	577	0·76	74	0·10	57	0·08	117	0·16	484	0·64
NEWCASTLE UPON TYNE C.B. ..	83	0·29	514	1·83	271	0·96	26	0·09	39	0·14	36	0·13	251	0·89
TYNEMOUTH C.B. ..	194	2·94	128	1·94	122	1·85	11	0·17	1	0·02	18	0·27	46	0·70
AGGREGATE OF U.Ds.	184	0·61	601	1·98	128	0·42	33	0·11	15	0·05	51	0·17	149	0·49
AGGREGATE OF R.Ds.	46	0·44	105	1·01	56	0·54	4	0·04	2	0·02	12	0·11	38	0·36
URBAN DISTRICTS:														
Alnwick	—	—	4	0·58	1	0·15	—	—	1	0·15	—	—	—	—
Amble	1	0·25	1	0·25	9	2·23	—	—	—	—	—	—	2	0·50
Ashington	6	0·21	58	2·00	2	0·07	5	0·17	1	0·03	8	0·28	20	0·69
Bedlingtonshire	8	0·28	41	1·46	6	0·21	5	0·18	2	0·07	4	0·14	15	0·53
Berwick upon Tweed M.B. ..	—	—	25	2·10	6	0·50	1	0·08	—	—	2	0·17	7	0·59
Blyth M.B. ..	124	3·89	27	0·85	11	0·35	1	0·03	2	0·06	5	0·16	13	0·41
Cramlington ..	—	—	17	1·97	2	0·23	—	—	—	—	—	—	2	0·23
Earsdon	3	0·23	16	1·25	13	1·02	1	0·08	—	—	2	0·16	7	0·55
Gosforth	10	0·61	27	1·65	4	0·24	7	0·43	—	—	2	0·12	7	0·43
Hexham	1	0·12	5	0·59	—	—	1	0·12	1	0·12	1	0·12	2	0·23
Longbenton ..	3	0·22	46	3·31	12	0·86	1	0·07	—	—	2	0·14	4	0·29
Morpeth M.B. ..	9	1·25	12	1·67	1	0·14	1	0·14	—	—	—	—	—	—
Newbiggin by the Sea	1	0·14	37	5·20	—	—	1	0·14	—	—	4	0·56	8	1·12
Newburn	—	—	28	1·37	8	0·39	1	0·05	—	—	2	0·10	9	0·44
Prudhoe	—	—	33	3·53	2	0·21	1	0·11	2	0·21	—	—	3	0·32
Rothbury ..	—	—	—	—	—	—	—	—	—	—	1	0·84	2	1·68
Seaton Delaval	1	0·13	10	1·33	4	0·53	—	—	—	—	3	0·40	9	1·20
Seghill	7	2·87	2	0·82	1	0·41	—	—	—	—	—	—	—	—
Wallsend M.B. ..	5	0·11	100	2·25	15	0·34	2	0·05	2	0·05	11	0·25	27	0·61
Weetslade ..	2	0·26	7	0·91	19	2·47	—	—	—	—	1	0·13	1	0·13
Whitley and Monk-seaton	3	0·13	105	4·47	12	0·51	5	0·21	4	0·17	3	0·13	11	0·47
RURAL DISTRICTS:														
Alnwick	38	3·02	5	0·40	13	1·03	—	—	1	0·08	1	0·08	2	0·16
Belford	—	—	—	—	—	—	—	—	—	—	—	—	3	0·63
Bellingham ..	—	—	20	3·68	5	0·92	—	—	—	—	—	—	1	0·18
Castle Ward ..	3	0·22	14	1·01	21	1·51	1	0·07	—	—	1	0·07	13	0·94
Glendale	—	—	9	1·11	1	0·12	—	—	—	—	1	0·12	—	—
Haltwhistle ..	—	—	18	2·02	5	0·56	—	—	—	—	1	0·11	—	—
Hexham	1	0·05	17	0·80	—	—	—	—	1	0·05	3	0·14	11	0·52
Morpeth	4	0·20	14	0·71	6	0·30	1	0·05	—	—	4	0·20	2	0·10
Newcastle upon Tyne (Moot Hall and Precincts) †	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Island shires	—	—	5	0·98	—	—	2	0·39	—	—	1	0·20	3	0·59
Rothbury	—	—	3	0·65	5	1·08	—	—	—	—	—	—	3	0·65
NOTTINGHAM* ..	460	0·67	1,594	2·31	1,182	1·71	63	0·09	31	0·04	87	0·13	304	0·44
NOTTINGHAM C.B.	146	0·55	738	2·77	923	3·46	25	0·09	17	0·06	31	0·12	136	0·51
AGGREGATE OF U.Ds.	209	0·79	498	1·89	158	0·60	14	0·05	6	0·02	44	0·17	120	0·46
AGGREGATE OF R.Ds.	105	0·66	358	2·25	101	0·63	24	0·15	8	0·05	12	0·08	48	0·30
URBAN DISTRICTS:														
Arnold	17	1·31	21	1·62	6	0·46	4	0·31	2	0·15	2	0·15	—	—
Beeston	—	—	50	3·12	14	0·87	2	0·12	—	—	—	—	6	0·37
Carlton	59	2·90	65	3·19	27	1·33	—	—	—	—	2	0·10	9	0·44
East Retford M.B.	1	0·07	8	0·60	6	0·45	—	—	—	—	1	0·07	14	1·04
Eastwood	—	—	5	0·92	1	0·18	—	—	—	—	2	0·37	4	0·73

* Administrative County with associated County Boroughs.

† Cases, if any, are included with those for Newcastle upon Tyne C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NOTTINGHAM <i>—cont.</i>														
URBAN DISTRICTS— <i>cont.</i>														
Hucknall.. ..	31	1·80	67	3·89	27	1·57	1	0·06	—	—	1	0·06	12	0·70
Huthwaite ..	26	4·72	36	6·53	10	1·81	—	—	—	—	1	0·18	1	0·18
Kirkby in Ashfield	3	0·16	47	2·54	5	0·27	1	0·05	—	—	1	0·05	14	0·76
Mansfield M.B. ..	6	0·13	45	0·95	20	0·42	2	0·04	1	0·02	16	0·34	14	0·29
Mansfield Woodhouse	—	—	39	2·73	10	0·70	—	—	—	—	—	—	9	0·63
Newark M.B. ..	4	0·24	21	1·24	6	0·35	3	0·18	1	0·06	2	0·12	3	0·18
Sutton in Ashfield	2	0·08	22	0·90	3	0·12	1	0·04	—	—	7	0·29	14	0·57
Warsop	—	—	18	1·73	9	0·87	—	—	1	0·10	1	0·10	11	1·06
West Bridgford ..	—	—	22	1·49	7	0·47	—	—	1	0·07	1	0·07	3	0·20
Worksop	60	2·36	32	1·26	7	0·28	—	—	—	—	7	0·28	6	0·24
RURAL DISTRICTS:														
Basford	32	0·69	94	2·01	52	1·11	1	0·02	2	0·04	4	0·09	17	0·36
Bingham	—	—	16	1·09	8	0·54	1	0·07	—	—	—	—	4	0·27
East Retford ..	16	1·05	20	1·32	3	0·20	—	—	—	—	—	—	2	0·13
Leake	—	—	18	4·09	4	0·91	—	—	—	—	—	—	3	0·68
Misterton	—	—	1	0·25	—	—	—	—	—	—	—	—	—	—
Newark	—	—	12	1·29	—	—	2	0·22	—	—	1	0·11	1	0·11
Nottingham (Shire Hall)†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	2	0·15	39	2·86	4	0·29	17	1·24	1	0·07	1	0·07	5	0·37
Southwell	2	0·07	72	2·61	19	0·69	2	0·07	2	0·07	6	0·22	6	0·22
Stapleford	1	0·08	16	1·30	4	0·33	—	—	—	—	—	—	8	0·65
Worksop	52	4·54	70	6·11	7	0·61	1	0·09	3	0·26	—	—	2	0·17
OXFORD*														
OXFORD C.B. ..	4	0·02	253	1·28	69	0·35	19	0·10	15	0·08	34	0·17	53	0·27
AGGREGATE OF U.Ds.	1	0·02	59	0·97	12	0·20	9	0·15	8	0·13	19	0·31	10	0·16
AGGREGATE OF R.Ds.	3	0·07	56	1·34	29	0·69	1	0·02	2	0·05	6	0·14	15	0·36
AGGREGATE OF R.Ds.	—	—	138	1·45	28	0·29	9	0·09	5	0·05	9	0·09	28	0·29
URBAN DISTRICTS:														
Banbury M.B. ..	—	—	8	0·61	1	0·08	1	0·08	1	0·08	1	0·08	5	0·38
Bicester	—	—	2	0·67	13	4·39	—	—	—	—	—	—	—	—
Chipping Norton M.B.	—	—	3	0·88	—	—	—	—	—	—	—	—	—	—
Headington	—	—	26	3·91	—	—	—	—	—	—	—	—	5	0·75
Henley on Thames M.B.	—	—	8	1·24	10	1·56	—	—	—	—	3	0·47	3	0·47
Thame	1	0·33	2	0·66	5	1·66	—	—	1	0·33	2	0·66	1	0·33
Wheatley	—	—	7	6·63	—	—	—	—	—	—	—	—	1	0·95
Witney	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Woodstock M.B.	2	1·24	—	—	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS:														
Banbury	—	—	22	2·02	1	0·09	—	—	—	—	3	0·28	2	0·18
Bicester	—	—	16	1·84	4	0·46	1	0·11	—	—	—	—	—	—
Chipping Norton	—	—	—	—	9	0·88	—	—	1	0·10	—	—	—	—
Crowmarsh	—	—	1	0·18	1	0·18	1	0·18	—	—	1	0·18	1	0·18
Culham	—	—	16	6·23	2	0·78	—	—	—	—	—	—	—	—
Goring	—	—	4	1·19	—	—	1	0·30	—	—	—	—	1	0·30
Headington	—	—	41	3·95	—	—	4	0·39	2	0·19	2	0·19	2	0·19
Henley	—	—	19	1·59	4	0·34	1	0·08	—	—	—	—	1	0·08
Thame	—	—	10	1·92	1	0·19	—	—	—	—	—	—	3	0·58
Witney	—	—	4	0·25	3	0·19	—	—	2	0·12	2	0·12	5	0·31
Woodstock	—	—	5	0·47	3	0·28	1	0·09	—	—	1	0·09	13	1·23

* Administrative County with associated County Borough.

† Cases, if any, are included with those for Nottingham C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
PETERBOROUGH, SOKE OF* ..	55	1.08	90	1.77	38	0.75	1	0.02	2	0.04	4	0.08	21	0.41
URBAN DISTRICT:	46	1.22	75	1.99	32	0.85	1	0.03	2	0.05	3	0.08	18	0.48
AGGREGATE OF R.Ds.	9	0.68	15	1.14	6	0.46	-	-	-	-	1	0.08	3	0.23
URBAN DISTRICT: Peterborough M.B.	46	1.22	75	1.99	32	0.85	1	0.03	2	0.05	3	0.08	18	0.48
RURAL DISTRICTS:														
Barnack	-	-	4	1.90	-	-	-	-	-	-	-	-	1	0.47
Peterborough ..	9	0.82	11	1.00	6	0.54	-	-	-	-	1	0.09	2	0.18
RUTLAND*	-	-	15	0.84	8	0.45	3	0.17	1	0.06	1	0.06	2	0.11
URBAN DISTRICT ..	-	-	1	0.31	-	-	-	-	-	-	-	-	-	-
AGGREGATE OF R.Ds.	-	-	14	0.95	8	0.54	3	0.20	1	0.07	1	0.07	2	0.14
URBAN DISTRICT: Oakham	-	-	1	0.31	-	-	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Ketton	-	-	1	0.36	2	0.71	1	0.36	-	-	-	-	-	-
Oakham	-	-	10	1.71	4	0.68	2	0.34	1	0.17	1	0.17	1	0.17
Uppingham ..	-	-	3	0.50	2	0.33	-	-	-	-	-	-	1	0.17
SALOP*	4	0.02	474	1.94	177	0.73	14	0.06	12	0.05	46	0.19	67	0.27
AGGREGATE OF U.Ds.	3	0.03	232	2.05	108	0.95	6	0.05	3	0.03	19	0.17	34	0.30
AGGREGATE OF R.Ds.	1	0.01	242	1.85	69	0.53	8	0.06	9	0.07	27	0.21	33	0.25
URBAN DISTRICTS:														
Bishop's Castle M.B.	-	-	1	0.76	-	-	-	-	-	-	-	-	-	-
Bridgnorth M.B.	-	-	-	-	8	1.64	1	0.20	-	-	3	0.61	-	-
Church Stretton ..	-	-	1	0.56	-	-	-	-	-	-	-	-	-	-
Dawley	-	-	14	1.89	5	0.67	-	-	1	0.13	1	0.13	1	0.13
Ellesmere	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ludlow M.B. ..	-	-	1	0.19	-	-	-	-	-	-	1	0.19	3	0.57
Market Drayton ..	-	-	5	1.08	13	2.81	-	-	-	-	-	-	1	0.22
Newport	2	0.66	2	0.66	1	0.33	-	-	-	-	1	0.33	2	0.66
Oakengates	-	-	21	1.85	11	0.97	1	0.09	-	-	1	0.09	4	0.35
Oswestry M.B. ..	-	-	15	1.57	31	3.25	-	-	-	-	1	0.10	-	-
Shrewsbury M.B.	-	-	125	3.92	9	0.28	3	0.09	2	0.06	6	0.19	10	0.31
Wellington	-	-	16	1.88	11	1.30	-	-	-	-	4	0.47	10	1.18
Wem	1	0.46	-	-	1	0.46	-	-	-	-	1	0.46	-	-
Wenlock M.B. ..	-	-	26	1.86	10	0.72	-	-	-	-	-	-	1	0.07
Whitchurch ..	-	-	5	0.90	8	1.44	1	0.18	-	-	-	-	2	0.36
RURAL DISTRICTS:														
Atcham	-	-	19	0.83	7	0.31	1	0.04	1	0.04	7	0.31	10	0.44
Bridgnorth	-	-	5	0.59	-	-	1	0.12	2	0.24	1	0.12	1	0.12
Burford	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chirbury	-	-	5	1.65	-	-	-	-	-	-	-	-	4	1.32
Church Stretton ..	-	-	6	1.37	1	0.23	-	-	-	-	-	-	-	-
Cleobury Mortimer ..	-	-	9	1.22	7	0.95	2	0.27	-	-	3	0.41	-	-
Clun	-	-	4	0.63	1	0.16	-	-	-	-	1	0.16	-	-
Drayton	1	0.13	37	4.98	2	0.27	-	-	-	-	-	-	-	-
Ellesmere	-	-	3	0.38	1	0.13	-	-	-	-	1	0.13	-	-
Ludlow	-	-	11	1.29	4	0.47	-	-	1	0.12	-	-	4	0.47

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SALOP—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Newport ..	—	—	12	2·17	5	0·91	—	—	—	—	1	0·18	3	0·54
Oswestry ..	—	—	44	2·66	23	1·39	—	—	4	0·24	6	0·36	2	0·12
Shifnal ..	—	—	31	4·08	3	0·39	3	0·39	1	0·13	3	0·39	1	0·13
Teme ..	—	—	2	1·20	—	—	—	—	—	—	—	—	—	—
Wellington ..	—	—	23	2·06	12	1·07	—	—	—	—	2	0·18	2	0·18
Wem ..	—	—	31	3·58	1	0·12	1	0·12	—	—	1	0·12	4	0·46
Whitchurch ..	—	—	—	—	2	0·97	—	—	—	—	1	0·48	2	0·97
SOMERSET*														
BATH C.B. ..	—	—	167	2·38	64	0·91	33	0·47	3	0·04	13	0·18	25	0·36
AGGREGATE OF U.Ds.	6	0·04	341	2·01	220	1·30	24	0·14	11	0·06	28	0·17	44	0·26
AGGREGATE OF R.Ds.	—	—	538	2·29	111	0·47	17	0·07	15	0·06	41	0·17	60	0·25
URBAN DISTRICTS:														
Bridgwater M.B.	1	0·06	11	0·68	3	0·19	—	—	1	0·06	6	0·37	9	0·56
Burnham on Sea	—	—	13	2·28	1	0·18	—	—	—	—	2	0·35	1	0·18
Chard M.B. ..	—	—	1	0·24	2	0·48	—	—	1	0·24	—	—	—	—
Clevedon ..	—	—	11	1·59	3	0·43	—	—	—	—	1	0·14	1	0·14
Crewkerne ..	—	—	8	2·22	—	—	—	—	—	—	1	0·28	1	0·28
Frome ..	3	0·28	69	6·37	9	0·83	—	—	—	—	1	0·09	2	0·18
Glastonbury M.B.	—	—	3	0·69	1	0·23	—	—	—	—	1	0·23	2	0·46
Highbridge ..	—	—	2	0·75	—	—	—	—	—	—	—	—	—	—
Ilminster ..	—	—	3	1·34	8	3·57	—	—	1	0·45	—	—	1	0·45
Midsomer Norton	—	—	27	3·34	2	0·25	—	—	1	0·12	2	0·25	5	0·62
Minehead ..	—	—	9	1·49	2	0·33	2	0·33	—	—	—	—	—	—
Portishead ..	—	—	3	0·76	—	—	—	—	—	—	—	—	2	0·50
Radstock ..	—	—	10	2·60	14	3·64	1	0·26	—	—	1	0·26	1	0·26
Shepton Mallet Street ..	—	—	11	2·62	2	0·48	—	—	—	—	—	—	—	—
—	—	—	—	—	1	0·22	—	—	3	0·66	—	—	—	—
Taunton M.B. ..	—	—	51	2·07	8	0·32	—	—	—	—	3	0·12	2	0·08
Watchet ..	—	—	—	—	1	0·54	—	—	—	—	—	—	—	—
Wellington ..	—	—	8	1·11	66	9·16	—	—	—	—	1	0·14	—	—
Wells M.B. ..	1	0·22	43	9·61	—	—	1	0·22	—	—	1	0·22	1	0·22
Weston super Mare	1	0·04	49	1·80	84	3·08	19	0·70	3	0·11	4	0·15	7	0·26
Wiveliscombe ..	—	—	1	0·79	—	—	—	—	—	—	—	—	1	0·79
Yeovil M.B. ..	—	—	8	0·51	13	0·83	1	0·06	1	0·06	4	0·26	8	0·51
RURAL DISTRICTS:														
Axbridge ..	—	—	22	0·89	16	0·64	4	0·16	1	0·04	6	0·24	14	0·56
Bath ..	—	—	27	1·85	19	1·30	4	0·27	—	—	1	0·07	4	0·27
Bridgwater ..	—	—	24	1·39	2	0·12	2	0·12	1	0·06	1	0·06	1	0·06
Chard ..	—	—	34	2·75	1	0·08	2	0·16	—	—	2	0·16	2	0·16
Clutton ..	—	—	44	2·73	4	0·25	—	—	3	0·19	—	—	6	0·37
Dulverton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Frome ..	—	—	79	7·25	2	0·18	1	0·09	—	—	4	0·37	4	0·37
Keynsham ..	—	—	24	2·01	19	0·84	—	—	1	0·08	2	0·17	2	0·17
Langport ..	—	—	25	1·93	5	0·39	—	—	—	—	4	0·31	3	0·23
Long Ashton ..	—	—	35	1·69	5	0·24	—	—	—	—	2	0·10	3	0·15
Shepton Mallet ..	—	—	18	1·86	2	0·21	—	—	—	—	3	0·31	3	0·31
Taunton ..	—	—	85	5·07	5	0·30	1	0·06	4	0·24	4	0·24	6	0·36
Wellington ..	—	—	5	0·86	6	1·03	—	—	—	—	1	0·17	—	—
Wells ..	—	—	16	1·53	—	—	1	0·10	—	—	1	0·10	4	0·38
Williton ..	—	—	17	1·41	1	0·08	1	0·08	1	0·08	—	—	—	—
Wincanton ..	—	—	43	2·61	14	0·85	1	0·06	1	0·06	2	0·12	4	0·24
Yeovil ..	—	—	40	2·25	19	1·07	—	—	3	0·17	8	0·45	4	0·23

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SOUTHAMPTON*..	10	0·01	2,163	2·32	1,702	1·82	88	0·09	49	0·05	132	0·14	257	0·28
BOURNEMOUTH C.B.	-	-	163	1·69	80	0·83	3	0·03	1	0·01	8	0·08	18	0·19
PORTSMOUTH C.B.	-	-	776	3·22	866	3·60	13	0·05	25	0·10	25	0·10	77	0·32
SOUTHAMPTON C.B.	2	0·01	324	1·91	329	1·94	19	0·11	10	0·06	42	0·25	68	0·40
AGGREGATE OF U.D.s	3	0·02	409	2·21	263	1·42	20	0·11	7	0·04	17	0·09	44	0·24
AGGREGATE OF R.D.s.	5	0·02	491	2·03	164	0·68	33	0·14	6	0·02	40	0·17	50	0·21
URBAN DISTRICTS:														
Aldershot M.B. ..	-	-	28	1·10	46	1·81	1	0·04	-	-	6	0·24	7	0·27
Alton	-	-	2	0·35	9	1·59	-	-	-	-	-	-	3	0·53
Andover M.B. ..	-	-	15	1·75	-	-	-	-	1	0·12	1	0·12	1	0·12
Basingstoke M.B.	-	-	21	1·61	6	0·46	-	-	1	0·08	1	0·08	5	0·38
Christchurch M.B.	1	0·12	37	4·44	5	0·60	-	-	-	-	1	0·12	-	-
Eastleigh and Bishopstoke ..	-	-	140	8·64	30	1·85	3	0·19	-	-	1	0·06	16	0·99
Fareham	-	-	37	3·31	6	0·54	7	0·63	-	-	2	0·18	1	0·09
Farnborough ..	-	-	35	3·25	10	0·93	1	0·09	-	-	-	-	1	0·09
Fleet	-	-	5	1·20	-	-	-	-	-	-	1	0·24	-	-
Gosport M.B. ..	-	-	34	1·11	131	4·26	2	0·07	3	0·10	3	0·10	4	0·13
Havant	1	0·23	1	0·23	11	2·49	-	-	1	0·23	-	-	-	-
Lymington M.B.	-	-	-	-	-	-	1	0·21	-	-	-	-	-	-
Milton	-	-	-	-	2	0·40	1	0·20	-	-	1	0·20	-	-
Petersfield ..	1	0·23	10	2·29	1	0·23	-	-	-	-	-	-	2	0·46
Romsey M.B. ..	-	-	14	3·26	1	0·23	-	-	1	0·23	-	-	2	0·47
Warblington ..	-	-	5	1·26	1	0·25	1	0·25	-	-	-	-	1	0·25
Winchester M.B.	-	-	25	1·04	4	0·17	3	0·12	-	-	-	-	1	0·04
RURAL DISTRICTS:														
Alresford	-	-	39	5·10	1	0·13	-	-	-	-	-	-	1	0·13
Alton	-	-	42	2·66	26	1·64	-	-	-	-	2	0·13	4	0·25
Andover	-	-	16	1·43	1	0·09	1	0·09	1	0·09	2	0·18	3	0·27
Basingstoke ..	1	0·07	26	1·81	18	1·25	4	0·28	-	-	3	0·21	5	0·35
Catherington ..	-	-	12	2·14	5	0·89	-	-	-	-	-	-	2	0·36
Christchurch ..	-	-	9	1·32	3	0·44	1	0·15	1	0·15	2	0·29	-	-
Droxford	-	-	42	3·08	10	0·73	1	0·07	-	-	2	0·15	8	0·59
Fareham	-	-	31	1·72	14	0·78	1	0·06	-	-	5	0·28	1	0·06
Fordingbridge ..	-	-	7	1·06	5	0·76	4	0·61	1	0·15	1	0·15	2	0·30
Hartley Wintney	1	0·05	38	1·84	3	0·15	2	0·10	1	0·05	3	0·15	2	0·10
Havant	-	-	8	0·79	11	1·08	1	0·10	-	-	-	-	2	0·20
Hursley	-	-	48	8·67	2	0·36	1	0·18	-	-	2	0·36	-	-
Kingsclere ..	1	0·12	7	0·83	-	-	-	-	-	-	-	-	-	-
Lymington ..	-	-	5	0·46	-	-	1	0·09	-	-	-	-	1	0·09
New Forest ..	-	-	40	1·96	9	0·44	4	0·20	2	0·10	7	0·34	1	0·05
Petersfield ..	-	-	17	1·50	-	-	2	0·18	-	-	1	0·09	2	0·18
Ringwood	-	-	9	1·09	3	0·36	-	-	-	-	1	0·12	1	0·12
Romsey	-	-	4	0·54	-	-	1	0·13	-	-	1	0·13	2	0·27
South Stoneham	1	0·07	24	1·70	45	3·19	4	0·28	-	-	2	0·14	7	0·50
Stockbridge ..	-	-	6	0·98	4	0·65	2	0·33	-	-	-	-	-	-
Whitchurch ..	1	0·16	9	1·44	1	0·16	3	0·48	-	-	2	0·32	3	0·48
Winchester ..	-	-	52	4·05	3	0·23	-	-	-	-	4	0·31	3	0·23
STAFFORD* † ..	524	0·36	2,524	1·76	2,081	1·45	73	0·05	88	0·06	230	0·16	645	0·45
BURTON UPON TRENT C.B. ..	1	0·02	184	3·76	172	3·51	-	-	2	0·04	2	0·04	22	0·45
SMETHWICK C.B.† ..	1	0·01	88	1·07	119	1·44	3	0·04	2	0·02	7	0·08	31	0·38
STOKE ON TRENT C.B.	133	0·48	585	2·09	311	1·11	11	0·04	26	0·09	59	0·21	133	0·48
WALSALL C.B. ..	229	2·29	107	1·07	399	3·98	2	0·02	6	0·06	25	0·25	52	0·52
WEST BROMWICH C.B.† ..	3	0·04	48	0·60	52	0·65	3	0·04	2	0·02	14	0·17	52	0·65
WOLVERHAMPTON C.B. ..	7	0·05	281	2·10	55	0·41	2	0·01	19	0·14	27	0·20	42	0·31
AGGREGATE OF U.D.s.†	140	0·28	787	1·57	674	1·34	20	0·04	21	0·04	64	0·13	232	0·46
AGGREGATE OF R.D.s.	10	0·05	444	2·11	299	1·42	32	0·15	10	0·05	32	0·15	81	0·38

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
STAFFORD—<i>cont.</i>														
URBAN DISTRICTS:														
Amblecote ..	-	-	4	1·17	26	7·59	3	0·88	-	-	1	0·29	-	-
Audley ..	8	0·53	38	2·51	15	0·99	-	-	-	-	10	0·66	31	2·05
Biddulph ..	-	-	14	1·61	122	14·01	-	-	-	-	3	0·34	7	0·80
Bilston ..	-	-	37	1·19	15	0·48	1	0·03	3	0·10	1	0·03	8	0·26
Brierley Hill ..	-	-	14	1·04	36	2·66	-	-	-	-	1	0·07	4	0·30
Brownhills ..	4	0·19	37	1·78	16	0·77	1	0·05	1	0·05	4	0·19	8	0·39
Cannock ..	-	-	55	1·54	28	0·78	-	-	3	0·08	2	0·06	12	0·33
Coseley ..	-	-	14	0·56	27	1·07	2	0·08	1	0·04	4	0·16	5	0·20
Darlaston ..	-	-	19	0·97	17	0·87	-	-	-	-	3	0·15	2	0·10
Kidsgrove ..	1	0·10	38	3·61	40	3·80	-	-	-	-	4	0·38	8	0·76
Leek ..	12	0·67	151	8·45	13	0·73	-	-	2	0·11	3	0·17	8	0·45
Lichfield M.B. ..	11	1·32	21	2·53	7	0·84	1	0·12	-	-	2	0·24	4	0·48
Newcastle under Lyme M.B. ..	25	1·11	31	1·37	16	0·71	1	0·04	-	-	2	0·09	2	0·09
Perry Barr†§ ..	-	-	-	-	-	-	-	-	-	-	-	-	1	1·02
Quarry Bank ..	-	-	7	0·82	20	2·35	1	0·12	-	-	2	0·23	6	0·70
Rowley Regis ..	-	-	35	0·81	31	0·72	-	-	1	0·02	7	0·16	8	0·19
Rugeley ..	-	-	1	0·18	6	1·11	-	-	1	0·18	-	-	3	0·55
Sedgley ..	-	-	9	0·44	30	1·46	-	-	2	0·10	1	0·05	15	0·73
Short Heath ..	14	2·78	4	0·79	2	0·40	-	-	-	-	-	-	3	0·60
Stafford M.B. ..	7	0·24	35	1·22	82	2·85	1	0·03	-	-	6	0·21	10	0·35
Stone ..	1	0·17	5	0·85	3	0·51	1	0·17	-	-	-	-	3	0·51
Tamworth M.B. ..	-	-	7	0·89	17	2·16	-	-	-	-	-	-	1	0·13
Tettenhall ..	-	-	10	1·77	1	0·18	-	-	-	-	-	-	1	0·18
Tipton ..	-	-	27	0·73	37	1·00	6	0·16	-	-	2	0·05	30	0·81
Uttoxeter ..	-	-	1	0·19	-	-	-	-	-	-	-	-	1	0·19
Wednesbury M.B. ..	1	0·03	47	1·40	19	0·57	1	0·03	4	0·12	2	0·06	29	0·86
Wednesfield ..	-	-	10	1·10	3	0·33	-	-	1	0·11	1	0·11	1	0·11
Willenhall ..	-	-	22	1·60	15	0·68	1	0·05	1	0·05	2	0·09	10	0·45
Wolstanton United	56	1·56	94	3·13	30	1·00	-	-	1	0·03	1	0·03	11	0·37
RURAL DISTRICTS:														
Blore Heath ..	-	-	2	0·65	5	1·62	-	-	-	-	-	-	-	-
Cannock ..	-	-	53	2·49	38	1·79	2	0·09	-	-	2	0·09	8	0·38
Cheadle ..	7	0·26	38	1·43	15	0·56	1	0·04	4	0·15	4	0·15	16	0·60
Dudley† ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gnosall ..	-	-	16	3·45	37	7·98	-	-	-	-	-	-	1	0·22
Kingswinford ..	-	-	57	2·52	60	2·66	5	0·22	-	-	1	0·04	15	0·66
Leek ..	-	-	21	1·39	8	0·53	-	-	1	0·07	2	0·13	2	0·13
Lichfield ..	-	-	102	3·35	36	1·18	19	0·62	1	0·03	11	0·36	16	0·53
Mayfield ..	-	-	1	0·26	-	-	-	-	-	-	-	-	-	-
Newcastle under Lyme ..	-	-	13	2·12	1	0·16	-	-	-	-	-	-	3	0·49
Seisdon ..	-	-	16	0·99	20	1·24	1	0·06	-	-	5	0·31	9	0·56
Stafford ..	-	-	27	2·88	21	2·24	-	-	1	0·11	4	0·43	1	0·11
Stone ..	-	-	25	1·99	9	0·71	1	0·08	-	-	-	-	2	0·16
Tamworth (pt. of)¶	1	0·16	14	2·21	14	2·21	-	-	-	-	-	-	2	0·32
Tutbury ..	-	-	23	2·56	5	0·56	-	-	-	-	2	0·22	-	-
Uttoxeter ..	-	-	8	1·01	6	0·76	1	0·13	-	-	-	-	1	0·13
Walsall ..	2	0·14	27	1·84	24	1·64	2	0·14	3	0·20	1	0·07	5	0·34
Blymhill and Weston under Lizard (parishes)** ..	-	-	1	1·45	-	-	-	-	-	-	-	-	-	-
SUFFOLK, EAST*														
Ipswich C.B. ..	1	0·01	149	1·73	109	1·27	4	0·05	23	0·27	7	0·08	18	0·21
AGGREGATE OF U.Ds.	-	-	215	2·38	198	2·19	17	0·19	3	0·03	13	0·14	24	0·27
AGGREGATE OF R.Ds.	8	0·07	217	1·82	73	0·61	9	0·08	16	0·13	14	0·12	24	0·20

* Administrative County with associated County Borough.

† Rates adjusted to allow for change in boundary during the year.

‡ Cases, if any, are included with those for Dudley C.B.

§ Abolished 1st April, 1928.

¶ The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.

** These Parishes are administered by the Rural District Council of Shifnal (Salop).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUFFOLK EAST — <i>cont.</i>														
URBAN DISTRICTS :														
Aldeburgh M.B. . .	—	—	—	—	2	0·78	—	—	1	0·39	—	—	3	1·17
Beccles M.B. . .	—	—	22	3·22	1	0·15	3	0·44	—	—	1	0·15	1	0·15
Bungay . .	—	—	8	2·73	—	—	—	—	—	—	—	—	3	1·02
Eye M.B. . .	—	—	3	1·63	5	2·72	—	—	—	—	1	0·54	—	—
Felixstowe . .	—	—	15	1·38	4	0·37	1	0·09	—	—	—	—	—	—
Halesworth . .	—	—	1	0·50	—	—	—	—	—	—	—	—	—	—
Leiston cum Sizewell . .	—	—	8	1·82	2	0·45	—	—	—	—	1	0·23	5	1·14
Lowestoft M.B. . .	—	—	105	2·28	182	3·96	13	0·28	2	0·04	9	0·20	9	0·20
Saxmundham . .	—	—	1	0·74	—	—	—	—	—	—	—	—	—	—
Southwold M.B. . .	—	—	5	1·74	—	—	—	—	—	—	—	—	1	0·35
Stowmarket . .	—	—	29	6·72	1	0·23	—	—	—	—	1	0·23	2	0·46
Woodbridge . .	—	—	18	3·96	1	0·22	—	—	—	—	—	—	—	—
RURAL DISTRICTS :														
Blything . .	—	—	16	0·93	3	0·17	1	0·06	—	—	—	—	1	0·06
Bosmere and Claydon . .	—	—	17	1·18	15	1·04	1	0·07	6	0·42	2	0·14	4	0·28
East Stow . .	—	—	37	5·60	8	1·21	—	—	—	—	1	0·15	3	0·45
Hartismere . .	—	—	11	1·03	3	0·28	2	0·19	3	0·28	1	0·09	5	0·47
Hoxne . .	—	—	31	3·38	2	0·22	2	0·22	—	—	1	0·11	2	0·22
Mutford and Lothlingland . .	—	—	23	1·87	19	1·55	2	0·16	—	—	2	0·16	1	0·08
Plomesgate . .	7	0·47	26	1·75	11	0·74	1	0·07	4	0·27	3	0·20	2	0·13
Samford . .	—	—	34	2·73	3	0·24	—	—	2	0·16	1	0·08	3	0·24
Wangford . .	1	0·22	5	1·10	—	—	—	—	1	0·22	1	0·22	2	0·44
Woodbridge . .	—	—	17	0·98	9	0·52	—	—	—	—	2	0·12	1	0·06
SUFFOLK, WEST*														
	2	0·02	135	1·25	20	0·18	1	0·01	2	0·02	7	0·06	19	0·18
AGGREGATE OF U.Ds														
	—	—	47	1·14	11	0·27	1	0·02	2	0·05	3	0·07	10	0·24
AGGREGATE OF R.Ds.														
	2	0·03	88	1·3	9	0·13	—	—	—	—	4	0·06	9	0·13
URBAN DISTRICTS :														
Bury St. Edmunds M.B. . .	—	—	35	2·19	—	—	1	0·06	1	0·06	2	0·13	3	0·19
Glemsford . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hadleigh . .	—	—	—	—	11	3·66	—	—	1	0·33	—	—	1	0·33
Haverhill . .	—	—	—	—	—	—	—	—	—	—	—	—	2	0·49
Newmarket . .	—	—	8	0·81	—	—	—	—	—	—	1	0·10	3	0·31
Sudbury M.B. . .	—	—	4	0·57	—	—	—	—	—	—	—	—	1	0·14
RURAL DISTRICTS :														
Brandon . .	—	—	17	2·95	—	—	—	—	—	—	1	0·17	—	—
Clare . .	1	0·14	2	0·28	3	0·42	—	—	—	—	1	0·14	2	0·28
Cosford . .	—	—	4	0·39	3	0·29	—	—	—	—	1	0·10	2	0·19
Melford . .	—	—	7	0·58	1	0·08	—	—	—	—	—	—	—	—
Mildenhall . .	—	—	15	1·81	1	0·12	—	—	—	—	1	0·12	1	0·12
Moulton . .	1	0·48	15	7·16	—	—	—	—	—	—	—	—	—	—
Thedwastre . .	—	—	13	1·55	1	0·12	—	—	—	—	—	—	1	0·12
Thingoe . .	—	—	15	1·13	—	—	—	—	—	—	—	—	3	0·23

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SURREY*	33	0·03	2,551	2·42	1,464	1·39	293	0·28	54	0·05	146	0·14	282	0·27
CROYDON C.B.† ..	2	0·01	569	2·63	484	2·23	16	0·07	10	0·05	21	0·10	46	0·21
AGGREGATE OF U.Ds.†	29	0·04	1,530	2·32	864	1·31	211	0·32	38	0·06	108	0·16	188	0·29
AGGREGATE OF R.Ds.†	2	0·01	452	2·55	116	0·66	66	0·37	6	0·03	17	0·10	48	0·27
URBAN DISTRICTS :														
Barnes	—	—	101	2·60	33	0·85	4	0·10	2	0·05	7	0·18	15	0·39
Beddington and Wallington ..	1	0·05	58	2·86	21	1·04	38	1·88	2	0·10	4	0·20	9	0·44
Carshalton ..	—	—	86	3·93	77	3·51	14	0·64	1	0·05	7	0·32	10	0·46
Caterham ..	—	—	19	1·49	2	0·16	2	0·16	—	—	—	—	1	0·08
Chertsey ..	1	0·06	28	1·73	34	2·10	3	0·19	—	—	5	0·31	6	0·37
Coulsdon and Purley ..	—	—	92	2·92	23	0·73	9	0·29	—	—	1	0·03	8	0·25
Dorking† ..	—	—	20	2·17	1	0·11	4	0·43	—	—	—	—	3	0·33
East and West Molesey ..	—	—	10	1·29	14	1·80	—	—	—	—	—	—	3	0·39
Egham ..	—	—	36	2·36	42	2·75	15	0·98	—	—	6	0·39	3	0·20
Epsom ..	5	0·19	36	1·38	17	0·65	34	1·30	3	0·12	1	0·04	16	0·61
Esher and the Dittons ..	—	—	22	1·43	8	0·52	1	0·06	—	—	—	—	1	0·06
Farnham ..	—	—	22	1·33	2	0·12	—	—	2	0·12	1	0·06	4	0·24
Frimley ..	—	—	16	1·26	4	0·32	—	—	2	0·16	1	0·08	5	0·39
Godalming M.B.	—	—	33	3·50	17	1·80	2	0·21	—	—	1	0·11	7	0·74
Guildford M.B. ..	5	0·18	104	3·72	25	0·89	5	0·18	1	0·04	9	0·32	10	0·36
Ham ..	—	—	2	1·02	—	—	—	—	—	—	—	—	1	0·51
Haslemere ..	—	—	4	0·95	2	0·47	1	0·24	—	—	—	—	—	—
Kingston on Thames M.B. ...	7	0·18	135	3·54	152	3·98	7	0·18	1	0·03	8	0·21	21	0·55
Leatherhead ..	—	—	17	2·64	—	—	5	0·78	2	0·31	1	0·16	—	—
Merton and Morden	—	—	59	2·29	38	1·47	2	0·08	—	—	4	0·16	5	0·19
Mitcham ..	9	0·20	101	2·19	75	1·63	3	0·07	4	0·09	9	0·20	10	0·22
Reigate M.B. ..	1	0·03	30	1·02	11	0·37	6	0·20	3	0·10	5	0·17	4	0·14
Richmond M.B.	—	—	37	1·01	6	0·16	8	0·22	7	0·19	6	0·16	12	0·33
Surbiton ..	—	—	80	3·58	26	1·16	3	0·13	1	0·04	6	0·27	5	0·22
Sutton and Cheam†	—	—	98	2·98	29	0·88	20	0·61	—	—	5	0·15	2	0·06
The Maldens and Coombe ..	—	—	56	3·06	16	0·87	10	0·55	—	—	5	0·27	3	0·16
Walton upon Thames ..	—	—	31	2·03	13	0·85	3	0·20	—	—	1	0·07	2	0·13
Weybridge ..	—	—	21	3·24	1	0·15	1	0·15	2	0·31	—	—	—	—
Wimbledon M.B.	—	—	122	2·07	171	2·89	9	0·15	2	0·03	7	0·12	18	0·30
Windsor ..	—	—	16	3·19	—	—	1	0·20	—	—	—	—	1	0·20
Woking ..	—	—	38	1·33	4	0·14	1	0·04	3	0·11	8	0·28	3	0·11
RURAL DISTRICTS :														
Chertsey ..	—	—	63	4·94	24	1·88	1	0·08	—	—	2	0·16	—	—
Dorking† ..	—	—	40	3·63	15	1·36	5	0·45	—	—	2	0·18	7	0·63
Epsom† ..	—	—	122	3·20	22	0·58	40	1·05	2	0·05	1	0·03	11	0·29
Farnham ..	—	—	14	0·93	5	0·33	3	0·20	—	—	4	0·27	—	—
Godstone† ..	2	0·07	23	0·84	15	0·55	3	0·11	—	—	1	0·04	6	0·22
Guildford ..	—	—	58	2·66	22	1·01	2	0·09	1	0·05	3	0·14	9	0·41
Hambleton ..	—	—	44	1·83	4	0·17	3	0·13	3	0·13	1	0·04	9	0·38
Reigate ..	—	—	88	3·30	9	0·34	9	0·34	—	—	3	0·11	6	0·22

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUSSEX, EAST* ..	4	0·01	867	1·61	703	1·31	59	0·11	22	0·04	101	0·19	171	0·32
BRIGHTON C.B.† ..	2	0·01	190	1·29	263	1·79	13	0·09	12	0·08	59	0·40	54	0·37
EASTBOURNE C.B.	-	-	106	1·81	117	2·00	8	0·14	2	0·03	7	0·12	18	0·31
HASTINGS C.B. ..	1	0·02	89	1·42	133	2·12	7	0·11	2	0·03	14	0·22	22	0·35
AGGREGATE OF U.Ds.†	1	0·01	221	1·61	108	0·79	18	0·13	1	0·01	14	0·10	42	0·31
AGGREGATE OF R.Ds.†	-	-	261	1·97	82	0·62	13	0·10	5	0·04	7	0·05	35	0·26
URBAN DISTRICTS:														
Battle ..	-	-	2	0·59	6	1·77	-	-	-	-	-	-	-	-
Bexhill M.B. ..	-	-	28	1·33	10	0·48	4	0·19	-	-	2	0·10	8	0·38
Burgess Hill ..	-	-	9	1·51	1	0·17	-	-	-	-	3	0·50	-	-
Cuckfield ..	1	0·51	-	-	1	0·51	1	0·51	-	-	-	-	-	-
East Grinstead ..	-	-	17	2·07	23	2·79	1	0·12	-	-	1	0·12	5	0·61
Haywards Heath	-	-	25	4·69	-	-	1	0·19	1	0·19	-	-	-	-
Hove M.B.† ..	-	-	83	1·66	16	0·32	2	0·04	-	-	6	0·12	20	0·40
Lewes M.B. ..	-	-	13	1·17	-	-	8	0·72	-	-	1	0·09	3	0·27
Newhaven ..	-	-	10	1·58	15	2·37	-	-	-	-	-	-	1	0·16
Portslade by Sea†	-	-	10	1·12	9	1·01	-	-	-	-	1	0·11	1	0·11
Rye M.B. ..	-	-	3	0·80	17	4·56	-	-	-	-	-	-	-	-
Seaford ..	-	-	17	2·27	10	1·34	-	-	-	-	-	-	3	0·40
Uckfield ..	-	-	4	1·16	-	-	1	0·29	-	-	-	-	1	0·29
RURAL DISTRICTS:														
Battle ..	-	-	5	0·78	3	0·47	-	-	-	-	-	-	-	-
Chailey ..	-	-	47	3·59	1	0·08	5	0·38	1	0·08	1	0·08	6	0·46
Cuckfield† ..	-	-	29	1·72	7	0·42	-	-	1	0·06	1	0·06	5	0·30
Eastbourne ..	-	-	10	1·56	1	0·16	-	-	1	0·16	1	0·16	2	0·31
East Grinstead ..	-	-	15	0·99	19	1·26	1	0·07	1	0·07	1	0·07	7	0·46
Hailsham ..	-	-	54	2·89	7	0·37	2	0·11	1	0·05	1	0·05	6	0·32
Hastings ..	-	-	2	0·81	6	2·44	-	-	-	-	-	-	-	-
Newhaven† ..	-	-	6	0·95	3	0·48	-	-	-	-	1	0·16	1	0·16
Rye ..	-	-	17	2·33	3	0·41	-	-	-	-	-	-	1	0·14
Steyning East‡§..	-	-	5	3·70	3	2·22	-	-	-	-	-	-	1	0·74
Ticehurst ..	-	-	29	2·27	12	0·94	-	-	-	-	1	0·08	-	-
Uckfield ..	-	-	42	1·65	17	0·67	5	0·20	-	-	-	-	6	0·24
SUSSEX, WEST†..	20	0·10	359	1·71	213	1·01	14	0·07	7	0·03	38	0·18	43	0·20
AGGREGATE OF U.Ds.	3	0·03	142	1·36	164	1·57	9	0·09	4	0·04	19	0·18	24	0·23
AGGREGATE OF R.Ds.	17	0·16	217	2·04	49	0·46	5	0·05	3	0·03	19	0·18	19	0·18
URBAN DISTRICTS:														
Arundel M.B. ..	-	-	2	0·79	-	-	1	0·39	-	-	1	0·39	1	0·39
Bognor ..	-	-	11	0·72	35	2·30	1	0·07	1	0·07	-	-	-	-
Chichester M.B.	1	0·07	39	2·86	25	1·83	4	0·29	1	0·07	1	0·07	7	0·51
Horsham ..	1	0·08	4	0·34	27	2·27	-	-	-	-	2	0·17	2	0·17
Littlehampton ..	-	-	20	2·11	12	1·26	1	0·11	-	-	-	-	2	0·21
Shoreham by Sea	-	-	11	1·34	4	0·49	-	-	2	0·24	5	0·61	3	0·37
Southwick ..	-	-	15	2·84	6	1·14	-	-	-	-	-	-	2	0·38
Worthing M.B. ..	1	0·03	40	1·05	55	1·45	2	0·05	-	-	10	0·26	7	0·18
RURAL DISTRICTS:														
East Preston ..	17	1·63	12	1·15	4	0·38	1	0·10	-	-	1	0·10	3	0·29
Horsham ..	-	-	25	1·21	7	0·34	1	0·05	-	-	1	0·05	5	0·24
Midhurst ..	-	-	63	4·23	2	0·13	-	-	1	0·07	4	0·27	-	-
Petworth ..	-	-	5	0·61	10	1·23	-	-	-	-	1	0·12	1	0·12
Steyning West ..	-	-	28	2·40	8	0·69	-	-	-	-	2	0·17	3	0·26
Thakeham ..	-	-	10	1·08	4	0·43	-	-	-	-	2	0·22	1	0·11
Westbourne ..	-	-	42	4·44	2	0·21	2	0·21	2	0·21	3	0·32	1	0·11
Westhampnett ..	-	-	32	1·47	12	0·55	1	0·05	-	-	5	0·23	5	0·23

* Administrative County with associated County Boroughs.

† Administrative County.

‡ Rates adjusted to allow for changes in boundary during the year.

§ Abolished 1st April, 1928.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WARWICK*§ ..	294	0·20	2,805	1·89	2,724	1·84	72	0·05	116	0·08	194	0·13	665	0·45
BIRMINGHAM C.B.§	54	0·06	1,577	1·63	2,109	2·18	20	0·02	85	0·09	131	0·14	465	0·48
COVENTRY C.B.§ ..	116	0·75	560	3·64	250	1·62	3	0·02	6	0·04	20	0·13	66	0·43
AGGREGATE OF U.Ds.§	69	0·42	266	1·62	176	1·07	25	0·15	9	0·05	18	0·11	56	0·34
AGGREGATE OF R.Ds.§	55	0·28	402	2·03	189	0·96	24	0·12	16	0·08	25	0·13	78	0·39
URBAN DISTRICTS :														
Bedworth§¶ ..	-	-	5	1·60	2	0·64	1	0·32	-	-	-	-	1	0·32
Bulkington ..	-	-	3	1·12	2	0·74	-	-	-	-	-	-	-	-
Kenilworth ..	-	-	6	0·79	5	0·66	1	0·13	-	-	-	-	1	0·13
Nuneaton M.B. ..	52	1·14	141	3·10	50	1·10	1	0·02	2	0·04	7	0·15	22	0·48
Royal Leamington Spa M.B. ..	-	-	19	0·64	29	0·97	5	0·17	4	0·13	2	0·07	10	0·34
Rugby	5	0·21	16	0·66	22	0·91	9	0·37	2	0·08	6	0·25	6	0·25
Stratford on Avon M.B.	-	-	12	1·16	4	0·39	-	-	-	-	1	0·10	5	0·48
Sutton Coldfield M.B. §	-	-	62	2·32	54	2·02	4	0·15	-	-	-	-	6	0·22
Warwick M.B. ..	12	0·84	2	0·14	8	0·56	4	0·28	1	0·07	2	0·14	5	0·35
RURAL DISTRICTS :														
Alcester	-	-	26	2·02	2	0·16	1	0·08	2	0·16	2	0·16	5	0·39
Atherstone ..	18	0·81	55	2·47	24	1·08	-	-	3	0·13	5	0·22	15	0·67
Brailes	-	-	6	1·06	1	0·18	-	-	-	-	-	-	-	-
Coventry§ ..	14	8·86	8	5·06	4	2·53	-	-	-	-	-	-	-	-
Farnborough ..	-	-	1	0·71	-	-	-	-	-	-	-	-	-	-
Foleshill§.. ..	18	0·66	69	2·54	56	2·06	-	-	1	0·04	2	0·07	10	0·37
Meriden §.. ..	1	0·05	49	2·34	12	0·57	-	-	3	0·14	2	0·10	9	0·43
Monks Kirby ..	-	-	4	2·79	-	-	3	2·09	-	-	-	-	-	-
Nuneaton	-	-	24	3·95	4	0·66	-	-	1	0·16	-	-	5	0·82
Rugby	-	-	24	1·15	14	0·67	15	0·72	1	0·05	3	0·14	7	0·33
Solihull	-	-	43	1·63	10	0·38	1	0·04	2	0·08	5	0·19	15	0·57
Southam	4	0·41	20	2·04	5	0·51	3	0·31	1	0·10	1	0·10	3	0·31
Stratford on Avon	-	-	17	1·65	5	0·48	1	0·10	-	-	1	0·10	1	0·10
Tamworth (pt. of)†	-	-	48	2·68	48	2·68	-	-	2	0·11	3	0·17	6	0·33
Warwick§ ..	-	-	8	0·62	4	0·31	-	-	-	-	1	0·08	2	0·15
WESTMORLAND†	-	-	215	3·42	30	0·48	-	-	1	0·02	2	0·03	20	0·32
AGGREGATE OF U.Ds.	-	-	140	5·26	6	0·23	-	-	-	-	2	0·08	6	0·23
AGGREGATE OF R.Ds.	-	-	75	2·07	24	0·66	-	-	1	0·03	-	-	14	0·39
URBAN DISTRICTS :														
Ambleside ..	-	-	3	1·28	-	-	-	-	-	-	-	-	-	-
Appleby M.B. ..	-	-	9	5·49	-	-	-	-	-	-	-	-	1	0·61
Grasmere ..	-	-	2	2·30	-	-	-	-	-	-	-	-	-	-
Kendal M.B. ..	-	-	89	6·19	4	0·28	-	-	-	-	1	0·07	3	0·21
Kirkby Lonsdale	-	-	5	4·37	-	-	-	-	-	-	-	-	-	-
Shap	-	-	-	-	-	-	-	-	-	-	-	-	1	0·95
Windermere ..	-	-	32	6·17	2	0·39	-	-	-	-	1	0·19	1	0·19
RURAL DISTRICTS :														
East Westmorland	-	-	38	3·49	20	1·84	-	-	-	-	-	-	3	0·28
South Westmorland	-	-	29	1·51	2	0·10	-	-	1	0·05	-	-	8	0·42
West Ward ..	-	-	8	1·30	2	0·32	-	-	-	-	-	-	3	0·49

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are:—

|| 1 | 0·04 || 62 | 2·56 || 62 | 2·56 || - | - || 2 | 0·08 || 3 | 0·12 || 8 | 0·33

‡ Administrative County.

§ Rates adjusted to allow for changes in boundary during the year.

|| Abolished 1st April, 1928.

¶ Created 1st October, 1928.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WIGHT, ISLE OF*	-	-	154	1·79	15	0·17	9	0·10	7	0·08	7	0·08	20	0·23
AGGREGATE OF U.Ds.*	-	-	110	1·95	11	0·19	9	0·16	3	0·05	3	0·05	11	0·19
RURAL DISTRICT ..	-	-	44	1·50	4	0·14	-	-	4	0·14	4	0·14	9	0·31
URBAN DISTRICTS:														
Cowes	-	-	12	1·20	3	0·30	2	0·20	1	0·10	-	-	-	-
East Cowes ..	-	-	2	0·45	1	0·22	1	0·22	-	-	-	-	3	0·67
Newport M.B. ..	-	-	14	1·25	-	-	-	-	1	0·09	-	-	1	0·09
Ryde M.B. ..	-	-	7	0·66	2	0·19	1	0·09	-	-	3	0·28	3	0·28
St. Helens ..	-	-	7	1·36	2	0·39	3	0·58	-	-	-	-	-	-
Sandown	-	-	23	4·11	-	-	-	-	-	-	-	-	3	0·54
Shanklin	-	-	6	1·38	3	0·69	2	0·46	-	-	-	-	1	0·23
Ventnor	-	-	39	7·75	-	-	-	-	1	0·20	-	-	-	-
RURAL DISTRICT: Isle of Wight ..	-	-	44	1·50	4	0·14	-	-	4	0·14	4	0·14	9	0·31
WILTS*	16	0·05	931	3·09	309	1·03	26	0·09	10	0·03	66	0·22	68	0·23
AGGREGATE OF U.Ds.†	9	0·06	596	4·21	134	0·95	6	0·04	4	0·03	44	0·31	38	0·27
AGGREGATE OF R.Ds.†	7	0·04	335	2·10	175	1·10	20	0·13	6	0·04	22	0·14	30	0·19
URBAN DISTRICTS:														
Bradford on Avon	-	-	135	26·00	-	-	-	-	-	-	-	-	5	1·00
Calne M.B. ..	-	-	3	0·84	5	1·40	-	-	-	-	-	-	-	-
Chippenham M.B.	-	-	11	1·32	2	0·24	1	0·12	-	-	1	0·12	-	-
Devizes M.B. ..	-	-	31	5·34	1	0·17	-	-	-	-	1	0·17	-	-
Malmesbury M.B.	-	-	-	-	-	-	1	0·43	-	-	-	-	-	-
Marlborough M.B.	-	-	3	0·72	3	0·72	1	0·24	-	-	-	-	3	0·72
Melksham ..	-	-	-	-	2	0·52	-	-	-	-	-	-	-	-
Salisbury M.B. ..	-	-	81	3·07	79	3·00	-	-	-	-	19	0·72	4	0·15
Swindon M.B. †..	9	0·15	277	4·76	32	0·55	3	0·05	3	0·05	23	0·40	16	0·27
Trowbridge ..	-	-	23	1·85	2	0·16	-	-	-	-	-	-	3	0·24
Warminster ..	-	-	13	2·38	4	0·73	-	-	1	0·18	-	-	5	0·91
Westbury ..	-	-	16	3·89	-	-	-	-	-	-	-	-	1	0·24
Wilton M.B. ..	-	-	3	1·51	4	2·02	-	-	-	-	-	-	1	0·50
RURAL DISTRICTS:														
Amesbury	-	-	24	1·55	8	0·52	-	-	2	0·13	3	0·19	1	0·06
Bradford on Avon	-	-	24	4·25	-	-	-	-	-	-	3	0·53	2	0·35
Calne	-	-	8	1·64	3	0·61	-	-	-	-	1	0·20	-	-
Chippenham ..	-	-	35	2·42	1	0·07	7	0·48	1	0·07	1	0·07	3	0·21
Cricklade and Wootton Bassett	-	-	29	2·57	-	-	-	-	-	-	1	0·09	2	0·18
Devizes	-	-	31	2·43	2	0·16	2	0·16	1	0·08	-	-	6	0·47
Highworth† ..	7	0·40	45	2·56	16	0·91	-	-	-	-	4	0·23	3	0·17
Malmesbury ..	-	-	7	0·84	-	-	2	0·24	1	0·12	2	0·24	4	0·48
Marlborough ..	-	-	10	2·36	3	0·71	-	-	-	-	1	0·24	2	0·47
Melksham ..	-	-	7	1·35	2	0·39	-	-	-	-	-	-	-	-
Mere	-	-	15	3·29	38	8·34	-	-	-	-	-	-	1	0·22
Pewsey	-	-	15	1·14	19	1·44	1	0·08	-	-	3	0·23	1	0·08
Ramsbury ..	-	-	6	0·93	45	6·96	-	-	-	-	-	-	1	0·15
Salisbury ..	-	-	30	3·05	22	2·23	-	-	1	0·10	-	-	-	-
Tetbury (part of)‡	-	-	-	-	-	-	1	2·90	-	-	-	-	-	-
Tisbury	-	-	13	1·91	2	0·29	3	0·44	-	-	2	0·29	1	0·15
Warminster ..	-	-	9	1·54	1	0·17	-	-	-	-	-	-	1	0·17
Westbury and Whorwellsdown	-	-	9	1·35	4	0·60	-	-	-	-	1	0·15	-	-
Wilton	-	-	18	2·98	9	1·49	4	0·66	-	-	-	-	2	0·33

* Administrative County.

† Rates adjusted to allow for changes in boundary during the year.

‡ The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WORCESTER*§ ..	8	0·02	515	1·22	327	0·78	28	0·07	17	0·04	73	0·17	144	0·34
DUDLEY C.B. (INCLUDING DUDLEY CASTLE HILL) ..	—	—	24	0·41	36	0·61	—	—	5	0·09	10	0·17	21	0·36
WORCESTER C.B. ..	6	0·11	90	1·71	47	0·89	10	0·19	1	0·02	9	0·17	29	0·55
AGGREGATE OF U.Ds.§	1	0·01	265	1·33	194	0·98	13	0·07	7	0·04	36	0·18	77	0·39
AGGREGATE OF R.Ds.	1	0·01	136	1·23	50	0·45	5	0·05	4	0·04	18	0·16	17	0·15
URBAN DISTRICTS :														
Bewdley M.B. ..	—	—	1	0·38	21	8·05	—	—	—	—	1	0·38	1	0·38
Bromsgrove ..	—	—	32	3·29	7	0·72	—	—	—	—	—	—	1	0·10
Droitwich M.B. ..	—	—	—	—	—	—	3	0·76	—	—	—	—	—	—
Evesham M.B. ..	—	—	2	0·23	—	—	1	0·12	1	0·12	1	0·12	—	—
Halesowen ..	—	—	21	0·71	21	0·71	1	0·03	—	—	11	0·37	12	0·41
Kidderminster M.B.	—	—	91	3·30	16	0·58	1	0·04	2	0·07	8	0·29	23	0·83
Lye and Wollescote	—	—	6	0·50	18	1·49	2	0·17	—	—	—	—	6	0·50
Malvern ..	—	—	18	1·00	10	0·55	2	0·11	—	—	—	—	4	0·22
North Bromsgrove	—	—	22	2·26	10	1·03	—	—	—	—	—	—	2	0·21
Oldbury§..	—	—	23	0·63	24	0·66	—	—	2	0·05	9	0·25	13	0·36
Redditch..	1	0·06	21	1·28	4	0·24	—	—	1	0·06	5	0·30	5	0·30
Stourbridge M.B.	—	—	6	0·32	58	3·06	3	0·16	—	—	1	0·05	6	0·32
Stourport ..	—	—	22	4·26	5	0·97	—	—	1	0·19	—	—	4	0·77
RURAL DISTRICTS :														
Bromsgrove ..	—	—	24	1·22	14	0·71	2	0·10	—	—	—	—	2	0·10
Droitwich ..	1	0·08	17	1·39	2	0·16	—	—	—	—	2	0·16	—	—
Evesham..	—	—	20	1·80	—	—	—	—	1	0·09	2	0·18	2	0·18
Feckenham ..	—	—	6	1·12	4	0·74	—	—	1	0·19	—	—	—	—
Kidderminster ..	—	—	6	0·78	5	0·65	—	—	1	0·13	—	—	2	0·26
Martley ..	—	—	24	1·84	4	0·31	—	—	—	—	7	0·54	—	—
Pershore ..	—	—	11	0·84	7	0·54	—	—	—	—	5	0·38	7	0·54
Rock ..	—	—	3	1·31	4	1·74	—	—	—	—	1	0·44	—	—
Shipston on Stour	—	—	1	0·22	—	—	—	—	—	—	—	—	1	0·22
Stow on the Wold (part of)† ..	—	—	2	7·22	—	—	—	—	—	—	—	—	—	—
Tenbury ..	—	—	4	0·91	5	1·13	—	—	1	0·23	—	—	1	0·23
Tewkesbury (part of)†	—	—	3	1·43	—	—	—	—	—	—	—	—	—	—
Upton on Severn	—	—	15	1·07	5	0·36	3	0·21	—	—	1	0·07	2	0·14
Winchcomb (part of)†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Redmarley d'Abitôt and Staunton (parishes)‡ ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
YORKS, EAST RIDING* ..	70	0·15	1,309	2·77	893	1·89	31	0·07	22	0·05	49	0·10	204	0·43
KINGSTON UPON HULL C.B. ..	70	0·24	998	3·35	670	2·25	7	0·02	17	0·06	17	0·06	153	0·51
AGGREGATE OF U.Ds.	—	—	151	2·08	128	1·76	8	0·11	1	0·01	23	0·32	33	0·45
AGGREGATE OF R.Ds.	—	—	160	1·57	95	0·93	16	0·16	4	0·04	9	0·09	18	0·18
URBAN DISTRICTS :														
Beverley M.B. ..	—	—	15	1·11	85	6·28	2	0·15	—	—	2	0·15	1	0·07
Bridlington M.B.	—	—	60	3·37	8	0·45	3	0·17	1	0·06	2	0·11	6	0·34
Cottingham ..	—	—	22	3·15	13	1·86	—	—	—	—	15	2·15	3	0·43
Filey ..	—	—	—	—	1	0·28	—	—	—	—	—	—	1	0·28
Great Driffield ..	—	—	7	1·13	2	0·32	1	0·16	—	—	2	0·32	7	1·13

* Administrative County with associated County Boroughs.

† The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

‡ These Parishes are administered by the Rural District Council of Newent (Glos.).

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, EAST RIDING—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Hedon M.B. ..	—	—	5	3·33	—	—	—	—	—	—	—	—	—	—
Hessle ..	—	—	16	2·25	8	1·13	1	0·14	—	—	—	—	6	0·84
Hornsea ..	—	—	7	1·58	5	1·13	—	—	—	—	1	0·23	—	—
Norton ..	—	—	2	0·55	1	0·27	—	—	—	—	—	—	4	1·09
Pocklington ..	—	—	6	2·18	—	—	1	0·36	—	—	—	—	—	—
Withernsea ..	—	—	11	2·18	5	0·99	—	—	—	—	1	0·20	5	0·99
RURAL DISTRICTS:														
Beverley ..	—	—	10	0·83	28	2·32	—	—	—	—	—	—	4	0·33
Bridlington ..	—	—	8	1·01	3	0·38	1	0·13	—	—	1	0·13	2	0·25
Driffield ..	—	—	7	0·61	26	2·28	—	—	1	0·09	1	0·09	3	0·26
Escrick ..	—	—	8	1·34	1	0·17	—	—	—	—	—	—	—	—
Howden ..	—	—	26	1·99	2	0·15	3	0·23	—	—	1	0·08	2	0·15
Norton ..	—	—	14	2·65	1	0·19	—	—	—	—	—	—	—	—
Pattrington ..	—	—	9	1·20	6	0·80	1	0·13	—	—	—	—	—	—
Pocklington ..	—	—	20	1·83	10	0·92	11	1·01	2	0·27	2	0·27	3	0·40
Riccall ..	—	—	24	4·41	3	0·55	—	—	—	—	—	—	—	—
Sculcoates ..	—	—	16	1·24	7	0·54	—	—	—	—	2	0·16	2	0·16
Sherburn ..	—	—	—	—	—	—	—	—	—	—	2	0·89	1	0·44
Skirlaugh ..	—	—	18	2·59	8	1·15	—	—	1	0·14	—	—	1	0·14
YORKS, NORTH RIDING* ..	256	0·57	985	2·19	281	0·63	35	0·08	31	0·07	71	0·16	214	0·48
MIDDLESBROUGH C.B.	190	1·44	234	1·78	97	0·74	6	0·05	21	0·16	37	0·28	84	0·64
AGGREGATE OF U.Ds.	63	0·35	407	2·27	135	0·75	16	0·09	8	0·04	22	0·12	101	0·56
AGGREGATE OF R.Ds.	3	0·02	344	2·50	49	0·36	13	0·09	2	0·01	12	0·09	29	0·21
URBAN DISTRICTS:														
Eston ..	6	0·18	54	1·62	22	0·66	1	0·03	—	—	1	0·03	27	0·81
Guisborough ..	—	—	10	1·66	—	—	—	—	—	—	—	—	3	0·50
Hinderwell ..	1	0·42	2	0·84	—	—	—	—	—	—	—	—	3	1·26
Kirklington cum Upland ..	—	—	—	—	1	3·91	—	—	—	—	—	—	—	—
Loftus ..	—	—	77	9·35	3	0·36	—	—	1	0·12	5	0·61	7	0·85
Malton ..	—	—	1	0·23	3	0·69	—	—	—	—	—	—	2	0·46
Masham ..	—	—	5	2·34	—	—	—	—	—	—	—	—	2	0·94
Northallerton ..	—	—	12	2·45	2	0·41	—	—	—	—	—	—	—	—
Pickering ..	—	—	—	—	1	0·29	—	—	—	—	—	—	1	0·29
Redcar M.B. ..	—	—	40	2·25	11	0·62	—	—	—	—	3	0·17	11	0·62
Richmond M.B. ...	2	0·45	12	2·71	—	—	—	—	—	—	1	0·23	3	0·68
Saltburn by the Sea ..	—	—	8	2·10	1	0·26	—	—	—	—	—	—	2	0·53
Scalby ..	—	—	—	—	2	0·83	—	—	—	—	—	—	1	0·42
Scarborough M.B.	53	1·37	81	2·10	59	1·53	7	0·18	2	0·05	3	0·08	15	0·39
Skelton and Brotton ..	—	—	25	1·87	17	1·27	2	0·15	4	0·30	1	0·07	3	0·22
Thornby on Tees M.B. ..	1	0·05	46	2·12	11	0·51	5	0·23	—	—	7	0·32	16	0·74
Whitby ..	—	—	34	2·75	2	0·16	1	0·08	1	0·08	1	0·08	5	0·40
RURAL DISTRICTS:														
Aysgarth ..	—	—	7	1·66	1	0·24	—	—	—	—	—	—	—	—
Bedale ..	—	—	3	0·46	5	0·76	1	0·15	—	—	—	—	2	0·30
Croft ..	—	—	6	2·64	1	0·44	—	—	—	—	—	—	—	—
Easingwold ..	—	—	13	1·37	2	0·21	4	0·42	1	0·11	3	0·32	7	0·74
Flaxton ..	—	—	17	1·51	1	0·09	1	0·09	—	—	2	0·18	2	0·18

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, NORTH RIDING—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Guisborough ..	-	-	39	5.25	3	0.40	-	-	-	-	-	-	1	0.13
Helmsley ..	-	-	-	-	1	0.20	-	-	-	-	-	-	-	-
Kirkby Moorside ..	-	-	4	0.82	1	0.21	-	-	-	-	1	0.21	3	0.62
Leyburn ..	-	-	46	7.50	17	2.77	-	-	-	-	-	-	1	0.16
Malton ..	-	-	4	0.70	1	0.18	-	-	-	-	1	0.18	-	-
Middlesbrough ..	-	-	1	0.32	1	0.32	-	-	-	-	-	-	1	0.32
Northallerton ..	-	-	20	2.59	1	0.13	-	-	-	-	-	-	-	-
Pickering ..	-	-	4	0.68	-	-	-	-	-	-	1	0.17	-	-
Reeth ..	-	-	3	1.26	-	-	1	0.42	-	-	-	-	2	0.84
Richmond ..	1	0.11	35	3.75	1	0.11	2	0.21	1	0.11	2	0.21	-	-
Scarborough ..	1	0.15	2	0.30	2	0.30	-	-	-	-	-	-	-	-
Startforth ..	-	-	46	10.06	2	0.44	-	-	-	-	-	-	1	0.22
Stokesley ..	1	0.08	42	3.49	2	0.17	-	-	-	-	1	0.08	6	0.50
Thirsk ..	-	-	21	1.68	1	0.08	4	0.32	-	-	-	-	1	0.08
Wath ..	-	-	13	6.68	3	1.54	-	-	-	-	1	0.51	-	-
Whitby ..	-	-	18	2.07	3	0.34	-	-	-	-	-	-	2	0.23
YORKS, WEST RIDING*..	2,310	0.70	13,685	4.12	3,755	1.13	280	0.08	262	0.08	572	0.17	1,951	0.59
BARNSELY C.B. ..	11	0.15	182	2.56	145	2.04	5	0.07	4	0.06	20	0.28	40	0.56
BRADFORD C.B. ..	131	0.45	1,547	5.36	281	0.97	13	0.05	30	0.10	45	0.16	169	0.59
DEWSBURY C.B. ..	16	0.30	80	1.51	42	0.79	5	0.09	1	0.02	3	0.06	17	0.32
DONCASTER C.B. ..	10	0.17	118	1.99	61	1.03	3	0.05	4	0.07	6	0.10	28	0.47
HALIFAX C.B.† ..	221	2.27	386	3.96	224	2.30	8	0.08	5	0.05	29	0.30	87	0.89
HUDDERSFIELD C.B.	117	1.04	441	3.90	264	2.34	15	0.13	3	0.03	16	0.14	49	0.43
LEEDS C.B.† ..	53	0.11	3,478	7.33	633	1.33	6	0.01	45	0.09	119	0.25	361	0.76
ROTHERHAM C.B. ..	31	0.44	174	2.47	70	0.99	1	0.01	6	0.09	8	0.11	54	0.77
SHEFFIELD C.B. ..	61	0.12	2,787	5.41	819	1.59	49	0.10	82	0.16	123	0.24	360	0.70
WAKEFIELD C.B. ..	11	0.19	104	1.84	43	0.76	5	0.09	4	0.07	11	0.19	16	0.28
AGGREGATE OF U.Ds.†	1,282	1.17	3,178	2.90	908	0.83	110	0.10	46	0.04	128	0.12	562	0.51
AGGREGATE OF R.Ds.†	366	0.86	1,210	2.83	265	0.62	60	0.14	32	0.07	64	0.15	208	0.49
URBAN DISTRICTS:														
Adwick le Street..	13	0.68	108	5.64	71	3.71	2	0.10	3	0.16	9	0.47	9	0.47
Altofts ..	-	-	17	3.27	7	1.35	1	0.19	-	-	1	0.19	8	1.54
Ardsley, East and West ..	19	2.06	33	3.58	4	0.43	-	-	1	0.11	-	-	4	0.43
Baildon ..	-	-	20	2.77	7	0.97	-	-	-	-	-	-	1	0.14
Barkisland ..	-	-	3	1.92	-	-	-	-	-	-	-	-	2	1.28
Barnoldswick ..	23	1.81	19	1.49	1	0.08	-	-	-	-	-	-	6	0.47
Batley M.B. ..	35	1.02	62	1.81	11	0.32	5	0.15	-	-	3	0.09	20	1.58
Bentley with Arksey ..	35	2.16	67	4.14	82	5.07	-	-	2	0.12	-	-	6	0.37
Bingley ..	43	2.14	67	3.33	14	0.70	3	0.15	1	0.05	4	0.20	10	0.50
Birkenshaw ..	-	-	5	1.74	-	-	-	-	1	0.35	-	-	3	1.04
Birstal ..	2	0.28	26	3.62	2	0.28	2	0.28	-	-	-	-	3	0.42
Bolton upon Dearne ..	95	6.13	49	3.16	-	-	2	0.13	1	0.06	1	0.06	9	0.58
Brighouse M.B. ..	5	0.26	37	1.90	3	0.15	1	0.05	-	-	4	0.21	6	0.31
Burley in Wharfedale ..	-	-	8	1.89	-	-	-	-	-	-	2	0.47	1	0.24
Calverley ..	-	-	18	4.95	1	0.28	-	-	-	-	-	-	3	0.83
Castleford ..	203	8.72	76	3.26	15	0.64	2	0.09	1	0.04	1	0.04	11	0.47
Clayton ..	45	8.44	14	2.62	3	0.56	1	0.19	-	-	-	-	-	-
Clayton West ..	-	-	1	0.49	3	1.46	-	-	-	-	-	-	-	-
Conisbrough ..	1	0.05	36	1.94	13	0.70	1	0.05	1	0.05	-	-	5	0.27
Cudworth ..	-	-	25	2.61	6	0.63	1	0.10	-	-	3	0.31	9	0.94

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Darfield	-	-	15	2·73	1	0·18	1	0·18	-	-	2	0·36	4	0·73
Darton	-	-	43	3·64	4	0·34	2	0·17	1	0·08	-	-	15	1·27
Denby and Cum- berworth	-	-	3	0·83	4	1·11	1	0·28	2	0·55	-	-	-	-
Denholme	3	1·02	4	1·36	-	-	-	-	-	-	1	0·34	3	1·02
Dodworth	-	-	12	2·87	9	2·15	-	-	-	-	-	-	2	0·48
Drighlington ..	4	0·98	12	2·94	-	-	-	-	-	-	-	-	5	1·23
Earby	-	-	5	0·84	-	-	-	-	-	-	-	-	3	0·51
Elland	3	0·28	19	1·79	6	0·57	2	0·19	2	0·19	4	0·38	12	1·13
Emley	-	-	-	-	1	0·55	-	-	-	-	1	0·55	1	0·55
Farsley	2	0·32	21	3·32	3	0·47	-	-	-	-	2	0·32	4	0·63
Featherstone ..	18	1·16	65	4·18	11	0·71	2	0·13	-	-	1	0·06	7	0·45
Flockton	-	-	5	3·62	1	0·72	-	-	-	-	1	0·72	1	0·72
Garforth	-	-	4	1·00	1	0·25	-	-	-	-	-	-	6	1·50
Gildersome	2	0·70	13	4·52	1	0·35	1	0·35	-	-	-	-	2	0·70
Golcar	-	-	26	2·55	7	0·69	3	0·29	-	-	1	0·10	3	0·29
Goole	28	1·44	4	0·21	20	1·03	4	0·21	-	-	2	0·10	17	0·87
Greasbrough ..	-	-	10	2·82	2	0·56	-	-	-	-	-	-	-	-
Greetland	1	0·24	-	-	1	0·24	-	-	-	-	-	-	2	0·48
Guiseley	-	-	34	6·29	-	-	-	-	-	-	2	0·37	2	0·37
Gunthwaite and Ingbirchworth ..	-	-	10	31·35	-	-	-	-	-	-	-	-	-	-
Harrogate M.B.	1	0·03	58	1·57	10	0·27	4	0·11	2	0·05	2	0·05	12	0·33
Haworth	-	-	5	0·79	3	0·47	-	-	-	-	-	-	-	-
Hebden Bridge ..	-	-	21	3·44	4	0·66	-	-	-	-	-	-	5	0·82
Heckmondwike ..	5	0·57	14	1·60	1	0·11	1	0·11	-	-	2	0·23	7	0·80
Hemsworth	45	3·21	29	2·07	25	1·78	-	-	-	-	-	-	11	0·78
Hipperholme ..	-	-	54	11·06	8	1·64	-	-	-	-	-	-	3	0·61
Holme	-	-	1	2·38	-	-	2	4·75	-	-	-	-	-	-
Holmfirth	1	0·10	36	3·47	4	0·39	6	0·58	3	0·29	1	0·10	7	0·67
Honley	-	-	13	2·95	2	0·45	-	-	-	-	-	-	2	0·45
Horbury	-	-	12	1·54	16	2·05	1	0·13	-	-	-	-	3	0·38
Horsforth	-	-	16	1·42	4	0·36	-	-	-	-	1	0·09	5	0·45
Hoyland Nether ..	-	-	109	6·80	29	1·81	2	0·12	1	0·06	3	0·19	9	0·56
Hoyland Swaine ..	-	-	-	-	2	2·45	-	-	-	-	1	1·22	-	-
Hunsworth	-	-	3	2·20	-	-	-	-	-	-	-	-	-	-
Ilkley	-	-	36	3·57	1	0·10	-	-	-	-	2	0·20	5	0·50
Keighley M.B. ..	207	5·15	78	1·94	22	0·55	3	0·07	-	-	3	0·07	14	0·35
Kirkburton	-	-	1	0·29	-	-	-	-	-	-	-	-	5	1·45
Kirkheaton	-	-	3	1·10	1	0·37	-	-	-	-	-	-	2	0·73
Knaresborough ..	-	-	10	1·69	2	0·34	-	-	-	-	-	-	-	-
Knottingley	-	-	15	2·17	7	1·01	1	0·14	-	-	-	-	1	0·14
Lepton	-	-	15	4·80	2	0·64	-	-	-	-	-	-	-	-
Linthwaite	-	-	21	2·19	5	0·52	-	-	1	0·10	1	0·10	4	0·42
Luddenden Foot ..	-	-	45	15·58	1	0·35	-	-	-	-	-	-	3	1·04
Maltby	2	0·20	25	2·54	7	0·71	-	-	2	0·20	1	0·10	12	1·22
Marsden	-	-	44	7·92	6	1·08	-	-	-	-	-	-	4	0·72
Meltham	1	0·18	3	0·54	3	0·54	-	-	-	-	1	0·18	-	-
Methley	8	1·75	3	0·66	4	0·88	-	-	-	-	-	-	2	0·44
Mexborough	4	0·24	62	3·79	1	0·06	1	0·06	-	-	2	0·12	7	0·43
Midgley	-	-	9	4·94	-	-	-	-	-	-	-	-	-	-
Mirfield	-	-	31	2·48	4	0·32	-	-	-	-	1	0·08	5	0·40
Morley M.B. ..	83	3·59	29	1·25	8	0·35	4	0·17	1	0·04	1	0·04	11	0·48
Mytholmroyd ..	-	-	3	0·71	1	0·24	-	-	-	-	-	-	6	1·42
New Mill	-	-	6	1·31	5	1·09	11	2·40	-	-	-	-	1	0·22
Normanton	32	1·94	107	6·48	31	1·88	1	0·06	1	0·06	5	0·30	11	0·67
Oakworth	9	2·19	3	0·73	1	0·24	1	0·24	-	-	1	0·24	4	0·97
Ossett M.B. ..	3	0·20	32	2·17	2	0·14	4	0·27	-	-	3	0·20	5	0·34
Otley	-	-	26	2·53	22	2·14	1	0·10	3	0·29	1	0·10	5	0·49
Oxenhope	1	0·42	4	1·68	-	-	-	-	-	-	-	-	-	-
Penistone	-	-	1	0·27	7	1·86	-	-	-	-	1	0·27	-	-
Pontefract M.B.	85	4·84	65	3·70	16	0·91	4	0·23	2	0·11	2	0·11	16	0·91

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Pudsey M.B. ..	-	-	47	3.28	5	0.35	-	-	-	-	1	0.07	4	0.28
Queensbury ..	2	0.35	48	8.39	-	-	2	0.35	-	-	1	0.17	9	1.57
Rawdon ..	-	-	11	2.55	1	0.23	-	-	-	-	-	-	1	0.23
Rawmarsh ..	2	0.11	48	2.59	3	0.16	-	-	1	0.05	6	0.32	5	0.27
Ripon M.B. ..	-	-	17	2.01	1	0.12	-	-	-	-	1	0.12	1	0.12
Rishworth ..	-	-	7	7.47	-	-	-	-	-	-	-	-	-	-
Rothwell ..	1	0.06	98	6.23	12	0.76	-	-	-	-	3	0.19	11	0.70
Royston ..	-	-	15	2.04	-	-	1	0.14	-	-	-	-	1	0.14
Saddleworth ..	3	0.24	25	1.98	5	0.40	-	-	-	-	1	0.08	3	0.24
Scammonden ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Selby ..	9	0.93	20	2.06	2	0.21	-	-	-	-	-	-	1	0.10
Shelf ..	1	0.38	15	5.70	-	-	-	-	-	-	-	-	-	-
Shelley ..	-	-	1	0.60	-	-	-	-	-	-	-	-	1	0.60
Shepley ..	-	-	2	1.24	1	0.62	-	-	-	-	-	-	1	0.62
Shipley ..	19	0.65	90	3.07	51	1.74	1	0.03	-	-	4	0.14	4	0.14
Silsden ..	12	2.44	5	1.02	2	0.41	-	-	-	-	-	-	-	-
Skelmanthorpe ..	-	-	2	0.52	14	3.63	-	-	-	-	-	-	-	-
Skipton ..	6	0.50	23	1.90	32	2.64	-	-	1	0.08	-	-	7	0.58
Slaithwaite ..	-	-	36	7.03	9	1.76	1	0.20	-	-	1	0.20	-	-
South Crosland ..	-	-	11	3.73	2	0.68	1	0.34	1	0.34	-	-	2	0.68
Southowram* ..	3	1.06	9	3.19	4	1.42	-	-	-	-	-	-	1	0.35
Sowerby ..	5	0.35	70	4.93	9	0.63	2	0.14	-	-	2	0.14	7	0.49
Soyland ..	1	0.35	15	5.25	-	-	-	-	-	-	-	-	3	1.05
Spenborough ..	28	0.92	117	3.85	11	0.36	9	0.30	2	0.07	2	0.07	8	0.26
Springhead ..	-	-	5	0.98	8	1.57	-	-	-	-	1	0.20	3	0.59
Stainland ..	1	0.23	1	0.23	1	0.23	-	-	-	-	-	-	6	1.38
Stanley ..	3	0.20	53	3.61	6	0.41	1	0.07	-	-	-	-	14	0.95
Stocksbridge ..	-	-	39	4.04	20	2.07	-	-	-	-	3	0.31	11	1.14
Swinton ..	5	0.35	41	2.90	5	0.35	-	-	1	0.07	3	0.21	12	0.85
Thurlstone ..	9	3.61	3	1.20	3	1.20	-	-	-	-	-	-	2	0.80
Thurnscoe ..	72	6.99	33	3.20	3	0.29	-	-	-	-	1	0.10	1	0.10
Thurstonland and Farnley Tyas..	-	-	1	0.26	1	0.26	3	0.79	-	-	-	-	4	1.05
Tickhill ..	-	-	1	0.46	24	10.98	-	-	-	-	1	0.46	3	1.37
Todmorden M.B.	1	0.04	45	1.98	18	0.79	1	0.04	1	0.04	1	0.04	18	0.79
Wath upon Dearne	4	0.29	29	2.07	8	0.57	-	-	3	0.21	3	0.21	11	0.79
Whitley Upper ..	-	-	5	5.68	-	-	-	-	-	-	-	-	-	-
Whitwood ..	25	3.99	14	2.24	5	0.80	1	0.16	-	-	-	-	1	0.16
Wombwell ..	2	0.10	67	3.30	44	2.17	3	0.15	1	0.05	7	0.34	9	0.44
Worsborough ..	1	0.08	36	2.91	13	1.05	-	-	-	-	4	0.32	3	0.24
Yeadon ..	-	-	29	4.07	3	0.42	-	-	3	0.42	2	0.28	2	0.28
RURAL DISTRICTS :														
Barnsley ..	-	-	23	4.94	1	0.21	3	0.64	-	-	-	-	-	-
Bishopthorpe ..	-	-	4	1.60	-	-	1	0.40	-	-	1	0.40	-	-
Bowland ..	-	-	17	3.23	1	0.19	-	-	-	-	-	-	-	-
Doncaster ..	53	1.19	133	3.00	46	1.04	-	-	3	0.07	7	0.16	15	0.34
Goole ..	-	-	5	0.58	5	0.58	3	0.35	-	-	1	0.12	-	-
Great Ouseburn ..	-	-	38	3.09	4	0.33	23	1.87	4	0.33	4	0.33	1	0.08
Halifax ..	1	0.16	18	2.96	3	0.49	-	-	-	-	-	-	-	-
Hemsworth ..	1	0.02	105	2.27	45	0.97	9	0.19	6	0.13	18	0.39	29	0.63
Hunslet* ..	-	-	54	9.57	3	0.53	-	-	-	-	-	-	2	0.35
Keighley ..	20	2.50	54	6.74	9	1.12	-	-	-	-	-	-	1	0.12
Kiveton Park ..	54	3.01	67	3.74	21	1.17	1	0.06	2	0.11	-	-	10	0.56
Knaresborough ..	-	-	37	3.98	-	-	-	-	-	-	-	-	6	0.65
Pateley Bridge ..	-	-	1	0.12	-	-	-	-	-	-	1	0.12	2	0.25
Penistone ..	-	-	8	1.46	-	-	-	-	-	-	-	-	2	0.36
Pontefract ..	163	6.83	90	3.77	11	0.46	2	0.08	3	0.13	4	0.17	8	0.34

* Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Ripon	—	—	4	0·82	—	—	1	0·20	—	—	—	—	—	—
Rotherham ..	13	0·33	123	3·16	34	0·87	—	—	2	0·05	6	0·15	27	0·69
Sedbergh ..	—	—	9	2·19	2	0·49	—	—	—	—	—	—	—	—
Selby	—	—	11	1·82	6	0·99	2	0·33	1	0·17	1	0·17	1	0·17
Settle	—	—	19	1·28	2	0·13	1	0·07	1	0·07	1	0·07	10	0·67
Skipton	2	0·11	23	1·23	8	0·43	—	—	1	0·05	2	0·11	6	0·32
Tadcaster† ..	37	1·21	98	3·21	16	0·52	1	0·03	1	0·03	5	0·16	22	0·72
Thorne	15	0·62	54	2·24	14	0·58	—	—	5	0·21	5	0·21	8	0·33
Todmorden ..	1	0·23	4	0·94	4	0·94	—	—	1	0·23	—	—	3	0·70
Wakefield ..	2	0·11	50	2·75	10	0·55	5	0·27	—	—	—	—	26	1·43
Wetherby ..	—	—	46	3·04	6	0·40	1	0·07	1	0·07	1	0·07	2	0·13
Wharfedale (North Division) ..	—	—	1	0·27	2	0·53	1	0·27	—	—	2	0·53	—	—
Wharfedale (South Division)† ..	4	0·65	10	1·63	4	0·65	—	—	—	—	—	—	7	1·14
Wortley	—	—	104	3·49	8	0·27	6	0·20	1	0·03	5	0·17	20	0·67
YORK, CITY OF ..	13	0·15	182	2·13	75	0·88	13	0·15	7	0·08	13	0·15	20	0·23
YORK C.B.	13	0·15	182	2·13	75	0·88	13	0·15	7	0·08	13	0·15	20	0·23
ANGLESEY* ..	—	—	69	1·34	164	3·19	1	0·02	3	0·06	8	0·16	11	0·21
AGGREGATE OF U.Ds.	—	—	29	1·51	89	4·63	—	—	1	0·05	4	0·21	7	0·36
AGGREGATE OF R.Ds.	—	—	40	1·25	75	2·34	1	0·03	2	0·06	4	0·12	4	0·12
URBAN DISTRICTS:														
Amlwch	—	—	3	1·17	16	6·22	—	—	1	0·39	—	—	1	0·39
Beaumaris M.B.	—	—	—	—	—	—	—	—	—	—	1	0·60	1	0·60
Holyhead ..	—	—	19	1·64	66	5·68	—	—	—	—	1	0·09	5	0·43
Llangefni ..	—	—	5	2·89	7	4·05	—	—	—	—	1	0·58	—	—
Menai Bridge ..	—	—	2	1·21	—	—	—	—	—	—	1	0·60	—	—
RURAL DISTRICTS:														
Aethwy	—	—	5	0·60	11	1·32	—	—	—	—	1	0·12	1	0·12
Dwyran	—	—	5	1·79	—	—	—	—	—	—	—	—	1	0·36
Twrcelyn ..	—	—	10	1·10	29	3·18	—	—	1	0·11	—	—	1	0·11
Valley	—	—	20	1·69	35	2·96	1	0·08	1	0·08	3	0·25	1	0·08
BRECKNOCK* ..	103	1·72	31	0·52	38	0·63	1	0·02	2	0·03	13	0·22	9	0·15
AGGREGATE OF U.Ds.	94	5·54	7	0·41	12	0·71	1	0·06	—	—	2	0·12	3	0·18
AGGREGATE OF R.Ds.	9	0·21	24	0·56	26	0·60	—	—	2	0·05	11	0·26	6	0·14
URBAN DISTRICTS:														
Brecknock M.B.	—	—	2	0·38	1	0·19	—	—	—	—	—	—	—	—
Brynmaur ..	93	11·81	—	—	—	—	1	0·13	—	—	1	0·13	2	0·25
Builth Wells ..	—	—	2	1·27	5	3·17	—	—	—	—	—	—	1	0·63
Hay	1	0·66	3	1·97	—	—	—	—	—	—	1	0·66	—	—
Llanwrtyd ..	—	—	—	—	6	8·14	—	—	—	—	—	—	—	—

* Administrative County.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BRECKNOCK—<i>cont.</i>														
RURAL DISTRICTS :—														
Brecknock (Defynnock and Llangorse Div.) ..	-	-	2	0·31	4	0·62	-	-	-	-	-	-	1	0·16
Brecknock (Merthyr Cynog Div.) ..	-	-	1	0·48	-	-	-	-	-	-	-	-	-	-
Builth ..	-	-	4	1·03	1	0·26	-	-	1	0·26	1	0·26	-	-
Crickhowell ..	6	0·77	9	1·16	-	-	-	-	-	-	1	0·13	-	-
Hay ..	-	-	-	-	-	-	-	-	-	-	2	0·48	1	0·24
Vaynor and Penderyn ..	3	0·55	1	0·18	9	1·66	-	-	-	-	2	0·37	1	0·18
Ystradgynlais ..	-	-	7	0·57	12	0·98	-	-	1	0·08	5	0·41	3	0·24
Llanwrthwl (parish)* ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ystradfellte(parish) †	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAERNARVON† ..	-	-	141	1·14	81	0·65	4	0·03	3	0·02	10	0·08	20	0·16
AGGREGATE OF U.Ds. 	-	-	100	1·52	63	0·95	4	0·06	2	0·03	8	0·12	14	0·21
AGGREGATE OF R.Ds. 	-	-	41	0·71	18	0·31	-	-	1	0·02	2	0·03	6	0·10
URBAN DISTRICTS :														
Bangor M.B. ..	-	-	15	1·34	4	0·36	-	-	-	-	1	0·09	3	0·27
Bethesda ..	-	-	3	0·71	8	1·90	-	-	-	-	-	-	2	0·48
Bettws y Coed ..	-	-	2	2·26	3	3·39	-	-	-	-	-	-	-	-
Caernarvon M.B. ..	-	-	12	1·47	5	0·61	-	-	-	-	-	-	1	0·12
Conway M.B. ..	-	-	22	2·49	2	0·23	1	0·11	2	0·23	-	-	3	0·34
Criccieth ..	-	-	2	1·14	1	0·57	-	-	-	-	-	-	-	-
Llandudno ..	-	-	36	2·34	20	1·30	3	0·20	-	-	2	0·13	3	0·20
Llanfairfechan ..	-	-	-	-	19	5·70	-	-	-	-	1	0·30	-	-
Penmaenmawr ..	-	-	8	1·92	1	0·24	-	-	-	-	3	0·72	1	0·24
Portmadoc ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pwllheli M.B. ..	-	-	-	-	-	-	-	-	-	-	1	0·27	1	0·27
RURAL DISTRICTS :														
Conway ..	-	-	18	3·29	-	-	-	-	-	-	1	0·18	1	0·18
Geirionydd ..	-	-	3	0·72	4	0·96	-	-	-	-	1	0·24	1	0·24
Glaslyn ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gwyrfai ..	-	-	11	0·47	6	0·26	-	-	-	-	-	-	2	0·09
Lleyn ..	-	-	8	0·49	7	0·43	-	-	1	0·06	-	-	2	0·12
Ogwen ..	-	-	1	0·18	1	0·18	-	-	-	-	-	-	-	-
CARDIGAN† ..	-	-	85	1·52	28	0·50	5	0·09	5	0·09	2	0·04	4	0·07
AGGREGATE OF U.Ds.	-	-	52	3·29	9	0·57	5	0·32	-	-	1	0·06	2	0·13
AGGREGATE OF R.Ds.	-	-	33	0·82	19	0·47	-	-	5	0·12	1	0·02	2	0·05
URBAN DISTRICTS :														
Aberayron ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aberystwyth M.B. ..	-	-	17	1·95	5	0·57	5	0·57	-	-	1	0·11	1	0·11
Cardigan M.B. ..	-	-	33	10·61	-	-	-	-	-	-	-	-	1	0·32
Lampeter M.B. ..	-	-	-	-	1	0·59	-	-	-	-	-	-	-	-
New Quay ..	-	-	2	1·95	3	2·93	-	-	-	-	-	-	-	-
RURAL DISTRICTS :														
Aberayron ..	-	-	12	1·63	-	-	-	-	1	0·14	-	-	-	-
Aberystwyth(North Div.) ..	-	-	1	0·15	1	0·15	-	-	-	-	1	0·15	1	0·15
Aberystwyth(South Div.) ..	-	-	-	-	1	0·21	-	-	-	-	-	-	1	0·21
Cardigan ..	-	-	6	2·04	15	5·10	-	-	-	-	-	-	-	-
Lampeter ..	-	-	3	0·86	1	0·29	-	-	-	-	-	-	-	-
Llandyssil ..	-	-	10	1·30	-	-	-	-	1	0·13	-	-	-	-
Tregaron ..	-	-	1	0·15	-	-	-	-	2	0·29	-	-	-	-
Ysgubor y Coed (parish)§ ..	-	-	-	-	1	2·85	-	-	1	2·85	-	-	-	-

* This Parish is administered by the Rural District Council of Rhayader (Radnor).

† This Parish is administered by the Rural District Council of Neath (Glamorgan).

‡ Administrative County.

§ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

|| Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of **INFECTIOUS DISEASES** notified during the 52 weeks ended 29th December 1928, and the **ATTACK-RATE** per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CARMARTHEN* ..	-	-	190	1·05	264	1·47	21	0·12	5	0·03	17	0·09	46	0·26
AGGREGATE OF U.Ds.	-	-	87	1·16	87	1·16	6	0·08	2	0·03	8	0·11	26	0·35
AGGREGATE OF R.Ds.	-	-	103	0·98	177	1·68	15	0·14	3	0·03	9	0·09	20	0·19
URBAN DISTRICTS:														
Ammanford ..	-	-	16	2·09	12	1·57	-	-	-	-	-	-	1	0·13
Burry Port ..	-	-	11	1·85	9	1·51	-	-	-	-	-	-	1	0·17
Carmarthen M.B.	-	-	1	0·10	10	1·01	5	0·50	-	-	-	-	1	0·10
Cwmamman ..	-	-	-	-	8	1·40	-	-	1	0·18	1	0·18	-	-
Kidwelly M.B. ..	-	-	3	0·94	5	1·56	-	-	-	-	-	-	8	2·50
Llandilo ..	-	-	-	-	-	-	-	-	-	-	-	-	2	1·01
Llandovery M.B.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Llanelly M.B. ..	-	-	55	1·46	42	1·11	1	0·03	1	0·03	7	0·19	13	0·35
Newcastle Emlyn	-	-	1	1·20	1	1·20	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Carmarthen ..	-	-	22	0·91	37	1·54	9	0·37	1	0·04	-	-	3	0·12
Llandilo Fawr ..	-	-	14	0·62	40	1·76	-	-	-	-	3	0·13	5	0·22
Llandovery ..	-	-	1	0·15	3	0·46	1	0·15	-	-	-	-	-	-
Llanelly ..	-	-	62	1·66	94	2·52	3	0·08	2	0·05	5	0·13	10	0·27
Llanbyther ..	-	-	-	-	2	0·59	-	-	-	-	-	-	1	0·29
Newcastle in Emlyn ..	-	-	2	0·33	1	0·16	2	0·33	-	-	-	-	-	-
Whitland ..	-	-	2	0·40	-	-	-	-	-	-	1	0·20	1	0·20
DENBIGH* ..	-	-	337	2·11	117	0·73	21	0·13	10	0·06	13	0·08	48	0·30
AGGREGATE OF U.Ds.	-	-	124	2·13	33	0·57	11	0·19	5	0·09	7	0·12	20	0·34
AGGREGATE OF R.Ds.	-	-	213	2·10	84	0·83	10	0·10	5	0·05	6	0·06	28	0·28
URBAN DISTRICTS:														
Abergele and Pensarn ..	-	-	2	0·78	-	-	-	-	-	-	-	-	-	-
Colwyn Bay ..	-	-	36	1·65	15	0·69	4	0·18	1	0·05	-	-	8	0·37
Denbigh M.B. ..	-	-	4	0·56	2	0·28	2	0·28	1	0·14	1	0·14	6	0·83
Llangollen ..	-	-	5	1·63	1	0·33	-	-	-	-	-	-	2	0·65
Llanrwst ..	-	-	2	0·82	6	2·46	-	-	-	-	-	-	-	-
Ruthin M.B. ..	-	-	26	9·37	1	0·36	-	-	-	-	2	0·72	2	0·72
Wrexham M.B. ..	-	-	49	2·67	8	0·44	5	0·27	3	0·16	4	0·22	2	0·11
RURAL DISTRICTS:														
Chirk ..	-	-	4	0·80	8	1·60	1	0·20	1	0·20	-	-	2	0·40
Llangollen ..	-	-	5	1·30	-	-	-	-	-	-	1	0·26	-	-
Llanrwst ..	-	-	2	0·49	-	-	-	-	-	-	-	-	2	0·49
Llansilin ..	-	-	3	1·04	-	-	-	-	1	0·35	1	0·35	-	-
Ruthin ..	-	-	11	1·18	3	0·32	-	-	-	-	-	-	3	0·32
St. Asaph (Denbigh) ..	-	-	29	4·31	2	0·30	1	0·15	1	0·15	-	-	2	0·30
Uwchaled ..	-	-	1	0·50	5	2·51	-	-	-	-	1	0·50	1	0·50
Wrexham ..	-	-	156	2·37	65	0·99	8	0·12	2	0·03	2	0·03	18	0·27
Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)†	-	-	2	1·06	1	0·53	-	-	-	-	1	0·53	-	-

* Administrative County.

† These Parishes are administered by the Rural District Council of Conway (Caernarvon).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
FLINT*	-	-	95	0·86	124	1·12	4	0·04	12	0·11	26	0·23	27	0·24
AGGREGATE OF U.Ds.	-	-	44	0·96	50	1·09	3	0·07	2	0·04	10	0·22	12	0·26
AGGREGATE OF R.Ds.	-	-	51	0·78	74	1·14	1	0·02	10	0·15	16	0·25	15	0·23
URBAN DISTRICTS:														
Buckley	-	-	1	0·15	1	0·15	1	0·15	-	-	6	0·88	7	1·02
Connah's Quay ..	-	-	-	-	4	0·68	-	-	-	-	-	-	-	-
Flint M.B.	-	-	2	0·28	3	0·41	2	0·28	-	-	-	-	-	-
Holywell	-	-	7	2·16	13	4·01	-	-	-	-	-	-	2	0·62
Mold	-	-	11	2·19	10	1·99	-	-	-	-	2	0·40	-	-
Prestatyn	-	-	3	0·64	2	0·42	-	-	1	0·21	-	-	-	-
Rhyl	-	-	20	1·58	17	1·34	-	-	1	0·08	2	0·16	3	0·24
RURAL DISTRICTS:														
Hawarden	-	-	17	0·65	14	0·54	1	0·04	8	0·31	10	0·38	7	0·27
Holywell	-	-	26	0·99	56	2·14	-	-	2	0·08	3	0·11	6	0·23
Overton	-	-	2	0·40	2	0·40	-	-	-	-	2	0·40	-	-
St. Asaph (Flint)	-	-	6	0·76	2	0·25	-	-	-	-	1	0·13	2	0·25
GLAMORGAN† ..	904	0·71	2,187	1·71	2,934	2·29	34	0·03	102	0·08	150	0·12	379	0·30
CARDIFF C.B. ..	12	0·05	279	1·23	562	2·48	2	0·01	32	0·14	53	0·23	62	0·27
MERTHYR TYDFIL C.B. ..	93	1·17	58	0·73	262	3·30	2	0·03	4	0·05	8	0·10	18	0·23
SWANSEA C.B. ..	28	0·17	207	1·28	387	2·39	6	0·04	28	0·17	26	0·16	43	0·27
AGGREGATE OF U.Ds.	770	1·29	1,424	2·38	1,406	2·35	21	0·04	31	0·05	53	0·09	203	0·34
AGGREGATE OF R.Ds.	1	0·00	219	1·03	317	1·49	3	0·01	7	0·03	10	0·05	53	0·25
URBAN DISTRICTS:														
Aberdare.. ..	195	3·62	99	1·84	130	2·41	-	-	-	-	2	0·04	17	0·32
Barry	-	-	97	2·47	77	1·96	3	0·08	1	0·03	7	0·18	10	0·25
Bridgend.. ..	-	-	14	1·47	1	0·10	1	0·10	-	-	-	-	-	-
Caerphilly	1	0·03	75	1·89	83	2·09	-	-	4	0·10	3	0·08	11	0·28
Cowbridge M.B... ..	-	-	-	-	3	2·64	-	-	-	-	-	-	-	-
Gelligaer	153	3·41	91	2·03	74	1·65	2	0·04	4	0·09	8	0·18	25	0·56
Glyncorwg	-	-	15	1·39	45	4·18	-	-	-	-	-	-	2	0·19
Maesteg	-	-	71	2·63	171	6·33	-	-	-	-	2	0·07	8	0·30
Mountain Ash ..	251	6·04	122	2·93	79	1·90	3	0·07	2	0·05	6	0·14	18	0·43
Neath M.B.	16	0·46	26	0·75	76	2·18	1	0·03	3	0·09	3	0·09	11	0·32
Ogmore and Garw	-	-	129	4·43	78	2·68	11	0·38	3	0·10	3	0·10	10	0·34
Penarth	-	-	14	0·74	3	0·16	-	-	-	-	2	0·11	6	0·32
Pontypridd	109	2·37	107	2·33	15	0·33	-	-	2	0·04	3	0·07	12	0·26
Porthcawl	-	-	9	1·33	6	0·89	-	-	-	-	-	-	-	-
Port Talbot M.B.	-	-	158	3·80	126	3·03	-	-	3	0·07	5	0·12	5	0·12
Rhondda.. ..	45	0·29	397	2·58	439	2·85	-	-	9	0·06	9	0·06	68	0·44
RURAL DISTRICTS:														
Cardiff	1	0·03	28	0·96	19	0·65	1	0·03	-	-	3	0·10	7	0·24
Cowbridge	-	-	3	0·26	10	0·87	-	-	-	-	-	-	-	-
Gower	-	-	10	0·98	20	1·97	-	-	1	0·10	-	-	2	0·20
Llantrisant and Llantwitfardre	-	-	62	2·58	36	1·50	-	-	2	0·08	1	0·04	6	0·25
Neath	-	-	16	0·38	64	1·53	2	0·05	2	0·05	4	0·10	6	0·14
Penybont	-	-	37	1·15	14	0·44	-	-	1	0·03	1	0·03	6	0·19
Pontardawe	-	-	19	0·51	31	0·84	-	-	1	0·03	-	-	16	0·43
Swansea	-	-	44	1·58	123	4·42	-	-	-	-	1	0·04	10	0·36

* Administrative County.

† Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MERIONETH* ..	-	-	23	0.52	65	1.48	1	0.02	4	0.09	3	0.07	3	0.07
AGGREGATE OF U.Ds.	-	-	13	0.66	46	2.35	-	-	1	0.05	3	0.15	3	0.15
AGGREGATE OF R.Ds.	-	-	10	0.41	19	0.78	1	0.04	3	0.12	-	-	-	-
URBAN DISTRICTS:														
Bala ..	-	-	-	-	1	0.64	-	-	-	-	1	0.64	-	-
Barmouth ..	-	-	7	3.37	-	-	-	-	-	-	-	-	-	-
Dolgelley ..	-	-	1	0.44	2	0.87	-	-	-	-	1	0.44	-	-
Ffestiniog ..	-	-	4	0.45	43	4.80	-	-	-	-	1	0.11	3	0.33
Mallwyd ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Towyn ..	-	-	1	0.25	-	-	-	-	1	0.25	-	-	-	-
RURAL DISTRICTS:														
Deudraeth ..	-	-	1	0.14	12	1.62	-	-	2	0.27	-	-	-	-
Dolgelley ..	-	-	2	0.26	4	0.51	-	-	1	0.13	-	-	-	-
Edeirnion ..	-	-	2	0.41	2	0.41	1	0.20	-	-	-	-	-	-
Penllyn ..	-	-	5	1.35	1	0.27	-	-	-	-	-	-	-	-
Pennal (parish)†..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONMOUTH† ..	1232	2.69	469	1.02	306	0.67	29	0.06	32	0.07	50	0.11	96	0.21
NEWPORT C.B. ..	4	0.04	103	1.06	35	0.36	9	0.09	20	0.21	17	0.18	22	0.23
AGGREGATE OF U.Ds.	1222	3.95	334	1.08	243	0.79	15	0.05	11	0.04	32	0.10	72	0.23
AGGREGATE OF R.Ds.	6	0.11	32	0.61	28	0.54	5	0.10	1	0.02	1	0.02	2	0.04
URBAN DISTRICTS:														
Abercarn ..	58	2.76	4	0.19	9	0.43	2	0.10	-	-	-	-	1	0.05
Abergavenny M.B.	2	0.23	35	3.95	-	-	1	0.11	-	-	-	-	-	-
Abersychan ..	127	4.40	21	0.73	41	1.42	-	-	-	-	1	0.03	4	0.14
Abertillery ..	239	7.28	47	1.43	18	0.55	-	-	2	0.06	2	0.06	4	0.12
Bedwas and Machen ..	-	-	-	-	13	1.35	-	-	1	0.10	6	0.62	1	0.10
Bedwellty ..	188	5.86	42	1.31	21	0.65	-	-	3	0.09	1	0.03	14	0.44
Blaenavon ..	43	3.56	5	0.41	10	0.83	-	-	-	-	-	-	1	0.08
Caerleon ..	-	-	2	0.77	-	-	1	0.39	-	-	-	-	1	0.39
Chepstow ..	-	-	4	0.90	1	0.23	-	-	-	-	3	0.68	1	0.23
Ebbw Vale ..	114	3.39	31	0.92	51	1.52	3	0.09	1	0.03	4	0.12	19	0.56
Llanfrechfa Upper	-	-	3	0.64	1	0.21	-	-	-	-	2	0.43	2	0.43
Llantarnam ..	-	-	11	1.38	5	0.63	-	-	-	-	2	0.25	6	0.75
Monmouth M.B.	-	-	-	-	7	1.39	-	-	-	-	-	-	-	-
Mynyddislwyn ..	35	2.11	15	0.91	7	0.42	1	0.06	1	0.06	3	0.18	2	0.12
Nantyglo and Blaina ..	179	11.78	22	1.45	5	0.33	1	0.07	-	-	1	0.07	2	0.13
Panteg ..	9	0.77	7	0.60	2	0.17	-	-	-	-	-	-	-	-
Pontypool ..	43	5.78	3	0.40	13	1.75	1	0.13	-	-	-	-	-	-
Rhymney ..	17	1.49	52	4.55	16	1.40	1	0.09	1	0.09	2	0.17	3	0.26
Risca ..	1	0.06	5	0.29	17	0.98	2	0.12	1	0.06	1	0.06	4	0.23
Tredegar ..	167	6.83	24	0.98	6	0.25	2	0.08	1	0.04	4	0.16	7	0.29
Usk ..	-	-	1	0.71	-	-	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Abergavenny ..	3	0.32	10	1.06	1	0.11	1	0.11	-	-	-	-	2	0.21
Chepstow ..	1	0.11	5	0.56	2	0.23	-	-	-	-	-	-	-	-
Magor ..	-	-	5	0.76	-	-	1	0.15	-	-	1	0.15	-	-
Monmouth ..	1	0.15	5	0.75	2	0.30	-	-	-	-	-	-	-	-
Pontypool ..	1	0.19	4	0.76	3	0.57	-	-	-	-	-	-	-	-
St. Mellons ..	-	-	3	0.19	20	1.29	3	0.19	1	0.06	-	-	-	-

* Administrative County.

† Administrative County with associated County Borough.

‡ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 29th December 1928, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MONTGOMERY* ..	-	-	25	0.49	28	0.55	1	0.02	3	0.06	13	0.26	14	0.27
AGGREGATE OF U.Ds.	-	-	10	0.54	13	0.71	-	-	2	0.11	4	0.22	5	0.27
AGGREGATE OF R.Ds.	-	-	15	0.46	15	0.46	1	0.03	1	0.03	9	0.28	9	0.28
URBAN DISTRICTS:														
Llanfyllin M.B. ..	-	-	6	3.72	-	-	-	-	-	-	1	0.62	-	-
Llanidloes M.B. ..	-	-	-	-	4	1.60	-	-	-	-	1	0.40	-	-
Machynlleth ..	-	-	-	-	3	1.61	-	-	2	1.07	-	-	-	-
Montgomery M.B. ..	-	-	-	-	1	1.02	-	-	-	-	1	1.02	1	1.02
Newtown and Llanllwchaearn	-	-	1	0.18	-	-	-	-	-	-	-	-	-	-
Welshpool M.B. ..	-	-	3	0.50	5	0.83	-	-	-	-	1	0.17	4	0.67
RURAL DISTRICTS:														
Forden ..	-	-	2	0.36	-	-	-	-	-	-	3	0.54	5	0.90
Llanfyllin ..	-	-	4	0.33	4	0.33	-	-	1	0.08	3	0.25	2	0.17
Machynlleth ..	-	-	-	-	6	1.63	1	0.27	-	-	-	-	-	-
Newtown and Llanidloes ..	-	-	9	0.80	5	0.44	-	-	-	-	3	0.27	2	0.18
PEMBROKE* ..	-	-	138	1.57	36	0.41	3	0.03	5	0.06	4	0.05	29	0.33
AGGREGATE OF U.Ds.	-	-	87	2.16	15	0.37	-	-	2	0.05	2	0.05	25	0.62
AGGREGATE OF R.Ds.	-	-	51	1.07	21	0.44	3	0.06	3	0.06	2	0.04	4	0.08
URBAN DISTRICTS:														
Fishguard ..	-	-	15	5.16	4	1.38	-	-	-	-	-	-	1	0.34
Goodwick ..	-	-	4	1.70	-	-	-	-	-	-	-	-	-	-
Haverfordwest M.B. ..	-	-	13	2.21	1	0.17	-	-	1	0.17	-	-	7	1.19
Milford Haven ..	-	-	4	0.45	7	0.78	-	-	-	-	-	-	6	0.67
Narberth ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neyland ..	-	-	4	1.80	-	-	-	-	-	-	-	-	-	-
Pembroke M.B. ...	-	-	42	3.28	1	0.08	-	-	-	-	1	0.08	9	0.70
Tenby M.B. ..	-	-	5	1.23	2	0.49	-	-	1	0.25	1	0.25	2	0.49
RURAL DISTRICTS:														
Haverfordwest ..	-	-	38	2.03	13	0.69	1	0.05	2	0.11	-	-	3	0.16
Llanfrynach ..	-	-	2	0.90	-	-	-	-	-	-	-	-	-	-
Narberth ..	-	-	4	0.37	3	0.28	1	0.09	1	0.09	2	0.18	-	-
Pembroke ..	-	-	1	0.12	2	0.24	1	0.12	-	-	-	-	1	0.12
St. Dogmells ..	-	-	6	0.81	3	0.40	-	-	-	-	-	-	-	-
RADNOR*.. ..	-	-	35	1.60	15	0.68	2	0.09	1	0.05	1	0.05	4	0.18
AGGREGATE OF U.Ds.	-	-	6	1.03	5	0.86	1	0.17	-	-	-	-	2	0.34
AGGREGATE OF R.Ds.	-	-	29	1.80	10	0.62	1	0.06	1	0.06	1	0.06	2	0.12
URBAN DISTRICTS:														
Knighton ..	-	-	6	3.52	1	0.59	-	-	-	-	-	-	1	0.59
Llandrindod Wells	-	-	-	-	1	0.33	1	0.33	-	-	-	-	-	-
Presteigne ..	-	-	-	-	3	2.79	-	-	-	-	-	-	1	0.93
RURAL DISTRICTS:														
Colwyn ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knighton ..	-	-	2	0.49	3	0.73	-	-	-	-	-	-	1	0.24
New Radnor ..	-	-	1	0.40	1	0.40	-	-	-	-	-	-	-	-
Paincastle ..	-	-	7	3.00	-	-	-	-	-	-	-	-	-	-
Rhayader ..	-	-	19	3.80	6	1.20	1	0.20	1	0.20	1	0.20	1	0.20

* Administrative County.

TABLE 29.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES,
DURING THE YEAR 1928*

District.	Air Temperature.			Rainfall.		Sun shine	Normal Values, 1881-1915.			
	Highest.	Lowest.	Deviation from Normal Daily Mean.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Normal.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1928.						Year 1881-1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	88	15	+0.5	102	+14	102	47.3	645	188	3.93
England E. ..	89	11	+1.2	106	— 7	107	48.4	610	181	4.32
Midland Counties	88	14	+1.0	104	+ 3	101	47.9	686	181	3.82
England S.E. ..	91	17	+1.1	114	+10	112	49.5	709	175	4.49
England N.W.†.	81	19	+0.6	123	+21	97	48.2	901	201	3.89
England S.W.†..	86	11	+1.1	115	+16	99	49.5	1001	199	4.28
Mean	—	—	+0.9	111	+11	103	48.5	759	187	4.12

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the northern half of Wales, whilst England S.W. includes the southern half.

TABLE 30.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1928.

1st Quarter : Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of						Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity.		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.								
	Air.		Evaporation.		Dew Point.		Air Daily Range.		Mean.	gms.	gms.	%	%	mb.	mb.	gms.	gms.	Amount in Millimetres.	Difference from Normal of 86 years.	At or below 30° F.	Between 30° and 40° F.	Above 40° F.	Lowest Reading at Night.	Highest Reading at Night.			
			Mean of "Wet Bulb" Readings at 9h. and 21h.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.																	Mean.	Difference from Normal of 60 years.	
	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.		
1928.	51.1	+2.4	+1.7	47.3	+0.8	43.9	+0.4	16.9	+1.1	10.2	+0.3	7.8	0.0	0.0	2	80	1009.9	+1.0	1236	5	643	+13	119	139	108	13.9	59.2
Year	43.4	+4.5	+3.6	40.6	+2.8	37.7	+2.5	13.5	+1.7	7.9	+0.9	6.1	+0.6	6.1	1	83	1009.8	+1.0	1256	8	149	+24	45	41	5	19.0	48.2
1st Quarter	53.1	+0.7	+0.2	48.5	−0.6	43.9	−1.3	19.1	−0.8	10.1	−0.3	7.7	−0.1	7.7	3	74	1008.8	−0.4	1229	−3	157	+14	31	29	31	20.1	52.6
2nd "	62.2	+2.4	+1.8	56.3	−0.2	52.5	−0.5	22.3	+2.6	13.6	0.0	10.2	−0.3	10.2	3	74	1015.6	+6.0	1216	+2	143	−39	7	33	52	24.1	59.2
3rd "	45.9	+2.2	+1.5	43.8	+1.2	41.6	+1.0	12.6	+0.9	9.3	+0.6	7.2	+0.1	7.2	2	87	1005.5	−2.6	1243	−10	194	+14	36	36	20	13.9	52.1
4th "																											

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5.6 mb.).

In this table + and − respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed. Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).

Density is expressed in grams per cubic metre (2.294 grams per cubic metre=1 grain per cubic foot).

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1879 ..	1873	— 78	31.4	797	+187	83	+ 2	46.2	— 3.3
1880 ..	1928	— 23	29.7	754	+144	84	+ 3	49.4	— 0.1
1881 ..	2030	+ 79	25.7	653	+ 43	81	0	48.7	— 0.8
1882 ..	2151	+200	25.2	640	+ 30	84	+ 3	49.7	+ 0.2
1883 ..	2058	+107	21.9	557	— 53	82	+ 1	49.4	— 0.1
1884 ..	2034	+ 83	18.1	458	—152	80	— 1	50.7	+ 1.2
1885 ..	2008	+ 57	24.0	610	0	81	0	48.6	— 0.9
1886 ..	1962	+ 11	24.2	615	+ 5	81	0	48.7	— 0.8
1887 ..	1927	— 24	19.9	504	—106	79	— 2	47.8	— 1.7
1888 ..	2049	+ 98	27.5	699	+ 89	82	+ 1	47.7	— 1.8
1889 ..	1934	— 17	23.3	591	— 19	83	+ 2	48.8	— 0.7
1890 ..	1946	— 5	21.9	555	— 55	81	0	48.6	— 0.9
1891 ..	1945	— 6	25.0	636	+ 26	82	+ 1	48.4	— 1.1
1892 ..	1863	— 88	22.3	567	— 43	80	— 1	48.1	— 1.4
1893 ..	1909	— 42	20.1	511	— 99	76	— 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	—109	78	— 3	49.3	— 0.2
1896 ..	1932	— 19	22.4	569	— 41	79	— 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	— 48	79	— 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	—131	78	— 3	51.3	+ 1.8
1899 ..	1911	— 40	22.3	567	— 43	77	— 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	— 43	79	— 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	— 95	78	— 3	49.2	— 0.3
1902 ..	1933	— 18	19.3	491	—119	80	— 1	49.2	— 0.3
1903 ..	2226	+275	35.5	903	+293	80	— 1	50.1	+ 0.6
1904 ..	1913	— 38	20.7	525	— 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+112	23.0	585	— 25	81	0	49.9	+ 0.4
1906 ..	2093	+142	24.7	628	+ 18	79	— 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	— 45	81	0	49.7	+ 0.2
1908 ..	1932	— 19	23.8	604	— 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	— 0.6
1910 ..	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+189	23.7	601	— 9	79	— 2	51.8	+ 2.3
1912 ..	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	— 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+136	23.9	606	— 4	81	0	51.5	+ 2.0
1915 ..	1932	— 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+108	26.0	660	+ 50	82	+ 1	48.9	— 0.6
1918 ..	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ..	1940	— 11	23.0	586	— 24	81	0	48.8	— 0.7
1920 ..	1918	— 33	21.5	546	— 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	— 96	12.8	318	—292	77	— 4	52.7	+ 3.2
1922 ..	2043	+ 92	23.2	589	— 21	80	— 1	49.4	— 0.1
1923 ..	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924 ..	1947	— 4	30.6	779	+169	83	+ 2	50.6	+ 1.1
1925 ..	1957	+ 6	23.4	594	— 16	81	0	50.5	+ 1.0
1926 ..	1948	— 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927 ..	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928 ..	2086	+135	25.3	643	+ 33	80	— 1	51.1	+ 1.6
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

† Mean of 52 weeks only (50th week—defective record).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1879-1928.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.4	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.3	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	- 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	- 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	- 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	- 0.1	44.7	+ 0.4	1916
36.4	- 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	- 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	- 1.9	54.3	+ 1.3	60.2	- 0.3	42.5	- 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	- 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	- 2.4	44.2	- 0.1	1922
44.8	+ 4.8	51.4	- 1.6	61.8	+ 1.3	43.0	- 1.3	1923
39.8	- 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	- 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	- 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	- 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

